*OFFICIAL.*

# WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN THE

# DUBLIN REGISTRATION AREA

AND IN

# TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,

# 1907.

DUBLIN:

PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,

BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

1908.

*Price Three Pence.*

WELLCOME INSTITUTE
LIBRARY

| | |
|---|---|
| Coll. | WelMOmec |
| Coll. No. | |

# YEARLY SUMMARY

OF THE

## WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA

### AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

---

## 1907.

---

**Births.**—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown, there were registered during the year 1907 (52 weeks) 10,958 births —5,581 boys and 5,377 girls—being equal to 1 in 36, or 28·0 per 1,000 of the estimated population.* The average rate for the preceding ten years was 28·6 per 1,000.

Of the 10,958 births registered in 1907, 9,385, or 31 in every 1,000 of the population, occurred in the city, and 1,573, or only 18 in every 1,000 inhabitants, in the urban districts named above.

Of the 10,958 births in the entire district, 2,836 were registered during the first quarter of the year, 2,802 in the second, 2,812 in the third, and 2,508 in the fourth, the weekly average being 211.

In London the number of births registered during the year 1907 (52 weeks) was 122,215, being equal to a rate of 26 in every 1,000 of the estimated population; in Glasgow the number was 23,932, equal to 28 per 1,000 ; and in Edinburgh it was 7,496, or 22 per 1,000 of the population.

**Deaths.**—The number of deaths registered in the Dublin Registration Area during the year 1907 was 9,447 (4,620 males and 4,827 females)—equal to 1 in 41, or 24·2 in every 1,000 of the estimated population. The average death-rate for the ten years 1897–1906 was 25·3 per 1,000 of the estimated population of the Area as then constituted. Thus the rate for last year is 1·1 below the average—a decrease equivalent to 4·3 per cent.

Omitting 406 deaths, which, being those of persons admitted into public institutions from localities outside the Dublin Registration Area, are not properly chargeable to it, the death-rate for last year (52 weeks) is 23·1 per 1,000 of the population, the rate for the city being 24·7 per 1,000 (24·4 on the North side, and 25·0 on the South), and for the suburbs 17·9 per 1,000. The rates for the several Registrars' districts range from 11·7 for Clontarf and Howth, No. 1, part of, to 29·2 in North City No. 2 (Lisburn-street).

Of the 9,447 deaths in the entire district, 2,758 were registered during the first quarter of the year, 2,589 in the second, 1,897 in the third, and 2,203 in the fourth, the weekly average being 182.

In the twenty-one provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective annual death-rates are as follow, ranging in order from the lowest to the highest:—Armagh, 14·9 per 1,000 of the population*; Queenstown, 14·9; Lisburn, 15·2; Portadown, 15·4; Dundalk, 15·8; Londonderry 16·5; Sligo, 16·6; Drogheda, 17·0; Clonmel, 17·9; Newry, 18·2; Tralee, 18·2;

* See note (*), page xvii.

Wexford, 18·6; Limerick, 18·7; Ballymena, 18·9; Lurgan, 19·3; Cork, 20·6; Galway, 20·7; Kilkenny, 21·0; Newtownards, 21·1; Belfast, 21·3; and Waterford, 21·7.

The number of deaths registered in London during the year 1907 (52 weeks) was 72,125, or 15·2 in every 1,000 of the inhabitants; in Glasgow, 15,627, equal to 18·4 per 1,000; and in Edinburgh, 5,573, or 16·1 in every 1,000 of the estimated population.

*Public Institutions.*—Of the 9,447 deaths registered in the Dublin Registration Area last year, 3,943, or 41·7 per cent., occurred in public institutions, viz.:—2,088 in the various hospitals, prisons, and lunatic asylums; 836 in the North Dublin Union Workhouse; 977 in the South Dublin Union Workhouse; and 42 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

**Diseases.**—*Dublin Registration Area.*—(See Tables III. and IV.)—The mortality last year shows that the total number of deaths from the principal epidemic diseases* registered in the Dublin Registration Area was 698. This number is equal to a rate of 1·8 per 1,000 of the estimated population, the average rate for the preceding ten years being 2·5 per 1,000.

The following tabular statement shows the mortality from each of the principal epidemic diseases during the year 1907, and the average annual number of deaths for the 10 years 1897–1906:—

| Principal Epidemic Diseases. | No. of Deaths in 1907. | Average Annual No. of Deaths, 1897–1906. |
|---|---|---|
| Small-pox, | — | 4 |
| Measles, | 154 | 201 |
| Scarlet Fever, | 14 | 53 |
| Typhus, | 8 | 4 |
| Whooping-cough, | 228 | 164 |
| Diphtheria, | 47 | 57 |
| *Pyrexia* (origin uncertain), | 4 | 6 |
| Enteric Fever, | 38 | 119 |
| Diarrhœal Diseases, | 205 | 345 |

*Small-pox.*—The returns for the year 1907 do not contain any reference to either mortality from small-pox, or to the incidence of the disease in the Dublin Registration Area. From Table III. it appears that there was no death from small-pox recorded since the year 1903, during which period 36 deaths were registered.

*Measles.*—The tabular statement above shows that the deaths from measles were 154 in number, and less than the average—201—for the preceding ten years. The mortality from measles as seen in Table III. for each of the 11 years, 1897–1907, exhibits large fluctuations. In the first year of the period, 474 deaths were recorded; in 1898 only 9 deaths were registered; in 1899 the deaths from measles rose to 656, declined to 75 in 1900, and further to 7 deaths in 1901, rose in 1902 to 392, fell to 49 in 1903, rising again to 191 in 1904, falling to 97 in 1905, and to 56 in 1906. The distribution of the mortality from measles may be seen in Table IV. by the districts which constitute the Area. The deaths appertaining to Kingstown were 29 in number, and represent an annual death-rate on the estimated population of the Urban District of 1·65 per 1,000.

*Scarlet Fever.*—Excepting the preceding year (1906), the deaths from scarlet fever registered, in number 14, were lower than in any year of the decade 1897-1906, the average number of deaths for the period, 1897-1906, being 53. In 1897—the first year of the decennial period—the highest number of deaths (134) was recorded, and in the last year, 1906, the lowest number (13). From Table II. which contains a summary of the notifications under the Infectious Diseases (Notification) Act, 1889, it appears that the aggregate number of cases of scarlet fever notified to the several Public Health Authorities of the Area was 379.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

*Typhus.*—The deaths caused by typhus and registered were 8 in number, the average number for the 10 preceding years being 4. The 8 deaths appertained to the City Districts as follows :—To North City, No. 1 W., one death ; to North City No. 2, 2 deaths ; to South City No. 1, one death ; to South City No. 2, one death ; to South City No. 3, one death ; and to South City No. 4, 2 deaths. From Table II. it appears that 55 cases of typhus were notified to the Public Health Authority of the City of Dublin during the year 1907.

*Whooping-cough.*—In the course of the yearly period now under notice, the deaths from whooping-cough which were registered in the Dublin Registration Area were 228 in number, and represent an annual death-rate of 0·58 per 1,000 of the estimated population of the Area. It appears that the deaths from whooping-cough in 1907 outnumber those registered from any of the other principal epidemic diseases. The 228 deaths are also in excess of the yearly average—164—for the ten years 1897-1906. From Table III., on page viii., it appears that in the decennial period 1897-1906, the largest number of deaths from whooping-cough was registered in the year 1897, namely, 392, and in the year 1905 the lowest number—48—was recorded. Of the total deaths from whooping-cough, 77 appertained to the districts of Dublin North City ; 101 to the districts of the South City ; and 49 to the Urban Districts, the latter figure including 26 deaths appertaining to Pembroke Urban District, corresponding to an annual death-rate of 0·93 per 1,000 of the estimated population.

*Diphtheria.*—The mortality from diphtheria is equal to an annual rate of 0·12 per 1,000 of the estimated population of the Area ; the deaths numbered 47, and were below the average—57—for the preceding decennium, in which the highest number registered was 85 in the year 1902 and the lowest number was in the year 1905, when 32 deaths were registered—see Table III. Of the total deaths, 40 appertained to the County Borough of Dublin ; 6 to the Urban Districts (exclusive of Kingstown), and one death occurred in an institution of a person admitted from without the Dublin Registration Area. From Table I., page vii., it appears that 335 cases of diphtheria were admitted for treatment into Dublin hospitals during the year 1907, that 294 were discharged, that 36 died, and that 28 patients remained under treatment on the 28th December, 1907, the close of the period of 52 weeks.

*Enteric Fever.*—It is noteworthy and satisfactory to read the figures given in Table III. respecting mortality from enteric fever in the past 11 years for the Dublin Registration Area. In the first 3 years of that period the average number of deaths was 181 ; in the second 3 years, the average fell to 120 deaths ; in the third 3 years, the yearly average further declined to 77 deaths ; and in 1906, 54 deaths were registered. The deaths registered in the year 1907, now the subject of review, further declined to 38. Of this figure, 32 appertained to the County Borough of Dublin, and 6 to the urban districts, exclusive of Blackrock, in which district not one death from enteric fever was registered nor was any case notified. The total number of cases of enteric fever notified under the Act of 1889 was 379, and the number admitted to hospitals for treatment was 293.

*As in the year* 1906, *the deaths of* 4 *persons were classified under the heading pyrexia* (*origin uncertain*).

*Diarrhœal Diseases.*—Although the mortality from diarrhœal diseases stands highest after that for whooping-cough among the principal epidemic diseases for the year under notice, nevertheless the deaths registered (205) are far below the average (345) for the preceding 10 years, each of these figures representing rates corresponding to 0·52 and 0·92 per 1,000 of the estimated population and the estimated mean population, respectively. Of the total deaths, there were 170 of children under 5 years of age. This total does not include the deaths of 50 children under 5 years of age which were attributed to *gastro-enteritis.* Of the 205 deaths from diarrhœal diseases, 88 were of persons inhabiting the districts of the northern portions of the County Borough of Dublin, and 86 were of inhabitants of the districts of the southern portions, while 29 deaths from diarrhœal diseases appertained to the urban districts.

*Influenza.*—There were 121 deaths attributed to influenza, representing an annual rate of 0·31 per 1,000 of the population.

*Cerebro-spinal Fever.*—There were 46 deaths from this disease registered in the Dublin Registration Area during the year 1907. Of the 46 deaths, 13 were registered in the March quarter, 22 in the June quarter, 5 in the September quarter, and 6 in the December quarter.

*Pneumonia.*—Under the general head of pneumonia, the deaths from lobar pneumonia, broncho-pneumonia, epidemic pneumonia, and *pneumonia* (not defined) are classified. In the aggregate, these deaths amounted to 770, equalling a rate of 1·97 per 1,000 of the population, as against an average annual rate of 1·59 for the 10 years preceding.

*Tuberculous Disease.*—The deaths from all forms of tuberculous disease amounted to 1,793, and include 540 deaths from tuberculous phthisis, 643 deaths returned as from *phthisis*, 202 deaths from tuberculous meningitis, 48 deaths from tuberculous peritonitis, 24 deaths from *tabes mesenterica*, 334 deaths from other forms of the disease, and 2 deaths from *scrofula*. These in the aggregate represent a rate of 4·59 per 1,000 of the estimated population of the Area, as against a rate of 4·55 per 1,000 in 1905, and 4·47 per 1,000 in 1906.

The pulmonary form of the disease caused 1,183 deaths, representing a rate of 3·03 per 1,000 of the population in the year 1907, as against an average rate of 3·27 per 1,000 for the previous decennial period.

In the northern portion of the city the deaths from all forms of the disease were 740 in number, and the deaths from the pulmonary form 510, representing rates of 4·80 and 3·31 per 1,000 respectively. In the southern portion of the city, the deaths from all forms of the disease were 750, and the deaths from the pulmonary form were 464, representing rates of 5·11 per 1,000 and 3·16 per 1,000, respectively; and for the urban districts the rates for all forms of the disease and for the pulmonary form were respectively 2·35 and 1·67 per 1,000 of the aggregate estimated population of the urban districts.

It is a matter of the gravest importance to report that, out of an aggregate number of 9,447 deaths registered in the Dublin Registration Area during the year, 1,793, (almost 19 per cent., or nearly one death in five) are due to tuberculous disease.

*Malignant Disease.*—Of 399 deaths under the heading malignant disease, 145 were returned as from carcinoma, 24 from sarcoma, and 230 as from cancer, malignant disease (undefined), the total representing an annual rate of 1·02 per 1,000 of the estimated population of the Area.

*Premature Birth.*—The deaths of 209 infants were ascribed to prematurity.

*Diseases of the Brain and Nervous System.*—Among the deaths from this group of diseases, in number 656, and representing a rate of 1·68 per 1,000 of the estimated population, there were 234 deaths of children under five years of age from *convulsions.*

*Diseases af the Heart and Blood Vessels.*—The rate representing the deaths, 1,371, from diseases of heart and blood vessels was 3·51 per 1,000. The 1,371 deaths include those of 18 persons from aneurysm.

*Diseases of the Respiratory System.*—The total deaths (1,291) include 1,153 from bronchitis and 25 from pleurisy, and represent a rate of 3·31 per 1000 of the estimated population of the Area.

*Violence.*—In the aggregate the deaths from violence numbered 232; of the total, 215 were from accident or negligence, 6 were due to homicide, and 11 were by suicide. Of the accidental deaths, 47 were caused by burns, scalds, or explosions, and of this number 22 were deaths of children under 5 years of age; the deaths of 23 infants under one year of age were caused by suffocation in bed; amongst others, there were 4 deaths by railways, 21 by vehicles and horses, 32 by drowning, and 3 by poisons or poisonous vapours.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the **Year** (52 weeks) **ended Saturday, 28th December, 1907,** in the principal Dublin Hospitals in which cases of infectious diseases are received.

| DISEASES. | No. of Cases in Hospital at close of previous year. | No. admitted during year. | Dis-charged. | Died. | No. under treatment on above date. |
|---|---|---|---|---|---|
| Small-pox, . . . | . | . | . | . | . |
| Measles, . . | 18 | 777 | 727 | 46 | 22 |
| Scarlet Fever, . . | 73 | 457 | 469 | 12 | 49* |
| Typhus, . | 2 | 58 | 50 | 9 | 1 |
| Diphtheria, . . | 23 | 335 | 294 | 36 | 28 |
| Enteric Fever, . . | 34 | 293 | 264 | 25 | 38 |
| Pneumonia, . . | 22 | 547 | 473 | 68 | 28 |

* Exclusive of 8 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 290 cases the cause of death was uncertified, there having been no medical attendant during the last illness; of these 290 cases, 162, or 55·9 per cent., were deaths of children under 5 years of age: these 162 deaths form 5·5 per cent. of the total number of deaths of children of that age-period. Of the deaths of 488 infants under one month old registered, there were 76 (or 15·6 per cent.) regarding which the cause was uncertified.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table, have been kindly furnished by:—Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin; Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban Disirict; by the Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE II.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the Year (52 weeks) ended 28th December, 1907. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Population in middle of 1907.† | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | 300,850 | . | — | — | 243 | 55 | . | 268 | 7 | 144 | 328 | 640 | 7 | — | — | 26‡ | — | — | 1,718 |
| Rathmines and Rathgar Urban District. | 35,606 | . | — | — | 60 | . | . | 29 | 1 | 2 | 19 | 17 | . | — | — | 8‡ | — | — | 136 |
| Pembroke Urban District. | 27,854 | . | 448 | 20 | 20 | . | . | 14 | 2 | 14 | 27 | 25 | 2 | — | 415 | 2 | — | — | 989 |
| Blackrock Urban District. | 8,759 | . | — | — | 42 | . | . | 5 | . | . | . | 3 | . | — | — | . | — | — | 50 |
| Kingstown Urban District. | 17,622 | . | — | — | 14 | . | . | 3 | . | . | 5 | 6 | . | — | — | . | — | — | 28 |
| City of Belfast. | 370,163 | 1 | — | — | 531 | . | . | 257 | 37 | 270 | 356 | 341 | 29 | — | — | 623 | — | — | 2,445 |

See note (*) on page xvii.

In addition, 18 cases were reported in Dublin City, and one in Rathmines Urban District, during the periods in which the disease was not notifiable under the Act.

## Table III.—Dublin Registration Area.*—Causes of Death in

| Names of Diseases. | Number of Deaths | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1897 (52 weeks). | 1898 (52 weeks). | 1899 (52 weeks). | 1900 (52 weeks). | 1901 (52 weeks). | 1902 (53† weeks). | 1903 (52 weeks). | 1904 (52 weeks). | 1905 (52 weeks). | 1906 (52 weeks). |
| **General Diseases:—** | | | | | | | | | | |
| Small-pox, | 2 | . | . | . | . | . | 36 | . | . | . |
| Measles, | 474 | 9 | 656 | 75 | 7 | 392 | 49 | 191 | 97 | 56 |
| Scarlet Fever, | 134 | 89 | 51 | 22 | 31 | 76 | 63 | 26 | 24 | 13 |
| Typhus, | 14 | 2 | 5 | 2 | 3 | 8 | 2 | 1 | . | 4 |
| Whooping-cough, | 392 | 154 | 150 | 137 | 235 | 59 | 129 | 239 | 48 | 101 |
| Diphtheria, | 75 | 65 | 66 | 54 | 54 | 85 | 60 | 35 | 32 | 40 |
| *Pyrexia*‡ (origin uncertain), | 8 | 7 | 4 | 6 | 10 | 4 | 3 | 4 | 8 | 4 |
| Enteric Fever, | 182 | 179 | 182 | 133 | 107 | 121 | 94 | 74 | 64 | 54 |
| Diarrhœal Diseases, | 356 | 381 | 529 | 365 | 390 | 237 | 151 | 339 | 284 | 417 |
| Pneumonia, | 589 | 522 | 720 | 606 | 606 | 620 | 522 | 619 | 553 | 622 |
| Phthisis, | 1,147 | 1,232 | 1,293 | 1,348 | 1,274 | 1,261 | 1,218 | 1,172 | 1,207 | 1,152 |
| Other General Diseases,§ | 1,691 | 1,788 | 1,845 | 1,884 | 1,664 | 1,473 | 1,669 | 1,735 | 1,590 | 1,646 |
| Total, | 5,064 | 4,428 | 5,501 | 4,632 | 4,381 | 4,336 | 3,996 | 4,435 | 3,907 | 4,109 |
| **Local Diseases:—** | | | | | | | | | | |
| Diseases of: Nervous System, | 1,765 | 1,716 | 1,822 | 1,894 | 1,996 | 961 | 809 | 720 | 723 | 687 |
| Diseases of: Heart and Blood Vessels, | | | | | | 1,073 | 1,365 | 1,290 | 1,258 | 1,315 |
| Diseases of: Organs of Special Sense, | 7 | 10 | 10 | 6 | 9 | 10 | 7 | 11 | 10 | 6 |
| Diseases of: Respiratory System (exclusive of Pneumonia). | 1,372 | 1,219 | 1,363 | 1,456 | 1,254 | 1,339 | 1,183 | 1,168 | 1,008 | 1,093 |
| Diseases of: Digestive System, | 448 | 394 | 460 | 453 | 427 | 554 | 515 | 553 | 561 | 601 |
| Diseases of: Lymphatic System, &c., | 9 | 9 | 14 | 13 | 14 | 14 | 22 | 20 | 12 | 22 |
| Diseases of: Urinary System, | 209 | 196 | 214 | 223 | 260 | 276 | 261 | 283 | 241 | 288 |
| Diseases of: Generative System, | 26 | 15 | 12 | 18 | 21 | 20 | 19 | 22 | 12 | 18 |
| Accidents of Childbirth, | 19 | 21 | 22 | 23 | 24 | 40 | 26 | 21 | 21 | 26 |
| Diseases of Locomotor System, | 27 | 26 | 20 | 15 | 20 | 29 | 14 | 10 | 5 | 11 |
| Diseases of Integumentary§ „ | 26 | 31 | 19 | 30 | 37 | 31 | 22 | 14 | 16 | 15 |
| Total, | 3,908 | 3,637 | 3,956 | 4,131 | 4,062 | 4,347 | 4,243 | 4,112 | 3,867 | 4,082 |
| Other Specified Diseases, | . | . | . | . | . | . | . | . | . | . |
| Deaths from ill-defined and Unspecified causes, | 879 | 1,031 | 999 | 989 | 877 | 823 | 591 | 519 | 443 | 463 |
| Violent Deaths, | 266 | 238 | 274 | 235 | 251 | 221 | 217 | 198 | 208 | 203 |
| **Deaths from all causes,** | 10,117 | 9,334 | 10,730 | 9,987 | 9,571 | 9,727 | 9,047 | 9,264 | 8,425 | 8,857 |
| Annual Death Rate per 1,000 of Pop.* | 27·5 | 25·2 | 28·7 | 26·5 | 25·4 | 25·3 | 23·9 | 24·4 | 22·2 | 23·4 |
| Mean Temperature of the Air (Fahr.), | 49°·0 | 49°·8 | 49°·2 | . | 47°·7 | 47°·9 | 47°·7 | 48°·1 | 48°·4 | 48°·3 |
| Rainfall in inches, | 31·02 | 29·61 | 26·87 | 37·21 | 25·79 | 26·97 | 32·48 | 22·62 | 24·46 | 23·59 |

* The figures given for 1897–1900 are for the Dublin Registration Area as then constituted; those for 1901–1907 for

† The numbers for the year 1902 embrace the returns for 53 weeks. This arrangement

‡ Formerly described as

§ Deaths from Carbuncle, Cellulitis, Phlegmon, and Lupus, which for the years 1897–1901 were included in "Diseases

the years 1897–1907, with the Ratio of the Deaths to the Population.

| Registered. | | | | | | Number of Deaths from each Disease to every 10,000 Persons living. | | Names of Diseases. |
|---|---|---|---|---|---|---|---|---|
| Yearly Average. 1897–06. | 1907. Total (52 weeks) | 1907. 1st Quarter. | 1907. 2nd Quarter. | 1907. 3rd Quarter. | 1907. 4th Quarter. | Yearly Average, 1897–06. | 1907 (52 weeks) | |
| | | | | | | | | General Diseases:— |
| 4 | . | . | . | . | . | 0·1 | . | Small-pox. |
| 201 | 154 | 28 | 70 | 43 | 13 | 5·3 | 3·9 | Measles. |
| 53 | 14 | 3 | 1 | 4 | 6 | 1·4 | 0·4 | Scarlet Fever. |
| 4 | 8 | 3 | 2 | 3 | . | 0·1 | 0·2 | Typhus. |
| 164 | 228 | 65 | 102 | 41 | 20 | 4·4 | 5·8 | Whooping-cough. |
| 57 | 47 | 8 | 10 | 11 | 18 | 1·5 | 1·2 | Diphtheria. |
| 6 | 4 | . | 1 | 1 | 2 | 0·2 | 0·1 | *Pyrexia*‡ (origin uncertain). |
| 119 | 38 | 8 | 5 | 10 | 15 | 3·2 | 1·0 | Enteric Fever. |
| 345 | 205 | 28 | 13 | 76 | 88 | 9·2 | 5·2 | Diarrhœa, Dysentery. |
| 598 | 770 | 250 | 231 | 120 | 169 | 15·9 | 19·7 | Pneumonia. |
| 1,230 | 1,183 | 328 | 336 | 244 | 275 | 32·7 | 30·3 | Phthisis. |
| 1,698 | 1,827 | 525 | 527 | 390 | 385 | 45·2 | 46·8 | Other General Diseases.§ |
| 4,479 | 4,478 | 1,246 | 1,298 | 943 | 991 | 119·2 | 114·6 | Total. |
| | | | | | | | | Local Diseases:— |
| 1,939 | 656 | 185 | 185 | 135 | 151 | 51·6 | 16·8 | Nervous System. (Diseases of) |
| | 1,371 | 388 | 382 | 277 | 324 | | 35·1 | Heart and Blood Vessels. (Diseases of) |
| 9 | 9 | 2 | 2 | 3 | 2 | 0·2 | 0·2 | Organs of Special Sense. (Diseases of) |
| 1,246 | 1,291 | 485 | 304 | 187 | 315 | 33·2 | 33·1 | Respiratory System (exclusive of Pneumonia). (Diseases of) |
| 497 | 521 | 135 | 127 | 123 | 136 | 13·2 | 13·3 | Digestive System. (Diseases of) |
| 15 | 22 | 8 | 4 | 5 | 5 | 0·4 | 0·6 | Lymphatic System, &c. (Diseases of) |
| 245 | 307 | 85 | 93 | 54 | 75 | 6·5 | 7·9 | Urinary System. (Diseases of) |
| 18 | 17 | 5 | 6 | 3 | 3 | 0·5 | 0·4 | Generative System. (Diseases of) |
| 24 | 27 | 6 | 3 | 7 | 11 | 0·6 | 0·7 | Accidents of Childbirth. |
| 18 | 20 | 4 | 7 | 4 | 5 | 0·5 | 0·5 | Diseases of Locomotor System. |
| 24 | 16 | 4 | 6 | 2 | 4 | 0·6 | 0·4 | Diseases of Integumentary§ ,, |
| 4,035 | 4,257 | 1,307 | 1,119 | 800 | 1,031 | 107·3 | 109·0 | Total. |
| . | . | . | . | . | . | . | . | Other Specified Diseases. |
| 761 | 480 | 140 | 117 | 103 | 120 | 20·3 | 12·3 | Deaths from Ill-defined and Unspecified causes. |
| 231 | 232 | 65 | 55 | 51 | 61 | 6·1 | 5·9 | Violent Deaths. |
| 9,506 | 9,447 | 2.758 | 2,589 | 1,897 | 2,203 | 252·9 | 241·8 | **Deaths from all causes.** |
| 25·3 | 24·2 | 28·2 | 26·5 | 19·4 | 22·6 | . | . | Annual Death Rate per 1,000 of Population. |
| . | 47·7° | 40·9° | 48·3° | 56·7° | 44·9° | . | . | Mean Temperature of the Air (Fahr.) |
| 28·06 | 27·80 | 4·42 | 8·17 | 5·48 | 9·73 | . | . | Rainfall in inches. |

the area as at present existing. The rates are calculated on the population estimated to the middle of the respective years. is occasionally necessary in order that the annual series may correspond with the calendar year.
" Simple Continued Fever."
of the Integumentary System," have been tabulated under " Other General Diseases" for the years 1902-1907.

TABLE IV.—Showing for the **Year 1907** (52 weeks) the number of DEATHS of Residents of of the Population of the respective Districts represented thereby, and by the Deaths from Deaths at certain aged-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions*

| REGISTRARS' DISTRICTS, &c. | POPULATION, ESTIMATED TO MIDDLE OF 1907.* | YEAR 1907 (52 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES. | FROM DISEASES IN COLS. 11–19. | TOTAL DEATHS. | DEATHS. Infants under 1 year of Age. | 1 and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | Persons aged 60 years and upwards. | CAUSED BY Small-pox. | Measles. | Scarlet Fever. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) |
| **North City.** | | | | | | | | | | | | | |
| NORTH CITY, No. 1, E., | 29,016 | 22·1 | 1·2 | 640 | 142 | 79 | 44 | 113 | 121 | 141 | . | 4 | . |
| ,, 1, W. | 39,146 | 26·0 | 1·9 | 1,016 | 200 | 164 | 48 | 153 | 219 | 232 | . | 12 | 1 |
| ,, 2, | 30,107 | 29·2 | 2·1 | 879 | 197 | 141 | 55 | 124 | 174 | 188 | . | 16 | 1 |
| ,, 3, | 32,422 | 25·6 | 2·0 | 831 | 173 | 109 | 64 | 125 | 165 | 195 | . | 14 | . |
| CLONTARF AND HOWTH, No. 1, part of, | 5,116 | 11·7 | 0·8 | 60 | 7 | 6 | 6 | 8 | 15 | 18 | . | . | . |
| COOLOCK AND DRUMCONDRA, No. 1, part of, | 10,991 | 20·3 | 1·1 | 223 | 24 | 22 | 18 | 37 | 50 | 72 | . | 3 | . |
| FINGLAS AND GLASNEVIN, part of, | 7,223 | 16·1 | 1·1 | 116 | 18 | 8 | 15 | 19 | 14 | 42 | . | 3 | . |
| **South City.** | | | | | | | | | | | | | |
| SOUTH CITY, No. 1, | 40,002 | 25·7 | 1·8 | 1,027 | 225 | 140 | 66 | 139 | 201 | 256 | . | 26 | 5 |
| ,, 2, | 20,589 | 27·0 | 2·1 | 555 | 108 | 84 | 33 | 85 | 124 | 121 | . | 6 | . |
| ,, 3, | 42,209 | 25·7 | 2·1 | 1,086 | 206 | 156 | 76 | 141 | 243 | 264 | . | 13 | 3 |
| ,, 4, | 35,138 | 24·4 | 2·2 | 856 | 155 | 103 | 67 | 135 | 169 | 217 | . | 12 | . |
| NEW KILMAINHAM, | 8,891 | 15·9 | 0·9 | 141 | 33 | 15 | 8 | 23 | 25 | 37 | . | . | . |
| **Urban Districts.** | | | | | | | | | | | | | |
| RATHMINES AND RATHGAR, | 35,606 | 17·1 | 0·8 | 608 | 85 | 40 | 43 | 70 | 104 | 266 | . | 1 | 2 |
| PEMBROKE, | 27,854 | 17·6 | 1·9 | 491 | 85 | 57 | 32 | 64 | 75 | 178 | . | 13 | . |
| BLACKROCK, | 8,759 | 13·7 | 0·8 | 120 | 16 | 6 | 10 | 17 | 27 | 44 | . | . | . |
| KINGSTOWN, | 17,622 | 22·2 | 2·6 | 392 | 40 | 48 | 30 | 45 | 75 | 154 | . | 29 | . |
| Total City, North, | 154,021 | 24·4 | 1·7 | 3,765 | 761 | 529 | 250 | 579 | 758 | 888 | . | 52 | 2 |
| Total City, South, | 146,829 | 25·0 | 2·0 | 3,665 | 727 | 498 | 250 | 523 | 762 | 905 | . | 57 | 8 |
| Total City, North & South, | 300,850 | 24·7 | 1·8 | 7,430 | 1488 | 1027 | 500 | 1102 | 1520 | 1793 | . | 109 | 10 |
| **Total Urban Districts,** | 89,841 | 17·9 | 1·5 | 1,611 | 226 | 151 | 115 | 196 | 281 | 642 | . | 43 | 2 |
| **Total Registration Area,** | 390,691 | 23·1 | 1·8 | 9,041 | 1714 | 1178 | 615 | 1298 | 1801 | 2435 | . | 152 | 12 |
| Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), | | | | 406 | 23 | 20 | 54 | 112 | 109 | 88 | . | 2 | 2 |

* See note (*) on page xvii.

the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the Rate per 1,000 the principal Epidemic Diseases*; with the Mortality from some of the principal causes; also the *being assigned to the Districts from which the deceased were admitted.*

ENDED 28TH DECEMBER, 1907.

| DEATHS. Caused by | | | | | | | | | | | | | REGISTRARS' DISTRICTS, &c. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia* † (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Number of Uncertified Deaths. | |
| (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | |
| | | | | | | | | | | | | | **North City.** |
| . | 8 | 2 | . | 6 | 14 | 59 | 79 | 41 | 21 | 83 | 23 | 27 | NORTH CITY, No 1, E. |
| 1 | 17 | 8 | . | 3 | 32 | 86 | 137 | 56 | 23 | 171 | 23 | 40 | ,, 1, W. |
| 2 | 22 | 4 | 2 | 2 | 14 | 73 | 106 | 66 | 25 | 112 | 22 | 23 | ,, 2 |
| . | 27 | 3 | . | 3 | 19 | 71 | 125 | 54 | 31 | 95 | 15 | 22 | ,, 3 |
| . | . | 2 | . | 1 | 1 | 3 | 8 | 2 | 7 | 6 | 2 | 1 | CLONTARF AND HOWTH, No. 1, part of. |
| . | 3 | 1 | . | 1 | 4 | 17 | 38 | 8 | 16 | 21 | 3 | 7 | COOLOCK AND DRUMCONDRA, No. 1, part of. |
| . | . | 1 | . | . | 4 | 13 | 17 | 3 | 10 | 8 | 5 | 2 | FINGLAS AND GLASNEVIN, part of. |
| | | | | | | | | | | | | | **South City.** |
| 1 | 18 | 5 | . | 5 | 14 | 64 | 127 | 68 | 27 | 167 | 18 | 31 | SOUTH CITY, No. 1. |
| 1 | 17 | 2 | . | 2 | 15 | 46 | 83 | 48 | 13 | 104 | 8 | 23 | ,, 2 |
| 1 | 32 | 7 | . | 4 | 29 | 101 | 107 | 108 | 35 | 187 | 21 | 21 | ,, 3. |
| 2 | 32 | 5 | 1 | 4 | 23 | 75 | 128 | 54 | 37 | 130 | 25 | 24 | ,, 4. |
| . | 2 | . | . | 1 | 5 | 13 | 19 | 8 | 8 | 18 | 5 | 12 | NEW KILMAINHAM. |
| | | | | | | | | | | | | | **Urban Districts.** |
| . | 12 | 2 | . | 3 | 10 | 42 | 57 | 23 | 41 | 65 | 17 | 24 | RATHMINES AND RATHGAR. |
| . | 26 | 3 | . | 2 | 9 | 39 | 44 | 20 | 24 | 56 | 9 | 11 | PEMBROKE. |
| . | 3 | 1 | . | . | 3 | 12 | 16 | 5 | 11 | 8 | 5 | 4 | BLACKROCK. |
| . | 8 | . | 1 | 1 | 7 | 34 | 33 | 13 | 28 | 32 | 10 | 18 | KINGSTOWN. |
| 3 | 77 | 21 | 2 | 16 | 88 | 322 | 510 | 230 | 133 | 496 | 93 | 122 | **North.** } **Total City.** |
| 5 | 101 | 19 | 1 | 16 | 86 | 299 | 464 | 286 | 120 | 606 | 77 | 111 | **South.** } **Total City.** |
| 8 | 178 | 40 | 3 | 32 | 174 | 621 | 974 | 516 | 253 | 1,102 | 170 | 233 | **North & South.** } **Total City.** |
| . | 49 | 6 | 1 | 6 | 29 | 127 | 150 | 61 | 104 | 161 | 41 | 57 | **Total Urban Districts.** |
| 8 | 227 | 46 | 4 | 38 | 203 | 748 | 1,124 | 577 | 357 | 1,263 | 211 | 290 | **Total Registration Area.** |
| . | 1 | 1 | . | . | 2 | 22 | 59 | 33 | 42 | 28 | 21 | . | |

* See note (*) on page iv. † Formerly described as "Simple Continued Fever."

**Ages.**—Of the 9,447 deaths registered during the year, 2,935, or 31 per cent., were of children under five years of age, and 2,523, or 27 per cent., were of persons aged 60 years and upwards, including those of 1,187 persons aged 70 years and upwards, of whom 58 were stated to have been nonagenarians, and a male and a female were stated to have been aged 100 and 114 years, respectively.

The deaths of infants under 1 year old were equal to 159 for every 1,000 births registered, against 148 in the preceding year, and 145 in 1905.

TABLE V.—Showing, by certain Age-Periods, the Population of the Dublin Registration Area* in 1901, the Number of Deaths registered in each of the years 1897–1907, and the proportion which the Deaths at each age-period bear to the estimated Population at the same age.

| Years, &c. | | Ages. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | All Ages. | Under 20 years. | | | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | | | Under 5 years. | 5 and under 20. | Total. | | | | |
| Census Population in 1901, | | 375,350 | 38,157 | 106,723 | 144,880 | 135,683 | 68,610 | 24,273 | 1,904 |
| Number of Deaths *Registered.* | Year 1897, | 10,117 | 3,854 | 865 | 4,719 | 1,487 | 1,775 | 1,771 | 365 |
| | „ 1898, | 9,334 | 2,923 | 738 | 3,661 | 1,507 | 1,801 | 1,955 | 410 |
| | „ 1899, | 10,730 | 3,776 | 817 | 4,593 | 1,573 | 2,067 | 2,069 | 428 |
| | „ 1900, | 9,987 | 2,885 | 765 | 3,650 | 1,627 | 2,111 | 2,119 | 480 |
| | „ 1901, | 9,571 | 2,750 | 751 | 3,501 | 1,518 | 1,988 | 2,084 | 450 |
| | „ 1902.† | 9,727 | 3,192 | 762 | 3,954 | 1,582 | 1,924 | 1,857 | 410 |
| | „ 1903, | 9,047 | 2,563 | 648 | 3,211 | 1,522 | 1,950 | 1,962 | 402 |
| | „ 1904, | 9,264 | 3,023 | 654 | 3,677 | 1,445 | 1,808 | 1,927 | 407 |
| | „ 1905, | 8,425 | 2,426 | 640 | 3,066 | 1,372 | 1,733 | 1,851 | 403 |
| | „ 1906, | 8,857 | 2,497 | 626 | 3,123 | 1,380 | 1,934 | 2,046 | 374 |
| | Yearly average, 1897-1906, | 9,506 | 2,989 | 727 | 3,716 | 1,504 | 1,909 | 1,964 | 413 |
| | Year 1907, | 9,447 | 2,935 | 669 | 3,604 | 1,410 | 1,910 | 2,117 | 406 |
| | 1st Quarter, 1907, | 2,758 | 802 | 176 | 978 | 401 | 570 | 654 | 155 |
| | 2nd „ „ | 2,589 | 819 | 191 | 1,010 | 398 | 522 | 557 | 102 |
| | 3rd „ „ | 1,897 | 612 | 143 | 755 | 235 | 394 | 397 | 66 |
| | 4th „ „ | 2,203 | 702 | 159 | 861 | 326 | 424 | 509 | 83 |
| Number of Deaths at each Age-Period to every 1,000 of the Estimated Population* at same age. | Year 1897, | 27·5 | 99·0 | 8·1 | 12·3 | 11·8 | 25·9 | 70·9 | 190·9 |
| | „ 1898, | 25·2 | 74·5 | 6·8 | 24·9 | 11·9 | 26·0 | 77·6 | 212·8 |
| | „ 1899, | 28·7 | 95·5 | 7·5 | 31·0 | 12·3 | 29·7 | 81·5 | 220·4 |
| | „ 1900, | 26·5 | 72·4 | 7·0 | 24·4 | 12·6 | 30·0 | 82·8 | 245·3 |
| | „ 1901, | 25·4 | 71·9 | 7·0 | 24·1 | 11·4 | 28·9 | 85·7 | 235·8 |
| | „ 1902,† | 25·3 | 81·5 | 7·0 | 26·6 | 11·4 | 27·3 | 74·5 | 209·9 |
| | „ 1903, | 23·9 | 66·5 | 6·0 | 22·0 | 11·1 | 28·1 | 80·1 | 209·2 |
| | „ 1904, | 24·4 | 78·5 | 6·1 | 25·1 | 10·5 | 26·1 | 78·6 | 211·8 |
| | „ 1905, | 22·2 | 63·0 | 5·9 | 21·0 | 10·0 | 25·0 | 75·5 | 209·7 |
| | „ 1906, | 23·4 | 64·8 | 5·8 | 21·3 | 10·1 | 27·9 | 83·5 | 194·6 |
| | Yearly average, 1897-1906, | 25·3 | 76·8 | 6·7 | 25·3 | 11·3 | 27·5 | 79·1 | 214·0 |
| | Year 1907, | 24·2 | 73·9 | 6·0 | 23·9 | 10·0 | 26·7 | 83·8 | 204·8 |

**Occupations.**—Table VII. on pages xiv.–xv. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to a rate of 16·2 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 17·0 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 18·1; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 35·4. The number of the living in each of the several classes and orders of occupations in 1901 is shown by age-periods in the following Table.

* See note (*), pages viii.–ix. † See note (†), pages viii.–ix.

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1901.

| CLASS. | OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | AGES. Under 5 years. | 5 and under 15. | 15 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|
| | **ALL PERSONS,** | 375,350 | 38,157 | 67,552 | 39,171 | 135,683 | 68,610 | 24,273 | 1,904 |
| | CLASSES. | | | | | | | | |
| | Families of the— | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 937 | 2,136 | 1,322 | 5,665 | 4,490 | 2,532 | 354 |
| II. | MIDDLE CLASS, | 87,188 | 7,418 | 14,383 | 9,936 | 23,875 | 15,662 | 5,460 | 454 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 12,336 | 21,973 | 11,462 | 37,921 | 20,434 | 5,920 | 377 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 17,205 | 28,768 | 16,320 | 57,135 | 26,398 | 7,989 | 464 |
| V. | INMATES OF WORKHOUSES, | 6,024 | 261 | 292 | 131 | 1,087 | 1,626 | 2,372 | 255 |
| I. | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | |
| | 1. Clerical, Medical Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments, | 7,799 | 541 | 997 | 548 | 2,654 | 2,196 | 793 | 70 |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 139 | 268 | 98 | 325 | 322 | 116 | 9 |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 257 | 871 | 676 | 2,686 | 1,972 | 1,623 | 275 |
| II. | MIDDLE CLASS. | | | | | | | | |
| | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 822 | 1,509 | 822 | 2,461 | 1,658 | 412 | 28 |
| | 5. Traders (except Petty Shopkeepers), Business Managers, &c., | 22,016 | 2,849 | 5,110 | 1,330 | 6,494 | 4,995 | 1,181 | 57 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 2,477 | 3,842 | 5,170 | 14,637 | 3,630 | 663 | 13 |
| | 7. Miscellaneous—including all Householders in Second Class Localities, not included in above, | 27,028 | 1,270 | 3,922 | 2,614 | 10,283 | 5,379 | 3,204 | 356 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | |
| | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 1,364 | 2,151 | 940 | 3,627 | 1,512 | 271 | 9 |
| | 9. Building and Furnishing Trades, | 29,801 | 4,037 | 6,963 | 2,619 | 9,373 | 5,452 | 1,289 | 68 |
| | 10. Clothing Trades, | 23,260 | 1,359 | 2,995 | 3,338 | 9,277 | 4,484 | 1,700 | 107 |
| | 11. Food Supply Trades, | 9,242 | 1,279 | 2,023 | 742 | 3,300 | 1,565 | 320 | 13 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 3,472 | 6,258 | 3,151 | 9,923 | 5,623 | 1,770 | 155 |
| | 13. Petty Shopkeepers, | 7,894 | 825 | 1,583 | 672 | 2,421 | 1,798 | 570 | 25 |
| IV. | GENERAL SERVICE CLASS. | | | | | | | | |
| | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 1,376 | 2,217 | 2,238 | 5,068 | 1,655 | 836 | 35 |
| | 15. Domestic Servants, | 36,603 | 916 | 2,256 | 5,873 | 18,887 | 6,290 | 2,203 | 178 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 2,250 | 3,385 | 838 | 5,084 | 2,416 | 407 | 10 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 12,663 | 20,910 | 7,371 | 28,096 | 16,037 | 4,543 | 241 |
| V. | INMATES OF WORKHOUSES. | | | | | | | | |
| | 18. Workhouse Inmates, | 6,024 | 261 | 292 | 131 | 1,087 | 1,626 | 2,372 | 255 |

TABLE VII.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **Year** (52 weeks) **ending Saturday, 28th December, 1907**; the Annual Death Rate the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

| Class. | OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | REGISTRATION OF DEATHS, YEAR | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | AGES. | | | | | |
| | | | | | Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| | **ALL PERSONS,** | 375,350 | 25·2 | 9,447 | 2,935 | 669 | 1,410 | 1,910 | 2,117 | 406 |
| | CLASSES. | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 16·2 | 283 | 13 | 5 | 20 | 53 | 128 | 64 |
| II. | MIDDLE CLASS, | 87,188 | 17·0 | 1,484 | 280 | 129 | 248 | 287 | 413 | 127 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 18·1 | 1,999 | 619 | 160 | 339 | 432 | 392 | 57 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 35·4 | 3,826 | 1,752 | 308 | 520 | 633 | 535 | 78 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 1,855 | 271 | 67 | 283 | 505 | 649 | 80 |
| I. | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | |
| | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 28·2 | 220 | 11 | 5 | 17 | 45 | 94 | 48 |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 5·5 | 7 | 1 | . | . | 4 | 2 | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·7 | 56 | 1 | . | 3 | 4 | 32 | 16 |
| II. | MIDDLE CLASS. | | | | | | | | | |
| | 4. General Body of Officials—Civil Service, Banking, &c. | 7,712 | 15·2 | 117 | 19 | 12 | 13 | 30 | 34 | 9 |
| | 5. Traders (except Petty Shopkeepers), Business Managers, &c., | 22,016 | 18·5 | 408 | 100 | 29 | 46 | 78 | 125 | 30 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 14·1 | 428 | 113 | 50 | 127 | 76 | 53 | 9 |
| | 7. Miscellaneous—including all Householders in Second Class Localities, not included in above, | 27,028 | 19·6 | 531 | 48 | 38 | 62 | 103 | 201 | 79 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | |
| | 8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers, | 9,874 | 20·9 | 206 | 82 | 17 | 41 | 29 | 33 | 4 |
| | 9. Building and Furnishing Trades, | 29,801 | 18·3 | 545 | 213 | 41 | 82 | 121 | 72 | 16 |
| | 10. Clothing Trades, | 23,260 | 12·7 | 296 | 72 | 36 | 54 | 55 | 69 | 10 |
| | 11. Food Supply Trades, | 9,242 | 13·3 | 123 | 43 | 6 | 13 | 28 | 30 | 3 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 23·0 | 699 | 164 | 56 | 128 | 177 | 154 | 20 |
| | 13. Petty Shopkeepers, | 7,894 | 16·5 | 130 | 45 | 4 | 21 | 22 | 34 | 4 |
| IV. | GENERAL SERVICE CLASS. | | | | | | | | | |
| | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 21·5 | 289 | 91 | 24 | 35 | 61 | 67 | 11 |
| | 15. Domestic Servants, | 36,603 | 8·5 | 312 | 75 | 20 | 81 | 52 | 60 | 24 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 24·6 | 354 | 168 | 26 | 49 | 61 | 45 | 5 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 31·9 | 2,871 | 1,418 | 238 | 355 | 459 | 363 | 38 |
| V. | INMATES OF WORKHOUSES. | | | | | | | | | |
| | 18. Workhouse Inmates, | 6,024 | . | 1,855 | 271 | 67 | 283 | 505 | 649 | 80 |

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(52 WEEKS) ENDING SATURDAY, 28TH DECEMBER, 1907.

| Causes of Death. | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Other Causes. | Number of Uncertified Deaths. | Class and Order. |
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | |
| . | 154 | 14 | 8 | 228 | 47 | 4 | 38 | 205 | 698 | 770 | 1,183 | 610 | 399 | 241 | 1,291 | 232 | 4,023 | 290 | |
| . | . | . | . | 2 | 1 | . | . | 3 | 6 | 19 | 14 | 2 | 26 | . | 19 | 9 | 188 | 3 | I. |
| . | 15 | 1 | . | 20 | 11 | 1 | 12 | 22 | 82 | 117 | 179 | 74 | 93 | 27 | 135 | 29 | 748 | 38 | II. |
| . | 31 | 5 | . | 54 | 13 | . | 12 | 46 | 161 | 167 | 256 | 135 | 86 | 54 | 245 | 51 | 844 | 67 | III. |
| . | 108 | 7 | 8 | 152 | 22 | 1 | 14 | 116 | 428 | 372 | 376 | 281 | 109 | 152 | 501 | 133 | 1,474 | 182 | IV. |
| . | . | 1 | . | . | . | 2 | . | 18 | 21 | 95 | 358 | 118 | 85 | 8 | 391 | 10 | 769 | . | V. |
| | | | | | | | | | | | | | | | | | | | I. |
| . | . | . | . | 2 | 1 | . | . | 2 | 5 | 18 | 12 | 1 | 19 | . | 17 | 7 | 141 | 2 | 1 |
| . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 5 | 1 | 2 |
| . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 7 | . | 2 | 1 | 42 | . | 3 |
| | | | | | | | | | | | | | | | | | | | II. |
| . | 1 | . | . | 2 | 3 | . | . | . | 6 | 7 | 14 | 2 | 7 | 1 | 11 | 4 | 65 | 2 | 4 |
| . | 3 | 1 | . | 4 | 5 | . | 3 | 4 | 20 | 22 | 41 | 15 | 35 | 12 | 32 | 9 | 222 | 11 | 5 |
| . | 8 | . | . | 11 | 1 | 1 | 5 | 9 | 35 | 41 | 68 | 35 | 16 | 12 | 37 | 7 | 177 | 19 | 6 |
| . | 3 | . | . | 3 | 2 | . | 4 | 9 | 21 | 47 | 56 | 22 | 35 | 2 | 55 | 9 | 284 | 6 | 7 |
| | | | | | | | | | | | | | | | | | | | III. |
| . | 2 | 1 | . | 5 | 3 | . | 2 | 4 | 17 | 13 | 29 | 20 | 5 | 12 | 16 | 8 | 86 | 5 | 8 |
| . | 10 | 3 | . | 18 | 4 | . | 5 | 13 | 53 | 62 | 58 | 33 | 21 | 13 | 75 | 21 | 209 | 18 | 9 |
| . | 4 | . | . | 6 | 2 | . | 2 | 8 | 22 | 19 | 49 | 24 | 12 | 7 | 49 | 1 | 113 | 11 | 10 |
| . | 3 | . | . | 5 | . | . | . | 3 | 11 | 11 | 13 | 9 | 7 | 4 | 18 | 5 | 45 | 4 | 11 |
| . | 10 | 1 | . | 15 | 3 | . | 2 | 13 | 44 | 52 | 95 | 39 | 37 | 16 | 78 | 13 | 325 | 23 | 12 |
| . | 2 | . | . | 5 | 1 | . | 1 | 5 | 14 | 10 | 12 | 10 | 4 | 2 | 9 | 3 | 66 | 6 | 13 |
| | | | | | | | | | | | | | | | | | | | IV. |
| . | 7 | . | . | 8 | . | . | . | 6 | 21 | 15 | 27 | 16 | 11 | 7 | 31 | 13 | 148 | 9 | 14 |
| . | . | . | . | 6 | 2 | . | 1 | 8 | 17 | 16 | 49 | 15 | 13 | 14 | 22 | 10 | 156 | 15 | 15 |
| . | 12 | . | 1 | 17 | 3 | . | . | 13 | 46 | 49 | 34 | 20 | 8 | 12 | 44 | 16 | 125 | 11 | 16 |
| . | 89 | 7 | 7 | 121 | 17 | 1 | 13 | 89 | 344 | 292 | 266 | 230 | 77 | 119 | 404 | 94 | 1,045 | 147 | 17 |
| . | . | 1 | . | . | . | 2 | . | 18 | 21 | 95 | 358 | 118 | 85 | 8 | 391 | 10 | 769 | . | V. 18 |

* Formerly described as "Simple Continued Fever."

**PROVINCIAL URBAN DISTRICTS.**—(See Tables VIII. and IX.)—The respective death-rates represented by the deaths from the principal epidemic diseases* registered during the year in the twenty-one urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest :—Armagh, 0·1 per 1,000 of the population ; Drogheda, 0·2 ; Lisburn, 0·4 ; Wexford, 0·4 ; Ballymena, 0·6 ; Sligo, 0·6 ; Clonmel, 0·8 ; Portadown, 0·8 ; Londonderry, 0·8 ; Tralee, 0·8 ; Newry, 1·0 ; Lurgan, 1·1 ; Dundalk, 1·1 ; Newtownards, 1·3 ; Galway, 1·3 ; Kilkenny, 1·4 ; Cork, 1·5 ; Belfast, 1·7 ; Limerick, 1·7 ; Waterford, 2·2 ; and Queenstown, 2·4.

*Small-pox.*—There was not one death from small-pox registered during the period under notice.

*Measles.*—In Belfast, 201 deaths were registered from measles, 34 in Limerick, 10 in Dundalk, 3 in Waterford, 2 in Clonmel, and one death in Lurgan.

*Scarlet Fever.*—Of the 26 deaths, 13 appertained to Belfast, 6 to Waterford, 2 to Cork, and in each of the urban districts of Londonderry, Limerick, Drogheda, Portadown, and Newtownards, one death from scarlet fever was registered

*Typhus.*—The deaths from typhus include 3 in Belfast, 5 in Cork, one in Galway, 4 in Newry, and 3 deaths in Sligo.

*Whooping-cough.*—The deaths registered, 160 in number, include 64 in Belfast, 52 in Cork, 8 in Limerick, in Londonderry 6, in Lurgan 6, and in Kilkenny 10 deaths.

*Diphtheria.*—There were 66 deaths from diphtheria registered in the 21 urban districts, as follows :—In Belfast 38 deaths, in Galway 8, in Cork 5, in Limerick 4, in Ballymena 3, in Londonderry 2, in Dundalk 2, and one in each of the urban districts of Newry, Lurgan, Wexford, and Queenstown.

*Enteric Fever.*—The total deaths from enteric fever registered in the 21 Urban Districts comprise 82 in Belfast, 6 in Limerick, 6 in Galway, 4 in Cork, 3 in Newry, 2 in each of Londonderry, Waterford, Sligo, and Tralee ; and in each of Dundalk, Lisburn, and Armagh, one death from this disease was registered.

*Diarrhœal Diseases.*—From the diseases assigned to this heading 412 deaths were registered ; of the total, 212 appertained to Belfast, 48 to Cork, 23 to Londonderry, 13 to Limerick, 46 to Waterford, and 17 to Queenstown.

---

*Cerebro-Spinal Fever.*—During the year, 493 deaths from cerebro-spinal fever were returned for the County Borough of Belfast, as follows :—In the March quarter of the year 154 deaths, in the June quarter 242 deaths, in the September quarter 70 deaths, and in the December quarter 27 (unrevised). Detailed Tables regarding these deaths have been published in the Quarterly Summaries for the March, June, and September quarters, and that for the December quarter of the year will shortly be issued. As some delay is caused in the preparation of these Tables, it was not deemed expedient to publish a summary of them in this report, as its speedy publication is a matter of importance.

---

*Phthisis* (*Tuberculous Phthisis*).—The number of deaths from phthisis registered in the twenty-one Town Districts amounted to 1,877, being less than the number registered in 1906 by 75 deaths. The total is equal to an annual rate of 2·6 per 1,000 of the aggregate population of the twenty-one Urban Districts. The deaths in Belfast, 926, represent a rate of 2·5 per 1,000 of the estimated population. In the twenty other Urban Districts the deaths, 951, represent an annual rate of 2·7 per 1,000 of the aggregate population of these areas. The death-rate for phthisis in the Dublin Registration Area is equal to 2·9 per 1,000 of the estimated population (exclusive of deaths in public institutions of persons admitted from outside the Dublin Registration Area).

*See note (*) on page iv.

TABLE VIII.—BIRTHS and DEATHS Registered during the **Year 1907** (52 weeks), in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

| TOWNS AND DISTRICTS. | Census Statistics of Districts.* Population. Total. | Per sons to an Acre. | Annual Rate per 1,000 persons represented by Births. | Deaths. From all Causes. | Deaths. From Diseases in cols. 10–18. | Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia† (origin uncertain) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | REGISTRATION—Year 1907 (52 Weeks) | | | | | Numbers Registered. | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | DEATHS. Caused by | | | | | | | | | | | | | | | | | | | | |
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 28·4 | 21·1 | 1·6 | 31696 | 23564 | 4,280 | 6.240 | . | 403 | 38 | 24 | 387 | 112 | 7 | 50 | 615 | 1,712 | 3,001 | 1,417 | 908 | 3.256 | 447 | 747 | 7,394 | 971 |
| DUBLIN REGISTRATION AREA: | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL, | 390,691 | 28·4 | 28·0 | 23·1 | 1·8 | 10958 | 9,041 | 1,714 | 2.435 | . | 152 | 12 | 8 | 227 | 46 | 4 | 38 | 203 | 748 | 1,124 | 577 | 357 | 1,263 | 211 | 273 | 3,537 | 290 |
| CITY OF DUBLIN, | 300,850 | 38·0 | 31·2 | 24·7 | 1·8 | 9,385 | 7,430 | 1,488 | 1,793 | . | 109 | 10 | 8 | 178 | 40 | 3 | 32 | 174 | 621 | 974 | 516 | 253 | 1,102 | 170 | 222 | 3,136 | 233 |
| Urban Districts. RATHMINES & RATHGAR, | 35,606 | 20·8 | 16·2 | 17·1 | 0·8 | 577 | 608 | 85 | 266 | . | 1 | 2 | . | 12 | 2 | . | 3 | 10 | 42 | 57 | 23 | 41 | 65 | 17 | 19 | 161 | 24 |
| PEMBROKE, | 27,854 | 17·5 | 20·2 | 17·6 | 1·9 | 563 | 491 | 85 | 178 | . | 13 | . | . | 26 | 3 | . | 2 | 9 | 39 | 44 | 20 | 24 | 56 | 9 | 17 | 127 | 11 |
| BLACKROCK, | 8,759 | 8·1 | 12·7 | 13·7 | 0·8 | 111 | 120 | 16 | 44 | . | . | . | . | 3 | 1 | . | . | 3 | 12 | 16 | 5 | 11 | 8 | 5 | 4 | 32 | 4 |
| KINGSTOWN, | 17,622 | 12·1 | 18·3 | 22·2 | 2·6 | 1322 | 392 | 40 | 154 | . | 29 | . | . | 8 | . | 1 | 1 | 7 | 34 | 33 | 13 | 28 | 32 | 10 | 11 | 81 | 18 |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST, | 370,163 | 25·2 | 30·3 | 21·3 | 1·7 | 11223 | 7,870‡ | 1,523 | 1,721 | . | 201 | 13 | 3 | 64 | 38 | 2 | 82 | 212 | 696 | 926 | 469 | 254 | 1,137 | 144 | 290 | 1,930 | 131 |
| CORK, | 76,122 | 33·6 | 25·6 | 20·6 | 1·5 | 1,946 | 1,570 | 254 | 427 | . | . | 2 | 5 | 52 | 5 | . | 4 | 48 | 77 | 278 | 84 | 77 | 178 | 14 | 53 | 609 | 84 |
| LONDONDERRY, | 42,475 | 19·6 | 26·3 | 16·5 | 0·8 | 1,118 | 700 | 98 | 196 | . | . | 1 | . | 6 | 2 | . | 2 | 23 | 18 | 96 | 55 | 40 | 96 | 7 | 26 | 158 | 16 |
| LIMERICK, | 38,151 | 18·1 | 28·1 | 18·7 | 1·7 | 1,072 | 715 | 122 | 167 | . | 34 | 1 | . | 8 | 4 | . | 6 | 13 | 43 | 103 | 37 | 28 | 117 | 5 | 17 | 253 | 93 |
| WATERFORD, | 26,769 | 18·7 | 25·9 | 21·7 | 2·2 | 694 | 582 | 78 | 195 | . | 3 | 6 | . | 2 | . | . | 2 | 46 | 10 | 96 | 28 | 17 | 75 | 6 | 19 | 207 | 38 |
| GALWAY, | 13,426 | 2·5 | 27·5 | 20·7 | 1·3 | 369 | 278 | 45 | 104 | . | . | . | 1 | 1 | 8 | . | 6 | 2 | 19 | 25 | 7 | 19 | 23 | 11 | 4 | 100 | 62 |
| DUNDALK, | 13,076 | 9·4 | 24·9 | 15·8 | 1·1 | 326 | 207 | 24 | 65 | . | 10 | . | . | . | 2 | . | 1 | 2 | 11 | 26 | 6 | 11 | 30 | 2 | 3 | 49 | 19 |
| DROGHEDA, | 12,760 | 8·6 | 24·5 | 17·0 | 0·2 | 313 | 217 | 18 | 97 | . | . | 1 | . | . | . | . | . | 2 | 10 | 28 | 9 | 3 | 21 | 4 | 5 | 48 | 12 |
| NEWRY, | 12,405 | 17·8 | 22·7 | 18·2 | 1·0 | 281 | 226 | 16 | 102 | . | . | . | 4 | 2 | 1 | . | 3 | 3 | 6 | 20 | 6 | 14 | 25 | 10 | 12 | 62 | 7 |
| LURGAN, | 11,782 | 13·8 | 31·1 | 19·3 | 1·1 | 366 | 227 | 46 | 57 | . | 1 | . | . | 6 | 1 | . | . | 5 | 9 | 39 | 19 | 11 | 17 | 7 | 8 | 55 | 10 |
| LISBURN, | 11,461 | 10·1 | 28·6 | 15·2 | 0·4 | 328 | 174 | 35 | 46 | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 14 | 15 | 6 | 31 | 2 | 8 | 32 | 10 |
| WEXFORD, | 11,168 | 23·2 | 30·1 | 18·6 | 0·4 | 336 | 208 | 35 | 78 | . | . | . | . | . | 1 | . | . | 4 | 1 | 23 | 23 | 10 | 41 | 4 | 4 | 29 | 25 |
| BALLYMENA, | 10,886 | 8·9 | 27·7 | 18·9 | 0·6 | 301 | 206 | 31 | 74 | . | . | . | . | 1 | 3 | . | . | 2 | 13 | 31 | 7 | 9 | 13 | 3 | 3 | 21 | 24 |
| SLIGO, | 10,870 | 3·7 | 21·3 | 16·6 | 0·6 | 231 | 180 | 29 | 74 | . | . | . | 3 | . | . | . | 2 | 2 | 2 | 22 | 9 | 3 | 12 | 1 | 1 | 52 | 44 |
| KILKENNY, | 10,609 | 11·5 | 26·6 | 21·0 | 1·4 | 282 | 223 | 37 | 84 | . | . | . | . | 10 | . | . | . | 5 | 8 | 24 | 1 | 6 | 54 | 3 | 2 | 71 | 10 |
| CLONMEL, | 10,167 | 7·8 | 24·0 | 17·9 | 0·8 | 244 | 182 | 28 | 67 | . | 2 | . | . | . | . | 1 | . | 5 | 5 | 24 | 15 | 3 | 32 | 1 | 1 | 79 | 31 |
| PORTADOWN, | 10,092 | 13·2 | 33·6 | 15·4 | 0·8 | 339 | 155 | 45 | 37 | . | . | 1 | . | 2 | . | . | . | 5 | 4 | 21 | 12 | 7 | 26 | 4 | 8 | . | 7 |
| TRALEE, | 9,867 | 16·6 | 27·9 | 18·2 | 0·8 | 275 | 180 | 23 | 70 | . | . | . | . | . | . | . | 2 | 6 | 5 | 20 | 8 | 10 | 13 | 2 | 5 | 64 | 15 |
| NEWTOWNARDS, | 9,110 | 18·9 | 30·8 | 21·1 | 1·3 | 281 | 192 | 39 | 62 | . | . | 1 | . | 3 | . | . | . | 8 | 13 | 35 | 10 | 10 | 21 | 2 | 4 | 27 | 19 |
| QUEENSTOWN, | 7,909 | 14·4 | 26·6 | 14·9 | 2·4 | 210 | 118 | 29 | 38 | . | . | . | . | 1 | 1 | . | . | 17 | 4 | 9 | 11 | 5 | 14 | 2 | 1 | 4 | 7 |
| ARMAGH, | 7,588 | 22·2 | 26·8 | 14·9 | 0·1 | 203 | 113 | 11 | 44 | . | . | . | . | . | . | . | 1 | . | 6 | 17 | 9 | 8 | 17 | 2 | . | 27 | 7 |

* The population given for the Dublin Registration Area and its component parts, and the cities of Belfast and Londonderry, is that estimated to the middle of the year 1907; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

‡ Including 493 deaths from Cerebro-spinal Fever. See text on page xvi.

TABLE IX.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Year** (52 weeks) **ended 28th December, 1907,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1.) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN, No. 1 DISTRICT, | 14,734 | 362 | The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 386 | 89 | 49 | 35 | 70 | 75 | 68 | . | . | 1 | 1 | 2 | 2 | . | 2 | 18 | 35 | 56 | 16 | 11 | 58 | 10 | 23 | 117 | 11 |
| " 2 " | 47,959 | 1,387 | | | 984 | 157 | 121 | 115 | 159 | 197 | 235 | . | 6 | 3 | 2 | 5 | 3 | . | 18 | 20 | 74 | 106 | 56 | 43 | 150 | 7 | 28 | 235 | 10 |
| " 3 " | 47,214 | 1,466 | | | 985 | 205 | 148 | 88 | 168 | 164 | 217 | . | 42 | 4 | . | 5 | 7 | . | 7 | 45 | 111 | 118 | 55 | 27 | 146 | 17 | 38 | 208 | 21 |
| " 4 " | 40,911 | 1,651 | | | 1,068 | 288 | 144 | 75 | 200 | 200 | 211 | . | 23 | . | . | 13 | 3 | . | 16 | 24 | 81 | 145 | 47 | 16 | 147 | 18 | 29 | 403 | 18 |
| " 5 " | 17,887 | 536 | | | 526 | 105 | 88 | 36 | 90 | 97 | 110 | . | 29 | . | . | 4 | 5 | . | 4 | 16 | 46 | 60 | 40 | 22 | 78 | 11 | 21 | 164 | 15 |
| " 6 " | 48,122 | 1,064 | | | 949 | 121 | 108 | 82 | 156 | 193 | 289 | . | 7 | . | . | 9 | 6 | 1 | 4 | 20 | 82 | 84 | 69 | 40 | 142 | 23 | 40 | 216 | 16 |
| " 7 " | 1,524 | 49 | | | 47 | 10 | 5 | 5 | 6 | 12 | 9 | . | 1 | . | . | . | . | . | . | 2 | 2 | 7 | . | 4 | 8 | . | 2 | 18 | . |
| " 8 " | 5,060 | 148 | | | 98 | 14 | 12 | 11 | 13 | 24 | 24 | . | 1 | . | . | 5 | 1 | . | 1 | 4 | 4 | 13 | 4 | 4 | 20 | . | 4 | 20 | 2 |
| " 9 " | 19,569 | 697 | | | 454 | 97 | 85 | 44 | 86 | 95 | 97 | . | 2 | 2 | . | 3 | 1 | . | 8 | 17 | 51 | 62 | 22 | 10 | 71 | 7 | 14 | 102 | 15 |
| " 10 " | 28,064 | 947 | | | 607 | 132 | 119 | 64 | 72 | 114 | 106 | . | 39 | 1 | . | 3 | 2 | . | 5 | 10 | 73 | 85 | 35 | 15 | 66 | 1 | 21 | 98 | 10 |
| " 11 " | 34,802 | 1,022 | | | 717 | 132 | 91 | 79 | 121 | 143 | 151 | . | 13 | 1 | . | 3 | 4 | 1 | 5 | 19 | 65 | 92 | 31 | 31 | 82 | 20 | 26 | 148 | 7 |
| " 12 " | 33,588 | 1,247 | | | 799 | 185 | 145 | 120 | 114 | 103 | 132 | . | 35 | 1 | . | 11 | 4 | . | 10 | 8 | 51 | 66 | 76 | 20 | 144 | 28 | 37 | 173 | 5 |
| " 13 " | 15,006 | 569 | | | 251 | 42 | 29 | 27 | 44 | 37 | 72 | . | 3 | . | . | 1 | . | . | 2 | 9 | 21 | 32 | 17 | 11 | 29 | 1 | 7 | 27 | 1 |
| " 14 " | 240 | 8 | | | 4 | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . |
| Total, | 349,180 | 11,228 | | | 7,870† | 1523 | 1094 | 781 | 1294 | 1457 | 1721 | . | 201 | 13 | 3 | 64 | 38 | 2 | 82 | 212 | 696 | 926 | 469 | 254 | 1,157 | 144 | 296 | 1,930 | 131 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN, No. 1 DISTRICT, | 12,867 | 296 | 21·6 | 0·7 | 278 | 24 | 20 | 138 | | | 96 | . | . | . | . | 6 | . | . | 1 | 2 | 21 | 64 | 7 | 17 | 25 | 1 | 3 | 146 | 12 |
| " 2 " | 10,701 | 304 | 21·0 | 3·1 | 225 | 46 | 25 | 105 | | | 49 | . | . | 1 | . | 21 | 2 | . | . | 9 | 15 | 37 | 11 | 8 | 22 | 2 | 11 | 60 | 15 |
| " 3 " | 9,978 | 278 | 21·8 | 2·1 | 218 | 44 | 28 | 96 | | | 45 | . | . | . | 1 | 9 | . | . | 1 | 10 | 8 | 41 | 13 | 11 | 42 | 1 | 4 | 72 | 12 |
| " 4 " | 8,666 | 217 | 26·1 | 1·4 | 226 | 30 | 21 | 116 | | | 59 | . | . | . | 1 | 3 | . | . | 1 | 7 | 4 | 47 | 9 | 10 | 32 | 3 | 14 | 108 | 9 |
| " 5 " | 6,592 | 157 | 22·0 | 1·5 | 145 | 28 | 11 | 62 | | | 49 | . | . | . | 2 | 3 | . | . | . | 5 | 7 | 19 | 8 | 7 | 15 | . | 4 | 53 | 4 |
| " 6 " | 10,702 | 269 | 14·2 | 0·6 | 152 | 34 | 10 | 69 | | | 39 | . | . | . | . | 3 | 1 | . | . | 2 | 8 | 17 | 19 | 11 | 6 | 3 | 4 | 30 | 15 |
| " 7 " | 16,616 | 425 | 19·9 | 1·5 | 381 | 53 | 34 | 154 | | | 90 | . | . | 1 | 1 | 7 | 2 | . | 1 | 13 | 14 | 53 | 17 | 13 | 96 | 4 | 13 | 140 | 17 |
| Total, | 76,122 | 1,946 | 20·6 | 1·5 | 1,570 | 254 | 149 | 740 | | | 427 | . | . | 2 | 5 | 52 | 5 | . | 4 | 48 | 77 | 278 | 84 | 77 | 178 | 14 | 53 | 609 | 84 |

* Formerly described as "Simple Continued Fever."

† See note (‡), page xvii.

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, 29th January,* 1908.

ROBERT E. MATHESON,
*Registrar General.*

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
375. Wt. P. 365. 1. 1908—20015.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 5TH JANUARY, 1907. [No. 1.

*General Register Office, Charlemont House,*
*Dublin, 7th January,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 26·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Dec. 15. | Week ending Dec. 22. | Week ending Dec. 29. | Week ending Jan. 5. | Average Rate for 4 weeks. | Towns, &c. | Week ending Dec. 15. | Week ending Dec. 22. | Week ending Dec. 29. | Week ending Jan. 5. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 19·7 | 22·8 | 19·8 | 26·6 | 22·2 | Lisburn, | 9·1 | 22·7 | 18·2 | 27·3 | 19·3 |
| Armagh, | 13·7 | 20·6 | 20·6 | 13·7 | 17·2 | Londonderry, | 14·9 | 18·6 | 18·6 | 12·3 | 16·1 |
| Ballymena, | 19·2 | 33·5 | 9·6 | 43·1 | 26·3 | Lurgan, | 17·7 | 13·3 | 17·7 | 17·7 | 16·6 |
| Belfast, | 16·8 | 18·1 | 18·4 | 23·8 | 19·3 | Newry, | 29·4 | 21·0 | 8·4 | 29·4 | 22·1 |
| Clonmel, | 15·4 | 20·5 | 41·0 | 30·8 | 26·9 | Newtownards, | 34·3 | 17·2 | 34·3 | 11·4 | 24·3 |
| Cork, | 21·2 | 24·0 | 19·2 | 31·5 | 24·0 | Portadown, | 20·7 | 10·3 | 41·3 | 10·3 | 20·7 |
| Drogheda, | 8·2 | 16·3 | 32·7 | 12·3 | 17·4 | Queenstown | 19·8 | 13·2 | 19·8 | 6·6 | 14·9 |
| Dublin Reg. Area, | 22·3 | 28·8 | 22·8 | 31·9 | 26·4 | Sligo, | 24·0 | 9·6 | 4·8 | 33·6 | 18·0 |
| Dundalk, | 4·0 | 27·9 | 16·0 | 16·0 | 16·0 | Tralee, | 10·6 | 15·9 | 10·6 | 31·7 | 17·2 |
| Galway, | 31·1 | 19·4 | 11·7 | 31·1 | 23·3 | Waterford, | 33·1 | 29·2 | 21·4 | 31·2 | 28·7 |
| Kilkenny, | 9·8 | 24·6 | 14·7 | 34·3 | 20·9 | Wexford, | 42·0 | 23·3 | 18·7 | 28·0 | 28·0 |
| Limerick, | 16·4 | 20·5 | 5·5 | 13·7 | 14·0 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in fourteen of the districts to 9·6 in Ballymena, the 9 deaths from all causes registered in that district including one each from whooping-cough and diphtheria. Among the 169 deaths from all causes registered in Belfast are one from measles, 2 from scarlet fever, 4 from whooping-cough, and 2 from diphtheria. The 46 deaths from all causes registered in Cork include 2 from whooping-cough; among the 10 deaths in Londonderry is one from diphtheria; one of the 10 deaths in Limerick is from enteric fever; of the 8 deaths registered in Galway one is from pyrexia (origin uncertain); and 2 of the 4 deaths in Dundalk are from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 226—117 boys and 109 girls; and the deaths to 246—118 males and 128 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 32·8 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 31·9 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths registered (246) include 3 from measles, 7 from whooping-cough, and 9 from diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 0, 2, and 2; deaths from whooping-cough were 4, 2, and 3; and deaths from diarrhœal diseases were 4, 2, and 2. There were 6 deaths from influenza.

Broncho-pneumonia caused 13 deaths and *pneumonia* (not defined) caused 10 deaths.

There were 30 deaths from all forms of tuberculous disease, including 13 deaths from tuberculous phthisis, 11 returned as from *phthisis*, and 6 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 20, 36, and 32, respectively.

One death was caused by sarcoma and 7 deaths by cancer (undefined).

The deaths of 7 infants, prematurely born, were registered.

Of 27 deaths from diseases of the brain and nervous system, 11 (all under 5 years of age) were from *convulsions*, including those of 8 infants under one year of age.

Diseases of the heart and blood vessels caused 33 deaths, and there were 31 deaths from bronchitis.

Of 6 accidental deaths, 4 were caused by burns, 2 of the latter being those of children under 5 years of age.

There was one case of suicide.

In 16 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 10 children under 5 years of age (including 9 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 14 were under one month old) and 80 were aged 60 years and upwards, including 44 persons aged 70 and upwards, of whom 13 were octogenarians, and 2 (a male and a female) were stated to have been aged 100 and 93 years respectively.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the N. Dublin Union Workhouse and 25 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 31·9 per 1,000; the rate in the City was 34·3 (North City Districts, 31·8; South, 36·9), and in the Suburbs, 23·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·8 (2·4 in the North City Districts, and 3·2 in the South) and for the Suburbs, 1·7 per 1,000.

*No.* 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 32·3 per 1,000, and include 3 deaths from influenza, 4 from tuberculous disease, and 3 from bronchitis.

*No.* 1 *North City District, West* (Summer-hill).—The deaths (32) are equal to an annual rate of 42·6 per 1,000. There were 3 deaths from diarrhœal diseases, 2 each from *pneumonia* (not defined) and tuberculous disease of the lungs, and 8 from bronchitis. One death caused by burns was recorded.

*No.* 2 *North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000. Among them are one death from whooping cough, 2 deaths from diarrhœal diseases, 3 from *pneumonia* (not defined), 2 from tuberculous disease, and 4 from bronchitis.

*No.* 3 *North City District* (Benburb-street).—The deaths (14) represent an annual rate of 22·5 per 1,000, and include one death from *pneumonia* (not defined), 6 deaths from tuberculous disease of the lungs, and one death from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 28·5; and Finglas and Glasnevin, part of, 21·7. Of the 2 deaths from all causes for Clontarf and Howth one was from *phthisis*, and one was a case of suicide. The 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one death from *diarrhœa*, 2 from diseases of the respiratory system, and one caused by accident; and the 3 deaths from all causes for Finglas and Glasnevin, part of, include one from broncho-pneumonia, and one from *pneumonia* (not defined).

*No.* 1 *South City District* (South Earl-street).—The deaths (34) represent an annual rate of 44·3 per 1,000. There were 3 deaths from measles, one death each from whooping-cough, broncho-pneumonia, and *pneumonia* (not defined), 4 deaths from all forms of tuberculous disease, 5 from bronchitis, and 2 deaths caused accidentally.

*No.* 2 *South City District* (Castle-street).—The deaths (18) are equal to an annual rate of 45·6 per 1,000, and include one death each from whooping-cough and *diarrhœa*, 2 deaths each from broncho-pneumonia and *pneumonia* (not defined), 3 deaths from tuberculous disease, and one from bronchitis; there was one death caused by accident.

*No.* 3 *South City District* (Peter-street).—The deaths (26) are equal to an annual rate of 32·1 per 1,000. Of the deaths 3 were from whooping-cough, 4 were from broncho-pneumonia, one was from *pneumonia* (not defined), 3 were from tuberculous disease, and 5 were from bronchitis.

*No.* 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·6 per 1,000. Two deaths were caused by influenza, 3 by broncho-pneumonia, one death by *pneumonia* (not defined), and 3 deaths by tuberculous disease of the lungs.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·5; Pembroke, 31·8; Blackrock, 17·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases recorded for these districts include one from whooping-cough and one from *diarrhœa* for Rathmines and Rathgar and one from *diarrhœa* for Kingstown. Amongst the 14 deaths from all causes for Rathmines and Rathgar there was one each from influenza, *phthisis*, and bronchitis. The 17 deaths from all causes for Pembroke include 5 from diseases of the heart and blood vessels and 2 from bronchitis; and the 7 deaths from all causes for Kingstown include one from *phthisis* and one caused by accidental burns.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 5th January, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Dec. 15, | . | — | — | 3 | 1 | . | 13 | . | 1 | 6 | 10 | . | — | — | — | — | — | 34 |
| | Dec. 22, | . | — | — | 7 | . | . | 2 | . | . | 10 | 15 | 1 | — | — | — | — | — | 35 |
| | Dec. 29, | . | — | — | 2 | . | . | 2 | . | 6 | 4 | 8 | . | — | — | — | — | — | 22 |
| | Jan. 5, | . | — | — | 4 | 2 | . | 4 | . | 3 | 3 | 10 | . | — | — | — | — | — | 26 |
| Rathmines and Rathgar Urban District. | Dec. 15, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| | Dec. 22, | . | — | — | 1 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Dec. 29, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Jan. 5, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| Pembroke Urban District. | Dec. 15, | . | 4 | . | . | . | . | . | . | . | 1 | 1 | . | — | 2 | . | — | — | 8 |
| | Dec. 22, | . | . | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 4 |
| | Dec. 29, | . | . | . | . | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 3 |
| | Jan. 5, | . | . | . | . | . | . | . | . | . | . | 1 | . | — | 1 | . | — | — | 2 |
| Blackrock Urban District. | Dec. 15, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| | Dec. 22, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | — | — | — | 5 |
| | Dec. 29, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| | Jan. 5, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| Kingstown Urban District. | Dec. 15, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Dec. 22, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Dec. 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 5, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| City of Belfast. | Dec. 15, | . | — | — | 17 | . | . | 6 | 1 | 4 | 2 | 9 | 1 | — | — | — | — | — | 40 |
| | Dec. 22, | . | — | — | 25 | . | . | 5 | . | 1 | 4 | 7 | 1 | — | — | — | — | — | 43 |
| | Dec. 29, | . | — | — | 20 | . | . | 8 | 1 | 1 | 4 | 14 | . | — | — | — | — | — | 48 |
| | Jan. 5, | . | — | — | 26 | . | . | 9 | 2 | 6 | 1 | 10 | . | — | — | — | — | — | 54 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th January, 1907.

From this it appears that:—

Thirteen cases of measles were admitted into hospital during the week, 5 were discharged, there was one death, and 25 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 13 were discharged, and 68* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, and 3 cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, and 32 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 7 were discharged, there was one death, and 28 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 10 were discharged, there were 2 deaths, and 21 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 24·5), was equal to an average annual death-rate of 22·4 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 22·9 per 1,000, the rate for Glasgow being 20·3 and for Edinburgh 23·7.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th January. From this Report it appears that of a total of 38 cases notified 14 were diphtheria, 10 scarlet fever, 7 erysipelas, and 5 enteric fever. Among the 312 cases of infectious diseases in hospital at the close of the week were 118 cases of scarlet fever, 69 of diphtheria, one of membranous croup, 36 of measles, 20 of enteric fever, 19 of erysipelas, and 9 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th January, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by: Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 5th January, 1907. Numbers Registered. Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e — Week ending 5th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 29th December, 1906. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 22nd December, 1906. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 32·9 | 26·6 | 1·7 | 705 | 570 | 95 | 182 | . | 6 | 2 | . | 14 | 4 | 1 | 1 | 9 | 42 | 62 | 17 | 17 | 92 | 14 | 20 | 172 | 31 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 30·2 | 31·9 | 2·5 | 226 | 239 | 43 | 78 | . | 3 | . | . | 7 | . | . | . | 9 | 23 | 24 | 6 | 7 | 37 | 7 | 9 | 79 | 16 | f53·2 | 15·0 | 39·4 | 0·42 | f46·1 | 20·9 | 31·8 | 0·33 | f53·2 | 33·1 | 45·5 | 0·00 |
| City of Dublin, | 300,850 | 38·0 | 32·4 | 34·3 | 2·8 | 187 | 198 | 36 | 60 | . | 3 | . | . | 6 | . | . | . | 7 | 23 | 22 | 6 | 5 | 34 | 6 | 9 | 71 | 13 | g54·1 / h52·3 | 23·1 / 17·0 | 41·6 / 39·7 | 0·30 / 0·40 | g47·1 / h46·2 | 24·8 / 22·0 | 34·7 / 32·7 | 0·41 / 0·46 | g54·8 / h53·9 | 38·4 / 34·0 | 47·9 / 46·4 | 0·00 / 0·00 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 17·6 | 20·5 | 2·9 | 12 | 14 | 3 | 5 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 39·3 | 31·8 | . | 21 | 17 | 3 | 9 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 17·9 | . | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 11·8 | 20·7 | 3·0 | 4 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | 54 | 22·5 | 41·5 | 0·30 | 46·0 | 27·5 | 35·4 | 0·29 | 56 | 36·5 | 47·8 | 0·00 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast, | 370,163 | 25·2 | 37·0 | 23·8 | 1·3 | 263 | 169 | 34 | 44 | . | 1 | 2 | . | 4 | 2 | . | . | . | 13 | 22 | 4 | 6 | 30 | 5 | 8 | 43 | 3 | 49·0 | 19·0 | 35·0 | 1·58 | 47·0 | 27·0 | 35·2 | 0·78 | 53·8 | 33·5 | 45·6 | 0·94 |
| Cork, | 76,122 | 33·6 | 28·1 | 31·5 | 1·4 | 41 | 46 | 4 | 17 | . | . | . | . | 2 | . | . | . | . | 2 | 11 | 2 | . | 6 | . | 2 | 14 | 2 | 52 | 27 | 42·0 | 0·57 | 50 | 28 | 38·4 | 0·26 | 53 | 41 | 47·2 | 0·04 |
| Londonderry, | 42,475 | 19·6 | 31·9 | 12·3 | 1·2 | 16 | 10 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 50·6 | 18·7 | 1·4 | 37 | 10 | . | 4 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 15·6 | 31·2 | . | 8 | 16 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 19·4 | 31·1 | 3·9 | 5 | 8 | 2 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | 1 | . | . | 4 | 1 | 50 | 25 | 38·3 | 0·89 | 49 | 16 | 37·3 | 0·70 | 56 | 38 | 48 | 0·16 |
| Dundalk, | 13,076 | 9·4 | 27·9 | 16·0 | 8·0 | 7 | 4 | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 28·6 | 12·8 | . | 7 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 46·2 | 29·4 | . | 11 | 7 | 2 | 5 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | 1 | . | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 | 52·8 | 35·3 | 45·6 | 0·00 |
| Lurgan, | 11,782 | 13·8 | 31·0 | 17·7 | . | 7 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 1 | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 | 52·8 | 35·3 | 45·6 | 0·00 |
| Lisburn, | 11,461 | 10·1 | 54·6 | 27·3 | . | 12 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 | 52·8 | 35·3 | 45·6 | 0·00 |
| Wexford, | 11,168 | 23·2 | 18·7 | 28·0 | . | 4 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 28·7 | 43·1 | 9·6 | 6 | 9 | 2 | 4 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 33·6 | 33·6 | . | 7 | 7 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 5 | . | 51·9 | 22·4 | 38·4 | 1·39 | 47·5 | 8·0 | 31·9 | 2·08 | 54·4 | 30·6 | 45·2 | 0·04 |
| Kilkenny, | 10,609 | 11·5 | 34·3 | 34·3 | . | 7 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 5 | . | 53 | 25 | 38·1 | 0·83 | 48 | 14 | 31·4 | 0·57 | 54 | 28 | 41·6 | 0·00 |
| Clonmel, | 10,167 | 7·8 | 51·3 | 30·8 | . | 10 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 31·0 | 10·3 | . | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 | 52·8 | 35·3 | 45·6 | 0·00 |
| Tralee, | 9,867 | 16·6 | 37·0 | 31·7 | . | 7 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 17·2 | 11·4 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 51 | 24 | 38·4 | 1·08 | 46 | 29 | 35·0 | 0·39 | 55 | 39 | 46·6 | 0·00 |
| Queenstown, | 7,909 | 14·4 | 6·6 | 6·6 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 52 | 27 | 42·0 | 0·57 | 50 | 28 | 38·4 | 0·26 | 53 | 41 | 47·2 | 0·04 |
| Armagh, | 7,588 | 22·2 | 27·5 | 13·7 | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 | 52·8 | 35·3 | 45·6 | 0·00 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 5th January, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | 3 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . | . | 1 | . | . | . | 7 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | 3 | 2 | . | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 9 | . |
| Pneumonia, | . | 2 | 3 | 1 | . | . | 2 | 2 | 4 | 5 | 4 | . | . | . | . | . | 23 | . |
| Tuberculous Disease. Phthisis, | 2 | 2 | 1 | 6 | 1 | . | . | 3 | 2 | 2 | 3 | . | 1 | . | . | 1 | 24 | . |
| Tuberculous Disease. Other Forms. | 2 | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | 6 | . |
| Cancer, Malignant Disease, | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 7 | 1 |
| Other General Diseases | 3 | 1 | 3 | 1 | . | 1 | . | 2 | 1 | 1 | 3 | . | 3 | 2 | 1 | . | 22 | . |
| Total, | 8 | 11 | 12 | 8 | 1 | 2 | 2 | 12 | 10 | 12 | 10 | . | 7 | 3 | 1 | 2 | 101 | 1 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 2 | 2 | 1 | . | . | . | 6 | 1 | 2 | 3 | 2 | 1 | 3 | 1 | 1 | 26 | 1 |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | . | 6 | . | 1 | . | 1 | . | 2 | 3 | 3 | 6 | 1 | 2 | 5 | . | 1 | 31 | 2 |
| Diseases of: Respiratory System, | 4 | 9 | 4 | 2 | . | 2 | . | 5 | 1 | 5 | 2 | . | 1 | 2 | . | . | 37 | 1 |
| Diseases of: Digestive System, | 2 | 1 | 1 | . | . | . | 1 | 3 | 1 | 2 | . | . | 2 | 1 | . | . | 14 | . |
| Diseases of: Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 |
| Diseases of: Urinary System, | 1 | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 2 | . | . | 9 | 1 |
| Diseases of: Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Total, | 8 | 19 | 7 | 4 | . | 3 | 1 | 18 | 7 | 14 | 12 | 3 | 6 | 13 | 2 | 2 | 119 | 6 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 2 | 1 | . | 2 | . | . | . | 2 | . | . | . | 1 | 1 | 1 | . | 2 | 12 | . |
| **E. VIOLENT DEATHS,** | . | 1 | . | . | 1 | 1 | . | 2 | 1 | . | . | . | . | . | . | 1 | 7 | . |
| **Deaths from all Causes,** | 18 | 32 | 19 | 14 | 2 | 6 | 3 | 34 | 18 | 26 | 22 | 4 | 14 | 17 | 3 | 7 | 239 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 32·3 | 42·6 | 32·9 | 22·5 | 20·4 | 28·5 | 21·7 | 44·3 | 45·6 | 32·1 | 32·6 | 23·5 | 20·5 | 31·8 | 17·9 | 20·7 | 31·9 | . |
| | 31·8 | | | | | | | 36·9 | | | | | 23·8 | | | | | |
| | 34·3 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | . | 4 | 6 | 2 | . | . | 1 | 10 | 4 | 5 | 2 | 2 | 3 | 3 | . | 1 | 43 | . |
| 1 and under 5 years, | . | 6 | 2 | 2 | . | 2 | . | 4 | 2 | 3 | 1 | . | 2 | 1 | . | . | 25 | . |
| 5 ,, 20 ,, | 4 | . | . | 2 | 1 | 1 | . | 2 | . | 2 | . | 1 | . | . | . | . | 13 | . |
| 20 ,, 40 ,, | 4 | 3 | 2 | . | . | . | . | 5 | 3 | 2 | 1 | . | 2 | . | . | 2 | 24 | 2 |
| 40 ,, 60 ,, | 1 | 7 | 5 | 6 | 1 | 1 | . | 5 | 4 | 7 | 9 | . | 2 | 4 | 2 | 1 | 56 | 3 |
| 60 and upwards, | 9 | 12 | 4 | 2 | . | 2 | 1 | 8 | 5 | 7 | 9 | 1 | 5 | 9 | 1 | 3 | 78 | 2 |
| Number of Uncertified Deaths, | 1 | 1 | 2 | 1 | . | 2 | . | 2 | 1 | . | 1 | 2 | 1 | 1 | . | 1 | 16 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 4 | 2 | 2 | 1 | . | 2 | 1 | 8 | 1 | 5 | 1 | 1 | 3 | 2 | 1 | . | 34 | 7 |
| Workhouse Hospitals, | 4 | 5 | 5 | 5 | . | . | . | 9 | 6 | 5 | 4 | . | 1 | 1 | . | . | 45 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1897–1906,

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 1st Week of the 10 years 1897–1906. | In the Week ending Saturday, 5th January, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 9, 1897. | Jan. 8, 1898. | Jan. 7, 1899. | Jan. 6, 1900. | Jan. 5, 1901. | Jan. 4, 1902. | Jan. 10, 1903. | Jan. 9, 1904. | Jan. 7, 1905. | Jan. 6, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature. | ° 41·6 | ° 44·4 | ° 40·3 | ° 38·8 | ° 41·1 | ° 45·4 | ° 39·4 | ° 40·0 | ° 46·7 | ° 43·4 | ° 42·1 | Mean Temp. ° 39·4 | | | | | | | | |
| **ALL CAUSES.** | 236 | 208 | 179 | 337 | 203 | 223 | 206 | 208 | 192 | 168 | 216·0 | 246 | 14 | 29 | 25 | 13 | 26 | 59 | 65 | 15 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 9 | . | . | 10 | 2 | . | 2 | 2 | 3 | . | 2·8 | 3 | . | 1 | 2 | . | . | . | . | . |
| Scarlet Fever, ... ... | 4 | 5 | . | . | . | . | 2 | 3 | . | . | 1·4 | . | . | . | . | . | . | . | . | . |
| Typhus, ... ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 5 | 4 | 19 | . | 2 | 7 | 1 | . | 2 | 4·1 | 6 | . | 1 | . | 1 | . | 1 | 3 | . |
| Whooping-cough, ... ... | 19 | 4 | 6 | 1 | 13 | 1 | 2 | 9 | . | 2 | 5·7 | 7 | . | 3 | 4 | . | . | . | . | . |
| Diphtheria, ... ... | . | . | 1 | . | 4 | 3 | 3 | 1 | . | 2 | 1·4 | . | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 4 | 6 | 4 | 5 | 3 | 2 | 3 | 6 | 1 | 3 | 3·7 | . | . | . | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 3 | 2 | 2 | 1 | 4 | . | . | . | . | 2·3 | 2 | . | 2 | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | 3 | 3 | 1 | 1 | | 7 | 2 | 2 | 2 | . | . | 1 | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | 1 | . | 1 | 2 | . | . | 2 | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | 2 | . | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | | | | | | | 1 | 2 | 1 | . | 15·6 | . | . | . | . | . | . | . | . | . |
| Pneumonia, Broncho-Epidemic, | | | | | | | 1 | 6 | 10 | 5 | | 13 | . | 4 | 4 | . | . | 3 | 1 | 1 |
| Pneumonia, Not defined, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| | 14 | 17 | 13 | 25 | 11 | 16 | 9 | 9 | 9 | 7 | | 10 | . | . | 2 | . | 4 | . | 4 | . |
| Erysipelas, ... ... | 2 | . | . | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | 2 | 2 | . | . | . | . | . | . | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Other Infective Processes, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . | . |
| Tuberculous Phthisis, | 14 | 14 | 19 | 40 | 24 | 30 | 1 | 5 | 11 | 8 | 24·2 | 13 | . | . | . | 3 | 4 | 6 | . | . |
| "*Phthisis*," ... | | | | | | | 22 | 21 | 20 | 13 | | 11 | . | . | . | 2 | 5 | 3 | 1 | . |
| Tuberculous Meningitis, ... | 3 | 3 | 6 | 2 | 4 | 2 | 2 | 3 | 3 | 5 | 3·3 | . | . | . | . | . | . | . | . | . |
| Tuberculous Peritonitis, | 1 | 5 | 4 | 5 | 5 | 1 | 1 | 1 | 2 | 1 | 3·0 | . | . | . | . | . | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | | . | . | 3 | 1 | | . | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 5 | 5 | 3 | 6 | 4 | 3 | 3 | 7 | 4 | 5 | 4·5 | 6 | . | 1 | . | 1 | 2 | 1 | 1 | . |
| *Scrofula*, ... ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Alcoholism, ... ... | 2 | 1 | . | . | 2 | 3 | 2 | 4 | 1 | 2 | 1·7 | 1 | . | . | . | . | . | 1 | . | . |
| Rheumatic Fever, .. ... | 1 | 1 | . | . | 2 | . | 1 | . | . | . | ·5 | 1 | . | . | . | . | . | 1 | . | . |
| Gout, ... ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | | | | | | | 2 | . | 6 | 5 | 7·5 | . | . | . | . | . | . | . | . | . |
| Sarcoma, ... ... | 7 | 9 | 8 | 5 | 2 | 11 | . | . | 1 | . | | 1 | . | . | . | . | . | . | 1 | . |
| Cancer (undefined), | | | | | | | 4 | 7 | 6 | 2 | | 7 | . | . | . | . | . | 1 | 6 | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | 2 | 1 | ·3 | . | . | . | . | . | . | . | . | . |
| Premature Birth, ... | . | 3 | . | 4 | 5 | 2 | 7 | 4 | 2 | 1 | 2·8 | 7 | 7 | . | . | . | . | . | . | . |

* The figures for the years 1897–1900 are for

† Formerly described as

FIRST WEEK ending Saturday, 5th January, 1907, with the deaths from each cause in the corresponding and the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Jan. 9, 1897. | Jan. 8, 1898. | Jan. 7, 1899. | Jan. 6, 1900. | Jan. 5, 1901. | Jan. 4, 1902. | Jan. 10, 1903 | Jan. 9, 1904. | Jan. 7, 1905. | Jan. 6, 1906. | Averages in 1st Week of the 10 years 1897–1906. | In the Week ending Saturday, 5th January, 1907. Deaths of Persons of the Ages of: ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 41·6 | ° 44·4 | ° 40·3 | ° 38·8 | ° 41·1 | ° 45·4 | ° 39·4 | ° 40·0 | ° 46·7 | ° 43·4 | ° 42·1 | ° 39·4 | | | | | | | | |
| Meningitis (not tuberc.) | | | | | | | 6 | 2 | 5 | 4 | | 4 | . | 1 | 2 | 1 | . | . | . | . |
| Insanity, G. P. of Insane | | | | | | | 2 | 2 | 2 | 2 | | 3 | . | . | . | . | . | 3 | . | . |
| Epilepsy | | | | | | | 2 | 1 | . | 1 | | 2 | . | . | . | . | . | 2 | . | . |
| *Convulsions* | | | | | | | 11 | 11 | 9 | 4 | | 11 | 3 | 5 | 3 | . | . | . | . | . |
| Locomotor Ataxy | | | | | | | . | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| Paraplegia Dis. of Cord | | | | | | | . | 1 | 1 | . | | 3 | . | . | . | . | . | 1 | 1 | 1 |
| Nervous System (other Dis.) | 40 | 33 | 43 | 61 | 41 | 47 | . | . | 2 | 1 | 45·2 | 3 | . | . | . | . | . | 1 | 1 | 1 |
| Valv. Dis., Endocarditis | | | | | | | 7 | . | 4 | 6 | | 2 | . | . | . | 1 | . | 1 | . | . |
| Cerebr. Hæm. Thromb. | | | | | | | 4 | 2 | 2 | 3 | | 1 | . | . | . | . | . | . | 1 | . |
| *Apoplexy, Hemiplegia* | | | | | | | 7 | 9 | 7 | 6 | | 9 | . | . | . | . | 2 | 1 | 5 | 1 |
| Aneurysm | | | | | | | 2 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | | 16 | 15 | 14 | 13 | | 20 | . | . | . | . | 1 | 4 | 13 | 2 |
| *Croup* (not Spasm. nor Memb.) | 1 | 1 | . | 2 | 2 | . | . | . | . | . | ·6 | 1 | . | . | . | 1 | . | . | . | . |
| Bronchitis | 41 | 31 | 23 | 80 | 31 | 37 | 15 | 35 | 29 | 24 | 34·6 | 31 | . | 1 | 2 | 1 | . | 11 | 13 | 3 |
| Asthma, Emphysema | | | | | | | 1 | 1 | . | . | | 3 | . | . | . | . | 1 | 2 | . | . |
| Pleurisy | 3 | 2 | 1 | 3 | 2 | 4 | . | . | . | 1 | 2·7 | 1 | . | . | . | . | 1 | . | . | . |
| Respiratory Dis. (other) | | | | | | | 3 | 4 | 1 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| Tonsillitis, Quinsy | 1 | . | 1 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) | | | | | | | 2 | . | 3 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| *Gastro Enteritis* | . | 1 | . | 2 | 1 | . | . | 1 | . | 1 | 1·2 | 2 | . | 1 | . | 1 | . | . | . | . |
| *Peritonitis* (not Puerp.) | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver | | | | | | | . | . | 1 | 3 | | 2 | . | . | . | . | 1 | 1 | . | . |
| Liver Dis. (other) | 4 | 2 | . | 3 | 6 | 3 | 1 | 2 | . | . | 2·5 | 2 | . | . | . | . | 1 | 1 | . | . |
| Digestive Dis. (other) | 8 | 7 | 6 | 6 | 4 | 11 | 6 | 4 | 4 | 7 | 6·3 | 7 | . | 2 | 1 | . | 1 | 2 | 1 | . |
| Nephritis, Acute | | | | | | | . | 4 | . | 2 | | 3 | . | . | . | . | 1 | 1 | 1 | . |
| Bright's Dis., Albuminuria | 6 | 9 | 6 | 6 | 3 | 4 | 4 | 3 | 2 | 2 | 5·5 | 5 | . | . | . | . | 2 | 2 | 1 | . |
| Urinary Sys. (Other Dis.) | | | | | | | 1 | . | . | 3 | | 2 | . | . | . | . | . | . | 1 | 1 |
| Generative Organs Dis. | . | 2 | . | 1 | 1 | . | . | 2 | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| Childbirth (Accid. of) | . | 2 | . | . | 1 | 5 | 1 | . | . | 2 | 1·1 | . | . | . | . | . | . | . | . | . |
| *Old Age* | 11 | 11 | 15 | 25 | 11 | 10 | 10 | 3 | 1 | 3 | 10·0 | 8 | . | . | . | . | . | . | 4 | 4 |
| Other Diseases | 21 | 14 | 6 | 19 | 13 | 12 | 18 | 8 | 10 | 5 | 12·6 | 13 | 2 | 4 | 1 | . | . | 3 | 2 | 1 |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| By Railways | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . | . | . | 1 | . |
| In Ships, Boats, Docks (exclusive of Drowning) | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Building Operations | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Conflagrations | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | 1 | 2 | 1 | 2 | 1 | 1 | 2 | . | 3 | 2 | 1·5 | 4 | . | . | 2 | 1 | . | . | 1 | . |
| By Drowning | 2 | . | . | 2 | . | 1 | 2 | 1 | 1 | . | ·9 | . | . | . | . | . | . | . | . | . |
| By Suffocation in Bed | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | 1 | . | 1 | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | . | 4 | 4 | . | 1 | 3 | 2 | 1 | . | 2 | 1·7 | . | . | . | . | . | . | . | . | . |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Suicide | . | . | . | . | . | 1 | . | . | 2 | . | ·3 | 1 | . | . | . | . | . | 1 | . | . |
| Execution | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

he Registration Area as then constituted.
Simple Continued Fever.'

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 14 | July 21. | July 28. | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25 | Sept. 1. | Sept. 8 | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. |
| No. of weeks in Annual Series. | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 |
| BIRTHS registered, | 230 | 199 | 223 | 235 | 186 | 226 | 230 | 180 | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 |
| *Average Births in corresponding week of previous 10 years,** | 193 | 199 | 207 | 202 | 208 | 217 | 195 | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 |
| DEATHS registered, | 140 | 156 | 149 | 125 | 130 | 151 | 167 | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 |
| Annual Death-rate per 1,000, | 19·3 | 21·5 | 20·5 | 17·2 | 17·9 | 20·8 | 23·0 | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·3 |
| *Average Deaths in corresponding week of previous 10 years,** | 146 | 151 | 153 | 166 | 169 | 163 | 170 | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 |
| AGES,— Under 5 years, | 35 | 38 | 48 | 40 | 50 | 48 | 63 | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 |
| 5—20 ,, | 10 | 17 | 11 | 8 | 6 | 9 | 10 | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 |
| 20—40 ,, | 24 | 25 | 27 | 20 | 19 | 22 | 27 | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 |
| 40—60 ,, | 37 | 28 | 35 | 20 | 28 | 27 | 32 | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 60 | 59 |
| 60—80 ,, | 32 | 43 | 27 | 32 | 24 | 43 | 28 | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 |
| 80 years and upwards, | 2 | 5 | 6 | 5 | 3 | 2 | 7 | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 2 | 2 | . | 2 | 1 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 |
| Scarlet Fever | . | . | 2 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Typhus, | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 6 | 3 | 2 | 2 | 3 | 1 | . | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 |
| Diphtheria, | . | 1 | . | . | 2 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever, | 1 | 1 | . | 1 | 1 | . | . | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . |
| Diarrhœal Diseases, | 3 | 3 | 10 | 11 | 10 | 29 | 27 | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 |
| Pneumonia, | 9 | 12 | 13 | 4 | 5 | 4 | 8 | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 |
| Tuberculous Phthisis, | 21 | 23 | 19 | 21 | 18 | 21 | 21 | 18 | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 |
| Disease. Other Forms, | 7 | 11 | 13 | 4 | 7 | 9 | 8 | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 |
| Cancer, Malignant Disease, | 4 | 14 | 9 | 8 | 4 | 12 | 11 | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 |
| Diseases of Heart and Blood Vessels, | 26 | 27 | 19 | 19 | 17 | 20 | 12 | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 |
| Diseases of Respiratory System, | 10 | 11 | 13 | 14 | 10 | 11 | 10 | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 |
| Violent Deaths, | 2 | 3 | 4 | 2 | 3 | 2 | 8 | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 |
| Number of Uncertified Deaths, | 2 | 5 | 4 | 3 | 5 | 1 | 2 | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 |
| Mean Temperature of the Air (Phœnix Park), | 57·5 | 59·0 | 60·6 | 60·5 | 61·3 | 58·9 | 61·8 | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 59·7 | 60·9 | 59·2 | 59·4 | 57·1 | 58·1 | 57·0 | 56·1 | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 |
| Rainfall in inches, | 235 | ·385 | ·220 | ·452 | ·320 | ·415 | ·695 | ·000 | ·285 | 280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·80 | ·82 | ·84 | ·80 | ·83 | ·79 | ·86 | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·88 | ·90 | ·86 | ·92 | ·88 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 5th January, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH JANUARY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 34·2 | 246 | 68 | 13 | 26 | 59 | 65 | 15 | . | 3 | . | . | 7 | . | . | . | 9 | 19 | 23 | 24 | 6 | 8 | 11 | 38 | 7 | 110 | 16 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 23·9 | 8 | . | 1 | . | 1 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 6 | . |
| II. | MIDDLE CLASS, | 87,188 | 26·9 | 45 | 13 | 1 | 4 | 11 | 13 | 3 | . | . | . | . | 1 | . | . | . | 2 | 3 | 5 | 2 | . | 3 | 2 | 5 | 2 | 23 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 20·3 | 43 | 12 | 4 | 3 | 14 | 8 | 2 | . | . | . | . | 1 | . | . | . | 3 | 4 | 4 | 3 | 1 | 1 | 2 | 8 | 2 | 18 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 48·8 | 105 | 39 | 6 | 13 | 22 | 22 | 3 | . | 3 | . | . | 5 | . | . | . | 4 | 12 | 10 | 13 | 2 | 1 | 7 | 15 | 3 | 42 | 14 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 45 | 4 | 1 | 6 | 11 | 21 | 2 | . | . | . | . | . | . | . | . | . | . | 4 | 5 | 3 | 3 | . | 9 | . | 21 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 46·8 | 7 | . | 1 | . | 1 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 5 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 27·0 | 4 | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 21·3 | 9 | 1 | . | 1 | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 22·3 | 13 | 8 | 1 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 2 | 1 | . | . | 1 | 1 | . | 5 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 36·7 | 19 | 2 | . | . | 8 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 2 | . | 1 | 1 | 12 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 26·4 | 5 | 3 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | 1 | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 5·2 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . |
| | 10. Clothing Trades, | 23,260 | 15·5 | 6 | 1 | . | . | 3 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 2 | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 28·2 | 5 | 2 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 4 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 37·8 | 22 | 4 | 4 | 1 | 9 | 3 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 3 | 1 | . | 1 | 5 | 1 | 8 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 15·2 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 50·5 | 13 | 4 | 1 | 1 | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 3 | . | 6 | . |
| | 15. Domestic Servants, | 36,603 | 17·1 | 12 | 2 | 1 | 2 | 1 | 6 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . | 8 | 3 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 43·5 | 12 | 4 | 1 | . | 5 | 2 | . | . | 1 | . | . | . | . | . | . | 1 | 2 | 2 | . | 1 | 1 | 1 | 2 | . | 3 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 39·5 | 68 | 29 | 3 | 10 | 14 | 9 | 3 | . | 2 | . | . | 5 | . | . | . | 3 | 10 | 6 | 9 | 1 | . | 5 | 9 | 3 | 25 | 10 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 45 | 4 | 1 | 6 | 11 | 21 | 2 | . | . | . | . | . | . | . | . | . | . | 4 | 5 | 3 | 3 | . | 9 | . | 21 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the similar Statistics for each of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in*

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrheal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 22,016. | Nov. 17, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| | „ 24, | 20·2 | 1·8 | 11 | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Dec. 1, | 25·9 | 1·8 | 13 | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 2 | 1 | . |
| | „ 8, | 29·4 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 15, | 22·1 | 1·8 | 12 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | 1 | . | 1 |
| | „ 22, | 22·1 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | „ 29, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | . | . | 2 | 1 |
| | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Nov. 17, | 24·0 | 2·7 | 18 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 5 | 1 | 1 |
| | „ 24, | 26·6 | 5·3 | 20 | . | . | . | . | . | . | . | 1 | 3 | 2 | 3 | . | . | 2 | 1 | 1 |
| | Dec. 1, | 18·6 | 4·0 | 14 | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | 2 | 1 | 1 | . | 1 |
| | „ 8, | 34·6 | 2·7 | 26 | . | . | . | . | . | . | . | . | 2 | 2 | 3 | 1 | . | 5 | . | 1 |
| | „ 15, | 29·3 | 1·3 | 22 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | 5 | . | 3 |
| | „ 22, | 38·6 | . | 29 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | 2 | 4 | 3 | 3 |
| | „ 29, | 12·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Nov. 17, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . |
| | „ 24, | 31·2 | 1·7 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 3 | . | . |
| | Dec. 1, | 26·0 | 3·5 | 15 | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | . | . | 2 | . | . |
| | „ 8, | 24·2 | 1·7 | 14 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 2 | . | . |
| | „ 15, | 24·2 | 3·5 | 14 | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . | 1 | . |
| | „ 22, | 29·4 | 3·5 | 17 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 3 | . | 1 | . |
| | „ 29, | 24·2 | 5·2 | 14 | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | Jan. 5, | 34·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Nov. 17, | 26·3 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 3 | 3 | . | . |
| | „ 24, | 26·3 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 2 | 2 | . | . |
| | Dec. 1, | 32·9 | 1·6 | 20 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 2 | 1 | 1 |
| | „ 8, | 32·9 | 1·6 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 3 | . | 3 | . | 1 |
| | „ 15, | 13·2 | 1·6 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | . | . | 1 | . | . |
| | „ 22, | 51·3 | 1·6 | 19 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | 1 | 1 | . | 1 |
| | „ 29, | 41·2 | 3·3 | 25 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 2 | 1 | 3 | . | 3 |
| | Jan. 5, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Nov. 17, | 39·4 | 13·6 | 29 | . | 8 | . | . | 1 | . | . | . | 1 | 3 | 2 | 2 | 1 | 4 | . | . |
| | „ 24, | 51·6 | 12·2 | 38 | . | 9 | . | . | . | . | . | . | . | 5 | 5 | 1 | . | 8 | . | . |
| | Dec. 1, | 39·4 | 6·8 | 29 | . | 3 | . | . | 1 | 1 | . | . | . | 1 | 1 | 1 | 1 | 5 | . | 1 |
| | „ 8, | 17·7 | 4·1 | 18 | . | 2 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | 1 | . |
| | „ 15, | 38·0 | 5·4 | 28 | . | . | . | . | 2 | 1 | . | . | 1 | 2 | 3 | 1 | . | 6 | 1 | 5 |
| | „ 22, | 44·8 | 2·7 | 33 | . | 2 | . | . | . | . | . | . | . | 2 | 4 | 2 | 2 | 7 | . | 1 |
| | „ 29, | 28·5 | 2·7 | 21 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 2 | 3 | . | 1 |
| | Jan. 5, | 44·3 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Nov. 17, | 39·9 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 5 | . | 1 |
| | „ 24, | 17·1 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Dec. 1, | 22·8 | 2·9 | 8 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 8, | 20·0 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 |
| | „ 15, | 25·7 | 2·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 22, | 34·2 | 2·9 | 12 | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | 2 | . | . |
| | „ 29, | 37·1 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | 1 |
| | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Nov. 17, | 33·6 | 1·2 | 27 | . | 1 | . | . | . | . | . | . | . | 1 | 5 | 1 | 3 | 7 | 1 | . |
| | „ 24, | 24·9 | 2·5 | 20 | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | 1 | . | 5 | . | 1 |
| | Dec. 1, | 28·6 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | 6 | . | 1 |
| | „ 8, | 24·9 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | . | 2 |
| | „ 15, | 23·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | . |
| | „ 22, | 29·8 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 1 | . | 3 | . | . |
| | „ 29, | 24·9 | 1·2 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 4 | 3 | 4 | 3 | . | 1 |
| | Jan. 5, | 32·1 | 3·7 | 26 | . | . | . | . | 3 | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Nov. 17, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 1 |
| | „ 24, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 6 | 1 | . | 1 | . | 2 |
| | Dec. 1, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | . | . |
| | „ 8, | 23·7 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 3 | 1 | . | . |
| | „ 15, | 22·3 | 1·5 | 15 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | . |
| | „ 22, | 28·2 | . | 19 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 29, | 26·7 | 3·0 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | 1 | 1 | . | . | 2 |
| | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 1 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Nov. 17, | 14·1 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 24, | 20·4 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 2 | . | 1 |
| | Dec. 1, | 18·8 | 3·1 | 12 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | 2 | 1 | . | . |
| | „ 8, | 17·3 | 3·1 | 11 | . | . | . | . | 2 | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 15, | 9·4 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 22, | 18·8 | 1·6 | 12 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 29, | 12·6 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 2 |
| | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Nov. 17, | 12·0 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 24, | 14·0 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Dec. 1, | 14·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | „ 8, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 1 | . | . |
| | „ 15, | 18·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | „ 22, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | . | . |
| | „ 29, | 10·0 | 2·0 | 5 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Nov. 17, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | 1 | . |
| | „ 24, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Dec. 1, | 11·8 | 3·0 | 4 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | „ 8, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 15, | 29·6 | 3·0 | 10 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | „ 22, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 |
| | „ 29, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | Jan. 5, | 20·7 | 3·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Nov. 17, | 20·6 | 1·1 | 145 | . | 1 | . | . | 3 | . | . | . | 4 | 12 | 20 | 0 | 3 | 22 | 6 | 5 |
| | „ 24, | 17·8 | 1·4 | 125 | . | 1 | 1 | . | 4 | 1 | . | . | 3 | 13 | 16 | 7 | 2 | 24 | 1 | 1 |
| | Dec. 1, | 18·2 | 1·7 | 128 | . | 1 | 1 | 1 | 2 | . | . | 3 | 4 | 12 | 14 | 10 | 4 | 21 | 2 | 2 |
| | „ 8, | 19·8 | 2·7 | 139 | . | 5 | 1 | . | 1 | 3 | . | 6 | 3 | 10 | 13 | 11 | 3 | 23 | 2 | . |
| | „ 15, | 16·8 | 1·0 | 118 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 15 | 9 | 3 | 21 | 1 | 1 |
| | „ 22, | 18·1 | 1·0 | 127 | . | 2 | 1 | . | 1 | 1 | . | 1 | 1 | 6 | 14 | 5 | 8 | 24 | 2 | 1 |
| | „ 29, | 18·4 | 0·7 | 129 | . | . | . | . | 2 | 1 | . | . | 2 | 16 | 9 | 3 | 9 | 30 | . | 1 |
| | Jan. 5, | 28·8 | 1·3 | 169 | . | 1 | 2 | . | 4 | 2 | . | . | . | 13 | 22 | 4 | 6 | 30 | 5 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Nov. 17, | 26·7 | 2·7 | 38 | . | . | . | . | 1 | . | . | . | 3 | 4 | 8 | . | 1 | 4 | . | 5 |
| | „ 24, | 30·8 | 4·1 | 45 | . | . | . | . | 1 | 1 | . | 1 | 3 | 1 | 5 | 2 | 2 | 6 | . | 4 |
| | Dec. 1, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | 1 | 4 | 1 | 4 |
| | „ 8, | 19·9 | 2·1 | 29 | . | . | . | . | . | 2 | 1 | . | . | 5 | 3 | 1 | 1 | 1 | . | 1 |
| | „ 15, | 21·2 | 2·1 | 31 | . | . | . | . | 2 | . | . | . | 1 | 2 | 4 | . | . | 4 | . | 2 |
| | „ 22, | 24·0 | 2·1 | 35 | . | . | . | . | 1 | . | . | . | 2 | 1 | 4 | 1 | 2 | 9 | . | 1 |
| | „ 29, | 19·2 | 0·7 | 28 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 3 | . | 7 | . | 1 |
| | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 11 | 2 | . | 6 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Nov. 17, | 17·4 | 1·2 | 14 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | 1 | 3 | . | 1 |
| | „ 24, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 4 | . | 1 |
| | Dec. 1, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 6 | . | 1 |
| | „ 8, | 19·8 | 1·2 | 16 | . | . | 1 | . | . | . | . | . | . | 3 | 3 | 1 | . | 1 | . | 2 |
| | „ 15, | 14·9 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | 2 |
| | „ 22, | 18·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 4 | 1 | 3 |
| | „ 29, | 18·6 | 1·2 | 15 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | 3 | . | . |
| | Jan. 5, | 12·3 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Nov. 17, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 1 | . | 1 |
| | „ 24, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | . | 2 |
| | Dec. 1, | 21·9 | 1·4 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | 1 | 2 | . | 2 |
| | „ 8, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 6 | . | 5 |
| | „ 15, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 4 | . | 3 |
| | „ 22, | 20·5 | 1·4 | 15 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | 2 |
| | „ 29, | 5·5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 |
| | Jan. 5, | 13·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | Nov. 17, | 7·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 24, | 29·2 | 7·8 | 15 | . | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . |
| | Dec. 1, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | 1 | . | . |
| | „ 8, | 15·6 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 5 | . | . |
| | „ 15, | 33·1 | 5·8 | 17 | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . | 2 | 3 | 1 | 1 |
| | „ 29, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 |
| | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th January, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 2 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | . | 2 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . | . | 3 | . |
| Do. 2 ,, | 47,959 | 24 | | | 25 | 2 | 3 | 2 | 4 | 7 | 7 | . | . | 1 | . | . | . | . | . | . | 2 | 3 | 3 | . | 5 | 1 | 1 | 4 | 1 |
| Do. 3 ,, | 47,214 | 29 | | | 25 | 5 | 2 | 1 | 3 | 8 | 6 | . | 1 | 1 | . | 1 | . | . | . | . | 3 | 3 | . | 2 | 5 | . | 2 | 4 | 1 |
| Do. 4 ,, | 40,911 | 52 | | | 27 | 9 | 3 | 1 | 5 | 3 | 6 | . | . | . | . | 1 | . | . | . | . | 3 | 5 | 1 | . | 2 | . | . | 11 | . |
| Do. 5 ,, | 17,387 | 17 | | | 8 | 1 | 2 | . | 2 | 2 | 1 | . | . | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . | . | . | . | 3 | . |
| Do 6 ,, | 48,122 | 21 | | | 25 | 3 | 3 | . | 6 | 6 | 7 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 3 | 4 | 2 | 3 | 7 | . |
| Do 7 ,, | 1,524 | . | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 2 | | | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 25 | | | 8 | 4 | . | . | 2 | . | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Do. 10 ,, | 28,064 | 22 | | | 10 | 3 | . | 2 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . | 4 | . |
| Do. 11 ,, | 34,862 | 26 | | | 16 | 3 | . | 2 | 1 | 2 | 8 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 6 | 2 | 2 | 4 | . |
| Do. 12 ,, | 33,588 | 26 | | | 11 | 1 | . | 2 | 3 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . | 3 | . |
| Do. 13 ,, | 15,006 | 17 | | | 5 | 1 | . | . | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 263 | | | 169 | 34 | 15 | 10 | 32 | 34 | 44 | . | 1 | 2 | . | 4 | 2 | . | . | . | 13 | 22 | 4 | 6 | 30 | 5 | 8 | 43 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 8 | 40·5 | 4·1 | 10 | . | 1 | | 3 | | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 3 | . |
| Do. 2 ,, | 10,701 | 7 | 29·2 | 4·9 | 6 | 1 | . | | 3 | | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 1 | . | . | . | 1 |
| Do. 3 ,, | 9,978 | 3 | 31·4 | . | 6 | 1 | 1 | | 1 | | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | . | 2 | . |
| Do. 4 ,, | 8,666 | 7 | 72·2 | . | 12 | 1 | 1 | | 8 | | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 2 | . | . | 6 | 1 |
| Do. 5 ,, | 6,592 | 5 | 31·6 | . | 4 | . | 1 | | 1 | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 | . |
| Do. 6 ,, | 10,702 | 3 | 14·6 | . | 3 | . | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| Do. 7 ,, | 16,616 | 8 | 15·7 | . | 5 | 1 | . | | 3 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | . |
| Total | 76,122 | 41 | 31·5 | 1·4 | 46 | 4 | 4 | | 21 | | 17 | . | . | . | . | 2 | . | . | . | . | 2 | 11 | 2 | . | 6 | . | 2 | 14 | 2 |

* Formerly described as "Simple Continued Fever."

**TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.***

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 14. | July 21. | July 28. | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25. | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. |
| No. of weeks in Annual Series, | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 |
| BIRTHS registered, | 162 | 271 | 225 | 241 | 220 | 203 | 204 | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 |
| DEATHS registered. | 119 | 121 | 127 | 121 | 127 | 125 | 139 | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 123 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 129 | 169 |
| Annual Death-rate per 1,000 of estimated Population, | 16·9 | 17·2 | 18·1 | 17·2 | 18·1 | 17·8 | 19·8 | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·4 | 23·8 |
| AGES — Under 1 year, | 27 | 21 | 21 | 30 | 29 | 37 | 43 | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 |
| AGES — 1-5 years, | 19 | 12 | 8 | 18 | 9 | 16 | 14 | 22 | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 13 | 15 |
| AGES — 5-20 years, | 14 | 10 | 13 | 9 | 14 | 17 | 12 | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 10 |
| AGES — 20-40 years, | 27 | 24 | 29 | 15 | 25 | 14 | 18 | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 |
| AGES — 40-60 years, | 15 | 26 | 26 | 31 | 22 | 24 | 29 | 26 | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 31 |
| AGES — 60 years and upwards, | 17 | 28 | 30 | 18 | 28 | 17 | 23 | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 35 | 35 | 26 | 32 | 36 | 44 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 2 | 1 | . | 2 | . | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 |
| Scarlet Fever, | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | 2 |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Whooping-cough, | 9 | 3 | 1 | 4 | 2 | 4 | 2 | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 |
| Diphtheria, | . | . | 1 | . | 1 | 1 | 2 | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 2 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 1 | 2 | 3 | 2 | 1 | . | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . |
| Diarrhœal Diseases, | 6 | 7 | 4 | 7 | 12 | 25 | 24 | 23 | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . |
| Pneumonia, | 7 | 6 | 6 | 10 | 7 | 3 | 5 | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 13 |
| Tuberculous Disease, Phthisis, | 20 | 21 | 26 | 22 | 25 | 13 | 21 | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 |
| Tuberculous Disease, Other Forms, | 15 | 5 | 10 | 11 | 6 | 8 | 6 | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 |
| Cancer, Malignant Disease, | 2 | 4 | 4 | 2 | 4 | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 3 | 9 | 6 |
| Diseases of Respiratory System, | 7 | 9 | 21 | 11 | 7 | 12 | 7 | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 |
| Violent Deaths, | 6 | 4 | . | 2 | 4 | 2 | 3 | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 |
| Number of Uncertified Deaths, | 2 | . | 3 | . | 3 | 1 | 2 | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 |

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, . | 4,758,218 | Jan. 5, | 2,905 | 2,232 | 24·5 | . | 36 | 8 | 28 | 38 | 7 | 21 |
| EDINBURGH, . | 345,747 | „ 5, | 166 | 157 | 23·7 | . | 2 | . | 4 | 1 | . | 5 |
| GLASGOW, . . | 847,584 | „ 5, | 445 | 330*a* | 20·3 | . | 2 | 2 | 4 | 11 | 6 | 3 |
| CALCUTTA, . . | 910,117 | Nov. 17 | . | 631 | 38·7 | 2 | 1 | . | 2 | . | 148‡ | 163* |
| BOMBAY, . . | 977,822 | Dec. 4, | 399 | 614 | 32·6 | . | 1 | . | 1 | . | 69‡ | 59* |
| MADRAS, . . | 509,346 | Nov. 16, | 370 | 375 | 38·2 | 1 | 2 | ? | ? | ? | 104 | 68* |
| PARIS, . . | 2,750,000 | Dec. 22, | 811 | 1,000 | 19·5 | 1 | 7 | 3 | 6† | 2 | 8 | 17 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 15. | 197 | 203 | 17·2 | . | 5 | 1 | 2† | 2 | 1 | 11 |
| ANTWERP, . . | 297,311 | „ 15, | 144 | 79 | 13·9 | . | 1 | . | 2† | . | 1 | 8 |
| AMSTERDAM, . | 560,482 | „ 15, | 269 | 154 | 14·2 | . | 8 | 5 | 3† | . | . | 3 |
| COPENHAGEN, . | 425,000 | „ 15, | 259 | 127 | 15·6 | . | . | . | . | 1 | 2 | 8 |
| STOCKHOLM, . | 324,488 | „ 8, | 147 | 86 | 13·8 | . | . | . | . | . | 2 | 3 |
| CHRISTIANIA, . | 222,373 | „ 22, | 94 | 55 | 12·9 | . | 3 | . | 2† | 1 | . | 1 |
| ST. PETERSBURG, | 1,424,700 | „ 15. | 577 | 675 | 24·6 | 3 | 12 | 14 | 20 | 10 | 34 | 74 |
| MOSCOW, . . | 1,154,000 | Nov. 17, | . | 537 | 24·3 | . | 7 | 10 | 10† | 4 | 6 | 57 |
| BERLIN, . . | 2,089,762 | Dec. 8, | 952 | 582 | 14·5 | . | 5 | 4 | 7† | 6 | 1 | 28 |
| HAMBURG, . . | 802,793 | „ 15, | . | 238 | 15·4 | . | . | 1 | 2† | 4 | . | 13 |
| BRESLAU, . . | 482,326 | „ 22, | . | 176 | 15·0 | . | 2 | . | 3† | . | . | 8 |
| MUNICH, . . | 540,000 | „ 22, | . | 177 | 12·4 | . | 1 | . | 3† | 2 | 1 | 18 |
| VIENNA (with suburbs). | 1,958,323 | „ 22, | 853 | 684 | 18·0 | . | 11 | 5 | 6† | 3 | 2 | 28 |
| BUDA-PESTH, . | 791,748 | „ 22, | 375 | 300 | 19·8 | . | 5 | 4 | 5† | 1 | 1 | 10 |
| PRAGUE and Faubourgs. | 466,133 | „ 15, | 170 | 174 | 19·4 | . | 3 | . | 1† | . | . | 9 |
| TRIESTE, . . | 198,525 | „ 8, | 148 | 94 | 24·7 | . | . | . | 1† | . | 2 | 2 |
| ROME, . . . | 531,502 | Oct. 27, | 206 | 152 | 14·9 | . | . | . | . | . | 5 | 16 |
| VENICE, . . | 171,709 | — | . | . | . | . | . | . | . | . | . | . |
| NEW YORK, . | 4,152,860 | Dec. 8, | 2,344 | 1,365 | 17·2 | . | 5 | 9 | 32† | 10 | 17 | 40 |
| PHILADELPHIA, | 1,469,126 | Nov. 24, | . | 522 | 18·5 | . | 6 | 4 | 12† | 1 | 22 | 19 |
| BOSTON, . . | 602,526 | Dec. 8, | . | 254 | 22·0 | . | 1 | . | 3 | 1 | 1 | 1 |

*a.* Including 7 deaths from cerebro-spinal meningitis.
* Including 86 deaths from cholera in Calcutta, 3 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 14 deaths from plague in Calcutta, and 10 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th January, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain). *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 |
| " " 1, West, | . | . | . | . | 2 | . | 1 | . | 1 | . | . | . | 4 |
| " " 2, | . | 1 | 1 | . | . | . | . | 1 | 1 | . | . | . | 4 |
| " " 3, | . | 1 | 1 | . | . | . | 1 | . | 4 | . | . | . | 7 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 2, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| " " 3, | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 3 |
| " " 4, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| New Kilmainham, | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 |
| Total, | . | 4 | 2 | . | 4 | . | 3 | 3 | 10 | . | . | . | 26 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th January, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 5th January. | | | |
|---|---|---|---|---|---|---|---|
| | Dec. 15. | Dec. 22. | Dec. 29. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 43 | 28 | 18 | 13 | 5 | 1 | 25 |
| Scarlet Fever, | 86 | 78 | 73 | 8 | 13 | . | 68* |
| Typhus, | 1 | 1 | 2 | 1 | . | . | 3 |
| Diphtheria, | 25 | 22 | 23 | 9 | . | . | 32 |
| Enteric Fever, | 38 | 36 | 34 | 2 | 7 | 1 | 28 |
| Pneumonia, | 20 | 16 | 22 | 11 | 10 | 2 | 21 |

* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 5th January, 1907:—

"Opening with a short-lived spell of intense cold, this week witnessed the establishment of a mild equatorial air current and closed without any traces of the memorable snowstorm of the last week of 1906. The displacement of the cold began in Ireland early on Sunday, the thermometer at 8 a.m. marking 40° at Valentia and 32° at Birr Castle—a rise of 15° in 24 hours at the latter station. In Dublin rain fell at a temperature of 29·5°, and froze on the ground causing a 'silver-thaw.' Frost still held in Great Britain, the minima thermometer falling to 13° at Aberdeen, 15° at Wick, 16° at Nottingham, and 19° along the coasts of Suffolk, Essex and Kent. By Monday morning the thaw was general over England, but intense frost held in Scotland, the thermometer at 8 a.m. reading 12° at Nairn and 19° at Aberdeen. The New Year dawned with a general thaw spreading fast over the British Isles, France, and Germany. On Wednesday morning the centre of a large and deep cyclonic disturbance lay near the Orkneys, the barometer at Wick being down to 28·35 inches. The approach of this system had been attended by fresh S.W. gales and high temperatures, the thermometer touching 54° on New Year's Day at Valentia and in Dublin. In the rear of the depression temperature fell sharply and thunder and lightning, hail, and sleet or snow occurred in many places. On Friday an area of high barometer moved eastwards across the British Isles. As its centre passed, a warm S.W. aircurrent set in and Saturday became mild and springlike—in the afternoon, however, the wind freshened from S.W., and rain fell in the evening. In Dublin the mean height of the barometer was 29·637 inches, pressure ranging between 28·958 inches at 9 p.m. of Tuesday (wind, W.S.W.) and 30·253 inches at 9 a.m. of Friday (wind, W.). The corrected mean temperature was 41·6°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 40·4°. The screened thermometers fell to 23·1° on Sunday and rose to 54·1° on Tuesday. S.W., W., and N.W. winds prevailed. The rainfall was ·302 inch on 3 days, ·188 inch falling on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·640 inches. The highest reading (30·260) was on Friday at 9 a.m., air calm, and the lowest (29·057) on Wednesday at 9 a.m., wind S.W.,

The mean temperature for the week was 39·4°, being 2·7° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Tuesday, on which day the thermometer registered 53·2°, and was lowest on Sunday, the mercury having fallen to 15·0°. The mean of the Dry Bulb for the week was 39·6°, and of the Wet Bulb 38·1°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 8·5 hours. The rainfall during the week measured 0·423 inch.

At Greenwich the mean temperature for the week was 39·3°, the maximum 51·0°, and the minimum 19·8°; at Glasgow the maximum was 50·8°, the minimum 20·7°, and the mean 35·9°; and at Edinburgh the maximum was 50·1°, the minimum 23·8°, and the mean 35·0°. The rainfall at Greenwich measured 0·98 in.; at Glasgow 1·31 ins.; and at Edinburgh 0·44 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1906-7. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Dec. 30, | 29·579 | 38·1 | 15·0 | 26·6 | 31·5 | 30·9 | ·93 | ·8 | 0·0 | ·125 | Calm. | W.S.W. |
| Monday, „ 31, | 29·471 | 44·4 | 33·9 | 39·2 | 40·8 | 39·3 | ·89 | ·7 | 0·2 | ·000 | S.W. | W.S.W. |
| Tuesday, Jan. 1, | 29·221 | 53·2 | 39·1 | 46·2 | 45·9 | 43·7 | ·85 | ·7 | 0·0 | ·250 | S.W. | S.W. |
| Wednesday, „ 2, | 29·058 | 49·6 | 33·9 | 41·8 | 35·8 | 34·5 | ·88 | ·6 | 3·4 | ·000 | S.W. | S.W. |
| Thursday, „ 3, | 29·747 | 40·5 | 31·8 | 36·2 | 35·2 | 33·5 | ·85 | ·8 | 4·8 | ·000 | W.N.W. | Calm. |
| Friday, „ 4, | 30·249 | 44·9 | 30·4 | 37·7 | 39·8 | 38·5 | ·88 | ·8 | 0·0 | ·006 | Calm. | S.W. |
| Saturday, „ 5, | 30·154 | 51·6 | 44·3 | 48·0 | 48·4 | 46·2 | ·85 | ·7 | 0·1 | ·042 | S.W. | W. |
| Mean, . . | 29·640 | 46·0 | 32·6 | 39·4 | 39·6 | 38·1 | ·88 | ·7 | Total 8·5 | Total ·423 | Prevailing wind, S.W. | |

*Sunday*—Day overcast, snow light 7.0 am. to 1.40 p.m., light rain p.m.; night sky cloudy. *Monday*—Day overcast; night cloudy. *Tuesday*—Day overcast, light showers 9.30 a.m. to 7.30. p.m. and 10.30 p.m. to 11.15 p.m.; night cloudy, light rain m.n. to 2.0 a.m. *Wednesday*—Cloudy day, fine; night cloudy. *Thursday*—Cloudy day, fine; night clear. *Friday*—Day overcast, light rain 5.30 to 9.50 p.m.; night overcast. *Saturday*—Day cloudy; night cloudy and showery.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January, 5th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1906-7. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Dec. 30, | 31·7 | 37·0 | 44·3 | 40·0 | 21·5 | 30·8 | 0·0 | ·071 |
| Monday, „ 31, | 41·8 | 37·0 | 44·0 | 46·1 | 36·2 | 41·2 | 0·2 | ·001 |
| Tuesday, Jan. 1, | 43·9 | 38·2 | 44·0 | 54·4 | 41·1 | 47·8 | 0·0 | ·184 |
| Wednesday, „ 2, | 37·0 | 40·0 | 43·8 | 50·3 | 35·5 | 42·9 | 3·2 | ·004 |
| Thursday, „ 3, | 36·8 | 39·0 | 43·8 | 41·4 | 33·2 | 37·3 | 3·2 | — |
| Friday, „ 4, | 37·0 | 38·2 | 43·5 | 47·0 | 33·9 | 40·5 | 0·0 | ·001 |
| Saturday, „ 5, | 49·9 | 39·8 | 43·3 | 53·1 | 45·8 | 49·5 | 0·0 | ·052 |
| Weekly Mean, . | 39·7 | 38·5 | 43·8 | 47·5 | 35·3 | 41·4 | Total 6·6 | Total ·313 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—15975.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 12TH JANUARY, 1907. [No. 2.

*General Register Office, Charlemont House, Dublin, 14th January,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Dec. 22. | Week ending Dec. 29. | Week ending Jan. 5. | Week ending Jan. 12. | Average Rate for 4 weeks. | Towns, &c. | Week ending Dec. 22. | Week ending Dec. 29. | Week ending Jan. 5. | Week ending Jan. 12. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 22·8 | 19·8 | 26·6 | 25·4 | 23·6 | Lisburn, | 22·7 | 18·2 | 27·3 | 40·9 | 27·3 |
| Armagh, | 20·6 | 20·6 | 13·7 | 6·9 | 15·5 | Londonderry, | 18·6 | 18·6 | 12·3 | 11·0 | 15·1 |
| Ballymena, | 33·5 | 9·6 | 43·1 | 28·7 | 28·7 | Lurgan, | 13·3 | 17·7 | 17·7 | 8·9 | 14·4 |
| Belfast, | 18·1 | 18·4 | 23·8 | 23·4 | 20·9 | Newry, | 21·0 | 8·4 | 29·4 | 12·6 | 17·9 |
| Clonmel, | 20·5 | 41·0 | 30·8 | 25·6 | 29·5 | Newtownards, | 17·2 | 34·3 | 11·4 | 5·7 | 17·2 |
| Cork, | 24·0 | 19·2 | 31·5 | 31·5 | 26·5 | Portadown, | 10·3 | 41·3 | 10·3 | 20·7 | 20·7 |
| Drogheda, | 16·3 | 32·7 | 12·3 | 16·3 | 19·4 | Queenstown | 13·2 | 19·8 | 6·6 | 6·6 | 11·6 |
| Dublin Reg. Area, | 28·8 | 22·8 | 31·9 | 29·0 | 28·1 | Sligo, | 9·6 | 4·8 | 33·6 | 19·2 | 16·8 |
| Dundalk, | 27·9 | 16·0 | 16·0 | 23·9 | 21·0 | Tralee, | 15·9 | 10·6 | 31·7 | 37·0 | 23·8 |
| Galway, | 19·4 | 11·7 | 31·1 | 19·4 | 20·4 | Waterford, | 29·2 | 21·4 | 31·2 | 25·3 | 26·8 |
| Kilkenny, | 24·6 | 14·7 | 34·3 | 44·2 | 29·4 | Wexford, | 23·3 | 18·7 | 28·0 | 28·0 | 24·5 |
| Limerick, | 20·5 | 5·5 | 13·7 | 27·3 | 16·8 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in thirteen of the districts to 9·6 in Sligo, the 4 deaths from all causes in that district including one each from enteric fever and diarrhœa. Among the 166 deaths from all causes registered in Belfast are one from measles, 4 from whooping-cough, one from diphtheria, one from enteric fever, and 4 from diarrhœal diseases. The 46 deaths from all causes in Cork include 4 from whooping-cough and one from diphtheria; 2 of the 20 deaths in Limerick are from diarrhœal diseases; included in the 6 deaths registered in Dundalk is one from measles; one of the 3 deaths registered in Newry is from diphtheria; among the 9 deaths in Lisburn is one from whooping-cough; and of the 6 deaths from all causes in Ballymena one is from diphtheria.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 227—122 boys and 105 girls; and the deaths to 219—101 males and 118 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 29·2 in every 1,000 of the population; omitting the deaths (numbering 2) of persons admitted into public institutions from localities outside the Area, the rate was 29·0 per 1,000.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

During the two weeks ending with Saturday last the death-rate averaged 31·0, and was 1·3 above the mean rate for the corresponding portions of the ten years, 1897-1906.

The deaths (219) included 3 from measles, 2 from whooping-cough, one from enteric fever, and 2 (of infants under one year of age) from *diarrhœa.* In each of the 3 weeks preceding, deaths from measles were 2, 2, and 3; deaths from whooping-cough were 2, 3, and 7; deaths from enteric fever were 2, 1 and 0; and deaths from diarrhœal diseases were 2, 2, and 9. Influenza caused the deaths of 3 persons.

The deaths from pneumonia included 2 deaths from lobar pneumonia, 7 deaths from broncho-pneumonia, and 11 deaths. from *pneumonia* (not defined).

Of a total of 38 deaths from all forms of tuberculous disease, 13 deaths were from tuberculous phthisis, 12 deaths were returned as *phthisis* (not otherwise defined), 6 were from tuberculous meningitis, one from tuberculous peritonitis, and 6 from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 36, 32, and 30, respectively.

Carcinoma caused 2 deaths, sarcoma caused one death, and cancer (undefined) caused 2 deaths.

The deaths of 8 infants were due to prematurity.

Of 21 deaths from diseases of the brain and nervous system, 5 (all of infants under one year of age) were due to *convulsions.*

Diseases of the heart and blood vessels accounted for 41 deaths. There were 25 deaths from bronchitis.

One death was caused accidentally by burns.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year of age and the deaths of 3 persons aged 60 years and upwards.

Sixty-three of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 16 were under one month old) and 70 were aged 60 years and upwards, including 33 persons aged 70 and upwards, of whom 12 were octogenarians, and one (a man) was stated to have been aged 96 years.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the N. Dublin Union Workhouse, 27 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 29·0 per 1,000; the rate in the City was 31·5 (North City Districts, 31·1; South, 32·0), and in the Suburbs, 20·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·0 (1·0 in the North City Districts, and 1·1 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·8 per 1,000. Broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 2 deaths from tuberculous disease of the lungs, 4 deaths from diseases of the heart and blood vessels, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (28) are equal to an annual rate of 37·3 per 1,000. The deaths included 2 from measles, 4 from tuberculous disease, and 6 from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 36·4 per 1,000. Of the total there was one death due to *pneumonia* (not defined), tuberculous disease caused 5 deaths, and diseases of the heart and blood vessels caused 5 deaths.

*No. 3 North City District* (Benburb-street).—The deaths (26) represent an annual rate of 41·8 per 1,000. Among the deaths registered were one from whooping cough, 2 from broncho-pneumonia, 5 from tuberculous disease of the lungs, and 5 from diseases of the respiratory system.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 23·7; and Finglas and Glasnevin, part of, 0·0. The 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·8 per 1,000. The deaths include one from lobar-pneumonia, 2 from *pneumonia* (not defined), 4 from tuberculous disease of the lungs, and 2 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 20·3 per 1,000. There were 2 deaths from broncho-pneumonia registered.

*No. 3 South City District* (Peter-street).—The deaths (33) are equal to an annual rate of 40·8 per 1,000. Measles and whooping-cough each caused one death; there were 4 deaths from *pneumonia* (not defined), 7 deaths from tuberculous disease, and 11 deaths from diseases of the respiratory system.

*No. 4 South City District* (Grand Canal-street).—The deaths (27) are equivalent to an annual rate of 40·1 per 1,000. The total (27) deaths include one from *diarrhœa,* 2 from broncho-pneumonia, 2 from *pneumonia* (not defined), 2 from influenza, 8 from tuberculous disease, and 2 deaths from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. One death was due to tuberculous disease.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·6; Pembroke, 24·3; Blackrock, 11·9; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include one from enteric fever for Kingstown and one from *diarrhœa* for Pembroke. Amongst the 12 deaths from all causes for Rathmines and Rathgar there was one each from influenza, *pneumonia* (not defined), tuberculous phthisis, and bronchitis, and 5 deaths from diseases of the heart and blood vessels. The 13 deaths from all causes for Pembroke include 3 from diseases of the heart and blood vessels. Of the 2 deaths from all causes for Blackrock one was from tuberculous disease, and the 8 deaths from all causes for Kingstown include 3 from diseases of the heart and blood vessels.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 12th January, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Dec. 22, | . | — | — | 7 | . | . | 2 | . | . | 10 | 15 | 1 | — | — | — | — | — | 35 |
| | Dec. 29, | . | — | — | 2 | . | . | 2 | . | 6 | 4 | 8 | . | — | — | — | — | — | 22 |
| | Jan. 5, | . | — | — | 4 | 2 | . | 4 | . | 3 | 3 | 10 | . | — | — | — | — | — | 26 |
| | Jan. 12, | . | — | — | 10 | . | . | 7 | . | 6 | 5 | 18 | . | — | — | — | — | — | 46 |
| Rathmines and Rathgar Urban District. | Dec. 22, | . | — | — | 1 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Dec. 29, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Jan. 5, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Jan. 12, | . | — | — | 2 | . | . | . | . | . | . | 2 | . | — | — | — | — | — | 4 |
| Pembroke Urban District. | Dec. 22, | . | . | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 4 |
| | Dec. 29, | . | . | . | . | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 3 |
| | Jan. 5, | . | . | . | . | . | . | . | . | . | . | 1 | . | — | 1 | . | — | — | 2 |
| | Jan. 12, | . | 1 | . | . | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 4 |
| Blackrock Urban District. | Dec. 22, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | — | — | — | 5 |
| | Dec. 29, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| | Jan. 5, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| Kingstown Urban District. | Dec. 22, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Dec. 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 5, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Dec. 22, | . | — | — | 25 | . | . | 5 | . | 1 | 4 | 7 | 1 | — | — | — | — | — | 43 |
| | Dec. 29, | . | — | — | 20 | . | . | 8 | 1 | 1 | 4 | 14 | . | — | — | — | — | — | 48 |
| | Jan. 5, | . | — | — | 26 | . | . | 9 | 2 | 6 | 1 | 10 | . | — | — | — | — | — | 54 |
| | Jan. 12, | . | — | — | 20 | . | . | 4 | 1 | 2 | 3 | 11 | . | — | — | — | — | — | 41 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th January, 1907.

From this it appears that:—

Seven cases of measles were admitted into hospital during the week, 3 were discharged, there were two deaths, and 27 cases remained under treatment at its close.

Fourteen cases of scarlet fever were admitted to hospital, 5 were discharged, and 77* cases remained under treatment at the close of the week.

There was one death from typhus during the week, and two cases remained under treatment at its close.

Six cases of diphtheria were admitted to hospital, 9 were discharged, and 29 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, two were discharged, and 31 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, one was discharged, there were 3 deaths, and 30 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 21·3), was equal to an average annual death-rate of 20·7 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·8 per 1,000, the rate for Glasgow being 20·3 and for Edinburgh 19·2.

INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th January. From this Report it appears that of a total of 57 cases notified 26 were scarlet fever, 18 erysipelas, 10 diphtheria, 2 membranous croup, and 1 enteric fever. Among the 328 cases of infectious diseases in hospital at the close of the week were 122 cases of scarlet fever, 60 of diphtheria, 2 of membranous croup, 42 of measles, 24 of erysipelas, 17 of enteric fever, and 17 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th January, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 12th January, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 12th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 5th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 29th December, 1906. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | ° | ° | ° | | ° | ° | ° | | ° | ° | ° | |
| Total of 22 Town Districts, . . | 1,117,547 | 19·6 | 30·3 | 25·4 | 1·5 | 649 | 544 | 90 | 179 | . | 5 | . | . | 11 | 4 | . | 3 | 9 | 39 | 63 | 25 | 13 | 96 | 10 | 15 | 165 | 27 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. . | 390,691 | 28·4 | 30·3 | 29·0 | 1·1 | 227 | 217 | 37 | 70 | . | 3 | . | . | 2 | . | . | 1 | 2 | 19 | 25 | 18 | 4 | 32 | 1 | 4 | 84 | 7 | f50·4 | 31·2 | 48·7 | 0·08 | f53·2 | 15·0 | 39·4 | 0·42 | f46·1 | 20·9 | 31·8 | 0·33 |
| City of Dublin, | 300,850 | 28·0 | 31·9 | 31·5 | 1·0 | 184 | 182 | 30 | 57 | . | 3 | . | . | 2 | . | . | . | 1 | 18 | 24 | 12 | 3 | 29 | 1 | 4 | 75 | 3 | g51·5<br>h51·9 | 35·7<br>32·0 | 45·5<br>44·2 | 0·02<br>0·04 | g54·1<br>h52·3 | 23·1<br>17·0 | 41·6<br>29·7 | 0·30<br>0·40 | g47·1<br>h46·2 | 24·8<br>22·0 | 34·7<br>32·7 | 0·41<br>0·46 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 22·0 | 17·6 | . | 15 | 12 | 2 | 6 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Pembroke . | 27,854 | 17·5 | 31·8 | 24·3 | 1·9 | 17 | 13 | 3 | 4 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Blackrock | 8,759 | 8·1 | 23·8 | 11·9 | . | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Kingstown, | 17,622 | 12·1 | 20·7 | 23·7 | 3·0 | 7 | 8 | 1 | 3 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 53 | 34·5 | 46·3 | 0·01 | 54 | 22·5 | 41·5 | 0·30 | 46·0 | 27·5 | 35·4 | 0·29 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast, . . . | 370,168 | 25·2 | 32·7 | 23·4 | 1·5 | 282 | 166 | 30 | 49 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 8 | 45 | 4 | 50·5 | 32·0 | 44·0 | 0·11 | 49·0 | 19·0 | 35·0 | 1·58 | 47·0 | 27·0 | 35·2 | 0·78 |
| Cork, . . . | 76,122 | 33·6 | 21·2 | 31·5 | 3·4 | 31 | 46 | 6 | 18 | . | . | . | . | 4 | 1 | . | . | . | 2 | 7 | 2 | . | 11 | 1 | 1 | 12 | 3 | 52 | 35 | 45·5 | 0·24 | 52 | 27 | 42·0 | 0·57 | 50 | 28 | 38·4 | 0·26 |
| Londonderry, . . | 42,475 | 19·6 | 27·0 | 11·0 | . | 22 | 9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, . . | 38,151 | 18·1 | 19·1 | 27·3 | 2·7 | 14 | 20 | 3 | 6 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 1 | 6 | 6 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, . . | 26,769 | 18·7 | 40·9 | 25·3 | . | 21 | 13 | . | 6 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, . . | 18,426 | 2·5 | 42·7 | 19·4 | . | 11 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 3 | 52 | 34 | 45 | 0·30 | 50 | 25 | 38·3 | 0·89 | 49 | 16 | 37·3 | 0·70 |
| Dundalk, . . | 18,076 | 9·4 | 43·9 | 23·9 | 4·0 | 11 | 6 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, . . | 12,760 | 8·6 | 4·1 | 16·8 | . | 1 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, . . | 12,405 | 17·8 | 29·4 | 12·6 | 4·2 | 7 | 3 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 |
| Lurgan, . . | 11,782 | 13·8 | 13·8 | 8·9 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 |
| Lisburn, . . | 11,461 | 10·1 | 22·7 | 40·9 | 4·5 | 5 | 9 | 3 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 3 | . | . | 8 | . | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 |
| Wexford, . . | 11,168 | 23·2 | 28·3 | 28·0 | . | 5 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, . . | 10,886 | 8·9 | 28·7 | 28·7 | 4·8 | 6 | 6 | . | 2 | . | . | . | . | . | 1 | . | . | . | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, . . | 10,870 | 3·7 | 19·2 | 19·2 | 9·6 | 4 | 4 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 50·5 | 33·4 | 44·6 | 0·15 | 51·9 | 22·4 | 38·4 | 1·39 | 47·5 | 8·0 | 31·9 | 2·08 |
| Kilkenny, . . | 10,609 | 11·5 | 54·1 | 44·2 | . | 11 | 9 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . | . | 1 | 1 | 52 | 28 | 43·5 | 0·07 | 53 | 25 | 38·1 | 0·83 | 48 | 14 | 31·4 | 0·57 |
| Clonmel, . . | 10,167 | 7·8 | 20·5 | 25·6 | . | 4 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, . . | 10,092 | 13·2 | 67·2 | 20·7 | . | 13 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 |
| Tralee, . . | 9,867 | 16·6 | 42·3 | 37·0 | . | 8 | 7 | 2 | 4 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, . . | 9,110 | 18·9 | 34·3 | 5·7 | . | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 51 | 33 | 43·7 | 0·05 | 51 | 24 | 38·4 | 1·08 | 46 | 29 | 35·0 | 0·39 |
| Queenstown, . . | 7,909 | 14·4 | 19·8 | 6·6 | . | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 52 | 35 | 45·5 | 0·24 | 52 | 27 | 42·0 | 0·57 | 50 | 28 | 38·4 | 0·26 |
| Armagh, . . | 7,588 | 22·2 | 27·5 | 6·9 | . | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 | 45·9 | 19·3 | 32·3 | 0·65 |

*a* According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 2 deaths of persons admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. *f* Observations at Ordnance Survey Office, Phœnix Park. *g* Observations by Sir John Moore taken at Fitzwilliam Square. *h* Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 12th January, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| A. GENERAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 3 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| Pneumonia, | 2 | . | 1 | 2 | . | . | . | 3 | 2 | 4 | 4 | . | 1 | . | . | . | 19 | 1 |
| Tuberculous Phthisis, | 2 | 2 | 2 | 5 | . | . | . | 4 | . | 4 | 5 | . | 1 | . | . | . | 25 | . |
| Tuberculous Other Forms. | . | 2 | 3 | . | . | . | . | . | . | 3 | 3 | 1 | . | . | 1 | . | 18 | . |
| Cancer, Malignant Disease, | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 |
| Other General Diseases | . | 3 | 4 | 2 | 1 | . | . | 1 | 3 | 1 | 4 | . | 1 | 2 | . | . | 22 | . |
| Total, | 4 | 10 | 10 | 10 | 1 | . | . | 9 | 5 | 14 | 18 | 1 | 3 | 3 | 1 | 2 | 91 | 2 |
| B. LOCAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | 2 | 4 | 4 | . | 1 | . | 1 | . | 3 | 2 | . | . | 2 | . | 2 | 21 | . |
| Diseases of Organs of Special Sense, | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Diseases of Heart and Blood Vessels, | 4 | 5 | 5 | 3 | . | 1 | . | 4 | 1 | 2 | 4 | 1 | 5 | 3 | . | 3 | 41 | . |
| Diseases of Respiratory System, | . | 6 | . | 5 | . | 1 | . | 2 | 1 | 11 | 2 | 1 | 2 | 1 | . | . | 32 | . |
| Diseases of Digestive System, | 1 | 1 | . | 1 | . | . | . | . | . | 2 | . | . | 1 | 1 | . | . | 7 | . |
| Diseases of Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Diseases of Urinary System, | . | 2 | 1 | 1 | . | 1 | . | . | 1 | 1 | . | . | . | 1 | . | . | 8 | . |
| Diseases of Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 6 | 16 | 10 | 14 | . | 4 | . | 7 | 3 | 19 | 9 | 2 | 8 | 9 | . | 5 | 112 | . |
| C. OTHER SPECIFIED DISEASES | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. CAUSES ILL-DEFINED AND NOT SPECIFIED, | . | 2 | 1 | 2 | . | 1 | . | | . | . | . | . | 1 | 1 | 1 | 1 | 13 | . |
| E. VIOLENT DEATHS, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| **Deaths from all Causes,** | 11 | 28 | 21 | 26 | 1 | 5 | . | 19 | 8 | 33 | 27 | 3 | 12 | 13 | 2 | 8 | 217 | 2 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 19·8 | 37·3 | 36·4 | 41·8 | 10·2 | 23·7 | . | 24·8 | 20·3 | 40·8 | 40·1 | 17·6 | 17·6 | 24·3 | 11·9 | 23·7 | 29·0 | . |
| | 31·1 | | | | | | | 32·0 | | | | | 20·3 | | | | | |
| | 31·5 | | | | | | | | | | | | | | | | | |
| Ages at Death. Under 1 year, | . | 7 | 5 | 6 | 1 | 1 | . | 2 | 2 | 3 | 3 | . | 2 | 3 | 1 | 1 | 37 | . |
| 1 and under 5 years, | 2 | 2 | 3 | 6 | . | . | . | 2 | 1 | 5 | 3 | . | 1 | . | . | 1 | 26 | . |
| 5 ,, 20 ,, | 1 | . | 2 | 1 | . | . | . | 1 | . | 2 | 4 | . | . | . | 1 | 1 | 13 | 1 |
| 20 ,, 40 ,, | 2 | 1 | 3 | 3 | . | 1 | . | 3 | . | 7 | 5 | . | 3 | 3 | . | 1 | 32 | . |
| 40 ,, 60 ,, | 5 | 6 | 3 | 4 | . | . | . | 4 | 3 | 5 | 4 | 1 | . | 3 | . | 1 | 39 | 1 |
| 60 and upwards, | 1 | 12 | 5 | 6 | . | 3 | . | 7 | 2 | 11 | 8 | 2 | 6 | 4 | . | 3 | 70 | . |
| Number of Uncertified Deaths, | . | . | 1 | 1 | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | 1 | 7 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 5 | 2 | 5 | 4 | . | 1 | . | 3 | . | 8 | 5 | 1 | 1 | 4 | 1 | 1 | 41 | 2 |
| Workhouse Hospitals, | 1 | 7 | 4 | 3 | . | . | . | 5 | 2 | 10 | 8 | 1 | . | 1 | . | 1 | 43 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1897–1906,

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 2nd Week of the 10 years 1897–1906. | In the Week ending Saturday, 12th January, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 16, 1897. | Jan. 15, 1898. | Jan. 14, 1899. | Jan. 13, 1900. | Jan. 12, 1901. | Jan. 11, 1902. | Jan. 17, 1903. | Jan. 16, 1904. | Jan. 14, 1905. | Jan. 13, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature. | 35·9 | 43·4 | 42·8 | 42·2 | 37·3 | 44·7 | 32·3 | 39·4 | 41·6 | 41·5 | 40·1 | 43·7 | | | | | | | | |
| **ALL CAUSES.** | 233 | 213 | 182 | 331 | 191 | 186 | 227 | 216 | 171 | 166 | 211·6 | 219 | 16 | 21 | 26 | 14 | 32 | 40 | 57 | 13 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 9 | . | . | 18 | . | 1 | 3 | . | 12 | . | 4·3 | 3 | . | 1 | 2 | . | . | . | . | . |
| Scarlet Fever, | 5 | 3 | 1 | 1 | 1 | . | 1 | . | 1 | 2 | 1·5 | . | . | . | . | . | . | . | . | . |
| Typhus, | 2 | . | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 5 | 9 | 5 | 20 | 2 | 1 | 4 | 2 | 2 | 2 | 5·2 | 3 | . | . | . | . | 1 | 1 | 1 | . |
| Whooping-cough, | 27 | 2 | 3 | 1 | 10 | 2 | 2 | 5 | 1 | 3 | 5·6 | 2 | . | 1 | 1 | . | . | . | . | . |
| Diphtheria, | . | 4 | 2 | 3 | 2 | 3 | 6 | . | 2 | 2 | 2·4 | . | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 2 | 1 | 5 | 3 | 3 | 5 | 3 | 1 | . | 2·5 | 1 | . | . | . | 1 | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 2 | 1 | 3 | 3 | 2 | 2 | . | 1 | 1 | . | 2·1 | . | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | . | 2 | 3 | 1 | | 2 | 1 | 1 | . | . | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 1 | . | . | . | 1 | 1 | . | . | 1 | ·4 | 2 | 1 | . | . | . | . | . | 1 | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | . | . | . | . | . | . | . | 1 | 2 | 1 | 15·6 | 2 | . | . | 1 | . | . | 1 | . | . |
| Pneumonia, Broncho-Epidemic, | 18 | 24 | 13 | 28 | 13 | 8 | 5 | 10 | 6 | 7 | | 7 | . | 1 | 4 | . | . | . | 2 | . |
| Pneumonia, Not defined, | | | | | | | 3 | 5 | 5 | 7 | | 11 | . | . | 2 | 1 | 5 | 2 | . | 1 |
| Erysipelas, | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1·0 | . | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| Other Infective Processes, | . | . | . | . | . | . | . | 1 | 1 | 2 | ·4 | . | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 23 | 26 | 18 | 27 | 19 | 30 | 2 | 8 | 4 | 5 | 22·4 | 13 | . | . | 1 | 3 | 7 | 2 | . | . |
| "*Phthisis*," | | | | | | | 24 | 22 | 17 | 9 | | 12 | . | . | 2 | 2 | 3 | 4 | 1 | . |
| Tuberculous Meningitis, | 4 | 7 | 6 | 10 | 2 | 3 | 2 | 5 | 1 | 5 | 4·5 | 6 | . | 1 | 4 | 1 | . | . | . | . |
| Tuberculous Peritonitis, | 4 | 3 | 3 | 5 | 5 | 2 | 2 | 1 | . | . | 2·7 | 1 | . | 1 | . | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | | 1 | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 3 | 5 | 2 | 5 | 3 | 4 | 4 | 7 | 4 | 10 | 4·8 | 6 | . | . | . | 3 | 2 | 1 | . | . |
| *Scrofula*, | | | | | | | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| Alcoholism, | . | 4 | 1 | 2 | . | . | 1 | . | . | 3 | 1·1 | . | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | 3 | 1 | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Gout, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 2 | . |
| Carcinoma, | 3 | 7 | 5 | 8 | 4 | 6 | 1 | 1 | 3 | 2 | 6·0 | 2 | . | . | . | . | 1 | 1 | . | . |
| Sarcoma, | | | | | | | . | . | . | 2 | | 1 | . | . | . | 1 | . | . | . | . |
| Cancer (undefined), | | | | | | | 5 | 6 | 6 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| Diabetes Mellitus, | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Premature Birth, | . | 3 | 3 | 2 | 4 | 1 | 3 | 4 | . | 6 | 2·6 | 8 | 7 | 1 | . | . | . | . | . | . |

* The figures for the years 1897–1900 are for

† Formerly described as

ECOND WEEK ending Saturday, 12th January, 1907, with the deaths from each cause in the corresponding ıd the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 2nd Week of the 10 years 1897-1906. | In the Week ending Saturday, 12th January, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 16, 1897. | Jan. 5, 1898. | Jan. 14, 1899. | Jan. 13, 1900. | Jan. 12, 1901. | Jan. 11, 1902. | Jan 17, 1903 | Jan. 16, 1904. | Jan. 14, 1905. | Jan. 13, 1906. | | ALL AGES. | 0 to 5 | | | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | | | |
| Mean Temperature. | ° 35·9 | ° 43·4 | ° 42·8 | ° 42·2 | ° 37·3 | ° 44·7 | ° 32·3 | ° 39·4 | ° 41·6 | ° 41·5 | ° 40·1 | ° 43·7 | | | | | | | | |
| Meningitis (not tuberc.) ... | | | | | | | 3 | . | 4 | 2 | | 5 | . | 1 | 4 | . | . | . | . | . |
| Insanity, G. P. of Insane ... | | | | | | | 1 | 8 | . | 2 | | 2 | . | . | . | . | 1 | 1 | . | . |
| Epilepsy ... | | | | | | | . | 1 | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| *Convulsions* ... | | | | | | | 9 | 6 | 3 | 6 | | 5 | 3 | 2 | . | . | . | . | . | . |
| Locomotor Ataxy ... | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| Paraplegia Dis. of Cord ... | | | | | | | 2 | . | 2 | 1 | | 3 | . | . | . | . | 1 | 1 | 1 | . |
| Nervous System (other Dis.) | 35 | 36 | 35 | 41 | 41 | 37 | 2 | 3 | 2 | 3 | 40·1 | 5 | . | . | 1 | 1 | 1 | . | 2 | . |
| Valv. Dis., Endocarditis ... | | | | | | | 6 | 8 | 3 | 5 | | 7 | . | . | . | . | 1 | 1 | 5 | . |
| Cerebr. Hæm. Thromb. ... | | | | | | | 3 | 3 | 1 | 1 | | 7 | . | . | . | . | 3 | 1 | 3 | . |
| *Apoplexy, Hemiplegia* ... | | | | | | | 11 | 8 | 2 | 4 | | 6 | . | . | . | . | . | 3 | 1 | 2 |
| Aneurysm ... | | | | | | | . | 2 | 1 | . | | 3 | . | . | . | . | 3 | . | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | | 17 | 15 | 13 | 11 | | 18 | . | . | . | . | . | 6 | 10 | 2 |
| Croup (not Spasm. nor Memb.) | 2 | . | 2 | . | . | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| Bronchitis ... | 30 | 28 | 32 | 80 | 32 | 25 | 34 | 28 | 22 | 24 | 33·5 | 25 | 1 | 3 | 1 | . | 1 | 3 | 13 | 3 |
| Asthma, Emphysema ... | | | | | | | . | 1 | . | 1 | | . | . | . | . | . | . | . | . | . |
| Pleurisy ... | 2 | 2 | 3 | 2 | 5 | 1 | 1 | . | 1 | . | 2·6 | 2 | . | . | . | . | . | 2 | . | . |
| Respiratory Dis. (other) ... | | | | | | | 2 | . | 3 | 2 | | 5 | . | 2 | . | . | . | . | 3 | . |
| Consillitis, Quinsy ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) ... | | | | | | | 1 | . | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| *Gastro Enteritis* ... | . | 2 | . | 2 | . | 3 | . | . | 1 | . | 1·2 | 1 | . | . | 1 | . | . | . | . | . |
| *Peritonitis* (not Puerp.) ... | 1 | . | . | 1 | . | 3 | . | . | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver ... | | | | | | | 1 | 2 | 1 | . | | 1 | . | . | . | . | . | . | 1 | . |
| Liver Dis. (other) ... | 4 | 2 | 3 | 6 | 6 | 5 | 1 | 2 | 1 | 1 | 3·5 | . | . | . | . | . | . | . | . | . |
| Digestive Dis. (other) ... | 10 | 2 | 5 | 3 | 2 | 6 | 5 | 9 | 6 | 7 | 5·5 | 5 | 1 | 1 | 1 | 1 | . | . | 1 | . |
| Nephritis, Acute ... | | | | | | | . | 2 | 2 | 1 | | 4 | . | . | . | . | 1 | 3 | . | . |
| Bright's Dis., Albuminuria | 3 | 4 | 4 | 7 | 6 | 5 | 5 | 6 | 2 | 6 | 5·4 | 2 | . | . | . | . | . | 1 | 1 | . |
| Urinary Sys. (Other Dis.) | | | | | | | . | . | 1 | . | | 2 | . | . | . | . | 1 | 1 | . | . |
| Generative Organs Dis. ... | 1 | 1 | . | 1 | . | 1 | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| Childbirth (Accid. of) ... | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | ·5 | 1 | . | . | . | . | 1 | . | . | . |
| Old Age ... | 8 | 16 | 13 | 29 | 9 | 13 | 12 | 8 | 5 | 5 | 11·8 | 6 | . | . | . | . | . | 3 | 3 | 3 |
| Other Diseases ... | 25 | 15 | 8 | 12 | 10 | 13 | 22 | 10 | 13 | 4 | 13·2 | 16 | 2 | 5 | 1 | . | 2 | 4 | 2 | 2 |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| By Railways ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses ... | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| In Ships, Boats, Docks (exclusive of Drowning) ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Building Operations ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | 1 | 1 | 1 | . | 1 | 1 | 5 | 1 | 1 | 2 | 1·4 | 1 | . | . | . | . | 1 | . | . | . |
| By Drowning ... | . | 1 | . | 1 | 1 | 1 | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| By Suffocation in Bed ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | 1 | . | . | . | 1 | 1 | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | . | 1 | 5 | 4 | 1 | 2 | 1 | 2 | 2 | 1 | 1·9 | . | . | . | . | . | . | . | . | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| Homicide ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Suicide ... | . | . | . | . | 2 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Execution ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
mple Continued Fever.'

**TABLE V.—Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 21. | July 28. | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25. | Sept. 1. | Sept. 8. | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. |
| No. of weeks in Annual Series. | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 |
| BIRTHS registered, | 199 | 223 | 235 | 186 | 226 | 230 | 180 | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 |
| *Average Births in corresponding week of previous 10 years,** | 199 | 207 | 202 | 208 | 217 | 195 | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 |
| DEATHS registered, | 156 | 149 | 135 | 180 | 151 | 167 | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 |
| Annual Death-rate per 1,000, | 21·5 | 20·5 | 17·2 | 17·9 | 20·8 | 23·0 | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 |
| *Average Deaths in corresponding week of previous 10 years,** | 151 | 153 | 166 | 169 | 163 | 170 | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 |
| AGES, Under 5 years, | 38 | 43 | 40 | 50 | 48 | 63 | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 |
| 5—20 ,, | 17 | 11 | 8 | 6 | 9 | 10 | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 |
| 20—40 ,, | 25 | 27 | 20 | 19 | 22 | 27 | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 |
| 40—60 ,, | 28 | 35 | 20 | 28 | 27 | 32 | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 |
| 60—80 ,, | 48 | 27 | 32 | 24 | 43 | 28 | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 |
| 80 years and upwards, | 5 | 6 | 5 | 3 | 2 | 7 | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles. | 2 | 2 | . | 2 | 1 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 |
| Scarlet Fever | . | 2 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| Typhus, | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | 2 | 2 | 3 | 1 | . | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 |
| Diphtheria, | 1 | . | . | 2 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . |
| *Pyrexia* † (origin uncertain), | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Enteric Fever, | 1 | . | 1 | 1 | . | . | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 |
| Diarrhœal Diseases, | 3 | 10 | 11 | 10 | 29 | 27 | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 |
| Pneumonia, | 12 | 13 | 4 | 5 | 4 | 8 | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 28 | 12 | 23 | 20 |
| Tuberculous Disease. Phthisis, | 23 | 19 | 21 | 18 | 21 | 21 | 18 | 21 | 20 | 26 | 19 | 28 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 |
| Tuberculous Disease. Other Forms, | 11 | 13 | 4 | 7 | 9 | 8 | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 |
| Cancer, Malignant Disease, | 14 | 9 | 8 | 4 | 12 | 11 | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 |
| Diseases of Heart and Blood Vessels, | 27 | 19 | 19 | 17 | 20 | 12 | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 |
| Diseases of Respiratory System, | 11 | 13 | 14 | 10 | 11 | 10 | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 |
| Violent Deaths, | 3 | 4 | 2 | 3 | 2 | 8 | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 |
| Number of Uncertified Deaths, | 5 | 4 | 3 | 5 | 1 | 2 | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 |
| Mean Temperature of the Air (Phœnix Park), | 59·0 | 60·6 | 60·5 | 61·3 | 58·9 | 61·8 | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 60·9 | 59·2 | 59·4 | 57·1 | 58·1 | 57·0 | 56·1 | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 |
| Rainfall in inches, | ·385 | ·220 | ·452 | ·320 | ·415 | ·695 | ·000 | ·285 | 280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·82 | ·84 | ·80 | ·83 | ·79 | ·86 | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th January, 1907; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH JANUARY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 30·4 | 219 | 63 | 14 | 32 | 40 | 57 | 13 | . | 3 | . | . | 2 | . | . | 1 | 2 | 8 | 20 | 25 | 13 | 5 | 5 | 32 | 1 | 110 | 7 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 15·0 | 5 | . | . | 1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 3 | . |
| II. | MIDDLE CLASS, | 87,188 | 21·5 | 86 | 11 | 1 | 3 | 5 | 10 | 6 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | . | 3 | . | 24 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 22·2 | 47 | 13 | 4 | 6 | 9 | 12 | 3 | . | 1 | . | . | 1 | . | . | . | 1 | 3 | 3 | 8 | 5 | . | 1 | 7 | . | 20 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 42·6 | 88 | 35 | 7 | 11 | 13 | 19 | 3 | . | 2 | . | . | 1 | . | . | 1 | 1 | 5 | 12 | 5 | 4 | 2 | 4 | 12 | 1 | 43 | 7 |
| V | INMATES OF WORKHOUSES, | 6,024 | | 43 | 4 | 2 | 11 | 13 | 12 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 10 | 2 | 2 | . | 8 | . | 20 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 12·5 | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 26·1 | 11 | 7 | . | 1 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | . | 7 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 18·8 | 11 | 3 | 1 | 2 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | 8 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 25·1 | 13 | 1 | . | . | 4 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 9 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 52·8 | 10 | 4 | 2 | 1 | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | . | . | . | 5 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 15·7 | 9 | 2 | 1 | 1 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 3 | . | 2 | . |
| | 10. Clothing Trades, | 28,260 | 20·2 | 9 | 1 | . | 1 | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 2 | . | 4 | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·5 | 16 | 6 | 1 | 2 | 2 | 5 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 3 | 2 | . | 1 | 2 | . | 6 | . |
| | 13. Petty Shopkeepers, | 7,894 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 17·1 | 12 | 2 | 1 | 2 | 2 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 3 | . | . | . | 2 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 3 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 38·3 | 66 | 29 | 6 | 8 | 10 | 13 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | 10 | 5 | 3 | 2 | 3 | 11 | . | 29 | 5 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 43 | 4 | 2 | 11 | 13 | 12 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 10 | 2 | 2 | . | 8 | . | 20 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Nov. 24, | 20·2 | 1·8 | 11 | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 | . | . |
| | Dec. 1, | 18·9 | 1·8 | 13 | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 2 | 1 | . |
| | „ 8, | 29·4 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 15, | 22·1 | 1·8 | 12 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | 1 | . | 1 |
| | „ 22, | 22·1 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | „ 29, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | . | . | 2 | 1 |
| | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| | „ 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Nov. 24, | 26·6 | 5·3 | 20 | . | . | . | . | . | . | . | 1 | 3 | 2 | 3 | . | . | 2 | 1 | 1 |
| | Dec. 1, | 16·6 | 4·0 | 14 | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | 2 | 1 | 1 | . | 1 |
| | „ 8, | 34·6 | 2·7 | 26 | . | . | . | . | . | . | . | . | 2 | 2 | 3 | 1 | . | 5 | . | 1 |
| | „ 15, | 19·3 | 1·3 | 22 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | 5 | . | 3 |
| | „ 22, | 58·6 | . | 29 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | 2 | 4 | 3 | 3 |
| | „ 29, | 1[illegible]·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| | „ 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Nov. 24, | 31·2 | 1·7 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 2 | . | . |
| | Dec. 1, | 26·0 | 3·5 | 15 | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | . | . | 2 | . | . |
| | „ 8, | 24·2 | 1·7 | 14 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 2 | . | . |
| | „ 15, | 24·2 | 3·5 | 14 | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . | 1 | . |
| | „ 22, | 29·4 | 3·5 | 17 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 3 | . | 1 | . |
| | „ 29, | 24·2 | 5·2 | 14 | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | Jan. 5, | 32·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| | „ 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Nov. 24, | 26·3 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 2 | 2 | . | . |
| | Dec. 1, | 32·9 | 1·6 | 20 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 2 | 1 | 1 |
| | „ 8, | 32·9 | 1·6 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 3 | . | 3 | . | 1 |
| | „ 15, | 13·2 | 1·6 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | . | . | 1 | . | . |
| | „ 22, | 31·3 | 1·6 | 19 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | 1 | 1 | . | 1 |
| | „ 29, | 41·2 | 3·3 | 25 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 2 | 1 | 3 | . | 3 |
| | Jan. 5, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| | „ 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Nov. 24, | 51·6 | 12·2 | 38 | . | 9 | . | . | . | . | . | . | . | 5 | 5 | 1 | . | 8 | . | . |
| | Dec. 1, | 39·4 | 6·8 | 29 | . | 3 | . | . | 1 | 1 | . | . | . | 1 | 1 | 1 | 1 | 5 | . | 1 |
| | „ 8, | 17·7 | 4·1 | 13 | . | 2 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | 1 | . |
| | „ 15, | 38·0 | 5·4 | 28 | . | . | . | . | 2 | 1 | . | . | 1 | 2 | 3 | 1 | . | 6 | 1 | 5 |
| | „ 22, | 44·8 | 2·7 | 33 | . | 2 | . | . | . | . | . | . | . | 2 | 4 | 2 | 2 | 7 | . | 1 |
| | „ 29, | 28·5 | 2·7 | 21 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 2 | 3 | . | 1 |
| | Jan. 5, | 44·3 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| | „ 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Nov. 24, | 17·1 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . |
| | Dec. 1, | 22·3 | 2·9 | 8 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 8, | 20·0 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 |
| | „ 15, | 25·7 | 2·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 22, | 34·2 | 2·9 | 12 | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | 2 | . | . |
| | „ 29, | 37·1 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | 1 |
| | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| | „ 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Nov. 24, | 24·9 | 2·5 | 20 | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | 1 | . | 5 | . | 1 |
| | Dec. 1, | 28·6 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | 6 | . | 1 |
| | „ 8, | 24·9 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | . | 2 |
| | „ 15, | 23·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | . |
| | „ 22, | 29·8 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 1 | . | 3 | . | . |
| | „ 29, | 24·9 | 1·2 | 20 | . | . | . | . | . | . | . | . | . | 1 | 4 | 3 | 4 | 3 | . | 1 |
| | Jan. 5, | 32·1 | 3·7 | 26 | . | 1 | . | . | . | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| | „ 12, | 40·8 | 2·5 | 33 | . | . | . | . | 3 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | | | | | . | 1 | . | . | 1 | . | . | . | . | | | | | | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Nov. 24, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 6 | 1 | . | 1 | . | 2 |
| | Dec. 1, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | . | . |
| | „ 8, | 23·7 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 3 | 1 | . | . |
| | „ 15, | 22·3 | 1·5 | 15 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | . |
| | „ 22, | 28·2 | . | 19 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 29, | 26·7 | 3·0 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | 1 | 1 | . | . | 2 |
| | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 1 |
| | „ 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Nov. 24, | 20·4 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 2 | . | 1 |
| | Dec. 1, | 18·8 | 3·1 | 12 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | 2 | 1 | . | . |
| | „ 8, | 17·3 | 5·1 | 11 | . | . | . | . | 2 | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 15, | 9·4 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 22, | 18·8 | 1·6 | 12 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 29, | 12·6 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 2 |
| | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| | „ 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Nov. 24, | 14·0 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Dec. 1, | 14·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | „ 8, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 1 | . | . |
| | „ 15, | 18·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | „ 22, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | . | . |
| | „ 29, | 10·0 | 2·0 | 5 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 12, | 24·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Nov. 24, | 8·2 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Dec. 1, | 11·8 | 3·0 | 4 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | „ 8, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 15, | 29·6 | 3·0 | 10 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | „ 22, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 |
| | „ 29, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | Jan. 5, | 20·7 | 3·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 |
| | „ 12, | 23·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Nov. 24, | 17·8 | 1·4 | 125 | . | 1 | 1 | . | 4 | 1 | . | . | 3 | 13 | 16 | 7 | 2 | 24 | 1 | 1 |
| | Dec. 1, | 18·2 | 1·7 | 128 | . | 1 | 1 | 1 | 2 | . | . | 3 | 4 | 12 | 14 | 10 | 4 | 21 | 2 | 2 |
| | „ 8, | 19·8 | 2·7 | 139 | . | 5 | 1 | . | 1 | 3 | . | 6 | 3 | 10 | 13 | 11 | 3 | 23 | 2 | . |
| | „ 15, | 16·8 | 1·0 | 118 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 15 | 9 | 3 | 21 | 1 | 1 |
| | „ 22, | 18·1 | 1·0 | 127 | . | 2 | 1 | . | 1 | 1 | . | 1 | 1 | 6 | 14 | 5 | 8 | 24 | 2 | 1 |
| | „ 29, | 18·4 | 0·7 | 129 | . | . | . | . | 2 | 1 | . | . | 2 | 16 | 9 | 3 | 9 | 30 | . | 1 |
| | Jan. 5, | 23·8 | 1·3 | 169 | . | 1 | 2 | . | 4 | 2 | . | . | . | 13 | 22 | 4 | 6 | 30 | 5 | 3 |
| | „ 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 4 |
| **Cork.** Pop. (in 1901) 76,122. | Nov. 24, | 30·8 | 4·1 | 45 | . | . | . | . | 1 | 1 | . | 1 | 3 | 1 | 5 | 2 | 2 | 6 | . | 4 |
| | Dec. 1, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | 1 | 4 | 1 | 4 |
| | „ 8, | 19·9 | 2·1 | 29 | . | . | . | . | . | 2 | 1 | . | . | 5 | 3 | 1 | 1 | 1 | . | 1 |
| | „ 15, | 21·2 | 2·1 | 31 | . | . | . | . | 2 | . | . | . | 1 | 2 | 4 | . | . | 4 | . | 2 |
| | „ 22, | 24·0 | 2·1 | 35 | . | . | . | . | 1 | . | . | . | 2 | 1 | 4 | 1 | 2 | 9 | . | 1 |
| | „ 29, | 19·2 | 0·7 | 28 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 3 | . | 7 | . | 1 |
| | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 11 | 2 | . | 6 | . | 2 |
| | „ 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 7 | 2 | . | 11 | 1 | 3 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Nov. 24, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 4 | . | 1 |
| | Dec. 1, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 6 | . | 1 |
| | „ 8, | 19·8 | 1·2 | 16 | . | . | 1 | . | . | . | . | . | . | 3 | 3 | 1 | . | 1 | . | 2 |
| | „ 15, | 14·9 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | 2 |
| | „ 22, | 18·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 4 | 1 | 3 |
| | „ 29, | 18·6 | 1·2 | 15 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | 3 | . | . |
| | Jan. 5, | 12·3 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| | „ 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Nov. 24, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | . | 2 |
| | Dec. 1, | 21·9 | 1·4 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | 1 | 2 | . | 2 |
| | „ 8, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 6 | . | 5 |
| | „ 15, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 4 | . | 3 |
| | „ 22, | 20·5 | 1·4 | 15 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | 2 |
| | „ 29, | 5·5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 |
| | Jan. 5, | 13·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| | „ 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 6 |
| **Waterford.** Pop. (in 1901) 26,769. | Nov. 24, | 29·2 | 7·8 | 15 | . | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . |
| | Dec. 1, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | 1 | . | . |
| | „ 8, | 15·6 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 5 | . | . |
| | „ 15, | 33·1 | 5·8 | 17 | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . | 2 | 2 | 1 | 1 |
| | „ 29, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 |
| | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . |
| | „ 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th January, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | 2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,784 | 6 | The estimate of the Population of Belfast now adopted (see Table III.) being so much in excess of the Population in 1901 and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 13 | 4 | 3 | 1 | 1 | . | 4 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | 1 | . | 3 | . | . | 3 | . |
| Do. 2 ,, . | 47,959 | 29 | | | 17 | 1 | 1 | 1 | 3 | 5 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 4 | 1 | . | 3 | 2 |
| Do. 3 ,, . | 47,214 | 22 | | | 11 | 1 | 1 | 1 | 4 | 1 | 3 | . | . | . | . | 1 | . | . | . | . | . | 3 | . | . | 3 | . | . | 3 | . |
| Do. 4 ,, . | 40,911 | 29 | | | 20 | 4 | 1 | 3 | 4 | 2 | 6 | . | . | . | . | . | . | . | . | . | . | 5 | 1 | . | 1 | . | . | 11 | . |
| Do. 5 ,, . | 17,387 | 14 | | | 12 | 1 | 2 | . | 1 | 4 | 4 | . | . | . | . | 1 | . | . | . | . | 2 | . | 2 | 2 | 2 | . | 1 | 3 | . |
| Do 6 ,, . | 48,122 | 23 | | | 26 | 4 | 1 | 1 | 4 | 6 | 10 | . | 1 | . | . | . | 1 | . | . | 2 | 2 | 2 | 1 | 1 | 6 | . | 1 | 4 | 1 |
| Do 7 ,, . | 1,524 | . | | | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 8 ,, . | 5,060 | 1 | | | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| Do. 9 ,, . | 19,569 | 14 | | | 17 | 2 | . | 3 | 5 | 2 | 5 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | 1 | 1 | 7 | 1 |
| Do. 10 ,, . | 28,064 | 25 | | | 9 | 3 | 1 | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | . | 1 | . |
| Do. 11 ,, . | 34,802 | 28 | | | 13 | 4 | 1 | . | 2 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | . | . | 2 | 2 | 4 | . |
| Do. 12 ,, . | 33,588 | 28 | | | 18 | 4 | 4 | 5 | 1 | 1 | 3 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 5 | 1 | 2 | 4 | . |
| Do. 13 ,, . | 15,006 | 13 | | | 6 | . | 1 | 1 | 1 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 1 | . |
| Do. 14 ,, . | 240 | .. | | | . | . | . | . | . | . | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 232 | | | 166 | 30 | 16 | 16 | 28 | 27 | 49 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 3 | 45 | 4 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 4 | 40·5 | 12·2 | 10 | 1 | 4 | . | | | 5 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | 1 | . | . | 4 | . |
| Do. 2 ,, . . | 10,701 | 2 | 34·1 | 9·7 | 7 | . | 1 | 5 | | | 1 | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | . | 1 | . | . | 1 | 1 |
| Do. 3 ,, . . | 9,978 | 4 | 73·2 | . | 14 | 2 | . | 6 | | | 6 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 7 | . | . | 3 | 2 |
| Do. 4 ,, . . | 8,666 | 2 | 18·1 | . | 3 | . | . | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . |
| Do. 5 ,, . . | 6,592 | 2 | 15·8 | . | 2 | 1 | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 6 ,, . . | 10,702 | 6 | 19·5 | . | 4 | 1 | . | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 11 | 18·8 | . | 6 | 1 | . | 3 | | | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | . |
| Total . . . . | 76,122 | 31 | 31·5 | 8·4 | 46 | 6 | 5 | 17 | | | 18 | . | . | . | . | 4 | 1 | . | . | . | 2 | 7 | 2 | . | 11 | 1 | 1 | 12 | 3 |

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 21. | July 28. | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25. | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. |
| No. of weeks in Annual Series, | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 |
| BIRTHS registered, | 271 | 225 | 241 | 220 | 203 | 204 | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 282 |
| DEATHS registered, | 121 | 127 | 121 | 127 | 125 | 139 | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 122 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 129 | 169 | 166 |
| Annual Death-rate per 1,000 of estimated Population, | 17·2 | 18·1 | 17·2 | 18·1 | 17·8 | 19·8 | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·4 | 23·8 | 23·4 |
| AGES — Under 1 year, | 21 | 21 | 30 | 29 | 37 | 48 | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 |
| AGES — 1-5 years, | 12 | 8 | 18 | 9 | 16 | 14 | 22 | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 13 | 15 | 16 |
| AGES — 5-20 years, | 10 | 13 | 9 | 14 | 17 | 12 | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 10 | 16 |
| AGES — 20-40 years, | 24 | 29 | 15 | 25 | 14 | 18 | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 |
| AGES — 40-60 years, | 26 | 26 | 31 | 22 | 24 | 29 | 26 | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 23 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 34 | 27 |
| AGES — 60 years and upwards, | 28 | 30 | 18 | 28 | 17 | 23 | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | 1 | . | 2 | . | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 |
| Scarlet Fever, | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | 2 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Whooping-cough, | 3 | 1 | 4 | 2 | 4 | 2 | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 |
| Diphtheria, | . | 1 | . | 1 | 1 | 2 | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 2 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 2 | 3 | 2 | 1 | . | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 |
| Diarrhœal Diseases, | 7 | 4 | 7 | 12 | 25 | 24 | 23 | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 |
| Pneumonia, | 6 | 6 | 10 | 7 | 3 | 5 | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 13 | 12 |
| Tuberculous Disease, Phthisis, | 21 | 26 | 22 | 25 | 13 | 21 | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 |
| Tuberculous Disease, Other Forms, | 5 | 10 | 11 | 6 | 8 | 6 | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 |
| Cancer, Malignant Disease, | 4 | 4 | 2 | 4 | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 |
| Diseases of Respiratory System, | 9 | 21 | 11 | 7 | 12 | 7 | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 |
| Violent Deaths, | 4 | . | 2 | 4 | 2 | 3 | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 |
| Number of Uncertified Deaths, | . | 3 | . | 3 | 1 | 2 | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 |

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. | Annual Death Rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | 1907. Jan. 12, | 2,593 | 1,946 | 21·3 | . | 28 | 9 | 12 | 31 | 11 | 18 |
| EDINBURGH, | 345,747 | „ 12, | 179 | 127*a* | 19·2 | . | 2 | . | 1 | 1 | 1 | 4 |
| GLASGOW, | 847,584 | „ 12, | 445 | 330*a* | 20·3 | . | 1 | 2 | 3 | 13 | 3 | 4 |
| CALCUTTA, | 910,117 | 1906. Nov. 24, | . | 579 | 35·5 | 1 | 1 | . | . | 3 | 152‡ | 129* |
| BOMBAY, | 977,822 | Dec. 11, | 400 | 621 | 33·0 | . | . | . | . | . | 79‡ | 85* |
| MADRAS, | 509,346 | Nov. 23, | 359 | 349 | 35·6 | . | 2 | ? | ? | ? | 77 | 69* |
| PARIS, | 2,750,000 | Dec. 29, | 935 | 1,135 | 22·1 | . | 4 | 5 | 9† | 4 | 5 | 22 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 22, | 215 | 190 | 16·1 | . | 2 | . | 4† | 2 | 3 | 8 |
| ANTWERP, | 297,311 | „ 22, | 113 | 76 | 13·3 | . | . | . | . | 1 | . | 6 |
| AMSTERDAM, | 563,709 | „ 22, | 247 | 143 | 13·2 | . | 5 | 2 | . | 3 | 2 | 7 |
| COPENHAGEN, | 425,000 | „ 22, | 188 | 112 | 13·7 | . | . | . | 1† | . | . | 3 |
| STOCKHOLM, | 324,488 | „ 15, | 187 | 96 | 15·4 | . | . | 1 | . | . | . | 6 |
| CHRISTIANIA, | 222,373 | „ 29, | 134 | 61 | 14·3 | . | . | . | 1† | 1 | . | 5 |
| ST. PETERSBURG, | 1,424,700 | „ 22, | 737 | 705 | 25·7 | 1 | 26 | 39 | 44 | 4 | 14 | 73 |
| MOSCOW, | 1,154,000 | Nov. 24, | . | 566 | 25·6 | 1 | 6 | 16 | 15† | 2 | 7 | 54 |
| BERLIN, | 2,090,758 | Dec. 15, | 942 | 641 | 16·0 | . | . | 2 | 7† | 3 | 3 | 21 |
| HAMBURG, | 802,793 | „ 22, | . | 242 | 15·7 | . | 2 | . | 1† | 1 | 1 | 11 |
| BRESLAU, | 482,326 | „ 29, | . | 199 | 21·5 | . | . | . | 1† | 3 | . | 11 |
| MUNICH, | 540,000 | „ 29, | . | 173 | 16·7 | . | . | . | 1† | 2 | . | 18 |
| VIENNA (with suburbs). | 1,958,323 | „ 29, | 943 | 743 | 19·7 | . | 9 | 8 | 8† | 4 | 3 | 26 |
| BUDA-PESTH, | 791,748 | „ 29 | 368 | 301 | 19·8 | . | 7 | 2 | 6† | . | . | 11 |
| PRAGUE and Faubourgs. | 466,133 | „ 22, | 155 | 166 | 18·5 | . | 4 | 2 | 6† | . | . | 12 |
| TRIESTE, | 198,525 | „ 15, | 123 | 93 | 24·4 | . | . | . | . | 1 | . | 1 |
| ROME, | 531,818 | Nov. 3, | 203 | 172 | 16·9 | . | 2 | . | . | . | 8 | 22 |
| VENICE, | 171,709 | — | . | . | . | . | . | . | . | . | . | . |
| NEW YORK, | 4,152,860 | Dec. 15, | 2,098 | 1,461 | 18·4 | . | 8 | 11 | 42† | 9 | 16 | 32 |
| PHILADELPHIA, | 1,469,126 | „ 1, | . | 466 | 15·8 | . | 3 | 1 | 11† | 3 | 19 | 19 |
| BOSTON, | 602,526 | „ 15, | . | 231 | 20·0 | . | . | . | 1 | 1 | 2 | 3 |

*a.* Including 3 deaths from cerebro-spinal meningitis in Edinburgh, and 11 in Glasgow.
* Including 73 deaths from cholera in Calcutta, 10 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 19 deaths from plague in Calcutta, and 8 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th January, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 1, West, | . | 2 | . | . | 2 | . | . | 1 | 1 | . | . | . | 6 |
| " " 2, | . | . | . | . | . | . | . | 2 | 3 | . | . | . | 5 |
| " " 3, | . | 4 | . | . | . | . | 4 | . | 4 | . | . | . | 12 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 1 | . | . | 1 | . | . | 1 | 6 | . | . | . | 9 |
| " " 2, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 3, | . | 2 | . | . | 3 | . | . | 1 | 1 | . | . | . | 7 |
| " " 4, | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 10 | . | . | 7 | . | 6 | 5 | 18 | . | . | . | 46 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th January, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 12th January. | | | |
|---|---|---|---|---|---|---|---|
| | Dec. 22. | Dec. 29. | Jan. 5. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 28 | 18 | 25 | 7 | 3 | 2 | 27 |
| Scarlet Fever, | 78 | 73 | 68 | 14 | 5 | . | 77* |
| Typhus, | 1 | 2 | 3 | . | . | 1 | 2 |
| Diphtheria, | 22 | 23 | 32 | 6 | 9 | . | 29 |
| Enteric Fever, | 36 | 34 | 28 | 5 | 2 | . | 31 |
| Pneumonia, | 16 | 22 | 21 | 13 | 1 | 3 | 30 |

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 12th January, 1907:—

"Throughout this week an anticyclone of considerable size, intensity and staying power was central over the Bay of Biscay and France. On the other hand, atmospheric pressure was uniformly rather low in the far north, and on Thursday the barometer was below 29 inches all over Iceland. The result of this distribution of pressure was that steady S.W. and W. winds blew across the British Isles and Scandinavia, and the weather was open in nearly all parts of western, northwestern and central Europe—only in the region of the Gulf of Bothnia was there anything like severe frost, and that only at intervals, the 8 a.m. temperatures at Haparanda being 10°, 29°, 31°, 23°, 16°, 1°, and 1°. On Saturday morning the thermometer rea 1 —8° at Hernösand in Sweden. In Dublin, Sunday was a beautiful day; Monday was cloudy, mild and damp; Tuesday was very fine and mild. A beautiful sunrise on Wednesday was followed by a fine, dry, mild day. Thursday was fine to overcast and showery in the afternoon. The sky cleared after 6 p.m. and remained cloudless till 9 a.m. of Friday, thus allowing a beautiful conjunction of the waning moon with the planet Venus to be well seen between 5 a.m. and 8 a.m. of that day. Temperature was at this time lower in the wake of a shallow subsidiary depression observed on Friday morning lying over the North Sea, the Low Countries and Denmark. But on Saturday the warm, moist conditions so characteristic of the week were re-established, and in the afternoon there were light drizzling showers. In Dublin the mean height of the barometer was 30·445 inches, pressure varying from 30·182 inches at 9 p.m. of Wednesday (wind, S.W.) and 30·674 inches at 9 a.m. of Friday (wind, W.S.W.). The corrected mean temperature was 45·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·0°. The screened thermometers rose to 51·5° on Thursday and again on Saturday (wind, W. on both occasions), and fell to 35·7° on Friday (wind, W.S.W.). The rainfall was only ·020 inch on two days, ·011 inch being recorded on Saturday. The prevalent winds were S.W. and W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·449 inches. The highest reading (30·678) was on Friday at 9 a.m., wind W., and the lowest (30·238) on Thursday at 9 a.m., wind S.W.

The mean temperature for the week was 43·7°, being 3·6° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Thursday, on which day the thermometer registered 50·4°, and was lowest on Friday, the mercury having fallen to 31·2°. The mean of the Dry Bulb for the week was 44·6°, and of the Wet Bulb 42·4°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 10·1 hours. The rainfall during the week measured 0·026 inch.

At Greenwich the mean temperature for the week was 42·8°, the maximum 48·4°, and the minimum 33·7°; at Glasgow the maximum was 51·4°, the minimum 36·2°, and the mean 44·1°; and at Edinburgh the maximum was 49·5°, the minimum 37·0°, and the mean 43·9°. The rainfall at Greenwich measured 0·18 in.; at Glasgow 0·51 in.; and at Edinburgh 0·03 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

### Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Jan. 6, | 30·462 | 48·7 | 37·4 | 43·1 | 40·7 | 39·4 | ·92 | ·9 | 3·9 | ·000 | W.S.W. | W. |
| Monday, „ 7, | 30·509 | 50·0 | 42·1 | 46·1 | 47·9 | 46·2 | ·88 | ·7 | 0·0 | ·000 | W.S.W. | W.S.W. |
| Tuesday, „ 8, | 30·444 | 48·9 | 41·4 | 45·2 | 43·5 | 41·3 | ·85 | ·9 | 0·0 | ·000 | W. | S.W. |
| Wednesday, „ 9, | 30·227 | 49·0 | 34·4 | 41·7 | 47·3 | 44·7 | ·83 | ·7 | 1·4 | ·000 | S.W. | S.W. |
| Thursday, „ 10, | 30·333 | 50·4 | 38·9 | 44·7 | 43·7 | 41·4 | ·84 | ·9 | 1·2 | ·005 | S.W. | W. |
| Friday, „ 11, | 30·664 | 45·6 | 31·2 | 38·4 | 41·1 | 37·5 | ·72 | ·6 | 3·6 | ·006 | W. | S.W. |
| Saturday, „ 12, | 30·502 | 49·9 | 43·1 | 46·5 | 48·0 | 46·6 | ·90 | ·7 | 0·0 | ·015 | S.W. | W.S.W. |
| Mean, . . | 30·449 | 48·9 | 38·4 | 43·7 | 44·6 | 42·4 | ·85 | ·8 | Total 10·1 | Total ·026 | Prevailing wind, S.W. | |

*Sunday*—Fine but cloudy day; night cloudy. *Monday*—Day overcast, fine; night cloudy. *Tuesday*—Day overcast, fine; night cloudy. *Wednesday*—Day fine but cloudy; night cloudy. *Thursday*—Cloudy day, light showers p.m.; night clear. *Friday*—Cloudy day, light showers p.m.; night cloudy. *Saturday*—Day overcast, light showers p.m.; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

### Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January, 12th, 1907.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Jan. 6, | *42·6 | *41·1 | *43·3 | 49·9 | 40·0 | 45·0 | 2·4 | ·001 |
| Monday, „ 7, | 49·2 | 41·1 | 43·4 | 50·9 | 43·3 | 47·1 | — | — |
| Tuesday, „ 8, | 44·1 | 42·2 | 43·5 | 50·1 | 41·5 | 45·8 | 2·2 | — |
| Wednesday, „ 9, | 47·8 | 42·0 | 43·9 | 50·5 | 37·5 | 44·0 | 5·1 | — |
| Thursday, „ 10, | 47·3 | 42·6 | 44·0 | 63·2 | 41·1 | 52·2 | 1·9 | ·001 |
| Friday, „ 11, | 39·0 | 42·0 | 44·0 | 46·8 | 35·2 | 41·0 | 2·6 | — |
| Saturday, „ 12, | 49·2 | 42·0 | 44·0 | 51·1 | 44·1 | 47·6 | — | ·001 |
| Weekly Mean, . | 45·6 | 41·9 | 43·7 | 51·8 | 40·4 | 46·1 | Total 14·2 | Total ·003 |

* Taken at 10 a.m. on Sunday, 6th.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—16056.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 19TH JANUARY, 1907. [No. 3.

*General Register Office, Charlemont House, Dublin,* 21*st January,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Average Rate for 4 weeks. | Towns, &c. | Week ending Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 19·8 | 26·6 | 25·4 | 23·1 | 23·7 | Lisburn, | 18·2 | 27·3 | 40·9 | 18·2 | 26·1 |
| Armagh, | 20·6 | 13·7 | 6·9 | 13·7 | 13·7 | Londonderry, | 18·6 | 12·3 | 11·0 | 13·5 | 13·9 |
| Ballymena, | 9·6 | 43·1 | 28·7 | 9·6 | 22·8 | Lurgan, | 17·7 | 17·7 | 8·9 | 17·7 | 15·5 |
| Belfast, | 18·4 | 23·8 | 23·4 | 23·7 | 22·3 | Newry, | 8·4 | 29·4 | 12·6 | 8·4 | 14·7 |
| Clonmel, | 41·0 | 30·8 | 25·6 | 15·4 | 28·2 | Newtownards, | 34·3 | 11·4 | 5·7 | 17·2 | 17·2 |
| Cork, | 19·2 | 31·5 | 31·5 | 24·7 | 26·7 | Portadown, | 41·3 | 10·3 | 20·7 | 20·7 | 23·3 |
| Drogheda, | 32·7 | 12·3 | 16·3 | 24·5 | 21·5 | Queenstown | 19·8 | 6·6 | 6·6 | 13·2 | 11·6 |
| Dublin Reg. Area, | 22·8 | 31·9 | 29·0 | 27·5 | 27·8 | Sligo, | 4·8 | 33·6 | 19·2 | 14·4 | 18·0 |
| Dundalk, | 16·0 | 16·0 | 23·9 | 16·0 | 18·0 | Tralee, | 10·6 | 31·7 | 37·0 | 15·9 | 23·8 |
| Galway, | 11·7 | 31·1 | 19·4 | 19·4 | 20·4 | Waterford, | 21·4 | 31·2 | 25·3 | 17·5 | 23·8 |
| Kilkenny, | 14·7 | 34·3 | 44·2 | 14·7 | 27·0 | Wexford, | 18·7 | 28·0 | 28·0 | 18·7 | 23·4 |
| Limerick, | 5·5 | 13·7 | 27·3 | 16·4 | 15·7 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 3·9 in Galway, the 5 deaths from all causes registered in that district including one from pyrexia (origin uncertain). The 168 deaths from all causes registered in Belfast include one from measles, 2 from whooping-cough, one from diphtheria, one from enteric fever, and 3 from diarrhœal diseases; included in the 36 deaths regitsered in Cork is one from whooping-cough; and one of the 9 deaths registered in Waterford is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 233—109 boys and 124 girls; and the deaths to 214—101 males and 113 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 28·6 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 27·5 per 1,000. During the three weeks ending with Saturday last the death-rate averaged 30·2, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The total deaths included one from measles, one from typhus, 5 from whooping-cough,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

2 from diphtheria, one from enteric fever, and one from *diarrhœa*. In each of the 3 preceding weeks, deaths from measles were 2, 3, and 3; deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 3, 7, and 2; deaths from diphtheria were one, 0, and 0; deaths from enteric fever were one, 0, and one; and deaths from diarrhœal diseases were 2, 9, and 2. The deaths of 4 persons were assigned to influenza.

The deaths from pneumonia include 2 from lobar pneumonia, 10 from broncho-pneumonia, and 7 from *pneumonia* (not defined).

Of 37 deaths from all forms of tuberculous disease, 14 were from tuberculous phthisis, 8 were returned as *phthisis* (not otherwise defined), 3 were due to tuberculous meningitis, one to tuberculous peritonitis, and 11 deaths were caused by other forms of the disease. In each of the 3 preceding weeks, the deaths from all forms of tuberculous disease were 32, 30, and 38.

There were 3 deaths from carcinoma and 5 deaths from cancer (undefined).

Prematurity caused the deaths of 7 infants.

Of 15 deaths from diseases of the brain and nervous system, there were 6 deaths of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 32 persons, and there were 30 deaths from bronchitis.

Of 6 deaths assigned to accidental causes, 2 were by explosions and one was by drowning. The deaths of 2 persons by suicide were registered.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 infants under one year of age and the deaths of 2 persons aged 60 years and upwards.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 10 were under one month old) and 67 were aged 60 years and upwards, including 44 persons aged 70 and upwards, of whom 17 were octogenarians, and 4 were nonagenarians (all females), 3 of whom were stated to have been aged 90 and one aged 92 years.

Eighty-five of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 19 took place in the N. Dublin Union Workhouse, 15 in the S. Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 27·5 per 1,000; the rate in the City was 27·6 (North City Districts, 29·1; South, 25·9), and in the Suburbs, 27·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·6 (0·7 in the North City Districts, and 2·5 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City Disirict, East* (Clarence-street, North).—The deaths (22) are equal to an annual rate of 39·5 per 1,000. Influenza caused 2 deaths, broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 4 deaths from tuberculous disease, 3 deaths from bronchitis, and 3 accidental deaths.

*No. 1 North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Influenza, broncho-pneumonia, and *pneumonia* (not defined) each caused one death, tuberculous disease caused 3 deaths, and bronchitis caused 5 deaths.

*No. 2 North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000. The deaths include one from typhus, one from diphtheria, one from influenza, 2 from broncho-pneumonia, one from tuberculous phthisis, and 4 from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (16) represent an annual rate of 25·7 per 1,000. Among the deaths were 2 from broncho-pneumonia, 3 from tuberculous disease, 3 from bronchitis, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 23·7; and Finglas and Glasnevin, part of, 28·9. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from *pneumonia* (not defined); the 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from *pneumonia* (not defined), and 3 from tuberculous disease of the lungs; and the 4 deaths from all causes for Finglas and Glasnevin, part of, include one from tuberculous phthisis.

*No. 1 South City District* (South Earl-street).—The deaths (22) represent an annual rate of 28·7 per 1,000, and include one from each of measles and whooping-cough, one from broncho-pneumonia, 3 from tuberculous disease of the lungs, and 5 deaths from diseases of the respiratory system.

*No. 2 South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 30·4 per 1,000. The total includes one death from diphtheria, one from lobar pneumonia, 3 from tuberculous disease, and 2 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·9 per 1,000. There were 2 deaths from whooping-cough, one death from epidemic enteritis, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, 3 deaths from bronchitis, one accidental death, and one death by suicide.

*No. 4 South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. Amongst the deaths enteric fever, broncho-pneumonia, and *pneumonia* (not defined) each caused one death; there were 5 deaths from tuberculous disease, and one accidental death.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of the 3 deaths registered 2 were due to tuberculous disease.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 24·9; Pembroke, 26·2; Blackrock, 6·0; and Kingstown, 44·4. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from whooping-cough for Rathmines and Rathgar. The 17 deaths from all causes for Rathmines and Rathgar include 5 from diseases of the heart and blood vessels, 3 from diseases of the respiratory system, and one suicidal death. The 14 deaths from all causes for Pembroke include 2 from broncho-pneumonia, one from tuberculous disease, and 2 from diseases of the respiratory system; and the 15 deaths from all causes for Kingstown include one from lobar pneumonia, one from *pneumonia* (not defined), 2 from tuberculous phthisis, 6 from diseases of the heart and blood vessels, and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 19th January, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Dec. 29, | . | — | — | 2 | . | . | 2 | . | 6 | 4 | 8 | . | — | — | — | — | — | 22 |
| | Jan. 5, | . | — | — | 4 | 2 | . | 4 | . | 3 | 3 | 10 | . | — | — | — | — | — | 26 |
| | Jan. 12, | . | — | — | 10 | . | . | 7 | . | 6 | 5 | 18 | . | — | — | — | — | — | 46 |
| | Jan. 19, | . | — | — | 3 | 4 | . | 4 | . | 4 | 8 | 12 | . | — | — | — | — | — | 35 |
| Rathmines and Rathgar Urban District. | Dec. 29, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Jan. 5, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Jan. 12, | . | — | — | 2 | . | . | . | . | . | . | 2 | . | — | — | — | — | — | 4 |
| | Jan. 19, | . | — | — | . | . | . | . | . | . | 2 | 2 | . | — | — | — | — | — | 4 |
| Pembroke Urban District. | Dec. 29, | . | . | . | . | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 3 |
| | Jan. 5, | . | . | . | . | . | . | . | . | . | . | 1 | . | — | 1 | . | — | — | 2 |
| | Jan. 12, | . | 1 | . | . | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 4 |
| | Jan. 19, | . | . | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 4 |
| Blackrock Urban District. | Dec. 29, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| | Jan. 5, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 19, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| Kingstown Urban District. | Dec. 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 5, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 19, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1* |
| City of Belfast. | Dec. 29, | . | — | — | 20 | . | . | 8 | 1 | 1 | 4 | 14 | . | — | — | — | — | — | 48 |
| | Jan. 5, | . | — | — | 26 | . | . | 9 | 2 | 6 | 1 | 10 | . | — | — | — | — | — | 54 |
| | Jan. 12, | . | — | — | 20 | . | . | 4 | 1 | 2 | 3 | 11 | . | — | — | — | — | — | 41 |
| | Jan. 19, | 1 | — | — | 10 | . | . | 6 | 2 | 2 | 5 | 6 | 1 | — | — | — | — | — | 33 |

The Registrar of Dundalk District reports:—"There has been a moderately severe epidemic of influenza—in some instances affecting whole households—for the past couple of weeks. It appears now to be on the decline."

* There were also 3 cases of German measles reported.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th January, 1907.

From this it appears that:—

Twelve cases of measles were admitted into hospital during the week, 11 were discharged, and 28 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 11 were discharged, and 78* cases remained under treatment at the close of the week.

Four cases of typhus were admitted to hospital, one was discharged, and 5 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 8 were discharged, there were 2 deaths, and 27 patients remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital, 6 were discharged, there was one death, and 35 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 26 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·4), was equal to an average annual death-rate of 18·1 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 19·8 and for Edinburgh 20·4.

### INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th January. From this Report it appears that of a total of 49 cases notified 19 were diphtheria, 17 scarlet fever, 9 erysipelas, and 4 enteric fever. Among the 328 cases of infectious diseases in hospital at the close of the week were 118 cases of scarlet fever, 55 of diphtheria, 2 of membranous croup, 40 of measles, 25 of erysipelas, 21 of whooping-cough, and 17 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th January, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Urban Dists. | Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 19th January, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e — Week ending 19th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 12th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 5th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| | Total of 22 Town Districts, | 1,117,547 | 19·6 | 30·2 | 23·1 | 1·0 | 648 | 496 | 97 | 140 | . | 2 | . | 1 | 9 | 3 | 1 | 2 | 4 | 37 | 56 | 30 | 19 | 84 | 13 | 24 | 140 | 30 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| | Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 31·1 | 27·5 | 1·5 | 233 | 206 | 40 | 66 | . | 1 | . | 1 | 5 | 2 | . | 1 | 1 | 19 | 20 | 14 | 8 | 31 | 8 | 10 | 77 | 10 | f50·4 | 28·9 | 43·0 | 0·00 | f50·4 | 31·2 | 48·7 | 0·03 | f58·2 | 15·0 | 39·4 | 0·42 |
| | City of Dublin, | 300,850 | 38·0 | 35·5 | 27·6 | 1·6 | 205 | 159 | 31 | 43 | . | 1 | . | 1 | 3 | 2 | . | 1 | 1 | 15 | 18 | 13 | 2 | 25 | 7 | 7 | 63 | 9 | g51·1<br>h50·3 | 35·1<br>27·2 | 46·0<br>44·5 | 0·00<br>0·00 | g51·5<br>h51·9 | 35·7<br>32·0 | 45·5<br>44·2 | 0·02<br>0·04 | g54·1<br>h52·3 | 23·1<br>17·0 | 41·6<br>39·7 | 0·30<br>0·40 |
| Urban Dists. | Rathmines and Rathgar. | 35,606 | 20·8 | 17·6 | 24·9 | 2·9 | 12 | 17 | 4 | 9 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. | Pembroke | 27,854 | 17·5 | 16·8 | 26·2 | . | 9 | 14 | 5 | 5 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. | Blackrock | 8,759 | 8·1 | 6·0 | 6·0 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. | Kingstown, | 17,622 | 12·1 | 17·8 | 44·4 | . | 6 | 15 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . | 4 | . | 51·0 | 42·5 | 46·1 | 0·00 | 53 | 34·5 | 46·3 | 0·01 | 54 | 22·5 | 41·5 | 0·30 |
| | Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Belfast, | 370,168 | 25·2 | 29·2 | 23·7 | 1·1 | 207 | 168 | 31 | 40 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 6 | 36 | 4 | 50·5 | 38·0 | 44·1 | 0·07 | 50·5 | 32·0 | 44·0 | 0·11 | 49·0 | 19·0 | 35·0 | 1·58 |
| | Cork, | 76,122 | 33·6 | 33·6 | 24·7 | 0·7 | 49 | 36 | 2 | 11 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | 2 | 14 | . | 49 | 44 | 46·7 | 0·16 | 52 | 35 | 45·5 | 0·24 | 52 | 27 | 42·0 | 0·57 |
| | Londonderry, | 42,475 | 19·6 | 25·8 | 13·5 | . | 21 | 11 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Limerick, | 38,151 | 18·1 | 28·7 | 16·4 | . | 21 | 12 | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Waterford, | 26,769 | 18·7 | 48·7 | 17·5 | 1·9 | 25 | 9 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Galway, | 18,426 | 2·5 | 15·5 | 19·4 | 3·9 | 4 | 5 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | 3 | 2 | 50 | 40 | 46 | 0·09 | 52 | 34 | 45 | 0·30 | 50 | 25 | 38·3 | 0·89 |
| | Dundalk, | 18,076 | 3·4 | 8·0 | 16·0 | . | 2 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Drogheda, | 12,760 | 8·6 | 24·5 | 24·5 | . | 6 | 6 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Newry, | 12,405 | 17·8 | 16·8 | 8·4 | . | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 |
| | Lurgan, | 11,792 | 13·8 | 48·7 | 17·7 | . | 11 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 |
| | Lisburn, | 11,461 | 10·1 | 27·3 | 18·2 | . | 6 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 |
| | Wexford, | 11,168 | 23·2 | 32·7 | 18·7 | . | 7 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Ballymena, | 10,686 | 8·9 | 48·1 | 9·6 | . | 9 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Sligo, | 10,870 | 8·7 | 19·2 | 14·4 | . | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | 1 | 48·8 | 41·0 | 44·9 | 0·14 | 50·5 | 33·4 | 44·6 | 0·15 | 51·9 | 22·4 | 38·4 | 1·39 |
| | Kilkenny, | 10,609 | 11·5 | 4·9 | 14·7 | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 | 48 | 42 | 43 | 0·05 | 52 | 28 | 43·5 | 0·07 | 53 | 25 | 38·1 | 0·83 |
| | Clonmel, | 10,167 | 7·8 | 10·3 | 15·4 | . | 2 | 8 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Portadown, | 10,099 | 13·2 | 56·8 | 20·7 | . | 11 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 |
| | Tralee, | 9,867 | 16·6 | 42·3 | 15·9 | . | 8 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| | Newtownards, | 9,110 | 18·9 | 34·9 | 17·2 | . | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 50 | 38 | 43·9 | 0·00 | 51 | 33 | 43·7 | 0·05 | 51 | 24 | 38·4 | 1·08 |
| | Queenstown, | 7,909 | 14·4 | 59·3 | 13·2 | . | 9 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 49 | 44 | 46·7 | 0·16 | 52 | 35 | 45·5 | 0·24 | 52 | 27 | 42·0 | 0·57 |
| | Armagh, | 7,588 | 22·2 | 18·7 | 18·7 | . | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 | 51·4 | 18·8 | 38·7 | 0·65 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 8 deaths of persons (including one aged 73 years), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 19th January, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 2 | . | . | . | 5 | . |
| Diphtheria | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Pneumonia | 2 | 2 | 2 | 2 | 1 | 1 | . | 1 | 1 | 1 | 2 | . | . | 2 | . | 2 | 19 | . |
| Tuberculous Disease { Phthisis | 2 | 1 | 1 | 1 | . | 3 | 1 | 3 | 1 | 1 | 3 | 1 | . | . | . | 2 | 20 | 2 |
| Tuberculous Disease { Other Forms | 2 | 2 | . | 2 | . | . | . | . | 2 | 2 | 2 | 1 | . | 1 | . | . | 14 | 1 |
| Cancer, Malignant Disease | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | 2 | 8 | . |
| Other General Diseases | 3 | 1 | 3 | . | . | . | 1 | . | . | 2 | 1 | . | . | 3 | . | . | 14 | . |
| Total, | 10 | 6 | 8 | 5 | 1 | 4 | 2 | 6 | 5 | 9 | 10 | 2 | 3 | 8 | 1 | 6 | 86 | 3 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 2 | . | 2 | . | . | 1 | . | 2 | 3 | . | 1 | . | 1 | 2 | . | 1 | 15 | . |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 1 | 3 | 4 | 1 | . | . | 2 | 4 | 1 | 2 | 1 | . | 5 | 2 | . | 6 | 32 | . |
| Diseases of: Respiratory System | 3 | 5 | 4 | 3 | . | . | . | 5 | 2 | 3 | . | . | 3 | 2 | . | 1 | 31 | 2 |
| Diseases of: Digestive System | 2 | 2 | . | 3 | . | . | . | 2 | . | 2 | 1 | . | 1 | . | . | . | 13 | 2 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 2 | 1 | . | 1 | . | . | . | 10 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 9 | 11 | 11 | 8 | 1 | 1 | 2 | 13 | 7 | 9 | 4 | . | 11 | 6 | . | 8 | 101 | 5 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | . | 1 | . | 2 | . | . | . | 3 | . | 1 | . | 1 | 2 | . | . | 1 | 11 | . |
| **E. VIOLENT DEATHS** | 3 | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 1 | . | . | . | 8 | . |
| **Deaths from all Causes** | 22 | 18 | 19 | 16 | 2 | 5 | 4 | 22 | 12 | 21 | 15 | 3 | 17 | 14 | 1 | 15 | 206 | 8 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 39·5 | 24·0 | 32·9 | 25·7 | 20·4 | 23·7 | 28·9 | 28·7 | 30·4 | 25·9 | 22·3 | 17·6 | 24·9 | 26·2 | 6·0 | 44·4 | 27·5 | . |
| | 29·1 | | | | | | | 25·9 | | | | | 27·3 | | | | | |
| | 27·6 | | | | | | | | | | | | | | | | | |
| **Ages at Death:** Under 1 year | 4 | . | 5 | 3 | . | . | 1 | 7 | 3 | 6 | 1 | 1 | 4 | 5 | . | . | 40 | . |
| 1 and under 5 years | 2 | 6 | 3 | 2 | . | . | . | 3 | 4 | 2 | 2 | 1 | . | . | . | 1 | 26 | . |
| 5 " 20 " | 2 | 2 | 1 | 1 | . | 1 | . | 2 | . | 1 | 3 | . | . | . | . | 1 | 14 | 1 |
| 20 " 40 " | 4 | 1 | . | 2 | . | 1 | 1 | 2 | 2 | 4 | 3 | 1 | 3 | 2 | . | 1 | 27 | 1 |
| 40 " 60 " | 3 | 2 | 3 | 3 | 2 | 2 | . | 2 | 1 | 5 | 3 | . | 1 | 2 | . | 4 | 33 | 5 |
| 60 and upwards | 7 | 7 | 7 | 5 | . | 1 | 2 | 6 | 2 | 3 | 3 | . | 9 | 5 | 1 | 8 | 66 | 1 |
| Number of Uncertified Deaths | 2 | 1 | 2 | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 1 | . | . | 10 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 1 | 2 | 11 | 3 | . | . | 1 | 2 | 3 | 3 | 7 | . | 3 | 4 | . | . | 40 | 7 |
| Workhouse Hospitals | 7 | 6 | 2 | 3 | . | . | . | 5 | 3 | 2 | 1 | 1 | 1 | 2 | . | 4 | 37 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in th week of the ten years, 1897–190

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 3rd Week of the 10 years 1897–1906. | In the Week ending Saturday, 19th January, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 23, 1897. | Jan. 22, 1898. | Jan. 21, 1899. | Jan. 20, 1900. | Jan. 19, 1901. | Jan. 18, 1902. | Jan. 24, 1903. | Jan. 23, 1904. | Jan. 21, 1905. | Jan. 20, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature. | ° 32·7 | ° 48·9 | ° 45·7 | ° 40·7 | ° 44·7 | ° 37·3 | ° 42·2 | ° 42·4 | ° 38·6 | ° 38·5 | ° 41·2 | Mean Temp. ° 43·0 | | | | | | | | |
| **ALL CAUSES.** | 294 | 221 | 192 | 295 | 209 | 177 | 211 | 195 | 160 | 154 | 210·8 | 214 | 10 | 30 | 26 | 15 | 28 | 38 | 46 | 2 |
| Small-pox, ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Cowpox, ... . ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 15 | . | . | 9 | . | 1 | 1 | . | 5 | . | 3·1 | 1 | . | 1 | . | . | . | . | . | . |
| Scarlet Fever, ... ... | 4 | 2 | 1 | . | . | . | 2 | 1 | 2 | 1 | 1·3 | . | . | . | . | . | . | . | . | . |
| Typhus, ... ... ... | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | 1 | . | . | . | 1 | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 9 | 3 | 24 | 3 | 2 | 2 | 3 | 4 | . | 5·0 | 4 | . | . | . | . | 1 | . | 3 | . |
| Whooping-cough, ... ... | 23 | 2 | 4 | 3 | 12 | . | . | 5 | . | 1 | 5·0 | 5 | . | 2 | 2 | 1 | . | . | . | . |
| Diphtheria, ... ... | 1 | 6 | 1 | 2 | . | 1 | 3 | . | 2 | . | 1·6 | 2 | . | . | 2 | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 2 | 7 | 2 | 2 | 3 | 1 | 3 | 3 | 1 | . | 2·4 | 1 | . | . | . | . | 1 | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 10 | 3 | 1 | 6 | 2 | 2 | . / 1 | . | . | . / 1 | 2·6 | 1 / . | . | 1 | . | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | 4 | 1 | 2 | . | 2 | . | 2 | . | 1·1 | 1 | . | 1 | . | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | . | . | . | . / . / . | . / . / . | . / . / . | . / . / . | . | . / . / . | . / . / . | . / . / . | . / . / . | . / . / . | . / . / . | . / . / . | . / . / . | . / . / . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-, Epidemic, Not defined, | 20 | 11 | 5 | 23 | 18 | 8 | . / 2 / . / 8 | . / 10 / . / 6 | . / 6 / . / 6 | 2 / 5 / . / 5 | 13·5 | 2 / 10 / . / 7 | . / . / . / . | . / 4 / . / . | . / 4 / . / . | . / . / . / . | 1 / 1 / . / 2 | . / 1 / . / 4 | . / . / . / 1 | . |
| Erysipelas, ... ... | 2 | 1 | 1 | . | . | 1 | . | . | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 1 | . | 2 | . | 1 | 1 | . / . | 2 / 1 | . / . | 1 / . | ·9 | . / . | . / . | . / . | . / . | . / . | . / . | . / . | . / . | . / . |
| Other Infective Processes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 35 | 37 | 24 | 29 | 19 | 20 | 1 / 28 | 10 / 17 | 7 / 20 | 8 / 15 | 27·0 | 14 / 8 | . / . | . / . | . / . | 2 / 4 | 8 / 2 | 4 / 2 | . / . | . |
| Tuberculous Meningitis, ... | 5 | 6 | 4 | 9 | 4 | 2 | 4 | 1 | 3 | 2 | 4·0 | 3 | . | 1 | 1 | 1 | . | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 6 | 7 | 4 | 4 | 6 | 2 | . / . | . / . | . / 1 | . / . | 3·0 | 1 / . | . / . | . / . | . / . | 1 / . | . / . | . / . | . / . | . / . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 5 | 7 | 7 | 4 | 6 | 4 | 1 / . | 9 / . | 8 / . | 3 / . | 5·4 | 11 / . | . / . | 2 / . | 4 / . | 3 / . | 2 / . | . / . | . / . | . / . |
| Alcoholism, ... ... | . | 2 | . | 3 | . | . | . | . | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| Rheumatic Fever, .. ... | 1 | . | 1 | . | . | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | 1 | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 3 | 8 | 7 | 5 | 8 | 1 | 3 / 1 / 4 | 2 / . / 5 | 1 / . / 4 | 4 / 1 / 7 | 6·4 | 3 / . / 5 | . / . / . | . / . / . | . / . / . | . / . / . | . / . / . | . / . / 2 | 3 / . / 2 | . |
| Diabetes Mellitus, .. | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| Premature Birth, ... | 6 | . | 5 | . | 3 | 4 | 3 | 7 | 2 | 4 | 3·4 | 7 | 5 | 2 | . | . | . | . | . | . |

* The figures for the years 1897–1900 are fo
†Formerly described a

HIRD WEEK ending Saturday, 19th January, 1907, with the deaths from each cause in the corresponding d the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 3rd Week of the 10 years 1897–1906. | In the Week ending Saturday, 19th January, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 23, 1897. | Jan. 22, 1898. | Jan. 21, 1899. | Jan. 20, 1900. | Jan. 19, 1901. | Jan. 18, 1902. | Jan 24, 1903 | Jan. 23, 1904. | Jan. 21, 1905. | Jan. 20, 1906. | | ALL AGES. | 0 to 5 | | | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| | | | | | | | | | | | | | Under 1 month. | 1 month and under a year. | 1 to 5. | | | | | |
| Mean Temperature. | ° 32·7 | ° 48·9 | ° 45·7 | ° 40·7 | ° 44·7 | ° 37·3 | ° 42·2 | ° 42·4 | ° 38·6 | ° 38·5 | ° 41·2 | Mean Temp. ° 43·0 | | | | | | | | |
| Meningitis (not tuberc.) ... | | | | | | | 6 | 1 | 3 | 3 | | 2 | . | . | 2 | . | . | . | . | . |
| Insanity, G. P. of Insane ... | | | | | | | 1 | 5 | 1 | 1 | | 1 | . | . | . | . | . | . | . | 1 |
| Epilepsy ... | | | | | | | 2 | 2 | . | . | | . | . | . | . | . | . | . | . | . |
| Convulsions ... | | | | | | | 12 | 7 | 5 | 4 | | 6 | 1 | 5 | . | . | . | . | . | . |
| Locomotor Ataxy ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Paraplegia Dis. of Cord ... | | | | | | | 2 | . | . | 1 | | 1 | . | . | . | . | . | . | . | 1 |
| Nervous System (other Dis.) | 46 | 30 | 40 | 40 | 44 | 43 | 5 | . | 1 | 4 | 42·0 | 5 | . | . | 1 | . | . | 2 | 1 | 1 |
| Valv. Dis., Endocarditis ... | | | | | | | 3 | 6 | 3 | 2 | | 9 | . | . | . | 1 | . | 3 | 5 | . |
| Cerebr. Hæm. Thromb. ... | | | | | | | 3 | 1 | 3 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| Apoplexy, *Hemiplegia* ... | | | | | | | 12 | 2 | 5 | 6 | | 4 | . | . | . | . | . | . | 4 | . |
| Aneurysm ... | | | | | | | . | 1 | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | | 18 | 16 | 13 | 14 | | 17 | . | . | 1 | . | . | 2 | 6 | 8 |
| Croup (not Spasm. nor Memb.) | . | . | 1 | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Bronchitis ... | 55 | 25 | 24 | 64 | 33 | 31 | 38 | 27 | 15 | 20 | 33·2 | 30 | . | 4 | 6 | . | . | 7 | 10 | 3 |
| Asthma, Emphysema ... | | | | | | | . | . | . | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| Pleurisy ... | 5 | . | . | 5 | 4 | 3 | . | . | 1 | . | 2·5 | 1 | . | . | . | . | . | 1 | . | . |
| Respiratory Dis. (other) ... | | | | | | | 2 | 1 | 2 | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| Tonsillitis, Quinsy ... | 1 | . | . | 2 | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) ... | | | | | | | 2 | 1 | . | 1 | | 2 | . | 1 | . | . | . | . | 1 | . |
| Gastro Enteritis ... | . | 1 | 1 | . | 2 | 2 | 1 | . | . | . | 1·1 | 2 | . | 1 | 1 | . | . | . | . | . |
| Peritonitis (not Puerp.) ... | 1 | . | 2 | 1 | . | . | . | 1 | . | . | ·5 | 1 | . | . | . | . | 1 | . | . | . |
| Cirrhosis of Liver ... | | | | | | | . | . | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| Liver Dis. (other) ... | 3 | 9 | 2 | 3 | 3 | 5 | . | 3 | . | . | 3·2 | 2 | . | . | . | . | 1 | 1 | . | . |
| Digestive Dis. (other) ... | 6 | 3 | 2 | 7 | 5 | 5 | 6 | 3 | 5 | 6 | 4·8 | 8 | 1 | 2 | 1 | . | 1 | 2 | 1 | . |
| Nephritis, Acute ... | | | | | | | 2 | . | 2 | 1 | | 4 | . | . | 1 | . | 2 | . | 1 | . |
| Bright's Dis., Albuminuria | 1 | 5 | 7 | 2 | 2 | 8 | 3 | 3 | 3 | 2 | 4·5 | 3 | . | . | . | . | . | 2 | 1 | . |
| Urinary Sys. (Other Dis.) | | | | | | | . | . | 2 | 2 | | 3 | . | . | . | . | 1 | . | 2 | . |
| Generative Organs Dis. ... | . | . | . | . | . | . | 1 | 1 | 1 | . | ·3 | 1 | . | . | . | . | . | 1 | . | . |
| Childbirth (Accid. of) ... | . | 1 | . | 3 | 1 | . | . | . | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| Old Age ... | 10 | 17 | 16 | 29 | 6 | 11 | 2 | 11 | 5 | 3 | 11·0 | 7 | . | . | . | . | . | . | 2 | 5 |
| Other Diseases ... | 20 | 14 | 14 | 10 | 16 | 17 | 12 | 15 | 7 | 10 | 13·5 | 6 | 3 | 3 | . | . | . | . | . | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| By Railways ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses ... | . | . | . | . | 1 | . | 1 | 1 | 1 | . | ·4 | . | . | . | . | . | . | . | . | . |
| In Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| In Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | 2 | 3 | 3 | 3 | 2 | . | 1 | . | 2 | 4 | 2·0 | 2 | . | . | . | . | 2 | . | . | . |
| By Drowning ... | . | . | 1 | 1 | 1 | . | 1 | 2 | . | . | ·6 | 1 | . | . | . | 1 | . | . | . | . |
| By Suffocation in Bed ... | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | 2 | 3 | 1 | . | 1 | 1 | 1 | 1 | 1 | 2 | 1·3 | 3 | . | . | . | 1 | . | 1 | 1 | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| Homicide ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Suicide ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | 2 | . | . | . | . | 2 | . | . | . |
| Execution ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
mple Continued Fever.'

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 28. | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25 | Sept. 1. | Sept. 8 | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. |
| No. of weeks in Annual Series. | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 |
| BIRTHS registered. | 223 | 235 | 186 | 226 | 230 | 180 | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 231 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 |
| *Average Births in corresponding week of previous 10 years,** | 207 | 202 | 208 | 217 | 195 | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 |
| DEATHS registered. | 149 | 145 | 130 | 151 | 167 | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 |
| Annual Death-rate per 1,000. | 20·5 | 17·2 | 17·9 | 20·8 | 23·0 | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 |
| *Average Deaths in corresponding week of previous 10 years,** | 153 | 166 | 169 | 163 | 170 | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 |
| AGES,— Under 5 years. | 48 | 40 | 50 | 48 | 63 | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 |
| 5—20 ,, | 11 | 8 | 6 | 9 | 10 | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 |
| 20—40 ,, | 27 | 20 | 19 | 22 | 27 | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 |
| 40—60 ,, | 35 | 20 | 28 | 27 | 33 | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 | 38 |
| 60—80 ,, | 27 | 32 | 24 | 43 | 28 | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 |
| 80 years and upwards. | 6 | 5 | 3 | 2 | 7 | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles. | 2 | . | 2 | 1 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 |
| Scarlet Fever | 2 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| Typhus. | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Whooping-cough. | 2 | 2 | 3 | 1 | . | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 |
| Diphtheria. | . | . | 2 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 |
| *Pyrexia* † (origin uncertain). | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Enteric Fever. | . | 1 | 1 | . | . | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 |
| Diarrhœal Diseases. | 10 | 11 | 10 | 29 | 27 | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 |
| Pneumonia. | 13 | 4 | 5 | 4 | 8 | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 |
| Tuberculous (Phthisis. | 19 | 21 | 18 | 21 | 21 | 18 | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 |
| Disease. Other Forms. | 13 | 4 | 7 | 9 | 8 | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 |
| Cancer, Malignant Disease. | 9 | 8 | 4 | 12 | 11 | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 |
| Diseases of Heart and Blood Vessels. | 19 | 19 | 17 | 20 | 12 | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 |
| Diseases of Respiratory System. | 13 | 14 | 10 | 11 | 10 | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 |
| Violent Deaths. | 4 | 2 | 3 | 2 | 8 | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 |
| Number of Uncertified Deaths. | 4 | 3 | 5 | 1 | 2 | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 |
| Mean Temperature of the Air (Phœnix Park). | 60·6 | 60·5 | 61·8 | 58·9 | 61·8 | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 59·2 | 59·4 | 57·1 | 58·1 | 57·0 | 56·1 | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 |
| Rainfall in inches. | ·220 | ·452 | ·320 | ·415 | ·695 | ·000 | ·285 | 280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·320 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·84 | ·80 | ·83 | ·79 | ·86 | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·88 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th January, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH JANUARY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80 | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal) | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 29·7 | 214 | 66 | 15 | 28 | 38 | 46 | 21 | . | 1 | . | 1 | 5 | 2 | . | 1 | 1 | 11 | 19 | 22 | 15 | 8 | 6 | 33 | 8 | 92 | 10 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 20·9 | 7 | . | . | . | 1 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 4 | . |
| II. | MIDDLE CLASS, | 87,188 | 23·9 | 40 | 8 | 4 | 9 | 7 | 11 | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 3 | 4 | 5 | 3 | 1 | 1 | 8 | 1 | 14 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 23·6 | 50 | 14 | 2 | 7 | 9 | 11 | 7 | . | . | . | . | 1 | 1 | . | . | . | 2 | 2 | 6 | 3 | 2 | 1 | 13 | 1 | 20 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 38·1 | 79 | 38 | 7 | 8 | 12 | 9 | 5 | . | 1 | . | 1 | 3 | . | . | . | 1 | 6 | 10 | 8 | 4 | 2 | 4 | 6 | 5 | 34 | 8 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 38 | 6 | 2 | 4 | 9 | 12 | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 5 | 1 | . | 6 | 1 | 20 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 46·8 | 7 | . | . | . | 1 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 26·1 | 11 | 6 | 1 | . | . | 4 | . | . | . | . | . | 1 | 1 | . | . | . | 2 | 1 | . | 1 | . | 1 | 2 | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 18·8 | 11 | 2 | 1 | 4 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 3 | 1 | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 30·9 | 16 | . | 2 | 4 | 4 | 5 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | 2 | . | 6 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 26·4 | 5 | 3 | . | 1 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | 1 | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 15·7 | 9 | 4 | 1 | 1 | 1 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 2 | 1 | 2 | . |
| | 10. Clothing Trades, | 28,260 | 20·2 | 9 | 3 | . | 2 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 7 | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 34·4 | 20 | 3 | 1 | 3 | 5 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | 2 | . | 6 | . | 6 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 19·8 | 3 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | . | 1 | 1 | 1 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | 2 | . |
| | 15. Domestic Servants, | 36,603 | 11·4 | 8 | 1 | . | 1 | 2 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 6 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . | 2 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 34·8 | 60 | 33 | 4 | 6 | 9 | 7 | 1 | . | 1 | . | 1 | 2 | . | . | . | 1 | 5 | 8 | 5 | 4 | 2 | 4 | 5 | 3 | 24 | 6 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 38 | 6 | 2 | 4 | 9 | 12 | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 5 | 1 | . | 6 | 1 | 20 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living. From all causes. | From diseases in Cols. 5-18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrheal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Dec. 1, | 23·9 | 1·8 | 13 | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 2 | 1 | . |
| | „ 8, | 29·4 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 15, | 22·1 | 1·8 | 12 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | 1 | . | 1 |
| | „ 22, | 22·1 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | „ 29, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | . | . | 2 | 1 |
| | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| | „ 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| | „ 19, | 39·5 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 3 | 3 | 2 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Dec. 1, | 18·6 | 4·0 | 14 | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | 2 | 1 | 1 | . | 1 |
| | „ 8, | 34·6 | 2·7 | 26 | . | . | . | . | . | . | . | . | 2 | 2 | 3 | 1 | . | 5 | . | 1 |
| | „ 15, | 29·3 | 1·3 | 22 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | 5 | . | 3 |
| | „ 22, | 38·6 | . | 29 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | 2 | 4 | 3 | 3 |
| | „ 29, | 12·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| | „ 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| | „ 19, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Dec. 1, | 26·0 | 3·5 | 15 | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | . | . | 2 | . | . |
| | „ 8, | 24·2 | 1·7 | 14 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 2 | . | . |
| | „ 15, | 24·2 | 3·5 | 14 | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . | 1 | . |
| | „ 22, | 29·4 | 3·5 | 17 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 3 | . | 1 | . |
| | „ 29, | 24·2 | 5·2 | 14 | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | Jan. 5, | 32·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| | „ 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| | „ 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422 | Dec. 1, | 32·9 | 1·6 | 20 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 2 | 1 | 1 |
| | „ 8, | 32·9 | 1·6 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 3 | . | 3 | . | 1 |
| | „ 15, | 13·2 | 1·6 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | . | . | 1 | . | . |
| | „ 22, | 31·3 | 1·6 | 19 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | 1 | 1 | . | 1 |
| | „ 29, | 41·2 | 3·3 | 25 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 2 | 1 | 3 | . | 3 |
| | Jan. 5, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| | „ 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| | „ 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Dec. 1, | 39·4 | 6·8 | 29 | . | 3 | . | . | 1 | 1 | . | . | . | 1 | 1 | 1 | 1 | 5 | . | 1 |
| | „ 8, | 17·7 | 4·1 | 13 | . | 2 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | 1 | . |
| | „ 15, | 38·0 | 5·4 | 28 | . | . | . | . | 2 | 1 | . | . | 1 | 2 | 3 | 1 | . | 6 | 1 | 5 |
| | „ 22, | 44·8 | 2·7 | 33 | . | 2 | . | . | . | . | . | . | . | 2 | 4 | 2 | 2 | 7 | . | 1 |
| | „ 29, | 28·5 | 2·7 | 21 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 2 | 3 | . | 1 |
| | Jan. 5, | 44·3 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| | „ 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| | „ 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Dec. 1, | 22·8 | 2·9 | 8 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 8, | 20·0 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 |
| | „ 15, | 25·7 | 2·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 22, | 34·2 | 2·9 | 12 | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | 2 | . | . |
| | „ 29, | 37·1 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | 1 |
| | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| | „ 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Dec. 1, | 28·6 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | 6 | . | 1 |
| | „ 8, | 24·9 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | . | 2 |
| | „ 15, | 23·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | . |
| | „ 22, | 29·8 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 1 | . | 3 | . | . |
| | „ 29, | 24·9 | 1·2 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 4 | 3 | 4 | 3 | . | 1 |
| | Jan. 5, | 32·1 | 3·7 | 26 | . | . | . | . | 3 | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| | „ 12, | 40·8 | 2·5 | 33 | . | 1 | . | . | 1 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | „ 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Dec. 1, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | . | . |
| | „ 8, | 23·7 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 3 | 1 | . | . |
| | „ 15, | 22·3 | 1·5 | 15 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | . |
| | „ 22, | 28·2 | . | 19 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 29, | 26·7 | 3·0 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | 1 | 1 | . | . | 1 |
| | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 2 |
| | „ 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |
| | „ 19, | 22·3 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Dec. 1, | 18·8 | 3·1 | 12 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | 2 | 1 | . | . |
| | „ 8, | 17·3 | 3·1 | 11 | . | . | . | . | 2 | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 15, | 9·4 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 22, | 18·8 | 1·6 | 12 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 29, | 12·6 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 2 |
| | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| | „ 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Dec. 1, | 14·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | „ 8, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 1 | . | . |
| | „ 15, | 18·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | „ 22, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | . | . |
| | „ 29, | 10·0 | 2·0 | 5 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 12, | 24·8 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | „ 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Dec. 1, | 11·8 | 3·0 | 4 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | „ 8, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 15, | 29·6 | 3·0 | 10 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | „ 22, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 |
| | „ 29, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | Jan. 5, | 20·7 | 3·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 |
| | „ 12, | 23·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| | „ 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Dec. 1, | 18·2 | 1·7 | 128 | . | 1 | 1 | 1 | 2 | . | . | 3 | 4 | 12 | 14 | 10 | 4 | 21 | 2 | 2 |
| | „ 8, | 19·8 | 2·7 | 139 | . | 5 | 1 | . | 1 | 3 | . | 6 | 3 | 10 | 13 | 11 | 3 | 23 | 2 | . |
| | „ 15, | 16·8 | 1·0 | 118 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 15 | 9 | 3 | 21 | 1 | 1 |
| | „ 22, | 18·1 | 1·0 | 127 | . | 2 | 1 | . | 1 | 1 | . | 1 | 1 | 6 | 14 | 5 | 8 | 24 | 2 | 1 |
| | „ 29, | 18·4 | 0·7 | 129 | . | . | . | . | 2 | 1 | . | . | 2 | 16 | 9 | 3 | 9 | 30 | . | 1 |
| | Jan. 5, | 23·8 | 1·3 | 169 | . | 1 | 2 | . | 4 | 2 | . | . | . | 13 | 22 | 4 | 6 | 30 | 5 | 3 |
| | „ 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 4 |
| | „ 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| **Cork.** Pop. (in 1901) 76,122. | Dec. 1, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | 1 | 4 | 1 | 4 |
| | „ 8, | 19·9 | 2·1 | 29 | . | . | . | . | . | 2 | 1 | . | . | 5 | 3 | 1 | 1 | 1 | . | 1 |
| | „ 15, | 21·2 | 2·1 | 31 | . | . | . | . | 2 | . | . | . | 1 | 2 | 4 | . | . | 4 | . | 2 |
| | „ 22, | 24·0 | 2·1 | 35 | . | . | . | . | 1 | . | . | . | 2 | 1 | 4 | . | 2 | 9 | . | 1 |
| | „ 29, | 19·2 | 0·7 | 28 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 3 | . | 7 | . | 1 |
| | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 11 | 2 | . | 6 | . | 2 |
| | „ 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 7 | 2 | . | 11 | 1 | 3 |
| | „ 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Dec. 1, | 18·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 6 | . | 1 |
| | „ 8, | 19·8 | 1·2 | 16 | . | . | 1 | . | . | . | . | . | . | 3 | 3 | 1 | . | 1 | . | 2 |
| | „ 15, | 14·9 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | 2 |
| | „ 22, | 18·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 4 | 1 | 3 |
| | „ 29, | 18·6 | 1·2 | 15 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | 3 | . | . |
| | Jan. 5, | 12·3 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| | „ 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | „ 19, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Dec. 1, | 21·9 | 1·4 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | 1 | 2 | . | 2 |
| | „ 8, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 6 | . | 5 |
| | „ 15, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 4 | . | 3 |
| | „ 22, | 20·5 | 1·4 | 15 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | 2 |
| | „ 29, | 5·5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 |
| | Jan. 5, | 13·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| | „ 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 6 |
| | „ 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| **Waterford.** Pop. (in 1901) 26,769. | Dec. 1, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | 1 | . | . |
| | „ 8, | 15·6 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 5 | . | . |
| | „ 15, | 33·1 | 5·8 | 17 | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . | 2 | 2 | 1 | 1 |
| | „ 29, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 |
| | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . |
| | „ 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | 1 |
| | „ 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th January, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**; represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tubercuious Disease: Phthisis. | Tubercuious Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,784 | 6 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 7 | 1 | 1 | 3 | . | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | 3 | 1 |
| Do. 2 ,, . | 47,959 | 15 | | | 10 | 5 | 5 | 2 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | 3 | 1 | 5 | . | 3 | . | 1 | 1 | . |
| Do. 3 ,, . | 47,214 | 31 | | | 23 | 3 | 2 | . | 9 | 2 | 7 | . | . | . | . | . | . | . | . | 1 | 2 | 5 | . | . | 3 | . | . | 6 | . |
| Do. 4 ,, . | 40,911 | 25 | | | 19 | 3 | 2 | 2 | 5 | 2 | 5 | . | . | . | . | 1 | . | . | . | 2 | 1 | 4 | 2 | . | 2 | . | . | 7 | . |
| Do. 5 ,, . | 17,337 | 10 | | | 10 | 1 | 3 | . | 1 | 3 | 2 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 |
| Do 6 ,, . | 48,122 | 28 | | | 22 | 3 | 2 | 2 | 1 | 3 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | 5 | . | . | 3 | . |
| Do 7 ,, . | 1,524 | . | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 8 ,, . | 5,060 | 3 | | | 3 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 11 | | | 11 | 3 | 1 | 1 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | 2 | . | 1 | . | . | 2 | . |
| Do. 10 ,, . | 28,064 | 15 | | | 14 | 3 | 2 | 4 | 2 | 3 | . | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 | 2 | 1 |
| Do. 11 ,, . | 34,802 | 20 | | | 7 | 1 | 1 | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 |
| Do. 12 ,, . | 33,588 | 31 | | | 20 | 5 | 2 | 2 | 3 | 5 | 3 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 8 | . | . | 7 | . |
| Do. 13 ,, . | 15,006 | 16 | | | 11 | 2 | . | . | 1 | 3 | 5 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | 1 | . |
| Do. 14 ,, . | 240 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 207 | | | 168 | 31 | 21 | 16 | 29 | 31 | 40 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 18 | 5 | 26 | 3 | 6 | 36 | 4 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 6 | 16·2 | . | 4 | . | . | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 3 | . |
| Do. 2 ,, . . | 10,701 | 8 | 29·2 | 4·9 | 6 | 1 | 1 | 3 | | | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | . | . | . | 1 | . |
| Do. 3 ,, . . | 9,978 | 8 | 47·0 | . | 9 | . | 2 | 2 | | | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 4 | . | . | 4 | . |
| Do. 4 ,, . . | 8,666 | 4 | 24·1 | . | 4 | 1 | . | 2 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | . |
| Do. 5 ,, . . | 6,592 | 4 | 39·6 | . | 5 | . | . | 4 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| Do. 6 ,, . . | 10,702 | 4 | 4·9 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 15 | 22·0 | . | 7 | . | 1 | 4 | | | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 2 | . | 1 | 5 | . |
| Total . . . . | 76,122 | 49 | 24·7 | 0·7 | 36 | 2 | 4 | 19 | | | 11 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | 2 | 14 | . |

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 28. | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25. | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13 | Oct. 20. | Oct. 27. | Nov 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. |
| No. of weeks in Annual Series, | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 |
| BIRTHS registered, | 225 | 241 | 220 | 203 | 204 | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 |
| DEATHS registered, | 127 | 121 | 127 | 125 | 139 | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 123 | 120 | 122 | 131 | 145 | 125 | 123 | 139 | 118 | 127 | 129 | 169 | 166 | 168 |
| Annual Death-rate per 1,000 of estimated Population, | 18·1 | 17·2 | 18·1 | 17·8 | 19·8 | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·4 | 23·8 | 23·4 | 23·7 |
| AGES: Under 1 year, | 21 | 30 | 29 | 37 | 43 | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 |
| 1–5 years, | 8 | 18 | 9 | 16 | 14 | 22 | 16 | 16 | 18 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 13 | 15 | 16 | 21 |
| 5–20 years, | 13 | 9 | 14 | 17 | 12 | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 10 | 16 | 16 |
| 20–40 years, | 29 | 15 | 25 | 14 | 18 | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 |
| 40–60 years, | 26 | 31 | 22 | 24 | 29 | 26 | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 23 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 28 | 33 | 34 | 27 | 31 |
| 60 years and upwards, | 30 | 18 | 28 | 17 | 23 | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 1 | . | 2 | . | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 |
| Scarlet Fever, | . | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | 2 | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 4 | 2 | 4 | 2 | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 |
| Diphtheria, | 1 | . | 1 | 1 | 2 | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 3 | 2 | 1 | . | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 |
| Diarrhœal Diseases, | 4 | 7 | 12 | 25 | 24 | 23 | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 |
| Pneumonia, | 6 | 10 | 7 | 3 | 5 | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 13 | 12 | 15 |
| Tuberculous Disease: Phthisis, | 26 | 22 | 25 | 13 | 21 | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 |
| Tuberculous Disease: Other Forms, | 10 | 11 | 6 | 8 | 6 | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 |
| Cancer, Malignant Disease, | 4 | 2 | 4 | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 6 | 9 | 6 | 4 | 5 |
| Diseases of Respiratory System, | 21 | 11 | 7 | 12 | 7 | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 |
| Violent Deaths, | . | 2 | 4 | 2 | 3 | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 |
| Number of Uncertified Deaths, | 3 | . | 3 | 1 | 2 | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 |

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Jan. 19, | 2,454 | 1,679 | 18·4 | . | 33 | 11 | 18 | 28 | 4 | 10 |
| EDINBURGH, | 345,747 | „ 19, | 151 | 135*a* | 20·4 | . | 1 | 1 | 3 | 1 | . | 6 |
| GLASGOW, | 847,584 | „ 19, | 461 | 322*a* | 19·8 | . | 2 | . | 5 | 12 | 2 | 5 |
| CALCUTTA, | — | Dec. 1, | . | 680 | 41·7 | 3 | . | . | . | . | 172‡ | 153* |
| BOMBAY, | 977,822 | „ 18, | 411 | 567 | 30·2 | 1 | 1 | . | . | 1 | 57‡ | 69* |
| MADRAS, | 509,346 | Nov. 30, | 363 | 343 | 35·0 | 1 | 2 | ? | ? | ? | 84 | 62* |
| PARIS, | 2,750,000 | Jan. 5, | 1,134 | 1,097 | 21·3 | . | 8 | 2 | 6† | 3 | 6 | 14 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | Dec. 29, | 223 | 206 | 17·5 | . | 4 | 3 | . | 4 | 3 | 6 |
| ANTWERP, | 297,311 | „ 29, | 128 | 120 | 21·0 | . | . | . | 4† | 2 | 3 | 6 |
| AMSTERDAM, | 563,709 | „ 29, | 268 | 177 | 16·4 | . | 10 | 2 | 4† | 2 | 1 | 5 |
| COPENHAGEN, | 425,000 | „ 29, | 233 | 127 | 15·6 | . | . | . | . | 1 | . | 5 |
| STOCKHOLM, | 324,488 | „ 22, | 159 | 83 | 13·3 | . | . | 2 | 4† | 2 | . | 3 |
| CHRISTIANIA, | 222,373 | Jan. 5, | 113 | 45 | 10·5 | . | 1 | . | 4† | . | . | 1 |
| ST. PETERSBURG, | 1,424,700 | Dec. 29, | 464 | 667 | 24·3 | 1 | 23 | 27 | 20 | 3 | 19 | 63 |
| MOSCOW, | 1,154,000 | „ 1, | . | 596 | 26·9 | . | 11 | 12 | 16† | 7 | 7 | 56 |
| BERLIN, | 2,091,957 | „ 22, | 895 | 629 | 15·7 | . | 5 | 8 | 14† | 1 | 1 | 27 |
| HAMBURG, | 802,793 | „ 29, | . | 267 | 17·3 | . | 2 | . | 3† | 4 | 1 | 22 |
| BRESLAU, | 482,326 | Jan. 5, | . | 258 | 27·9 | . | 3 | . | 4† | 2 | 1 | 18 |
| MUNICH, | 548,000 | „ 5, | . | 187 | 17·6 | . | 5 | . | 5† | 1 | . | 15 |
| VIENNA (with suburbs). | 1,958,323 | „ 5, | 820 | 713 | 18·9 | . | 12 | 4 | 12† | . | 1 | 31 |
| BUDA-PESTH, | 802,235 | „ 5, | . | 303 | 19·7 | . | 8 | 4 | 3† | 4 | 1 | 5 |
| PRAGUE and Faubourgs. | 466,133 | Dec. 29, | 178 | 194 | 21·6 | . | 5 | 1 | 3† | 1 | . | 17 |
| TRIESTE, | 198,525 | „ 22, | 99 | 108 | 28·4 | . | . | . | . | . | 1 | . |
| ROME, | 531,818 | Nov. 10, | 202 | 137 | 13·4 | . | 1 | . | . | . | 5 | 12 |
| VENICE, | 171,709 | — | . | . | . | . | . | . | . | . | . | . |
| NEW YORK, | 4,152,860 | Dec. 22, | 2,292 | 1,381 | 17·4 | . | 6 | 13 | 36† | 11 | 13 | 31 |
| PHILADELPHIA, | 1,369,126 | „ 8, | . | 516 | 18·3 | . | 3 | 1 | 10† | 3 | 18 | 27 |
| BOSTON, | 602,526 | „ 22, | . | 216 | 18·7 | . | . | . | 5 | 4 | 2 | 4 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 14 deaths in Glasgow.
* Including 88 deaths from cholera in Calcutta, 4 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 14 deaths from plague in Calcutta, and 13 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th January, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 3 | 1 | . | . | . | 4 |
| " " 1, West, | . | 1 | 4 | . | . | . | . | 1 | . | . | . | . | 6 |
| " " 2, | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 3 |
| " " 3, | . | 1 | . | . | . | . | 2 | . | 2 | . | . | . | 5 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | . | 5 | . | . | . | 6 |
| " " 2, | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 4, | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 |
| Total, | . | 3 | 4 | . | 4 | . | 4 | 8 | 12 | . | . | . | 35 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th January, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 19th January. | | | |
|---|---|---|---|---|---|---|---|
| | Dec. 29. | Jan. 5. | Jan. 12. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 18 | 25 | 27 | 12 | 11 | . | 28 |
| Scarlet Fever, | 73 | 68 | 77 | 12 | 11 | . | 78* |
| Typhus, | 2 | 3 | 2 | 4 | 1 | . | 5 |
| Diphtheria, | 23 | 32 | 29 | 8 | 8 | 2 | 27 |
| Enteric Fever, | 34 | 28 | 31 | 11 | 6 | 1 | 35 |
| Pneumonia, | 22 | 21 | 30 | 6 | 9 | 1 | 26 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 19th January, 1907:—

"The Atlantic anticyclone, which had caused such open weather during the previous week, dominated the weather over Western and Central Europe throughout the period now under review likewise. But there was this difference—the central area of high pressure drifted slowly northeastwards from the Bay of Biscay after Monday and reached Holland on Friday. The result was that the weather became more 'Continental,' and less 'Insular' or 'Oceanic,' in character. Thus, temperature gave way, humidity decreased, the amount of cloud diminished, and the wind backed to E. in France and England and to S. or S.E. in Ireland. While the anticyclone maintained its position over Western Europe, atmospheric depressions of considerable size and depth swept northeastwards across Iceland and the Norwegian Sea. For example, on Monday morning the barometer read only 28·91 inches at Seydisfjord, on the E. coast of Iceland, where the thermometer stood as high as 49°. On Wednesday morning a whole gale from S.S.W. was blowing at the same station, with a temperature of 47° and the barometer down to 29·17 inches. In Dublin the weather was dull and mild till Friday, but on this and the following day bright sunshine prevailed. On Saturday cirrus cloud appeared, travelling slowly from W.N.W., but the undercurrent remained southerly and even increased in strength. The mean height of the barometer was 30·501 inches, pressure ranging only between 30·350 inches at 9 a.m. of Monday (wind, W.S.W.) and 30·659 inches at 9 p.m. of Thursday (wind, S.S.E.). The corrected mean temperature was 46·0°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 45·4°. The prevalent winds were S.W. and S.S.E. The screened thermometers rose to 51·1° on Wednesday and fell to 35·1° on Saturday. There was no 'rain day,' but ·003 inch was collected in the gauge on Tuesday and Wednesday as the product of a few light drizzling showers."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·499 inches. The highest reading (30·658) was on Thursday at 9 p.m., wind S.S.E., and the lowest (30·356) on Monday at 9 a.m., wind W.S.W.

The mean temperature for the week was 43·0°, being 1·8° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 50·4°, and was lowest on Saturday, the mercury having fallen to 23·9°. The mean of the Dry Bulb for the week was 42·3°, and of the Wet Bulb 40·3°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 13·9 hours. There was no rainfall during the week.

At Greenwich the mean temperature for the week was 40·7°. the maximum 48·2°, and the minimum 26·1°; and at Edinburgh the maximum was 48·5°, the minimum 33·7°, and the mean 42·2°. The rainfall at Greenwich measured 0·01 in. There was no rainfall recorded at Edinburgh. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

### Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Jan. 13, | 30·472 | 48·6 | 42·3 | 45·5 | 45·3 | 43·4 | ·87 | ·7 | 0·4 | ·000 | Calm. | W.S.W. |
| Monday, „ 14, | 30·374 | 47·7 | 42·1 | 44·9 | 45·2 | 43·3 | ·86 | ·7 | 0·1 | ·000 | W.S.W. | S.W. |
| Tuesday, „ 15, | 30·438 | 48·0 | 42·1 | 45·1 | 45·8 | 42·7 | ·79 | ·6 | 0·0 | ·000 | Calm. | S.W. |
| Wednesday, „ 16, | 30·539 | 50·4 | 40·1 | 45·3 | 44·9 | 43·2 | ·88 | ·7 | 1·3 | ·000 | Calm. | S.W. |
| Thursday, „ 17, | 30·646 | 46·8 | 42·4 | 44·6 | 44·0 | 41·2 | ·79 | ·4 | 0·0 | ·000 | Calm. | S.S.E. |
| Friday, „ 18, | 30·567 | 48·5 | 30·4 | 39·5 | 36·1 | 35·1 | ·91 | ·2 | 6·2 | ·000 | Calm. | Calm. |
| Saturday, „ 19, | 30·456 | 48·8 | 23·9 | 36·4 | 31·5 | 33·4 | ·88 | ·7 | 5·9 | ·000 | Calm. | Calm. |
| Mean, . . | 30·499 | 48·4 | 37·6 | 43·0 | 42·3 | 40·3 | ·85 | ·6 | Total 13·9 | Total ·000 | — | |

*Sunday*—Cloudy a.m., overcast p.m.; night cloudy. *Monday*—Day overcast, fine; night cloudy. *Tuesday*—Day overcast, fine; night cloudy. *Wednesday*—Cloudy a.m., overcast p.m.; night cloudy. *Thursday*—Day overcast, fine; sky cloudy till 2·50, then clear. *Friday*—Fine bright day, light clouds; night clear. *Saturday*—Fine bright day; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

### Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January, 19th, 1907.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Jan. 13, | 46·0 | 43·0 | 44·1 | 50·5 | 44·5 | 47·5 | 0·5 | — |
| Monday, „ 14, | 46·2 | 43·7 | 44·1 | 49·7 | 43·6 | 46·7 | 0·4 | — |
| Tuesday, „ 15, | 47·2 | 43·8 | 44·5 | 49·7 | 44·5 | 47·1 | — | — |
| Wednesday, „ 16, | 47·8 | 43·9 | 44·6 | 51·4 | 44·9 | 48·2 | 1·6 | — |
| Thursday, „ 17, | 45·7 | 44·0 | 44·8 | 48·8 | 43·7 | 46·3 | — | — |
| Friday, „ 18, | 44·1 | 43·7 | 44·8 | 47·5 | 41·0 | 44·3 | 4·2 | — |
| Saturday, „ 19, | 37·0 | 42·4 | 44·9 | 47·9 | 31·9 | 41·4 | 4·2 | — |
| Weekly Mean, . | 44·9 | 43·5 | 44·5 | 49·4 | 42·4 | 45·9 | Total 10·9 | — |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

Wt. P. 292. 9. 1906.—16132.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 26TH JANUARY, 1907. [No. 4.

*General Register Office, Charlemont House,*
*Dublin, 28th January,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Jan. 5. | Week ending Jan. 12. | Week ending Jan. 19. | Week ending Jan. 26. | Average Rate for 4 weeks. | Towns, &c. | Week ending Jan. 5. | Week ending Jan. 12. | Week ending Jan. 19. | Week ending Jan. 26. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 26·6 | 25·4 | 23·1 | 24·6 | 24·9 | Lisburn, | 27·3 | 40·9 | 18·2 | 31·8 | 29·5 |
| Armagh, | 13·7 | 6·9 | 13·7 | 6·9 | 10·3 | Londonderry, | 12·3 | 11·0 | 13·5 | 24·6 | 15·4 |
| Ballymena, | 43·1 | 28·7 | 9·6 | 23·9 | 26·3 | Lurgan, | 17·7 | 8·9 | 17·7 | 13·3 | 14·4 |
| Belfast, | 23·8 | 23·4 | 23·7 | 22·8 | 23·4 | Newry, | 29·4 | 12·6 | 8·4 | 25·2 | 18·9 |
| Clonmel, | 30·8 | 25·6 | 15·4 | 10·3 | 20·5 | Newtownards, | 11·4 | 5·7 | 17·2 | 17·2 | 12·9 |
| Cork, | 31·5 | 31·5 | 24·7 | 24·0 | 27·9 | Portadown, | 10·3 | 20·7 | 20·7 | 10·3 | 15·5 |
| Drogheda, | 12·3 | 16·3 | 24·5 | 20·4 | 18·4 | Queenstown | 6·6 | 6·6 | 13·2 | 33·0 | 14·9 |
| Dublin Reg. Area, | 31·9 | 29·0 | 27·5 | 28·6 | 29·2 | Sligo, | 33·6 | 19·2 | 14·4 | 19·2 | 21·6 |
| Dundalk, | 16·0 | 23·9 | 16·0 | 27·9 | 21·0 | Tralee, | 31·7 | 37·0 | 15·9 | 26·4 | 27·7 |
| Galway, | 31·1 | 19·4 | 19·4 | 19·4 | 22·3 | Waterford, | 31·2 | 25·3 | 17·5 | 13·6 | 21·9 |
| Kilkenny, | 34·3 | 44·2 | 14·7 | 44·2 | 34·3 | Wexford, | 28·0 | 28·0 | 18·7 | 37·4 | 28·0 |
| Limerick, | 13·7 | 27·3 | 16·4 | 16·4 | 18·5 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 7·8 in Galway, the 5 deaths from all causes registered in that district including 2 from diphtheria. Among the 162 deaths from all causes registered in Belfast are 3 from whooping-cough, one from diphtheria, and 5 from diarrhœal diseases. The 35 deaths from all causes in Cork include one each from whooping-cough and diarrhœa; and of the 7 deaths from all causes in Dundalk one is from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—95 boys and 90 girls; and the deaths to 225—111 males and 114 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 30·0 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 28·6 per 1,000. During the four weeks ending with Saturday last the death-rate averaged 30·2, and was 1·1 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The total deaths (225) included one from scarlet fever, 6 from whooping-cough, and one death from enteric fever. In each of the 3 preceding weeks, deaths from scarlet

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–13 of Table II.

fever were 0, 0, and 0; deaths from whooping-cough were 7, 2, and 5; and deaths from enteric fever were 0, one, and one. There were 5 deaths from influenza; in each of the 3 preceding weeks, deaths from influenza were 6, 3, and 4.

There was one death from lobar pneumonia, broncho-pneumonia caused 5 deaths, and 16 deaths were due to *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 41. This figure comprises 14 deaths from tuberculous phthisis, 19 deaths returned as from *phthisis*, 4 deaths from tuberculous meningitis, and 4 deaths from other forms of the disease. The total deaths from all forms of tuberculous disease were 30, 38, and 37 in each of the 3 preceding weeks.

The deaths from malignant diseases include 4 deaths from carcinoma, 2 deaths from sarcoma, and one death from cancer (undefined).

The deaths of 6 infants, prematurely born, were registered.

There were 9 deaths from diseases of the brain and nervous system. Of this figure 5 were deaths of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 33 persons, and 40 deaths were due to bronchitis.

Of 6 deaths resulting from accidental causes, one was by vehicles and horses, one was by burns, and one was by drowning. There was one death caused by homicidal violence.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age and the death of one person aged 85 years.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 8 were under one month old) and 59 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 13 were octogenarians, and one (a woman) was stated to have been aged 91 years.

One hundred and one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the N. Dublin Union Workhouse, 24 in the S. Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 28·6 per 1,000; the rate in the City was 30·2 (North City Districts, 28·1; South, 32·3), and in the Suburbs, 23·2 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·0 (1·0 in the North City Districts, and 1·1 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·2 per 1,000. The total includes one death from enteric fever, one death from *pneumonia* (not defined), 2 deaths from tuberculous disease of the lungs, and 2 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000. The 5 deaths from pneumonia include one death each from lobar pneumonia and broncho-pneumonia; there was one death from tuberculous disease of the lungs and 3 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (29) are equivalent to an annual rate of 50·2 per 1,000, and include one death from whooping-cough, 2 deaths from *pneumonia* (not defined), 6 deaths from tuberculous disease, 6 deaths from diseases of the respiratory system, and one homicidal death.

*No. 3 North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·9 per 1,000. Whooping-cough, influenza, *pneumonia* (not defined), tuberculous phthisis, and tuberculous meningitis each caused one death; there were 3 deaths from bronchitis and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 40·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 9·5; and Finglas and Glasnevin, part of, 28·9. Of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, there was one death from tuberculous phthisis. Of the 2 deaths for Coolock and Drumcondra, No. 1, part of, one was from *phthisis* and one from bronchitis; and among the 4 deaths from all causes for Finglas and Glasnevin, part of, one was from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (21) represent an annual rate of 27·4 per 1,000. There was one death from each of scarlet fever, whooping-cough, and influenza; *pneumonia* (not defined) caused 2 deaths, tuberculous disease 3 deaths, bronchitis 3 deaths, and there was one accidental death.

*No. 2 South City District* (Castle-street).—The deaths (17) are equal to an annual rate of 43·1 per 1,000. Amongst the deaths there was one from broncho-pneumonia, 5 from tuberculous disease, and 7 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (31) are equal to an annual rate of 38·3 per 1,000. The deaths included one each from whooping-cough and *pneumonia* (not defined), 9 from tuberculous disease, 7 from diseases of the respiratory system, and one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Of the deaths 2 were caused by *pneumonia* (not defined), 4 by tuberculous disease of the lungs, 5 by diseases of the respiratory organs, and 3 by accidental causes.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000. Of 4 deaths registered one was due to *pneumonia* (not defined) and one was due to tuberculous phthisis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 26·2; Blackrock, 11·9; and Kingstown, 38·5. The deaths from the principal epidemic diseases tabulated for these districts consist of 2 deaths from whooping-cough for Pembroke. Among the 11 deaths from all causes for Rathmines and Rathgar are, one death from broncho-pneumonia and 2 deaths each from tuberculous phthisis and bronchitis. Of the 14 deaths from all causes for Pembroke there was one death each from influenza, *pneumonia* (not defined), and *phthisis*, and there were 3 deaths from bronchitis; the 2 deaths from all causes for Blackrock include one death from broncho-pneumonia; and of the 13 deaths from all causes for Kingstown one death was from broncho-pneumonia, 2 deaths were from *pneumonia* (not defined), 3 from *phthisis*, and one death was from influenza.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 26th January, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Jan. 5, | . | — | — | 4 | 2 | . | 4 | . | 3 | 3 | 10 | . | — | — | — | — | — | 26 |
| | Jan. 12, | . | — | — | 10 | . | . | 7 | . | 6 | 5 | 18 | . | — | — | — | — | — | 46 |
| | Jan. 19, | . | — | — | 3 | 4 | . | 4 | . | 4 | 8 | 12 | . | — | — | — | — | — | 35 |
| | Jan. 26, | . | — | — | 9 | . | . | 8 | . | 5 | 3 | 10 | . | — | — | — | — | — | 35 |
| Rathmines and Rathgar Urban District. | Jan. 5, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Jan. 12, | . | — | — | 2 | . | . | . | . | . | . | 2 | . | — | — | — | — | — | 4 |
| | Jan. 19, | . | — | — | . | . | . | . | . | . | 2 | 2 | . | — | — | — | — | — | 4 |
| | Jan. 26, | . | — | — | . | . | . | 2 | . | . | 1 | . | . | — | — | — | — | — | 3 |
| Pembroke Urban District. | Jan. 5, | . | . | . | . | . | . | . | . | . | . | 1 | . | — | 1 | . | — | — | 2 |
| | Jan. 12, | . | 1 | . | . | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 4 |
| | Jan. 19, | . | . | . | . | . | . | . | . | . | . | . | . | — | 4 | | — | — | 4 |
| | Jan. 26, | . | . | . | 2 | . | . | . | . | . | . | . | . | — | 11 | . | — | — | 13 |
| Blackrock Urban District. | Jan. 5, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 19, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 26, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| Kingstown Urban District. | Jan. 5, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 19, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1 |
| | Jan. 26, | . | — | — | 3 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 5 |
| City of Belfast. | Jan. 5, | . | — | — | 26 | . | . | 9 | 2 | 6 | 1 | 10 | . | — | — | — | — | — | 54 |
| | Jan. 12, | . | — | — | 20 | . | . | 4 | 1 | 2 | 3 | 11 | . | — | — | — | — | — | 41 |
| | Jan. 19, | 1 | — | — | 10 | . | . | 6 | 2 | 2 | 5 | 6 | 1 | — | — | — | — | — | 33 |
| | Jan. 26, | . | — | — | 18 | . | . | 9 | . | 5 | 3 | 6 | 1 | — | — | — | — | — | 42 |

The Registrar of Belfast Urban No. 9 reports:—"Two deaths from cerebro spinal meningitis were registered this week from Royal Victoria Hospital."

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th January, 1907.

From this it appears that:—

Six cases of measles were admitted into hospital during the week, 5 were discharged, and 29 cases remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 18 were discharged, and 73* cases remained under treatment at the close of the week.

Two cases of typhus were admitted to hospital, and 7 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 2 were discharged, there was one death, and 32 patients remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 4 were discharged, there was one death, and 36 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 5 were discharged, there were 2 deaths, and 25 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·0), was equal to an average annual death-rate of 18·2 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 19·1 per 1,000, the rate for Glasgow being 18·9 and for Edinburgh 22·0.

### INFECTIOUS DISEASE IN EDINBURGH.

I have been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th January. From this Report it appears that of a total of 44 cases notified 18 were diphtheria, 18 scarlet fever, 5 erysipelas, 2 puerperal fever, and one enteric fever. Among the 302 cases of infectious diseases in hospital at the close of the week were 106 cases of scarlet fever, 51 of diphtheria, 2 of membranous croup, 29 of whooping-cough, 14 of measles, 23 of erysipelas, and 15 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th January, 1907, in the DUBLIN REGISTRATION **AREA and in each of the under-mentioned 21 URBAN DISTRICTS** (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature and Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 26th January, 1907. Numbers Registered. Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 26th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 19th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 12th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, . . | 1,117,547 | 19·6 | 27·5 | 24·6 | 1·1 | 589 | 527 | 80 | 152 | . | 1 | 1 | . | 10 | 3 | . | 1 | 8 | 38 | 71 | 30 | 14 | 108 | 11 | 11 | 171 | 13 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 24·7 | 28·6 | 1·1 | 185 | 214 | 28 | 59 | . | . | 1 | . | 6 | . | . | 1 | . | 22 | 33 | 8 | 5 | 44 | 7 | 6 | 90 | 4 | f48·5 | 22·4 | 34·3 | 0·08 | f50·4 | 23·9 | 43·0 | 0·00 | f50·4 | 31·2 | 43·7 | 0·08 |
| City of Dublin, | 300,850 | 38·0 | 27·4 | 30·2 | 1·0 | 158 | 174 | 22 | 48 | . | . | 1 | . | 4 | . | . | 1 | . | 16 | 27 | 3 | 3 | 39 | 7 | 6 | 79 | 1 | g49·8<br>h48·1 | 27·5<br>24·0 | 37·6<br>35·7 | 0·07<br>0·08 | g51·1<br>h50·3 | 35·1<br>27·2 | 46·0<br>44·5 | 0·00<br>0·00 | g51·5<br>h51·9 | 35·7<br>32·0 | 45·5<br>44·2 | 0·02<br>0·04 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 10·2 | 16·1 | . | 7 | 11 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke . | 27,854 | 17·5 | 22·5 | 26·2 | 3·7 | 12 | 14 | 2 | 4 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 11·9 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 38·5 | . | 6 | 13 | 2 | 4 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . | 6 | 1 | 48 | 26·5 | 38·4 | 0·03 | 51·0 | 42·5 | 46·1 | 0·00 | 53 | 34·5 | 46·3 | 0·01 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), . . | 370,168 | 25·2 | 28·6 | 22·8 | 1·3 | 203 | 162 | 31 | 39 | . | . | . | . | 3 | 1 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 4 | 36 | 1 | 47·0 | 28·0 | 36·5 | 0·45 | 50·5 | 38·0 | 44·1 | 0·07 | 50·5 | 32·0 | 44·0 | 0·11 |
| Cork, . . . | 76,122 | 35·6 | 26·7 | 24·0 | 1·4 | 39 | 35 | 4 | 13 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | . | 10 | 1 | 49 | 25 | 37·7 | 0·18 | 49 | 44 | 46·7 | 0·16 | 52 | 35 | 45·5 | 0·24 |
| Londonderry, . . | 42,475 | 19·6 | 20·9 | 24·6 | 1·2 | 17 | 20 | 4 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, . . | 38,151 | 18·1 | 24·6 | 16·4 | . | 18 | 12 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, . . | 26,769 | 18·7 | 27·3 | 13·6 | . | 14 | 7 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, . . | 18,426 | 2·5 | 15·5 | 19·4 | 7·8 | 4 | 5 | . | 2 | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 1 | . | . | 5 | . | 49 | 22 | 40 | 0·07 | 50 | 40 | 46 | 0·09 | 52 | 34 | 45 | 0·30 |
| Dundalk, . . | 18,076 | 9·4 | 19·9 | 27·9 | 4·0 | 5 | 7 | . | 4 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, . . | 12,760 | 8·6 | 28·6 | 20·4 | . | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, . . | 12,405 | 17·8 | 33·6 | 26·2 | . | 8 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 |
| Lurgan, . . | 11,782 | 13·8 | 26·6 | 18·3 | . | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 |
| Lisburn, . . | 11,461 | 10·1 | 30·0 | 31·8 | . | 11 | 7 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 3 | . | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 |
| Wexford, . . | 11,168 | 23·2 | 28·0 | 37·4 | . | 6 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, . . | 10,886 | 8·9 | 14·4 | 23·9 | 4·8 | 3 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, (j). . . | 10,870 | 3·7 | 24·0 | 19·2 | . | 5 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | 1 | 51·3 | 15·9 | 34·9 | 0·68 | 48·8 | 41·0 | 44·9 | 0·14 | 50·5 | 38·4 | 44·6 | 0·15 |
| Kilkenny, . . | 10,609 | 11·5 | 28·6 | 44·2 | . | 16 | 9 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 4 | . | 48 | 18 | 33·2 | 0·11 | 48 | 42 | 43 | 0·05 | 52 | 28 | 43·5 | 0·07 |
| Clonmel, . . | 10,167 | 7·8 | 46·2 | 10·3 | . | 9 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, . . | 10,092 | 13·2 | 31·0 | 10·3 | . | 6 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 |
| Tralee, . . | 9,867 | 16·6 | 37·0 | 26·4 | . | 7 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, . . | 9,110 | 18·9 | 45·8 | 17·2 | . | 8 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 45 | 29 | 37·1 | 0·47 | 50 | 38 | 43·9 | 0·00 | 51 | 33 | 43·7 | 0·05 |
| Queenstown, . . | 7,909 | 14·4 | 46·1 | 33·0 | . | 7 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 49 | 25 | 37·7 | 0·18 | 49 | 44 | 46·7 | 0·16 | 52 | 35 | 45·5 | 0·24 |
| Armagh, . . | 7,588 | 22·2 | 34·4 | 6·9 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 | 49·5 | 34·8 | 44·1 | 0·05 |

*a* According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 11 deaths of persons (including one under 1 year old), admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. *f* Observations at Ordnance Survey Office, Phœnix Park. *g* Observations by Sir John Moore taken at Fitzwilliam Square. *h* Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

(*i*) The Observer states that the reading of the barometer at 9 a.m. on 23rd was 31·024 inches—highest reading for years.

(*j*) The Observer at Markree reports that at Markree, on Thursday, snow

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 26th January, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | 1 | . | . | . | 1 | . | 1 | . | . | . | 3 | . | . | 6 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, | 1 | 5 | 2 | . | . | . | . | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 22 | . |
| Tuberculous Disease. Phthisis, | 2 | 1 | 5 | 1 | 1 | 1 | . | 2 | 2 | 7 | 4 | 1 | 2 | 1 | . | 3 | 33 | . |
| Tuberculous Disease. Other Forms. | . | . | 1 | 1 | . | . | . | 1 | 3 | 2 | . | . | . | . | . | . | 8 | . |
| Cancer, Malignant Disease, | . | . | 2 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | 5 | 2 |
| Other General Diseases | 1 | 2 | 3 | 1 | . | . | 1 | 5 | 1 | 2 | 2 | . | 1 | 1 | . | 2 | 22 | 2 |
| Total, | 5 | 8 | 14 | 5 | 2 | 1 | 1 | 12 | 7 | 13 | 8 | 2 | 5 | 6 | 1 | 8 | 98 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 2 | 1 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 9 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 1 | 4 | 3 | 3 | . | . | 1 | 3 | 1 | 5 | 1 | 1 | 1 | 2 | . | 3 | 30 | 2 |
| Diseases of: Respiratory System, | 2 | 3 | 6 | 3 | 1 | 1 | 1 | 3 | 7 | 7 | 5 | . | 2 | 3 | . | . | 44 | 1 |
| Diseases of: Digestive System, | . | 2 | 2 | 1 | . | . | . | 1 | . | 2 | . | . | 2 | . | . | 1 | 11 | 2 |
| Diseases of: Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of: Urinary System, | . | 1 | 2 | . | . | . | 1 | . | 2 | 2 | . | . | . | . | . | . | 8 | . |
| Diseases of: Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " Integumentary System, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Total, | 4 | 12 | 14 | 7 | 2 | 1 | 3 | 7 | 10 | 17 | 7 | 2 | 5 | 8 | 1 | 5 | 105 | 7 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 4 | . |
| **E. VIOLENT DEATHS,** | . | . | 1 | 1 | . | . | . | 1 | . | 1 | 3 | . | . | . | . | . | 7 | . |
| **Deaths from all Causes,** | 9 | 22 | 29 | 13 | 4 | 2 | | 21 | 17 | 31 | 18 | 4 | 11 | 14 | 2 | 13 | 214 | 11 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 16·2 | 29·3 | 50·2 | 20·9 | 40·8 | 9·5 | 28·9 | 27·4 | 43·1 | 38·3 | 26·7 | 23·5 | 16·1 | 26·2 | 11·9 | 38·5 | 28·6 | . |
| | 28·1 | | | | | | | 32·3 | | | | | 23·2 | | | | | |
| | 30·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 2 | 5 | 6 | 2 | 1 | . | . | . | 3 | 2 | 1 | . | 2 | 2 | . | 2 | 23 | 1 |
| 1 and under 5 years, | 1 | 2 | 1 | 2 | . | . | . | 4 | 2 | 2 | 1 | . | . | 1 | . | . | 16 | 1 |
| 5 " 20 " | 1 | . | 1 | . | 1 | . | 1 | 2 | 2 | . | . | 1 | . | . | 2 | . | 11 | 1 |
| 20 " 40 " | 1 | 2 | 8 | . | . | 1 | 1 | 4 | 3 | 7 | 4 | . | 2 | 4 | . | 3 | 40 | 5 |
| 40 " 60 " | 3 | 5 | 8 | 4 | 2 | 1 | . | 3 | 3 | 12 | 5 | 3 | 4 | 3 | . | 4 | 60 | 3 |
| 60 and upwards, | 1 | 8 | 5 | 5 | . | . | 2 | 8 | 4 | 8 | 7 | . | 5 | 4 | . | 4 | 59 | . |
| Number of Uncertified Deaths, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 3 | 8 | 2 | 1 | . | 1 | 4 | 2 | 7 | 7 | . | 1 | 2 | . | 2 | 42 | 10 |
| Workhouse Hospitals, | 2 | 5 | 8 | 5 | . | . | . | 4 | 4 | 10 | 3 | . | 2 | . | . | 4 | 48 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in th week of the ten years, 1897–190

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 4th Week of the 10 years 1897–1906. | In the Week ending Saturday, 26th January, 1907. Deaths of Persons of the Ages o | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 30, 1897. | Jan. 29, 1898. | Jan. 28, 1899. | Jan. 27, 1900. | Jan. 26, 1901. | Jan. 25, 1902. | Jan. 31, 1903. | Jan. 30, 1904. | Jan. 28, 1905. | Jan. 27, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | | |
| Mean Temperature. | ° 33·7 | ° 47·3 | ° 36·6 | ° 43·8 | ° 41·5 | ° 45·0 | ° 46·7 | ° 41·9 | ° 40·4 | ° 43·1 | ° 42·0 | ° 34·3 | | | | | | | |
| **ALL CAUSES.** | 281 | 194 | 167 | 259 | 196 | 158 | 187 | 196 | 192 | 160 | 199·3 | 225 | 8 | 21 | 17 | 12 | 45 | 63 | 45 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 7 | . | . | 5 | . | 1 | . | 1 | 13 | . | 2·7 | . | . | . | . | . | . | . | . |
| Scarlet Fever, ... ... | 6 | 3 | 1 | . | 1 | . | 3 | . | 2 | . | 1·6 | 1 | . | . | 1 | . | . | . | . |
| Typhus, ... ... ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 5 | 10 | 3 | 27 | 3 | . | 3 | 3 | 2 | 2 | 5·8 | 5 | . | 1 | 1 | . | . | 1 | 2 |
| Whooping-cough, ... ... | 27 | 4 | 5 | 3 | 8 | 1 | . | 11 | 2 | 1 | 6·2 | 6 | . | 2 | 4 | . | . | . | . |
| Diphtheria, ... ... | . | 1 | . | 1 | 2 | 1 | 1 | . | . | 1 | ·7 | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | 2 | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 1 | 6 | 5 | 1 | 5 | 2 | 2 | 1 | . | . | 2·3 | 1 | . | . | . | 1 | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 4 | 1 | . | . | 3 | 4 | . | . | . | 1 | 2·4 | . | . | . | . | . | . | . | . |
| | | | | | | | 7 | 1 | 1 | 2 | | . | . | . | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 2 | . | 1 | . | 1 | 1 | . | . | . | 1 | ·6 | 1 | . | 1 | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| | | | | | | | 2 | . | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 14 | 15 | 10 | 20 | 12 | 20 | . | . | 1 | 1 | 13·7 | 1 | . | . | . | . | 1 | . | . |
| Broncho- | | | | | | | 3 | 4 | 4 | 9 | | 5 | 1 | 1 | . | 1 | . | 1 | 1 |
| Epidemic, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Not defined, | | | | | | | 8 | 4 | 6 | 6 | | 16 | . | . | . | . | 2 | 11 | 3 |
| Erysipelas, ... ... | 2 | 2 | 1 | . | . | . | . | 2 | 1 | . | ·8 | 2 | . | 1 | . | . | . | 1 | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 2 | . | 1 | 1 | 1 | 1 | 1 | 1 | . | 2 | 1·0 | 1 | . | . | . | . | 1 | . | . |
| | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Processes, | . | . | . | . | . | . | . | 2 | . | 2 | ·4 | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 21 | 23 | 18 | 36 | 26 | 19 | 1 | 4 | 9 | 8 | 24·0 | 14 | . | . | . | 2 | 7 | 5 | . |
| | | | | | | | 17 | 22 | 23 | 13 | | 19 | . | . | . | . | 13 | 5 | 1 |
| Tuberculous Meningitis, ... | 2 | 9 | 5 | 8 | 2 | 2 | 1 | 4 | 4 | 1 | 3·8 | 4 | . | . | 1 | 3 | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 7 | 3 | 6 | 6 | 4 | 1 | . | . | 3 | . | 3·3 | . | . | . | . | . | . | . | . |
| | | | | | | | 1 | . | 2 | . | | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 9 | 3 | 3 | 6 | 6 | 7 | 7 | 5 | 5 | 5 | 5·6 | 4 | . | 1 | 1 | . | 2 | . | . |
| | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Alcoholism, ... ... | . | 1 | 1 | 1 | . | . | . | . | . | . | ·3 | 3 | . | . | . | . | 1 | 2 | . |
| Rheumatic Fever, ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | 2 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 2 | 8 | 6 | 6 | 5 | 8 | 2 | 2 | 1 | 4 | 5·5 | 4 | . | . | . | . | 1 | 3 | . |
| | | | | | | | . | 2 | . | 1 | | 2 | . | . | 1 | . | . | 1 | . |
| | | | | | | | 3 | 4 | . | 1 | | 1 | . | . | . | . | . | 1 | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| Premature Birth, ... | 8 | 2 | 1 | 2 | 2 | 3 | 3 | 5 | 3 | 4 | 3·3 | 6 | 5 | 1 | . | . | . | . | . |

* The figures for the years 1897–1900 are
† Formerly described

RTH WEEK ending Saturday, 26th January, 1907, with the deaths from each cause in the corresponding the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Jan. 30, 1897. | Jan. 29, 1898. | Jan. 28, 1899. | Jan. 27, 1900. | Jan. 26, 1901. | Jan. 25, 1902. | Jan. 31, 1903. | Jan. 30, 1904. | Jan. 28, 1905. | Jan. 27, 1906. | Averages in 4th Week of the 10 years 1897–1906. | In the Week ending Saturday, 26th January, 1907. Deaths of Persons of the Ages of: ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 33·7 | ° 47·3 | ° 36·6 | ° 43·8 | ° 41·5 | ° 45·0 | ° 46·7 | ° 41·9 | ° 40·4 | ° 43·1 | ° 42·0 | ° 34·3 | | | | | | | | |
| eningitis (not tuberc.) ... | | | | | | | 4 | 3 | 3 | . | | 1 | . | . | 1 | . | . | . | . | . |
| sanity, G. P. of Insane ... | | | | | | | 2 | 3 | 2 | 2 | | . | . | . | . | . | . | . | . | . |
| pilepsy .. ... | | | | | | | . | 1 | 1 | . | | . | . | . | . | . | . | . | . | . |
| *nvulsions* ... .. | | | | | | | 6 | 7 | 7 | 5 | | 5 | . | 5 | . | . | . | . | . | . |
| ocomotor Ataxy ... | | | | | | | . | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| raplegia Dis. of Cord ... | | | | | | | . | 2 | 2 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| ervous System (other Dis.) | 38 | 35 | 39 | 51 | 30 | 32 | 2 | 2 | 1 | 4 | 40·1 | 1 | . | . | . | 1 | . | . | . | . |
| lv. Dis., Endocarditis ... | | | | | | | 4 | 3 | 6 | 5 | | 9 | . | . | . | . | 2 | 5 | 2 | . |
| rebr. Hæm. Thromb. ... | | | | | | | 3 | 2 | 2 | 2 | | 1 | . | . | . | . | . | . | 1 | . |
| oplexy, *Hemiplegia* ... | | | | | | | 5 | 4 | 3 | 8 | | 4 | . | . | . | . | . | 1 | 3 | . |
| eurysm ... ... | | | | | | | 1 | . | . | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| nbolism, Thromb. (not cerebral) | | | | | | | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| art and Blood Vessel Dis. | | | | | | | 15 | 21 | 14 | 16 | | 18 | . | . | . | . | 2 | 3 | 6 | 7 |
| oup (not Spasm. nor Memb.) | 1 | . | 1 | 2 | 1 | 1 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| onchitis ... ... | 67 | 26 | 19 | 30 | 34 | 14 | 29 | 29 | 28 | 17 | 29·3 | 40 | . | 4 | 4 | . | 1 | 9 | 18 | 4 |
| thma, Emphysema ... | | | | | | | 1 | 1 | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| eurisy ... ... | 4 | 2 | . | 3 | 5 | . | . | . | 1 | . | 2·4 | . | . | . | . | . | . | . | . | . |
| spiratory Dis. (other) ... | | | | | | | 3 | 3 | . | 1 | | 4 | . | 1 | . | . | 1 | 1 | 1 | . |
| nsillitis, Quinsy ... | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | | | | | | | 1 | 1 | . | 1 | | 3 | . | 2 | . | . | . | 1 | . | . |
| stro *Enteritis* ... ... | . | . | 1 | . | 1 | 1 | 1 | 4 | 2 | . | 1·3 | 1 | . | . | . | . | . | 1 | . | . |
| ritonitis (not Puerp.) ... | . | 2 | 1 | . | . | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| rrhosis of Liver ... | | | | | | | 2 | . | 2 | . | | 1 | . | . | . | . | . | 1 | . | . |
| ver Dis. (other) ... | . | 3 | 2 | 2 | 3 | 2 | 2 | . | . | 2 | 2·0 | 3 | . | . | . | . | . | 1 | 1 | 1 |
| gestive Dis. (other) ... | 8 | 4 | 4 | 6 | 2 | 3 | 9 | 3 | 5 | 4 | 4·8 | 6 | . | 1 | . | 1 | 3 | . | 1 | . |
| phritis, Acute ... | | | | | | | . | 1 | 1 | 3 | | 4 | . | . | . | 1 | 2 | 1 | . | . |
| ight's Dis., Albuminuria | 1 | 6 | 5 | 6 | 6 | 4 | 4 | 5 | 2 | 3 | 5·2 | 3 | . | . | . | . | 1 | 2 | . | . |
| inary Sys. (Other Dis.) | | | | | | | 1 | 1 | 2 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| nerative Organs Dis. ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ildbirth (Accid. of) ... | 1 | . | 2 | . | . | 1 | 1 | . | . | . | ·5 | 1 | . | . | . | . | 1 | . | . | . |
| d Age ... ... | 13 | 11 | 9 | 19 | 17 | 12 | 6 | 4 | 5 | 2 | 9·8 | 3 | . | . | . | . | . | . | 2 | 1 |
| her Diseases ... ... | 18 | 8 | 7 | 13 | 10 | 12 | 14 | 9 | 15 | 7 | 11·3 | 8 | 2 | . | 2 | 2 | 1 | . | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | 1 | . | . | 1 | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 2 | 1 | 4 | . | 2 | 2 | 2 | 1 | 2 | 3 | 1·9 | 1 | . | . | . | . | 1 | . | . | . |
| Drowning ... ... | 2 | 1 | . | 1 | 1 | 1 | 1 | 1 | . | 2 | 1·0 | 1 | . | . | . | . | . | . | 1 | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous Vapours | . | . | 1 | . | . | . | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| her Deaths by Accident | 7 | 1 | 2 | 1 | 1 | 2 | . | 5 | 2 | 3 | 2·4 | 3 | . | . | . | . | . | 2 | . | 1 |
| IOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| omicide ... ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| icide ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
nple Continued Fever.'

**TABLE V.—Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25. | Sept. 1. | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. |
| No. of weeks in Annual Series. | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 |
| BIRTHS registered, | 235 | 186 | 226 | 230 | 180 | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 |
| *Average Births in corresponding week of previous 10 years,** | 202 | 208 | 217 | 195 | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 |
| DEATHS registered, | 125 | 130 | 151 | 107 | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 |
| Annual Death-rate per 1,000, | 17·2 | 17·9 | 20·8 | 28·0 | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 166 | 169 | 163 | 170 | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 |
| AGES, Under 5 years, | 40 | 50 | 48 | 63 | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 |
| 5—20 ,, | 8 | 6 | 9 | 10 | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 |
| 20—40 ,, | 20 | 19 | 22 | 27 | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 |
| 40—60 ,, | 20 | 28 | 27 | 32 | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 |
| 60—80 ,, | 32 | 24 | 43 | 28 | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 |
| 80 years and upwards, | 5 | 3 | 2 | 7 | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 8 | 10 | 4 | 15 | 13 | 21 | 14 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | 1 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . |
| Scarlet Fever | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 |
| Typhus, | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough, | 2 | 3 | 1 | . | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 |
| Diphtheria, | . | 2 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | . | 2 | . |
| *Pyrexia* † (origin uncertain), | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Enteric Fever, | 1 | 1 | . | . | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 |
| Diarrhœal Diseases, | 11 | 10 | 29 | 27 | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . |
| Pneumonia, | 4 | 5 | 4 | 8 | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 |
| Tuberculous Disease. Phthisis, | 21 | 18 | 21 | 21 | 18 | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 |
| Tuberculous Disease. Other Forms, | 4 | 7 | 9 | 8 | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 |
| Cancer, Malignant Disease, | 8 | 4 | 12 | 11 | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 |
| Diseases of Heart and Blood Vessels, | 19 | 17 | 20 | 12 | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 |
| Diseases of Respiratory System, | 14 | 10 | 11 | 10 | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 |
| Violent Deaths, | 2 | 3 | 2 | 8 | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 |
| Number of Uncertified Deaths, | 3 | 5 | 1 | 2 | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 60·5 | 61·3 | 58·9 | 61·8 | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 48·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 59·4 | 57·1 | 58·1 | 57·0 | 56·1 | 55·9 | 54·9 | 53·0‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 |
| Rainfall in inches, | ·452 | ·320 | ·415 | ·695 | ·000 | ·285 | ·280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·830 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·80 | ·83 | ·79 | ·86 | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th January, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH JANUARY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 31·3 | 225 | 46 | 12 | 45 | 63 | 45 | 14 | . | . | 1 | . | 6 | . | . | 1 | . | 8 | 22 | 33 | 8 | 7 | 5 | 45 | 7 | 90 | 4 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 15·0 | 5 | . | . | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 3 | 1 |
| II. | MIDDLE CLASS, | 87,188 | 24·5 | 41 | 4 | 4 | 9 | 10 | 12 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 7 | 2 | 4 | . | 3 | . | 21 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 21·7 | 46 | 11 | 3 | 6 | 15 | 10 | 1 | . | . | . | . | 2 | . | . | . | . | 2 | 5 | 7 | 2 | 1 | . | 11 | 1 | 17 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 43·3 | 84 | 29 | 3 | 18 | 20 | 11 | 3 | . | . | 1 | . | 3 | . | . | 1 | . | 5 | 8 | 7 | 1 | 1 | 5 | 17 | 5 | 35 | 2 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 49 | 2 | 2 | 10 | 16 | 12 | 7 | . | . | . | . | . | . | . | . | . | . | 5 | 11 | 3 | 1 | . | 14 | 1 | 14 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 26·7 | 4 | . | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 3 | 1 |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | 6·2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 20·3 | 3 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 23·7 | 10 | 1 | 2 | 2 | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 1 | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 12·0 | 7 | 3 | . | 3 | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | . | . | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 40·5 | 21 | . | 2 | 4 | 6 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 2 | . | 2 | . | 12 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 21·0 | 12 | 5 | 1 | . | 3 | 3 | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | . | . | 4 | 1 | 4 | . |
| | 10. Clothing Trades, | 23,260 | 17·9 | 8 | 4 | . | 1 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | . | . | 2 | . | 3 | 1 |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·5 | 16 | 1 | 2 | 4 | 5 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | . | 3 | . | 5 | . |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 2 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 3 | . |
| | 15. Domestic Servants, | 36,603 | 11·4 | 8 | . | . | 4 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | 5 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 2 | . | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | 3 | . | . | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 38·3 | 66 | 25 | 3 | 13 | 16 | 8 | 1 | . | . | 1 | . | 2 | . | . | 1 | . | 4 | 7 | 4 | 1 | 1 | 5 | 13 | 4 | 27 | 2 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 49 | 2 | 2 | 10 | 16 | 12 | 7 | . | . | . | . | . | . | . | . | . | . | 5 | 11 | 3 | 1 | . | 14 | 1 | 14 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living. From all causes. | From Diseases in Cols. 5-18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Dec. 8, | 29·4 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 15, | 22·1 | 1·8 | 12 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | 1 | . | 1 |
| | „ 22, | 22·1 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | „ 29, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | . | . | 2 | 1 |
| | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| | „ 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| | „ 19, | 39·5 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 3 | 3 | 2 |
| | „ 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est. 39,146. | Dec. 8, | 34·6 | 2·7 | 26 | . | . | . | . | . | . | . | . | 2 | 2 | 3 | 1 | . | 5 | . | 1 |
| | „ 15, | 19·3 | 1·3 | 22 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | 5 | . | 3 |
| | „ 22, | 38·6 | . | 29 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | 2 | 4 | 3 | 3 |
| | „ 29, | 12·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| | „ 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| | „ 19, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| | „ 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Dec. 8, | 24·2 | 1·7 | 14 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 2 | . | . |
| | „ 15, | 24·2 | 3·5 | 14 | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . | 1 | . |
| | „ 22, | 29·4 | 3·5 | 17 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 3 | . | 1 | . |
| | „ 29, | 24·2 | 5·2 | 14 | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | Jan. 5, | 32·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| | „ 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| | „ 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| | „ 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Dec. 8, | 32·9 | 1·6 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 3 | . | 3 | . | 1 |
| | „ 15, | 13·2 | 1·6 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | . | . | 1 | . | . |
| | „ 22, | 31·3 | 1·6 | 19 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | 1 | 1 | . | 1 |
| | „ 29, | 41·2 | 3·3 | 25 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 2 | 1 | 3 | . | 3 |
| | Jan. 5, | 12·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| | „ 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| | „ 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| | „ 26, | 10·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Dec. 8, | 17·7 | 4·1 | 13 | . | 2 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | 1 | . |
| | „ 15, | 38·0 | 5·4 | 28 | . | . | . | . | 2 | 1 | . | . | 1 | 2 | 3 | 1 | . | 6 | 1 | 5 |
| | „ 22, | 44·8 | 2·7 | 33 | . | 2 | . | . | . | . | . | . | . | 2 | 4 | 2 | 2 | 7 | . | 1 |
| | „ 29, | 28·5 | 2·7 | 21 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 2 | 3 | . | 1 |
| | Jan. 5, | 44·3 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| | „ 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| | „ 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| | „ 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Dec. 8, | 10·0 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 |
| | „ 15, | 24·7 | 2·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 22, | 34·2 | 2·9 | 12 | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | 2 | . | . |
| | „ 29, | 37·1 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | 1 |
| | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| | „ 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| | „ 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Dec. 8, | 24·9 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | . | 2 |
| | „ 15, | 23·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | . |
| | „ 22, | 29·8 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 1 | . | 3 | . | . |
| | „ 29, | 24·9 | 1·2 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 4 | 3 | 4 | 3 | . | 1 |
| | Jan. 5, | 32·1 | 3·7 | 26 | . | . | . | . | 3 | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| | „ 12, | 4·8 | 2·5 | 33 | . | 1 | . | . | 1 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | „ 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| | „ 26, | 38·3 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Dec. 8, | 28·7 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 3 | 1 | . | . |
| | „ 15, | 22·3 | 1·5 | 15 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | . |
| | „ 22, | 26·2 | . | 19 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 29, | 26·7 | 3·0 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | 1 | 1 | . | . | 1 |
| | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 2 |
| | „ 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |
| | „ 19, | 23·3 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |
| | „ 26, | 16·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Dec. 8, | 17·3 | 3·1 | 11 | . | . | . | . | 2 | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 15, | 9·4 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 22, | 18·8 | 1·6 | 12 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 29, | 12·6 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 2 |
| | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| | „ 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Dec. 8, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 1 | . | . |
| | „ 15, | 18·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | „ 22, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | . | . |
| | „ 29, | 10·0 | 2·0 | 5 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 12, | 24·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | „ 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| | „ 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Dec. 8, | 11·3 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 15, | 29·6 | 3·0 | 10 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | „ 22, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 |
| | „ 29, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | Jan. 5, | 20·7 | 3·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 |
| | „ 12, | 23·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| | „ 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| | „ 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Dec. 8, | 19·8 | 2·7 | 139 | . | 5 | 1 | . | 1 | 3 | . | 6 | 3 | 10 | 13 | 11 | 3 | 23 | 2 | . |
| | „ 15, | 16·8 | 1·0 | 118 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 15 | 9 | 3 | 21 | 1 | 1 |
| | „ 22, | 18·1 | 1·0 | 127 | . | 2 | 1 | . | 1 | 1 | . | 1 | 1 | 6 | 14 | 5 | 8 | 24 | 2 | 1 |
| | „ 29, | 18·4 | 0·7 | 129 | . | . | . | . | 2 | 1 | . | . | 2 | 16 | 9 | 3 | 9 | 30 | . | 1 |
| | Jan. 5, | 23·8 | 1·3 | 169 | . | 1 | 2 | . | 4 | 2 | . | . | . | 13 | 22 | 4 | 6 | 30 | 5 | 3 |
| | „ 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 4 |
| | „ 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| | „ 26, | 22·8 | 1·3 | 162 | . | . | . | . | 3 | 1 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Dec. 8, | 19·9 | 2·1 | 29 | . | . | . | . | . | 2 | 1 | . | . | 5 | 3 | 1 | 1 | 1 | . | 1 |
| | „ 15, | 21·2 | 2·1 | 31 | . | . | . | . | 2 | . | . | . | 1 | 2 | 4 | . | . | 4 | . | 2 |
| | „ 22, | 24·0 | 2·1 | 35 | . | . | . | . | 1 | . | . | . | 2 | 1 | 4 | 1 | 2 | 9 | . | 1 |
| | „ 29, | 19·2 | 0·7 | 28 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 3 | . | 7 | . | 1 |
| | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 11 | 2 | . | 6 | . | 2 |
| | „ 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 7 | 2 | . | 11 | 1 | 3 |
| | „ 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | 4 | 7 | . | . |
| | „ 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Dec. 8, | 19·8 | 1·2 | 16 | . | . | 1 | . | . | . | . | . | . | 3 | 3 | 1 | . | 1 | . | 2 |
| | „ 15, | 14·9 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | 2 |
| | „ 22, | 18·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 4 | 1 | 3 |
| | „ 29, | 18·6 | 1·2 | 15 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | 3 | . | . |
| | Jan. 5, | 12·3 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| | „ 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | „ 19, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Dec. 8, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 6 | . | 5 |
| | „ 15, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 4 | . | 3 |
| | „ 22, | 20·5 | 1·4 | 15 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | 2 |
| | „ 29, | 5·5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 |
| | Jan. 5, | 13·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| | „ 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 6 |
| | „ 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| | „ 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Dec. 8, | 15·6 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 5 | . | . |
| | „ 15, | 33·1 | 5·8 | 17 | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | 2 | 1 | . |
| | „ 22, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . | 2 | 2 | 1 | 1 |
| | „ 29, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 |
| | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . |
| | „ 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | 1 |
| | „ 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | „ 26, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th January, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being as much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | 2 | 1 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | . |
| Do. 2 ,, . | 47,959 | 24 | | | 22 | 3 | 3 | 4 | . | 6 | 6 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . | 3 | . |
| Do. 3 ,, . | 47,214 | 24 | | | 17 | 5 | 3 | 2 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | . | 2 | . | 1 | 1 | . |
| Do. 4 ,, . | 40,911 | 29 | | | 23 | 4 | 1 | 2 | 6 | 6 | 4 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | . | 5 | . | . | 9 | . |
| Do. 5 ,, . | 17,887 | 14 | | | 8 | 3 | 1 | 1 | 2 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 | 2 | . | 2 | . | . | 1 | 1 |
| Do 6 ,, . | 48,122 | 26 | | | 20 | 3 | 3 | 2 | 5 | 4 | 3 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 2 | . | 3 | . | . | 6 | . |
| Do 7 ,, . | 1,524 | . | | | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| Do. 8 ,, . | 5,060 | . | | | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, . | 19,569 | 14 | | | 7 | 4 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 1 | . |
| Do. 10 ,, . | 28,064 | 15 | | | 12 | 1 | 2 | . | 1 | 2 | 6 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | . | 1 | 1 | 1 | . |
| Do. 11 ,, . | 34,802 | 15 | | | 21 | 3 | 2 | 3 | 2 | 3 | 8 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 6 | 1 | 1 | 4 | . |
| Do. 12 ,, . | 33,588 | 22 | | | 18 | 2 | 2 | 3 | 1 | 2 | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 9 | 1 | 1 | 7 | . |
| Do. 13 ,, . | 15,006 | 12 | | | 5 | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 1 | . |
| Do. 14 ,, . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 203 | | | 162 | 31 | 19 | 18 | 25 | 30 | 39 | . | . | . | . | 3 | 1 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 4 | 36 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 6 | 12·2 | . | 3 | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Do. 2 ,, . . | 10,701 | 7 | 24·4 | 4·9 | 5 | 1 | 1 | . | 2 | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . |
| Do. 3 ,, . . | 9,978 | 4 | 15·7 | . | 3 | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . |
| Do. 4 ,, . . | 8,666 | 7 | 54·2 | 6·0 | 9 | 2 | 1 | . | 4 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 3 | . |
| Do. 5 ,, . . | 6,592 | 4 | 47·5 | . | 6 | . | . | . | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 2 | . |
| Do. 6 ,, . . | 10,702 | 6 | 14·6 | . | 3 | . | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 5 | 18·8 | . | 6 | . | 1 | . | 2 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . |
| Total . . . . | 76,122 | 39 | 24·0 | 1·4 | 35 | 4 | 3 | . | 15 | . | 13 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | . | 10 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 4. | Aug. 11. | Aug. 18. | Aug. 25. | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. |
| No. of weeks in Annual Series, | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 |
| BIRTHS registered, | 241 | 220 | 203 | 204 | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 |
| DEATHS registered. | 121 | 127 | 125 | 139 | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 122 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 129 | 169 | 166 | 168 | 162 |
| Annual Death-rate per 1,000 of estimated Population. | 17·2 | 18·1 | 17·8 | 19·8 | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·4 | 23·8 | 23·4 | 23·7 | 22·8 |
| AGES — Under 1 year, | 30 | 29 | 37 | 43 | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 |
| AGES — 1-5 years, | 18 | 9 | 16 | 14 | 22 | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 13 | 15 | 16 | 21 | 19 |
| AGES — 5-20 years, | 9 | 14 | 17 | 12 | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 10 | 16 | 16 | 18 |
| AGES — 20-40 years, | 15 | 25 | 14 | 18 | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 |
| AGES — 40-60 years, | 31 | 22 | 24 | 29 | 26 | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 34 | 27 | 31 | 30 |
| AGES — 60 years and upwards, | 18 | 28 | 17 | 23 | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | 2 | . | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . |
| Scarlet Fever, | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | 2 | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Whooping-cough, | 4 | 2 | 4 | 2 | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 |
| Diphtheria, | . | 1 | 1 | 2 | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 3 | 2 | 1 | . | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . |
| Diarrhœal Diseases, | 7 | 12 | 25 | 24 | 23 | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 |
| Pneumonia, | 10 | 7 | 3 | 5 | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 13 | 12 | 15 | 11 |
| Tuberculous Disease, Phthisis, | 22 | 25 | 18 | 21 | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 |
| Tuberculous Disease, Other Forms, | 11 | 6 | 8 | 6 | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 |
| Cancer, Malignant Disease, | 2 | 4 | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 |
| Diseases of Respiratory System, | 11 | 7 | 12 | 7 | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 |
| Violent Deaths, | 2 | 4 | 2 | 3 | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 |
| Number of Uncertified Deaths, | . | 3 | 1 | 2 | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths fro | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
| LONDON, | 4,758,218 | Jan. 26, | 2,134 | 1,647 | 18·0 | . | 17 | 11 | 16 | 35 | 5 | 16 |
| EDINBURGH, | 345,747 | „ 26, | 128 | 146*a* | 22·0 | . | 2 | 3 | 1 | . | . | 2 |
| GLASGOW, | 847,584 | „ 26, | 460 | 307*a* | 18·9 | . | 1 | 3 | . | 11 | 1 | 10 |
| CALCUTTA, | — | Dec. 8, | . | 668 | 40·9 | 4 | . | . | 1 | . | 158‡ | 168* |
| BOMBAY, | 977,822 | „ 25, | 408 | 641 | 34·1 | 1 | . | . | . | . | 71‡ | 61* |
| MADRAS, | 509,346 | „ 7, | 327 | 388 | 39·6 | 3 | 2 | ? | ? | ? | 84 | 70 |
| PARIS, | 2,750,000 | Jan. 12, | 1,019 | 1 016 | 19·8 | . | 9 | 4 | 4† | 8 | 6 | 22 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 5 | 240 | 206 | 17·5 | . | 3 | 2 | 1† | 2 | 5 | 5 |
| ANTWERP, | 297,311 | „ 5, | 145 | 148 | 26·0 | . | 2 | . | 3† | 2 | 3 | 11 |
| AMSTERDAM, | 564,194 | „ 5, | 272 | 180 | 16·6 | . | 5 | . | 2† | 2 | . | 6 |
| | | „ 12, | 271 | 178 | 16·4 | . | 11 | 1 | 2† | 1 | 1 | 3 |
| COPENHAGEN, | 425,000 | „ 5, | 257 | 129 | 15·8 | . | 1 | . | . | . | . | 7 |
| STOCKHOLM, | 324,488 | Dec. 29, | 162 | 95 | 15·2 | . | . | . | 1† | 1 | . | 2 |
| CHRISTIANIA, | 222,373 | Jan. 12, | 123 | 85 | 19·9 | . | 4 | . | 7† | . | . | 2 |
| ST. PETERSBURG, | 1,424,700 | „ 5. | . | 817 | 29·9 | 2 | 38 | 24 | 25 | 3 | 24 | 78 |
| MOSCOW, | 1,154,000 | Dec. 8, | . | 611 | 27·6 | . | 8 | 12 | 15† | 5 | 10 | 66 |
| BERLIN, | 2,091,966 | „ 29, | 931 | 891 | 22·2 | . | 3 | 7 | 3† | 6 | 1 | 23 |
| HAMBURG, | 824,802 | Jan. 5, | . | 317 | 20·0 | . | . | 1 | 5† | 1 | . | 21 |
| BRESLAU, | 482,576 | „ 12, | . | 251 | 27·1 | . | 1 | . | 3† | 1 | . | 14 |
| MUNICH, | 548,000 | „ 12, | . | 190 | 18·0 | . | 5 | . | 2† | 1 | . | 16 |
| VIENNA (with suburbs). | 1,958,323 | „ 12, | 887 | 676 | 17·9 | . | 17 | 3 | 9† | 3 | 2 | 32 |
| BUDA-PESTH, | 802,235 | „ 12, | . | 303 | 19·7 | . | 13 | 3 | 3† | 2 | . | 7 |
| PRAGUE and Faubourgs. | 466,133 | „ 5, | 200 | 177 | 19·7 | . | 4 | . | 1† | 1 | 1 | 10 |
| TRIESTE, | 198,525 | Dec. 29, | 127 | 131 | 34·4 | . | 1 | . | . | 1 | . | 1 |
| ROME, | 531,818 | Nov. 17, | 220 | 153 | 15·0 | . | . | . | 1† | . | 3 | 12 |
| VENICE, | 171,709 | — | . | . | . | . | . | . | . | . | . | . |
| NEW YORK, | 4,152,860 | Dec. 29, | 2,031 | 1,553 | 19·6 | . | 3 | 6 | 10† | 11 | 13 | 48 |
| PHILADELPHIA, | 1,469,126 | „ 15, | . | 500 | 17·0 | . | 2 | . | 6† | 3 | 24 | 18 |
| BOSTON, | 602,526 | „ 29, | . | 219 | 19·0 | . | . | 1 | 5 | . | . | 4 |

*a*. Including 2 deaths from cerebro-spinal meningitis in Edinburgh, and 20 in Glasgow.
* Including 91 deaths from cholera in Calcutta, and 3 in Bombay.
† Including deaths from croup.
‡ Exclusive of 19 death sfrom plague in Calcutta, and 10 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th January, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| " " 1, West, | . | *a* 2 | . | . | 2 | . | . | . | . | . | . | . | 4 |
| " " 2, | . | 2 | . | . | 2 | . | . | . | 1 | . | . | . | 5 |
| " " 3, | . | . | . | . | . | . | 3 | 1 | . | . | . | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | 2 | . | 5 | . | . | . | 7 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 3 | . | . | . | . | . | 1 | 3 | . | . | . | 7 |
| " " 4, | . | 1 | . | . | 4 | . | . | . | 1 | . | . | . | 6 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | *a* 9 | . | . | 8 | . | 5 | 3 | 10 | . | . | . | 35 |

*a* One of the above cases of Scarlet Fever was reported from the Mater Misericordiæ Hospital, but patient came from Kingstown.

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th January, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 26th January. | | | |
|---|---|---|---|---|---|---|---|
| | Jan. 5. | Jan. 12. | Jan. 19. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 25 | 27 | 28 | 6 | 5 | . | 29 |
| Scarlet Fever, | 68 | 77 | 78 | 13 | 18 | . | 73* |
| Typhus, | 3 | 2 | 5 | 2 | . | . | 7 |
| Diphtheria, | 32 | 29 | 27 | 8 | 2 | 1 | 32 |
| Enteric Fever, | 28 | 31 | 35 | 6 | 4 | 1 | 36 |
| Pneumonia, | 21 | 30 | 26 | 6 | 5 | 2 | 25 |

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 26th January, 1907:—

"This week will be always memorable for the advance southwestwards from the White Sea and Finland of an anticyclone of quite exceptional intensity, and for the extreme depression of temperature which accompanied the passage across Central Europe of its biting easterly winds. Along the northwestern face of the high pressure system warm S.W. winds blew over Iceland and the Norwegian Sea, with the result that at 8 a.m. of Wednesday the thermometer read 59° F. at Seydisfjord in Iceland while it marked −3° at Munich. The energy of the anticyclone increased till the morning of this day, when the barometer read 31·5 inches on the Gulf of Riga and the isobar of 31 inches stretched from Central Russia westwards to the Northeast of Ireland, a reading of 31·01 inches being reported from Donaghadee at 8 a.m.; Leith and North Shields having 31·03 inches and Aberdeen 31·05 inches at the same time. Skagen reported 31·38 inches on this eventful morning, when temperature rose as remarkably in the far North as it fell in the South. On Friday and Saturday a large depression passed eastward across Scandinavia, causing the wind to shift to W. or N.W. in the British Isles. In Dublin the week opened with dull, mild weather and S.W. wind. A temporary chill on Monday morning was followed by clouds and a S.W. wind—a heavy shower fell at 7.45 p.m. Next morning a brisk N.E. wind was in evidence and with it came a spell of cold, dry weather. The wind shifted to W. on Thursday evening, when it froze sharply. On Saturday evening temperature rose. The mean height of the barometer in Dublin was 30·595 inches, the range being between 30·431 inches at 9 p.m. of Monday (wind, W.) and 30·925 inches at 9 a.m. of Wednesday (wind, E.N.E.). The mean temperature (corrected) was 37·6°; the mean dry bulb reading at 9 a.m. and 9 p.m. was 36·7°. The screened thermometers rose to 49·8° on Sunday and fell to 27·5° on Friday. The rainfall was ·067 inch on 2 days, ·051 inch being measured on Monday. The prevalent winds were W. and E.N.E. Light snow or hail fell on each of the last 4 days."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·597 inches. The highest reading (30·934) was on Wednesday at 9 a.m., wind E.N.E., and the lowest (30·426) on Monday at 9 p.m., wind W.S.W.

The mean temperature for the week was 34·3°, being 7·7° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 48·5°, and was lowest on Thursday, the mercury having fallen to 22·4°. The mean of the Dry Bulb for the week was 35·1°, and of the Wet Bulb 34·3°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 5·4 hours. The rainfall during the week measured 0·082 inch.

At Greenwich the mean temperature for the week was 30·5°, the maximum 44·0°, and the minimum 22·4°; at Glasgow the maximum was 45·3°, the minimum 15·8°, and the mean 34·1°; and at Edinburgh the maximum was 43·9°, the minimum 20·7°, and the mean 33·3°. The rainfall at Greenwich measured 0·04 in.; at Glasgow 0·30 in.; and at Edinburgh 0·03 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Jan. 20, | 30·526 | 48·5 | 30·1 | 39·3 | 40·3 | 39·6 | ·93 | ·8 | 0·0 | ·000 | Calm. | S.W. |
| Monday, „ 21, | 30·553 | 43·5 | 31·8 | 37·7 | 38·2 | 37·8 | ·96 | ·9 | 0·0 | ·070 | W. | W.S.W. |
| Tuesday, „ 22, | 30·650 | 43·7 | 33·1 | 38·4 | 37·8 | 34·9 | ·76 | ·4 | 1·7 | ·000 | E.N.E. | E.N.E. |
| Wednesday, „ 23, | 30·874 | 35·3 | 29·8 | 32·6 | 32·8 | 32·0 | ·91 | ·5 | 0·0 | ·000 | E.N.E. | E. |
| Thursday, „ 24, | 30·544 | 34·4 | 22·4 | 28·4 | 28·8 | 28·7 | ·94 | ·4 | 1·8 | ·000 | E.N.E. | Calm. |
| Friday, „ 25, | 30·491 | 33·2 | 23·8 | 28·5 | 30·4 | 30·2 | ·98 | ·6 | 0·0 | ·000 | S.W. | W. |
| Saturday, „ 26, | 30·538 | 42·1 | 27·8 | 35·0 | 37·3 | 36·8 | ·96 | ·7 | 1·9 | ·012 | W. | W.S.W. |
| Mean, . . | 30·597 | 40·1 | 28·4 | 34·3 | 35·1 | 34·3 | ·92 | ·6 | Total 5·4 | Total ·082 | Prevailing Wind, E.N.E. | |

*Sunday*—Day overcast; night cloudy, heavy fog 9 p.m. *Monday*—Day overcast, light showers 7.25 p.m. to 9 p.m.; night cloudy, light rain 5.30 to 7 a.m. *Tuesday*—Cloudy day, fine, cold; night clear. *Wednesday*—Day overcast, cold, very light sprinkle of snow a.m.; night cloudy. *Thursday*—Cloudy day, cold, very light sprinkle of snow 10.30 a.m.; night cloudy. *Friday*—Day overcast, very light sprinkle of snow a.m.; night cloudy. *Saturday*—Cloudy a.m., overcast and showery p.m.; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, January, 26th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Jan. 20, | 45·4 | 41·7 | 45·0 | 48·9 | 40·6 | 44·7 | 0·0 | — |
| Monday, „ 21, | 37·7 | 41·9 | 44·9 | 45·6 | 33·9 | 39·8 | — | ·030 |
| Tuesday, „ 22, | 41·9 | 41·4 | 44·8 | 44·5 | 35·1 | 39·8 | 1·2 | — |
| Wednesday, „ 23, | 34·0 | 40·1 | 44·7 | 36·9 | 31·7 | 34·3 | 0·1 | — |
| Thursday, „ 24, | 34·0 | 38·9 | 44·5 | 35·9 | 28·6 | 32·3 | 1·0 | — |
| Friday, „ 25, | 32·4 | 37·9 | 44·0 | 35·0 | 27·5 | 31·3 | — | — |
| Saturday, „ 26, | 35·0 | 37·3 | 43·9 | 43·2 | 30·5 | 36·9 | 1·9 | ·005 |
| Weekly Mean, . | 37·2 | 39·9 | 44·5 | 1·4 | 32·6 | 37·0 | Total 4·2 | ·065 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

Wt. P. 292. 9. 1906.—16225.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 2ND FEBRUARY, 1907. [No. 5.

*General Register Office, Charlemont House, Dublin, 4th February,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Jan. 12. | Week ending Jan. 19. | Week ending Jan. 26. | Week ending Feb. 2. | Average Rate for 4 weeks. | Towns, &c. | Week ending Jan. 12. | Week ending Jan. 19. | Week ending Jan. 26. | Week ending Feb. 2. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 25·4 | 23·1 | 24·6 | 22·5 | 23·9 | Lisburn, | 40·9 | 18·2 | 31·8 | 18·2 | 27·3 |
| Armagh, | 6·9 | 13·7 | 6·9 | 34·4 | 15·5 | Londonderry, | 11·0 | 13·5 | 24·6 | 17·2 | 16·6 |
| Ballymena, | 28·7 | 9·6 | 23·9 | 14·4 | 19·2 | Lurgan, | 8·9 | 17·7 | 13·3 | 48·7 | 22·2 |
| Belfast, | 23·4 | 23·7 | 22·8 | 20·7 | 22·7 | Newry, | 12·6 | 8·4 | 25·2 | 25·2 | 17·9 |
| Clonmel, | 25·6 | 15·4 | 10·3 | 10·3 | 15·4 | Newtownards, | 5·7 | 17·2 | 17·2 | 22·9 | 15·8 |
| Cork, | 31·5 | 24·7 | 24·0 | 26·0 | 26·5 | Portadown, | 20·7 | 20·7 | 10·3 | 10·3 | 15·5 |
| Drogheda, | 16·3 | 24·5 | 20·4 | 20·4 | 20·4 | Queenstown | 6·6 | 13·2 | 33·0 | 6·6 | 14·9 |
| Dublin Reg. Area, | 29·0 | 27·5 | 28·6 | 24·8 | 27·5 | Sligo, | 19·2 | 14·4 | 19·2 | 14·4 | 16·8 |
| Dundalk, | 23·9 | 16·0 | 27·9 | 35·9 | 25·9 | Tralee, | 37·0 | 15·9 | 26·4 | 5·3 | 21·2 |
| Galway, | 19·4 | 19·4 | 19·4 | 15·5 | 18·4 | Waterford, | 25·3 | 17·5 | 13·6 | 25·3 | 20·4 |
| Kilkenny, | 44·2 | 14·7 | 44·2 | 34·3 | 34·3 | Wexford, | 28·0 | 18·7 | 37·4 | 18·7 | 25·7 |
| Limerick, | 27·3 | 16·4 | 16·4 | 19·1 | 19·8 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in fifteen of the districts to 19·9 in Dundalk, the 9 deaths from all causes registered in that district including 4 from measles and one from diarrhœa. Among the 147 deaths from all causes registered in Belfast are one from diphtheria, 2 from each of enteric fever and diarrhœal diseases, 5 from cerebro-spinal fever and 7 returned as from *cerebro-spinal meningitis.* The 14 deaths from all causes registered in Limerick include one each from scarlet fever and diphtheria; one of the 3 deaths from all causes in Sligo is from typhus; and one death from enteric fever is included in the 5 deaths registered in Armagh.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 258—125 boys and 133 girls; and the deaths to 193—96 males and 97 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 25·8 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 24·8 per 1,000. During the five weeks ending with Saturday last the death-rate averaged 29·3, and was 0·2 above the mean rate for the corresponding portions of the ten years, 1897-1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

The deaths (193) included 2 from each of whooping-cough and diarrhœal diseases and 6 deaths from influenza. In each of the 3 preceding weeks, deaths from whooping-cough were 2, 5, and 6; deaths from diarrhœal diseases were 2, one, and 0; and deaths from influenza were 3, 4, and 5.

Deaths from pneumonia comprise one from lobar pneumonia, 6 from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined).

Of 36 deaths from all forms of tuberculous disease, 9 were due to tuberculous phthisis, 15 were returned as *phthisis*, tuberculous meningitis caused 3 deaths, tuberculous peritonitis caused one death, and there were 8 deaths from other forms of the disease. In the 3 preceding weeks, deaths from from all forms of tuberculous disease were 38, 37, and 41, respectively.

The 10 deaths from malignant disease include 3 deaths from carcinoma, one death from sarcoma, and 6 deaths from cancer (undefined).

The deaths of 3 prematurely born infants were registered.

Diseases of the brain and nervous system caused 9 deaths, including the deaths of 2 infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels accounted for 32 deaths, and bronchitis caused 40 deaths.

Of 4 deaths from accidental causes, one was by drowning. One death resulted from manslaughter.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age and the deaths of 3 persons aged 60 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 7 were under one month old) and 67 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 6 were octogenarians, and 3 (females) were stated to have been aged 114, 95, and 93 years, respectively.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 24 took place in the N. Dublin Union Workhouse and 18 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 24·8 per 1,000; the rate in the City was 25·7 (North City Districts, 29·1; South, 22·0), and in the Suburbs, 22·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·5 per 1,000 inhabitants, the rate for the City being 0·7 (0·7 in the North City Districts, and 0·7 in the South) and for the Suburbs, 0·0.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (25) are equal to an annual rate of 44·9 per 1,000, and include one death from each of influenza, broncho-pneumonia and *pneumonia* (not defined), 7 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory system.

*No. 1 North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Influenza and *pneumonia* (not defined) each caused one death; there were 5 deaths from tuberculous disease, and 5 deaths from diseases of the respiratory system.

*No. 2 North City District* (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 39·8 per 1,000. The deaths included one from *pneumonia* (not defined), 5 from tuberculous disease of the lungs, 6 from diseases of the respiratory system, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·9 per 1,000. Amongst the deaths were one from each of whooping-cough and dysentery, and 3 deaths from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 14·2; and Finglas and Glasnevin, part of, 0·0. The 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from diseases of the heart and blood vessels.

*No. 1 South City District* (South Earl-street).—The deaths (20) represent an annual rate of 26·1 per 1,000, and include one death from lobar pneumonia, one death from tuberculous disease, and 6 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 35·5 per 1,000. *Diarrhœa*, broncho-pneumonia, *pneumonia* (not defined), and tuberculous disease each caused one death, and there were 7 deaths from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·5 per 1,000. The deaths included one from whooping-cough, one from broncho-pneumonia, 5 from tuberculous disease, and one death from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. Broncho-pneumonia and *pneumonia* (not defined), each caused one death; there were 3 deaths from tuberculous disease of the lungs, and 3 deaths from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of the 3 deaths one was due to tuberculous phthisis and one to carcinoma.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 26·4; Pembroke, 15·0; Blackrock, 6·0; and Kingstown, 32·5. There were no deaths from any of the principal epidemic diseases tabulated for these districts. The 18 deaths from all causes for Rathmines and Rathgar include 2 from influenza, 2 from broncho-pneumonia, 3 from tuberculous disease, and 3 from bronchitis. The 8 deaths from all causes for Pembroke include 2 from *phthisis* and one from accidental burns; the only death for Blackrock was one from bronchitis, and the 11 deaths from all causes for Kingstown include 2 from influenza, one from *pneumonia* (not defined), 2 from tuberculous disease of the lungs, and one from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District, Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 2nd February, 1907 and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Jan. 12, | . | — | — | 10 | . | . | 7 | . | 6 | 5 | 18 | . | — | — | — | — | — | 46 |
| | Jan. 19, | . | — | — | 3 | 4 | . | 4 | . | 4 | 8 | 12 | . | — | — | — | — | — | 35 |
| | Jan. 26, | . | — | — | 9 | . | . | 8 | . | 5 | 3 | 10 | . | — | — | — | — | — | 35 |
| | Feb. 2, | . | — | — | 3 | 3 | . | 1 | . | 5 | 1 | 8 | . | — | — | — | — | — | 21 |
| Rathmines and Rathgar Urban District. | Jan. 12, | . | — | — | 2 | . | . | . | . | . | . | 2 | . | — | — | — | — | — | 4 |
| | Jan. 19, | . | — | — | . | . | . | . | . | . | 2 | 2 | . | — | — | — | — | — | 4 |
| | Jan. 26, | . | — | — | . | . | . | 2 | . | . | 1 | . | . | — | — | — | — | — | 3 |
| | Feb. 2, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Jan. 12, | . | 1 | . | . | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 4 |
| | Jan. 19, | . | . | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 4 |
| | Jan. 26, | . | . | . | 2 | . | . | . | . | . | . | . | . | — | 11 | . | — | — | 13 |
| | Feb. 2, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 1 |
| Blackrock Urban District. | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 19, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 26, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| | Feb. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| Kingstown Urban District. | Jan. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 19, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1 |
| | Jan. 26, | . | — | — | 3 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 5 |
| | Feb. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Jan. 12, | . | — | — | 20 | . | . | 4 | 1 | 2 | 3 | 11 | . | — | — | — | — | — | 41 |
| | Jan. 19, | 1 | — | — | 10 | . | . | 6 | 2 | 2 | 5 | 6 | 1 | — | — | — | — | — | 33 |
| | Jan. 26, | . | — | — | 18 | . | . | 9 | . | 5 | 3 | 6 | 1 | — | — | — | — | — | 42 |
| | Feb. 2, | . | — | — | 17 | . | . | 4 | . | 2 | 6 | 13 | . | — | — | — | — | — | 42 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd February, 1907.

From this it appears that:—

Nine cases of measles were admitted into hospital during the week, 11 were discharged, and 27 cases remained under treatment at its close.

Fourteen cases of scarlet fever were admitted to hospital, 13 were discharged, there was one death, and 78* cases remained under treatment at the close of the week.

Two cases of typhus were admitted to hospital, one was discharged, and 8 cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 10 were discharged, and 27 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 5 were discharged, and 33 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 11 were discharged, and 27 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 20·8), was equal to an average annual death-rate of 19·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 23·0 and for Edinburgh 17·5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd February. From this Report it appears that of a total of 48 cases notified 24 were scarlet fever, 18 diphtheria, 4 erysipelas, one puerperal fever, and one enteric fever. Among the 319 cases of infectious diseases in hospital at the close of the week were 113 cases of scarlet fever, 53 of diphtheria, 2 of membranous croup, 35 of whooping-cough, 31 of measles, 19 of erysipelas, and 14 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd February, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 2nd February, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 2nd February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 26th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 19th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (8) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 30·5 | 22·5 | 0·9 | 654 | 483 | 74 | 149 | . | 4 | 1 | 1 | 2 | 2 | . | 3 | 6 | 36 | 60 | 28 | 18 | 97 | 8 | 14 | 157 | 26 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 34·4 | 24·8 | 0·5 | 258 | 186 | 30 | 67 | . | . | . | . | 2 | . | . | . | 2 | 13 | 23 | 12 | 9 | 42 | 4 | 6 | 67 | 8 | f52·1 | 24·4 | 37·7 | 0·16 | f48·5 | 22·4 | 34·3 | 0·08 | f50·4 | 23·9 | 43·0 | 0·00 |
| City of Dublin, | 300,850 | 38·0 | 39·3 | 25·7 | 0·7 | 227 | 148 | 28 | 50 | . | . | . | . | . | . | . | . | 2 | 10 | 17 | 11 | 7 | 37 | 1 | 3 | 60 | 7 | g53·5<br>h51·9 | 29·1<br>25·0 | 39·9<br>38·4 | 0·12<br>0·23 | g49·8<br>h48·1 | 27·5<br>24·0 | 37·6<br>35·7 | 0·07<br>0·08 | g51·1<br>h50·3 | 35·1<br>27·2 | 46·0<br>44·5 | 0·00<br>0·00 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 17·6 | 26·4 | . | 12 | 18 | 1 | 7 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Pembroke | 27,854 | 17·5 | 18·7 | 15·0 | . | 10 | 8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Blackrock | 8,759 | 8·1 | 17·9 | 6·0 | . | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Kingstown, | 17,622 | 12·1 | 17·8 | 32·5 | . | 6 | 11 | 1 | 5 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | 1 | . | 49 | 28·5 | 39·6 | 0·23 | 48 | 28·5 | 38·4 | 0·03 | 51·0 | 42·5 | 46·1 | 0·00 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 27·8 | 20·7 | 0·7 | 197 | 147 | 22 | 34 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 8 | 7 | 37 | 2 | 51·0 | 27·0 | 38·2 | 0·56 | 47·0 | 28·0 | 36·5 | 0·45 | 50·5 | 38·0 | 44·1 | 0·07 |
| Cork, | 76,122 | 33·6 | 24·7 | 26·0 | 0·7 | 36 | 38 | 5 | 12 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | . | 19 | 2 | 52 | 34 | 42·2 | 0·31 | 49 | 25 | 37·7 | 0·18 | 49 | 44 | 46·7 | 0·16 |
| Londonderry, | 42,475 | 19·6 | 35·6 | 17·2 | . | 29 | 14 | 1 | 3 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 49·2 | 19·1 | 2·7 | 36 | 14 | 2 | 3 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | . | 9 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 33·1 | 25·3 | . | 17 | 13 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 42·7 | 15·5 | . | 11 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | . | 51 | 35 | 48·2 | 0·39 | 49 | 22 | 40 | 0·07 | 50 | 40 | 46 | 0·09 |
| Dundalk, | 18,076 | 9·4 | 23·9 | 35·9 | 19·9 | 6 | 9 | 1 | 2 | . | 4 | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | — | 20·4 | . | . | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 4·2 | 25·2 | . | 1 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 2 | 1 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 |
| Lurgan, | 11,782 | 13·8 | 35·4 | 48·7 | . | 8 | 11 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | . | . | 1 | 2 | . | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 |
| Lisburn, | 11,461 | 10·1 | 36·4 | 18·2 | . | 8 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 2 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 |
| Wexford, | 11,168 | 28·2 | 23·3 | 18·7 | . | 5 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 9·6 | 14·4 | . | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, (j) | 10,870 | 8·7 | 19·2 | 14·4 | 4·8 | 4 | 3 | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 51·5 | 32·0 | 39·8 | 0·98 | 51·3 | 15·9 | 34·9 | 0·68 | 48·8 | 41·0 | 44·9 | 0·14 |
| Kilkenny, | 10,609 | 11·5 | 4·9 | 34·3 | . | 1 | 7 | 4 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . | . | . | 2 | 52 | 27 | 38·5 | 0·25 | 48 | 18 | 33·2 | 0·11 | 48 | 42 | 43 | 0·05 |
| Clonmel, | 10,167 | 7·8 | 35·9 | 10·3 | . | 7 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 46·5 | 10·3 | . | 9 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 |
| Tralee, | 9,867 | 16·6 | 10·6 | 5·3 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 57·2 | 22·9 | . | 10 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 49 | 28 | 38·6 | 0·55 | 45 | 29 | 37·1 | 0·47 | 50 | 38 | 43·9 | 0·00 |
| Queenstown, | 7,909 | 14·4 | 33·0 | 6·6 | . | 5 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 52 | 34 | 42·2 | 0·31 | 49 | 25 | 37·7 | 0·18 | 49 | 44 | 46·7 | 0·16 |
| Armagh, | 7,588 | 22·2 | 13·7 | 34·4 | 6·9 | 2 | 5 | 1 | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 1 | 1 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 | 49·2 | 38·4 | 44·0 | 0·01 |

*a* According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 7 deaths of persons, admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. *f* Observations at Ordnance Survey Office, Phœnix Park. *g* Observations by Sir John Moore taken at Fitzwilliam Square. *h* Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

(*i*) See note (*i*) to Table IV. (*j*) Bright sunshine at Markree for week ended 2nd February was 9·5 hours.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 2nd February, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLOSTER & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| Pneumonia | 2 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | 2 | . | 2 | . | . | 1 | 13 | . |
| Tuberculous Phthisis | 3 | 3 | 5 | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | 2 | 23 | 1 |
| Tuberculous Other Forms. | 4 | 2 | . | . | . | . | . | 1 | 1 | 3 | . | . | 1 | . | . | . | 12 | . |
| Cancer, Malignant Disease | 1 | . | 1 | 1 | . | . | . | 1 | . | 2 | . | 1 | 2 | . | . | . | 9 | 1 |
| Other General Diseases | 2 | 1 | . | 3 | . | . | . | 2 | . | . | 1 | 1 | 3 | . | . | 2 | 15 | . |
| Total, | 12 | 7 | 7 | 6 | . | . | . | 5 | 4 | 9 | 6 | 3 | 10 | 2 | . | 5 | 76 | 2 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 2 | . | 1 | 1 | . | . | . | 1 | 1 | . | . | . | 2 | . | . | 1 | 9 | . |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 2 | 7 | 4 | 3 | . | 2 | . | 4 | . | 4 | . | . | 1 | 3 | . | 2 | 32 | . |
| Diseases of: Respiratory System | 4 | 5 | 6 | 3 | 1 | 1 | . | 6 | 7 | 1 | 3 | . | 3 | . | 1 | 1 | 42 | 2 |
| Diseases of: Digestive System | 2 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 4 | . |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 |
| Diseases of: Urinary System | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 4 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 10 | 13 | 13 | 7 | 1 | 3 | . | 13 | 9 | 5 | 4 | . | 6 | 4 | 1 | 4 | 93 | 4 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | 3 | 1 | 2 | . | . | . | . | 2 | 1 | 1 | . | . | . | 1 | . | 2 | 13 | . |
| **E. VIOLENT DEATHS** | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | 1 |
| **Deaths from all Causes** | 25 | 21 | 23 | 13 | 1 | 3 | . | 20 | 14 | 15 | 10 | 3 | 18 | 8 | 1 | 11 | 186 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 44·9 | 28·0 | 39·8 | 20·9 | 10·2 | 14·2 | . | 26·1 | 35·5 | 18·5 | 14·8 | 17·6 | 26·4 | 15·0 | 6·0 | 32·5 | 24·8 | . |
| | 29·1 | | | | | | | 22·0 | | | | | 22·1 | | | | | |
| | 25·7 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | 6 | 2 | 2 | 3 | . | . | . | 5 | 3 | 4 | 3 | . | 1 | . | . | 1 | 30 | . |
| 1 and under 5 years | 1 | 1 | 2 | . | . | . | . | 4 | 2 | 3 | . | . | 1 | . | . | 1 | 15 | 1 |
| 5 ,, 20 ,, | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | 1 | . | 1 | 7 | . |
| 20 ,, 40 ,, | 6 | 5 | 3 | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | 3 | . | 2 | 25 | 3 |
| 40 ,, 60 ,, | 7 | 4 | 7 | 3 | . | . | . | 3 | 3 | 4 | 4 | 1 | 5 | . | . | 1 | 42 | 3 |
| 60 and upwards | 4 | 9 | 9 | 6 | 1 | 3 | . | 6 | 5 | 4 | 2 | 1 | 7 | 4 | 1 | 5 | 67 | . |
| Number of Uncertified Deaths | 3 | . | 1 | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . | . | 8 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 1 | 3 | 7 | 1 | . | . | . | 1 | 1 | 3 | 1 | . | 3 | 3 | . | 1 | 25 | 7 |
| Workhouse Hospitals | 7 | 6 | 5 | 6 | . | . | . | 5 | 4 | 6 | 3 | . | . | . | . | . | 43 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1897-1906,

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 5th Week of the 10 years 1897-1906. | In the Week ending Saturday, 2nd February, 1907. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages of | | | | | | | | |
| | Feb. 6, 1897. | Feb. 5, 1898. | Feb. 4, 1899. | Feb. 3, 1900. | Feb. 2, 1901. | Feb. 1, 1902. | Feb. 7, 1903. | Feb. 6, 1904. | Feb. 4, 1905. | Feb. 3, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature. | 38·7° | 44·6° | 35·8° | 35·6° | 35·9° | 34·9° | 44·6° | 37·0° | 43·9° | 44·3° | 39·5° | 37·7° | | | | | | | | |
| **ALL CAUSES.** | 296 | 220 | 213 | 238 | 186 | 169 | 202 | 233 | 183 | 187 | 212·7 | 193 | 7 | 23 | 16 | 7 | 28 | 45 | 58 | 9 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 18 | . | . | 4 | . | 1 | . | . | 5 | . | 2·8 | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, ... ... | 4 | 2 | 2 | 1 | . | 1 | 3 | . | 1 | 1 | 1·5 | . | . | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 14 | 2 | 18 | 3 | 2 | 1 | 3 | 2 | . | 4·5 | 6 | . | 1 | 1 | . | . | 1 | 2 | 1 |
| Whooping-cough, ... ... | 24 | 3 | 3 | . | 12 | 1 | 3 | 9 | 2 | 2 | 5·9 | 2 | . | 1 | 1 | . | . | . | . | . |
| Diphtheria, ... ... | 1 | . | . | 3 | 1 | 1 | 3 | 1 | 1 | 1 | 1·2 | . | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 2 | 7 | 1 | 2 | 3 | . | . | 1 | . | 1 | 1·7 | . | . | . | . | . | . | . | . | . |
| Asiatic Cholera, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 3 | 2 | 4 | 3 | 2 | . | . / 1 | . / 1 | . | . / 1 | 1·7 | . / 2 | . | . / 1 | . | . | . | . | . | . / 1 |
| Tetanus, ... ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 2 | 1 | . | 1 | . | 1 | 1 | 1 | 1 | 1 | ·9 | 2 | . | 2 | . | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | . | . | 1 | 1 / . / . | . / . / . | . / . / . | . / . / . | ·2 | . / . / . | . | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-Epidemic, Not defined, | 14 | 15 | 5 | 17 | 19 | 15 | 2 / 4 / . / 11 | . / 4 / . / 12 | 2 / 7 / . / 2 | . / 11 / . / 8 | 14·8 | 1 / 6 / . / 6 | . | . / 2 | 1 / . / . / 1 | . | . | 1 / 3 / . / 1 | . / . / . / 3 | . / . / . / 1 |
| Erysipelas, ... ... | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 1 | . | . | . | 1 | . | . / . | . / . | 1 / . | . / . | ·3 | . / . | . | . | . | . | . | . | . | . |
| Other Infective Processes, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 31 | 32 | 18 | 29 | 20 | 33 | 2 / 19 | 7 / 16 | 7 / 21 | 12 / 17 | 26·4 | 9 / 15 | . | . / 1 | . | . / 1 | 4 / 10 | 5 / 2 | . / 1 | . |
| Tuberculous Meningitis, ... | 5 | 7 | 8 | 7 | 2 | . | 4 | 4 | 4 | 2 | 4·3 | 3 | . | 1 | 1 | 1 | . | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 6 | 9 | 4 | 5 | 2 | . | 1 / 1 | 1 / 2 | 2 / . | . / . | 3·3 | 1 / . | . | 1 / . | . | . / . | . / . | . / . | . / . | . |
| Tuberculous Dis. (other), *Scrofula*, ... | 5 | 3 | 4 | 4 | 5 | 6 | 5 / . | 4 / . | 5 / . | 6 / 1 | 4·8 | 8 / . | . | 3 / . | 1 | 1 / . | 2 / . | 1 / . | . / . | . |
| Alcoholism, ... ... | 1 | 1 | 1 | 1 | . | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| Rheumatic Fever, ... | . | 1 | . | 1 | 2 | . | 1 | 1 | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| Gout, ... | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 5 | 7 | 12 | 5 | 4 | 7 | 1 / 2 / 1 | 4 / . / 7 | 4 / 1 / 3 | 4 / . / 4 | 7·1 | 3 / 1 / 6 | . | . / . | . | . / . | . / 1 | 1 / . / 5 | 2 / . / 1 | . / . / . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | . | 1 | . | . |
| Premature Birth, ... | 6 | 4 | 3 | 3 | 2 | 2 | 8 | 9 | 7 | 6 | 5·0 | 3 | 3 | . | . | . | . | . | . | . |

* The figures for the years 1897-1900 are fo
† Formerly described a

IFTH WEEK ending Saturday, 2nd February, 1907, with the deaths from each cause in the corresponding d the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Feb. 6, 1897. | Feb. 5, 1898. | Feb. 4, 1899. | Feb. 3, 1900. | Feb. 2, 1901. | Feb. 1, 1902. | Feb. 7, 1903. | Feb. 6, 1904. | Feb. 4, 1905. | Feb. 3, 1906. | Averages in 5th Week of the 10 years 1897-1906. | In the Week ending Saturday, 2nd February, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5: Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 38·7 | ° 44·6 | ° 35·8 | ° 35·6 | ° 35·9 | ° 34·9 | ° 44·6 | ° 37·0 | ° 43·9 | ° 44·3 | ° 39·5 | Mean Temp. ° 37·7 | | | | | | | | |
| Meningitis (not tuberc.) ... | | | | | | | 4 | 1 | 3 | 2 | | 1 | . | . | . | 1 | . | . | . | . |
| Insanity, G. P. of Insane ... | | | | | | | 1 | 5 | 1 | . | | . | . | . | . | . | . | . | . | . |
| Epilepsy ... | | | | | | | . | 1 | . | 1 | | 2 | . | . | . | 2 | . | . | . | . |
| *Convulsions* ... | | | | | | | 8 | 15 | 8 | 7 | | 3 | . | 2 | . | 1 | . | . | . | . |
| Locomotor Ataxy ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Paraplegia Dis. of Cord ... | | | | | | | 3 | 2 | . | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| Nervous System (other Dis.) | 47 | 39 | 53 | 42 | 35 | 30 | . | . | 1 | 3 | 42·7 | 2 | . | . | . | 1 | . | . | . | 1 |
| Valv. Dis., Endocarditis ... | | | | | | | 5 | 6 | 6 | 5 | | 6 | . | . | . | . | 2 | 1 | 3 | . |
| Cerebr. Hæm. Thromb. ... | | | | | | | . | 1 | 2 | 2 | | 2 | . | . | . | . | . | 2 | . | . |
| *Apoplexy, Hemiplegia* ... | | | | | | | 7 | 5 | 3 | 9 | | 5 | . | . | . | . | 1 | 1 | 3 | . |
| Aneurysm ... | | | | | | | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | | 19 | 11 | 17 | 15 | | 19 | . | . | . | . | 1 | 2 | 15 | 1 |
| *Croup* (not Spasm. nor Memb.) | . | . | 2 | 1 | 1 | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| Bronchitis ... | 54 | 32 | 42 | 44 | 27 | 29 | 37 | 32 | 25 | 24 | 34·6 | 40 | . | 3 | 6 | 1 | . | 10 | 18 | 2 |
| Asthma, Emphysema ... | | | | | | | . | . | . | 1 | | 3 | . | . | . | . | . | 2 | 1 | . |
| Pleurisy ... | 7 | . | 3 | 5 | 3 | 3 | 2 | . | 2 | 1 | 3·9 | . | . | . | . | . | . | . | . | . |
| Respiratory Dis. (other) ... | | | | | | | 3 | 3 | 5 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| Tonsillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) ... | | | | | | | 1 | . | 4 | . | | 1 | . | . | 1 | . | . | . | . | . |
| *Gastro Enteritis* ... | . | . | 1 | . | 1 | 3 | . | . | 1 | 2 | 1·3 | 2 | . | . | 1 | . | . | 1 | . | . |
| *Peritonitis* (not Puerp.) ... | . | . | . | 2 | . | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver ... | | | | | | | . | 2 | 1 | . | | . | . | . | . | . | . | . | . | . |
| Liver Dis. (other) ... | 4 | 3 | 3 | 3 | 1 | 3 | . | 3 | . | . | 2·3 | . | . | . | . | . | . | . | . | . |
| Digestive Dis. (other) ... | 4 | 2 | 2 | 6 | 2 | 4 | 4 | 5 | 4 | 4 | 3·7 | 1 | 1 | . | . | . | . | . | . | . |
| Nephritis, Acute ... | | | | | | | 2 | . | 1 | . | | 2 | . | . | . | . | . | . | 2 | . |
| Bright's Dis., Albuminuria | 4 | 4 | 5 | 1 | 2 | 8 | 2 | 6 | 3 | 2 | 4·8 | 2 | . | . | . | . | . | 1 | 1 | . |
| Urinary Sys. (Other Dis.) | | | | | | | 1 | 2 | . | 5 | | . | . | . | . | . | . | . | . | . |
| Generative Organs Dis. ... | 1 | 1 | . | . | 1 | . | . | . | . | 2 | ·5 | 1 | . | . | 1 | . | . | . | . | . |
| Childbirth (Accid. of) ... | 1 | 1 | . | 2 | 1 | . | 1 | 2 | . | 1 | ·9 | 1 | . | . | . | . | 1 | . | . | . |
| *Old Age* ... | 20 | 7 | 15 | 15 | 11 | 6 | 4 | 18 | 5 | 8 | 10·9 | 4 | . | . | . | . | . | . | 2 | 2 |
| Other Diseases ... | 20 | 15 | 15 | 8 | 15 | 9 | 17 | 15 | 6 | 8 | 12·8 | 14 | 3 | 5 | 1 | . | 1 | 1 | 3 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| By Railways ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses ... | . | 1 | . | . | 2 | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| In Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| In Building Operations ... | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| In Conflagrations ... | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | . | 1 | . | 3 | 3 | 2 | . | 3 | 2 | 2 | 1·6 | 2 | . | . | . | . | 1 | . | 1 | . |
| By Drowning ... | . | . | . | . | 1 | . | 1 | 2 | . | . | ·4 | 1 | . | . | . | 1 | . | . | . | . |
| By Suffocation in Bed ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | 6 | 4 | 4 | 1 | 2 | . | 1 | 1 | 1 | 1 | 2·1 | 1 | . | . | . | . | 1 | . | . | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| Homicide ... | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | 1 | . | . | . | . | . | 1 | . | . |
| Suicide ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Execution ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
imple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 11. | Aug. 18. | Aug. 25. | Sept. 1. | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. |
| No. of weeks in Annual Series. | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 |
| BIRTHS registered, | 186 | 226 | 230 | 180 | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 |
| *Average Births in corresponding week of previous 10 years,** | 208 | 217 | 196 | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 |
| DEATHS registered, | 180 | 151 | 167 | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 198 |
| Annual Death-rate per 1,000, | 17·9 | 20·8 | 23·0 | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 33·8 | 29·2 | 28·6 | 30·0 | 25·3 |
| *Average Deaths in corresponding week of previous 10 years,** | 169 | 163 | 170 | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 |
| AGES,— Under 5 years, | 50 | 48 | 63 | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 |
| 5—20 ,, | 6 | 9 | 10 | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 |
| 20—40 ,, | 19 | 22 | 27 | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 |
| 40—60 ,, | 28 | 27 | 32 | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 | 38 | 63 | 45 |
| 60—80 ,, | 24 | 43 | 28 | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 |
| 80 years and upwards, | 3 | 2 | 7 | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 8 | 10 | 4 | 15 | 13 | 21 | 14 | 9 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 1 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . |
| Scarlet Fever | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Whooping-cough, | 3 | 1 | . | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 |
| Diphtheria, | 2 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . |
| *Pyrexia* † (origin uncertain), | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . |
| Diarrhœal Diseases, | 10 | 29 | 27 | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 |
| Pneumonia, | 5 | 4 | 8 | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 |
| Tuberculous Disease. Phthisis, | 18 | 21 | 21 | 18 | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 21 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 |
| Tuberculous Disease. Other Forms, | 7 | 9 | 8 | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 |
| Cancer, Malignant Disease, | 4 | 12 | 11 | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 |
| Diseases of Heart and Blood Vessels, | 17 | 20 | 12 | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 |
| Diseases of Respiratory System, | 10 | 11 | 10 | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 |
| Violent Deaths, | 3 | 2 | 8 | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 |
| Number of Uncertified Deaths, | 5 | 1 | 2 | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 |
| Mean Temperature of the Air (Phœnix Park), | 61·3 | 58·9 | 61·8 | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 57·1 | 58·1 | 57·0 | 56·1 | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 |
| Rainfall in inches, | ·320 | ·415 | ·695 | ·000 | ·285 | ·280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·83 | ·79 | ·86 | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd February, 1907: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Registration of Deaths, Week ending Saturday, 2nd February, 1907. Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 26·8 | 193 | 46 | 7 | 28 | 45 | 58 | 9 | .. | . | . | .. | 2 | . | .. | .. | 2 | 4 | 13 | 24 | 12 | 10 | 3 | 44 | 5 | 78 | 3 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 23·9 | 8 | . | . | . | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 4 | . |
| II. | MIDDLE CLASS, | 87,188 | 23·9 | 40 | 7 | 2 | 5 | 9 | 11 | 6 | . | . | . | . | . | . | . | . | . | . | . | 6 | 1 | 2 | 1 | 8 | 2 | 20 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 17·9 | 38 | 9 | 2 | 5 | 9 | 11 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 3 | 4 | 2 | . | 7 | 2 | 16 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 34·8 | 65 | 27 | 2 | 11 | 18 | 11 | 1 | . | . | . | . | 1 | . | . | . | 2 | 3 | 6 | 7 | 3 | 4 | 2 | 16 | . | 24 | 5 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 42 | 3 | 1 | 7 | 11 | 20 | . | . | . | . | . | . | . | . | . | . | . | 3 | 8 | 4 | 1 | . | 12 | . | 14 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 53·5 | 8 | . | . | . | 3 | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 27·0 | 4 | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 28·4 | 12 | 3 | . | 1 | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | 1 | 7 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·4 | 9 | 1 | 1 | 1 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . | 4 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 28·9 | 15 | 3 | . | 3 | 1 | 3 | 5 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 4 | 1 | 6 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 24·5 | 14 | 5 | 1 | 2 | 3 | 2 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 | 1 | 2 | . | 1 | 1 | 5 | . |
| | 10. Clothing Trades, | 23,260 | 9·0 | 4 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 24·1 | 14 | 3 | . | 1 | 5 | 5 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 3 | 1 | 7 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 13·2 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 11·7 | 3 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 |
| | 15. Domestic Servants, | 36,603 | 11·4 | 8 | 2 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 2 | . | 3 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,990 | 18·1 | 5 | 1 | . | . | 3 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 28·4 | 49 | 24 | 2 | 8 | 7 | 7 | 1 | . | . | . | . | . | . | . | . | 2 | 2 | 5 | 4 | 3 | 2 | 2 | 13 | . | 18 | 3 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 42 | 3 | 1 | 7 | 11 | 20 | . | . | . | . | . | . | . | . | . | . | . | 3 | 8 | 4 | 1 | . | 12 | . | 14 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Dec 15, | 22·1 | 1·8 | 12 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | 1 | . | 1 |
| | „ 22, | 22·1 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | „ 29, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | . | . | 2 | 1 |
| | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| | „ 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| | „ 19, | 39·5 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 3 | 3 | 2 |
| | „ 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 89,146. | Dec. 15, | 29·3 | 1·3 | 22 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | 5 | . | 3 |
| | „ 22, | 38·6 | . | 29 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | 2 | 4 | 3 | 3 |
| | „ 29, | 12·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| | „ 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| | „ 19, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| | „ 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 80,107. | Dec. 15, | 24·2 | 3·5 | 14 | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . | 1 | . |
| | „ 22, | 29·4 | 3·5 | 17 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 3 | . | 1 | . |
| | „ 29, | 24·2 | 5·2 | 14 | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | Jan. 5, | 32·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| | „ 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| | „ 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| | „ 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 82,422. | Dec. 15, | 13·2 | 1·6 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | . | . | 1 | . | . |
| | „ 22, | 31·3 | 1·6 | 19 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | 1 | 1 | . | 1 |
| | „ 29, | 41·2 | 3·3 | 25 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 2 | 1 | 3 | . | 3 |
| | Jan. 5, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| | „ 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| | „ 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| | „ 26, | 20·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Dec. 15, | 38·0 | 5·4 | 28 | . | . | . | . | 2 | 1 | . | . | 1 | 2 | 3 | 1 | . | 6 | 1 | 5 |
| | „ 22, | 44·8 | 2·7 | 33 | . | 2 | . | . | . | . | . | . | . | 2 | 4 | 2 | 2 | 7 | . | 1 |
| | „ 29, | 28·5 | 2·7 | 21 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 2 | 3 | . | 1 |
| | Jan. 5, | 44·3 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| | „ 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| | 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| | „ 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| | Feb 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Dec. 15, | 25·7 | 2·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 22, | 34·2 | 2·9 | 12 | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | 2 | . | . |
| | „ 29, | 37·1 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | 1 |
| | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| | „ 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| | „ 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Dec. 15, | 23·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | . |
| | „ 22, | 29·8 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 1 | . | 3 | . | . |
| | „ 29, | 24·9 | 1·2 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 4 | 3 | 4 | 3 | . | 1 |
| | Jan. 5, | 32·1 | 3·7 | 26 | . | . | . | . | 3 | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| | „ 12, | 40·8 | 2·5 | 33 | . | 1 | . | . | 1 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | „ 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| | „ 26, | 38·3 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Dec. 15, | 22·3 | 1·5 | 15 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | . |
| | „ 22, | 28·2 | . | 19 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 29, | 26·7 | 6·0 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | 1 | 1 | . | . | 1 |
| | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 2 |
| | „ 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |
| | „ 19, | 22·3 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |
| | „ 26, | 26·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |
| | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Dec. 15, | 9·4 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | " 22, | 18·8 | 1·6 | 12 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| | " 29, | 12·6 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 2 |
| | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| | " 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | " 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | " 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | Feb. 2, | 26·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Dec. 15, | 18·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | " 22, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | . | . |
| | " 29, | 10·0 | 2·0 | 5 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | " 12, | 24·8 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | " 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| | " 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| | Feb( 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Dec. 15, | 29·6 | 3·0 | 10 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | " 22, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 |
| | " 29, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | Jan. 5, | 20·7 | 3·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 |
| | " 12, | 23·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| | " 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| | " 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| | Feb. 2, | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Dec. 15, | 16·8 | 1·0 | 118 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 15 | 9 | 3 | 21 | 1 | 1 |
| | " 22, | 18·1 | 1·0 | 127 | . | 2 | 1 | . | 1 | 1 | . | 1 | 1 | 6 | 14 | 5 | 8 | 24 | 2 | 1 |
| | " 29, | 18·5 | 0·9 | 130 | . | . | 1 | . | 2 | 1 | . | . | 2 | 16 | 9 | 3 | 9 | 30 | . | 1 |
| | Jan. 5, | 24·4 | 1·4 | 173 | . | 1 | 2 | . | 4 | 3 | . | . | . | 14 | 22 | 4 | 6 | 30 | 5 | 3 |
| | " 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 4 |
| | " 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| | " 26, | 23·0 | 1·4 | 163 | . | . | . | . | 3 | 2 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 1 |
| | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| **Cork.** Pop. (in 1901) 76,122. | Dec. 15, | 21·2 | 2·1 | 31 | . | . | . | . | 2 | . | . | . | 1 | 2 | 4 | . | . | 4 | . | 2 |
| | " 22, | 24·0 | 2·1 | 35 | . | . | . | . | 1 | . | . | . | 2 | 1 | 4 | 1 | 2 | 9 | . | 1 |
| | " 29, | 19·2 | 0·7 | 28 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 3 | . | 7 | . | 1 |
| | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | 2 | . | 6 | . | 2 |
| | " 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 17 | 2 | . | 11 | 1 | 3 |
| | " 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | . |
| | " 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Dec. 15, | 14·9 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | 2 |
| | " 22, | 18·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 4 | 1 | 3 |
| | " 29, | 18·6 | 1·2 | 15 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | 3 | . | . |
| | Jan. 5, | 12·8 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| | " 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | " 19, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | " 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Dec. 15, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 4 | . | 3 |
| | " 22, | 20·5 | 1·4 | 15 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | 2 |
| | " 29, | 5·5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 |
| | Jan. 5, | 18·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| | " 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 6 |
| | " 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| | " 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Dec. 15, | 33·1 | 5·3 | 17 | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | 3 | 1 | . |
| | " 22, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . | 2 | 2 | 1 | 1 |
| | " 29, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . |
| | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| | " 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | 2 |
| | " 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | " 26, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |

* Formerly described as "Simple Continued Fever."

**TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd February, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1901, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.**

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 9 | The estimate of the Population of Belfast now adopted (see Table IX.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 7 | 1 | 1 | . | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 2 | . | . | 2 | . |
| Do. 2 ,, | 47,959 | 23 | | | 21 | 3 | 1 | 2 | 4 | 4 | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 5 | . |
| Do. 3 ,, | 47,214 | 28 | | | 21 | 5 | . | 3 | 3 | 5 | 5 | . | . | . | . | . | . | . | . | . | 4 | 1 | 1 | . | 2 | . | . | 5 | . |
| Do. 4 ,, | 40,911 | 36 | | | 20 | 3 | 2 | . | 2 | 6 | 7 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 6 | 2 | 1 | 7 | . |
| Do. 5 ,, | 17,387 | 4 | | | 14 | 1 | 3 | 1 | 3 | 4 | 2 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 1 | 1 | . | 1 | 4 | 1 |
| Do ,, | 48,122 | 17 | | | 20 | 3 | 5 | 2 | 1 | 6 | 3 | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 1 | 4 | . | 3 | 4 | . |
| Do 7 ,, | 1,524 | 1 | | | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 8 ,, | 5,060 | 3 | | | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . |
| Do. 9 ,, | 19,569 | 12 | | | 5 | 1 | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 10 ,, | 28,064 | 19 | | | 10 | 1 | 2 | 1 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | 5 | 2 | . | 1 | . | . | 2 | 1 |
| Do. 11 ,, | 34,802 | 20 | | | 12 | . | 5 | . | 2 | 4 | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . | 2 | 1 | 1 | 3 | . |
| Do. 12 ,, | 33,588 | 17 | | | 12 | 4 | 1 | . | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 1 | 2 | . | . | 3 | . |
| Do. 13 ,, | 15,006 | 7 | | | 2 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Do. 14 ,, | 240 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 197 | | | 147† | 22 | 22 | 9 | 26 | 34 | 34 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 7 | 37 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 8 | 24·3 | . | 6 | . | 2 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . | 4 | . |
| Do. 2 ,, | 10,701 | 4 | 39·0 | 4·9 | 8 | 1 | 2 | 2 | | | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | . | 1 | 1 |
| Do. 3 ,, | 9,978 | 4 | 26·1 | . | 5 | 2 | . | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | 1 |
| Do. 4 ,, | 8,666 | 2 | 36·1 | . | 6 | . | . | 4 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 4 | . |
| Do. 5 ,, | 6,592 | 1 | 39·6 | . | 5 | 1 | . | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 10 | 9·7 | . | 2 | . | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . |
| Do. 7 ,, | 16,616 | 7 | 18·8 | . | 6 | 1 | . | 3 | | | 2 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | 5 | . |
| Total | 76,122 | 36 | 26·0 | 0·7 | 38 | 5 | 4 | 17 | | | 12 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | . | 19 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 11. | Aug. 18. | Aug. 25. | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. |
| No. of weeks in Annual Series, | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 |
| BIRTHS registered, | 220 | 203 | 204 | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 |
| DEATHS registered. | 127 | 125 | 139 | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 122 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 130 | 173 | 166 | 168 | 163 | 147† |
| Annual Death-rate per 1,000 of estimated Population, | 18·1 | 17·8 | 19·8 | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 |
| AGES — Under 1 year, | 29 | 37 | 43 | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 |
| 1-5 years, | 9 | 16 | 14 | 22 | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 |
| 5-20 years, | 14 | 17 | 12 | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 |
| 20-40 years, | 25 | 14 | 18 | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 |
| 40-60 years, | 22 | 24 | 29 | 26 | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 |
| 60 years and upwards, | 28 | 17 | 23 | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 35 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | . | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . |
| Scarlet Fever, | . | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 4 | 2 | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . |
| Diphtheria, | 1 | 1 | 2 | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 |
| Pyrexia* (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 1 | . | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 |
| Diarrhœal Diseases, | 12 | 25 | 24 | 23 | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 |
| Pneumonia, | 7 | 3 | 5 | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 |
| Tuberculous Disease, Phthisis, | 25 | 13 | 21 | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 |
| Tuberculous Disease, Other Forms, | 6 | 8 | 6 | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 |
| Cancer, Malignant Disease, | 4 | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 |
| Diseases of Respiratory System, | 7 | 12 | 7 | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 |
| Violent Deaths, | 4 | 2 | 3 | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 |
| Number of Uncertified Deaths, | 3 | 1 | 2 | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 |

*Formerly described as "Simple Continued Fever."

† Including 2, one, one, 3 and 12 deaths returned as from cerebro-spinal fever, or *cerebro-spinal meningitis*, in each of the past five weeks.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Feb. 2, | 2,550 | 1,895 | 20·8 | . | 20 | 8 | 21 | 51 | 8 | 17 |
| EDINBURGH, | 345,747 | „ 2, | 124 | 116*a* | 17·5 | . | 1 | . | 1 | . | . | 4 |
| GLASGOW, | 847,584 | „ 2, | 422 | 374*a* | 23·0 | . | 3 | . | 7 | 19 | 4 | 9 |
| CALCUTTA, | 977,822 | Dec. 15, | . | 681 | 41·7 | 6 | . | . | . | . | 150‡ | 192* |
| BOMBAY, | 977,822 | Jan. 1, | 410 | 626 | 33·3 | . | 1 | . | . | . | 64‡ | 78* |
| MADRAS, | 509,346 | Dec. 14, | 302 | 366 | 37·3 | 1 | 1 | ? | ? | ? | 80 | 61 |
| PARIS, | 2,750,000 | Jan. 19, | 1,000 | 1,057 | 20·1 | 1 | 7 | 6 | 4† | 4 | 7 | 12 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 12, | 209 | 210 | 17·9 | . | 4 | 3 | 2† | 2 | 4 | 10 |
| ANTWERP, | 297,311 | „ 12, | 133 | 121 | 21·2 | . | . | . | 2† | 1 | 2 | 6 |
| AMSTERDAM, | 564,194 | „ 19, | 292 | 158 | 14·6 | . | 6 | 1 | 3† | 2 | . | 1 |
| COPENHAGEN, | 425,000 | „ 12, | 244 | 167 | 20·5 | . | 1 | . | . | 2 | . | 8 |
| STOCKHOLM, | 324,488 | „ 12, | 175 | 100 | 16·0 | . | . | . | . | 1 | . | . |
| CHRISTIANIA, | 222,373 | „ 19, | 121 | 74 | 17·3 | . | 1 | . | 7† | . | . | . |
| ST. PETERSBURG, | 1,424,700 | „ 12, | . | 839 | 30·7 | 1 | 26 | 29 | 25 | 7 | 24 | 99 |
| MOSCOW, | 1,154,000 | Dec. 15, | . | 650 | 29·4 | . | 12 | 11 | 22† | 5 | 5 | 72 |
| BERLIN, | 2,091,789 | Jan. 5, | 991 | 739 | 18·4 | . | 4 | 6 | 11† | 8 | 1 | 26 |
| HAMBURG, | 824,792 | „ 12, | . | 296 | 18·7 | . | 1 | 1 | . | 3 | . | 18 |
| BRESLAU, | 482,576 | „ 19, | . | 230 | 24·9 | . | . | . | 4† | 3 | 1 | 11 |
| MUNICH, | 548,000 | „ 19, | . | 193 | 18·3 | . | 2 | . | 4† | 1 | 1 | 20 |
| VIENNA (with suburbs). | 1,958,323 | „ 19, | 917 | 724 | 19·2 | . | 13 | 8 | 11† | 6 | 4 | 23 |
| BUDA-PESTH, | 802,235 | „ 19, | . | 328 | 21·3 | . | 12 | 3 | 6† | 1 | . | 11 |
| PRAGUE and Faubourgs. | 466,133 | „ 12, | 188 | 166 | 18·5 | . | 3 | 1 | 2† | 1 | 2 | 5 |
| TRIESTE, | 198,525 | „ 5, | 146 | 125 | 32·8 | . | 2 | . | . | 1 | . | 1 |
| ROME, | 531,818 | Nov. 24, | 236 | 190 | 18·6 | . | . | . | 1† | 1 | 4 | 11 |
| VENICE, | 171,709 | — | . | . | . | . | . | . | . | . | . | . |
| NEW YORK, | 4,285,435 | Jan. 5, | 2,662 | 1,721 | 20·9 | . | 12 | 14 | 53† | 13 | 9 | 36 |
| PHILADELPHIA, | 1,469,126 | Dec. 22, | . | 526 | 18·6 | . | 1 | . | 17† | 1 | 31 | 19 |
| BOSTON, | 602,526 | Jan. 5, | . | 273 | 23·6 | . | . | 2 | 8 | 1 | 3 | 1 |

*a.* Including 3 deaths from cerebro-spinal meningitis in Edinburgh, and 16 in Glasgow.
* Including 109 deaths from cholera in Calcutta, and 8 in Bombay.
† Including deaths from croup.
‡ Exclusive of 14 deaths from plague in Calcutta, and 13 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd February, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 1, West, | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| " " 2, | . | . | . | . | . | . | 1 | . | 2 | . | . | . | 3 |
| " " 3, | . | . | . | . | . | . | 2 | . | 4 | . | . | . | 6 |
| Clontarf and Howth No. 1 (part of), | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| " " 2, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| " " 3, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 4, | . | 1 | 3 | . | . | . | . | . | 1 | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 3 | 3 | . | 1 | . | 5 | 1 | 8 | . | . | . | 21 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd February, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 2nd February. | | | |
|---|---|---|---|---|---|---|---|
| | Jan. 12. | Jan. 19. | Jan. 26. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 27 | 28 | 29 | 9 | 11 | . | 27 |
| Scarlet Fever, | 77 | 78 | 73 | 14 | 13 | 1 | 73* |
| Typhus, | 2 | 5 | 7 | 2 | 1 | . | 8 |
| Diphtheria, | 29 | 27 | 32 | 5 | 10 | . | 27 |
| Enteric Fever, | 31 | 35 | 36 | 2 | 5 | . | 33 |
| Pneumonia, | 30 | 26 | 25 | 13 | 11 | . | 27 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 2nd February, 1907:—

"During the earlier part of this week a large and deep atmospheric depression traversed the Norwegian Sea, and passed across Norway and Sweden in a south-easterly direction to the extreme south-east of Europe. The system was most energetic on Monday evening when the barometer read as low as 28·36 inches at Skudesnæs in the S.W. of Norway. While the disturbance and its secondaries were passing by our northern shores, stormy weather prevailed and rain, hail and sleet fell in all districts, temperature undergoing sudden and wide changes from cold to warmth, and back again to cold, as the wind veered from W. to N. On Monday the thermometer rose to 50°, or upwards, in many parts of the United Kingdom—the highest reading of all probably being 53·5° in Dublin. During the following night temperature fell to 35·0° in this city, and there was a light snow shower at 7.30 a.m. of Tuesday—snow and hail falling heavily in a blizzard after 1 p.m. on the same day. On Wednesday the isobar of 30·3 inches ran nearly due north and south from Iceland to Portugal, as a vast area of high pressure spread eastwards from the Atlantic. The northerly winds of this system depressed the temperature, which became very low in Great Britain as the central space of high pressure reached the British Isles. Along the west coast of Ireland a warm southerly stream of air raised the thermometer on Friday morning to 49° at Valentia and 48° at Blacksod Point, whereas frost and fog were prevalent in Dublin—the fog becoming very thick at 10 p.m. In this City the mean height of the barometer was 30·150 inches, pressure ranging from 29·600 inches at 4 p.m. of Monday (wind, W.) to 30·496 inches at 9 a.m. of Saturday (wind, calm). The corrected mean temperature was 39·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 37·2°. On Monday the screened thermometers rose to 53·5°, on Friday they fell to 29·1°. The prevalent wind was W.N.W. Rain fell on the first three days to the amount of ·117 inch, ·058 inch being measured on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·154 inches. The highest reading (30·492) was on Saturday at 9 a.m., air calm, and the lowest (29·628) on Monday at 9 p.m., wind W.

The mean temperature for the week was 37·7°, being 1·8° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Monday, on which day the thermometer registered 52·1°, and was lowest on Friday, the mercury having fallen to 24·4°. The mean of the Dry Bulb for the week was 35·7°, and of the Wet Bulb 34·5°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 19·0 hours. The rainfall during the week measured 0·163 inch.

At Greenwich the mean temperature for the week was 36·1°, the maximum 49·8°, and the minimum 22·5°; at Glasgow the maximum was 49·4°, the minimum 17·0°, and the mean 34·4°; and at Edinburgh the maximum was 45·5°, the minimum 21·3°, and the mean 34·1°. The rainfall at Greenwich measured 0·19 in.; at Glasgow 0·89 in.; and at Edinburgh 0·38 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Jan. 27, | 30·267 | 49·1 | 39·2 | 44·2 | 43·9 | 42·3 | ·88 | ·7 | 0·2 | ·013 | W.S.W. | W. |
| Monday, „ 28, | 29·741 | 52·1 | 37·3 | 44·7 | 43·8 | 40·9 | ·79 | ·7 | 0·0 | ·090 | W.S.W. | W. |
| Tuesday, „ 29, | 29·662 | 41·5 | 31·0 | 36·3 | 33·5 | 32·7 | ·95 | ·6 | 2·1 | ·060 | W.S.W. | W.N.W. |
| Wednesday, „ 30, | 30·171 | 42·3 | 31·5 | 36·9 | 34·8 | 33·3 | ·86 | ·6 | 7·2 | ·000 | N.W. | W.N.W. |
| Thursday, „ 31, | 30·363 | 39·7 | 26·1 | 32·9 | 31·3 | 30·4 | ·88 | ·7 | 6·3 | ·000 | W.N.W. | Calm. |
| Friday, Feb. 1, | 30·410 | 41·5 | 24·4 | 33·0 | 28·6 | 28·2 | ·94 | ·0 | 0·5 | ·000 | Calm. | Calm. |
| Saturday, „ 2, | 30·463 | 45·2 | 25·9 | 35·6 | 34·2 | 33·7 | ·95 | ·0 | 2·7 | ·000 | Calm. | Calm. |
| Mean, . . | 30·154 | 44·5 | 30·8 | 37·7 | 35·7 | 34·5 | ·89 | ·5 | Total 19·0 | Total ·163 | — | |

*Sunday*—Day overcast, light rain 7 to 8 p.m.; night cloudy. *Monday*—Day overcast, light and heavy rain p.m.; night clear. *Tuesday*—Cloudy day, light showers of snow at intervals a.m. and p.m.; night clear. *Wednesday*—Fine bright day; night cloudy. *Thursday*—Fine day, cloudy; night clear. *Friday*—Cloudy day; night cloudy, ground fog. *Saturday*—Cloudy day, fine; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February, 2nd, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Jan. 27, | 43·5 | 38·9 | 43·5 | 49·2 | 40·9 | 45·2 | 0·0 | ·004 |
| Monday, „ 28, | 47·9 | 40·7 | 43·1 | 53·0 | 41·5 | 47·3 | 0·0 | ·037 |
| Tuesday, „ 29, | 36·8 | 40·9 | 43·2 | 43·1 | 32·8 | 38·0 | 1·0 | ·059 |
| Wednesday, „ 30, | 37·6 | 39·1 | 43·4 | 43·9 | 33·0 | 38·5 | 5·2 | ·000 |
| Thursday, „ 31, | 36·0 | 38·5 | 43·3 | 41·2 | 33·1 | 37·2 | 5·0 | ·000 |
| Friday, Feb. 1, | 29·9 | 37·9 | 43·0 | 43·7 | 28·3 | 36·0 | 0·2 | ·000 |
| Saturday, „ 2, | 35·4 | 37·1 | 43·0 | 44·9 | 29·2 | 37·1 | 0·2 | ·000 |
| Weekly Mean, . | 38·2 | 39·0 | 43·2 | 45·6 | 34·1 | 39·9 | Total 11·6 | ·100 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

Wt. P. 292. 9. 1906.—16319.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 9TH FEBRUARY, 1907. [No. 6.

*General Register Office, Charlemont House, Dublin, 11th February,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Jan. 19. | Week ending Jan. 26. | Week ending Feb. 2. | Week ending Feb. 9. | Average Rate for 4 weeks. | Towns, &c. | Week ending Jan. 19. | Week ending Jan. 26. | Week ending Feb. 2. | Week ending Feb. 9. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 23·1 | 24·6 | 22·5 | 25·6 | 23·9 | Lisburn, . | 18·2 | 31·8 | 18·2 | 4·5 | 18·2 |
| Armagh, . . | 13·7 | 6·9 | 34·4 | 6·9 | 15·5 | Londonderry, . | 13·5 | 24·6 | 17·2 | 13·5 | 17·2 |
| Ballymena, . | 9·6 | 23·9 | 14·4 | 28·7 | 19·2 | Lurgan, . . | 17·7 | 13·3 | 48·7 | 8·9 | 22·2 |
| Belfast, . . | 23·7 | 22·8 | 20·7 | 27·2 | 23·6 | Newry, . . | 8·4 | 25·2 | 25·2 | 21·0 | 20·0 |
| Clonmel, . | 15·4 | 10·3 | 10·3 | 35·9 | 18·0 | Newtownards, . | 17·2 | 17·2 | 22·9 | 17·2 | 18·6 |
| Cork, . . . | 24·7 | 24·0 | 26·0 | 19·2 | 23·5 | Portadown, . | 20·7 | 10·3 | 10·3 | 10·3 | 12·9 |
| Drogheda, . . | 24·5 | 20·4 | 20·4 | 45·0 | 27·6 | Queenstown . | 13·2 | 33·0 | 6·6 | 19·8 | 18·2 |
| Dublin Reg. Area, | 27·5 | 28·6 | 24·8 | 28·6 | 27·4 | Sligo, . . . | 14·4 | 19·2 | 14·4 | 9·6 | 14·4 |
| Dundalk, . . | 16·0 | 27·9 | 35·9 | 27·9 | 26·9 | Tralee, . | 15·9 | 26·4 | 5·3 | 26·4 | 18·5 |
| Galway, . . | 19·4 | 19·4 | 15·5 | 23·3 | 19·4 | Waterford, . | 17·5 | 13·6 | 25·3 | 31·2 | 21·9 |
| Kilkenny, . . | 14·7 | 44·2 | 34·3 | 24·6 | 29·4 | Wexford, . . | 18·7 | 37·4 | 18·7 | 37·4 | 28·0 |
| Limerick, . . | 16·4 | 16·4 | 19·1 | 16·4 | 17·1 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·5 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·8 in Cork, the 28 deaths from all causes registered in that district including 9 from whooping-cough and one from diarrhœa. The 193 deaths from all causes registered in Belfast include one from typhus, 2 from whooping-cough, one from diphtheria, one from diarrhœa, 8 from cerebro spinal fever, and 6 returned as from *cerebro-spinal meningitis.*

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—119 boys and 89 girls; and the deaths to 225—100 males and 125 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 30·0 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 28·6 per 1,000. During the six weeks ending with Saturday last the death-rate averaged 29·4, and was 0·3 above the mean rate for the corresponding portions of the ten years, 1897–1906.

Included in the total (225) deaths registered there were 4 from measles, one from scarlet fever, 6 from whooping-cough, 2 from enteric fever, 2 from diarrhœal diseases, and 4 deaths from influenza. In each of the 3 preceding weeks, deaths from measles

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

were one, 0, and 0; deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 5, 6, and 2; deaths from enteric fever were one, one, and 0; deaths from diarrhœal diseases were one, 0, and 2; and deaths from influenza were 4, 5, and 6.

Lobar pneumonia caused 2 deaths, broncho-pneumonia 6, and *pneumonia* (not defined) 8 deaths.

Of 40 deaths from all forms of tuberculous disease, 11 were from tuberculous phthisis, 14 were returned as from *phthisis* (not otherwise defined), tuberculous meningitis caused 4 deaths, one death was due to tuberculous peritonitis, and 10 deaths were caused by other forms of the disease. The total deaths from all forms of tuberculous disease in each of the 3 preceding weeks were 37, 41, and 36.

There were 3 deaths from carcinoma, one from sarcoma, and 5 from cancer (undefined).

The deaths of 4 infants, prematurely born, were registered.

The total deaths (17) from diseases of the brain and nervous system include the deaths of 9 persons from *convulsions;* of this figure, 8 were deaths of infants under one year of age.

Thirty-three deaths were caused by diseases of the heart and blood vessels, and deaths from bronchitis registered during the week numbered 38.

Three deaths were ascribed to accident, including one death, of a child under 5 years of age, caused by burns. There was one death by homicide, and one death by suicide was also registered.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty-five of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 10 were under one month old) and 68 were aged 60 years and upwards, including 34 persons aged 70 and upwards, of whom 10 were octogenarians, and 6 (one male and 5 females) were stated to have been aged 91, 91, 91, 92, 92, and 94, years, respectively.

Eighty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the N. Dublin Union Workhouse and 17 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 28·6 per 1,000; the rate in the City was 29·5 (North City Districts, 26·7; South, 32·3), and in the Suburbs, 25·5 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 1·9 (1·0 in the North City Districts, and 2·8 in the South) and for the Suburbs, 1·7.

*No.* 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·8 per 1,000. The deaths (11) include one from influenza, 2 from tuberculous disease, and 2 deaths from bronchitis.

*No.* 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Among the deaths were 2 from broncho-pneumonia, 6 from tuberculous disease, and 3 deaths from bronchitis.

*No.* 2 *North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. The total (17) includes one death from whooping-cough, 6 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system.

*No.* 3 *North City District* (Benburb-street).—The deaths (25) represent an annual rate of 40·2 per 1,000. There was one death from whooping-cough; influenza caused 2 deaths, *diarrhœa* caused one death, lobar pneumonia, broncho-pneumonia, and *pneumonia* (not defined) each caused one death. There were 3 deaths from tuberculous phthisis and 4 deaths from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 4·7 per 1,000 inhabitants; Finglas and Glasnevin, part of, 28·9; and Clontarf and Howth, No. 1, part of, 0·0. The 4 deaths from all causes for Finglas and Glasnevin, part of, include one from tuberculous disease.

*No.* 1 *South City District* (South Earl-street).—The deaths (32) represent an annual rate of 41·7 per 1,000. Measles caused 4 deaths, whooping-cough one death, *pneumonia* (not defined) 2 deaths, tuberculous disease 3 deaths, and diseases of the respiratory system 7 deaths.

*No.* 2 *South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 35·5 per 1,000. Among the deaths there was one from whooping-cough and there were 5 deaths from bronchitis.

*No.* 3 *South City District* (Peter-street).—The deaths (28) are equal to an annual rate of 34·6 per 1,000, and include one death from each of scarlet fever and enteric fever, also one death from each of lobar pneumonia and *pneumonia* (not defined), 5 deaths from tuberculous disease, 8 deaths from diseases of the respiratory system, and 2 accidental deaths.

*No.* 4 *South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. Of the 12 deaths registered one was from broncho-pneumonia, 2 were from tuberculous disease of the lungs, 2 from bronchitis, one was by accidental burns, and one death was homicidal in character.

*New Kilmainham District.*—The deaths (5) are equal to an annual rate of 29·3 per 1,000. There was one death from each of *pneumonia* (not defined) and bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 31·8; Blackrock, 29·8; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include one each from whooping-cough, enteric fever, and dysentery for Rathmines and Rathgar. The 15 deaths from all causes for Rathmines and Rathgar include one each from broncho-pneumonia and *pneumonia* (not defined), 4 from tuberculous disease, and one from bronchitis. The 17 deaths from all causes for Pembroke include one from influenza, one from *pneumonia* (not defined), 4 from tuberculous disease, and 3 deaths from diseases of the respiratory system. The 5 deaths from all causes for Blackrock include one each from broncho-pneumonia and bronchitis, and one suicidal death; and the 7 deaths for Kingstown include one from *phthisis* and 2 from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 9th February, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Jan. 19, | . | — | — | 3 | 4 | . | 4 | . | 4 | 8 | 12 | . | — | — | — | — | — | 35 |
| | Jan. 26, | . | — | — | 9 | . | . | 8 | . | 5 | 3 | 10 | . | — | — | — | — | — | 35 |
| | Feb. 2, | . | — | — | 3 | 3 | . | 1 | . | 5 | 1 | 8 | . | — | — | — | — | — | 21 |
| | Feb. 9, | . | — | — | 4 | 1 | . | 6 | . | . | 5 | 18 | . | — | — | . | — | — | 34 |
| Rathmines and Rathgar Urban District. | Jan. 19, | . | — | — | .. | . | . | . | . | . | 2 | 2 | . | — | — | — | — | — | 4 |
| | Jan. 26, | . | — | — | . | . | . | 2 | . | . | 1 | . | . | — | — | — | — | — | 3 |
| | Feb. 2, | . | — | — | 1 | . | . | .. | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Feb. 9, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| Pembroke Urban District. | Jan. 19, | . | . | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 4 |
| | Jan. 26, | . | . | . | 2 | . | . | . | . | . | . | . | . | — | 11 | . | — | — | 13 |
| | Feb. 2, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 1 |
| | Feb. 9, | . | . | . | 2 | . | . | 2 | . | . | . | . | . | — | 1 | . | — | — | 5 |
| Blackrock Urban District. | Jan. 19, | . | — | — | . | . | . | .. | . | . | . | . | . | — | — | — | — | — | . |
| | Jan. 26, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| | Feb. 2, | . | — | — | . | . | . | .. | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 9, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | — | — | — | 5 |
| Kingstown Urban District. | Jan. 19, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1 |
| | Jan. 26, | . | — | — | 3 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 5 |
| | Feb. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 9, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| City of Belfast. | Jan. 19, | 1 | — | — | 10 | . | . | 6 | 2 | 2 | 5 | 6 | 1 | — | — | — | — | — | 33 |
| | Jan. 26, | . | — | — | 18 | . | . | 9 | . | 5 | 3 | 6 | 1 | — | — | — | — | — | 42 |
| | Feb. 2, | . | — | — | 17 | . | . | 4 | . | 2 | 6 | 13 | . | — | — | — | — | — | 42 |
| | Feb. 9, | . | — | — | 12 | . | . | 9 | 2 | 3 | 10 | 12 | 1 | — | — | 12*a* | — | — | 61 |

(*a*) Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast reports 2, 7, 16, and 24 cases as occurring in each of the 4 preceding weeks.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th February, 1907.

From this it appears that:—

Fourteen cases of measles were admitted into hospital during the week, 8 were discharged, there were 2 deaths, and 31 cases remained under treatment at its close.

Twenty-two cases of scarlet fever were admitted to hospital, 12 were discharged, there was one death, and 82* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, and 9 cases remained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 7 were discharged, there was one death and 29 patients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 7 were discharged, and 30 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 11 were discharged, there were 2 deaths, and 28 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 20·4), was equal to an average annual death-rate of 20·9 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 23·0 per 1,000, the rate for Glasgow being 24·4 and for Edinburgh 19·9.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th February. From this Report it appears that of a total of 47 cases notified 15 were diphtheria, one membranous croup, 12 scarlet fever, 11 erysipelas, 6 cerebro spinal meningitis, and 2 enteric fever. Among the 309 cases of infectious diseases in hospital at the close of the week were 107 cases of scarlet fever, 51 of diphtheria, 4 membranous croup, 59 of measles, 29 of whooping-cough, 18 of erysipelas, and 12 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th February, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-18. | Registration—Week ending Saturday, 9th February, 1907. Numbers Registered. Births. Total Number. | Deaths. Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 9th February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 2nd February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 26th January, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 29·8 | 25·6 | 1·5 | 638 | 548 | 91 | 179 | . | 4 | 1 | 1 | 16 | 1 | . | 2 | 7 | 37 | 56 | 28 | 20 | 108 | 11 | 31 | 156 | 22 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 27·8 | 28·6 | 1·9 | 208 | 214 | 36 | 67 | . | 4 | 1 | . | 5 | . | . | 2 | 2 | 15 | 24 | 13 | 8 | 43 | 5 | 10 | 71 | 9 | f47·1 | 21·1 | 34·0 | 0·36 | f52·1 | 24·4 | 37·7 | 0·16 | f48·5 | 22·4 | 34·3 | 0·08 |
| City of Dublin, | 300,850 | 38·0 | 31·4 | 29·5 | 1·9 | 161 | 170 | 31 | 48 | . | 4 | 1 | . | 4 | . | . | 1 | 1 | 11 | 19 | 9 | 4 | 35 | 4 | 8 | 61 | 9 | g47·7<br>h48·5 | 28·4<br>22·0 | 37·1<br>35·3 | 0·28<br>0·28 | g53·5<br>h51·9 | 29·1<br>25·0 | 39·9<br>38·4 | 0·12<br>0·23 | g49·8<br>h48·1 | 27·5<br>24·0 | 37·6<br>35·7 | 0·07<br>0·08 |
| Urban Dists. Rathmines and Rathgar. | 35,006 | 20·8 | 13·2 | 22·0 | 4·4 | 9 | 15 | 2 | 5 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | 1 | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 22·5 | 31·8 | . | 12 | 17 | 2 | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 29·8 | . | 3 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 8·9 | 20·7 | . | 3 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | . | . | 48 | 31·5 | 38·2 | 0·28 | 49 | 28·5 | 39·6 | 0·28 | 48 | 28·5 | 38·4 | 0·03 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 35·9 | 27·2 | 0·7 | 215 | 198 | 33 | 58 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 8 | 33 | 3 | 16 | 54 | 5 | 45·0 | 23·5 | 35·2 | 0·13 | 51·0 | 27·0 | 38·2 | 0·56 | 47·0 | 28·0 | 36·5 | 0·45 |
| Cork, | 76,122 | 38·6 | 24·0 | 19·2 | 6·8 | 85 | 28 | 10 | 5 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 5 | 1 | 1 | 7 | . | 48 | 32 | 40·5 | 0·54 | 52 | 34 | 42·2 | 0·31 | 49 | 25 | 37·7 | 0·18 |
| Londonderry, | 42,475 | 19·6 | 20·9 | 13·5 | . | 17 | 11 | . | 3 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 23·2 | 16·4 | . | 17 | 12 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 23·4 | 31·2 | 1·9 | 12 | 16 | 4 | 4 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 19·4 | 43·3 | . | 5 | 6 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | 1 | 47 | 25 | 39 | 0·80 | 51 | 35 | 43·2 | 0·39 | 49 | 22 | 40 | 0·07 |
| Dundalk, | 18,076 | 3·4 | 16·0 | 47·9 | . | 4 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 45·0 | . | 5 | 11 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 50·4 | 21·0 | . | 12 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 | . | . | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 |
| Lurgan, | 11,782 | 13·8 | 4·4 | 8·9 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 |
| Lisburn, | 11,461 | 10·1 | 27·8 | 4·5 | . | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 |
| Wexford, | 11,168 | 23·2 | 42·0 | 37·4 | 4·7 | 9 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,686 | 8·9 | 38·3 | 28·7 | . | 8 | 6 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, (j) | 10,870 | 3·7 | 24·0 | 9·6 | . | 5 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 46·4 | 23·3 | 35·8 | 0·88 | 51·5 | 32·0 | 39·8 | 0·98 | 51·3 | 16·9 | 34·9 | 0·68 |
| Kilkenny, | 10,609 | 11·5 | 63·9 | 24·6 | . | 13 | 5 | 1 | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . | . | 1 | . | 48 | 25 | 36 | 0·41 | 52 | 27 | 38·5 | 0·25 | 48 | 18 | 33·2 | 0·11 |
| Clonmel, | 10,167 | 7·8 | 20·5 | 35·9 | . | 4 | 7 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 36·2 | 10·8 | . | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 |
| Tralee, | 9,867 | 16·6 | 10·6 | 26·4 | . | 2 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 51·5 | 17·2 | 5·7 | 9 | 3 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . | . | 1 | . | 45 | 32 | 37·6 | 0·24 | 49 | 38 | 38·6 | 0·55 | 45 | 29 | 37·1 | 0·47 |
| Queenstown, | 7,909 | 14·4 | 13·2 | 19·8 | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | 48 | 32 | 40·5 | 0·54 | 52 | 34 | 42·2 | 0·31 | 49 | 25 | 37·7 | 0·18 |
| Armagh, | 7,588 | 22·2 | 13·7 | 6·9 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 | 45·6 | 19·0 | 34·9 | 0·17 |

*a* According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 11 deaths of persons (including one at 66 years), admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. *f* Observations at Ordnance Survey Office, Phœnix Park. *g* Observations by Sir John Moore taken at Fitzwilliam Square. *h* Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

(i) See note (†) to Table IX. (j) Bright sunshine at Markree for week ending 9th February, was 23·8 hours.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Ratngar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 9th February, 1907, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLONTARF & HOWTH No. 1 (part of). | GOODLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | . | . | . | . | . | 4 | . | . | . | . | . | . | . | . | 4 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | . | 1 | 1 | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | 5 | 1 |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 2 | . |
| Diarrhœal Diseases | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| Pneumonia | . | 2 | 4 | 3 | . | . | . | 2 | . | 2 | 1 | 1 | 2 | 1 | 1 | . | 15 | 1 |
| Tuberculous Disease. Phthisis | 1 | 5 | 4 | 3 | . | . | . | 1 | . | 3 | 2 | . | 2 | 2 | . | 1 | 24 | 1 |
| Tuberculous Disease. Other Forms | 1 | 1 | 2 | . | . | . | 1 | 2 | . | 2 | . | . | 2 | 2 | . | . | 13 | 2 |
| Cancer, Malignant Disease | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . | 2 | 1 | . | 1 | 8 | 1 |
| Other General Diseases | 2 | . | 2 | 2 | . | . | 1 | 2 | 1 | 1 | 1 | . | . | 1 | . | . | 13 | 2 |
| Total, | 4 | 8 | 9 | 10 | . | . | 3 | 14 | 3 | 10 | 4 | 1 | 11 | 7 | 1 | 2 | 87 | 8 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 3 | 1 | 1 | . | . | . | 4 | . | 1 | 2 | 1 | . | 1 | . | . | 15 | 2 |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 1 | . | 3 | 6 | . | 1 | . | 5 | 3 | 5 | . | 1 | 2 | 3 | 1 | 2 | 33 | . |
| Diseases of: Respiratory System | 2 | 3 | 3 | 4 | . | . | . | 7 | 5 | 8 | 2 | 1 | 1 | 3 | 2 | 2 | 43 | . |
| Diseases of: Digestive System | 1 | 2 | . | 1 | . | . | . | 1 | 1 | . | . | . | . | 1 | . | 1 | 8 | . |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System | 1 | 2 | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 | 1 | 2 | . | . | 13 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 6 | 10 | 7 | 14 | . | 1 | . | 18 | 10 | 15 | 5 | 4 | 4 | 10 | 3 | 5 | 112 | 3 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | 1 | 3 | 1 | 1 | . | . | 1 | . | 1 | 1 | 1 | . | . | . | . | . | 10 | . |
| **E. VIOLENT DEATHS** | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . | 5 | . |
| **Deaths from all Causes** | 11 | 21 | 17 | 25 | . | 1 | 4 | 32 | 14 | 28 | 12 | 5 | 15 | 17 | 5 | 7 | 214 | 11 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 19·8 | 28·0 | 29·4 | 40·2 | . | 4·7 | 28·9 | 41·7 | 35·5 | 34·6 | 17·8 | 29·8 | 22·0 | 31·8 | 29·8 | 20·7 | 28·6 | . |
| | 26·7 | | | | | | | 32·3 | | | | | 25·5 | | | | | |
| | 29·5 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | 2 | 1 | 6 | 4 | . | . | . | 10 | 2 | 4 | 1 | 1 | 2 | 2 | . | 1 | 36 | . |
| 1 and under 5 years | 2 | 5 | 2 | 3 | . | . | . | 9 | 2 | 3 | 1 | . | 1 | . | . | . | 28 | 1 |
| 5 ,, 20 ,, | . | . | . | 3 | . | . | 2 | 3 | . | 4 | 1 | . | 3 | 1 | . | 1 | 18 | 3 |
| 20 ,, 40 ,, | 2 | 4 | 4 | 3 | . | . | . | 2 | 1 | 2 | 3 | . | 2 | 3 | 1 | 1 | 23 | 3 |
| 40 ,, 60 ,, | 2 | 5 | 3 | 4 | . | . | . | 6 | 4 | 3 | 2 | 1 | 2 | 2 | 2 | 1 | 37 | 3 |
| 60 and upwards | 3 | 6 | 2 | 8 | . | 1 | 2 | 2 | 5 | 12 | 4 | 3 | 5 | 9 | 2 | 3 | 67 | 1 |
| Number of Uncertified Deaths | . | 3 | . | 1 | . | . | . | 2 | 1 | . | 1 | 1 | . | . | . | . | 9 | . |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 2 | 4 | 3 | 3 | . | . | 1 | 7 | 3 | 6 | 5 | . | 5 | 2 | . | . | 41 | 11 |
| Workhouse Hospitals | 3 | 4 | 4 | 2 | . | . | . | 3 | 3 | 4 | 3 | 1 | 1 | 2 | . | . | 30 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 1897–1

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 6th Week of the 10 years 1897–1906. | In the Week ending Saturday, 9th February, 1907. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 13, 1897. | Feb. 12, 1898. | Feb. 11, 1899. | Feb. 10, 1900. | Feb. 9, 1901. | Feb. 8, 1902. | Feb. 14, 1903. | Feb. 13, 1904. | Feb. 11, 1905. | Feb. 10, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. |
| Mean Temperature. | ° 43·4 | ° 43·8 | ° 46·1 | ° 29·9 | ° 36·9 | ° 35·7 | ° 49·1 | ° 38·3 | ° 44·4 | ° 37·4 | ° 40·5 | ° 34·0 | | | | | | | |
| **ALL CAUSES.** | 276 | 234 | 212 | 199 | 229 | 181 | 193 | 207 | 194 | 151 | 207·6 | 225 | 10 | 26 | 29 | 21 | 31 | 40 | 52 |
| Small-pox, ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 26 | . | . | 3 | . | . | 2 | . | . | . | 3·1 | 4 | . | 1 | 3 | . | . | . | . |
| Scarlet Fever, ... ... | 2 | 3 | 1 | 2 | . | . | 3 | 1 | 2 | . | 1·4 | 1 | . | . | 1 | . | . | . | . |
| Typhus, ... ... ... | 2 | . | . | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 6 | 9 | 3 | 13 | 5 | 3 | 2 | 7 | 1 | . | 4·9 | 4 | . | . | . | . | 1 | . | 2 |
| Whooping-cough, ... ... | 25 | 2 | 2 | 5 | 9 | 2 | 3 | 6 | . | . | 5·4 | 6 | . | 3 | 3 | . | . | . | . |
| Diphtheria, ... ... | . | 2 | 1 | 5 | . | . | 1 | 1 | . | . | 1·0 | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 1 | 7 | 4 | . | 4 | 2 | 1 | 2 | 2 | . | 2·3 | 2 | . | . | . | 2 | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 1 | 3 | . | 2 | 2 | 1 | 1 | 1 | . | . | 1·8 | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | 3 | 1 | 3 | . | | 2 | . | . | . | 1 | 1 | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 3 | . | . | . | . | . | 2 | 2 | 5 | . | 1·2 | 2 | . | 1 | . | 1 | . | . | . |
| Puerperal Septicæmia, | 1 | 1 | 1 | . | . | . | . | 1 | 1 | . | ·6 | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 23 | 16 | 9 | 17 | 18 | 5 | . | 4 | . | . | 14·1 | 2 | . | . | . | . | . | 1 | 1 |
| Pneumonia, Broncho- | | | | | | | 2 | 5 | 10 | 4 | | 6 | . | . | 2 | . | . | 2 | 2 |
| Pneumonia, Epidemic, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | | 7 | 12 | 7 | 2 | | 8 | . | . | 4 | 1 | . | . | 1 |
| Erysipelas, ... ... | . | 1 | 1 | . | 1 | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | 1 | 1 | . | 1 | 1 | 1 | 2 | . | 1 | 1 | ·9 | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | 1 | . | . | . | . | 1 | . | . |
| Other Infective Processes, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Tuberculous Phthisis, | 20 | 35 | 30 | 23 | 28 | 31 | 1 | 4 | 12 | 7 | 26·4 | 11 | . | . | 1 | 2 | 7 | 1 | . |
| "*Phthisis*," ... | | | | | | | 27 | 15 | 20 | 11 | | 14 | . | . | . | 2 | 8 | 3 | 1 |
| Tuberculous Meningitis, ... | 2 | 6 | 7 | 5 | 2 | . | 6 | 8 | 1 | 7 | 4·4 | 4 | . | 3 | . | 1 | . | . | . |
| Tuberculous Peritonitis, | 7 | 3 | 4 | 4 | 7 | 1 | 1 | 2 | 1 | . | 3·4 | 1 | . | . | 1 | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | | 1 | 1 | 1 | 1 | | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 7 | 4 | 5 | 5 | 4 | 6 | 7 | 7 | 8 | 7 | 6·0 | 10 | . | 3 | 1 | 3 | 2 | 1 | . |
| *Scrofula*, ... ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Alcoholism, ... ... | . | . | 1 | . | . | . | 1 | . | 2 | 1 | ·5 | . | . | . | . | . | . | . | . |
| Rheumatic Fever, .. ... | 1 | 1 | . | . | . | 1 | . | 1 | . | . | ·4 | 1 | . | . | . | 1 | . | . | . |
| Gout, .. ... ... | 1 | . | 1 | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 4 | 7 | 11 | 3 | 4 | 6 | . | 1 | 3 | 4 | 7·6 | 3 | . | . | . | . | 2 | 1 | . |
| Sarcoma, ... ... | | | | | | | . | 1 | 1 | . | | 1 | . | . | . | . | 1 | . | . |
| Cancer (undefined), | | | | | | | 6 | 9 | 6 | 10 | | 5 | . | . | . | . | 1 | 3 | 1 |
| Diabetes Mellitus, .. | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Premature Birth, ... | 4 | 8 | 1 | 1 | 4 | 3 | 1 | 2 | 2 | 2 | 2·8 | 4 | 4 | . | . | . | . | . | . |

* The figures for the years 1897–1900 are
† Formerly describe

TH WEEK ending Saturday, 9th February, 1907, with the deaths from each cause in the corresponding the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Feb. 13, 1897. | Feb. 12, 1898. | Feb. 11, 1899. | Feb. 10, 1900. | Feb. 9, 1901. | Feb. 8, 1902. | Feb. 14, 1903. | Feb. 13, 1904. | Feb. 11, 1905. | Feb. 10, 1906. | Averages in 6th Week of the 10 years 1897–1906. | In the Week ending Saturday, 9th February, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5: Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 43·4 | ° 43·8 | ° 46·1 | ° 29·9 | ° 36·9 | ° 35·7 | ° 43·1 | ° 38·3 | ° 44·4 | ° 37·4 | ° 40·5 | Mean Temp. ° 34·0 | | | | | | | | |
| eningitis (not tuberc.) ... | | | | | | | 6 | 2 | 3 | 4 | | 3 | . | 1 | 1 | 1 | . | . | . | . |
| sanity, G. P. of Insane ... | | | | | | | 1 | 1 | 1 | 1 | | 2 | . | . | . | . | 2 | . | . | . |
| pilepsy ... ... | | | | | | | 3 | . | 2 | . | | . | . | . | . | . | . | . | . | . |
| onvulsions ... .. | | | | | | | 5 | 10 | 8 | 5 | | 9 | 4 | 4 | 1 | . | . | . | . | . |
| ocomotor Ataxy ... | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| araplegia Dis. of Cord ... | | | | | | | 1 | 1 | 3 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| ervous System (other Dis.) | | | | | | | . | 3 | . | . | | 2 | . | . | . | 1 | . | 1 | . | . |
| | 34 | 37 | 36 | 33 | 43 | 36 | | | | | 38·4 | | | | | | | | | |
| alv. Dis., Endocarditis ... | | | | | | | 2 | 4 | 10 | 6 | | 6 | . | . | . | 2 | . | 1 | 2 | 1 |
| erebr. Hæm. Thromb. ... | | | | | | | 3 | 4 | 2 | 2 | | 4 | . | . | . | . | . | 1 | 1 | 2 |
| poplexy, *Hemiplegia* ... | | | | | | | 2 | 4 | 7 | 1 | | 4 | . | . | . | . | 1 | . | 2 | 1 |
| neurysm ... ... | | | | | | | . | . | . | . | | 1 | . | . | . | . | 1 | . | . | . |
| mbolism, Thromb. (not cerebral) | | | | | | | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| eart and Blood Vessel Dis. | | | | | | | 11 | 16 | 13 | 14 | | 18 | . | . | . | 1 | . | 4 | 10 | 3 |
| roup (not Spasm. nor Memb.) | 1 | 2 | . | . | 2 | . | . | 1 | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| ronchitis ... ... | 53 | 48 | 43 | 45 | 39 | 29 | 26 | 34 | 22 | 25 | 36·4 | 38 | 2 | 7 | 4 | 1 | . | 9 | 14 | 1 |
| sthma, Emphysema ... | | | | | | | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| leurisy ... ... | 3 | . | 2 | 3 | 3 | 2 | 1 | . | . | . | 2·4 | 1 | . | . | . | . | 1 | . | . | . |
| espiratory Dis. (other) ... | | | | | | | 4 | . | 3 | 1 | | 4 | . | . | . | . | . | 1 | 3 | . |
| onsillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| nteritis (not Epid.) ... | | | | | | | 2 | . | 1 | 1 | ·7 | 1 | . | . | . | . | . | 1 | . | . |
| astro Enteritis ... ... | . | . | 1 | . | . | . | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| eritonitis (not Puerp.) ... | 1 | 3 | . | . | 1 | . | . | 1 | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| irrhosis of Liver ... | 3 | 2 | 4 | 1 | 1 | 1 | . | 2 | . | 1 | 1·9 | 1 | . | . | . | . | . | 1 | . | . |
| iver Dis. (other) ... | | | | | | | 3 | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| igestive Dis. (other) ... | 3 | 3 | 6 | 1 | 5 | 7 | 9 | 4 | 3 | 4 | 4·5 | 6 | . | 1 | 2 | . | . | 1 | 2 | . |
| ephritis, Acute ... | | | | | | | 3 | . | 4 | 1 | | 4 | . | . | 2 | . | 1 | 1 | . | . |
| right's Dis., Albuminuria | 2 | 3 | 4 | 2 | 5 | 5 | 4 | 2 | 2 | 2 | 4·2 | 6 | . | . | . | . | 1 | 1 | 4 | . |
| rinary Sys. (Other Dis.) | | | | | | | 1 | . | 1 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| enerative Organs Dis. ... | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | 2 | . | . | . | . | 2 | . | . | . |
| hildbirth (Accid. of) ... | . | 1 | . | . | . | 3 | 2 | 2 | 1 | 1 | 1·0 | . | . | . | . | . | . | . | . | . |
| ld Age ... ... | 14 | 9 | 18 | 11 | 20 | 9 | 6 | 6 | 4 | 5 | 10·2 | 7 | . | . | . | . | . | . | 2 | 5 |
| ther Diseases ... ... | 18 | 12 | 12 | 10 | 13 | 21 | 11 | 6 | 9 | 10 | 12·2 | 5 | . | 2 | 2 | . | . | . | 1 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| y Railways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| y Vehicles and Horses ... | . | . | 1 | . | 1 | 1 | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| n Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| n Building Operations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| n Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| y Burns, Scalds, Explosions | 3 | 3 | 2 | 1 | 2 | 2 | . | 2 | 1 | 1 | 1·7 | 2 | . | . | 1 | 1 | . | . | . | . |
| y Drowning ... ... | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| y Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| y Poison or Poisonous Vapours | . | 1 | 1 | . | 1 | . | . | . | ·1 | . | ·4 | . | . | . | . | . | . | . | . | . |
| ther Deaths by Accident | 3 | . | . | 1 | 1 | . | 2 | 2 | 2 | 2 | 1·3 | 1 | . | . | . | . | . | 1 | . | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| omicide ... ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| uicide ... ... | . | 1 | . | . | . | 1 | 1 | . | 1 | 2 | ·6 | 1 | . | . | . | . | 1 | . | . | . |
| xecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

e Registration Area as then constituted.
imple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 18. | Aug. 25 | Sept. 1. | Sept. 8 | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. |
| No. of weeks in Annual Series. | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 |
| Births registered, | 226 | 230 | 180 | 168 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 231 | 198 | 182 | 186 | 289 | 189 | 193 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 203 |
| *Average Births in corresponding week of previous 10 years,** | 217 | 195 | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 |
| Deaths registered, | 151 | 167 | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 |
| Annual Death-rate per 1,000, | 20·8 | 23·0 | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 33·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 163 | 170 | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 185 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 |
| Ages,— Under 5 years, | 48 | 63 | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 |
| 5—20 " | 9 | 10 | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 18 | 14 | 15 | 12 | 7 | 21 |
| 20—40 " | 22 | 27 | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 |
| 40—60 " | 27 | 32 | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 53 | 40 | 38 | 63 | 45 | 40 |
| 60—80 " | 43 | 28 | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 63 | 57 | 46 | 45 | 38 | 52 |
| 80 years and upwards, | 2 | 7 | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 |
| Scarlet Fever | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Typhus, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Whooping-cough, | 1 | . | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 |
| Diphtheria, | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . |
| *Pyrexia* † (origin uncertain), | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Enteric Fever, | . | . | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 |
| Diarrhœal Diseases, | 29 | 27 | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 |
| Pneumonia, | 4 | 8 | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 |
| Tuberculous Disease. {Phthisis, | 21 | 21 | 18 | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 |
| Tuberculous Disease. {Other Forms, | 9 | 8 | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 |
| Cancer, Malignant Disease, | 12 | 11 | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 |
| Diseases of Heart and Blood Vessels, | 20 | 12 | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 |
| Diseases of Respiratory System, | 11 | 10 | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 41 | 43 |
| Violent Deaths, | 2 | 8 | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 |
| Number of Uncertified Deaths, | 1 | 2 | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 |
| Mean Temperature of the Air (Phœnix Park), | 58·9 | 61·8 | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 42·0 | 34·3 | 37·7 | 31·0 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 58·1 | 57·0 | 56·1 | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 |
| Rainfall in inches, | ·415 | ·695 | ·000 | ·285 | ·280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·79 | ·86 | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th February, 1907: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Registration of Deaths, Week ending Saturday, 9th February, 1907. Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 31·3 | 225 | 65 | 21 | 31 | 40 | 52 | 16 | . | 4 | 1 | . | 6 | . | . | 2 | 2 | 15 | 16 | 25 | 15 | 9 | 9 | 43 | 5 | 88 | 9 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 29·9 | 10 | 1 | . | . | 2 | 1 | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 1 | 6 | . |
| II. | MIDDLE CLASS, | 87,188 | 22·1 | 37 | 7 | 5 | 5 | 8 | 10 | 2 | . | 1 | . | . | . | . | . | 1 | . | 2 | 4 | 4 | 3 | 4 | 1 | 2 | . | 17 | 2 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 22·7 | 48 | 13 | 6 | 9 | 4 | 14 | 2 | . | 1 | 1 | . | 1 | . | . | . | 2 | 5 | . | 7 | 3 | 1 | . | 8 | 1 | 23 | 3 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 42·8 | 100 | 41 | 9 | 12 | 19 | 16 | 3 | . | 2 | . | . | 5 | . | . | 1 | . | 8 | 11 | 8 | 6 | 4 | 8 | 28 | 2 | 25 | 4 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 30 | 3 | 1 | 5 | 7 | 11 | 3 | . | . | . | . | . | . | . | . | . | . | . | 6 | 2 | . | . | 4 | 1 | 17 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 40·1 | 6 | . | . | . | 2 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 40·8 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 18·7 | 3 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 40·6 | 6 | 1 | . | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 5 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 3 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·4 | 9 | 2 | 2 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | 1 | . | 2 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 23·9 | 15 | 1 | 1 | 3 | 4 | 4 | 2 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 1 | . | 2 | . | 1 | . | 6 | 1 |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 26·4 | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | 1 | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 15·7 | 9 | 3 | 1 | 1 | 1 | 3 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 2 | . | 4 | . |
| | 10. Clothing Trades, | 28,260 | 29·1 | 13 | 2 | 3 | 2 | . | 5 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . | 3 | . | 6 | 3 |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 30·9 | 18 | 5 | 1 | 3 | 2 | 6 | 1 | . | 1 | . | . | 1 | . | . | . | 1 | 3 | . | 1 | . | 1 | . | 2 | . | 11 | . |
| | 13. Petty Shopkeepers, | 7,894 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 23·3 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 4 | . |
| | 15. Domestic Servants, | 36,603 | 7·1 | 5 | 3 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | . | . | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 1 | 1 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 4 | . | . | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 48·2 | 83 | 36 | 7 | 10 | 16 | 12 | 2 | . | 2 | . | . | 5 | . | . | 1 | . | 8 | 10 | 5 | 5 | 3 | 6 | 23 | 2 | 21 | 4 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 30 | 3 | 1 | 5 | 7 | 11 | 3 | . | . | . | . | . | . | . | . | . | . | . | 6 | 2 | . | . | 4 | 1 | 17 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in the* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Dec. 22, | 22·1 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | „ 29, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | . | . | 2 | 1 |
| | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| | „ 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| | „ 19, | 39·5 | .. | 22 | .. | . | . | . | .. | . | . | . | . | 2 | 3 | 2 | 1 | 3 | 3 | 2 |
| | „ 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| | „ 9, | 19·8 | .. | 11 | . | . | . | . | .. | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Dec. 22, | 38·6 | . | 29 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | 2 | 4 | 3 | 3 |
| | „ 29, | 12·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| | „ 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| | „ 19, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| | „ 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 5 | . | . |
| | „ 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Dec. 22, | 29·4 | 3·5 | 17 | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 3 | . | 1 | . |
| | „ 29, | 24·2 | 5·2 | 14 | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | Jan. 5, | 32·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| | „ 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| | „ 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| | „ 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| | „ 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| **North City, No. 3.** (*Offices, Benburb-street.*) Pop. in 1907 (Est.) 32 422. | Dec. 22, | 31·3 | 1·6 | 19 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | 1 | 1 | . | 1 |
| | „ 29, | 41·2 | 3·3 | 25 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 2 | 1 | 3 | . | 3 |
| | Jan. 5, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| | „ 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| | „ 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| | „ 26, | 20·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| | „ 9, | 40·2 | 3·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Dec. 22, | 44·8 | 2·7 | 33 | . | 2 | . | . | . | . | . | . | . | 2 | 4 | 2 | 2 | 7 | . | 1 |
| | „ 29, | 28·5 | 2·7 | 21 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 2 | 3 | . | 1 |
| | Jan. 5, | 44·3 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| | „ 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| | „ 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| | „ 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| | „ 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Dec. 22, | 34·2 | 2·9 | 12 | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | 2 | . | . |
| | „ 29, | 37·1 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | 1 |
| | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| | „ 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| | „ 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| | „ 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Dec. 22, | 29·8 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 1 | . | 3 | . | . |
| | „ 29, | 24·9 | 1·2 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 4 | 3 | 4 | 3 | . | 1 |
| | Jan. 5, | 32·1 | 3·7 | 26 | . | . | . | . | 3 | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| | „ 12, | 40·8 | 2·5 | 33 | . | 1 | . | . | 1 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | „ 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| | „ 26, | 38·3 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| | „ 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | Dec. 22, | 28·2 | . | 19 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 29, | 26·7 | 3·0 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | 1 | 1 | . | . | 1 |
| | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 2 |
| | „ 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |
| | „ 19, | 22·3 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |
| | „ 26, | 26·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |
| | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |
| | „ 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Dec. 22, | 18·8 | 1·6 | 12 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 29, | 12·6 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 2 |
| | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| | „ 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | Feb. 2, | 26·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| | „ 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Dec. 22, | 20·0 | . | 10 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | . | . |
| | „ 29, | 10·0 | 2·0 | 5 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 12, | 24·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | „ 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| | „ 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| | Feb. 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | „ 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,629. | Dec. 22, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 |
| | „ 29, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | Jan. 5, | 20·7 | 3·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 |
| | „ 12, | 23·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| | „ 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| | „ 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| | Feb. 2, | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Dec. 22, | 18·1 | 1·0 | 127 | . | 2 | 1 | . | 1 | 1 | . | 1 | 1 | 6 | 14 | 5 | 8 | 24 | 2 | 1 |
| | „ 29, | 18·5 | 0·9 | 130 | . | . | 1 | . | 2 | 1 | . | . | 2 | 16 | 9 | 3 | 9 | 30 | . | 1 |
| | Jan. 5, | 24·4 | 1·4 | 173 | . | 1 | 2 | . | 4 | 3 | . | . | . | 14 | 22 | 4 | 6 | 30 | 5 | 3 |
| | „ 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 4 |
| | „ 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 3 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| | „ 26, | 25·0 | 1·4 | 163 | . | . | . | . | 3 | 2 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 1 |
| | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| | „ 9, | 27·2 | 0·7 | 193 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 3 | 33 | 3 | 5 |
| **Cork.** Pop. (in 1901) 76,122. | Dec. 22, | 24·0 | 2·1 | 35 | . | . | . | . | 1 | . | . | . | 2 | 1 | 4 | 1 | 2 | 9 | . | 1 |
| | „ 29, | 19·2 | 0·7 | 28 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 3 | . | 7 | . | 1 |
| | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | 2 | . | 6 | . | 2 |
| | „ 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 17 | 2 | . | 11 | 1 | 3 |
| | „ 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | . |
| | „ 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| | „ 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Dec. 22, | 18·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 4 | 1 | 3 |
| | „ 29, | 18·6 | 1·2 | 15 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | 3 | . | . |
| | Jan. 5, | 12·3 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| | „ 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | „ 19, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| | „ 9, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Dec. 22, | 20·5 | 1·4 | 15 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | 2 |
| | „ 29, | 5·5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 |
| | Jan. 5, | 13·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| | „ 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 6 |
| | „ 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| | „ 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| | „ 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Dec. 22, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . | 2 | 2 | 1 | 1 |
| | „ 29, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 |
| | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . |
| | „ 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | 1 |
| | „ 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | „ 26, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |
| | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |
| | „ 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th February, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Malignant Disease: Cancer. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 11 | | | 16 | 5 | 1 | 1 | 2 | 3 | 4 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | . | . | 4 | 2 |
| Do. 2 ,, . | 47,959 | 31 | | | 19 | 2 | 3 | 3 | 4 | 4 | 3 | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 3 | . | 2 | . | 1 | 8 | . |
| Do. 3 ,, . | 47,214 | 43 | | | 30 | 4 | 1 | 1 | 6 | 4 | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 2 | 7 | 2 | 3 | 7 | . |
| Do. 4 ,, . | 40,911 | 35 | | | 24 | 5 | 1 | . | 3 | 7 | 8 | . | . | . | . | 1 | . | . | . | . | 6 | 1 | 1 | 1 | 3 | . | 2 | 9 | 1 |
| Do. 5 ,, . | 17,387 | 18 | | | 12 | 3 | 1 | 2 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 2 | 6 | 1 |
| Do. 6 . | 48,122 | 14 | | | 22 | 1 | 4 | 1 | 5 | 4 | 7 | . | . | . | . | 1 | 1 | . | . | . | 1 | 2 | . | | 2 | . | 2 | 8 | 1 |
| Do. 7 ,, . | 1,524 | . | | | 2 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | 2 | . |
| Do. 8 ,, . | 5,060 | 8 | | | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | | . | . | . | 1 | . |
| Do. 9 ,, . | 19,569 | 10 | | | 5 | 1 | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . |
| Do. 10 ,, . | 28,064 | 26 | | | 18 | 3 | 2 | 1 | 2 | 5 | 5 | . | | . | . | . | . | . | . | . | 2 | 4 | . | . | 2 | . | 3 | 4 | . |
| Do. 11 ,, . | 34,802 | 25 | | | 20 | 4 | 6 | . | 1 | 4 | 5 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 5 | 1 | 2 | 3 | . |
| Do. 12 ,, . | 33,588 | 30 | | | 16 | 3 | . | 1 | 2 | 6 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 8 | . | . | . | . |
| Do. 13 ,, . | 15,006 | 4 | | | 7 | 2 | . | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | 1 | . |
| Do. 14 ,, . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 255 | | | 193† | 33 | 19 | 11 | 26 | 46 | 58 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 8 | 33 | 3 | 16 | 54 | 5 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 2 | 28·4 | . | 7 | 1 | 1 | | 4 | | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | . | . | 2 | . |
| Do. 2 ,, . . | 10,701 | 10 | 29·2 | 24·4 | 6 | 4 | 1 | | 1 | | . | . | . | . | . | 4 | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | . |
| Do. 3 ,, . . | 9,978 | 1 | 31·4 | 10·5 | 6 | 3 | . | | 2 | | 1 | . | . | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 | . |
| Do. 4 ,, . . | 8,666 | 6 | 6·0 | 6·0 | 1 | 1 | . | | . | | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 5 ,, . . | 6,592 | 3 | 15·8 | . | 2 | . | 1 | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 6 ,, . . | 10,702 | 6 | 4·9 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 7 | 15·7 | 6·8 | 5 | 1 | 1 | | 1 | | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Tota . . . . | 76,122 | 35 | 19·2 | 6·8 | 28 | 10 | 4 | | 9 | | 5 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | 1 | 7 | . |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 18. | Aug. 25. | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. |
| No. of weeks in Annual Series, | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 |
| BIRTHS registered, | 203 | 204 | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 282 | 207 | 203 | 197 | 255 |
| DEATHS registered. | 125 | 139 | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 123 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 130 | 173 | 166 | 168 | 163 | 147 | 193† |
| Annual Death-rate per 1,000 of estimated Population. | 17·8 | 19·8 | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·1 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 |
| AGES — Under 1 year, | 37 | 43 | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 31 | 30 | 31 | 31 | 22 | 33 |
| 1–5 years, | 16 | 14 | 22 | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 |
| 5–20 years, | 17 | 12 | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 |
| 20–40 years, | 14 | 18 | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 |
| 40–60 years, | 24 | 29 | 26 | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 23 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 |
| 60 years and upwards, | 17 | 23 | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | . | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . |
| Scarlet Fever, | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| Whooping-cough, | 4 | 2 | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 |
| Diphtheria, | 1 | 2 | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . |
| Diarrhœal Diseases, | 25 | 24 | 23 | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | | 2 | . | 4 | 3 | 5 | 2 | 1 |
| Pneumonia, | 3 | 5 | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 |
| Tuberculous Disease, Phthisis, | 13 | 21 | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 |
| Tuberculous Disease, Other Forms, | 8 | 6 | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 |
| Cancer, Malignant Disease, | 3 | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 |
| Diseases of Respiratory System, | 12 | 7 | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 |
| Violent Deaths, | 2 | 3 | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 |
| Number of Uncertified Deaths, | 1 | 2 | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 |

*Formerly described as "Simple Continued Fever.

† Including 14 deaths returned as from cerebro-spinal fever, or *cerebro-spinal meningitis*; in each of the preceding five weeks, such deaths numbered 2, one, one, 3 and 12.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Feb. 9, | 2,356 | 1,858 | 20·4 | . | 30 | 6 | 20 | 40 | 2 | 17 |
| EDINBURGH, | 345,747 | „ 9, | 135 | 132*a* | 19·9 | . | . | . | 3 | 3 | 1 | 2 |
| GLASGOW, | 847,584 | „ 9, | 404 | 396*a* | 24·4 | . | 2 | . | 4 | 24 | . | 7 |
| CALCUTTA, | 977,822 | Dec. 22, | . | 636 | 39·0 | 6 | 1 | . | . | . | 129‡ | 183* |
| BOMBAY, | 982,000 | Jan. 8, | 406 | 628 | 33·4 | . | 1 | . | . | . | 81‡ | 69* |
| MADRAS, | 509,346 | Dec. 21, | 378 | 385 | 39·3 | 1 | . | ? | ? | ? | 84 | 73 |
| PARIS, | 2,750,000 | Jan. 26, | 995 | 1,107 | 21·1 | . | 8 | 5 | 5† | 4 | 4 | 30 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 19, | 234 | 199 | 16·9 | . | 5 | 1 | 1† | . | 1 | 6 |
| ANTWERP, | 297,311 | „ 19, | 134 | 81 | 14·2 | . | . | . | . | 1 | 2 | 11 |
| AMSTERDAM, | 564,194 | „ 26, | 292 | 182 | 16·8 | . | 3 | 1 | 5† | 5 | . | 4 |
| COPENHAGEN, | 425,000 | „ 19, | 229 | 149 | 18·3 | . | 1 | . | . | . | . | 3 |
| STOCKHOLM, | 324,488 | „ 19, | 156 | 95 | 15·2 | . | . | . | 3† | . | . | 4 |
| CHRISTIANIA, | 222,373 | „ 26, | 169 | 58 | 13·5 | . | 2 | . | 2† | . | . | . |
| ST. PETERSBURG, | 1,424,700 | „ 19, | 693 | 841 | 29·5 | . | 33 | 29 | 32 | 4 | 22 | 83 |
| MOSCOW, | 1,154,000 | Dec. 22, | . | 683 | 30·9 | . | 16 | 11 | 22† | 5 | 9 | 62 |
| BERLIN, | 2,091,046 | Jan. 12, | 982 | 757 | 18·9 | . | 3 | 3 | 14† | 6 | 1 | 36 |
| HAMBURG, | 824,792 | „ 19, | . | 277 | 17·5 | . | . | . | 3† | 1 | . | 13 |
| BRESLAU, | 482,576 | „ 26, | . | 198 | 21·4 | . | 1 | . | 2† | 1 | . | 9 |
| MUNICH, | 548,000 | „ 26, | . | 199 | 18·9 | . | 6 | 1 | 3† | 1 | . | 11 |
| VIENNA (with suburbs). | 1,958,323 | „ 26, | 889 | 705 | 18·7 | . | 18 | 3 | 10† | 1 | . | 27 |
| BUDA-PESTH, | 802,235 | „ 26, | 425 | 310 | 20·1 | . | 5 | 3 | . | 3 | 1 | 13 |
| PRAGUE and Faubourgs. | 466,133 | „ 19, | 209 | 174 | 19·4 | . | 2 | . | . | 1 | . | 14 |
| TRIESTE, | 199,003 | „ 12, | 122 | 112 | 29·3 | . | 1 | . | 2† | 1 | 1 | 1 |
| ROME, | 531,818 | Dec. 1, | 228 | 181 | 17·7 | . | . | . | 1† | . | 3 | 16 |
| VENICE, | 171,709 | „ 8, | 242 | 216 | 21·2 | . | . | . | 1† | 1 | 8 | 13 |
| NEW YORK, | 1,285,435 | Jan. 12, | 2,463 | 1,679 | 20·4 | . | 6 | 8 | 51† | 4 | 8 | 47 |
| PHILADELPHIA, | 1,469,126 | Dec. 29, | . | 532 | 18·8 | . | 1 | 1 | 9† | 4 | 22 | 30 |
| BOSTON, | 602,526 | Jan. 12, | . | 266 | 23·0 | . | 1 | . | 4 | . | 3 | 2 |

*a.* Including 4 deaths from cerebro-spinal meningitis in Edinburgh, and 24 in Glasgow.
* Including 99 deaths from cholera in Calcutta, and 4 in Bombay.
† Including deaths from croup.
‡ Exclusive of 11 deaths from plague in Calcutta, and 26 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th February, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| " " 1, West, | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| " " 2, | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 4 |
| " " 3, | . | 2 | . | . | 1 | . | . | . | 5 | . | . | . | 8 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 1 | . | . | . | . | . | 1 | 5 | . | . | . | 7 |
| " " 2, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| " " 3, | . | . | . | . | 2 | . | . | . | 2 | . | . | . | 4 |
| " " 4, | . | . | . | . | 3 | . | . | . | 3 | . | . | . | 6 |
| New Kilmainham, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Total, | . | 4 | 1 | . | 6 | . | . | 5 | 18 | . | . | . | 34 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th February, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 9th February. | | | |
|---|---|---|---|---|---|---|---|
| | Jan. 19. | Jan. 26. | Feb. 2. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 28 | 29 | 27 | 14 | 8 | 2 | 31 |
| Scarlet Fever, | 78 | 73 | 73 | 22 | 12 | 1 | 82* |
| Typhus, | 5 | 7 | 8 | 1 | . | . | 9 |
| Diphtheria, | 27 | 32 | 27 | 10 | 7 | 1 | 29 |
| Enteric Fever, | 35 | 36 | 33 | 4 | 7 | . | 30 |
| Pneumonia, | 26 | 25 | 27 | 14 | 11 | 2 | 28 |

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 9th February, 1907 :—

"Anticyclonic conditions held over the British Isles until Thursday, when Atlantic depressions began to spread northeastwards over Northwestern Europe. Temperature ruled low, speaking generally, and some keen frosts occurred both in Great Britain and—though to a less extent—in Ireland also from time to time. Early on Sunday morning the sheltered thermometer fell to 17° at Bath, 18° at Nottingham, 20° at Oxford, and 22° at North Shields. In Dublin the morning of this day was calm and foggy with a thick rime. Next day a new area of high atmospheric pressure spread in from the Atlantic, snow and sleet falling in Dublin during the forenoon. On Tuesday morning sharp frost was reported from Birr Castle, where the minimum in the screen was 23°—in Dublin it was 28°. A bright day followed, with a light breeze from N.E. Wednesday was cloudy, dull, and cold till evening, when the sky cleared. On Thursday cyclonic systems began to come in from the Atlantic, but owing to severe cold on the Continent they made but little easterly progress, became much modified in shape and depth, and drifted away to the N.E. Rain, sleet, and snow fell early on Friday morning while a V.-shaped depression was passing over Ireland. A second depression brought showers, squalls from W.S.W., and a higher temperature on Saturday. At 7 p.m. of this day a diffuse aurora borealis spanned the northern sky from west to east. The display was very fine after 10 p.m. In Dublin the mean height of the barometer was 30·054 inches, the barometer rising to 30·572 inches at 9 a.m. of Tuesday (wind, W.) and standing at 29·603 inches at 9 a.m. of Saturday (wind, W.S.W.). The mean temperature was 37·1°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 36·0°. On Tuesday the screened thermometers fell to 28·4°, on Saturday they rose to 47·7°. The most prevalent wind was S.S.E. Rain was measured on 5 days, the total amount being ·275 inch, of which ·190 inch was recorded on Thursday. Snow and sleet fell on Monday and Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·049 inches. The highest reading (30·566) was on Tuesday at 9 a.m., air calm, and the lowest (29·535) on Saturday at 9 a.m., wind W.S.W.

The mean temperature for the week was 34·0°, being 6·5° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Saturday, on which day the thermometer registered 47·1°, and was lowest on Tuesday, the mercury having fallen to 21·1°. The mean of the Dry Bulb for the week was 34·1°, and of the Wet Bulb 32·3°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 26·0 hours. The rainfall during the week measured 0·357 inch.

At Greenwich the mean temperature for the week was 33·0°, the maximum 41·2°, and the minimum 23·5°; and at Edinburgh the maximum was 41·6°, the minimum 26·8°, and the mean 34·1°. The rainfall at Greenwich measured 0·19 in.; and at Edinburgh 0·13 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Feb. 3, | 30·239 | 43·2 | 22·1 | 32·7 | 28·4 | 27·9 | ·91 | ·0 | 6·5 | ·000 | Calm. | Calm. |
| Monday, „ 4, | 30·332 | 39·5 | 24·4 | 32·0 | 31·9 | 30·5 | ·82 | ·6 | 1·6 | ·065 | S. | N.W. |
| Tuesday, „ 5, | 30·532 | 40·4 | 21·1 | 30·8 | 31·2 | 29·9 | ·86 | ·1 | 6·7 | ·000 | Calm. | E.N.E. |
| Wednesday, „ 6, | 30·150 | 38·5 | 26·4 | 32·5 | 31·8 | 30·1 | ·80 | ·3 | 0·0 | ·000 | Calm. | Calm. |
| Thursday, „ 7, | 29·693 | 43·6 | 25·0 | 34·0 | 39·4 | 36·4 | ·76 | ·9 | 0·9 | ·205 | S.E. | S.S.W. |
| Friday, „ 8, | 29·795 | 41·3 | 26·9 | 34·1 | 35·0 | 32·6 | ·81 | ·6 | 4·6 | ·080 | S.W. | S.W. |
| Saturday, „ 9, | 29·601 | 47·1 | 36·1 | 41·6 | 40·7 | 38·7 | ·85 | ·7 | 5·7 | ·007 | W.S.W. | S.W. |
| Mean, . . | 30·049 | 41·9 | 26·0 | 34·0 | 34·1 | 32·3 | ·83 | ·5 | Total 26·0 | Total ·357 | — | |

*Sunday*—Cloudy day, fine; night cloudy. *Monday*—Overcast, light snow 7.0 a.m. to 10.30 a.m., cloudy and showery p.m.; night clear. *Tuesday*—Fine day, cloudy; night cloudy. *Wednesday*—Day overcast, fine; night clear. *Thursday*—Cloudy day; night overcast, rain, snow 12.0 m.n. to 2.40 a.m. *Friday*—Cloudy day, fine; night cloudy and showery. *Saturday*—Cloudy day, light showers p.m.; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February, 9th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Feb. 3, | 30·8 | 36·9 | 42·9 | 42·9 | 26·6 | 34·8 | 4·5 | ·012 |
| Monday, „ 4, | 33·9 | 36·6 | 42·5 | 40·2 | 29·9 | 35·1 | — | ·044 |
| Tuesday, „ 5, | 31·0 | 36·1 | 42·2 | 42·8 | 28·6 | 35·7 | 3·5 | — |
| Wednesday, „ 6, | 39·2 | 36·0 | 42·0 | 40·9 | 31·5 | 36·2 | — | — |
| Thursday, „ 7, | 38·2 | 36·0 | 41·8 | 43·7 | 33·3 | 38·5 | 1·1 | ·188 |
| Friday, „ 8, | 34·5 | 36·7 | 41·8 | 43·5 | 33·4 | 38·5 | 4·6 | ·005 |
| Saturday, „ 9, | 42·1 | 37·2 | 41·8 | 48·8 | 37·9 | 43·4 | 4·6 | ·001 |
| Weekly Mean, . | 35·7 | 36·5 | 42·1 | 43·3 | 31·6 | 37·5 | Total 18·3 | ·250 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—16407.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 16TH FEBRUARY, 1907. [No. 7.

*General Register Office, Charlemont House,*
*Dublin, 18th February,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 28·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Jan. 26. | Week ending Feb. 2. | Week ending Feb. 9. | Week ending Feb. 16. | Average Rate for 4 weeks. | Towns, &c. | Week ending Jan. 26. | Week ending Feb. 2. | Week ending Feb. 9. | Week ending Feb. 16. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 24·6 | 22·5 | 25·6 | 28·8 | 25·4 | Lisburn, . | 31·8 | 18·2 | 4·5 | 22·7 | 19·3 |
| Armagh, . . | 6·9 | 34·4 | 6·9 | 13·7 | 15·5 | Londonderry, . | 24·6 | 17·2 | 13·5 | 20·9 | 19·1 |
| Ballymena, . | 23·9 | 14·4 | 28·7 | 38·3 | 26·3 | Lurgan, . . | 13·3 | 48·7 | 8·9 | 35·4 | 26·6 |
| Belfast, . . | 22·8 | 20·7 | 27·2 | 28·6 | 24·8 | Newry, . . | 25·2 | 25·2 | 21·0 | 12·6 | 21·0 |
| Clonmel, . | 10·3 | 10·3 | 35·9 | 20·5 | 19·3 | Newtownards, . | 17·2 | 22·9 | 17·2 | 34·3 | 22·9 |
| Cork, . . . | 24·0 | 26·0 | 19·2 | 26·7 | 24·0 | Portadown, . | 10·3 | 10·3 | 10·3 | 31·0 | 15·5 |
| Drogheda, . . | 20·4 | 20·4 | 45·0 | 12·3 | 24·5 | Queenstown . | 33·0 | 6·6 | 19·8 | 6·6 | 16·5 |
| Dublin Reg. Area, | 28·6 | 24·8 | 28·6 | 31·4 | 28·3 | Sligo, . . . | 19·2 | 14·4 | 9·6 | 24·0 | 16·8 |
| Dundalk, . . | 27·9 | 35·9 | 27·9 | 27·9 | 29·9 | Tralee, . | 26·4 | 5·3 | 26·4 | 37·0 | 23·8 |
| Galway, . . | 19·4 | 15·5 | 23·3 | 31·1 | 22·3 | Waterford, . | 13·6 | 25·3 | 31·2 | 39·0 | 27·3 |
| Kilkenny, . . | 44·2 | 34·3 | 24·6 | 19·7 | 30·7 | Wexford, . . | 37·4 | 18·7 | 37·4 | 51·4 | 36·2 |
| Limerick, . . | 16·4 | 19·1 | 16·4 | 21·9 | 18·5 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 5·3 in Tralee, the 7 deaths from all causes registered in that district including one from enteric fever. Among the 203 deaths from all causes registered in Belfast are 2 from whooping-cough, 4 from enteric fever, 4 from cerebro-spinal fever, and 8 returned as from *cerebro-spinal meningitis.* The 39 deaths from all causes in Cork include one from typhus and 2 from whooping-cough; one of the 7 deaths in Dundalk is from measles; included in the 5 deaths in Lisburn is one from whooping-cough; one of the 8 deaths in Ballymena is from diphtheria; and one death from whooping-cough is included in the 4 deaths registered in Kilkenny.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—105 boys and 76 girls; and the deaths to 239—122 males and 117 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 31·9 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 31·4 per 1,000. During the seven weeks ending with Saturday last the death-rate averaged 29·8, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1897-1906.

The total deaths (239) included 3 from measles, 4 from whooping-cough, one from diphtheria, one from *diarrhœa,* 9 from influenza, and 2 deaths from cerebro-spinal fever. In each of the 3 weeks preceding, deaths from measles were 0, 0, and 4; deaths from whooping-cough were 6, 2, and 6; deaths from diphtheria were 0, 0, and 0; deaths

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

from diarrhœal diseases were 0, 2, and 2; deaths from influenza were 5, 6, and 4; and deaths from cerebro-spinal fever were 0, 0, and 0.

There were 4 deaths from lobar pneumonia, 8 deaths from broncho-pneumonia, and 7 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 37, and comprise 12 deaths from tuberculous phthisis, 15 deaths returned as from *phthisis*, 2 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 7 deaths from other forms of tuberculous disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 41, 36, and 40, respectively.

The deaths from malignant diseases include one death from carcinoma, one from sarcoma, and 4 deaths from cancer (undefined).

The deaths of 6 prematurely born infants were registered.

The deaths from diseases of the brain and nervous system, 16 in number, include 8 deaths from *convulsions;* of the latter, 7 were deaths of infants under one year of age, Of the remaining 8 deaths, 6 were from meningitis, all of children under 5 years of age.

There were 42 fatalities from diseases of the heart and blood vessels, and bronchitis caused the deaths of 36 persons.

There were 4 deaths by burns, one of these being that of a child under 5 years of age, and one death by drowning was registered.

In 14 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 6 infants under one year old) and the deaths of 3 persons aged 60 years and upwards.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old) and 78 were aged 60 years and upwards, including 35 persons aged 70 and upwards, of whom 7 were octogenarians, and 6 (one male and 5 females) were stated to have been aged 91, 92, 93, 94, 94, and 95, years, respectively.

Ninety-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 25 took place in the N. Dublin Union Workhouse, 15 in the S. Dublin Union Workhouse, and 2 the Rathdown Union Workhouse.

**The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed.** [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 31·4 per 1,000; the rate in the City was 34·8 (North City Districts, 33·3; South, 30·2), and in the Suburbs, 19·7 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·4 (0·7 in the North City Districts, and 2·1 in the South) and for the Suburbs, 0·6

*No.* 1 *North City District, East* (Clarence-street, North).—The deaths (21) are equal to an annual rate of 37·7 per 1,000, and include one death from measles, 2 deaths from influenza, one death from each of broncho-pneumonia and *pneumonia* (not defined), 3 deaths from tuberculous disease of the lungs, one death from bronchitis, and one death by drowning.

*No.* 1 *North City District, West* (Summer-hill).—The deaths (42) are equal to an annual rate of 55·9 per 1,000. Lobar pneumonia and *pneumonia* (not defined) each caused one death; there were 2 deaths from influenza, 3 deaths from tuberculous disease of the lungs, 9 deaths from bronchitis, and one accidental death from burns.

*No.* 2 *North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 45·0 per 1,000. Amongst the deaths were one from whooping-cough, one from broncho-pneumonia, 4 from tuberculous disease, and 8 deaths from bronchitis.

*No.* 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 27·3 per 1,000. The deaths included one from cerebro spinal fever, one from broncho-pneumonia, 4 from tuberculous disease of the lungs, and 3 deaths from diseases of the respiratory system.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 28·5 per 1,000 inhabitants; Finglas and Glasnevin, part of, 28·9; and Clontarf and Howth, No. 1, part of, 0·0. The 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one each from influenza, *pneumonia* (not defined), and bronchitis; and the 4 deaths from all causes for Finglas and Glasnevin, part of, include 3 from tuberculous disease.

*No.* 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 27·4 per 1,000. There was one death from each of measles, whooping-cough, and cerebro-spinal fever, also one death from each of broncho-pneumonia and *pneumonia* (not defined); tuberculous disease caused 4 deaths, bronchitis 3 deaths, and there were two accidental deaths.

*No.* 2 *South City District* (Castle-street).—The deaths (20) are equal to an annual rate of 50·7 per 1,000. Measles and whooping-cough each caused one death; there was one death from influenza, also one death from *pneumonia* (not defined), there were 5 deaths from tuberculous disease, and 3 deaths from bronchitis.

*No.* 3 *South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·6 per 1,000. Lobar pneumonia caused one death, and there were 3 deaths from broncho-pneumonia; tuberculous disease caused 4 deaths and diseases of the respiratory system 5 deaths.

*No.* 4 *South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. Whooping-cough and *diarrhœa* each caused one death, there was one death from *pneumonia* (not defined), there were 4 deaths from tuberculous disease of the lungs, and 4 deaths from bronchitis.

*New Kilmainham District.*—The only death registered for this district was one from tuberculous phthisis representing an annual rate of 5·9 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 18·7; Blackrock, 11·9; and Kingstown, 35·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Pembroke. The 10 deaths from all causes for Rathmines and Rathgar include one each from influenza, *pneumonia* (not defined) and *phthisis*. Among the 10 deaths from all causes for Pembroke there was one each from influenza, lobar-pneumonia, tuberculous phthisis and bronchitis; and the 12 deaths from all causes for Kingstown include one each from influenza, lobar pneumonia, broncho-pneumonia, and bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 16th February, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Jan. 26, | . | — | — | 9 | . | . | 8 | . | 5 | 3 | 10 | . | — | — | — | — | — | 35 |
| | Feb. 2, | . | — | — | 3 | 3 | . | 1 | . | 5 | 1 | 8 | . | — | — | — | — | — | 21 |
| | Feb. 9, | . | — | — | 4 | 1 | . | 6 | . | . | 5 | 18 | . | — | — | — | — | — | 34 |
| | Feb. 16, | . | — | — | 5 | . | . | 8 | . | 3 | 14 | 14 | . | — | — | a— | — | — | 44 |
| Rathmines and Rathgar Urban District. | Jan. 26, | . | — | — | . | . | . | 2 | . | . | 1 | . | . | — | — | — | — | — | 3 |
| | Feb. 2, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Feb. 9, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| | Feb. 16, | . | — | — | 1 | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 3 |
| Pembroke Urban District. | Jan. 26, | . | . | . | 2 | . | . | . | . | . | . | . | . | — | 11 | . | — | — | 13 |
| | Feb. 2, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 1 |
| | Feb. 9, | . | . | . | 2 | . | . | 2 | . | . | . | . | . | — | 1 | . | — | — | 5 |
| | Feb. 16, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | 1 | . | — | — | 2 |
| Blackrock Urban District. | Jan. 26, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| | Feb. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 9, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | — | — | — | 5 |
| | Feb. 16, | . | — | — | 2 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 3 |
| Kingstown Urban District. | Jan. 26, | . | — | — | 3 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 5 |
| | Feb. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 9, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| | Feb. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Jan. 26, | . | — | — | 18 | . | . | 9 | . | 5 | 3 | 6 | 1 | — | — | — | — | — | 42 |
| | Feb. 2, | . | — | — | 17 | . | . | 4 | . | 2 | 6 | 13 | . | — | — | — | — | — | 42 |
| | Feb. 9, | . | — | — | 12 | . | . | 9 | 2 | 3 | 10 | 12 | 1 | — | — | 12 | — | — | 61 |
| | Feb. 16, | . | — | — | 19 | . | . | 10 | 2 | 11 | 12 | 5 | 2 | — | — | 19 | — | — | 80 |

(*a*) Sir Charles Cameron reports 3 cases of cerebro spinal fever notified to the Public Health Committee of the Corporation for week ended 16th instant. See Table XI.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th February, 1907.

From this it appears that :—

Twenty-three cases of measles were admitted into hospital during the week, 7 were discharged, there was one death, and 46 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 14 were discharged, and 76* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, 2 were discharged, and 8 cases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 13 were discharged, and 22 patients remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital, 11 were discharged, and 27 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 10 were discharged, there were 3 deaths, and 24 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 19·9), was equal to an average annual death-rate of 20·4 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 22·0 per 1,000, the rate for Glasgow being 22·5 and for Edinburgh 22·0.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th February. From this Report it appears that of a total of 37 cases notified 19 were scarlet fever, 12 diphtheria, 5 erysipelas, and one enteric fever. Among the 317 cases of infectious diseases in hospital at the close of the week were 111 cases of scarlet fever, 45 of diphtheria, 3 of membranous croup, 41 of measles, 36 of whooping-cough, 19 of erysipelas, and 12 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th February, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-18. | Registration—Week ending Saturday, 16th February, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 16th February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 9th February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 2nd February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (8) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 27·7 | 28·8 | 1·1 | 594 | 618 | 77 | 180 | . | 4 | . | 1 | 10 | 2 | . | 5 | 2 | 51 | 77 | 27 | 16 | 115 | 10 | 20 | 208 | 80 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 24·2 | 31·4 | 1·2 | 181 | 235 | 31 | 75 | . | 3 | . | . | 4 | 1 | . | . | 1 | 19 | 27 | 10 | 6 | 40 | 4 | 4 | 90 | 14 | f54·3 | 28·7 | 40·4 | 0·60 | f47·1 | 21·1 | 34·0 | 0·36 | f52·1 | 24·4 | 37·7 | 0·16 |
| City of Dublin, | 300,850 | 38·0 | 25·8 | 34·8 | 1·4 | 149 | 201 | 27 | 54 | . | 3 | . | . | 4 | . | . | . | 1 | 15 | 25 | 10 | 5 | 37 | 4 | 4 | 81 | 14 | g55·7<br>h54·9 | 31·9<br>29·0 | 41·5<br>40·5 | 0·58<br>0·62 | g47·7<br>h48·5 | 28·4<br>22·0 | 37·1<br>35·3 | 0·28<br>0·28 | g53·5<br>h51·9 | 29·1<br>25·0 | 39·9<br>38·4 | 0·12<br>0·23 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 11·7 | 14·6 | . | 8 | 10 | 2 | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,824 | 17·5 | 26·2 | 18·7 | 1·9 | 14 | 10 | 1 | 5 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 11·9 | . | 3 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 20·7 | 35·5 | . | 7 | 12 | 1 | 9 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 4 | . | 56 | 31·5 | 42·2 | 0·59 | 48 | 31·5 | 38·2 | 0·28 | 49 | 28·5 | 39·6 | 0·23 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 30·4 | 28·6 | 0·8 | 216 | 208 | 30 | 55 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 11 | 55 | 2 | 52·0 | 30·0 | 39·1 | 0·64 | 45·0 | 23·5 | 35·2 | 0·13 | 51·0 | 27·0 | 38·2 | 0·56 |
| Cork, | 76,122 | 38·6 | 36·8 | 26·7 | 2·1 | 58 | 89 | 4 | 5 | . | . | 1 | 2 | . | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . | 18 | . | 52 | 34 | 43·4 | 0·94 | 48 | 32 | 40·5 | 0·54 | 52 | 34 | 42·2 | 0·31 |
| Londonderry, | 42,475 | 19·6 | 31·9 | 20·9 | 1·2 | 26 | 17 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | 1 | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 12·3 | 21·2 | . | 8 | 16 | 1 | 6 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 35·1 | 39·0 | . | 18 | 20 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | 1 | 12 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 35·0 | 31·1 | . | 9 | 8 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 2 | 3 | 51 | 26 | 41 | 1·25 | 47 | 25 | 39 | 0·80 | 51 | 35 | 43·2 | 0·39 |
| Dundalk, | 18,076 | 2·4 | 35·9 | 17·9 | 4·0 | 9 | 7 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 36·8 | 12·3 | . | 9 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 21·0 | 12·6 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 |
| Lurgan, | 11,782 | 13·8 | 26·6 | 35·4 | . | 6 | 8 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | . | 2 | . | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 22·7 | 4·5 | 5 | 5 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 |
| Wexford, | 11,168 | 23·2 | 42·0 | 51·4 | . | 9 | 11 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 38·3 | 38·3 | 4·8 | 8 | 8 | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 19·2 | 24·0 | . | 4 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 3 | 53·5 | 29·0 | 40·3 | 0·95 | 46·4 | 23·3 | 35·8 | 0·88 | 51·5 | 32·0 | 39·8 | 0·98 |
| Kilkenny, | 10,609 | 11·5 | 19·7 | 19·7 | 4·9 | 4 | 4 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 56 | 29 | 41·1 | 0·62 | 48 | 25 | 36 | 0·41 | 52 | 27 | 38·5 | 0·25 |
| Clonmel, | 10,167 | 7·8 | 5·1 | 20·5 | . | 1 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 31·0 | 31·0 | . | 6 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 |
| Tralee, | 9,867 | 16·6 | 26·4 | 27·0 | 5·3 | 5 | 7 | . | 3 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 34·3 | 34·3 | . | 6 | 6 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 53 | 30 | 39·8 | 0·60 | 45 | 32 | 37·6 | 0·24 | 49 | 28 | 38·6 | 0·55 |
| Queenstown, | 7,909 | 14·4 | 33·0 | 6·6 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 52 | 34 | 43·4 | 0·94 | 48 | 32 | 40·5 | 0·54 | 52 | 34 | 42·2 | 0·31 |
| Armagh, | 7,588 | 22·2 | . | 13·7 | . | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 | 49·0 | 29·0 | 38·1 | 0·43 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 4 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 16th February, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | 3 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 4 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Pneumonia, | 2 | 2 | 1 | 1 | . | 1 | . | 2 | 1 | 4 | 1 | . | 1 | 1 | . | 2 | 19 | . |
| Tuberculous Disease. — Phthisis, | 3 | 3 | 2 | 4 | . | . | 2 | 1 | 3 | 2 | 4 | 1 | 1 | 1 | . | . | 27 | . |
| Tuberculous Disease. — Other Forms. | . | . | 2 | . | . | . | 1 | 3 | 2 | 2 | . | . | . | . | . | . | 10 | . |
| Cancer, Malignant Disease, | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | . | 1 | . | . | 6 | . |
| Other General Diseases | 3 | 5 | 3 | 2 | . | 2 | . | 1 | 1 | . | 1 | . | 4 | 2 | . | 2 | 26 | 2 |
| Total, | 9 | 10 | 9 | 8 | . | 3 | 3 | 9 | 10 | 9 | 10 | 1 | 6 | 6 | . | 4 | 97 | 2 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of — Nervous System | 3 | 9 | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | 1 | 16 | . |
| Diseases of — Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of — Heart and Blood Vessels, | 2 | 6 | 6 | 2 | . | 1 | . | 2 | 5 | 7 | 3 | . | 2 | 2 | 1 | 3 | 42 | . |
| Diseases of — Respiratory System, | 1 | 9 | 8 | 3 | . | 1 | . | 3 | 3 | 5 | 4 | . | 1 | 1 | . | 1 | 40 | . |
| Diseases of — Digestive System, | 1 | 2 | . | 1 | . | . | . | 1 | . | 2 | . | . | 1 | . | . | 2 | 10 | 1 |
| Diseases of — Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of — Urinary System, | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 8 | . |
| Diseases of — Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Total, | 8 | 28 | 15 | 8 | . | 2 | . | 7 | 9 | 15 | 8 | . | 4 | 4 | 2 | 7 | 117 | 1 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 3 | 3 | 2 | 1 | . | 1 | 1 | 3 | 1 | . | 1 | . | . | . | . | 1 | 17 | . |
| **E. VIOLENT DEATHS,** | 1 | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 4 | 1 |
| **Deaths from all Causes,** | 21 | 42 | 26 | 17 | . | 6 | 4 | 21 | 20 | 24 | 19 | 1 | 10 | 10 | 2 | 12 | 235 | 4 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 7·7 | 55·9 | 45·0 | 27·3 | . | 28·5 | 28·9 | 27·4 | 5[illegible]·7 | [illegible]9·6 | 38·2 | 5·9 | 14·6 | 18·7 | 11·9 | 35·5 | 31·4 | . |
| | 39·3 | | | | | | | 30·[illegible] | | | | | 19·7 | | | | | |
| | 34·8 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** — Under 1 year, | 4 | 9 | 2 | 1 | . | 1 | . | 6 | 1 | 1 | 2 | . | 2 | 1 | . | 1 | 31 | . |
| 1 and under 5 years, | 3 | 7 | 5 | 3 | . | . | . | 4 | 4 | 1 | 1 | . | . | 2 | . | . | 30 | . |
| 5 " 20 " | 1 | 1 | 2 | . | . | . | 1 | 2 | 2 | . | 1 | . | . | . | . | 1 | 11 | . |
| 20 " 40 " | 2 | 6 | 2 | 3 | . | 1 | 2 | 1 | 4 | 4 | 5 | 1 | . | 2 | . | . | 38 | 1 |
| 40 " 60 " | 5 | 9 | 6 | 2 | . | 1 | . | 3 | 5 | 10 | 5 | . | 3 | . | . | 1 | 50 | . |
| 60 and upwards, | 6 | 10 | 9 | 3 | . | 3 | 1 | 5 | 4 | 8 | 5 | . | 5 | 5 | 2 | 9 | 75 | 3 |
| Number of Uncertified Deaths, | 2 | 4 | . | . | . | 1 | . | 1 | 4 | 1 | 1 | . | . | . | . | . | 14 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 10 | 5 | 5 | . | 2 | . | 6 | 5 | 4 | 3 | . | 2 | 3 | . | 2 | 49 | 3 |
| Workhouse Hospitals, | 4 | 8 | 9 | 4 | . | . | . | 5 | 2 | 5 | 2 | . | . | . | . | 2 | 41 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in th week of the ten years, 1897–190

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 7th Week of the 10 years 1897–1906. | In the Week ending Saturday, 16th February, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 20, 1897. | Feb. 19, 1898. | Feb. 18, 1899. | Feb. 17, 1900. | Feb. 16, 1901. | Feb. 15, 1902. | Feb. 21, 1903. | Feb. 20, 1904. | Feb. 18, 1905. | Feb. 17, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature. | ° 45·5 | ° 43·4 | ° 43·2 | ° 32·9 | ° 34·8 | ° 29·9 | ° 46·9 | ° 37·7 | ° 45·5 | ° 36·4 | ° 39·6 | ° 40·4 | | | | | | | | |
| **ALL CAUSES.** | 291 | 191 | 183 | 284 | 235 | 200 | 161 | 223 | 175 | 149 | 209·2 | 239 | 8 | 23 | 30 | 11 | 39 | 50 | 65 | 13 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 43 | . | . | 1 | 1 | 3 | 6 | 1 | 2 | . | 5·7 | 3 | . | . | 3 | . | . | . | . | . |
| Scarlet Fever, | 5 | 2 | . | 1 | 2 | 2 | 5 | . | . | . | 1·7 | . | . | . | . | . | . | . | . | . |
| Typhus, | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 3 | 11 | 7 | 20 | 6 | 3 | 5 | 5 | 3 | 2 | 6·5 | 9 | . | . | 1 | . | 1 | 2 | 5 | . |
| Whooping-cough, | 16 | 2 | 4 | 5 | 3 | 3 | 3 | 9 | 1 | . | 4·6 | 4 | . | 2 | 2 | . | . | . | . | . |
| Diphtheria, | 1 | 1 | 2 | 3 | 1 | . | 3 | 1 | 1 | . | 1·3 | 1 | . | . | . | . | 1 | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 3 | 4 | 2 | 3 | 2 | 2 | 1 | 3 | 3 | . | 2·3 | . | . | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 2 | 2 | . | 2 | 2 | 2 | . / 1 | . / 2 | . / 1 | . / 1 | 1·5 | . / 1 | . | . | . | . | . | . | . / 1 | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 1 | 2 | . | 2 | . | . | 1 | 3 | 1 | 1·0 | 1 | . | 1 | . | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, | . | . | . | . | . | . | . / . / . | . / 1 / . | . / . / . | . / . / 2 | ·3 | . / . / . | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-Epidemic, Not defined, | 16 | 9 | 9 | 19 | 24 | 13 | . / 1 / . / 7 | 1 / 7 / . / 8 | . / 4 / . / 7 | 2 / 5 / . / 4 | 13·6 | 4 / 8 / . / 7 | . | . / 1 | 1 / 3 / . / 1 | . / 1 | . / 2 | 2 / 1 / . / 1 | . / 1 / . / 1 | . |
| Erysipelas, | . | 1 | . | 1 | 1 | . | . | . | . | . | ·3 | 1 | . | . | . | . | . | 1 | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 2 | . | . | . | . | . | . / . | 1 / . | 2 / . | . / . | ·6 | . / . | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | 1 | . | . | . | . | . | . | 1 | . |
| Tuberculous Phthisis, "*Phthisis*," | 28 | 26 | 30 | 32 | 36 | 27 | 1 / 20 | 12 / 15 | 9 / 19 | 9 / 14 | 27·8 | 12 / 15 | . | . | . | 1 | 10 / 10 | 1 / 3 | . / 2 | . |
| Tuberculous Meningitis, | 4 | 7 | 3 | 7 | 2 | 1 | 3 | . | 2 | 2 | 3·1 | 2 | . | . | 1 | 1 | . | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, | 6 | 3 | 3 | 10 | 6 | 1 | . / 1 | 2 / 1 | 1 / 1 | 2 / . | 3·7 | 1 / . | . | . | 1 / . | . | . | . | . | . |
| Tuberculous Dis. (other), *Scrofula*, | 8 | 4 | 3 | 7 | 4 | 5 | 3 / . | 3 / 1 | 7 / 1 | 6 / . | 5·2 | 7 / . | . | 1 | 3 / . | 1 | 2 | . | . | . |
| Alcoholism, | 1 | 1 | . | . | . | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | . | . | 1 | . | . | . | 1 | 1 | ·3 | 1 | . | . | . | 1 | . | . | . | . |
| Gout, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Carcinoma, Sarcoma, Cancer (undefined), | 8 | 4 | 4 | 5 | 4 | 6 | 2 / . / 2 | 2 / . / 3 | 4 / 1 / 1 | 2 / . / 4 | 5·2 | 1 / 1 / 4 | . | . | . | . | 1 / 1 | . / . | . / . | . |
| Diabetes Mellitus, | . | . | . | . | . | . | 2 | 4 | . | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| Premature Birth, | 6 | 3 | 3 | 5 | 7 | 7 | 1 | 5 | 2 | 1 | 4·0 | 6 | 5 | 1 | . | . | . | . | . | . |

* The figures for the years 1897–1900 are fo
†Formerly described a

NTH WEEK ending Saturday, 16th February, 1907, with the deaths from each cause in the corresponding he average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Feb. 20, 1897. | Feb. 19, 1898. | Feb. 18, 1899. | Feb. 17, 1900. | Feb. 16, 1901. | Feb. 15, 1902. | Feb. 21, 1903. | Feb. 20, 1904. | Feb. 18, 1905. | Feb. 17, 1906. | Averages in 7th Week of the 10 years 1897–1906. | In the Week ending Saturday, 16th February, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 45·5 | ° 43·4 | ° 43·2 | ° 32·9 | ° 34·8 | ° 29·9 | ° 46·9 | ° 37·7 | ° 45·5 | ° 36·4 | ° 39·6 | ° 40·4 | | | | | | | | |
| ningitis (not tuberc.) ... | | | | | | | 6 | 8 | 5 | 2 | | 6 | . | 2 | 4 | . | . | . | . | . |
| anity, G. P. of Insane ... | | | | | | | 1 | 5 | 3 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| ilepsy .. ... | | | | | | | . | . | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | | 6 | 8 | 7 | 3 | | 8 | 2 | 5 | 1 | . | . | . | . | . |
| oomotor Ataxy ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| raplegia Dis. of Cord ... | | | | | | | 1 | 1 | . | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| rvous System (other Dis.) | 40 | 40 | 41 | 52 | 43 | 38 | 1 | 4 | 2 | 1 | 42·5 | . | . | . | . | . | . | . | . | . |
| lv. Dis., Endocarditis ... | | | | | | | 3 | 3 | 7 | 6 | | 15 | . | . | . | . | 4 | 5 | 6 | . |
| rebr. Hæm. Thromb. ... | | | | | | | 1 | 1 | 4 | 3 | | 3 | . | . | . | . | . | . | 3 | . |
| *oplexy, Hemiplegia* ... | | | | | | | 4 | 5 | 3 | 2 | | 4 | . | . | . | 1 | . | 3 | . | . |
| eurysm ... ... | | | | | | | 1 | 2 | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| nbolism, Thromb. (not erebral) | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| art and Blood Vessel Dis. | | | | | | | 16 | 11 | 14 | 16 | | 19 | . | . | . | . | 2 | 5 | 7 | 5 |
| *oup* (not Spasm. nor Memb.) | 4 | . | . | . | 1 | . | 1 | . | . | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| onchitis ... ... | 44 | 30 | 29 | 51 | 38 | 33 | 14 | 38 | 18 | 25 | 32·0 | 36 | . | . | 6 | . | . | 10 | 20 | . |
| thma, Emphysema ... | | | | | | | . | 2 | 1 | . | | . | . | . | . | . | . | . | . | . |
| eurisy ... ... | 3 | 2 | 2 | 4 | 3 | 2 | . | 2 | . | . | 2·8 | . | . | . | . | . | . | . | . | . |
| spiratory Dis. (other) ... | | | | | | | 3 | 1 | 2 | 1 | | 4 | . | 1 | 1 | . | . | . | 2 | . |
| nsillitis, Quinsy ... | 1 | 1 | 1 | . | . | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | . | . | . | 1 | . | 1 | . | . | 1 | 1 | ·9 | 2 | . | . | . | . | . | 1 | 1 | . |
| *stro Enteritis* ... ... | | | | | | | . | 5 | . | . | | . | . | . | . | . | . | . | . | . |
| *ritonitis* (not Puerp.) ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| rrhosis of Liver ... | . | 2 | 3 | . | 1 | 2 | . | . | . | . | 1·9 | . | . | . | . | . | . | . | . | . |
| ver Dis. (other) ... | | | | | | | 6 | 1 | 3 | 1 | | . | . | . | . | . | . | . | . | . |
| gestive Dis. (other) ... | 6 | . | 4 | 6 | 6 | 4 | 3 | 4 | 3 | 1 | 3·7 | 9 | . | 2 | 1 | . | 2 | 2 | 2 | . |
| phritis, Acute ... | 4 | 9 | 3 | 7 | 10 | 5 | 2 | 2 | 3 | 2 | 6·2 | 3 | . | . | . | . | 1 | 1 | 1 | . |
| ight's Dis., Albuminuria | | | | | | | 3 | 1 | 1 | 4 | | 4 | . | . | . | . | . | 3 | 1 | . |
| rinary Sys. (Other Dis.) | | | | | | | 2 | 1 | 1 | 2 | | 1 | . | . | . | . | . | . | . | 1 |
| nerative Organs Dis. ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ildbirth (Accid. of) ... | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| *d Age* ... ... | 13 | 11 | 12 | 22 | 15 | 11 | 3 | 10 | 6 | 5 | 10·8 | 9 | . | . | . | . | . | . | 4 | 5 |
| ther Diseases ... ... | 16 | 9 | 13 | 12 | 10 | 20 | 11 | 16 | 10 | 9 | 12·6 | 15 | 1 | 7 | . | 1 | 2 | 1 | 3 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| y Railways ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| y Vehicles and Horses ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| y Burns, Scalds, Explosions | 1 | . | 1 | 4 | 1 | 3 | . | 1 | . | . | 1·1 | 4 | . | . | 1 | 2 | . | 1 | . | . |
| y Drowning ... ... | . | . | . | . | 2 | 2 | 2 | . | . | . | ·6 | 1 | . | . | . | . | . | 1 | . | . |
| y Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| y Poison or Poisonous Vapours | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ther Deaths by Accident | 4 | 4 | 1 | 4 | 1 | 1 | 1 | 2 | . | . | 1·8 | . | . | . | . | . | . | . | . | . |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| omicide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| icide ... ... | 1 | . | . | . | . | . | . | . | 2 | . | ·3 | . | . | . | . | . | . | . | . | . |
| xecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 25 | Sept. 1. | Sept. 8 | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. |
| No. of weeks in Annual Series. | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Births registered, | 230 | 180 | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 231 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 |
| *Average Births in corresponding week of previous 10 years,** | 195 | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 |
| Deaths registered, | 167 | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 |
| Annual Death-rate per 1,000, | 23·0 | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 |
| *Average Deaths in corresponding week of previous 10 years,** | 170 | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 |
| Ages, Under 5 years, | 63 | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 |
| Ages, 5—20 ,, | 10 | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 |
| Ages, 20—40 ,, | 27 | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 |
| Ages, 40—60 ,, | 32 | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 |
| Ages, 60—80 ,, | 28 | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 33 | 65 | 57 | 46 | 45 | 58 | 52 | 65 |
| Ages, 80 years and upwards, | 7 | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 |
| Scarlet Fever | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . |
| Typhus, | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Whooping-cough, | . | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 |
| Diphtheria, | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . |
| Diarrhœal Diseases, | 27 | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 |
| Pneumonia, | 8 | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 |
| Tuberculous Phthisis, | 21 | 18 | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 |
| Tuberculous Other Forms, | 8 | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 |
| Cancer, Malignant Disease, | 11 | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 |
| Diseases of Heart and Blood Vessels, | 12 | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 |
| Diseases of Respiratory System, | 10 | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 |
| Violent Deaths, | 8 | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 8 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 |
| Number of Uncertified Deaths, | 2 | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 |
| Mean Temperature of the Air (Phœnix Park), | 61·8 | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 57·0 | 56·1 | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 |
| Rainfall in inches, | ·695 | ·000 | ·285 | ·280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·86 | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th February, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH FEBRUARY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 33·2 | 239 | 61 | 11 | 39 | 50 | 65 | 13 | . | 3 | . | . | 4 | 1 | . | . | 1 | 9 | 19 | 27 | 10 | 6 | 8 | 40 | 5 | 115 | 14 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 23·9 | 8 | . | . | 1 | 2 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 5 | . |
| II. | MIDDLE CLASS, | 87,188 | 25·7 | 43 | 7 | 2 | 7 | 8 | 14 | 5 | . | . | . | . | . | . | . | . | . | . | 5 | 7 | 1 | . | 1 | 7 | . | 22 | 4 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 25·5 | 54 | 12 | 3 | 8 | 13 | 18 | . | . | . | . | . | 2 | 1 | . | . | . | 3 | 5 | 4 | 3 | 2 | 2 | 6 | 1 | 23 | 4 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 43·6 | 92 | 39 | 5 | 14 | 14 | 17 | 3 | . | 3 | . | . | 2 | . | . | . | 1 | 6 | 8 | 8 | 5 | 2 | 5 | 17 | 4 | 37 | 6 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 42 | 3 | 1 | 9 | 13 | 12 | 4 | . | . | . | . | . | . | . | . | . | . | . | 7 | 1 | 2 | . | 9 | . | 23 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 40·1 | 6 | . | . | 1 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 12·5 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 21·3 | 9 | 5 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 5 | 2 |
| | 6. Clerks and Commercial Assistants, | 30,482 | 25·7 | 15 | 2 | 1 | 5 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | . | 2 | . | 8 | 2 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 32·8 | 17 | . | . | 2 | 2 | 8 | 5 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | 2 | . | 9 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 52·8 | 10 | 3 | 2 | 2 | . | 3 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | 2 | . | . | 1 | 1 | 3 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 28·0 | 16 | 4 | 1 | 3 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | 1 | . | 9 | . |
| | 10. Clothing Trades, | 28,260 | 24·7 | 11 | 3 | . | 2 | 1 | 5 | . | . | . | . | . | 2 | . | . | . | . | 2 | . | . | . | 1 | . | 1 | . | 7 | 2 |
| | 11. Food Supply Trades, | 9,242 | 28·2 | 5 | 2 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | 1 | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | . | . | 1 | 3 | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 8 | 2 |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 18,425 | 23·3 | 6 | 3 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | . | 2 | 1 |
| | 15. Domestic Servants, | 36,603 | 12·8 | 9 | 1 | 1 | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 1 | 1 | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 39·9 | 11 | 3 | . | 2 | 2 | 4 | . | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . | 5 | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 38·3 | 66 | 32 | 4 | 9 | 8 | 11 | 2 | . | 2 | . | . | 2 | . | . | . | 1 | 5 | 4 | 5 | 4 | 1 | 4 | 10 | 3 | 30 | 5 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 42 | 3 | 1 | 9 | 13 | 12 | 4 | . | . | . | . | . | . | . | . | . | . | . | 7 | 1 | 2 | . | 9 | . | 23 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1906-7 Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5-18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Dec. 29, | 25·8 | . | 14 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | . | . | 2 | 1 |
| | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| | „ 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| | „ 19, | 39·5 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 3 | 3 | 2 |
| | „ 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| | „ 9, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| | „ 16, | 37·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Dec. 29, | 12·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| | „ 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| | „ 19, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| | „ 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 5 | . | . |
| | „ 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| | „ 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Dec. 29, | 24·2 | 5·2 | 14 | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | Jan. 5, | 32·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| | „ 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| | „ 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| | „ 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| | „ 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| | „ 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 3 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Dec. 29, | 41·2 | 3·3 | 25 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 2 | 1 | 3 | . | 3 |
| | Jan. 5, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| | „ 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| | „ 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| | „ 26, | 20·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| | „ 9, | 40·2 | 8·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| | „ 16, | 27·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Dec. 29, | 28·5 | 2·7 | 21 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 2 | 3 | . | 1 |
| | Jan. 5, | 44·8 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| | „ 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| | „ 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| | „ 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| | „ 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 |
| | „ 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Dec. 29, | 37·1 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | 1 |
| | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| | „ 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| | „ 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| | „ 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| | „ 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est. 42,209. | Dec. 29, | 24·9 | 1·2 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 4 | 3 | 4 | 3 | . | 1 |
| | Jan. 5, | 32·1 | 3·7 | 26 | . | . | . | . | 3 | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| | „ 12, | 40·8 | 2·5 | 33 | . | 1 | . | . | 1 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | „ 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| | „ 26, | 38·3 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| | „ 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| | „ 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | Dec. 29, | 26·7 | 3·0 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | 1 | 1 | . | . | 1 |
| | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 2 |
| | „ 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |
| | „ 19, | 22·3 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |
| | „ 26, | 26·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |
| | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |
| | „ 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |
| | „ 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . | 2 | 4 | . | 1 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1906–7 Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Dec. 29, | 12·6 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 2 |
| | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| | „ 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 5 | 1 | . |
| | „ 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | Feb. 2, | 16·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| | „ 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 37,854. | Dec. 29, | 10·0 | 2·0 | 5 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . |
| | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 12, | 24·8 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | „ 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| | „ 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| | Feb. 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | „ 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Dec. 29, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | Jan. 5, | 20·7 | 5·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 |
| | „ 12, | 28·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| | „ 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| | „ 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| | Feb. 2, | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Dec. 29, | 18·5 | 0·9 | 130 | . | . | 1 | . | 2 | 1 | . | . | 2 | 16 | 9 | 3 | 9 | 30 | . | 1 |
| | Jan. 5, | 24·4 | 1·4 | 173 | . | 1 | 2 | . | 4 | 3 | . | . | . | 14 | 22 | 4 | 6 | 30 | 5 | 3 |
| | „ 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 4 |
| | „ 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| | „ 26, | 23·0 | 1·4 | 163 | . | . | . | . | 3 | 2 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 1 |
| | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| | „ 9, | 27·2 | 0·7 | 193 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 8 | 33 | 3 | 5 |
| | „ 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| **Cork.** Pop. (in 1901) 76,122. | Dec. 29, | 19·2 | 0·7 | 28 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 3 | . | 7 | . | 1 |
| | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | 2 | . | 6 | . | 2 |
| | „ 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 17 | 2 | . | 11 | 1 | 3 |
| | „ 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | . |
| | „ 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| | „ 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Dec. 29, | 18·6 | 1·2 | 15 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | 3 | . | . |
| | Jan. 5, | 12·3 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| | „ 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | „ 19, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| | „ 9, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| | „ 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Dec. 29, | 5·5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 |
| | Jan. 5, | 13·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| | „ 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 6 |
| | „ 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| | „ 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| | „ 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| | „ 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | Dec. 29, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 |
| | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . |
| | „ 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 5 | . | 1 |
| | „ 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | „ 26, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |
| | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |
| | „ 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |
| | „ 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th February, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms | Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 6 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 16 | 2 | 1 | 3 | 3 | 2 | 5 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 4 | 1 | 1 | 4 | . |
| Do. 2 ,, | 47,959 | 37 | | | 30 | 5 | 2 | 4 | 5 | 8 | 6 | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 4 | 1 | 5 | . | . | 12 | . |
| Do. 3 ,, | 47,214 | 24 | | | 21 | 4 | 2 | 2 | 5 | 5 | 3 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | 1 | 4 | . | . | 5 | . |
| Do. 4 ,, | 40,911 | 27 | | | 37 | 6 | 3 | 3 | 5 | 9 | 11 | . | . | . | . | 1 | . | . | 1 | . | 3 | 2 | . | 1 | 7 | 1 | 4 | 12 | 1 |
| Do. 5 ,, | 17,387 | 10 | | | 11 | . | 1 | 1 | 2 | 1 | 6 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | 1 | 4 | . |
| Do. 6 ,, | 48,122 | 16 | | | 20 | 3 | 4 | 2 | 2 | 3 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | 4 | . | . | 3 | 1 |
| Do. 7 ,, | 1,524 | . | | | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 8 ,, | 5,060 | 6 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 13 | | | 10 | 1 | . | . | 5 | 2 | 2 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 1 | 1 | 1 | 3 | . |
| Do. 10 ,, | 28,064 | 16 | | | 18 | 1 | 1 | 3 | 5 | 4 | 4 | . | . | . | . | . | . | . | 1 | . | 1 | 4 | 1 | . | 5 | . | . | 4 | . |
| Do. 11 ,, | 34,862 | 31 | | | 16 | 3 | . | 1 | 2 | 6 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 | 3 | . |
| Do. 12 ,, | 33,588 | 22 | | | 19 | 5 | 1 | 3 | 4 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 1 | 6 | 1 | 2 | 4 | . |
| Do. 13 ,, | 15,006 | 8 | | | 4 | . | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 216 | | | 203† | 30 | 15 | 23 | 39 | 41 | 55 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 11 | 55 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 9 | 36·5 | . | 9 | 1 | . | 6 | | | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 4 | . | . | 6 | . |
| Do. 2 ,, | 10,701 | 8 | 14·6 | . | 8 | 1 | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Do. 3 ,, | 9,978 | 7 | 31·4 | . | 6 | . | . | 6 | | | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | 5 | . |
| Do. 4 ,, | 8,666 | 7 | 36·1 | . | 6 | 1 | 1 | 4 | | | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | . | 1 | . |
| Do. 5 ,, | 6,592 | 7 | 15·8 | 7·9 | 2 | . | . | 2 | | | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 5 | 19·5 | . | 4 | 1 | 1 | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 7 ,, | 16,616 | 10 | 28·2 | 6·8 | 9 | . | 3 | 5 | | | 1 | . | . | . | . | 2 | . | . | . | . | . | 2 | . | . | 3 | . | . | 4 | . |
| Total, | 76,122 | 53 | 26·7 | 2·1 | 39 | 4 | 5 | 25 | | | 5 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . | 18 | . |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 25. | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13 | Oct. 20. | Oct. 27. | Nov 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19 | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. |
| No. of weeks in Annual Series, | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| BIRTHS registered, | 204 | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 268 | 282 | 207 | 203 | 197 | 255 | 216 |
| DEATHS registered. | 139 | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 122 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 209† |
| Annual Death-rate per 1,000 of estimated Population. | 19·8 | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 |
| AGES — Under 1 year, | 43 | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 |
| 1–5 years, | 14 | 22 | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 |
| 5–20 years, | 12 | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 |
| 20–40 years, | 18 | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 |
| 40–60 years, | 29 | 26 | 30 | 16 | 20 | 21 | 28 | 23 | 22 | 25 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 |
| 60 years and upwards, | 23 | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . |
| Scarlet Fever, | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough, | 2 | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 |
| Diphtheria, | 2 | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 |
| Diarrhœal Diseases, | 24 | 23 | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . |
| Pneumonia, | 5 | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 |
| Tuberculous Disease, Phthisis, | 21 | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 |
| Tuberculous Disease, Other Forms, | 6 | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 |
| Cancer, Malignant Disease, | 2 | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 |
| Diseases of Respiratory System, | 7 | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 |
| Violent Deaths, | 3 | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 |
| Number of Uncertified Deaths, | 2 | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 |

*Formerly described as "Simple Continued Fever."

† Including 12 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Feb. 16, | 2,350 | 1,819 | 19·9 | . | 28 | 8 | 20 | 48 | 1 | 17 |
| EDINBURGH, | 345,747 | „ 16, | 122 | 146*a* | 22·0 | . | 4 | . | . | . | . | . |
| GLASGOW, | 847,584 | „ 16, | 458 | 366*a* | 22·5 | . | . | . | 3 | 13 | 3 | 4 |
| CALCUTTA, | 977,822 | Dec. 29, | - | 607 | 37·2 | 11 | . | . | . | . | 126‡ | 161* |
| BOMBAY, | 982,000 | Jan. 15, | 377 | 689 | 36·6 | . | 1 | . | . | . | 79‡ | 71* |
| MADRAS, | 509,346 | Dec. 28, | 339 | 354 | 36·1 | 1 | . | ? | ? | ? | 78 | 64 |
| PARIS, | 2,750,000 | Feb. 2, | 1,079 | 1,170 | 22·3 | . | 10 | 4 | 8† | 8 | 2 | 18 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | Jan. 26, | 231 | 219 | 18·6 | . | 3 | . | . | 1 | 1 | 8 |
| ANTWERP, | 304,032 | „ 26, | 144 | 91 | 15·6 | . | . | . | 3† | 1 | 1 | 3 |
| AMSTERDAM, | 564,194 | Feb. 2, | 281 | 226 | 20·9 | . | 1 | 2 | 1† | 6 | 2 | 5 |
| COPENHAGEN, | 425,000 | Jan. 26, | 254 | 126 | 15·5 | . | . | . | . | 1 | . | 1 |
| STOCKHOLM, | 324,488 | „ 26, | 145 | 98 | 15·7 | . | . | . | 1† | . | . | 3 |
| CHRISTIANIA, | 222,373 | Feb. 2, | 124 | 82 | 19·2 | . | 6 | . | 4† | 1 | 1 | 5 |
| ST. PETERSBURG, | 1,482,769 | Jan. 26, | 640 | 854 | 29·9 | . | 39 | 24 | 20 | 2 | 22 | 114 |
| MOSCOW, | 1,154,000 | Dec. 29, | . | 703 | 31·8 | 1 | 29 | 13 | 16† | 8 | 9 | 55 |
| BERLIN, | 2,093,019 | Jan. 19, | 983 | 690 | 17·2 | . | 4 | 1 | 8† | 8 | 2 | 36 |
| HAMBURG, | 824,792 | „ 26, | . | 279 | 17·6 | . | 2 | . | 5† | 1 | . | 8 |
| BRESLAU, | 482,576 | Feb. 2, | . | 248 | 26·8 | . | 2 | . | 2† | 2 | . | 13 |
| MUNICH, | 548,000 | „ 2, | . | 203 | 19·3 | . | 7 | . | 3† | 3 | . | 18 |
| VIENNA (with suburbs). | 1,958,323 | „ 2, | 1,015 | 715 | 18·5 | . | 14 | 3 | 8† | 4 | . | 34 |
| BUDA-PESTH, | 802,235 | „ 2, | 407 | 334 | 21·7 | . | 1 | 5 | 7† | . | 2 | 12 |
| PRAGUE and Faubourgs. | 466,133 | Jan. 26, | 225 | 188 | 21·0 | . | 3 | . | 4† | . | 3 | 4 |
| TRIESTE, | 119,003 | „ 19, | 150 | 139 | 36·4 | . | 1 | . | . | 1 | . | 1 |
| ROME, | 531,818 | Dec. 15, | 277 | 179 | 17·6 | . | . | . | . | . | 4 | 7 |
| VENICE, | 171,709 | — | . | . | . | . | . | . | . | . | . | . |
| NEW YORK, | 4,285,435 | Jan. 19, | 2,200 | 1,586 | 19·3 | . | 6 | 9 | 37† | 9 | 13 | 39 |
| PHILADELPHIA, | 1,500,595 | „ 5 | . | 631 | 22·4 | . | . | 5 | 10† | 1 | 17 | 28 |
| BOSTON, | 602,526 | „ 19, | . | 244 | 21·1 | . | . | 1 | 2 | 1 | 2 | 3 |

*a.* Including 3 deaths from cerebro-spinal meningitis in Edinburgh, and 36 in Glasgow.
* Including 82 deaths from cholera in Calcutta, and 3 in Bombay.
† Including deaths from croup.
‡ Exclusive of 5 deaths from plague in Calcutta, and 33 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th February, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 1, West, | | . | . | . | . | . | 1 | . | 2 | . | . | . | 3 |
| " " 2, | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | 4 |
| " " 3, | . | 1 | . | . | 3 | . | 1 | . | 4 | . | 1 | . | 10 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 1 | . | . | 2 | . | . | 9 | 5 | . | 1 | . | 18 |
| " " 2, | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 4, | . | 3 | . | . | 1 | . | . | 2 | . | . | . | . | 6 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 5 | . | . | 8 | . | 3 | 14 | 14 | . | 3(*a*) | . | 47 |

(*a*) See note (*a*) page 99.

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th February, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 16th February. | | | |
|---|---|---|---|---|---|---|---|
| | Jan. 26. | Feb. 2. | Feb. 9. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 29 | 27 | 31 | 23 | 7 | 1 | 46 |
| Scarlet Fever, | 73 | 73 | 82 | 8 | 14 | . | 76* |
| Typhus, | 7 | 8 | 9 | 1 | 2 | . | 8 |
| Diphtheria, | 32 | 27 | 29 | 6 | 13 | . | 22 |
| Enteric Fever, | 36 | 33 | 30 | 8 | 11 | . | 27 |
| Pneumonia, | 25 | 27 | 28 | 9 | 10 | 3 | 24 |

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 16th February, 1907:—

"Changeable, if seasonable, weather prevailed during this week. On Sunday morning atmospheric pressure ranged from 28·42 inches at Seydisfjord in Iceland to 30·37 inches at Lisbon and 30·47 inches at Ponta Delgada in the Azores. As a result of this distribution of pressure a strong southwesterly wind blew along the shores of Western Europe. By 8 a.m. of Monday a curious V-shaped depression stretched from Iceland to the English Channel. The N.W. winds in its rear brought a low temperature to Ireland and Scotland; but these winds died out quickly as a new, deep and energetic cyclonic system came in over Ireland from the Atlantic. The centre of this disturbance passed over Dublin on its easterly path at 7 a.m. of Tuesday, when the barometer stood at 28·907 inches in this City, calms and fog having taken the place of a strong S.E. wind and heavy rain, sleet and hail. As the centre travelled eastward the barometer rose fast and the wind freshened from N., subsequently backing to N.W. The heaviest rainfall so far observed in 1907 accompanied this disturbance. Wednesday was a very fine day, but on Thursday morning a new depression had already reached Iceland, and its S.W. winds brought a rapid rise of temperature to the British Isles, Brittany and Norway. This change became intensified on Friday, when the thermometer rose to 55·7° in Dublin. Saturday was cooler, but increasing cloud, a solar halo, and a backing and freshening wind heralded the approach of another disturbance from the Atlantic. In Dublin the mean height of the barometer was 29·760 inches, pressure falling to 28·907 inches at 7 a.m. of Tuesday (calm), and rising to 30·166 inches at 9 p.m. of Wednesday (wind, N.W.). The mean temperature was 41·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·4°. The screened thermometers fell to 31·9° on Monday and rose to 55·7° on Friday. Winds from westerly points (N.W., W., and S.W.) prevailed. The rainfall was ·577 inch on six days, ·379 inch being measured on Monday. There was a faint aurora on Sunday night."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·770 inches. The highest reading (30·157) was on Wednesday at 9 p.m., wind N.W., and the lowest (28·999) on Tuesday at 9 a.m., wind N.N.E.

The mean temperature for the week was 40·4°, being 0·8° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Friday, on which day the thermometer registered 54·3°, and was lowest on Monday, the mercury having fallen to 28·7°. The mean of the Dry Bulb for the week was 40·2°, and of the Wet Bulb 38·4°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 26·0 hours. The rainfall during the week measured 0·595 inch.

At Greenwich the mean temperature for the week was 39·7°. the maximum 48·6°, and the minimum 28·0°; at Glasgow the maximum was 52·8°, the minimum 23·5°, and the mean 37·9°; and at Edinburgh the maximum was 51·7°, the minimum 30·3°, and the mean 38·2°. The rainfall at Greenwich measured 0·77 in.; at Glasgow 1·26 ins.; and at Edinburgh 0·36 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Feb. 10, | 29·599 | 46·1 | 32·4 | 39·3 | 36·5 | 35·1 | ·88 | ·9 | 3·6 | ·150 | S.W. | W. |
| Monday, „ 11, | 29·532 | 40·7 | 28·7 | 31·7 | 35·1 | 32·9 | ·80 | ·9 | 7·2 | ·340 | S.W. | S. |
| Tuesday, „ 12, | 29·228 | 40·8 | 32·9 | 36·9 | 38·5 | 35·1 | ·76 | ·7 | 0·9 | ·006 | N.N.E. | N.W. |
| Wednesday, „ 13, | 29·998 | 43·1 | 29·8 | 36·5 | 33·6 | 32·6 | ·89 | ·7 | 8·9 | ·000 | W.N.W. | N.W. |
| Thursday, „ 14, | 30·052 | 50·3 | 28·9 | 39·6 | 46·1 | 45·0 | ·92 | ·7 | 0·0 | ·012 | W.N.W. | W.S.W. |
| Friday, „ 15, | 29·906 | 54·3 | 43·9 | 49·1 | 47·5 | 46·1 | ·90 | ·8 | 0·4 | ·012 | S.W. | W. |
| Saturday, „ 16, | 30·074 | 48·8 | 45·2 | 47·0 | 43·8 | 41·9 | ·86 | ·7 | 5·0 | ·075 | W.S.W. | W.S.W. |
| Mean, | 29·770 | 46·3 | 34·5 | 40·4 | 40·2 | 38·4 | ·86 | ·8 | Total 26·0 | Total ·595 | Prevailing Winds, W.S.W. & S.W. | |

*Sunday*—Cloudy day, heavy rain 5.20 p.m. to 7.35 p.m.; night clear. *Monday*—Fine bright day and cloudy; night overcast, heavy rain 12.0 to 1.30 a.m., showery from 1.30 to 7.0 a.m. *Tuesday*—Light rain, overcast a.m., cloudy p.m.; night clear. *Wednesday*—Fine bright day, clear sky 5.30 p.m. to 12 m.n.; night cloudy. *Thursday*—Day overcast, light showers at intervals; night cloudy. *Friday*—Cloudy day, fine, light showers at intervals; night clear. *Saturday*—Cloudy a.m., cloudy and overcast, light showers at intervals, p.m.; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 16th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Feb. 10, | 41·0 | 38·0 | 41·5 | 50·1 | 34·6 | 42·4 | 4·0 | ·096 |
| Monday, „ 11, | 35·0 | 38·0 | 41·7 | 42·5 | 31·6 | 37·1 | 6·1 | ·375 |
| Tuesday, „ 12, | 39·0 | 38·0 | 41·8 | 41·8 | 34·9 | 38·4 | 0·8 | ·005 |
| Wednesday, „ 13, | 35·9 | 37·7 | 41·6 | 43·9 | 31·9 | 37·9 | 6·0 | ·001 |
| Thursday, „ 14, | 42·1 | 37·0 | 41·5 | 51·7 | 32·6 | 42·2 | — | ·001 |
| Friday, „ 15, | 51·9 | 40·0 | 41·5 | 55·3 | 45·2 | 50·3 | 1·0 | ·006 |
| Saturday, „ 16, | 41·2 | 41·3 | 41·6 | 50·0 | 37·9 | 44·0 | 4·6 | ·074 |
| Weekly Mean, | 40·9 | 38·6 | 41·6 | 47·9 | 35·5 | 41·7 | Total 22·5 | ·561 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 292. 9. 1906.—16495.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 23RD FEBRUARY, 1907. [No. 8.

*General Register Office, Charlemont House, Dublin, 25th February,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Feb. 2. | Week ending Feb. 9. | Week ending Feb. 16. | Week ending Feb. 23. | Average Rate for 4 weeks. | Towns, &c. | Week ending Feb. 2. | Week ending Feb. 9. | Week ending Feb. 16. | Week ending Feb. 23. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 22·5 | 25·6 | 28·8 | 25·2 | 25·5 | Lisburn, . | 18·2 | 4·5 | 22·7 | 27·3 | 18·2 |
| Armagh, . . | 34·4 | 6·9 | 13·7 | 61·8 | 29·2 | Londonderry, . | 17·2 | 13·5 | 20·9 | 27·0 | 19·7 |
| Ballymena, . | 14·4 | 28·7 | 38·3 | 23·9 | 26·3 | Lurgan, . . | 48·7 | 8·9 | 35·4 | 31·0 | 31·0 |
| Belfast, . . | 20·7 | 27·2 | 28·6 | 20·6 | 24·3 | Newry, . . | 25·2 | 21·0 | 12·6 | 25·2 | 21·0 |
| Clonmel, . | 10·3 | 35·9 | 20·5 | 35·9 | 25·6 | Newtownards, . | 22·9 | 17·2 | 34·3 | 17·2 | 22·9 |
| Cork, . . . | 26·0 | 19·2 | 26·7 | 30·8 | 25·7 | Portadown, . | 10·3 | 10·3 | 31·0 | 31·0 | 20·7 |
| Drogheda, . . | 20·4 | 45·0 | 12·3 | 28·6 | 26·6 | Queenstown . | 6·6 | 19·8 | 6·6 | 6·6 | 9·9 |
| Dublin Reg. Area, | 24·8 | 28·6 | 31·4 | 27·1 | 28·0 | Sligo, . . . | 14·4 | 9·6 | 24·0 | 9·6 | 14·4 |
| Dundalk, . . | 35·9 | 27·9 | 27·9 | 19·9 | 27·9 | Tralee, . | 5·3 | 26·4 | 37·0 | 21·1 | 22·5 |
| Galway, . . | 15·5 | 23·3 | 31·1 | 11·7 | 20·4 | Waterford, . | 25·3 | 31·2 | 39·0 | 42·9 | 34·6 |
| Kilkenny, . . | 34·3 | 24·6 | 19·7 | 54·1 | 33·2 | Wexford, . . | 18·7 | 37·4 | 51·4 | 23·3 | 32·7 |
| Limerick, . . | 19·1 | 16·4 | 21·9 | 20·5 | 19·5 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 8·0 in Dundalk, the 5 deaths from all causes registered in that district including one from measles and one from diphtheria. The 146 deaths from all causes registered in Belfast include one from each of measles, scarlet fever, and enteric fever, one death from cerebro spinal fever, and 11 returned as from *cerebro spinal meningitis.* Among the 45 deaths registered in Cork are 3 from whooping-cough, one from diphtheria, and one returned as from *cerebro spinal meningitis;* there are 2 deaths from diarrhœa among the 22 deaths from all causes in Londonderry; the 22 deaths in Waterford include one from scarlet fever; one of the 6 deaths from all causes in Newry is from whooping-cough; and of the 11 deaths from all causes in Kilkenny there was one from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—98 boys and 97 girls; and the deaths to 209—115 males and 94 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 27·9 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 27·1 per 1,000. During the eight weeks ending with Saturday last the death-rate averaged 29·5, and was 0·1 above the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (209) included 3 from whooping-cough, one from diphtheria, 2 from enteric fever, and 3 from diarrhœal diseases; there were 4 deaths from influenza. In each of the 3 weeks preceding, deaths from whooping-cough were 2, 6, and 4; deaths from diphtheria were 0, 0, and one; deaths from enteric fever were 0, 2, and 0; deaths from diarrhœal diseases were 2, 2, and one; and deaths from influenza were 6, 4, and 9.

The deaths from pneumonia included 2 from lobar pneumonia, 8 from broncho-pneumonia, and 13 deaths from *pneumonia* (not defined).

Of 34 deaths from all forms of tuberculous disease, there were 3 from tuberculous phthisis, 15 returned as from *phthisis*, 8 from tuberculous meningitis, one from tuberculous peritonitis, and 7 from other forms of the disease. In each of the 3 preceding weeks, the total deaths from all forms of tuberculous disease were 36, 40, and 37.

Two deaths were due to carcinoma, 2 to sarcoma, and 3 to cancer (undefined).

The deaths of 4 infants were caused by prematurity.

Of 17 deaths from diseases of the brain and nervous system, 5 were from meningitis, and 4 were of of children under 5 years of age from *convulsions*.

There were 24 deaths from diseases of the heart and blood vessels. Bronchitis was the cause of death in 38 instances.

There were 6 deaths attributed to accidental causes. Of these, 2 were deaths of infants under one year of age by suffocation in bed. One death by suicide was registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old and the deaths of 3 persons aged 60 years and upwards.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 9 were under one month old) and 54 were aged 60 years and upwards, including 29 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a man) was stated to have been 90 years.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the N. Dublin Union Workhouse and 19 in the S. Dublin Union Workhouse.

**The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed.** [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 27·1 per 1,000; the rate in the City was 28·8 (North City Districts, 26·4; South, 31·3), and in the Suburbs, 21·5 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·2 (0·7 in the North City Districts, and 1·8 in the South) and for the Suburbs, 1·2

*No. 1 North City District, East* (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·8 per 1,000. Influenza, *diarrhœa*, lobar pneumonia, and *pneumonia* (not defined), and tuberculous disease each caused one death.

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. The deaths included one from influenza, 2 from broncho-pneumonia, 4 from tuberculous disease, 5 from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. Amongst the deaths one was from broncho-pneumonia, 2 were from *pneumonia* (not defined), 2 from *phthisis*, 2 from bronchitis, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (22) represent an annual rate of 35·4 per 1,000, and include 2 from broncho-pneumonia, 4 from tuberculous disease, 3 from bronchitis, and 3 accidental deaths.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 38·0 per 1,000 inhabitants; Finglas and Glasnevin, part of, 36·1, and Clontarf and Howth, No. 1, part of, 0·0. The only death from any of the principal epidemic diseases for these districts was one from enteric fever for Coolock and Drumcondra, No. 1, part of, for which district the 8 deaths from all causes also include one each from lobar-pneumonia, broncho-pneumonia, and *phthisis*. The 5 deaths from all causes for Finglas and Glasnevin, part of, include one from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (29) represent an annual rate of 37·8 per 1,000. Whooping-cough caused 3 deaths, there were 2 deaths from *pneumonia* (not defined), 7 deaths from tuberculous disease, and 8 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (18) are equal to an annual rate of 45·6 per 1,000. The total (18) includes 5 deaths from tuberculous disease, 5 deaths from diseases of the respiratory system, and one death by suicide.

*No. 3 South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 27·2 per 1,000. There was one death from diphtheria, also one death from *diarrhœa*; tuberculous disease and bronchitis each caused 4 deaths.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Included in the total deaths (17) were 3 from *pneumonia* (not defined), one from *phthisis*, 5 from bronchitis, and one accidental death.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of the deaths was due to disease of circulatory organs, and one was due to asthma.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 22·5; Blackrock, 17·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include one each from enteric fever and *diarrhœa* for Rathmines and Rathgar. Amongst the 15 deaths from all causes for Rathmines and Rathgar there were 2 from broncho-pneumonia, 2 from *pneumonia* (not defined), one from tuberculous meningitis, and 3 from bronchitis. The 12 deaths from all causes for Pembroke include one each from influenza, *pneumonia* (not defined), and tuberculous disease, and 2 from bronchitis. One of the 3 deaths from all causes for Blackrock was from tuberculous meningitis; and the 7 deaths from all causes for Kingstown include one each from influenza, *pneumonia* (not defined), and *phthisis*, and 2 from bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 23rd February, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. *a* | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Feb. 2, | . | — | — | 3 | 3 | . | 1 | . | 5 | 1 | 8 | . | — | — | — | — | — | 21 |
| | Feb. 9, | . | — | — | 4 | 1 | . | 6 | . | . | 5 | 18 | . | — | — | — | — | — | 34 |
| | Feb. 16, | . | — | — | 5 | . | . | 8 | . | 3 | 14 | 14 | . | — | — | — | — | — | 44 |
| | Feb. 23, | . | — | — | 3 | 2 | . | 6 | . | 3 | 4 | 18 | . | — | — | — | — | — | 36 |
| Rathmines and Rathgar Urban District. | Feb. 2, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Feb. 9, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| | Feb. 16, | . | — | — | 1 | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Feb. 23, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| Pembroke Urban District. | Feb. 2, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 1 |
| | Feb. 9, | . | . | . | 2 | . | . | 2 | . | . | . | . | . | — | 1 | . | — | — | 5 |
| | Feb. 16, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | 1 | . | — | — | 2 |
| | Feb. 23, | . | . | . | . | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 2 |
| Blackrock Urban District. | Feb. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 9, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | — | — | — | 5 |
| | Feb. 16, | . | — | — | 2 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Feb. 23, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| Kingstown Urban District. | Feb. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 9, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| | Feb. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Feb. 2, | . | — | — | 17 | . | . | 4 | . | 2 | 6 | 13 | . | — | — | — | — | — | 42 |
| | Feb. 9, | . | — | — | 12 | . | . | 9 | 2 | 3 | 10 | 12 | 1 | — | — | 12 | — | — | 61 |
| | Feb. 16, | . | — | — | 19 | . | . | 10 | 2 | 11 | 12 | 5 | 2 | — | — | 19 | — | — | 80 |
| | Feb. 23, | . | — | — | 19 | . | . | 6 | . | 7 | 17 | 8 | . | — | — | 29 | — | — | 86 |

(*a*) Sir Charles Cameron reports 7 cases of cerebro spinal meningitis as having occurred in the City in addition to 3 cases for week ended 16th instant.

The Registrar of Castlereagh No. 1 district reports:—"A death occurred in my rural district from cerebro-spinal meningitis, the child was five weeks old, the death has been notified me, but is not yet registered."

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd February, 1907.

From this it appears that:—

Twelve cases of measles were admitted into hospital during the week, 11 were discharged, and 47 cases remained under treatment at its close.

Seventeen cases of scarlet fever were admitted to hospital, 10 were discharged, and 83* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital, 6 were discharged, and 3 cases remained under treatment at the close of the week.

Eight cases of diphtheria were admitted to hospital, 3 were discharged, there was one death, and 26 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 2 were discharged, and 27 cases remained under treatment in hospital at the close of the week.

One death from cerebro spinal meningitis was reported as having occurred in hospital during the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 5 were discharged, there were 3 deaths, and 27 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·1), was equal to an average annual death-rate of 17·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 18·8 per 1,000, the rate for Glasgow being 20·3 and for Edinburgh 18·0.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd February. From this Report it appears that of a total of 39 cases notified 15 were scarlet fever, 15 diphtheria, one membranous croup, 5 erysipelas, and 2 enteric fever. Among the 335 cases of infectious diseases in hospital at the close of the week were 105 cases of scarlet fever, 52 of whooping-cough, 49 of measles, 48 of diphtheria, 3 of membranous croup, 16 of erysipelas, and 12 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd February, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by: Births | Deaths: From all Causes. | Deaths: From Diseases in cols. 10-18. | Registration—Week ending Saturday, 23rd February, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e — Week ending 23rd February, 1907. Air Temperature: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 16th February, 1907. Air Temperature: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 9th February, 1907. Air Temperature: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 25·0 | 25·2 | 1·1 | 535 | 540 | 89 | 165 | . | 2 | 2 | . | 8 | 3 | . | 3 | 6 | 47 | 71 | 29 | 15 | 104 | 9 | 16 | 175 | 25 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 26·0 | 27·1 | 1·2 | 195 | 208 | 37 | 51 | . | . | . | . | 3 | 1 | . | 2 | 3 | 22 | 18 | 16 | 7 | 41 | 7 | 9 | 71 | 5 | f52·2 | 26·0 | 39·0 | 0·39 | f54·3 | 28·7 | 40·4 | 0·60 | f47·1 | 21·1 | 34·0 | 0·36 |
| City of Dublin, | 300,850 | 38·0 | 29·3 | 28·8 | 1·2 | 169 | 166 | 32 | 35 | . | . | . | . | 3 | 1 | . | 1 | 2 | 16 | 17 | 13 | 4 | 34 | 7 | 8 | 63 | 8 | g54·8<br>h54·9 | 29·9<br>27·0 | 41·4<br>40·4 | 0·45<br>0·39 | g55·7<br>h54·9 | 31·9<br>29·0 | 41·5<br>40·5 | 0·58<br>0·62 | g47·7<br>h46·5 | 28·4<br>22·0 | 37·1<br>35·3 | 0·28<br>0·28 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 17·6 | 22·0 | 2·9 | 12 | 15 | 3 | 4 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 8 | . | 1 | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,874 | 17·5 | 13·1 | 22·5 | . | 7 | 12 | 1 | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | . | 17·9 | . | . | 8 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 20·7 | 20·7 | . | 7 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 2 | 2 | 56 | 30·5 | 41·8 | 0·38 | 56 | 31·5 | 42·2 | 0·59 | 48 | 31·5 | 38·2 | 0·28 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 22·4 | 20·6 | 0·4 | 159 | 146 | 21 | 47 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 4 | 51 | 1 | 50·0 | 29·5 | 40·7 | 1·31 | 52·0 | 30·0 | 39·1 | 0·64 | 45·0 | 28·5 | 35·2 | 0·13 |
| Cork, (j) | 76,122 | 33·6 | 24·0 | 30·8 | 2·7 | 85 | 45 | 9 | 11 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 1 | 13 | 6 | 52 | 29 | 41·5 | 0·29 | 52 | 34 | 43·4 | 0·94 | 48 | 32 | 40·5 | 0·54 |
| Londonderry, | 42,475 | 19·6 | 24·6 | 27·0 | 2·5 | 20 | 22 | 2 | 8 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 20·5 | 20·5 | . | 15 | 15 | 2 | 7 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | . | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 33·1 | 42·9 | 1·9 | 17 | 22 | 2 | 9 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | 1 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 15·5 | 11·7 | . | 4 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 51 | 27 | 43 | 0·58 | 51 | 26 | 41 | 1·25 | 47 | 25 | 39 | 0·80 |
| Dundalk, | 18,076 | 9·4 | 28·9 | 19·9 | 8·0 | 6 | 5 | 1 | 1 | . | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 6·6 | 31·7 | 18·6 | . | 20 | 7 | 3 | 2 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 33·6 | 25·2 | 4·2 | 8 | 6 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | 2 | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 |
| Lurgan, | 11,782 | 13·8 | 8·9 | 31·0 | 4·4 | 2 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | 4 | . | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 27·3 | . | 5 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 2 | . | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 |
| Wexford, | 11,168 | 23·2 | 32·7 | 23·3 | . | 7 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 19·2 | 25·9 | . | 4 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 9·6 | 9·6 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 51·3 | 25·1 | 39·3 | 1·37 | 53·5 | 29·0 | 40·3 | 0·95 | 46·4 | 23·3 | 35·8 | 0·88 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 54·1 | 4·9 | 5 | 11 | 3 | 3 | . | . | . | . | 1 | . | . | . | . | . | 4 | . | . | 1 | . | . | 3 | 2 | 53 | 24 | 38·6 | 0·58 | 56 | 29 | 41·1 | 0·62 | 48 | 25 | 36 | 0·41 |
| Clonmel, | 10,167 | 7·8 | 41·0 | 35·9 | . | 8 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 46·5 | 31·0 | . | 9 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 |
| Tralee, | 9,867 | 16·6 | 21·1 | 21·1 | . | 4 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 5·7 | 17·2 | . | 1 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | 51 | 30 | 40·1 | 0·88 | 53 | 30 | 39·8 | 0·60 | 45 | 32 | 37·6 | 0·24 |
| Queenstown, | 7,909 | 14·4 | 46·1 | 6·6 | . | 7 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 52 | 29 | 41·5 | 0·29 | 52 | 34 | 43·4 | 0·94 | 48 | 32 | 40·5 | 0·54 |
| Armagh, | 7,588 | 22·2 | 18·7 | 61·8 | . | 2 | 9 | 1 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | . | . | 3 | . | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 | 44·3 | 22·3 | 34·9 | 0·43 |

*a* According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 6 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area. *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. *f* Observations at Ordnance Survey Office, Phœnix Park. *g* Observations by Sir John Moore taken at Fitzwilliam Square. *h* Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 23rd February, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | 3 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| Diarrhœal Diseases, | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 3 | . |
| Pneumonia, | 2 | 2 | 3 | 2 | . | 2 | . | 2 | . | . | 3 | . | 4 | 1 | . | 1 | 22 | 1 |
| Tuberculous Phthisis, | . | 2 | 2 | 1 | . | 1 | 1 | 4 | 2 | 3 | 1 | . | . | . | . | 1 | 18 | . |
| Disease. Other Forms. | 1 | 2 | . | 3 | . | . | . | 3 | 3 | 1 | . | . | 1 | 1 | 1 | . | 16 | . |
| Cancer, Malignant Disease, | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | 1 | . | 7 | . |
| Other General Diseases | 1 | 4 | 2 | 1 | . | 1 | . | 3 | . | 1 | . | . | 1 | 2 | . | 1 | 17 | 1 |
| Total, | 5 | 10 | 8 | 7 | . | 5 | 2 | 15 | 6 | 7 | 5 | . | 9 | 5 | 2 | 3 | 89 | 2 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 1 | 4 | . | . | 1 | . | . | 2 | 4 | 3 | . | . | 1 | . | . | 16 | 1 |
| Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessels, | 1 | . | 2 | 1 | . | 2 | . | 4 | . | 5 | 2 | 1 | 3 | 2 | 1 | . | 24 | . |
| Respiratory System, | . | 5 | 2 | 3 | . | . | 1 | 8 | 5 | 4 | 5 | 1 | 3 | 2 | . | 2 | 41 | . |
| Digestive System, | . | 2 | . | 5 | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | 10 | 1 |
| Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Urinary System, | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | 2 | . | . | 5 | 1 |
| Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 1 | 8 | 8 | 9 | . | 3 | 2 | 12 | 9 | 15 | 10 | 2 | 6 | 7 | 1 | 3 | 96 | 4 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 1 | . | 3 | . | . | 1 | 2 | 2 | . | 1 | . | . | . | . | 1 | 11 | . |
| **E. VIOLENT DEATHS,** | . | 1 | 1 | 3 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 7 | . |
| **Deaths from all Causes,** | 6 | 20 | 17 | 22 | . | 8 | 5 | 29 | 18 | 22 | 17 | 2 | 15 | 12 | 3 | 7 | 203 | 6 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 10·8 | 26·6 | 29·4 | 35·4 | . | 38·0 | 36·1 | 37·8 | 45·6 | 27·2 | 25·2 | 11·7 | 22·0 | 22·5 | 17·9 | 20·7 | 27·1 | . |
| | 26·4 | | | | | | | 31·3 | | | | | 21·5 | | | | | |
| | 28·8 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 2 | 3 | 1 | 11 | . | . | 1 | 5 | 5 | 2 | 2 | . | 3 | 1 | 1 | . | 37 | . |
| 1 and under 5 years, | 1 | 9 | 6 | 2 | . | . | . | 4 | 5 | 3 | . | . | 1 | . | . | . | 31 | . |
| 5 ,, 20 ,, | . | 1 | . | 1 | . | 1 | . | 3 | 1 | 1 | . | . | 3 | . | . | 1 | 12 | . |
| 20 ,, 40 ,, | 1 | 2 | 1 | 1 | . | 2 | . | 4 | 3 | 4 | 4 | . | 2 | 1 | . | . | 25 | 2 |
| 40 ,, 60 ,, | . | 3 | 8 | 5 | . | 2 | 2 | 5 | 2 | 6 | 4 | 2 | 2 | 2 | 1 | 3 | 47 | 1 |
| 60 and upwards, | 2 | 2 | 1 | 2 | . | 3 | 2 | 8 | 2 | 6 | 7 | . | 4 | 8 | 1 | 3 | 51 | 3 |
| Number of Uncertified Deaths, | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 | 5 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 3 | 4 | 2 | . | 1 | 2 | 5 | 3 | 9 | 4 | . | 6 | . | . | 2 | 43 | 6 |
| Workhouse Hospitals, | . | 1 | 2 | 4 | . | 2 | . | 9 | 2 | 5 | 3 | . | . | . | . | . | 28 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1897–1906

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 8th Week of the 10 years 1897–1906. | In the Week ending Saturday, 23rd February, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 27, 1897. | Feb. 26, 1898. | Feb. 25, 1899. | Feb. 24, 1900. | Feb. 23, 1901. | Feb. 22, 1902. | Feb. 28, 1903. | Feb. 27, 1904. | Feb. 25, 1905. | Feb. 24, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards. |
| Mean Temperature. | ° 47·5 | ° 37·1 | ° 41·2 | ° 41·4 | ° 37·4 | ° 40·5 | ° 40·9 | ° 42·6 | ° 36·3 | ° 36·3 | ° 40·1 | Mean Temp. ° 39·0 | | | | | | | |
| **ALL CAUSES.** | 252 | 209 | 203 | 342 | 232 | 248 | 195 | 206 | 194 | 185 | 226·6 | 209 | 9 | 28 | 31 | 12 | 27 | 48 | 47 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 34 | . | . | 5 | . | 3 | 1 | 2 | 3 | . | 4·8 | . | . | . | . | . | . | . | . |
| Scarlet Fever, | 2 | . | 3 | 1 | . | . | 3 | 1 | . | 1 | 1·1 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 5 | 13 | 6 | 17 | 4 | 4 | 8 | 2 | 4 | 1 | 6·4 | 4 | . | . | . | . | . | 4 | . |
| Whooping-cough, | 12 | . | 2 | . | 3 | 2 | 5 | 11 | 1 | 1 | 3·7 | 3 | . | 1 | 2 | . | . | . | . |
| Diphtheria, | 3 | 4 | . | . | 1 | 1 | 1 | . | . | 1 | 1·1 | 1 | . | . | 1 | . | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 4 | 4 | 1 | 4 | 3 | 1 | 2 | . | 1 | 2·2 | 2 | . | . | . | 1 | 1 | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 2 | 1 | 3 | 4 | 4 | 2 | . / 4 | . / . | 1 / . | . / 2 | 2·3 | . / 3 | 1 | 2 | . | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 2 | . | . | . | . | 1 | . | 3 | . | ·6 | . | . | . | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, | 1 | . | . | . | . | . | . / . / . | . / . / . | . / . / . | . / . / 1 | ·2 | . / . / . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-, Epidemic, Not defined, | 17 | 8 | 15 | 19 | 27 | 22 | . / 1 / . / 4 | 2 / 9 / . / 8 | 1 / 7 / . / 6 | . / 10 / . / 3 | 15·9 | 2 / 8 / . / 13 | . | . / 2 / . / 1 | . / 3 / . / 1 | . | 2 / . / . / 3 | . / 2 / . / 6 | . / . / . / 2 |
| Erysipelas, | . | . | 1 | 1 | . | . | 1 | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 1 | . | . | . | . | 1 | . / . | 2 / . | . / . | . / 1 | ·5 | 1 / . | . | . | . | . | 1 | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," | 23 | 28 | 32 | 40 | 19 | 27 | 2 / 23 | 5 / 15 | 7 / 28 | 11 / 18 | 27·8 | 3 / 15 | . | . | . | 1 | 2 / 7 | 1 / 4 | . / 3 |
| Tuberculous Meningitis, | 6 | 4 | 3 | 15 | 1 | 1 | 3 | 1 | 8 | 5 | 4·7 | 8 | . | 4 | 2 | 2 | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, | 5 | 3 | 2 | 4 | 5 | 1 | 2 / 1 | 2 / 2 | . / . | . / . | 2·7 | 1 / . | . | . | . | . | 1 | . | . |
| Tuberculous Dis. (other), *Scrofula*, | 8 | 5 | 5 | 4 | 6 | 3 | 5 / . | 9 / . | 6 / . | 7 / . | 5·8 | 7 / . | 1 | 3 | 2 | 1 | . | . | . |
| Alcoholism, | 1 | . | . | . | . | 1 | . | 2 | 1 | 1 | ·6 | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | . | 1 | . | . | 2 | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| Gout, | 1 | . | . | . | 2 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Carcinoma, Sarcoma, Cancer (undefined), | 7 | 9 | 6 | 10 | 1 | 11 | 2 / . / 6 | 5 / . / 6 | 1 / 1 / 3 | 6 / 1 / 6 | 8·1 | 2 / 2 / 3 | . | . | . | . | . | 1 / 2 / 2 | 1 / . / 1 |
| Diabetes Mellitus, | . | . | . | . | . | . | 1 | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| Premature Birth, | 2 | . | 8 | 4 | 5 | 4 | 3 | 3 | 2 | . | 3·1 | 4 | 4 | . | . | . | . | . | . |

* The figures for the years 1897–1900 are fo
† Formerly described a

TH WEEK ending Saturday, 23rd February, 1907, with the deaths from each cause in the corresponding
he average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 8th Week of the 10 years 1897–1906. | In the Week ending Saturday, 23rd February, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 27, 1897. | Feb. 26, 1898. | Feb. 25, 1899. | Feb. 24, 1900. | Feb. 23, 1901. | Feb. 22, 1902. | Feb 28, 1903. | Feb. 27, 1904. | Feb. 25, 1905. | Feb. 24, 1906. | | ALL AGES. | 0 to 5 | | | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 47·5 | ° 37·1 | ° 41·2 | ° 41·4 | ° 37·4 | ° 40·5 | ° 40·9 | ° 42·6 | ° 36·3 | ° 36·3 | ° 40·1 | Mean Temp. ° 39·0 | Under 1 month. | 1 month and under a year. | 1 to 5. | | | | | |
| ingitis (not tuberc.) ... | | | | | | | 7 | 3 | 3 | 3 | | 5 | . | 1 | 2 | 1 | . | 1 | . |
| nity, G. P. of Insane ... | | | | | | | 1 | 3 | 3 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| lepsy .. ... | | | | | | | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | | 8 | 6 | 8 | 11 | | 4 | . | 2 | 2 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| nplegia Dis. of Cord ... | | | | | | | 2 | 2 | . | 1 | | . | . | . | . | . | . | . | . | . |
| vous System (other s.) | 33 | 37 | 36 | 61 | 41 | 48 | 3 | 1 | . | 1 | 42·8 | 6 | . | . | . | 1 | 1 | 2 | 2 | . |
| v. Dis., Endocarditis ... | | | | | | | 3 | 4 | 6 | 4 | | 6 | . | . | . | . | . | 1 | 4 | 1 |
| ebr. Hæm. Thromb. ... | | | | | | | 2 | 1 | 3 | 6 | | 1 | . | . | . | . | . | 1 | . | . |
| *plexy, Hemiplegia* ... | | | | | | | 6 | 8 | 4 | 1 | | 1 | . | . | . | . | . | . | . | 1 |
| urysm ... ... | | | | | | | 3 | 1 | . | 2 | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | | 2 | . | . | . | | 1 | . | . | . | . | 1 | . | . | . |
| rt and Blood Vessel Dis. | | | | | | | 12 | 14 | 14 | 8 | | 15 | . | . | . | 1 | 1 | 6 | 6 | 1 |
| *up* (not Spasm. nor emb.) | 1 | 1 | 1 | . | . | . | . | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 33 | 39 | 31 | 74 | 45 | 56 | 25 | 31 | 22 | 27 | 38·3 | 38 | . | 3 | 8 | 1 | 1 | 9 | 14 | 2 |
| nma, Emphysema ... | | | | | | | 1 | 1 | 2 | . | | 2 | . | . | . | . | . | 1 | 1 | . |
| irisy ... ... | 12 | 3 | 3 | 1 | . | 4 | . | . | . | 1 | 3·7 | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | | 2 | 3 | 1 | 3 | | 1 | . | . | . | . | . | 1 | . | . |
| sillitis, Quinsy ... | . | 1 | . | 2 | . | . | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . | . |
| eritis (not Epid.) ... | | | | | | | 1 | . | 2 | . | | 1 | . | 1 | . | . | . | . | . | . |
| *tro Enteritis* ... ... | . | 3 | 1 | 2 | . | . | 3 | . | 2 | 2 | 1·6 | 1 | . | 1 | . | . | . | . | . | . |
| *tonitis* (not Puerp.) ... | . | 1 | . | 2 | . | . | . | . | . | 2 | ·5 | . | . | . | . | . | . | . | . | . |
| hosis of Liver ... | | | | | | | . | 3 | 2 | . | | . | . | . | . | . | . | . | . | . |
| er Dis. (other) ... | 1 | 2 | 2 | 3 | 1 | 2 | . | 1 | 1 | 1 | 1·9 | . | . | . | . | . | . | . | . | . |
| estive Dis. (other) ... | 5 | 2 | 5 | 7 | 5 | 8 | 5 | 2 | 7 | 1 | 4·7 | 9 | . | 1 | 3 | 1 | . | 3 | 1 | . |
| hritis, Acute ... | | | | | | | 1 | 1 | 1 | 5 | | 1 | . | . | 1 | . | . | . | . | . |
| ght's Dis., Albuminuria | 6 | 5 | 6 | 10 | 9 | 12 | 3 | 4 | 2 | 2 | 7·1 | 3 | . | . | . | . | . | . | 3 | . |
| nary Sys. (Other Dis.) | | | | | | | 1 | . | 1 | 2 | | 2 | . | . | . | . | . | 1 | 1 | . |
| erative Organs Dis. ... | . | . | 1 | 1 | . | 1 | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| dbirth (Accid. of) ... | . | . | . | 1 | 2 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 11 | 18 | 10 | 28 | 18 | 8 | 3 | 9 | 8 | 6 | 11·9 | 4 | . | . | . | . | . | . | 3 | 1 |
| er Diseases ... ... | 17 | 10 | 14 | 20 | 23 | 16 | 13 | 14 | 13 | 10 | 15·0 | 15 | 2 | 5 | 3 | . | 2 | 2 | . | 1 |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| hips, Boats, Docks (exusive of Drowning) ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | . | 3 | . | 2 | 2 | 3 | 2 | 2 | 1 | 2 | 1·7 | 1 | . | . | 1 | . | . | . | . | . |
| Drowning ... ... | . | 1 | 1 | . | . | . | 1 | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . | . |
| Suffocation in Bed ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | 2 | 1 | 1 | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . |
| er Deaths by Accident | 1 | 2 | 2 | 1 | 3 | 3 | 2 | 2 | . | 1 | 1·7 | 1 | . | . | . | . | . | 1 | . | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| cide ... ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . |
| cution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
ole Continued Fever."

**TABLE V.—Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 1. | Sept. 8 | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12 | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 |
| No. of weeks in Annual Series. | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| BIRTHS registered, | 180 | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 |
| *Average Births in corresponding week of previous 10 years,** | 215 | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 |
| DEATHS registered, | 166 | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 229 | 209 |
| Annual Death-rate per 1,000, | 22·8 | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 |
| *Average Deaths in corresponding week of previous 10 years,** | 164 | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 |
| AGES,— Under 5 years, | 59 | 83 | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 |
| 5—20 ,, | 12 | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 |
| 20—40 ,, | 20 | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 |
| 40—60 ,, | 40 | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 |
| 60—80 ,, | 29 | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 |
| 80 years and upwards, | 6 | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . |
| Scarlet Fever | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . |
| Typhus, | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Whooping-cough, | . | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 |
| Diphtheria, | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 |
| Diarrhœal Diseases, | 28 | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 |
| Pneumonia, | 5 | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 |
| Tuberculous Disease. Phthisis, | 18 | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 |
| Tuberculous Disease. Other Forms, | 9 | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 18 | 15 | 8 | 12 | 15 | 10 | 16 |
| Cancer, Malignant Disease, | 10 | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 |
| Diseases of Heart and Blood Vessels, | 22 | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 |
| Diseases of Respiratory System, | 4 | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 |
| Violent Deaths, | 7 | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 3 | 7 | 5 | 5 | 5 | 7 |
| Number of Uncertified Deaths, | 1 | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 |
| Mean Temperature of the Air (Phœnix Park), | 62·6 | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 56·1 | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 |
| Rainfall in inches, | ·000 | ·285 | ·280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·86 | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | 85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·88 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·88 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd February, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD FEBRUARY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (18) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 29·0 | 209 | 68 | 12 | 27 | 48 | 47 | 7 | . | . | . | . | 3 | 1 | . | 2 | 3 | 9 | 23 | 18 | 16 | 7 | 4 | 41 | 7 | 84 | 5 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 26·9 | 9 | . | . | 1 | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 6 | . |
| II. | MIDDLE CLASS, | 87,188 | 16·1 | 27 | 4 | 1 | 4 | 6 | 9 | 3 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | 2 | 1 | 1 | 4 | . | 13 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 22·7 | 48 | 14 | 2 | 10 | 13 | 8 | 1 | . | . | . | . | 1 | 1 | . | 2 | . | 4 | 5 | 6 | 3 | . | 2 | 8 | 2 | 18 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,271 | 40·7 | 97 | 47 | 8 | 9 | 22 | 10 | 1 | . | . | . | . | 2 | . | . | . | 3 | 5 | 11 | 7 | 10 | 3 | . | 18 | 4 | 39 | 3 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 28 | 3 | 1 | 3 | 7 | 14 | . | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 1 | 1 | 10 | 1 | 8 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 40·1 | 6 | . | . | 1 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | 18·7 | 3 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 18·9 | 8 | 2 | . | . | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 3 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 13·7 | 8 | 2 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | . | 1 | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 19·3 | 10 | . | 1 | . | 1 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 7 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 31·7 | 6 | 3 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | 1 | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 24·5 | 14 | 4 | 1 | 3 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | . | 1 | 3 | 2 | 4 | 1 |
| | 10. Clothing Trades, | 28,260 | 18·5 | 6 | . | 1 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | . | . | . | 2 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | . | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·5 | 16 | 5 | . | 3 | 4 | 4 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | . | 2 | . | 8 | . |
| | 13. Petty Shopkeepers, | 7,894 | 19·8 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | 1 | 2 | . |
| | 15. Domestic Servants, | 36,603 | 14·2 | 10 | 5 | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | . | 8 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 32·6 | 9 | 6 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 2 | . | . | 1 | . | 1 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 42·4 | 73 | 34 | 7 | 6 | 16 | 9 | 1 | . | . | . | . | 2 | . | . | . | . | 2 | 8 | 5 | 7 | 3 | . | 17 | 3 | 28 | 3 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 28 | 3 | 1 | 3 | 7 | 14 | . | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 1 | 1 | 10 | 1 | 8 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Jan. 5, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 4 | . | 1 |
| | „ 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| | „ 19, | 39·5 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 3 | 3 | 2 |
| | „ 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| | „ 9, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| | „ 16, | 37·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| | „ 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Jan. 5, | 42·6 | 4·0 | 32 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | 9 | 1 | 1 |
| | „ 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| | „ 19, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| | „ 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 5 | . | . |
| | „ 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| | „ 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| | „ 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Jan. 5, | 32·9 | 5·2 | 19 | . | . | . | . | 1 | . | . | . | 2 | 3 | 1 | 1 | 1 | 4 | . | 2 |
| | „ 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| | „ 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| | „ 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| | „ 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| | „ 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 8 | . | . |
| | „ 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Jan. 5, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 2 | . | 1 |
| | „ 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| | „ 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| | „ 26, | 20·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| | „ 9, | 40·2 | 3·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| | „ 16, | 27·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| | „ 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Jan. 5, | 44·3 | 5·2 | 34 | . | 3 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 5 | 2 | 2 |
| | „ 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| | „ 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| | „ 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| | „ 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 |
| | „ 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| | „ 23, | 37·8 | 3·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 3 | . | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Jan. 5, | 45·6 | 5·1 | 18 | . | . | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 |
| | „ 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| | „ 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| | „ 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| | „ 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| | „ 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Jan. 5, | 32·1 | 3·7 | 26 | . | . | . | . | 3 | . | . | . | . | 5 | 2 | 1 | . | 5 | . | . |
| | „ 12, | 40·8 | 2·5 | 33 | . | 1 | . | . | 1 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | „ 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| | „ 26, | 38·8 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| | „ 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| | „ 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| | „ 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | Jan. 5, | 32·6 | . | 22 | . | . | . | . | . | . | . | . | . | 4 | 3 | . | . | 2 | . | 2 |
| | „ 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |
| | „ 19, | 22·8 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |
| | „ 26, | 26·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |
| | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |
| | „ 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |
| | „ 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . | 2 | 4 | . | 1 |
| | „ 23, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 5 | 1 | 1 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Unverified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Jan. 5, | 20·5 | 2·9 | 14 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 |
| | " 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | " 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | " 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | Feb. 2, | 26·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| | " 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| | " 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | " 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,851. | Jan. 5, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | " 12, | 24·8 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | " 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| | " 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| | Feb. 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | " 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| | " 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | " 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Jan. 5, | 20·7 | 3·0 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 |
| | " 12, | 23·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| | " 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| | " 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| | Feb. 2, | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | " 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | " 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | " 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Jan. 5, | 24·4 | 1·4 | 173 | . | 1 | 2 | . | 4 | 3 | . | . | . | 14 | 22 | 4 | 6 | 30 | 5 | 3 |
| | " 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | 5 | 4 |
| | " 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| | " 26, | 23·0 | 1·4 | 163 | . | . | . | . | 3 | 2 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 1 |
| | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| | " 9, | 27·2 | 0·7 | 193 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 8 | 33 | 3 | 5 |
| | " 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| | " 23, | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Jan. 5, | 31·5 | 1·4 | 46 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | 2 | . | 6 | . | 2 |
| | " 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 17 | 2 | . | 11 | 1 | 3 |
| | " 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | . |
| | " 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| | " 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| | " 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| | " 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 6 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Jan. 5, | 12·3 | 1·2 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 3 | . | 1 |
| | " 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | " 19, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | " 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| | " 9, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| | " 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| | " 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 5 | 1 | . |
| **Limerick.** Pop. (in 1901) 38,151. | Jan. 5, | 13·7 | 1·4 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . | . |
| | " 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | 6 |
| | " 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| | " 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| | " 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| | " 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | . |
| | " 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Jan. 5, | 31·2 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . |
| | " 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | 1 |
| | " 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | " 26, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |
| | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |
| | " 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |
| | " 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |
| | " 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd February, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,784 | 4 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | . | 1 | 1 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | 1 | . | . | 3 | . |
| Do. 2 ,, | 47,959 | 18 | | | 12 | 3 | . | 3 | 1 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 1 | 6 | . |
| Do. 3 ,, | 47,214 | 21 | | | 16 | 3 | 1 | 1 | 5 | 2 | 4 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | . | 4 | . | 1 | 3 | . |
| Do. 4 ,, | 40,911 | 30 | | | 20 | 3 | 2 | 2 | 1 | 6 | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | . | 10 | . |
| Do. 5 ,, | 17,387 | 5 | | | 9 | 2 | 1 | . | 2 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 3 | . | . | 5 | . |
| Do. 6 ,, | 48,122 | 15 | | | 22 | 2 | 1 | 3 | 1 | 6 | 9 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | 3 | 6 | . | . | 6 | . |
| Do. 7 ,, | 1,524 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | . | | | 2 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 9 ,, | 19,569 | 8 | | | 10 | 3 | 1 | . | 2 | . | 4 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | . | 1 | . | . | 3 | 1 |
| Do. 10 ,, | 28,064 | 13 | | | 10 | . | 1 | 2 | 3 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . |
| Do. 11 ,, | 34,802 | 18 | | | 13 | 1 | 1 | 3 | . | 3 | 5 | . | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 3 | . | 1 | 4 | . |
| Do. 12 ,, | 33,588 | 16 | | | 17 | 2 | 3 | 7 | . | 1 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | 1 | 7 | . |
| Do. 13 ,, | 15,006 | 10 | | | 7 | 2 | 1 | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 1 | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 159 | | | 146† | 21 | 13 | 22 | 17 | 26 | 47 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 4 | 51 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 4 | 28·4 | . | 7 | 1 | . | 2 | | | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 4 | 1 |
| Do. 2 ,, | 10,701 | 6 | 45·9 | 14·6 | 9 | 4 | . | 4 | | | 1 | . | . | . | . | 2 | 1 | . | . | . | 2 | 1 | . | . | . | . | 1 | 2 | 1 |
| Do. 3 ,, | 9,978 | 5 | 47·0 | 5·2 | 9 | 2 | 1 | 5 | | | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | . | . | . | 1 | 2 |
| Do. 4 ,, | 8,666 | 7 | 30·1 | . | 5 | 1 | . | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 1 |
| Do. 5 ,, | 6,592 | . | 7·9 | . | 1 | . | . | . | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 5 | 34·1 | . | 7 | 1 | 1 | 3 | | | 2 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . | 2 | 1 |
| Do. 7 ,, | 16,616 | 8 | 22·0 | . | 7 | . | 1 | 6 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 1 | . |
| Total, | 76,122 | 35 | 30·8 | 2·7 | 45‡ | 9 | 3 | 22 | | | 11 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 1 | 13 | 6 |

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept 1. | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. |
| No. of weeks in Annual Series, | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| BIRTHS registered, | 208 | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 |
| DEATHS registered. | 134 | 151 | 142 | 141 | 136 | 144 | 109 | 122 | 120 | 122 | 131 | 145 | 125 | 123 | 139 | 118 | 127 | 130 | 173 | 166 | 168 | 163 | 147 | 193 | 203 | 146† |
| Annual Death-rate per 1,000 of estimated Population. | 19·1 | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 |
| AGES — Under 1 year, | 39 | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 |
| 1–5 years, | 22 | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 |
| 5–20 years, | 5 | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 | 22 |
| 20–40 years, | 17 | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 |
| 40–60 years, | 26 | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 |
| 60 years and upwards, | 25 | 16 | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 35 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 |
| Scarlet Fever, | 1 | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 |
| Typhus, | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Whooping-cough, | 7 | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . |
| Diphtheria, | 1 | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 |
| Diarrhœal Diseases, | 23 | 39 | 38 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . |
| Pneumonia, | 7 | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 |
| Tuberculous Disease, — Phthisis, | 15 | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 |
| Tuberculous Disease, — Other Forms, | 6 | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 |
| Cancer, Malignant Disease, | 4 | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 |
| Diseases of Respiratory System, | 16 | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 |
| Violent Deaths, | 6 | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 8 | 5 | 1 |
| Number of Uncertified Deaths, | 5 | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 |

*Formerly described as "Simple Continued Fever."

† Including 12 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, . | 4,758,218 | Feb. 23, | 2,412 | 1,558 | 17·1 | . | 38 | 8 | 16 | 31 | 1 | 18 |
| EDINBURGH, . | 345,747 | „ 23, | 151 | 119*a* | 18·0 | . | 1 | 1 | 1 | 2 | . | . |
| GLASGOW, . . | 847,584 | „ 23, | 471 | 329*a* | 20·3 | . | . | . | . | 20 | 2 | 6 |
| CALCUTTA, . | 977,822 | Jan. 5, | . | 585 | 35·8 | 12 | . | . | . | . | 145‡ | 154* |
| BOMBAY, . . | 982,000 | „ 22, | 388 | 631 | 33·5 | . | 3 | . | . | 1 | 58‡ | 70 |
| MADRAS, . . | 509,346 | „ 4, | 344 | 338 | 34·5 | . | 1 | ? | ? | ? | 84 | 50 |
| PARIS, . . | 2,750,000 | Feb. 9, | 1,063 | 1,396 | 26·6 | . | 10 | 9 | 8† | 11 | 5 | 20 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 2, | 231 | 219 | 18·6 | . | 3 | . | . | 1 | 1 | 8 |
| ANTWERP, . . | 304,032 | „ 2, | 136 | 94 | 16·1 | . | 4 | 1 | . | 1 | 2 | 10 |
| AMSTERDAM, . | 564,875 | „ 9, | 314 | 221 | 20·4 | . | 4 | 2 | . | 2 | 1 | 7 |
| COPENHAGEN, . | 425,000 | „ 2, | 241 | 138 | 16·9 | . | . | . | 1† | . | . | 3 |
| STOCKHOLM, . | 324,488 | „ 2, | 172 | 97 | 15·5 | . | . | . | 2† | 1 | . | 4 |
| CHRISTIANIA, . | 222,373 | „ 9, | 125 | 80 | 18·7 | . | . | . | 4† | . | 1 | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 2, | 727 | 885 | 31·0 | . | 25 | 20 | 17 | 2 | 23 | 76 |
| MOSCOW, . . | 1,154,000 | Jan. 5, | . | 708 | 32·0 | 1 | 18 | 10 | 7† | 4 | 5 | 46 |
| BERLIN, . . | 2,094,455 | „ 26, | 877 | 659 | 16·4 | . | 2 | 3 | 5† | 6 | 4 | 29 |
| HAMBURG, . . | 824,792 | Feb. 2, | . | 236 | 14·9 | . | 2 | . | . | 1 | 1 | 11 |
| BRESLAU, . . | 482,576 | „ 9, | . | 219 | 23·7 | . | 1 | 3 | 3† | . | 1 | 17 |
| MUNICH, . . | 548,000 | „ 9, | . | 207 | 19·6 | . | 6 | 1 | 2† | 1 | 1 | 22 |
| VIENNA (with suburbs). | 1,958,323 | „ 9, | 842 | 726 | 19·3 | . | 10 | 5 | 7† | 3 | . | 17 |
| BUDA-PESTH, . | 802,235 | „ 9, | 480 | 368 | 23·9 | . | 8 | 4 | 5† | 1 | . | 10 |
| PRAGUE and Faubourgs. | 466,133 | „ 2, | 208 | 174 | 19·4 | . | 2 | . | . | . | . | 21 |
| TRIESTE, . . | 199,003 | Jan. 26, | 154 | 132 | 34·6 | . | 1 | . | . | 3 | 1 | . |
| ROME, . . . | 531,818 | Dec. 22, | 270 | 246 | 24·1 | . | 1 | . | 1† | 3 | 2 | 5 |
| VENICE, . . | 171,709 | Jan. 5, | 77 | 77 | 23·4 | . | . | . | . | . | 1 | 4 |
| NEW YORK, . | 4,285,435 | „ 26, | 2,048 | 1,611 | 19·6 | . | 5 | 8 | 34† | 5 | 10 | 48 |
| PHILADELPHIA, | 1,500,595 | „ 12, | . | 646 | 22·4 | . | . | 1 | 19† | 6 | 27 | 26 |
| BOSTON, . . | 602,526 | „ 26, | . | 239 | 20·7 | . | . | 3 | 4 | 1 | 2 | 2 |

*a*. Including 2 deaths from cerebro-spinal meningitis in Edinburgh, and 19 in Glasgow.
* Including 76 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 10 deaths from plague in Calcutta, and 43 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd February, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever.(a) | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 |
| " " 1, West, | . | . | 1 | . | 1 | . | . | . | 1 | . | . | . | 3 |
| " " 2, | . | . | 1 | . | . | . | . | 2 | . | . | . | . | 3 |
| " " 3, | . | . | . | . | 1 | . | 1 | . | 6 | . | . | . | 8 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 1 | . | . | 2 | . | . | 1 | 9 | . | . | . | 13 |
| " " 2, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 3, | . | 2 | . | . | 1 | . | . | . | 1 | . | . | . | 4 |
| " " 4, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| New Kilmainham, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Total, | . | 3 | 2 | . | 6 | . | 3 | 4 | 18 | . | . | . | 36 |

(a) See note (a) to Table I.

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd February, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 23rd February. | | | |
|---|---|---|---|---|---|---|---|
| | Feb. 2. | Feb. 9. | Feb. 16. | No. admitted. | Discharged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 27 | 31 | 46 | 12 | 11 | . | 47 |
| Scarlet Fever, | 73 | 82 | 76 | 17 | 10 | . | 83* |
| Typhus, | 8 | 9 | 8 | 1 | 6 | . | 3 |
| Diphtheria, | 27 | 29 | 22 | 8 | 3 | 1 | 26 |
| Enteric Fever, | 33 | 30 | 27 | 2 | 2 | . | 27 |
| Pneumonia, | 27 | 28 | 24 | 11 | 5 | 3 | 27 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 23rd February, 1907:—

"In the earlier part of this week the weather was warm for the time of year, but unsettled and stormy. On Tuesday evening after a violent rainstorm with hail, the wind veered from S.W. to W. and temperature fell fast. Throughout the rest of the period, the weather was very cold and the wind blew from N.W. or N.—at first with passing showers of snow, afterwards with clear skies and sharp night frost. But the foregoing remarks give no adequate idea of the tempestuous weather which prevailed over the North-west of Europe at large. On Sunday morning the barometer was down to 28·75 inches at Bodö in Norway, and a secondary depression off the S.W. of that country caused steep gradients for westerly winds over the British Isles. Strong and squally winds accordingly prevailed and temperature was high—the range in Dublin being from 48·4° to 53·9°. At 8 a.m. of Monday another and deeper depression was central near Reykjavik, in Iceland, the barometer at that place being as low as 28·32 inches. S.W. gales prevailed and temperature remained high, the thermometer rising to 54·8° in Dublin. Hardly had the Icelandic depression passed onwards to Norway, when a still deeper and more energetic cyclone arrived over Scotland from the Atlantic. This system was central near Skudesnaes, in the S.W. of Norway, at 8 a.m. of Wednesday, the barometer at that station falling to the exceptionally low level of 27·65 inches. Lisbon at the same time reported a reading of 30·44 inches. Small wonder that with such a steep baric gradient a very tempest from W. to N. raged over the French, British, Dutch and German coasts. Temperature fell, and snow squalls, with thunder and lightning on the east coast of England filled up the record of a most inclement spell of weather. In Dublin the mean atmospheric pressure was 29·763 inches, the barometer falling to 28·916 inches at 6 p.m. of Tuesday (wind, S.W.) and rising to 30·238 inches at 9 p.m. of Saturday (wind, N.N.W.). The mean temperature was 41·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 39·2°. The screened thermometers rose to 54·8° on Tuesday, but fell to 29·9° on Saturday. S.W. winds prevailed at first, then N.N.W. winds. The rainfall was ·152 inch on 3 days; ·199 inch being recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·775 inches. The highest reading (30·238) was on Saturday at 9 p.m., wind N., and the lowest (29·015) on Tuesday at 9 p.m., wind W.

The mean temperature for the week was 39·0°, being 1·1° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 52·2°, and was lowest on Saturday, the mercury having fallen to 26·0°. The mean of the Dry Bulb for the week was 38·0°, and of the Wet Bulb 36·1°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 30·3 hours. The rainfall during the week measured 0·885 inch.

At Greenwich the mean temperature for the week was 39·9°. the maximum 51·4°, and the minimum 25·5°; at Glasgow the maximum was 50·0°, the minimum 25·2°, and the mean 38·0°; and at Edinburgh the maximum was 49·1°, the minimum 24·3°, and the mean 36·8°. The rainfall at Greenwich measured 0·29 in.; at Glasgow 1·17 ins.; and at Edinburgh 0·52 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Feb. 17, | 30·042 | 52·2 | 47·3 | 49·8 | 48·8 | 46·2 | ·83 | ·9 | 0·5 | ·000 | W.S.W. | W.S.W. |
| Monday, „ 18, | 29·852 | 44·6 | 38·8 | 41·7 | 44·4 | 41·7 | ·81 | ·7 | 1·1 | ·105 | S.W. | W.S.W. |
| Tuesday, „ 19, | 29·269 | 51·4 | 37·3 | 44·4 | 41·3 | 39·0 | ·82 | ·9 | 1·8 | ·155 | S.W. | W. |
| Wednesday, „ 20, | 29·332 | 42·7 | 29·8 | 36·3 | 35·6 | 33·9 | ·85 | ·7 | 4·0 | ·125 | W.S.W. | W.S.W. |
| Thursday, „ 21, | 29·816 | 41·0 | 31·4 | 36·2 | 33·0 | 31·4 | ·83 | ·0 | 8·9 | ·000 | N.E. | W.N.W. |
| Friday, „ 22, | 29·937 | 38·2 | 26·6 | 32·4 | 30·4 | 29·2 | ·82 | ·0 | 7·3 | ·000 | Calm. | Calm. |
| Saturday, „ 23, | 30·176 | 38·2 | 26·0 | 32·1 | 32·6 | 31·2 | ·83 | ·7 | 6·7 | ·000 | Calm. | N. |
| Mean, . . | 29·775 | 44·0 | 33·9 | 39·0 | 38·0 | 36·1 | ·83 | ·6 | Total 30·3 | Total ·385 | Prevailing Wind, W.S.W. | |

*Sunday*—Overcast a.m., cloudy p.m.; night cloudy. *Monday*—Cloudy day, light and heavy rain a.m. and p.m.; night clear. *Tuesday*—Cloudy day, light and heavy rain a.m. and p.m.; night clear. *Wednesday*—Cloudy day, snow, heavy a.m., light showery p.m.; night overcast, snow, sleet, at intervals. *Thursday*—Fine bright day; night clear. *Friday*—Fine bright day, light clouds; night clear. *Saturday*—Fine day but cloudy; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, February 23rd, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Feb. 17, | 50·0 | 42·0 | 41·8 | 53·3 | 48·1 | 50·7 | 0·5 | — |
| Monday, „ 18, | 48·9 | 43·0 | 42·0 | 55·4 | 42·0 | 48·7 | 1·2 | ·090 |
| Tuesday, „ 19, | 46·2 | 42·5 | 42·3 | 52·5 | 38·9 | 45·7 | 3·1 | ·160 |
| Wednesday, „ 20, | 35·9 | 41·8 | 42·6 | 43·8 | 31·3 | 37·6 | 4·0 | ·119 |
| Thursday, „ 21, | 34·8 | 40·1 | 42·9 | 42·5 | 32·9 | 37·7 | 8·2 | — |
| Friday, „ 22, | 32·9 | 39·0 | 42·8 | 40·5 | 29·9 | 35·2 | 6·9 | — |
| Saturday, „ 23, | 32·7 | 38·1 | 42·9 | 39·8 | 28·9 | 34·4 | 5·0 | — |
| Weekly Mean, . | 40·2 | 40·9 | 42·5 | 46·8 | 36·0 | 41·4 | Total 28·9 | ·369 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 481. 1. 1907.—16588.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 2ND MARCH, 1907. [No. 9.

*General Register Office, Charlemont House,*
*Dublin, 4th March,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Feb. 9. | Week ending Feb. 16. | Week ending Feb. 23. | Week ending Mar. 2. | Average Rate for 4 weeks. | Towns, &c. | Week ending Feb. 9. | Week ending Feb. 16. | Week ending Feb. 23. | Week ending Mar. 2. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 25·6 | 28·8 | 25·2 | 27·3 | 26·7 | Lisburn, . | 4·5 | 22·7 | 27·3 | 9·1 | 15·9 |
| Armagh, . . | 6·9 | 13·7 | 61·8 | 41·2 | 30·9 | Londonderry, . | 13·5 | 20·9 | 27·0 | 16·0 | 19·4 |
| Ballymena, . | 28·7 | 38·3 | 23·9 | 33·5 | 31·1 | Lurgan, . . | 8·9 | 35·4 | 31·0 | 44·3 | 29·9 |
| Belfast, . . | 27·2 | 28·6 | 20·6 | 28·7 | 26·3 | Newry, . . | 21·0 | 12·6 | 25·2 | 21·0 | 20·0 |
| Clonmel, . | 35·9 | 20·5 | 35·9 | 15·4 | 26·9 | Newtownards, . | 17·2 | 34·3 | 17·2 | 17·2 | 21·5 |
| Cork, . . . | 19·2 | 26·7 | 30·8 | 24·0 | 25·2 | Portadown, . | 10·3 | 31·0 | 31·0 | 15·5 | 22·0 |
| Drogheda, . . | 45·0 | 12·3 | 28·6 | 16·3 | 25·6 | Queenstown . | 19·8 | 6·6 | 6·6 | 6·6 | 9·9 |
| Dublin Reg. Area, | 28·6 | 31·4 | 27·1 | 28·6 | 28·9 | Sligo, . . . | 9·6 | 24·0 | 9·6 | 38·4 | 20·4 |
| Dundalk, . . | 27·9 | 27·9 | 19·9 | 35·9 | 27·9 | Tralee, . | 26·4 | 37·0 | 21·1 | 42·3 | 31·7 |
| Galway, . . | 23·3 | 31·1 | 11·7 | 35·0 | 25·3 | Waterford, . | 31·2 | 39·0 | 42·9 | 27·3 | 35·1 |
| Kilkenny, . . | 24·6 | 19·7 | 54·1 | 9·8 | 27·0 | Wexford, . . | 37·4 | 51·4 | 23·3 | 32·7 | 36·2 |
| Limerick, . . | 16·4 | 21·9 | 20·5 | 24·6 | 20·9 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·5 in Lisburn. Among the 204 deaths from all causes registered in Belfast are 2 from measles, one from enteric fever, one from diarrhœa, one from cerebro spinal fever, and 23 returned as from *cerebro spinal meningitis.* The 35 deaths from all causes registered in Cork include 3 from whooping-cough; and among the 9 deaths in Galway is one from *pyrexia* (origin uncertain).

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 236—127 boys and 109 girls; and the deaths to 228—119 males and 109 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 30·4 in every 1,000 of the population; omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, the rate was 28·6 per 1,000. During the nine weeks ending with Saturday last the death-rate averaged 29·6, and was 0·1 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths registered (228) included one from measles, 7 from whooping-cough, one

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

death from epidemic cerebro spinal meningitis, one death returned as from *cerebro spinal meningitis*, one death from dysentery, and 5 deaths from influenza. In each of the 3 preceding weeks, deaths from measles numbered 4, 3, and 0; deaths from whooping-cough were 6, 4, and 3; deaths from diarrhœal diseases were 2, one, and 3; and deaths from influenza were 4, 9, and 4.

Lobar pneumonia caused 3 deaths, broncho-pneumonia 3 deaths, and *pneumonia* (not defined) 14 deaths.

There were 48 deaths from all forms of tuberculous disease, including 13 deaths from tuberculous phthisis, 17 deaths returned as from *phthisis*, 7 deaths from tuberculous meningitis, one death from *tabes mesenterica*, and 10 deaths from other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculous disease numbered respectively 40, 37, and 34.

Carcinoma caused 3 deaths and cancer (undefined) 5 deaths.

The deaths of 5 infants were ascribed to prematurity.

Among the 14 deaths from diseases of the brain and nervous system are 5 deaths (all of infants under one year of age) from *convulsions* and one death from meningitis.

Diseases of the heart and blood vessels caused 28 deaths and bronchitis 40 deaths.

There were 3 accidental deaths, including 2 deaths by burns or scalds, one of the latter being that of a child under 5 years of age.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old) and the death of one person aged 63 years.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 11 were under one month old) and 78 were aged 60 years and upwards, including 41 persons aged 70 and upwards, of whom 14 were octogenarians, and 2 (females) were stated to have been aged 90 and 94 years respectively.

One hundred and six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the N. Dublin Union Workhouse and 25 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 28·6 per 1,000; the rate in the City was 30·3 (North City Districts, 29·5; South, 31·3) and in the Suburbs, 22·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·4 (1·0 in the North City Districts, and 1·8 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·2 per 1,000, and include one death each from influenza and croupous pneumonia, 2 deaths from tuberculous disease, 3 from bronchitis, and one death caused accidentally.

*No. 1 North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. Among them are one death each from measles and influenza, 2 deaths from broncho-pneumonia, one from *pneumonia* (not defined), 2 from tuberculous disease, and 4 from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 38·1 per 1,000. Whooping-cough caused one death, *pneumonia* (not defined), 4 deaths, tuberculous disease 6 deaths, and bronchitis 3 deaths.

*No. 3 North City District* (Benburb-street).—The deaths (23) represent an annual rate of 37·0 per 1,000, and include one death each from whooping-cough, lobar pneumonia, and *pneumonia* (not defined), 8 deaths from tuberculous disease, and 2 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 33·2, and Finglas and Glasnevin, part of, 7·2. The 7 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 deaths from *phthisis* and one death from bronchitis; and the only death recorded for Finglas and Glasnevin, part of, was from *pneumonia* (not defined).

*No. 1 South City District* (South Earl-street).—The deaths (21) represent an annual rate of 31·3 per 1,000. They include one death from *cerebro-spinal meningitis*, one death from lobar-peumonia, 2 deaths from *pneumonia* (not defined), 4 from tuberculous disease, and 5 from diseases of the respiratory system.

*No. 2 South City District* (Castle-street).—The deaths (16) are equal to an annua rate of 40·5 per 1,000. Among them are one each from broncho-pneumonia and *pneumonia* (not defined), 6 deaths from tuberculous disease, and 3 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (31) are equal to an annual rate of 38·3 per 1,000. Of the deaths 3 were from whooping-cough, 2 from *pneumonia* (not defined), 5 from tuberculous disease, and 9 from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. There were 2 deaths from whooping-cough, one from epidemic cerebro-spinal meningitis, 5 from tuberculous disease, and 2 from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and include one death each from *pneumonia* (not defined) and *phthisis*.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 30·8; Pembroke, 18·7; Blackrock, 17·9; and Kingstown, 14·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from dysentery for Rathmines and Rathgar. The 21 deaths from all causes in this district include 2 from influenza, 2 from tuberculous disease, 2 from bronchitis, and one accidental death. The 10 deaths from all causes for Pembroke include one from *pneumonia* (not defined), and 2 from bronchitis; the 3 deaths from all causes for Blackrock include one from bronchitis and one death caused by accident; and the 3 deaths from all causes for Kingstown include one each from influenza, tuberculous meningitis, and bronchitis.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 2nd March, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. *a* | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Feb. 9, | . | — | — | 4 | 1 | . | 6 | . | . | 5 | 18 | . | — | — | — | — | — | 34 |
| | Feb. 16, | . | — | — | 5 | . | . | 8 | . | 3 | 14 | 14 | . | — | — | — | — | — | 44 |
| | Feb. 23, | . | — | — | 3 | 2 | . | 6 | . | 3 | 4 | 18 | . | — | — | — | — | — | 36 |
| | Mar. 2, | . | — | — | 6 | . | . | 5 | . | 1 | 9 | 14 | . | — | — | 2 | — | — | 37 |
| Rathmines and Rathgar Urban District. | Feb. 9, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | — | — | — | 4 |
| | Feb. 16, | . | — | — | 1 | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Feb. 23, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Mar. 2, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Feb. 9, | . | . | . | 2 | . | . | 2 | . | . | . | . | . | — | 1 | . | — | — | 5 |
| | Feb. 16, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | 1 | . | — | — | 2 |
| | Feb. 23, | . | . | . | . | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 2 |
| | Mar. 2, | . | . | . | 1 | . | . | . | . | . | . | 1 | . | — | 5 | 1 | — | — | 8 |
| Blackrock Urban District. | Feb. 9, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | — | — | — | 5 |
| | Feb. 16, | . | — | — | 2 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Feb. 23, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| | Mar. 2, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| Kingstown Urban District. | Feb. 9, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| | Feb. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Mar. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| City of Belfast. | Feb. 9, | . | — | — | 12 | . | . | 9 | 2 | 3 | 10 | 12 | 1 | — | — | 12 | — | — | 61 |
| | Feb. 16, | . | — | — | 19 | . | . | 10 | 2 | 11 | 12 | 5 | 2 | — | — | 19 | — | — | 80 |
| | Feb. 23, | . | — | — | 19 | . | . | 6 | . | 7 | 17 | 8 | . | — | — | 29 | — | — | 86 |
| | Mar. 2, | . | — | — | 16 | . | . | 7 | 1 | 5 | 18 | 4 | 2 | — | — | 20 | — | — | 73 |

(*a*) Sir Charles Cameron reports 7 cases of cerebro spinal meningitis as having occurred in the City in return for week ended 23rd, and 3 for week ended 16th ultimo.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd March, 1907.

From this it appears that:—

Fifteen cases of measles were admitted into hospital during the week, 10 were discharged, and 52 cases remained under treatment at its close.

Fourteen cases of scarlet fever were admitted to hospital, 7 were discharged, and 90* cases remained under treatment at the close of the week.

Three cases of typhus remained under treatment in hospital at the close of the week.

Six cases of diphtheria were admitted to hospital, 8 were discharged, there were 2 deaths, and 22 patients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 5 were discharged, and 26 cases remained under treatment in hospital at the close of the week.

One case returned as *cerebro spinal meningitis* and one case of cerebro spinal fever were reported as having been admitted to hospital during the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 3 were discharged, there were 3 deaths, and 21 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·4), was equal to an average annual death-rate of 18·4 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·3 per 1,000, the rate for Glasgow being 22·0 and for Edinburgh 17·4.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd March. From this Report it appears that of a total of 44 cases notified 17 were scarlet fever, 12 diphtheria, one membranous croup, 9 erysipelas, and 3 enteric fever. Among the 336 cases of infectious diseases in hospital at the close of the week were 104 cases of scarlet fever, 60 of measles, 46 of diphtheria, 3 of membranous croup, 39 of whooping-cough, 19 of erysipelas, and 13 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd March, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Registration—Week ending Saturday, 2nd March, 1907. Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 2nd March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 23rd February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 16th February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 32·4 | 27·3 | 0·9 | 694 | 585 | 102 | 165 | . | 3 | . | . | 10 | . | 1 | 1 | 4 | 53 | 67 | 36 | 15 | 97 | 8 | 9 | 213 | 25 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 31·5 | 28·6 | 1·2 | 226 | 214 | 43 | 74 | . | 1 | . | . | 7 | . | . | . | 1 | 20 | 27 | 17 | 6 | 39 | 3 | 2 | 92 | 6 | f53·4 | 27·7 | 41·8 | 0·00 | f52·2 | 26·0 | 39·0 | 0·39 | f54·3 | 28·7 | 40·4 | 0·60 |
| City of Dublin, | 300,850 | 38·0 | 35·2 | 30·3 | 1·4 | 208 | 175 | 39 | 48 | . | 1 | . | . | 7 | . | . | . | . | 19 | 26 | 15 | 4 | 32 | 1 | 1 | 85 | 6 | g54·7<br>h53·9 | 30·9<br>28·0 | 44·2<br>42·7 | 0·02<br>0·03 | g54·8<br>h54·9 | 29·9<br>27·0 | 41·4<br>40·4 | 0·45<br>0·39 | g55·7<br>h54·9 | 31·9<br>29·0 | 41·5<br>40·5 | 0·58<br>0·62 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 24·9 | 30·8 | 1·5 | 17 | 21 | 2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 16·8 | 18·7 | . | 9 | 10 | 2 | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 17·9 | . | 3 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 11·8 | 14·8 | . | 4 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 54 | 33 | 43·8 | 0·30 | 56 | 30·5 | 41·8 | 0·33 | 56 | 31·5 | 42·2 | 0·59 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 32·4 | 28·7 | 0·6 | 230 | 204 | 37 | 42 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 28 | 10 | 2 | 30 | . | 3 | 65 | 2 | 53·0 | 30·0 | 42·0 | 0·11 | 50·0 | 29·5 | 40·7 | 1·31 | 52·0 | 30·0 | 39·1 | 0·64 |
| Cork, | 76,122 | 38·6 | 23·3 | 24·0 | 2·1 | 34 | 35 | 5 | 11 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 1 | 13 | . | 48 | 30 | 42·4 | 0·11 | 52 | 29 | 41·5 | 0·29 | 52 | 34 | 43·4 | 0·94 |
| Londonderry, | 42,475 | 19·6 | 19·6 | 16·0 | 1·2 | 16 | 18 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 32·0 | 24·6 | . | 60 | 18 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . | 6 | 7 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 21·4 | 27·3 | . | 11 | 14 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | 1 | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 35·0 | 35·0 | 3·9 | 9 | 9 | 1 | 3 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | 1 | . | 4 | 1 | 53 | 33 | 45 | 0·00 | 51 | 27 | 43 | 0·58 | 51 | 26 | 41 | 1·25 |
| Dundalk, | 18,076 | 2·4 | 23·9 | 35·9 | . | 6 | 9 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 36·8 | 16·3 | . | 9 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 25·2 | 21·0 | . | 6 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 3 | . | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 |
| Lurgan, | 11,782 | 13·8 | 44·3 | 44·3 | . | 10 | 10 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 3 | . | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 |
| Lisburn, | 11,461 | 10·1 | 36·4 | 9·1 | 4·5 | 8 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 |
| Wexford, | 11,168 | 23·2 | 23·3 | 32·7 | . | 5 | 7 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 33·5 | 33·5 | . | 7 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 28·8 | 38·4 | . | 6 | 8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 1 | 55·0 | 27·8 | 42·9 | 0·05 | 51·3 | 25·1 | 39·3 | 1·37 | 53·5 | 29·0 | 40·3 | 0·95 |
| Kilkenny, | 10,609 | 11·5 | 34·3 | 9·8 | . | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 52 | 24 | 41·6 | 0·05 | 53 | 24 | 38·6 | 0·58 | 56 | 29 | 41·1 | 0·62 |
| Clonmel, | 10,167 | 7·8 | 10·3 | 15·4 | . | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 10·3 | 15·5 | . | 2 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | . | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 |
| Tralee, | 9,867 | 16·6 | 52·8 | 42·3 | . | 10 | 8 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 51·5 | 17·2 | . | 9 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 51 | 31 | 42·1 | 0·07 | 51 | 30 | 40·1 | 0·88 | 53 | 30 | 39·8 | 0·60 |
| Queenstown, | 7,909 | 14·4 | 26·4 | 6·6 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 48 | 30 | 42·4 | 0·11 | 52 | 29 | 41·5 | 0·29 | 52 | 34 | 43·4 | 0·94 |
| Armagh, | 7,588 | 22·2 | 48·1 | 41·2 | . | 7 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 2 | . | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 | 52·0 | 29·0 | 39·4 | 0·60 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 14 deaths of persons (including 4 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr F. W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 2nd March, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | 1 | . | . | . | . | . | 3 | 2 | . | . | . | . | . | 7 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Pneumonia, | 1 | 3 | 4 | 2 | . | . | 1 | 3 | 2 | 2 | . | 1 | . | 1 | . | . | 20 | . |
| Tuberculous Disease. { Phthisis, | 1 | 1 | 3 | 4 | . | 2 | . | 3 | 4 | 3 | 4 | 1 | 1 | . | . | . | 27 | 3 |
| Tuberculous Disease. { Other Forms. | 1 | 1 | 3 | 4 | . | . | . | 1 | 2 | 2 | 1 | . | 1 | . | . | 1 | 17 | 1 |
| Cancer, Malignant Disease, | . | . | . | . | . | 1 | . | 2 | 1 | . | . | . | 1 | 1 | . | . | 6 | 2 |
| Other General Diseases | 3 | 1 | 2 | 2 | . | . | . | 4 | 2 | 1 | 1 | . | 6 | 1 | . | 1 | 24 | 1 |
| Total, | 6 | 7 | 13 | 13 | . | 3 | 1 | 13 | 11 | 11 | 8 | 2 | 10 | 3 | . | 2 | 103 | 7 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | . | 1 | 2 | 3 | . | 1 | . | 2 | . | 1 | 1 | . | 2 | 1 | . | . | 14 | . |
| Diseases of { Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Heart and Blood Vessels, | 2 | 3 | 2 | 1 | 1 | 1 | . | 1 | . | 6 | 1 | 1 | 2 | 4 | 1 | 1 | 27 | 1 |
| Diseases of { Respiratory System, | 3 | 4 | 3 | 2 | . | 1 | . | 5 | 3 | 9 | 2 | . | 3 | 2 | 1 | 1 | 39 | 4 |
| Diseases of { Digestive System, | . | 3 | . | 1 | . | 1 | . | . | 1 | 2 | . | . | 2 | . | . | 1 | 11 | 1 |
| Diseases of { Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Urinary System, | . | . | . | 1 | . | . | . | 2 | . | 2 | . | . | . | . | . | . | 5 | 1 |
| Diseases of { Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 6 | 11 | 7 | 8 | 1 | 4 | . | 10 | 4 | 20 | 4 | 1 | 9 | 7 | 2 | 3 | 97 | 7 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 1 | 2 | 2 | . | . | . | 1 | 1 | . | 2 | . | 1 | . | . | . | 11 | . |
| **E. VIOLENT DEATHS,** | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . |
| **Deaths from all Causes,** | 14 | 19 | 22 | 23 | 1 | 7 | 1 | 24 | 16 | 31 | 14 | 3 | 21 | 10 | 3 | 5 | 214 | 14 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 25·2 | 25·3 | 38·1 | 37·0 | 10·2 | 33·2 | 7·2 | 31·3 | 40·5 | 33·3 | 20·8 | 17·6 | 30·8 | 18·7 | 17·9 | 14·8 | 28·6 | . |
| | 29·5 | | | | | | | 31·8 | | | | | 22·6 | | | | | |
| | 30·3 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** { Under 1 year, | 4 | 3 | 6 | 5 | . | . | . | 6 | 6 | 6 | 3 | . | 2 | 2 | . | . | 43 | . |
| Ages at Death. { 1 and under 5 years, | 3 | 3 | 5 | . | . | . | 1 | 2 | 1 | 5 | 1 | 1 | 2 | . | . | 1 | 25 | . |
| Ages at Death. { 5 ,, 20 ,, | . | . | 1 | 6 | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | 10 | 2 |
| Ages at Death. { 20 ,, 40 ,, | 2 | 1 | 3 | 5 | . | 3 | . | 1 | 1 | 4 | 6 | 1 | 1 | . | . | . | 26 | 5 |
| Ages at Death. { 40 ,, 60 ,, | 3 | 3 | 1 | 4 | . | 2 | . | 10 | 5 | 3 | 2 | . | 1 | 1 | 1 | . | 36 | 3 |
| Ages at Death. { 60 and upwards, | 2 | 9 | 6 | 5 | 1 | 2 | . | 5 | 2 | 13 | 2 | 1 | 14 | 7 | 2 | 3 | 74 | 4 |
| Number of Uncertified Deaths, | 1 | . | 2 | 1 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 6 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 4 | 3 | 3 | 3 | . | 3 | . | 9 | 4 | 8 | 4 | 1 | 4 | 1 | 1 | . | 48 | 10 |
| Workhouse Hospitals, | . | 6 | 7 | 8 | . | 1 | . | 6 | 5 | 8 | 1 | 1 | 1 | . | . | . | 44 | 4 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in t
week of the ten years, 1897–19

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 9th Week of the 10 years 1897–1906. | In the Week ending Saturday, 2nd March, 1907. Deaths of Persons of the Ages o | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 6, 1897. | Mar. 5, 1898. | Mar. 4, 1899. | Mar. 3, 1900. | Mar. 2, 1901. | Mar. 1, 1902. | Mar. 7, 1903. | Mar. 5, 1904. | Mar. 4, 1905. | Mar. 3, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 70 |
| Mean Temperature. | 39·4 | 38·9 | 41·1 | 40·2 | 42·9 | 46·0 | 41·0 | 36·1 | 39·2 | 40·6 | 40·5 | Mean Temp. 41·8 | | | | | | | |
| **ALL CAUSES.** | 203 | 218 | 214 | 230 | 320 | 218 | 211 | 201 | 232 | 183 | 233·0 | 228 | 11 | 32 | 25 | 12 | 31 | 39 | 62 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 44 | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 5·1 | 1 | . | 1 | . | . | . | . | . |
| Scarlet Fever, | 4 | 5 | 4 | 1 | . | 1 | 2 | . | . | . | 1·7 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 3 | 7 | 3 | 13 | 16 | 5 | 8 | 5 | 8 | 1 | 6·9 | 5 | . | . | . | 1 | . | 2 | . |
| Whooping-cough, | 21 | 2 | 5 | . | 5 | 5 | 3 | 10 | . | 4 | 5·5 | 7 | . | 5 | 2 | . | . | . | . |
| Diphtheria, | . | . | . | 1 | 1 | . | 1 | . | 2 | . | ·5 | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | 1 | . | . | ·1 | 2 | . | 2 | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 7 | 7 | 6 | 4 | 3 | 3 | 1 | 3 | . | 1 | 3·5 | . | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 2 | 2 | 5 | 2 | 4 | . | . | 1 | . | 2·5 | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | 2 | 1 | 2 | 1 | | 1 | . | . | . | . | . | . | 1 |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 1 | 1 | 2 | 1 | 1 | 1 | 2 | . | 3 | 2 | 1·4 | 1 | 1 | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | 1 | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | | . | . | 1 | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 29 | 10 | 17 | 16 | 18 | 18 | . | . | . | . | 16·0 | 3 | . | 1 | . | . | 2 | . | . |
| Pneumonia, Broncho- | | | | | | | 2 | 6 | 15 | 5 | | 3 | . | . | 3 | . | . | . | . |
| Pneumonia, Epidemic, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | | 3 | 5 | 5 | 11 | | 14 | . | 2 | 6 | . | 1 | 2 | 3 |
| Erysipelas, | . | 1 | . | 2 | 1 | . | 1 | . | 1 | 1 | ·7 | 1 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | 2 | . | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| Tuberculous Phthisis, | 25 | 19 | 32 | 30 | 20 | 33 | 2 | 6 | 13 | 8 | 28·9 | 13 | . | . | . | 3 | 5 | 4 | 1 |
| "*Phthisis*," | | | | | | | 33 | 21 | 23 | 24 | | 17 | . | . | 1 | 2 | 8 | 4 | 2 |
| Tuberculous Meningitis, | 3 | 1 | 8 | 6 | 3 | 3 | 5 | 3 | 4 | 2 | 3·8 | 7 | . | 2 | 3 | 1 | 1 | . | . |
| Tuberculous Peritonitis, | 5 | 3 | 6 | 2 | 6 | 1 | 2 | . | 1 | 1 | 2·7 | . | . | . | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | | . | . | . | . | | 1 | . | . | 1 | . | . | . | . |
| Tuberculous Dis. (other), | 9 | 5 | 7 | 7 | 5 | 5 | 7 | 5 | 12 | 15 | 7·7 | 10 | . | 1 | 2 | 4 | 3 | . | . |
| *Scrofula*, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Alcoholism, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | 1 | . | . | . | . | . | 1 | . |
| Rheumatic Fever, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| Gout, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Carcinoma, | 6 | 6 | 6 | 8 | 12 | 6 | . | . | 3 | 3 | 6·2 | 3 | . | . | . | . | . | 1 | 2 |
| Sarcoma, | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | | 2 | 4 | 2 | 3 | | 5 | . | . | . | . | . | 3 | 2 |
| Diabetes Mellitus, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | . | . | 1 |
| Premature Birth, | 2 | 3 | . | 1 | 6 | 4 | 2 | 4 | 5 | . | 2·7 | 5 | 5 | . | . | . | . | . | . |

* The figures for the years 1897–1900 are
† Formerly described

TH WEEK ending Saturday, 2nd March, 1907, with the deaths from each cause in the corresponding
he average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Mar. 6, 1897. | Mar. 5, 1898. | Mar. 4, 1899. | Mar. 3, 1900. | Mar. 2, 1901. | Mar. 1, 1902. | Mar. 7, 1903. | Mar. 5, 1904. | Mar. 4, 1905. | Mar. 3, 1906. | Averages in 9th Week of the 10 years 1897–1906. | In the Week ending Saturday, 2nd March, 1907. Deaths of Persons of the Ages of: All Ages. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 39·4 | ° 38·9 | ° 41·1 | ° 40·2 | ° 42·9 | ° 46·0 | ° 41·0 | ° 36·1 | ° 39·2 | ° 40·6 | ° 40·5 | Mean Temp. ° 41·8 | | | | | | | | |
| ningitis (not tuberc.) ... | | | | | | | 3 | 2 | 5 | 2 | | 1 | . | 1 | . | . | . | . | . | . |
| anity, G. P. of Insane ... | | | | | | | 1 | 4 | 3 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| ilepsy .. ... | | | | | | | 1 | . | 3 | 2 | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | | 10 | 5 | 9 | 6 | | 5 | 2 | 3 | . | . | . | . | . | . |
| comotor Ataxy ... | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| raplegia Dis. of Cord ... | | | | | | | 1 | 2 | 3 | 1 | | 3 | . | . | . | . | . | 1 | 2 | . |
| rvous System (other Dis.) | 50 | 44 | 27 | 41 | 71 | 33 | 2 | 2 | 2 | 3 | 46·8 | 4 | . | . | 1 | . | . | . | 3 | . |
| lv. Dis., Endocarditis ... | | | | | | | 4 | 4 | 8 | 6 | | 7 | . | . | . | . | 1 | 4 | . | 2 |
| ebr. Hæm. Thromb. ... | | | | | | | 6 | 1 | 3 | 2 | | 6 | . | . | . | . | . | . | 4 | 2 |
| *oplexy, Hemiplegia* ... | | | | | | | 5 | 6 | 6 | 3 | | 2 | . | . | . | . | . | . | 2 | . |
| eurysm ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not erebral) | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| art and Blood Vessel Dis. | | | | | | | 19 | 17 | 24 | 14 | | 13 | . | . | . | . | . | 3 | 9 | 1 |
| *up* (not Spasm. nor Memb.) | 2 | . | 1 | . | . | . | 2 | . | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| onchitis ... ... | 27 | 44 | 28 | 38 | 74 | 54 | 33 | 30 | 30 | 24 | 38·2 | 40 | . | 6 | 2 | . | 2 | 9 | 17 | 4 |
| hma, Emphysema ... | 4 | 1 | 2 | 1 | 5 | 1 | . | . | 1 | 2 | 2·4 | . | . | . | . | . | . | . | . | . |
| urisy ... ... | | | | | | | . | 1 | 1 | . | | 1 | . | . | . | . | . | . | . | 1 |
| spiratory Dis. (other) ... | | | | | | | 2 | . | 1 | 2 | | 2 | . | . | . | . | 1 | 1 | . | . |
| nsillitis, Quinsy ... | 1 | 1 | . | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | . | . | . | . | . | . | 1 | 2 | 1 | . | ·8 | . | . | . | . | . | . | . | . | . |
| *stro Enteritis* ... ... | | | | | | | 2 | 2 | . | . | | 2 | . | 1 | 1 | . | . | . | . | . |
| *itonitis* (not Puerp.) ... | 1 | . | 2 | 1 | . | . | 2 | . | 1 | . | ·7 | 2 | . | . | . | . | 1 | . | 1 | . |
| rhosis of Liver ... | 5 | 1 | 2 | 3 | 3 | 2 | 3 | 3 | . | 1 | 2·7 | 1 | . | . | . | . | . | . | 1 | . |
| er Dis. (other) ... | | | | | | | 2 | . | 1 | 1 | | 2 | . | . | . | . | . | . | 2 | . |
| gestive Dis. (other) ... | 3 | 3 | 10 | 6 | 7 | 5 | 4 | 6 | 3 | 4 | 5·1 | 5 | . | 2 | 1 | . | 1 | . | 1 | . |
| phritis, Acute ... | 5 | 6 | 7 | 2 | 3 | 5 | 2 | 2 | 1 | 1 | 4·5 | 1 | . | . | . | . | . | 1 | . | . |
| ght's Dis., Albuminuria | | | | | | | . | 2 | . | 3 | | 5 | . | . | . | . | 1 | 1 | 3 | . |
| inary Sys. (Other Dis.) | | | | | | | . | 3 | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| nerative Organs Dis. ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ildbirth (Accid. of) ... | 1 | 2 | 1 | 2 | 1 | 1 | . | 1 | 2 | . | 1·1 | 1 | . | . | . | . | 1 | . | . | . |
| *l Age* ... ... | 10 | 13 | 15 | 24 | 27 | 8 | 3 | 11 | 2 | 5 | 11·8 | 3 | . | . | . | . | . | . | 1 | 2 |
| ner Diseases ... ... | 24 | 22 | 11 | 12 | 21 | 13 | 15 | 12 | 11 | 7 | 14·8 | 15 | 3 | 5 | 1 | 1 | 1 | 2 | 2 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | 1 | 1 | 1 | . | . | . | 2 | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | . | 2 | 2 | 1 | 4 | 3 | 1 | 2 | 3 | 3 | 2·1 | 2 | . | . | 1 | . | . | . | 1 | . |
| Drowning ... ... | . | . | 1 | . | . | . | 1 | 2 | 1 | 3 | ·8 | . | . | . | . | . | . | . | . | . |
| Suffocation in Bed ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous Vapours | . | 1 | 1 | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| her Deaths by Accident | 2 | 3 | 2 | 1 | 1 | 2 | 2 | 1 | . | 1 | 1·5 | 1 | . | . | . | . | . | . | . | 1 |
| **IOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| omicide ... ... | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| icide ... ... | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
nple Continued Fever.

**TABLE V.—Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 8 | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. |
| No. of weeks in Annual Series. | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| BIRTHS registered, | 268 | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 |
| *Average Births in corresponding week of previous 10 years,** | 203 | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 |
| DEATHS registered, | 184 | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 |
| Annual Death-rate per 1,000, | 25·3 | 30·3 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 169 | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 |
| AGES, Under 5 years, | 83 | 96 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 |
| 5—20 " | 8 | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 |
| 20—40 " | 27 | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 |
| 40—60 " | 33 | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 |
| 60—80 " | 28 | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 38 | 52 | 65 | 47 | 64 |
| 80 years and upwards, | 5 | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 |
| Scarlet Fever | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . |
| Typhus, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Whooping-cough, | 1 | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 |
| Diphtheria | . | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . |
| Diarrhœal Diseases, | 49 | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 |
| Pneumonia, | 4 | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 |
| Tuberculous Disease. { Phthisis, | 21 | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 |
| Tuberculous Disease. { Other Forms, | 9 | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 |
| Cancer, Malignant Disease, | 7 | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 |
| Diseases of Heart and Blood Vessels, | 21 | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 |
| Disease of Respiratory System, | 8 | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 |
| Violent Deaths, | 5 | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 |
| Number of Uncertified Deaths, | 1 | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 |
| Mean Temperature of the Air (Phœnix Park), | 60·5 | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·3 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 48·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 55·9 | 54·9 | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 |
| Rainfall in inches, | ·285 | ·280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·830 | ·485 | 1·100 | ·000 | ·832 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·84 | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·88 | ·89 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd March, 1907; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND MARCH, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal) | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 31·7 | 228 | 68 | 12 | 31 | 39 | 62 | 16 | . | 1 | . | . | 7 | . | . | . | 1 | 9 | 20 | 30 | 18 | 8 | 5 | 43 | 3 | 92 | 6 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 15·0 | 5 | . | . | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | 5 | . |
| II | MIDDLE CLASS, | 27,188 | 23·3 | 39 | 5 | . | 5 | 5 | 13 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 8 | 5 | 1 | 1 | 11 | . | 19 | 2 |
| III | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 26·0 | 55 | 15 | 4 | 9 | 12 | 13 | 2 | . | . | . | . | 5 | . | . | . | . | 5 | 5 | 6 | 11 | 2 | 3 | 11 | . | 33 | 4 |
| IV | GENERAL SERVICE CLASS, | 154,271 | 42·0 | 81 | 44 | 6 | 7 | 12 | 12 | . | . | 1 | . | . | 1 | . | . | . | 1 | 3 | 12 | 14 | 1 | 1 | . | 12 | . | 18 | . |
| V | INMATES OF WORKHOUSES, | 6,024 | | 48 | 4 | 2 | 10 | 9 | 22 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | | | | | | | | |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 20·1 | 3 | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,560 | 12·5 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 26·1 | 11 | 4 | . | 1 | . | 4 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | | 1 | | . | . | 1 | 2 | 6 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·4 | 9 | . | . | 3 | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 4 | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 32·8 | 17 | 1 | . | 1 | 2 | 6 | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 4 | 1 | 9 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers | 9,874 | 42·2 | 8 | 2 | 1 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | | . | . | 1 | . | 4 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 21·0 | 12 | 7 | . | 1 | 1 | 3 | . | . | . | . | . | 2 | . | . | . | . | 2 | 3 | . | 1 | . | . | 4 | . | 2 | 1 |
| | 10. Clothing Trades, | 23,260 | 17·9 | 8 | 2 | 1 | 3 | . | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | 1 | 1 | . | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | 2 | . | . | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·5 | 16 | . | 1 | 2 | 8 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 5 | . | 9 | 1 |
| | 13. Petty Shopkeepers | 7,894 | 46·2 | 7 | 2 | 1 | 2 | . | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 | 1 | . | . | 1 | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 23·3 | 6 | 2 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 4 | . |
| | 15. Domestic Servants, | 36,603 | 5·7 | 4 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 37·7 | 65 | 35 | 5 | 4 | 11 | 10 | . | . | 1 | . | . | 1 | . | . | . | 1 | 3 | 11 | 5 | 8 | 2 | 3 | 10 | . | 23 | 4 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 48 | 4 | 2 | 10 | 9 | 22 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 14 | 1 | 1 | . | 12 | . | 18 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in the* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Jan. 12, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . |
| | „ 19, | 89·5 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 3 | 3 | 2 |
| | „ 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| | „ 9, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| | „ 16, | 87·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| | „ 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| | Mar. 2, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 32,146. | Jan. 12, | 37·3 | 2·7 | 28 | . | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 6 | . | . |
| | „ 19, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| | „ 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 5 | . | . |
| | „ 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| | „ 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| | „ 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Jan. 12, | 36·4 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 |
| | „ 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| | „ 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| | „ 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| | „ 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 8 | . | . |
| | „ 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | Mar. 2, | 38·1 | 1·7 | 22 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Jan. 12, | 41·8 | 1·6 | 26 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | . | . | 5 | . | 1 |
| | „ 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| | „ 26, | 20·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| | „ 9, | 40·2 | 3·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| | „ 16, | 27·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| | „ 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Jan. 12, | 24·8 | . | 19 | . | . | . | . | . | . | . | . | . | 3 | 4 | . | 1 | 2 | . | 1 |
| | „ 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| | „ 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| | „ 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 |
| | „ 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| | „ 23, | 37·8 | 3·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 3 | . | 1 |
| | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Jan. 12, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| | „ 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| | „ 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| | „ 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| | „ 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Jan. 12, | 49·8 | 2·5 | 33 | . | 1 | . | . | 1 | . | . | . | . | 4 | 4 | 3 | . | 11 | . | . |
| | „ 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| | „ 26, | 38·3 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| | „ 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| | „ 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| | „ 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| | Mar. 2, | 38·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Jan. 12, | 40·1 | 1·5 | 27 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 3 | 1 | 2 | . | . |
| | „ 19, | 22·3 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |
| | „ 26, | 26·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |
| | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |
| | „ 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |
| | „ 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . | 2 | 4 | . | 1 |
| | „ 23, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 5 | 1 | 1 |
| | Mar. 2, | 20·8 | 3·0 | 14 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,603. | Jan. 12, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | Feb. 2, | 26·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| | „ 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,851. | Jan. 12, | 24·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| | „ 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| | „ 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| | Feb. 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | „ 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Jan. 12, | 23·7 | 3·0 | 8 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 |
| | „ 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| | „ 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| | Feb. 2, | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Jan. 12, | 23·4 | 1·5 | 166 | . | 1 | . | . | 4 | 1 | . | 1 | 4 | 12 | 20 | 8 | 4 | 32 | | 4 |
| | „ 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| | „ 26, | 23·0 | 1·4 | 163 | . | . | . | . | 3 | 2 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 1 |
| | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| | „ 9, | 27·2 | 0·7 | 193 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 8 | 33 | 3 | 5 |
| | „ 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| | „ 23, | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 1 |
| | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| **Cork.** Pop. (in 1901) 76,122. | Jan. 12, | 31·5 | 3·4 | 46 | . | . | . | . | 4 | 1 | . | . | . | 2 | 17 | 2 | . | 11 | 1 | 3 |
| | „ 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | . |
| | „ 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| | „ 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| | „ 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 6 |
| | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Jan. 12, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| | „ 19, | 18·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| | „ 9, | 18·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| | „ 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| | „ 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | . |
| | Mar. 2, | 16·0 | 1·2 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| **Limerick** Pop. (in 1901) 38,151. | Jan. 12, | 27·3 | 2·7 | 20 | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 2 | 5 | . | |
| | „ 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| | „ 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| | „ 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| | „ 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | . |
| | „ 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| **Waterford.** Pop. (in 1901) 26,769. | Jan. 12, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | 1 |
| | „ 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | „ 26, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |
| | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |
| | „ 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |
| | „ 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |
| | „ 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | |
| | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd March, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (29) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 3 | The estimate of the Population of Belfast now adopted (see Table III) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 4 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | 1 | . |
| Do. 2 ,, | 47,959 | 26 | | | 30 | 5 | 5 | 3 | 3 | 4 | 10 | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | . | 5 | . | . | 8 | . |
| Do. 3 ,, | 47,214 | 34 | | | 23 | 2 | 3 | 2 | 7 | 6 | 3 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | . | . | 3 | . | 1 | 7 | . |
| Do. 4 ,, | 40,911 | 33 | | | 35 | 8 | 5 | 3 | 6 | 9 | 4 | . | 1 | . | . | . | . | . | 1 | . | 1 | 10 | 1 | . | 5 | . | . | 14 | . |
| Do. 5 ,, | 17,387 | 10 | | | 13 | 2 | 1 | . | 2 | 4 | 3 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | 1 | . | . | 3 | . |
| Do. 6 ,, | 48,122 | 27 | | | 30 | 3 | 5 | 5 | 6 | 3 | 8 | . | . | . | . | . | . | . | . | . | 4 | 1 | 4 | . | 8 | . | 1 | 7 | . |
| Do. 7 ,, | 1,524 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 1 | | | 4 | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| Do. 9 ,, | 19,569 | 12 | | | 7 | 3 | . | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 1 |
| Do. 10 ,, | 28,064 | 20 | | | 15 | 5 | 1 | 1 | 1 | 2 | 5 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 3 | . | . | 5 | 1 |
| Do. 11 ,, | 34,802 | 28 | | | 25 | 4 | 1 | 5 | 7 | 4 | 4 | . | . | . | . | . | . | . | . | . | 5 | 2 | 2 | . | 1 | . | . | 13 | . |
| Do. 12 ,, | 38,588 | 25 | | | 15 | 3 | 1 | 2 | 3 | 5 | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . | 5 | . |
| Do. 13 ,, | 15,006 | 10 | | | 4 | . | 1 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 280 | | | 204† | 37 | 23 | 23 | 39 | 40 | 42 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 3 | 65 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 5 | 20·8 | . | 5 | . | . | 2 | | | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | . |
| Do. 2 ,, | 10,701 | 3 | 34·1 | 14·6 | 7 | 2 | 2 | 2 | | | 1 | . | . | . | . | 3 | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | 3 | . |
| Do. 3 ,, | 9,978 | 5 | 26·1 | . | 5 | . | 1 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . | 1 | . |
| Do. 4 ,, | 8,666 | 1 | 24·1 | . | 4 | 1 | . | 2 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . |
| Do. 5 ,, | 6,592 | 2 | 23·7 | . | 3 | 1 | . | . | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 7 | 9·7 | . | 2 | . | . | 2 | | | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . |
| Do. 7 ,, | 16,616 | 11 | 28·2 | . | 9 | 1 | 1 | 4 | | | 3 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 5 | . |
| Total, | 76,122 | 34 | 24·0 | 2·1 | 35 | 5 | 4 | 15 | | | 11 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 1 | 13 | . |

* Formerly described as "Simple Continued Fever."

† See note (*) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 8. | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. |
| No. of weeks in Annual Series, | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| BIRTHS registered, | 240 | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 208 | 197 | 255 | 216 | 159 | 230 |
| DEATHS registered, | 151 | 142 | 141 | 136 | 144 | 109 | 123 | 120 | 122 | 131 | 145 | 125 | 123 | 139 | 118 | 127 | 130 | 173 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204† |
| Annual Death-rate per 1,000 of estimated Population, | 21·5 | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 |
| AGES: Under 1 year, | 59 | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 |
| AGES: 1–5 years, | 16 | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 |
| AGES: 5–20 years, | 10 | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 | 22 | 23 |
| AGES: 20–40 years, | 20 | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 |
| AGES: 40–60 years, | 30 | 26 | 20 | 21 | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 |
| AGES: 60 years and upwards, | 16 | 26 | 25 | 23 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 |
| Scarlet Fever, | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Whooping-cough, | 7 | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . |
| Diphtheria, | . | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 |
| Diarrhœal Diseases, | 39 | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 |
| Pneumonia, | 5 | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 |
| Tuberculous Disease, Phthisis, | 16 | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 |
| Tuberculous Disease, Other Forms, | 6 | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 |
| Cancer, Malignant Disease, | 3 | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 |
| Diseases of Respiratory System, | 8 | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 |
| Violent Deaths, | 3 | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . |
| Number of Uncertified Deaths, | . | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 |

*Formerly described as "Simple Continued Fever."

† Including 24 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

ABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Mar. 2, | 2,393 | 1,678 | 18·4 | . | 35 | 6 | 16 | 45 | 6 | 12 |
| EDINBURGH, | 345,747 | „ 2, | 136 | 115*a* | 17·4 | . | 2 | 3 | 2 | 2 | . | . |
| GLASGOW, | 847,584 | „ 2, | 503 | 357*a* | 22·0 | . | 1 | 1 | 2 | 20 | 4 | 7 |
| CALCUTTA, | 977,822 | Jan. 12, | . | 638 | 39·1 | 16 | 1 | . | . | . | 143‡ | 176* |
| BOMBAY, | 982,000 | „ 29, | 354 | 740 | 39·3 | . | 3 | . | . | . | 91‡ | 79* |
| MADRAS, | 509,346 | „ 11, | 303 | 375 | 38·2 | . | 2 | ? | ? | ? | 103 | 68 |
| PARIS, | 2,750,000 | Feb. 16, | 1,130 | 1,632 | 31·2 | . | 10 | 8 | 10† | 6 | 6 | 18 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 9, | 224 | 249 | 21·1 | . | 5 | 1 | 1† | 1 | . | 9 |
| ANTWERP, | 304,032 | „ 9, | 149 | 105 | 18·0 | . | 6 | . | 3† | 3 | 2 | 11 |
| AMSTERDAM, | 564,875 | „ 16, | 328 | 232 | 21·4 | . | 1 | 1 | 2† | 3 | 2 | 4 |
| COPENHAGEN, | 425,000 | „ 9, | 212 | 154 | 18·9 | . | . | . | . | 4 | . | 3 |
| STOCKHOLM, | 324,488 | „ 9, | 167 | 83 | 13·3 | . | . | 2 | . | . | . | 3 |
| CHRISTIANIA, | 222,373 | „ 16, | 112 | 89 | 20·8 | . | 5 | . | 3† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 9. | 838 | 880 | 30·9 | | 35 | 19 | 26 | 2 | 24 | 91 |
| MOSCOW, | 1,154,000 | Jan. 12, | . | 733 | 33·1 | 1 | 11 | 16 | 5† | 6 | 7 | 56 |
| BERLIN, | 2,095,998 | Feb. 2, | 984 | 661 | 16·4 | . | 5 | 3 | 6† | 5 | 2 | 37 |
| HAMBURG, | 824,792 | „ 9, | . | 265 | 16·7 | . | . | . | 4† | 3 | . | 17 |
| BRESLAU, | 482,576 | „ 16, | . | 223 | 24·1 | . | . | . | 1† | 1 | 1 | 19 |
| MUNICH, | 548,000 | „ 16, | . | 202 | 19·2 | . | 3 | . | 4† | . | . | 18 |
| VIENNA (with suburbs). | 1,958,323 | „ 16, | 940 | 797 | 21·2 | . | 15 | 4 | 10† | 2 | . | 27 |
| BUDA-PESTH, | 802,235 | „ 16, | 479 | 371 | 24·1 | . | 5 | 3 | 5† | . | 3 | 12 |
| PRAGUE and Faubourgs. | 466,133 | „ 9, | 204 | 206 | 23·0 | . | 2 | . | 2† | . | . | 6 |
| TRIESTE, | 199,003 | „ 2, | 129 | 132 | 34·6 | . | 2 | . | . | 2 | . | . |
| ROME, | 531,818 | Dec. 29, | 241 | 262 | 25·7 | . | 2 | . | . | . | 1 | 14 |
| VENICE, | 171,709 | Jan. 12, | 73 | 80 | 24·3 | . | . | . | . | 1 | 1 | 2 |
| NEW YORK, | 4,285,435 | Feb. 2, | 2,566 | 1,612 | 19·6 | 1 | 5 | 15 | 46† | 13 | 9 | 50 |
| PHILADELPHIA, | 1,500,595 | Jan. 19, | . | 558 | 19·3 | . | 1 | 2 | 16† | 3 | 42 | 16 |
| BOSTON, | 602,526 | Feb. 2, | . | 261 | 22·6 | . | . | 1 | 4 | 2 | . | 1 |

*a*. Including 3 deaths from cerebro-spinal meningitis in Edinburgh, and 37 in Glasgow.
* Including 104 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Exclusive of 12 deaths from plague in Calcutta, and 51 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd March, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 1, West, | . | 1 | . | . | 1 | . | . | . | . | . | 1 | . | 3 |
| " " 2, | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 3 |
| " " 3, | . | 2 | . | . | . | . | . | . | 1 | . | 1 | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| South City No. 1, | . | . | . | . | 2 | . | . | 7 | 10 | . | . | . | 19 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 3 | . | . | . | . | . | . | . | . | . | . | 3 |
| " " 4, | . | . | . | . | 1 | . | 1 | . | 2 | . | . | . | 4 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 6 | . | . | 5 | . | 1 | 9 | 14 | . | 2 | . | 37 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd March, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 2nd March. | | | |
|---|---|---|---|---|---|---|---|
| | Feb. 9. | Feb. 16. | Feb. 23. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 31 | 46 | 47 | 15 | 10 | . | 52 |
| Scarlet Fever, | 82 | 76 | 83 | 14 | 7 | . | 90* |
| Typhus, | 9 | 8 | 3 | . | . | . | 3 |
| Diphtheria, | 29 | 22 | 26 | 6 | 8 | 2 | 22 |
| Enteric Fever, | 30 | 27 | 27 | 4 | 5 | . | 26 |
| Pneumonia, | 28 | 24 | 27 | 5 | 8 | 3 | 21 |

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 2nd March, 1907:—

"The weather of this week was for the most part fine and quiet, but very dull—only on Sunday and Saturday was there any sunshine to speak of. During the period an anticyclone of considerable intensity (30·6 inches on Thursday morning) drifted slowly eastwards from the S.W. of Ireland, over which its central area lay on Sunday morning, to the Low Countries, which it reached on Friday after a reinforcement received over Ireland and England on Wednesday and Thursday. The remarkable cloudiness and mildness which attended this anticyclone were doubtless related to the passage of a deep and large depression from Iceland to Scandinavia in the interval between Monday and Wednesday. This system was accompanied by warm and moist westerly winds. It was of great energy, for the barometer fell to 28·54 inches at Haparanda, on the Gulf of Bothnia, on Tuesday morning, the readings being above 30·4 inches at the same time over southern Ireland and England, France, and Germany. A temporary clearing of the sky over England on Wednesday sent the thermometer down several degrees below freezing point during the following night and the diurnal range of temperature became large. On Friday a shallow depression brought showers to the Irish stations, but Saturday was fine—the forenoon being bright and springlike, and the evening calm and cold, with a smokefog in the City. In Dublin the mean height of the barometer was 30·396 inches, the range being only from 30·285 inches at 9 a.m. of Sunday (wind, W.N.W.) to 30·542 inches at 9 a.m. of Wednesday (wind, S.S.E.). The corrected mean temperature was 44·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 43·4°. The screened thermometers rose to 51·7° on Friday, having fallen to 30·9° on Sunday. The dominant winds were W.N.W. and S.S.E. Rain fell on Friday evening to the amount of ·019 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·396 inches. The highest reading (30·534) was on Wednesday at 9 a.m. and 9 p.m., air calm, and the lowest (30·287) on Sunday at 9 a.m., wind N.W.

The mean temperature for the week was 41·8°, being 1·3° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Friday, on which day the thermometer registered 53·4°, and was lowest on Sunday, the mercury having fallen to 27·7°. The mean of the Dry Bulb for the week was 41·7°, and of the Wet Bulb 40·2°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 9·1 hours. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 40·6°. the maximum 55·0°, and the minimum 24·4°; at Glasgow the maximum was 51·5°, the minimum 29·5°, and the mean 43·3°; and at Edinburgh the maximum was 52·1°, the minimum 27·8°, and the mean 43·0°. The rainfall at Greenwich measured 0·01 in.; and at Glasgow 0·26 in. There was no rainfall recorded at Edinburgh. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Feb. 24, | 30·298 | 47·1 | 27·7 | 37·4 | 39·0 | 36·8 | ·81 | ·6 | 5·9 | ·000 | N.W. | W.S.W. |
| Monday, „ 25, | 30·385 | 45·6 | 41·9 | 43·8 | 43·8 | 42·0 | ·86 | ·6 | 0·0 | ·000 | W.S.W. | W. |
| Tuesday, „ 26, | 30·454 | 45·5 | 39·9 | 42·7 | 42·6 | 40·0 | ·85 | ·7 | 0·0 | ·000 | Calm. | Calm. |
| Wednesday, „ 27, | 30·534 | 44·9 | 37·8 | 41·4 | 40·3 | 39·2 | ·92 | ·7 | 0·0 | ·000 | Calm. | Calm. |
| Thursday, „ 28, | 30·462 | 45·3 | 38·9 | 42·1 | 42·2 | 40·7 | ·89 | ·8 | 0·0 | ·000 | Calm. | Calm. |
| Friday, Mar. 1, | 30·308 | 53·4 | 41·2 | 47·3 | 45·7 | 44·5 | ·91 | ·7 | 0·5 | ·000 | Calm. | W.S.W. |
| Saturday, „ 2, | 30·332 | 41·2 | 31·0 | 37·6 | 38·5 | 38·1 | ·96 | ·7 | 2·7 | ·000 | Calm. | W. |
| Mean, . . | 30·396 | 46·6 | 36·9 | 41·8 | 41·7 | 40·2 | ·89 | ·7 | Total 9·1 | Total ·000 | — | |

*Sunday*—Cloudy a.m., overcast p.m.; night cloudy. *Monday*—Day overcast, fine; night cloudy. *Tuesday*—Day overcast, fine; night overcast. *Wednesday*—Day overcast, fine; night cloudy. *Thursday*—Day overcast, fine; night cloudy. *Friday*—Overcast a.m., cloudy p.m.; night cloudy. *Saturday*—Cloudy day, fine; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 2nd, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Feb. 24, | 37·0 | 37·8 | 42·5 | 46·9 | 31·8 | 39·4 | 5·5 | — |
| Monday, „ 25, | 45·0 | 39·1 | 42·1 | 47·2 | 42·9 | 45·1 | — | — |
| Tuesday, „ 26, | 44·1 | 40·6 | 42·1 | 46·8 | 41·9 | 44·4 | — | — |
| Wednesday, „ 27, | 43·6 | 41·0 | 42·1 | 45·9 | 40·9 | 43·4 | — | — |
| Thursday, „ 28, | 42·9 | 41·4 | 42·3 | 46·5 | 40·6 | 43·6 | — | — |
| Friday, Mar. 1, | 47·1 | 41·6 | 42·5 | 54·6 | 41·6 | 48·1 | 0·6 | ·012 |
| Saturday, „ 2, | 45·4 | 42·1 | 42·7 | 50·0 | 38·5 | 44·3 | 1·4 | — |
| Weekly Mean, . | 43·6 | 40·5 | 42·3 | 48·3 | 39·7 | 44·0 | Total 7·5 | ·012 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 481. 1. 1907.—16667.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 9TH MARCH, 1907. [No. 10.


*General Register Office, Charlemont House, Dublin,* 11*th March,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Feb. 16. | Week ending Feb. 23. | Week ending Mar. 2. | Week ending Mar. 9. | Average Rate for 4 weeks. | Towns, &c. | Week ending Feb. 16. | Week ending Feb. 23. | Week ending Mar. 2. | Week ending Mar. 9. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 28·8 | 25·2 | 27·3 | 23·7 | 26·3 | Lisburn, . | 22·7 | 27·3 | 9·1 | 18·2 | 19·3 |
| Armagh, . . | 13·7 | 61·8 | 41·2 | 13·7 | 32·6 | Londonderry, . | 20·9 | 27·0 | 16·0 | 20·9 | 21·2 |
| Ballymena, . | 38·3 | 23·9 | 33·5 | 38·3 | 33·5 | Lurgan, . . | 35·4 | 31·0 | 44·3 | 8·9 | 29·9 |
| Belfast, . . | 28·6 | 20·6 | 28·7 | 23·5 | 25·4 | Newry, . . | 12·6 | 25·2 | 21·0 | 21·0 | 20·0 |
| Clonmel, . | 20·5 | 35·9 | 15·4 | 15·4 | 21·8 | Newtownards, . | 34·3 | 17·2 | 17·2 | 34·3 | 25·8 |
| Cork, . . . | 26·7 | 30·8 | 21·0 | 26·7 | 27·0 | Portadown, . | 31·0 | 31·0 | 15·5 | 20·7 | 24·6 |
| Drogheda, . . | 12·3 | 28·6 | 16·3 | 20·4 | 19·4 | Queenstown . | 6·6 | 6·6 | 6·6 | 6·6 | 6·6 |
| Dublin Reg. Area, | 31·4 | 27·1 | 28·6 | 25·2 | 28·1 | Sligo, . . . | 24·0 | 9·6 | 38·4 | 14·4 | 21·6 |
| Dundalk, . . | 27·9 | 19·9 | 35·9 | 16·0 | 24·9 | Tralee, . | 37·0 | 21·1 | 42·3 | 31·7 | 33·0 |
| Galway, . . | 31·1 | 11·7 | 35·0 | 11·7 | 22·4 | Waterford, . | 39·0 | 42·9 | 27·3 | 29·2 | 34·6 |
| Kilkenny, . . | 19·7 | 54·1 | 9·8 | 39·3 | 30·7 | Wexford, . . | 51·4 | 23·3 | 32·7 | 9·3 | 29·2 |
| Limerick, . . | 21·9 | 20·5 | 24·6 | 21·9 | 22·2 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 14·7 in Kilkenny, the 8 deaths from all causes registered in that district including 3 from whooping-cough. Among the 167 deaths from all causes registered in Belfast are one from measles, 3 from whooping-cough, 2 from enteric fever, 4 from diarrhœal diseases, 10 from cerebro spinal fever, and 11 returned as from *cerebro spinal meningitis.* The 39 deaths from all causes registered in Cork include one from whooping-cough; and there was one death from whooping-cough among the 15 deaths from all causes registered in Waterford.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 254—131 boys and 123 girls; and the deaths to 194—86 males and 108 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 25·9 in every 1,000 of the population; omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 25·2 per 1,000. During the ten weeks ending with Saturday last the death-rate averaged 29·3, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The total deaths (194) include one from measles, 7 from whooping-cough, one from diphtheria, one from *diarrhœa.* There were 4 deaths from cerebro spinal fever regis-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

tered. In each of the 3 weeks preceding, deaths from measles were 3, 0, and one; deaths from whooping-cough were 4, 3, and 7; deaths from diphtheria were one, one, and 0; and deaths from diarrhœal diseases were one, 3, and one.

Of 18 deaths from pneumonia, one was from lobar pneumonia, 4 were from broncho-pneumonia, and 13 from *pneumonia* (not defined).

The total number of deaths from all forms of tuberculous disease was 34, which figure includes 5 deaths from tuberculous phthisis, 16 deaths returned as from *phthisis*, 4 deaths from tuberculous meningitis, 2 from tuberculous peritonitis, and 7 deaths from other forms of the disease. In each of the 3 preceding weeks the total deaths from all forms of tuberculous disease were 37, 34, and 48.

There were 3 deaths from carcinoma and 4 deaths from cancer (undefined).

There were 5 deaths stated to have been caused by premature birth.

Diseases of the brain and nervous system account for the deaths of 11 persons, and include 3 deaths from *convulsions* and 2 deaths from meningitis, all of children under 5 years of age.

There were 32 deaths from diseases of the heart and blood vessels, and 29 deaths from bronchitis were also registered.

Two deaths from accidental causes and one death by suicide were recorded.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 persons aged 60 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 9 were under one month old) and 52 were aged 60 years and upwards, including 23 persons aged 70 and upwards, of whom 9 were octogenarians, and 3 (2 males and a female) were stated to have been aged 92, 97, and 90 years, respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the N. Dublin Union Workhouse and 11 in the S. Dublin Union Workhouse.

**The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.**

As already stated, the death-rate for the entire Registration Area was 25·2 per 1,000; the rate in the City was 27·7 (North City Districts, 27·8; South, 27·7), and in the Suburbs, 16·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·2 (0·7 in the North City Districts, and 1·8 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·4 per 1,000. Included in the deaths (13) were one from whooping-cough, one from cerebro spinal fever, 4 from *pneumonia* (not defined), 2 from tuberculous disease, one from bronchitis, and one death by accident.

*No. 1 North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. The deaths include one from cerebro-spinal fever, one from *pneumonia* (not defined), 5 from tuberculous disease, and 3 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000, and include one death from whooping-cough, 2 deaths from tuberculous disease, and 2 deaths from diseases of the respiratory system.

*No. 3 North City District* (Benburb-street).—The deaths (24) represent an annual rate of 38·6 per 1,000. Among the deaths were one from cerebro-spinal fever, 2 from *pneumonia* (not defined), 5 from tuberculous disease, 2 from bronchitis, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 19·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 50·5. The 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 1 from *pneumonia* (not defined), and 3 from tuberculous disease; and the 7 deaths from all causes for Finglas and Glasnevin (part of), include one from *pneumonia* (not defined), and 2 from diseases of the heart and blood vessels.

*No. 1 South City District* (South Earl-street).—The deaths (21) represent an annual rate of 27·4 per 1,000. The deaths (21) include one from measles, one from lobar pneumonia, 4 from tuberculous disease, and 4 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 35·5 per 1,000. Two deaths from whooping-cough, also 2 deaths from broncho-pneumonia, one death from each of *pneumonia* (not defined) and *phthisis*, and 2 deaths from bronchitis, were registered.

*No. 3 South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·5 per 1,000, and include one death from diphtheria, 2 deaths from broncho-pneumonia, one death from tuberculous meningitis, and 7 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (24) are equivalent to an annual rate of 35·6 per 1,000. Among the deaths one was from whooping-cough, 6 were from tuberculous disease, and 2 from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000. Of 4 deaths registered one was due to tuberculous phthisis and one to bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 9·4; Blackrock, 17·9; and Kingstown, 29·6. The deaths from the principal epidemic diseases tabulated for these districts include 2 from whooping-cough for Rathmines and Rathgar, and one from *diarrhœa* for Kingstown. The 11 deaths from all causes for Rathmines and Rathgar include one from cerebro-spinal fever, 2 from *pneumonia* (not defined), one from *phthisis*, and 3 from diseases of the heart and blood vessels. The 5 deaths from all causes for Pembroke include one each from *pneumonia* (not defined), *phthisis*, and bronchitis. Amongst the 3 deaths from all causes for Blackrock there were 2 from bronchitis; and the 10 deaths from all causes for Kingstown include 3 deaths each caused by diseases of the heart and blood vessels and bronchitis, and one by suicide.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 9th March, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. *a* | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Feb. 16, | . | — | — | 5 | . | . | 8 | . | 3 | 14 | 14 | . | — | — | — | — | — | 44 |
| | Feb. 23, | . | — | — | 3 | 2 | . | 6 | . | 3 | 4 | 18 | . | — | — | — | — | — | 36 |
| | Mar. 2, | . | — | — | 6 | . | . | 5 | . | 1 | 9 | 14 | . | — | — | 2 | — | — | 37 |
| | Mar. 9, | . | — | — | 9 | . | . | 3 | . | 1 | 6 | 14 | . | — | — | 3 | — | — | 36 |
| Rathmines and Rathgar Urban District. | Feb. 16, | . | — | — | 1 | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Feb. 23, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Mar. 2, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Mar. 9, | . | — | — | . | . | . | 1 | 1 | . | . | . | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Feb. 16, | . | . | . | . | . | . | . | . | . | 1 | . | . | — | 1 | . | — | — | 2 |
| | Feb. 23, | . | . | . | . | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 2 |
| | Mar. 2, | . | . | . | 1 | . | . | . | . | . | . | 1 | . | — | 5 | 1 | — | — | 8 |
| | Mar. 9, | . | 2 | 1 | 1 | . | . | . | . | . | 1 | . | . | — | 20 | . | — | — | 25 |
| Blackrock Urban District. | Feb. 16, | . | — | — | 2 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Feb. 23, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| | Mar. 2, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| | Mar. 9, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| Kingstown Urban District. | Feb. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Feb. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Mar. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Feb. 16, | . | — | — | 19 | . | . | 10 | 2 | 11 | 12 | 5 | 2 | — | — | 19 | — | — | 80 |
| | Feb. 23, | . | — | — | 19 | . | . | 6 | . | 7 | 17 | 8 | . | — | — | 29 | — | — | 86 |
| | Mar. 2, | . | — | — | 16 | . | . | 7 | 1 | 5 | 18 | 4 | 2 | — | — | 20 | — | — | 73 |
| | Mar. 9, | . | — | — | 13 | . | . | 3 | . | 7 | 12 | 3 | 1 | — | — | 31 | — | — | 70 |

(*a*) Sir Charles Cameron reports 3 cases of cerebro spinal meningitis in Return for week ending 16th ultimo, as having occurred in the City of Dublin, and 7 for week ended 23rd ultimo. Mr. Fawcett reports one case of cerebro spinal fever as having occurred in Rathmines during the week ending 9th instant.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th March, 1907.

From this it appears that:—

Eleven cases of measles were admitted into hospital during the week, 20 were discharged, there was one death, and 42 cases remained under treatment at its close.

Fourteen cases of scarlet fever were admitted to hospital, 8 were discharged, and 96* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, and 4 cases remained under treatment at its close.

Five cases of diphtheria were admitted to hospital, 6 were discharged, and 21 patients remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 7 were discharged, and 25 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 2 were discharged, and 19 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·0), was equal to an average annual death-rate of 18·2 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·6 per 1,000, the rate for Glasgow being 21·1 and for Edinburgh 20·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th March. From this Report it appears that of a total of 42 cases notified 19 were scarlet fever, 13 diphtheria, 9 erysipelas, 2 cases of cerebro spinal meningitis, and one enteric fever. Among the 354 cases of infectious diseases in hospital at the close of the week were 108 cases of scarlet fever, 80 of measles, 42 of diphtheria, 2 of membranous croup, 37 of whooping-cough, 21 of erysipelas, and 10 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th March, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 9th March, 1907. Numbers Registered. Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 9th March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 2nd March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 23rd February, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 29·0 | 23·7 | 1·2 | 621 | 509 | 77 | 127 | . | 2 | . | . | 15 | 1 | . | 2 | 5 | 40 | 62 | 35 | 14 | 74 | 6 | 15 | 155 | 21 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 890,691 | 28·4 | 33·9 | 25·2 | 1·3 | 254 | 189 | 29 | 51 | . | 1 | . | . | 7 | 1 | . | . | 1 | 18 | 20 | 12 | 5 | 31 | 3 | 7 | 73 | 4 | f55·4 | 28·1 | 43·1 | 0·43 | f53·4 | 27·7 | 41·8 | 0·00 | f52·2 | 26·0 | 39·0 | 0·39 |
| City of Dublin, | 300,850 | 38·0 | 39·2 | 27·7 | 1·2 | 226 | 160 | 26 | 39 | . | 1 | . | . | 5 | 1 | . | . | . | 15 | 18 | 12 | 3 | 25 | 2 | 4 | 69 | 4 | g58·0<br>h55·8 | 35·1<br>29·0 | 45·4<br>43·7 | 0·37<br>0·53 | g54·7<br>h53·9 | 30·9<br>28·0 | 44·2<br>42·7 | 0·02<br>0·03 | g54·8<br>h54·9 | 29·9<br>27·0 | 41·4<br>40·4 | 0·45<br>0·39 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 18·2 | 16·1 | 2·9 | 9 | 11 | 2 | 5 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Pembroke | 27,854 | 17·5 | 20·6 | 9·4 | . | 11 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Blackrock | 8,759 | 8·1 | 23·8 | 17·9 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Kingstown, | 17,622 | 12·1 | 11·8 | 29·6 | 3·0 | 4 | 10 | 1 | 4 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | 2 | . | . | 55 | 37·5 | 45·4 | 0·28 | 54 | 33 | 43·8 | 0·03 | 56 | 30·5 | 41·8 | 0·33 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 29·0 | 28·5 | 1·4 | 206 | 167 | 25 | 29 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 6 | 49 | 1 | 54·0 | 31·0 | 42·7 | 0·37 | 53·0 | 30·0 | 42·0 | 0·11 | 50·0 | 29·5 | 40·7 | 1·31 |
| Cork, | 76,122 | 33·6 | 21·2 | 26·7 | 0·7 | 81 | 39 | 3 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 2 | 13 | 1 | 55 | 36 | 45·4 | 0·27 | 48 | 30 | 42·4 | 0·11 | 52 | 29 | 41·5 | 0·29 |
| Londonderry, | 42,475 | 19·6 | 22·1 | 20·9 | . | 18 | 17 | 3 | 4 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 15·0 | 21·9 | . | 11 | 16 | 3 | 3 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 21·4 | 29·2 | 1·9 | 11 | 15 | 1 | 5 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 27·2 | 11·7 | . | 7 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 53 | 40 | 46 | 0·62 | 53 | 33 | 45 | 0·00 | 51 | 27 | 43 | 0·58 |
| Dundalk, | 13,076 | 9·4 | 27·9 | 16·0 | . | 7 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 32·7 | 20·4 | . | 8 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 |
| Newry, | 12,405 | 17·8 | . | 21·0 | . | . | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 |
| Lurgan, | 11,782 | 13·8 | 39·8 | 8·9 | . | 9 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 18·2 | . | 5 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Wexford, | 11,168 | 23·2 | 37·4 | 9·3 | . | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 38·3 | 38·3 | . | 8 | 8 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 54·5 | 30·5 | 44·2 | 1·05 | 55·0 | 27·8 | 42·9 | 0·05 | 51·3 | 25·1 | 39·3 | 1·37 |
| Sligo, | 10,870 | 8·7 | 19·2 | 14·4 | . | 4 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | 1 | 57 | 30 | 45·1 | 0·24 | 52 | 24 | 41·6 | 0·05 | 53 | 24 | 38·6 | 0·58 |
| Kilkenny, | 10,609 | 11·5 | 39·3 | 39·3 | 14·7 | 8 | 8 | 1 | 3 | . | . | . | . | 3 | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Clonmel, | 10,167 | 7·8 | 20·5 | 15·4 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . | . | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 |
| Portadown, | 10,092 | 13·2 | 31·0 | 20·7 | . | 6 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tralee, | 9,867 | 16·6 | 42·3 | 31·7 | . | 8 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | . | . | . | 55 | 31 | 42·7 | 1·07 | 51 | 31 | 42·1 | 0·07 | 51 | 30 | 40·1 | 0·88 |
| Newtownards, | 9,110 | 18·9 | 28·6 | 34·3 | . | 5 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 55 | 36 | 45·4 | 0·27 | 48 | 30 | 42·4 | 0·11 | 52 | 29 | 41·5 | 0·29 |
| Queenstown, | 7,909 | 14·4 | 6·6 | 6·6 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 2 | . | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 | 50·5 | 27·3 | 38·5 | 0·80 |
| Armagh, | 7,588 | 22·2 | 13·7 | 13·7 | . | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 5 deaths of persons (including one at 61 years), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr F. W. Moore taken at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 9th March, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | Total for Dublin Registration Area. | Deaths in Institutions of Persons admitted from without the Registration Area. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | | |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1 E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (period). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| A. General Diseases: | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | . | 1 | . | . | . | . | . | 2 | . | 1 | . | 2 | . | . | . | 7 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Pneumonia, | 4 | 1 | . | 2 | . | 1 | 1 | 1 | 3 | 2 | . | . | 2 | 1 | . | . | 18 | . |
| Tuberculous Disease. Phthisis, | . | 4 | 1 | 3 | . | 2 | . | 2 | 1 | . | 4 | 1 | 1 | 1 | . | . | 20 | 1 |
| Tuberculous Disease. Other Forms. | 2 | 1 | 1 | 2 | . | 1 | . | 2 | . | 1 | 2 | . | . | . | . | . | 12 | 1 |
| Cancer, Malignant Disease, | . | . | 1 | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 5 | 2 |
| Other General Diseases | 2 | 2 | 1 | 7 | . | . | 1 | 1 | . | . | 6 | . | 1 | . | . | . | 21 | . |
| Total, | 9 | 8 | 5 | 15 | . | 4 | 2 | 8 | 6 | 4 | 13 | 1 | 7 | 2 | . | 2 | 86 | 4 |
| B. Local Diseases: | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 2 | 1 | 1 | . | . | 1 | . | . | 1 | 2 | 1 | . | 1 | . | . | 10 | 1 |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 1 | 2 | 2 | 4 | . | . | 2 | 5 | 4 | 1 | 4 | . | 3 | . | 1 | 3 | 32 | . |
| Diseases of: Respiratory System, | 1 | 3 | 2 | 2 | . | . | 1 | 4 | 2 | 7 | 2 | 1 | . | 1 | 2 | 3 | 31 | . |
| Diseases of: Digestive System, | 1 | 2 | 2 | . | . | . | 1 | 2 | . | 1 | 1 | 1 | . | 1 | . | 1 | 13 | . |
| Diseases of: Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of: Urinary System, | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 3 | . |
| Diseases of: Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 3 | 9 | 8 | 7 | . | . | 5 | 12 | 6 | 11 | 10 | 3 | 4 | 3 | 3 | 7 | 91 | 1 |
| C. Other Specified Diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. Causes Ill-defined and Not Specified, | . | 2 | 2 | 1 | . | . | . | 1 | 2 | . | 1 | . | . | . | . | . | 9 | . |
| E. Violent Deaths, | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . |
| **Deaths from all Causes,** | 13 | 19 | 15 | 24 | . | 4 | 7 | 21 | 14 | 15 | 24 | 4 | 11 | 5 | 3 | 10 | 189 | 5 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 23·4 | 25·3 | 26·0 | 38·6 | . | 19·0 | 50·5 | 27·4 | 35·5 | 18·5 | 35·6 | 23·5 | 16·1 | 9·4 | 17·9 | 29·6 | 25·2 | . |
| | 27·8 | | | | | | | 27·7 | | | | | 16·8 | | | | | |
| | 27·7 | | | | | | | | | | | | | | | | | |
| Ages at Death. Under 1 year, | 2 | . | 3 | 5 | . | . | 2 | 3 | 4 | 2 | 5 | . | 2 | . | . | 1 | 29 | . |
| Ages at Death. 1 and under 5 years, | 3 | 4 | 3 | 3 | . | . | 1 | 2 | 3 | 4 | 3 | . | 1 | 1 | . | 2 | 29 | 1 |
| Ages at Death. 5 ,, 20 ,, | 2 | 2 | 2 | 3 | . | . | . | 2 | 1 | . | 4 | . | 1 | . | . | . | 17 | . |
| Ages at Death. 20 ,, 40 ,, | 2 | 5 | 1 | 4 | . | 2 | . | 3 | 3 | . | 4 | 1 | 1 | . | . | . | 26 | 1 |
| Ages at Death. 40 ,, 60 ,, | 3 | 3 | 3 | 5 | . | 2 | . | 5 | 1 | 3 | 3 | 1 | 1 | 2 | 2 | 3 | 37 | 2 |
| Ages at Death. 60 and upwards, | 1 | 5 | 3 | 4 | . | . | 4 | 6 | 2 | 6 | 6 | 2 | 5 | 2 | 1 | 4 | 51 | 1 |
| Number of Uncertified Deaths, | . | . | 1 | . | . | . | 1 | . | 1 | 1 | . | . | . | . | . | . | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 7 | 5 | 8 | . | 1 | . | 6 | 2 | 2 | 4 | 1 | 1 | 2 | . | . | 43 | 5 |
| Workhouse Hospitals, | 1 | 6 | 3 | 10 | . | . | . | 4 | 1 | 2 | 3 | . | . | 1 | . | . | 31 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in th week of the ten years, 1897-190

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 10th Week of the 10 years 1897-1906. | In the Week ending Saturday, 9th March, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 13, 1897. | Mar. 12, 1898. | Mar. 11, 1899. | Mar. 10, 1900. | Mar. 9, 1901. | Mar. 8, 1902. | Mar. 14, 1903. | Mar. 12, 1904. | Mar. 11, 1905. | Mar. 10, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature. | ° 40·7 | ° 40·2 | ° 42·3 | ° 38·3 | ° 41·5 | ° 44·3 | ° 41·8 | ° 38·0 | ° 42·4 | ° 46·3 | ° 41·6 | ° 43·1 | | | | | | | | |
| **ALL CAUSES.** | 262 | 250 | 191 | 247 | 276 | 222 | 200 | 213 | 189 | 187 | 223·7 | 194 | 9 | 20 | 30 | 17 | 27 | 39 | 40 | 1 |
| Small-pox, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 43 | . | . | 2 | . | 6 | 1 | . | 1 | . | 5·3 | 1 | . | 1 | . | . | . | . | . | . |
| Scarlet Fever, | 2 | 6 | . | 1 | . | 1 | 1 | 1 | . | . | 1·2 | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 1 | 11 | 7 | 6 | 16 | 2 | 1 | 6 | 4 | 3 | 5·7 | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 9 | 3 | 5 | . | 10 | . | 2 | 6 | . | 1 | 3·6 | 7 | . | 2 | 4 | 1 | . | . | . | . |
| Diphtheria, | 1 | 1 | 1 | 2 | . | 3 | 2 | . | . | 2 | 1·2 | 1 | . | . | 1 | . | . | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 3 | 1 | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 5 | 6 | 2 | 1 | 2 | 3 | 3 | 1 | . | 2·4 | . | . | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis)* | 5 | 1 | 3 | 3 | 1 | 1 | 1 | . | . | 1 | 1·9 | . | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | . | 1 | . | 2 | | 1 | . | . | 1 | . | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 1 | . | . | 2 | 1 | . | 2 | 1 | 1 | ·8 | 2 | . | 2 | . | . | . | . | . | . |
| Puerperal Septicæmia, | 1 | 1 | . | 2 | . | . | 2 | 1 | . | . | ·8 | 1 | . | . | . | . | 1 | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 18 | 14 | 13 | 23 | 20 | 16 | . | . | 2 | . | 16·8 | 1 | . | . | 1 | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | | 3 | 10 | 8 | 8 | | 4 | . | 1 | 2 | . | . | 1 | . | . |
| Pneumonia, Epidemic, | | | | | | | . | 4 | . | . | | . | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | | 11 | . | 8 | 10 | | 13 | . | 3 | . | 3 | 2 | 3 | 1 | 1 |
| Erysipelas, | 1 | . | . | . | 1 | 1 | . | . | . | 3 | ·6 | . | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 1 | 1 | 1 | . | 1 | 2 | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | 1 | . | . | . | 1 | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 3 | 1 | . | ·4 | 1 | . | . | . | . | 1 | . | . | . |
| Tuberculous Phthisis, | 15 | 39 | 25 | 37 | 25 | 38 | . | 5 | 9 | 15 | 29·6 | 5 | . | . | 1 | 1 | 2 | 1 | . | . |
| "*Phthisis*," | | | | | | | 32 | 25 | 16 | 15 | | 16 | . | . | 1 | 2 | 11 | 2 | . | . |
| Tuberculous Meningitis, | 4 | 4 | 4 | 8 | 7 | 3 | 3 | 6 | 5 | 3 | 4·7 | 4 | . | . | 2 | 2 | . | . | . | . |
| Tuberculous Peritonitis, | 9 | 6 | 3 | 3 | 3 | . | . | . | 1 | . | 2·9 | 2 | . | . | . | . | 2 | . | . | . |
| *Tabes Mesenterica*, | | | | | | | 3 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 2 | 4 | 3 | 3 | 8 | 3 | 10 | 11 | 5 | 6 | 5·5 | 7 | . | 1 | 4 | 2 | . | . | . | . |
| *Scrofula*, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Alcoholism, | 1 | . | . | 1 | 1 | . | . | . | 3 | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | 2 | . | . | . | 1 | 1 | . | . | . |
| Gout, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Carcinoma, | 7 | 8 | 6 | 6 | 9 | 7 | 2 | 3 | 1 | 4 | 6·6 | 3 | . | . | . | . | . | 1 | 2 | . |
| Sarcoma, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | | 5 | 4 | 2 | 2 | | 4 | . | . | . | . | 1 | 2 | 1 | . |
| Diabetes Mellitus, | . | . | . | . | . | . | . | 3 | . | 2 | ·5 | 1 | . | . | . | . | 1 | . | . | . |
| Premature Birth, | 6 | 5 | 1 | 7 | 4 | 5 | 1 | 1 | 5 | 4 | 3·9 | 5 | 4 | . | 1 | . | . | . | . | . |

* The figures for the years 1897-1900 are fo
†Formerly described a

'H WEEK ending Saturday, 9th March, 1907, with the deaths from each cause in the corresponding ne average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 10th Week of the 10 years 1897–1906. | In the Week ending Saturday, 9th March, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 13, 1897. | Mar. 12, 1898. | Mar. 11, 1899. | Mar. 10, 1900. | Mar. 9, 1901. | Mar. 8, 1902. | Mar. 14, 1903. | Mar. 12, 1904. | Mar. 11, 1905. | Mar. 10, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 40·7 | ° 40·2 | ° 42·3 | ° 38·3 | ° 41·5 | ° 44·3 | ° 41·8 | ° 38·0 | ° 42·4 | ° 46·3 | ° 41·6 | Mean Temp. ° 43·1 | | | | | | | |
| ningitis (not tuberc.) ... | | | | | | | 5 | . | 3 | 2 | | 2 | . | 1 | 1 | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | | 2 | 2 | 1 | . | | 1 | . | . | . | . | . | 1 | . |
| lepsy ... | | | | | | | . | 1 | . | 1 | | 1 | . | . | . | . | . | 1 | . |
| *vulsions* ... | | | | | | | 8 | 9 | 4 | 5 | | 3 | 1 | 1 | 1 | . | . | . | . |
| omotor Ataxy ... | | | | | | | . | . | 1 | . | | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | | 1 | . | . | . | | 3 | . | . | . | . | 1 | 2 | . |
| rvous System (other is.) | 38 | 38 | 32 | 40 | 57 | 42 | . | 2 | 1 | 1 | 43·0 | 1 | . | . | . | . | 1 | . | . |
| v. Dis., Endocarditis ... | | | | | | | 4 | 4 | 8 | 11 | | 4 | . | . | . | 1 | 1 | 2 | . |
| ebr. Hæm. Thromb. ... | | | | | | | 2 | 6 | 2 | 2 | | 4 | . | . | . | . | . | 2 | 1 |
| *plexy, Hemiplegia* ... | | | | | | | 9 | 8 | 8 | 6 | | 6 | . | . | . | . | . | 4 | 2 |
| eurysm ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not erebral) | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | | 16 | 23 | 13 | 12 | | 18 | . | . | . | 1 | 1 | 3 | 10 | 3 |
| *up* (not Spasm. nor lemb.) | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| onchitis ... | 41 | 46 | 38 | 54 | 54 | 43 | 21 | 28 | 34 | 24 | 38·3 | 29 | . | 4 | 2 | . | 2 | 5 | 14 | 2 |
| hma, Emphysema ... | | | | | | | . | 1 | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| urisy ... | 5 | 1 | 3 | 1 | 2 | 5 | 1 | . | . | 2 | 2·9 | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | | 2 | 1 | 3 | 2 | | 1 | . | . | 1 | . | . | . | . | . |
| nsillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | | | | | | | . | 3 | . | 1 | ·9 | 1 | . | . | 1 | . | . | . | . | . |
| *tro Enteritis* ... | . | . | 1 | . | . | 1 | . | . | 3 | . | | . | . | . | . | . | . | . | . | . |
| *itonitis* (not Puerp.) ... | . | 2 | 1 | . | 3 | 1 | . | . | . | . | ·7 | 2 | . | . | . | . | . | . | 2 | . |
| rhosis of Liver ... | | | | | | | 1 | 1 | 1 | 2 | 2·3 | 1 | . | . | . | . | . | 1 | . | . |
| er Dis. (other) ... | 2 | 2 | 1 | 2 | 4 | . | . | 1 | 5 | 1 | | 2 | 1 | . | . | . | . | 1 | . | . |
| estive Dis. (other) ... | 6 | 4 | 3 | 5 | 4 | 2 | 5 | 7 | 4 | 8 | 4·8 | 7 | . | 1 | 1 | 1 | . | 3 | 1 | . |
| phritis, Acute ... | | | | | | | 1 | . | 1 | 2 | | 2 | . | . | 1 | . | . | 1 | . | . |
| ght's Dis., Albuminuria | 2 | 2 | 2 | 4 | 8 | 3 | 3 | 2 | 1 | 3 | 4·0 | 1 | . | . | . | . | . | 1 | . | . |
| nary Sys. (Other Dis.) | | | | | | | . | 2 | 1 | 3 | | . | . | . | . | . | . | . | . | . |
| nerative Organs Dis. ... | . | . | 1 | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| ildbirth (Accid. of) ... | 1 | 1 | 1 | . | . | . | 2 | . | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| *l Age* ... | 14 | 22 | 11 | 13 | 19 | 16 | 4 | 3 | 5 | 6 | 11·3 | 5 | . | . | . | . | . | . | . | 5 |
| ner Diseases ... | 21 | 20 | 12 | 19 | 11 | 14 | 15 | 8 | 12 | 7 | 13·9 | 10 | 3 | 3 | 1 | . | 1 | 1 | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | 1 | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Building Operations ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 2 | . | 1 | 1 | . | 1 | 4 | . | . | . | ·9 | 1 | . | . | . | . | . | 1 | . | . |
| Drowning ... | 1 | 1 | 1 | . | 2 | . | 2 | . | . | . | ·7 | . | . | . | . | . | . | . | . | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ner Deaths by Accident | 1 | . | 2 | 1 | 2 | 2 | 1 | 3 | 2 | . | 1·4 | . | . | . | . | . | . | . | . | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| micide ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| cide ... | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | 1 | . | . | . | . | . | 1 | . | . |
| ecution ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
ple Continued Fever.

**TABLE V.—Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 15. | Sept. 22. | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. |
| No. of weeks in Annual Series. | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| Births registered, | 209 | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 |
| *Average Births in corresponding week of previous 10 years,** | 212 | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 |
| Deaths registered, | 220 | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 198 | 225 | 239 | 209 | 228 | 194 |
| Annual Death-rate per 1,000, | 30·8 | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 |
| *Average Deaths in corresponding week of previous 10 years,** | 160 | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 |
| Ages, Under 5 years, | 98 | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 |
| 5—20 ,, | 9 | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 |
| 20—40 ,, | 24 | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 |
| 40—60 ,, | 39 | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 |
| 60—80 ,, | 41 | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 |
| 80 years and upwards, | 9 | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 |
| Scarlet Fever | 1 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . |
| Typhus, | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 |
| Diphtheria, | 1 | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . |
| Diarrhœal Diseases, | 40 | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 |
| Pneumonia, | 9 | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 |
| Tuberculous Disease. { Phthisis, | 20 | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 |
| Tuberculous Disease. { Other Forms, | 11 | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 |
| Cancer, Malignant Disease, | 11 | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 |
| Diseases of Heart and Blood Vessels, | 28 | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 |
| Diseases of Respiratory System, | 16 | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 |
| Violent Deaths, | 2 | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 |
| Number of Uncertified Deaths, | 7 | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 52·4 | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 59·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 54·9 | 53·0‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 |
| Rainfall in inches, | ·280 | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·82 | ·90 | ·87 | ·92 | ·87 | ·85 | ·88 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·88 | ·86 | ·88 | ·89 | ·81 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 9th March, 1907; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH MARCH, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 27·0 | 194 | 59 | 17 | 27 | 39 | 40 | 12 | . | 1 | . | . | 7 | 1 | . | . | 1 | 10 | 18 | 21 | 13 | 7 | 3 | 31 | 3 | 88 | 4 |
| | CLASSES. Deaths in Families of the— | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 9·0 | 3 | . | 1 | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | . | . |
| II. | MIDDLE CLASS, | 87,188 | 16·1 | 27 | 6 | 1 | 7 | 4 | 8 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 1 | 1 | . | 1 | 1 | 17 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 22·7 | 48 | 13 | 4 | 7 | 12 | 10 | 2 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 5 | 2 | 1 | 1 | 11 | . | 22 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 27·7 | 85 | 35 | 9 | 11 | 17 | 10 | 3 | . | 1 | . | . | 3 | 1 | . | . | 1 | 6 | 8 | 11 | 9 | 3 | 2 | 12 | 2 | 32 | 1 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 31 | 5 | 2 | 2 | 5 | 12 | 5 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | . | 7 | . | 17 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | . | 1 | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | . | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 33·8 | 5 | 1 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 14·2 | 6 | 2 | . | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 5 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 10·3 | 6 | 2 | . | 2 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 19·3 | 10 | 1 | 1 | 1 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | 7 | 1 |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 37·0 | 7 | 1 | 1 | 1 | 1 | 3 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 4 | 1 |
| | 9. Building and Furnishing Trades, | 29,801 | 8·7 | 5 | 2 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | 1 | . |
| | 10. Clothing Trades, | 23,260 | 13·5 | 6 | 2 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 | 1 |
| | 11. Food Supply Trades, | 9,242 | 11·3 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 37·8 | 22 | 6 | 2 | 4 | 5 | 4 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | . | . | 1 | 4 | . | 11 | . |
| | 13. Petty Shopkeepers, | 7,894 | 39·6 | 6 | 1 | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | 3 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 38·8 | 10 | 4 | 2 | . | 2 | 2 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 2 | . | 4 | 1 |
| | 15. Domestic Servants, | 36,603 | 10·0 | 7 | 1 | . | 3 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | . | 1 | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,990 | 29·0 | 8 | 1 | 1 | 2 | 2 | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 2 | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 34·8 | 60 | 29 | 6 | 6 | 12 | 5 | 2 | . | . | . | . | 2 | 1 | . | . | . | 3 | 6 | 9 | 5 | 3 | 2 | 8 | 1 | 23 | . |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates. | 6,024 | . | 31 | 5 | 2 | 2 | 5 | 12 | 5 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | . | 7 | . | 17 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexiæ* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tubercular Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | 15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Jan. 19, | 39·5 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 3 | 3 | 2 |
| | „ 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| | „ 9, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| | „ 16, | 37·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| | „ 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| | Mar. 2, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| | „ 9, | 28·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Jan. 19, | 24·0 | 2·7 | 18 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 5 | . | 1 |
| | „ 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 5 | . | . |
| | „ 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| | „ 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| | „ 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| | „ 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Jan. 19, | 32·9 | 3·5 | 19 | . | . | . | 1 | . | 1 | . | . | . | 2 | 1 | . | . | 4 | . | 2 |
| | „ 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| | „ 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| | „ 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 8 | . | . |
| | „ 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | Mar. 2, | 38·1 | 1·7 | 22 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| | „ 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Jan. 19, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 3 | 1 | . |
| | „ 26, | 20·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| | „ 9, | 40·2 | 3·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| | „ 16, | 27·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| | „ 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| | „ 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Jan. 19, | 28·7 | 2·6 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 5 | . | . |
| | „ 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| | Feb. 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| | „ 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 |
| | „ 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| | „ 23, | 37·8 | 3·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 3 | . | 1 |
| | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| | „ 9, | 27·4 | 1·3 | 21 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Jan. 19, | 30·4 | 2·5 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 |
| | „ 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| | „ 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| | „ 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| | „ 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| | „ 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Jan. 19, | 25·9 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 2 | . | 3 | 2 | 1 |
| | „ 26, | 38·3 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| | „ 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| | „ 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| | „ 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| | Mar. 2, | 38·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| | „ 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Jan. 19, | 22·3 | 1·5 | 15 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | 1 | 1 |
| | „ 26, | 26·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |
| | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |
| | „ 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |
| | „ 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . | 2 | 4 | . | 1 |
| | „ 23, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 5 | 1 | 1 |
| | Mar. 2, | 20·8 | 3·0 | 14 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |
| | „ 9, | 35·6 | 1·5 | 24 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 2 | . | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Jan. 19, | 24·9 | 2·9 | 17 | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 3 | 1 | . |
| | „ 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | Feb. 2, | 26·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| | „ 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 | . |
| | „ 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Jan. 19, | 26·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 2 | . | 1 |
| | „ 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| | Feb. 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | „ 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 9, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Jan. 19, | 44·4 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | . | . |
| | „ 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| | Feb. 2, | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Jan. 19, | 23·7 | 1·1 | 168 | . | 1 | . | . | 2 | 1 | . | 1 | 3 | 15 | 19 | 13 | 5 | 26 | 3 | 4 |
| | „ 26, | 23·0 | 1·4 | 163 | . | . | . | . | 3 | 2 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | . | 1 |
| | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| | „ 9, | 27·2 | 0·7 | 193 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 8 | 33 | 3 | 5 |
| | „ 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| | „ 23, | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 1 |
| | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| | „ 9, | 23·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Jan. 19, | 24·7 | 0·7 | 36 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | 4 | 7 | . | . |
| | „ 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| | „ 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| | „ 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 6 |
| | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| | „ 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Jan. 19, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| | „ 9, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| | „ 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| | „ 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | . |
| | Mar. 2, | 16·0 | 1·2 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| | „ 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Jan. 19, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 |
| | „ 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| | „ 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| | „ 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | . |
| | „ 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| | „ 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Jan. 19, | 17·5 | 1·9 | 9 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | „ 26, | 18·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |
| | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |
| | „ 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |
| | „ 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |
| | „ 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | . |
| | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | . |
| | „ 9, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th March, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Disease in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 4 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | 1 | 1 | 1 | 1 | 3 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 | . |
| Do. 2 ,, | 47,959 | 32 | | | 28 | 6 | 2 | 6 | 4 | 9 | 1 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 3 | | 6 | 1 | 3 | 9 | . |
| Do. 3 ,, | 47,214 | 15 | | | 24 | 5 | 4 | 2 | 5 | 1 | 7 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 4 | 1 | 1 | 4 | . |
| Do. 4 ,, | 40,911 | 19 | | | 20 | 3 | 1 | 3 | 4 | 5 | 4 | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 4 | . | . | 8 | . |
| Do. 5 ,, | 17,387 | 7 | | | 10 | . | 3 | 3 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | . | 4 | . |
| Do. 6 ,, | 48,122 | 28 | | | 18 | 1 | 1 | 1 | 7 | 2 | 6 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 4 | . | . | . | . | 3 | . |
| Do. 7 ,, | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 5 | | | 2 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 9 ,, | 19,569 | 22 | | | 11 | 3 | 1 | 1 | 1 | 4 | 1 | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | . | . | 1 | . | 1 | 3 | . |
| Do. 10 ,, | 28,064 | 23 | | | 8 | . | 3 | 1 | 1 | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . | 4 | . |
| Do. 11 ,, | 34,802 | 13 | | | 13 | 1 | 1 | 3 | 3 | 3 | 2 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . | 3 | . |
| Do. 12 ,, | 33,588 | 27 | | | 20 | 3 | 1 | 5 | . | 8 | 3 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | . | 3 | . | 1 | 7 | 1 |
| Do. 13 ,, | 15,006 | 11 | | | 5 | 2 | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 206 | | | 167† | 25 | 18 | 28 | 27 | 40 | 29 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 6 | 49 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 2 | 20·3 | . | 5 | . | . | | 4 | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 1 | . |
| Do. 2 ,, | 10,701 | 2 | 24·4 | . | 5 | . | . | | 2 | | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . |
| Do. 3 ,, | 9,978 | 4 | 47·0 | 5·2 | 9 | 2 | 1 | | 5 | | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 | 2 | 1 | 1 | . | . | 2 | . |
| Do. 4 ,, | 8,666 | 3 | 42·1 | . | 7 | . | 1 | | 4 | | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | . | 3 | . |
| Do. 5 ,, | 6,592 | 3 | 7·9 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 6 ,, | 10,702 | 5 | 4·9 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Do. 7 ,, | 16,616 | 12 | 34·5 | . | 11 | 1 | 1 | | 6 | | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 2 | 5 | 1 |
| Total, | 76,122 | 31 | 26·7 | 0·7 | 39 | 3 | 3 | | 22 | | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 2 | 13 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 15. | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Ma . 9. |
| No. of weeks in Annual Series, | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| BIRTHS registered, | 211 | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 208 | 197 | 255 | 216 | 159 | 230 | 206 |
| DEATHS registered, | 142 | 141 | 136 | 144 | 109 | 123 | 120 | 122 | 131 | 145 | 125 | 123 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167† |
| Annual Death-rate per 1,000 of estimated Population, | 20·2 | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 |
| AGES: Under 1 year, | 43 | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 |
| 1–5 years, | 16 | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 |
| 5–20 years, | 10 | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 |
| 20–40 years, | 21 | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 |
| 40–60 years, | 26 | 20 | 21 | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 |
| 60 years and upwards, | 26 | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 |
| Scarlet Fever, | . | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . |
| Typhus, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Whooping-cough, | 3 | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 |
| Diphtheria, | 1 | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 3 | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 |
| Diarrhœal Diseases, | 33 | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 |
| Pneumonia, | 3 | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 |
| Tuberculous Disease: Phthisis, | 18 | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 13 | 18 | 22 | 20 | 23 | 21 |
| Tuberculous Disease: Other Forms, | 6 | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 |
| Cancer, Malignant Disease, | 3 | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 3 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 |
| Diseases of Respiratory System, | 12 | 12 | 7 | 15 | 11 | 11 | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 |
| Violent Deaths, | 1 | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 |
| Number of Uncertified Deaths, | . | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 |

*Formerly described as "Simple Continued Fever."

† Including 21 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

ABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Exclusive of Stillborn. | | | | | | | | | |
| LONDON, | 4,758,218 | Mar. 9, | 2,391 | 1,641 | 18·0 | . | 55 | 7 | 19 | 40 | 7 | 12 |
| EDINBURGH, | 345,747 | „ 9, | 156 | 133*a* | 20·1 | . | . | . | 1 | 1 | 2 | 3 |
| GLASGOW, | 847,584 | „ 9, | 503 | 342*a* | 21·1 | . | 2 | . | 7 | 21 | 4 | 6 |
| CALCUTTA, | 847,796 | Jan. 19, | . | 1,005 | 61·6 | 25 | 1 | . | . | 2 | 153‡ | 510* |
| BOMBAY, | 977,822 | Feb. 5, | 360 | 719 | 38·2 | 1 | 3 | . | . | 1 | 82‡ | 80* |
| MADRAS, | 509,346 | Jan. 18, | 320 | 364 | 37·1 | . | 2 | ? | ? | ? | 80 | 71 |
| PARIS, | 2,750,000 | Feb. 23, | 1,028 | 1,461 | 27·9 | . | 1 | 11 | 3† | 9 | 9 | 30 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | „ 16, | 238 | 242 | 20·6 | . | 1 | 1 | 1† | . | 2 | 6 |
| ANTWERP, | 304,032 | „ 16, | 139 | 89 | 15·3 | . | 4 | . | 2† | . | 1 | 9 |
| AMSTERDAM, | 564,875 | „ 23, | 306 | 186 | 17·2 | . | 5 | 1 | 1† | 2 | 1 | 3 |
| COPENHAGEN, | 425,000 | „ 16, | 261 | 154 | 18·9 | . | 1 | . | . | 2 | . | 5 |
| STOCKHOLM, | 324,488 | „ 16, | 153 | 102 | 16·3 | . | . | . | 2† | . | . | 1 |
| CHRISTIANIA, | 222,373 | „ 23, | 99 | 79 | 23·1 | . | 1 | . | 3† | 3 | . | 3 |
| ST. PETERSBURG, | 1,482,769 | „ 16, | 991 | 851 | 29·9 | . | 26 | 21 | 20 | 7 | 23 | 80 |
| MOSCOW, | 1,172,421 | Jan. 19, | . | 749 | 33·3 | 3 | 20 | 12 | 15† | 2 | 14 | 63 |
| BERLIN, | 2,096,242 | Feb. 2, | 962 | 629 | 15·6 | . | 3 | 3 | 8† | 6 | 1 | 24 |
| HAMBURG, | 824,792 | „ 16, | . | 281 | 17·7 | . | 1 | . | 3† | . | . | 16 |
| BRESLAU, | 482,576 | „ 23, | . | 203 | 21·9 | . | . | 1 | 2† | 3 | . | 18 |
| MUNICH, | 548,000 | „ 23, | . | 208 | 19·7 | . | 4 | . | 4† | 1 | . | 21 |
| VIENNA (with suburbs). | 1,958,323 | „ 23, | 940 | 770 | 20·4 | . | 11 | 5 | 5† | 2 | . | 20 |
| BUDA-PESTH, | 802,235 | „ 23, | 404 | 371 | 24·1 | . | 6 | 7 | 2† | 2 | 1 | 9 |
| PRAGUE and Faubourgs. | 466,133 | „ 16, | 221 | 208 | 23·2 | . | 9 | . | 1† | 1 | 1 | 15 |
| TRIESTE, | 199,003 | „ 9, | 130 | 135 | 35·4 | . | 2 | . | 2† | . | 1 | 2 |
| ROME, | 540,150 | Jan. 5, | 288 | 192 | 18·5 | . | . | . | 1 | . | . | 6 |
| VENICE, | 171,709 | „ 19, | 90 | 81 | 24·6 | . | . | . | 1† | . | . | 1 |
| NEW YORK, | 4,285,435 | Feb. 9, | 2,260 | 1,670 | 20·3 | . | 5 | 13 | 57† | 5 | 7 | 52 |
| PHILADELPHIA, | 1,500,595 | Jan. 26, | . | 583 | 19·3 | . | 1 | 2 | 15† | 1 | 44 | 25 |
| BOSTON, | 602,526 | Feb. 9, | . | 221 | 19·1 | . | . | 1 | 3 | . | . | . |

*a.* Including 7 deaths from cerebro-spinal meningitis in Edinburgh, and 28 in Glasgow.
* Including 422 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 14 deaths from plague in Calcutta, and 64 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th March, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 3 |
| " " 1, West, | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| " " 2, | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | 3 |
| " " 3, | . | . | . | . | 1 | . | . | 2 | 3 | . | 1 | . | 7 |
| Clontarf and Howth No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| South City No. 1, | . | 2 | . | . | . | . | . | 1 | 6 | . | . | . | 9 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 6 | . | . | 1 | . | . | . | . | . | . | . | 7 |
| " " 4, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 9 | . | . | 3 | . | 1 | 6 | 14 | . | 3 | . | 36 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th March, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 9th March. | | | |
|---|---|---|---|---|---|---|---|
| | Feb. 16. | Feb. 23. | Mar. 2. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 46 | 47 | 52 | 11 | 20 | 1 | 42 |
| Scarlet Fever, | 76 | 83 | 90 | 14 | 8 | . | 96* |
| Typhus, | 8 | 3 | 3 | 1 | . | . | 4 |
| Diphtheria, | 22 | 26 | 22 | 5 | 6 | . | 21 |
| Enteric Fever, | 27 | 27 | 26 | 6 | 7 | . | 25 |
| Pneumonia, | 24 | 27 | 21 | 10 | 12 | . | 19 |

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 9th March, 1907 :—

"At first fine, dry, and cool, the weather afterwards fell into an unsettled showery state, the wind-strength being considerable at times—notably on Thursday, when it freshened to a gale from S.W., veering to W. later. The week opened with an anticyclone central over Denmark and stretching thence southwestwards across England. At 8 a.m. of Sunday the barometer ranged from 30·47 inches in Denmark to 29·15 inches at Reykjavik in Iceland. Cool, dry, anticyclonic southerly winds prevailed in Ireland, while much fog hung over England and the English Channel. Monday saw little change, but a S.W. wind and sunshine sent the thermometer up to 54·1° in Dublin during the day. The Icelandic depression now crossed the Norwegian Sea towards Scandinavia, and a shallow 'secondary' brought steady rain to England and France—only a few showers fell in Ireland and Scotland. On Thursday morning a new and deep depression lay near the Faeroe Islands, the barometer reading 28·96 inches at Thorshavn. As it stood at 30·50 inches at Biarritz, strong and squally S.W. winds blew over the British Islands and temperature became high for the time being—58° was reached in Dublin. The disturbance passed on to Norway and in its wake strong and searching N.W. winds brought cold showers to all parts of the United Kingdom on Friday. A small secondary depression passed over Ireland on Saturday, causing dull wet weather. The centre of this system reached Dublin about noon, the wind which had been S.E., falling calm with smoke fog. In the afternoon it freshened from W.S.W. In Dublin the mean height of the barometer was 30·136 inches, the range being from 30·295 inches at 7 p.m. of Wednesday (wind, S.W.) to 29·824 inches at 4 p.m. of Thursday (wind, W.S.W.). The corrected mean temperature was 45·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·5°. The screened thermometers fell to 35·1° on Wednesday and rose to 58·0° on Thursday. Rain fell on six days to the amount of ·374 inch, ·176 inch being measured on Saturday. S.W. and W. winds prevailed."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·137 inches. The highest reading (30·283) was on Monday at 9 a.m., wind S.W., and the lowest (29·927) on Thursday at 9 p.m., wind W.S.W.

The mean temperature for the week was 43·1°, being 1·5° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Thursday, on which day the thermometer registered 55·4°, and was lowest on Sunday, the mercury having fallen to 28·1°. The mean of the Dry Bulb for the week was 44·2°, and of the Wet Bulb 41·5°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 27·7 hours. The rainfall during the week measured 0·428 inch.

At Greenwich the mean temperature for the week was 40·1°. the maximum 49·0°, and the minimum 26·2°; at Glasgow the maximum was 51·6°, the minimum 28·8°, and the mean 41·0°; and at Edinburgh the maximum was 51·7°, the minimum 28·6°, and the mean 41·2°. The rainfall at Greenwich measured 0·37 in.; at Glasgow 1·61 ins.; and at Edinburgh 0·33 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Mar. 3, | 30·254 | 48·8 | 28·1 | 38·5 | 44·4 | 41·0 | ·76 | ·7 | 3·0 | ·000 | S.S.W. | S.W. |
| Monday, „ 4, | 30·218 | 52·1 | 39·9 | 46·0 | 45·7 | 41·7 | ·73 | ·9 | 6·7 | ·000 | S.W. | S.W. |
| Tuesday, „ 5, | 29·992 | 49·9 | 31·9 | 40·9 | 41·4 | 38·9 | ·81 | ·7 | 4·5 | ·000 | S.W. | N.W. |
| Wednesday, „ 6, | 30·255 | 50·2 | 30·0 | 40·1 | 42·6 | 38·6 | ·75 | ·8 | 7·0 | ·018 | W. | S.W. |
| Thursday, „ 7, | 29·980 | 55·4 | 42·7 | 49·1 | 49·0 | 46·5 | ·83 | ·8 | 0·5 | ·155 | S.W. | W.S.W. |
| Friday, „ 8, | 30·164 | 48·6 | 37·2 | 42·9 | 41·2 | 39·1 | ·84 | ·9 | 6·0 | ·060 | W. | W.N.W. |
| Saturday, „ 9, | 30·094 | 51·3 | 37·1 | 44·2 | 45·0 | 44·5 | ·97 | ·7 | 0·0 | ·195 | S.E. | W.S.W. |
| Mean, . . | 30·137 | 50·9 | 35·3 | 43·1 | 44·2 | 41·5 | ·81 | ·8 | Total 27·7 | Total ·428 | Prevailing Wind, S.W. | |

*Sunday*—Cloudy day, fine; night clear. *Monday*—Cloudy day, fine; night cloudy. *Tuesday*—Cloudy day, fine; night clear. *Wednesday*—Fine day, cloudy; night cloudy and showery. *Thursday*—Day overcast and showery; night clear. *Friday*—Cloudy day, fine; night cloudy and showery. *Saturday*—Day overcast and showery; night overcast and showery.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 9th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Mar. 3, | 44·9 | 41·7 | 42·9 | 49·1 | 31·9 | 40·5 | 2·6 | — |
| Monday, „ 4, | 47·4 | 41·9 | 43·0 | 55·2 | 41·0 | 48·1 | 6·7 | — |
| Tuesday, „ 5, | 48·4 | 42·5 | 43·0 | 49·6 | 38·9 | 44·3 | 3·8 | ·004 |
| Wednesday, „ 6, | 40·5 | 41·9 | 43·0 | 50·7 | 35·6 | 43·2 | 6·0 | — |
| Thursday, „ 7, | 52·8 | 42·8 | 43·1 | 57·7 | 45·0 | 51·4 | 2·0 | ·129 |
| Friday, „ 8, | 43·0 | 43·3 | 43·2 | 49·7 | 39·3 | 44·5 | 6·0 | ·065 |
| Saturday, „ 9, | 39·8 | 42·9 | 43·5 | 52·0 | 38·0 | 45·0 | — | ·159 |
| Weekly Mean, . | 45·3 | 42·4 | 43·1 | 52·0 | 38·5 | 45·3 | Total 27·1 | Total ·357 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 481. 1. 1907.—16752.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 16TH MARCH, 1907. [No. 11.

*General Register Office, Charlemont House, Dublin, 19th March,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Average Rate for 4 weeks. | Towns, &c. | Week ending Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16 | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **22 Town Dists.** | 25·2 | 27·3 | 23·7 | 23·0 | 24·8 | Lisburn, . | 27·3 | 9·1 | 18·2 | 31·8 | 21·6 |
| Armagh, . . | 61·8 | 41·2 | 13·7 | 6·9 | 30·9 | Londonderry, . | 27·0 | 16·0 | 20·9 | 23·3 | 21·8 |
| Ballymena, . | 23·9 | 33·5 | 38·3 | 23·9 | 29·9 | Lurgan, . . | 31·0 | 44·3 | 8·9 | 31·0 | 28·8 |
| Belfast, . | 20·6 | 28·7 | 23·5 | 22·0 | 23·7 | Newry, . . | 25·2 | 21·0 | 21·0 | 8·4 | 18·9 |
| Clonmel. | 35·9 | 15·4 | 15·4 | . | 16·7 | Newtownards, . | 17·2 | 17·2 | 34·3 | 40·1 | 27·2 |
| Cork, . . . | 30·8 | 21·0 | 26·7 | 28·1 | 27·4 | Portadown, . | 31·0 | 15·5 | 20·7 | 20·7 | 22·0 |
| Drogheda, . | 28·6 | 16·3 | 20·4 | 8·2 | 18·4 | Queenstown . | 6·6 | 6·6 | 6·6 | . | 5·0 |
| Dublin Reg. Area, | 27·1 | 28·6 | 25·2 | 25·0 | 26·5 | Sligo, . . . | 9·6 | 38·4 | 14·4 | 33·6 | 24·0 |
| Dundalk, . . | 19·9 | 35·9 | 16·0 | 16·0 | 22·0 | Tralee, . | 21·1 | 42·3 | 31·7 | 31·7 | 31·7 |
| Galway, . . | 11·7 | 35·0 | 11·7 | 3·9 | 15·6 | Waterford, . | 42·9 | 27·3 | 29·2 | 21·4 | 30·2 |
| Kilkenny, . . | 54·1 | 9·8 | 39·3 | 29·5 | 33·2 | Wexford, . . | 23·3 | 32·7 | 9·3 | 14·0 | 19·8 |
| Limerick, . . | 20·5 | 21·6 | 21·9 | 23·2 | 22·6 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·9 in Kilkenny, the 6 deaths from all causes registered in that district including one from whooping-cough. The 156 deaths from all causes for Belfast include 2 from enteric fever, 5 from diarrhœal diseases, 11 from cerebro spinal fever, and 9 returned as from *cerebro spinal meningitis;* and the 41 deaths in Cork include 3 from whooping-cough and one from diarrhœa.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—98 boys and 96 girls; and the deaths to 203—106 males and 97 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 27·1 in every 1,000 of the population; omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, the rate was 25·0 per 1,000. During the eleven weeks ending with Saturday last the death-rate averaged 29·1, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1897-1906.

Of the 203 deaths from all causes registered 5 were from measles, one was from scarlet fever, 5 were from whooping-cough, there was one death each from diphtheria and enteric fever, and there were 4 deaths each from diarrhœal diseases and influenza.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

Cerebro spinal fever caused one death. In each of the 3 weeks preceding, deaths from measles were 0, one, and one; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were 3, 7, and 7; deaths from diphtheria were one, 0, and one; deaths from enteric fever were 2, 0, and 0; deaths from diarrhœal diseases were 3, one, and one; and deaths from influenza were 4, 5, and 0.

Included in the 11 deaths from pneumonia were one death from lobar pneumonia, 4 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined).

The number of deaths from all forms of tuberculous disease was 42, including 13 deaths from tuberculous phthisis, 15 deaths returned as from *phthisis*, 6 from tuberculous meningitis, one death from tuberculous peritonitis, and 7 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 34, 48, and 34 deaths, respectively.

There were 8 deaths from cancer (undefined).

The deaths of 6 infants were ascribed to prematurity.

Diseases of the brain and nervous system caused 15 deaths, including 6 deaths (all being those of children under 5 years of age), from *convulsions*, and 4 deaths from meningitis, 3 of the latter being those of children under 5 years of age.

There were 19 deaths from diseases of the heart and blood vessels, and 30 from bronchitis.

The deaths of 5 persons from accidental causes were recorded.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Seventy-one of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 14 were under one month old) and 55 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a female) was stated to have been aged 91 years.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the N. Dublin Union Workhouse and 18 in the S. Dublin Union Workhouse.

**The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.**

As already stated, the death-rate for the entire Registration Area was 25·0 per 1,000; the rate in the City was 27·7 (North City Districts, 30·1; South, 25·6); and in the Suburbs, 15·7 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·1 per 1,000 inhabitants, the rate for the City being 2·6 (3·4 in the North City Districts, and 1·8 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 32·3 per 1,000, and include one death each from measles, influenza, lobar pneumonia and *pneumonia* (not defined), 4 deaths from tuberculous disease, 3 from bronchitis, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Among them are one each from whooping-cough, diphtheria and *diarrhœa*, 2 deaths from tuberculous disease of the lungs, 6 from bronchitis, and one death caused accidentally.

*No. 2 North City District* (Lisburn-street).—The deaths (26) are equivalent to an annual rate of 45·0 per 1,000. There was one death each from measles, whooping-cough, cerebro spinal fever, *diarrhœa*, and broncho-pneumonia, and there were 5 deaths from tuberculous disease and 2 from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (21) represent an annual rate of 33·8 per 1,000, and include 2 deaths from whooping-cough, one death each from *diarrhœa*, influenza, and *pneumonia* (not defined), 6 deaths from tuberculous disease, and 2 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 4·7, and Finglas and Glasnevin, part of, 7·2. The only death recorded for Coolock and Drumcondra, No. 1, part of, was from broncho-pneumonia.

*No. 1 South City District* (South Earl-street).—The deaths (23) represent an annual rate of 30·0 per 1,000. There were 2 deaths from measles, one death each from scarlet fever and whooping-cough, 3 deaths from tuberculous disease, and 4 from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 20·3 per 1,000. Of these 3 were from tuberculous disease of the lungs and 3 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (28) are equal to an annual rate of 34·6 per 1,000, and include one death from *diarrhœa*, one from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 7 from tuberculous disease, and 7 from diseases of the respiratory system.

*No. 4 South City District* (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·4 per 1,000. Among them are one death from influenza, 3 deaths from tuberculous disease, and one from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000. *Pneumonia* (not defined) and asthma each caused one death.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 18·7; Blackrock, 11·9; and Kingstown, 14·8. The only death from any of the principal epidemic diseases recorded for these districts was one from enteric fever for Pembroke. The 10 deaths from all causes for Rathmines and Rathgar include one from influenza, one from *phthisis*, 4 from diseases of the heart and blood vessels, and 2 accidental deaths. The 10 deaths from all causes for Pembroke include one from *pneumonia* (not defined), 2 deaths from tuberculous disease of the lungs, and 3 deaths from bronchitis. One of the 2 deaths from all causes for Blackrock was from *phthisis*, and the 5 deaths from all causes for Kingstown include one each from *pneumonia* (not defined) and bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 16th March, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. *a* | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Feb. 23, | . | — | — | 3 | 2 | . | 6 | . | 3 | 4 | 18 | . | — | — | — | — | — | 36 |
| | Mar. 2, | . | — | — | 6 | . | . | 5 | . | 1 | 9 | 14 | . | — | — | 2 | — | — | 37 |
| | Mar. 9, | . | — | — | 9 | . | . | 3 | . | 1 | 6 | 14 | . | — | — | 3 | — | — | 36 |
| | Mar. 16, | . | — | — | 8 | 1 | . | 7 | . | 3 | 7 | 19 | . | — | — | 1 | — | — | 46 |
| Rathmines and Rathgar Urban District. | Feb. 23, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Mar. 2, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Mar. 9, | . | — | — | . | . | . | 1 | 1 | . | . | . | . | — | — | — | — | — | 2 |
| | Mar. 16, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| Pembroke Urban District. | Feb. 23, | . | . | . | . | . | . | . | . | . | . | . | . | — | 2 | | — | — | 2 |
| | Mar. 2, | . | . | . | 1 | . | . | . | . | . | . | 1 | . | — | 5 | 1 | — | — | 8 |
| | Mar. 9, | . | 2 | 1 | 1 | . | . | . | . | . | 1 | . | . | — | 20 | . | — | — | 25 |
| | Mar. 16, | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | — | 7 | . | — | — | 13 |
| Blackrock Urban District. | Feb. 23, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | — | — | — | 3 |
| | Mar. 2, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| | Mar. 9, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | Mar. 16, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | Feb. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Mar. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Feb. 23, | . | — | — | 19 | . | . | 6 | . | 7 | 17 | 8 | . | — | — | 29 | — | — | 86 |
| | Mar. 2, | . | — | — | 16 | . | . | 7 | 1 | 5 | 18 | 4 | 2 | — | — | 20 | — | — | 73 |
| | Mar. 9, | . | — | — | 13 | . | . | 3 | . | 7 | 12 | 3 | 1 | — | — | 31 | — | — | 70 |
| | Mar. 16, | . | — | — | 10 | . | . | 11 | . | 6 | 18 | 5 | 1 | — | — | 24 | — | — | 75 |

(*a*) Sir Charles Cameron reports 7 cases of cerebro spinal meningitis in Return for week ending 23rd ultimo, as having occurred in the City of Dublin. Mr. Fawcett reports one case of cerebro spinal fever as having occurred in Rathmines during the week ending 9th instant.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th March, 1907.

From this it appears that:—

Twenty-six cases of measles were admitted into hospital during the week, 13 were discharged, there was one death, and 54 cases remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 14 were discharged, there was one death, and 91* cases remained under treatment at the close of the week.

Four cases of typhus remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 22 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital, 7 were discharged, there was one death, and 22 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 18 cases of pneumonia were admitted to hospital, were discharged, and 30 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 18·6), was equal to an average annual death-rate of 17·8 per 1,000 persons living. The average rate for 8 principal towns of Scotland was 20·5 per 1,000, the rate for Glasgow being 23·5 and for Edinburgh 18·6.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th March. From this Report it appears that of a total of 35 cases notified 18 were diphtheria, one membranous croup, 11 scarlet fever, and 5 erysipelas. Among the 336 cases of infectious diseases in hospital at the close of the week were 101 cases of scarlet fever, 78 of measles, 39 of diphtheria, 2 of membranous croup, 35 of whooping-cough, 19 of erysipelas, and 7 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th March, 1907, in the DUBLIN REGISTRATION **AREA** and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 16th March, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·2 | 22·0 | 1·4 | 561 | 498 | 84 | 132 | . | 4 | 1 | . | 9 | 1 | . | 3 | 11 | 41 | 52 | 30 | 19 | 79 | 10 | 20 | 150 | 26 |
| Dublin Registration Area:— Total, d. | 860,691 | 28·4 | 25·9 | 25·0 | 2·1 | 194 | 187 | 39 | 52 | . | 4 | 1 | . | 5 | 1 | . | 1 | 4 | 10 | 26 | 12 | 6 | 33 | 4 | 4 | 72 | 10 |
| City of Dublin, | 800,850 | 38·0 | 29·5 | 27·7 | 2·6 | 170 | 160 | 37 | 35 | . | 4 | 1 | . | 5 | 1 | . | . | 4 | 8 | 22 | 12 | 6 | 29 | 2 | 3 | 64 | 9 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 10·3 | 14·6 | . | 7 | 10 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . |
| Pembroke | 27,854 | 17·5 | 16·8 | 18·7 | 1·9 | 9 | 10 | . | 5 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . | 4 | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 11·9 | . | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 14·8 | . | 6 | 5 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 30·4 | 22·0 | 1·0 | 216 | 156 | 25 | 29 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 10 | 38 | 1 |
| Cork, | 76,122 | 33·6 | 21·9 | 28·1 | 2·7 | 32 | 41 | 5 | 13 | . | . | . | 3 | . | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | 1 | 12 | . |
| Londonderry, | 42,475 | 19·6 | 35·6 | 23·3 | 1·2 | 29 | 19 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | 3 | 4 | . |
| Limerick, | 38,151 | 18·1 | 8·2 | 23·2 | . | 6 | 17 | 3 | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 5 | 3 |
| Waterford, | 26,769 | 18·7 | 40·9 | 21·4 | . | 21 | 11 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 3 | 2 |
| Galway, | 18,426 | 2·5 | 7·8 | 3·9 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dundalk, | 18,076 | 9·4 | 12·0 | 16·0 | . | 3 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 36·8 | 8·2 | . | 9 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 4·2 | 8·4 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Lurgan, | 11,782 | 13·8 | 31·0 | 31·0 | . | 7 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . | 3 | 2 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 31·8 | . | 5 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 1 | 1 | 1 |
| Wexford, | 11,168 | 23·2 | 23·3 | 14·0 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . |
| Ballymena, | 10,886 | 8·9 | 9·6 | 23·9 | . | 2 | 5 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Sligo, | 10,870 | 8·7 | 28·8 | 33·6 | . | 6 | 7 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 5 | 1 |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 29·5 | 4·9 | 3 | 6 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 2 |
| Clonmel, | 10,167 | 7·8 | 15·4 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 15·5 | 20·7 | . | 3 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Tralee, | 9,867 | 16·6 | 21·1 | 31·7 | . | 4 | 6 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 |
| Newtownards, | 9,110 | 18·9 | 17·2 | 40·1 | . | 3 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . | 1 | . |
| Queenstown, | 7,909 | 14·4 | 26·4 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Armagh, | 7,588 | 22·2 | 20·6 | 6·2 | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |

| Towns and Districts. | Meteorology. e Week ending 16th March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 9th March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 2nd March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | f55·5 | 33·9 | 43·8 | 1·01 | f55·4 | 28·1 | 43·1 | 0·43 | f53·4 | 27·7 | 41·8 | 0·00 |
| City of Dublin, | g56·7<br>h55·8 | 35·2<br>35·0 | 45·4<br>44·7 | 0·54<br>0·95 | g58·0<br>h55·8 | 35·1<br>29·0 | 45·4<br>43·7 | 0·37<br>0·53 | g54·7<br>h53·9 | 30·9<br>28·0 | 44·2<br>42·7 | 0·02<br>0·03 |
| Urban Dists. Rathmines and Rathgar. | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | . | . | . | . | 55 | 37·5 | 45·4 | 0·28 | 54 | 33 | 43·8 | 0·03 |
| Urban Districts. | | | | | | | | | | | | |
| Belfast (i), | 53·0 | 32·0 | 41·8 | 2·48 | 54·0 | 31·0 | 42·7 | 0·37 | 53·0 | 30·0 | 42·0 | 0·11 |
| Cork, | 54 | 41 | 47·1 | 0·74 | 55 | 36 | 45·4 | 0·27 | 48 | 30 | 42·4 | 0·11 |
| Londonderry, | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 53 | 36 | 46·3 | 0·90 | 53 | 40 | 46 | 0·62 | 53 | 33 | 45 | 0·00 |
| Dundalk, | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 |
| Lurgan, | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 |
| Lisburn, | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 |
| Wexford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 51·2 | 35·8 | 45·4 | 2·17 | 54·5 | 30·5 | 44·2 | 1·05 | 55·0 | 27·8 | 42·9 | 0·05 |
| Kilkenny, | 57 | 33 | 45 | 0·57 | 57 | 30 | 45·1 | 0·24 | 52 | 24 | 41·6 | 0·05 |
| Clonmel, | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 |
| Tralee, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 54 | 30 | 41·0 | 1·14 | 55 | 31 | 42·7 | 1·07 | 51 | 31 | 42·1 | 0·07 |
| Queenstown, | 54 | 41 | 47·1 | 0·74 | 55 | 36 | 45·4 | 0·27 | 48 | 30 | 42·4 | 0·11 |
| Armagh, | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 | 52·1 | 27·8 | 43·1 | 0·11 |

e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Dunsaghlea have been adopted for the Dublin Registration Area and the component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. h Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 16th March, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (part of). | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | 1 | . | 1 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 4 | 1 |
| Scarlet Fever | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | 1 | 1 | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . | 5 | . |
| Diphtheria | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Diarrhœal Diseases | . | 1 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 4 | . |
| Pneumonia | 2 | . | 1 | 1 | . | . | . | . | . | 3 | . | 1 | . | 1 | . | 1 | 10 | 1 |
| Tuberculous Disease. Phthisis | 3 | 2 | 4 | 4 | . | 1 | . | 1 | 3 | 3 | 1 | . | 1 | 2 | 1 | . | 26 | 2 |
| Tuberculous Disease. Other Forms. | 1 | . | 1 | 2 | . | . | . | 2 | . | 4 | 2 | . | . | . | . | . | 12 | 2 |
| Cancer, Malignant Disease | . | . | 1 | 1 | . | . | . | 2 | . | 2 | . | . | . | . | . | . | 6 | 2 |
| Other General Diseases | 2 | 1 | 7 | 3 | . | . | . | 3 | 1 | 3 | 1 | . | 1 | . | . | 1 | 23 | 2 |
| Total, | 9 | 6 | 17 | 14 | . | 1 | . | 12 | 4 | 16 | 4 | 1 | 2 | 4 | 1 | 2 | 93 | 10 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | 1 | 2 | 2 | 3 | . | . | . | 3 | 1 | 1 | . | . | . | . | . | 1 | 14 | 1 |
| Diseases of Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels | . | 2 | 3 | 1 | 1 | . | . | 2 | . | 1 | 1 | . | 4 | 2 | . | 1 | 18 | 1 |
| Diseases of Respiratory System | 3 | 6 | 2 | 2 | . | . | . | 4 | 3 | 7 | 1 | 1 | . | 3 | . | 1 | 33 | . |
| Diseases of Digestive System | 2 | . | . | 1 | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | 6 | 1 |
| Diseases of Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System | . | 1 | 1 | . | . | . | . | . | . | 2 | 2 | . | . | . | . | . | 6 | 1 |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Diseases of Integumentary System | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Total, | 6 | 12 | 8 | 7 | 1 | . | 1 | 9 | 4 | 11 | 5 | 1 | 5 | 6 | . | 3 | 79 | 4 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | 2 | 1 | 1 | . | . | . | . | 2 | . | 1 | . | 2 | 1 | . | 1 | . | 11 | 1 |
| **E. Violent Deaths,** | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 4 | 1 |
| **Deaths from all Causes,** | 18 | 20 | 26 | 21 | 1 | 1 | 1 | 23 | 8 | 28 | 9 | 4 | 10 | 10 | 2 | 5 | 187 | 16 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 32·3 | 26·6 | 45·0 | 33·8 | 10·2 | 4·7 | 7·2 | 30·0 | 20·3 | 34·6 | 13·4 | 23·5 | 14·6 | 18·7 | 11·9 | 14·8 | 25·0 | . |
| | 30·1 | | | | | | | 25·6 | | | | | 15·7 | | | | | |
| | 27·7 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | 7 | 4 | 9 | 6 | . | . | . | 4 | 2 | 3 | 1 | 1 | . | . | . | 2 | 39 | 1 |
| 1 and under 5 years | 1 | 3 | 4 | 5 | . | . | . | 7 | . | 7 | 2 | . | . | 1 | . | . | 30 | 1 |
| 5 " 20 " | 1 | . | 1 | . | . | . | . | 2 | 1 | 1 | . | . | . | 3 | . | . | 9 | 2 |
| 20 " 40 " | 3 | . | 5 | 4 | . | 1 | . | 2 | 1 | 5 | 2 | . | . | . | 1 | . | 24 | 5 |
| 40 " 60 " | 3 | 7 | 2 | 4 | . | . | . | 3 | 2 | 7 | 1 | 1 | 2 | 1 | . | . | 33 | 4 |
| 60 and upwards | 5 | 6 | 5 | 2 | 1 | . | 1 | 5 | 2 | 5 | 3 | 2 | 8 | 5 | 1 | 3 | 52 | 3 |
| Number of Uncertified Deaths | 2 | . | . | 2 | . | . | . | 2 | . | 1 | . | 2 | . | . | . | 1 | 10 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | . | 6 | 7 | 4 | . | 1 | . | 1 | 1 | 4 | 2 | . | 2 | 3 | 1 | 1 | 33 | 15 |
| Workhouse Hospitals | 4 | 5 | 8 | 3 | . | . | . | 5 | 5 | 6 | 2 | . | . | 1 | . | . | 39 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 11th Week of the 10 years 1897–1906. | In the Week ending Saturd 16th March, 1907. Deaths of Persons of the A | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 20, 1897. | Mar. 19, 1898. | Mar. 18, 1899. | Mar. 17,† 1900. | Mar. 16, 1901. | Mar. 15, 1902. | Mar. 21, 1903. | Mar. 19, 1904. | Mar. 18, 1905. | Mar. 17, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 45·2 | ° 45·3 | ° 44·8 | ° 41·1 | ° 43·6 | ° 44·9 | ° 45·3 | ° 42·6 | ° 43·5 | ° 43·3 | ° 44·0 | Mean Temp. ° 43·8 | | | | | |
| **ALL CAUSES.** | 271 | 237 | 217 | 209 | 234 | 154 | 212 | 213 | 182 | 173 | 210·2 | 203 | 14 | 26 | 31 | 11 | 29 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 46 | . | . | 4 | . | 4 | 1 | 4 | 4 | . | 6·3 | 5 | . | 2 | 3 | . | . |
| Scarlet Fever, ... ... | 2 | 4 | . | . | . | 3 | . | . | 1 | . | 1·0 | 1 | . | . | 1 | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 4 | 11 | 9 | 5 | 14 | 5 | 1 | 5 | 5 | 1 | 6·0 | 4 | . | . | . | . | 4 |
| Whooping-cough, ... ... | 20 | 3 | 10 | 1 | 11 | . | 2 | 13 | . | 2 | 6·2 | 5 | . | 2 | 3 | . | . |
| Diphtheria, ... ... | . | 1 | 2 | . | 2 | . | 3 | 1 | 1 | 2 | 1·2 | 1 | . | . | 1 | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | | . | 1 | . | 1 | . | . | . |
| *Pyrexia* (origin uncertain), | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . |
| Enteric Fever, ... ... | 2 | 7 | . | . | 1 | 1 | 2 | 1 | 1 | 3 | 1·8 | 1 | . | . | . | 1 | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 4 | 2 | . | 4 | . | 1 | . | . | 1 | . | 1·7 | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | 1 | 1 | . | 3 | | 4 | 1 | 1 | 2 | . | . |
| Tetanus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | . | . | 1 | 1 | 2 | 2 | 3 | 1 | 1·0 | 5 | 2 | 2 | 1 | . | . |
| Puerperal Septicæmia, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | | . | . | . | . | | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 15 | 7 | 19 | 10 | 14 | 17 | . | 1 | 1 | 1 | 13·1 | 1 | . | . | . | 1 | . |
| Pneumonia, Broncho-Epidemic, | | | | | | | 6 | 4 | 6 | 5 | | 4 | . | 1 | . | . | 1 |
| Pneumonia, Not defined, | | | | | | | . | . | . | . | | . | . | . | . | . | . |
| | | | | | | | 11 | 8 | 2 | 4 | | 6 | . | 1 | 2 | . | 1 |
| Erysipelas, ... ... | . | 1 | 1 | . | . | . | 2 | . | 1 | . | ·5 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | . | . | 1 | 2 | . | . | ·3 | 1 | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | 1 | . | . | . | . | 1 |
| Tuberculous Phthisis, | 38 | 26 | 33 | 29 | 23 | 17 | 4 | 3 | 6 | 8 | 26·2 | 13 | . | . | 1 | . | 11 |
| "*Phthisis*," ... | | | | | | | 16 | 23 | 21 | 15 | | 15 | . | . | 1 | 2 | 6 |
| Tuberculous Meningitis, ... | 3 | 7 | 4 | 6 | 4 | 3 | 13 | 5 | 4 | 5 | 5·4 | 6 | 1 | 3 | . | 2 | . |
| Tuberculous Peritonitis, | 6 | 3 | 7 | 4 | 9 | . | 3 | 1 | . | . | 3·5 | 1 | . | . | . | . | 1 |
| *Tabes Mesenterica*, ... | | | | | | | . | 1 | . | 1 | | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 6 | 1 | 4 | 5 | 7 | 3 | 11 | 4 | 8 | 6 | 5·5 | 7 | . | . | 4 | 3 | . |
| *Scrofula*, ... ... | | | | | | | . | . | . | . | | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | . | . |
| Rheumatic Fever, .. ... | . | 1 | 1 | 1 | . | 1 | . | . | . | . | ·4 | . | . | . | . | . | . |
| Gout, ... ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | 1 | . |
| Carcinoma, ... | 6 | 5 | 3 | 4 | 9 | 4 | 1 | 3 | 2 | 1 | 5·5 | . | . | . | . | . | . |
| Sarcoma, ... ... | | | | | | | 1 | . | 1 | 2 | | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | | 5 | 2 | 3 | 3 | | 8 | . | . | . | . | 2 |
| Diabetes Mellitus, .. | . | . | . | . | . | . | 1 | 1 | 1 | 1 | ·4 | . | . | . | . | . | . |
| Premature Birth, ... | 1 | . | 5 | 1 | 5 | 1 | 3 | 9 | 3 | 5 | 3·3 | 6 | 6 | . | . | . | . |

* The figures for the years 1897–1900 re
† Formerly descr ed

ELEVENTH WEEK ending Saturday, 16th March, 1907, with the deaths from each cause in the corresponding and the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 11th Week of the 10 years 1897–1906. | In the Week ending Saturday, 16th March, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 20, 1897. | Mar. 19, 1898. | Mar. 18, 1899. | Mar. 17, 1900. | Mar. 16, 1901. | Mar. 15, 1902. | Mar. 21, 1903. | Mar. 19, 1904. | Mar. 18, 1905. | Mar. 17, 1906. | | ALL AGES. | 0 to 5 | | | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | | | |
| Mean Temperature. | ° 45·2 | ° 45·3 | ° 44·8 | ° 41·1 | ° 43·6 | ° 44·9 | ° 45·3 | ° 42·6 | ° 43·5 | ° 43·3 | ° 44·0 | ° 43·8 | | | | | | | | |
| Meningitis (not tuberc.) | | | | | | | 3 | 4 | 2 | 7 | | 4 | . | 2 | 1 | 1 | . | . | . | . |
| Insanity, G. P. of Insane | | | | | | | 3 | 4 | 1 | 2 | | 2 | . | . | . | . | . | 2 | . | . |
| Epilepsy | | | | | | | 1 | 2 | 1 | . | | . | . | . | . | . | . | . | . | . |
| *Convulsions* | | | | | | | 8 | 4 | 8 | 7 | | 6 | 1 | 4 | 1 | . | . | . | . | . |
| Locomotor Ataxy | | | | | | | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| Paraplegia Dis. of Cord | | | | | | | 3 | 1 | 3 | 2 | | 1 | . | . | . | . | . | . | 1 | . |
| Nervous System (other Dis.) | 38 | 52 | 37 | 40 | 46 | 33 | 4 | 1 | 3 | 2 | 43·1 | 2 | . | . | . | . | . | 2 | . | . |
| Valv. Dis., Endocarditis | | | | | | | 2 | . | 3 | 8 | | 3 | . | . | . | . | 1 | 1 | 1 | . |
| Cerebr. Hæm. Thromb. | | | | | | | 1 | 1 | 1 | 3 | | 6 | . | . | . | . | . | 2 | 4 | . |
| *Apoplexy, Hemiplegia* | | | | | | | 4 | 5 | 5 | 1 | | . | . | . | . | . | . | . | . | . |
| Aneurysm | | | | | | | . | . | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| Embolism, Thromb. (not cerebral) | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | | 20 | 17 | 20 | 17 | | 9 | . | . | . | . | . | 2 | 7 | . |
| *Croup* (not Spasm. nor Memb.) | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Bronchitis | 27 | 35 | 38 | 27 | 37 | 21 | 28 | 36 | 13 | 20 | 28·2 | 30 | . | 5 | 5 | . | . | 6 | 13 | 1 |
| Asthma, Emphysema | | | | | | | . | . | . | . | | 2 | . | . | . | . | . | 2 | . | . |
| Pleurisy | 6 | . | 2 | 2 | 4 | 3 | . | 1 | 1 | . | 2·2 | 1 | . | . | . | . | . | . | 1 | . |
| Respiratory Dis. (other) | | | | | | | 1 | . | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| Tonsillitis, Quinsy | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) | . | . | 1 | 1 | 1 | . | . | . | . | 1 | ·7 | 1 | . | . | . | . | 1 | . | . | . |
| *Gastro Enteritis* | . | . | . | . | . | . | . | . | 3 | . | ·9 | . | . | . | . | . | . | . | . | . |
| *Peritonitis* (not Puerp.) | 1 | 1 | 1 | . | 2 | 2 | 1 | . | . | 1 | 2·6 | . | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver | 1 | 4 | . | 6 | 1 | 3 | 1 | 1 | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| Liver Dis. (other) | | | | | | | . | 5 | . | 1 | | . | . | . | . | . | . | . | . | . |
| Digestive Dis. (other) | 5 | 5 | 4 | 5 | 5 | 3 | 9 | 4 | 6 | 7 | 5·3 | 6 | . | 1 | 1 | 1 | . | . | 2 | 1 |
| Nephritis, Acute | | | | | | | . | . | 2 | 1 | | 2 | . | . | 1 | . | 1 | . | . | . |
| Bright's Dis., Albuminuria | 4 | 6 | 4 | 9 | 4 | 7 | 3 | 4 | 2 | 3 | 5·4 | 2 | . | . | . | . | 1 | 1 | . | . |
| Urinary Sys. (Other Dis.) | | | | | | | . | 1 | . | 4 | | 3 | . | . | . | . | 2 | 1 | . | . |
| Generative Organs Dis. | . | . | . | 1 | . | . | 1 | . | 2 | . | ·4 | . | . | . | . | . | . | . | . | . |
| Childbirth (Accid. of) | . | 1 | 1 | . | . | . | 1 | 1 | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| *Old Age* | 16 | 26 | 18 | 19 | 15 | 4 | 8 | 6 | 10 | 3 | 12·5 | 3 | . | . | . | . | . | . | 2 | 1 |
| Other Diseases | 11 | 23 | 9 | 21 | 14 | 15 | 14 | 13 | 12 | 9 | 14·1 | 16 | 2 | 1 | 3 | . | 1 | 3 | 6 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| By Railways | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| In Ships, Boats, Docks (exclusive of Drowning) | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| In Building Operations | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| In Conflagrations | . | . | . | . | . | . | . | 2 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | . | 2 | . | 3 | . | . | 1 | 1 | 1 | . | ·8 | . | . | . | . | . | . | . | . | . |
| By Drowning | 2 | 1 | 1 | . | 1 | . | 1 | . | . | 1 | ·7 | 1 | . | . | . | . | . | 1 | . | . |
| By Suffocation in Bed | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | 4 | 1 | 2 | 1 | 3 | 2 | 1 | 2 | 1 | . | 1·7 | 3 | 1 | . | . | . | . | . | 2 | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| Homicide | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Suicide | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Execution | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. |
| No. of weeks in Annual Series. | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| BIRTHS registered. | 225 | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 203 | 181 | 195 | 236 | 254 | 194 |
| *Average Births in corresponding week of previous 10 years,** | 195 | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 |
| DEATHS registered. | 201 | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 |
| Annual Death-rate per 1,000. | 27·7 | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 |
| *Average Deaths in corresponding week of previous 10 years,** | 173 | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 |
| AGES, Under 5 years. | 85 | 76 | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 |
| 5—20 ,, | 13 | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 |
| 20—40 ,, | 26 | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 |
| 40—60 ,, | 30 | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 |
| 60—80 ,, | 39 | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 |
| 80 years and upwards. | 8 | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles. | 1 | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 4 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 |
| Scarlet Fever | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| Typhus. | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Whooping-cough. | 1 | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 |
| Diphtheria. | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 |
| *Pyrexia* † (origin uncertain). | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever. | 2 | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 |
| Diarrhœal Diseases. | 34 | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 |
| Pneumonia. | 7 | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 |
| Tuberculous Disease. Phthisis. | 26 | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 |
| Tuberculous Disease. Other Forms. | 12 | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 |
| Cancer, Malignant Disease. | 6 | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 |
| Diseases of Heart and Blood Vessels. | 25 | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 32 | 19 |
| Diseases of Respiratory System. | 10 | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 |
| Violent Deaths. | 5 | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 8 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 |
| Number of Uncertified Deaths. | 9 | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 |
| Mean Temperature of the Air (Phœnix Park). | 51·9 | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 42·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 53·9‡ | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 |
| Rainfall in inches. | ·000 | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·90 | ·87 | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th March, 1907; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH MARCH, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS.** | 375,850 | 28·2 | 203 | 71 | 11 | 29 | 37 | 51 | 4 | . | 5 | 1 | . | 5 | 1 | . | 1 | 4 | 17 | 11 | 28 | 14 | 8 | 6 | 33 | 5 | 81 | 10 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS. | 17,486 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| II. | MIDDLE CLASS. | 87,188 | 19·7 | 33 | 6 | 2 | 8 | 4 | 12 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 2 | 1 | 1 | 20 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS. | 110,423 | 20·8 | 43 | 13 | 2 | 9 | 8 | 10 | 1 | . | 1 | . | . | 1 | . | . | 1 | 1 | 4 | 2 | 8 | 2 | 3 | . | 8 | 2 | 14 | 2 |
| IV. | GENERAL SERVICE CLASS. | 154,279 | 41·2 | 87 | 44 | 6 | 10 | 13 | 13 | 1 | . | 4 | 1 | . | 4 | 1 | . | . | 2 | 12 | 5 | 8 | 8 | 4 | 4 | 11 | 2 | 33 | 7 |
| V. | INMATES OF WORKHOUSES. | 6,024 | | 40 | 8 | 1 | 2 | 12 | 16 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 8 | . | 1 | . | 13 | . | 14 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 2 | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 5 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 29·1 | 17 | 4 | 1 | 6 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | 1 | 7 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 13·5 | 7 | . | 1 | 1 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 6 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 21·1 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 21·0 | 12 | 3 | 1 | 2 | 3 | 2 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | 2 | . | 3 | 1 | 2 | . |
| | 10. Clothing Trades, | 23,260 | 15·7 | 7 | . | 1 | 1 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 3 | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,852 | 22·3 | 13 | 2 | . | 4 | 3 | 4 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | . | . | 2 | 1 | 7 | 2 |
| | 13. Petty Shopkeepers, | 7,894 | 39·6 | 6 | 4 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | 1 | . | . | . | 2 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 1 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 4 | . |
| | 15. Domestic Servants, | 36,603 | 10·0 | 7 | . | . | 2 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 25·4 | 7 | 2 | . | 1 | 3 | . | 1 | . | 2 | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 1 | . | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 39·5 | 68 | 41 | 6 | 6 | 7 | 8 | . | . | 2 | 1 | . | 4 | 1 | . | . | 2 | 10 | 5 | 5 | 8 | 3 | 4 | 9 | 1 | 23 | 7 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 40 | 8 | 1 | 2 | 12 | 16 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 8 | . | 1 | . | 13 | . | 14 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents o RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of th the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths i* similar Statistics for each of the

| | DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Jan. 26, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | . | . |
| | | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| | | „ 9, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| | | „ 16, | 37·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| | | „ 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| | | Mar. 2, | 35·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| | | „ 9, | 23·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| | | „ 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 89,146. | Jan. 26, | 29·3 | . | 22 | . | . | . | . | . | . | . | . | . | 5 | 1 | . | . | 3 | . | 1 |
| | | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 5 | . | . |
| | | „ 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| | | „ 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| | | „ 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| | | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| | | „ 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| | | „ 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 80,107. | Jan. 26, | 50·2 | 1·7 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 5 | 1 | 2 | 6 | 1 | . |
| | | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| | | „ 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| | | „ 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 8 | . | . |
| | | „ 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | | Mar. 2, | 38·1 | 1·7 | 22 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| | | „ 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| | | „ 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 82,422. | Jan. 26, | 20·9 | 1·6 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | . |
| | | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| | | „ 9, | 40·2 | 3·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| | | „ 16, | 27·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| | | „ 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| | | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| | | „ 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| | | „ 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Jan. 26, | 27·4 | 2·6 | 21 | . | . | 1 | . | 1 | . | . | . | . | 2 | 2 | 1 | . | 3 | 1 | . |
| | | Feb. 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| | | „ 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 |
| | | „ 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| | | „ 23, | 37·8 | 3·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 8 | . | 1 |
| | | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| | | „ 9, | 27·4 | 1·3 | 21 | . | 1 | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 4 | . | . |
| | | „ 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Jan. 26, | 43·1 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 7 | . | . |
| | | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| | | „ 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| | | „ 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| | | „ 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| | | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| | | „ 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| | | „ 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Jan. 26, | 38·3 | 1·2 | 31 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | 2 | . | 7 | 1 | . |
| | | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| | | „ 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| | | „ 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| | | „ 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| | | Mar. 2, | 38·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| | | „ 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| | | „ 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Jan. 26, | 26·7 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 5 | 3 | . |
| | | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |
| | | „ 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |
| | | „ 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . | 2 | 4 | . | 1 |
| | | „ 23, | 25·2 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 5 | 1 | 1 |
| | | Mar. 2, | 20·8 | 3·0 | 1 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |
| | | „ 9, | 35·6 | 1·5 | 2 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 2 | . | . |
| | | „ 16, | 13·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |

* Formerl described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Jan. 26, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | Feb. 2, | 16·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| | „ 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 8 | 1 | . |
| | „ 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Jan. 26, | 26·2 | 3·7 | 14 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . | 1 | 3 | . | 1 |
| | Feb. 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | „ 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 9, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Jan. 26, | 38·5 | . | 13 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | 1 |
| | Feb. 2. | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| | „ 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Jan. 26, | 23·0 | 1·4 | 163 | . | . | . | . | 3 | 2 | . | . | 5 | 11 | 19 | 13 | 5 | 34 | 3 | 1 |
| | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| | „ 9, | 27·2 | 0·7 | 123 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 3 | 33 | 3 | 5 |
| | „ 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| | „ 23, | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | . | . | 12 | 20 | 7 | 6 | 54 | 1 | 1 |
| | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | . | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| | „ 9, | 23·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| | „ 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Jan. 26, | 24·0 | 1·4 | 35 | . | . | . | . | 1 | . | . | . | 1 | 1 | 7 | 1 | 1 | 5 | . | 1 |
| | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| | „ 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| | „ 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 1 |
| | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| | „ 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| | „ 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Jan. 26, | 24·6 | 1·2 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | 2 | 8 | . | . |
| | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| | „ 9, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| | „ 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| | „ 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | . |
| | Mar. 2, | 16·0 | 1·2 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| | „ 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| | „ 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Jan. 26, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 2 |
| | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| | „ 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| | „ 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | . |
| | „ 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| | „ 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | 1 |
| | „ 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 |
| **Waterford.** Pop. (in 1901) 26,769. | Jan. 26, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |
| | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |
| | „ 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |
| | „ 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |
| | „ 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | . |
| | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | . |
| | „ 9, | 19·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |
| | „ 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |

* Formerly described as "Simple Continued Fever.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th March, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No 1 DISTRICT, | 14,734 | 4 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 2 | . |
| Do. 2 ,, | 47,959 | 46 | | | 29 | 3 | 5 | 4 | 4 | 8 | 5 | . | . | . | . | . | . | . | . | 1 | 6 | 3 | 1 | 3 | 3 | . | 1 | 3 | . |
| Do. 3 ,, | 47,214 | 29 | | | 24 | 2 | 4 | 2 | 4 | 8 | 4 | . | . | . | . | . | . | . | 2 | . | 6 | 2 | 2 | . | 2 | . | 3 | 8 | . |
| Do. 4 ,, | 40,911 | 30 | | | 20 | 2 | 4 | . | 2 | 5 | 7 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | . | 2 | . | . | 6 | . |
| Do. 5 ,, | 17,387 | 7 | | | 9 | 2 | . | 2 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | 4 | 1 |
| Do. 6 ,, | 48,122 | 18 | | | 24 | 5 | 4 | 1 | 3 | 10 | 1 | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 2 | . | 5 | 3 | 3 | 3 | . |
| Do. 7 ,, | 1,524 | 1 | | | 2 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 2 | | | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . |
| Do. 9 ,, | 19,569 | 16 | | | 10 | . | 1 | . | 3 | 3 | 3 | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 5 | 1 | 1 | 4 | . |
| Do. 10 ,, | 28,064 | 26 | | | 5 | . | 2 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | . |
| Do. 11 ,, | 34,802 | 21 | | | 10 | 4 | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 3 | . |
| Do. 12 ,, | 33,588 | 23 | | | 12 | 3 | 1 | 2 | . | 3 | 3 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 2 | 1 | 1 | 4 | . |
| Do. 13 ,, | 15,006 | 13 | | | 3 | 1 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 216 | | | 156 | 25 | 27 | 13 | 21 | 41 | 29 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 10 | 38 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 7 | 32·4 | 4·1 | 8 | . | 1 | 4 | | | 3 | . | . | . | . | 1 | . | . | . | . | . | 3 | . | . | . | . | . | 1 | . |
| Do. 2 ,, | 10,701 | 5 | 9·7 | . | 2 | . | 1 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 3 ,, | 9,978 | 6 | 31·4 | 5·2 | 6 | 1 | 2 | 2 | | | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . | 1 | . |
| Do. 4 ,, | 8,666 | 3 | 36·1 | 6·0 | 6 | 1 | 1 | 2 | | | 2 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . | 2 | . |
| Do. 5 ,, | 6,522 | | 13·7 | . | 3 | 1 | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . |
| Do. 6 ,, | 10,702 | 6 | 29·2 | . | 6 | 1 | . | 2 | | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Do. 7 ,, | 16,616 | 2 | 31·4 | 3·1 | 10 | 1 | 1 | 5 | | | 3 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 | 1 | . | . | 5 | . |
| Total, | 76,122 | 32 | 28·1 | 2·7 | 41 | 5 | 6 | 17 | | | 13 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | 1 | 12 | . |

* Formerly described as "Simple Continued Fever."

**TABLE IX.—City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 22 | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. |
| No. of weeks in Annual Series, | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| BIRTHS registered, | 211 | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 268 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 |
| DEATHS registered, | 141 | 136 | 144 | 109 | 123 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156† |
| Annual Death-rate per 1,000 of estimated Population, | 20·1 | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 |
| AGES — Under 1 year, | 49 | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 12 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 |
| 1–5 years, | 13 | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 |
| 5–20 years, | 14 | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 | 22 | 23 | 28 | 13 |
| 20–40 years, | 20 | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 |
| 40–60 years, | 20 | 21 | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 |
| 60 years and upwards, | 25 | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . |
| Scarlet Fever, | 1 | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . |
| Typhus, | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Whooping-cough, | 5 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . |
| Diphtheria, | . | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 |
| Diarrhœal Diseases, | 27 | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 |
| Pneumonia, | 3 | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 16 |
| Tuberculous Disease — Phthisis, | 14 | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 |
| Tuberculous Disease — Other Forms, | 8 | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 |
| Cancer, Malignant Disease, | 4 | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 |
| Diseases of Respiratory System, | 12 | 7 | 15 | 11 | 11 | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 |
| Violent Deaths, | 4 | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 |
| Number of Uncertified Deaths, | . | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 |

*Formerly described as "Simple Continued Fever."

† Including 20 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Mar. 16, | 2,390 | 1,696 | 18·6 | . | 57 | 8 | 15 | 42 | 1 | 13 |
| EDINBURGH, | 345,747 | „ 16, | 143 | 123*a* | 18·6 | . | 4 | . | 1 | 3 | . | 2 |
| GLASGOW, | 847,584 | „ 16, | 447 | 381*a* | 23·5 | . | 1 | 1 | 3 | 22 | 2 | 9 |
| CALCUTTA, | 847,796 | Jan. 26, | . | 948 | 58·1 | 25 | . | . | . | 2 | 152‡ | 462* |
| BOMBAY, | 977,822 | Feb. 12, | 310 | 766 | 40·7 | 2 | 1 | . | . | . | 86‡ | 72 |
| MADRAS, | 509,346 | Jan. 25, | 332 | 401 | 40·9 | . | 1 | ? | ? | ? | 115 | 66* |
| PARIS, | 2,750,000 | Mar. 2, | 1,052 | 1,297 | 24·7 | . | 10 | 10 | 4† | 6 | 3 | 26 |
| BRUSSELS (with 8 Faubourgs). | 612,401 | Feb. 23, | 231 | 194 | 16·7 | . | 2 | . | 3† | . | 1 | 14 |
| ANTWERP, | 304,032 | „ 23, | 155 | 86 | 14·7 | . | 3 | . | . | 2 | 2 | 5 |
| AMSTERDAM, | 564,875 | Mar. 2, | 265 | 173 | 16·0 | . | 1 | 1 | 1† | 3 | . | 6 |
| COPENHAGEN, | 425,000 | Feb. 23, | 238 | 187 | 22·9 | . | . | 1 | . | 3 | . | 5 |
| STOCKHOLM, | 324,488 | „ 23, | 161 | 102 | 16·3 | . | 1 | . | . | 1 | . | 2 |
| CHRISTIANIA, | 222,373 | Mar. 2, | 95 | 55 | 12·9 | . | . | . | 3† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | Feb. 23, | 632 | 754 | 26·4 | . | 18 | 17 | 22 | 6 | 21 | 79 |
| MOSCOW, | 1,172,421 | Jan. 26, | . | 864 | 38·4 | 4 | 23 | 14 | 9† | 3 | 17 | 68 |
| BERLIN, | 2,097,171 | Feb. 16, | 1,007 | 615 | 15·3 | . | 4 | 5 | 6† | 4 | . | 32 |
| HAMBURG, | 824,792 | „ 23, | . | 251 | 15·8 | . | 2 | . | 2† | 1 | . | 15 |
| BRESLAU, | 482,576 | Mar. 2, | . | 227 | 24·5 | . | . | . | 6† | 1 | . | 17 |
| MUNICH, | 548,000 | „ 2, | . | 178 | 16·9 | . | 3 | . | 1† | 1 | 1 | 14 |
| VIENNA (with suburbs). | 1,958,323 | „ 2, | 970 | 768 | 20·4 | . | 14 | 4 | 9† | 4 | 1 | 30 |
| BUDA-PESTH, | 802,235 | — | . | . | . | . | . | . | . | . | . | . |
| PRAGUE and Faubourgs. | 466,133 | Feb. 23, | 221 | 223 | 24·9 | . | 1 | . | . | . | . | 15 |
| TRIESTE, | 199,003 | „ 16, | 152 | 152 | 39·8 | . | 3 | . | . | 2 | . | . |
| ROME, | 540,150 | Jan. 12, | 252 | 224 | 21·6 | . | 1 | . | 1 | . | 3 | 11 |
| VENICE, | 171,709 | „ 26, | 89 | 101 | 30·7 | . | . | . | 2† | . | . | 6 |
| NEW YORK, | 4,285,435 | Feb. 16, | 2,143 | 1,688 | 20·5 | . | 6 | 21 | 52† | 6 | 13 | 36 |
| PHILADELPHIA, | 1,500,595 | „ 2, | . | 620 | 21·5 | . | 1 | 3 | 7† | 3 | 42 | 31 |
| BOSTON, | 602,526 | „ 16, | . | 262 | 22·7 | . | . | 1 | 1 | 2 | . | 1 |

*a.* Including 2 deaths from cerebro-spinal meningitis in Edinburgh, and 33 in Glasgow.
* Including 361 deaths from cholera in Calcutta, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 24 deaths from plague in Calcutta, and 102 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th March, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| " " 1, West, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 3 |
| " " 2 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . | 4 |
| " " 3, | . | 1 | . | . | 2 | . | 1 | 1 | 2 | . | . | . | 7 |
| Clontarf and Howth No. 1 (part of), | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| South City No 1, | . | 1 | 1 | . | 3 | . | . | 2 | 11 | . | 1 | . | 19 |
| " " 2, | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| " " 3, | . | 4 | . | . | 1 | . | . | . | . | . | . | . | 5 |
| " " 4, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 8 | 1 | . | 7 | . | 3 | 7 | 19 | . | 1 | . | 46 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th March, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 16th March. | | | |
|---|---|---|---|---|---|---|---|
| | Feb. 23. | Mar. 2. | Mar. 9. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 47 | 52 | 42 | 26 | 13 | 1 | 54 |
| Scarlet Fever, | 83 | 90 | 96 | 10 | 14 | 1 | 91* |
| Typhus, | 3 | 3 | 4 | . | . | . | 4 |
| Diphtheria, | 26 | 22 | 21 | 7 | 5 | 1 | 22 |
| Enteric Fever, | 27 | 26 | 25 | 5 | 7 | 1 | 22 |
| Pneumonia, | 27 | 21 | 19 | 18 | 7 | . | 30 |

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 16th March, 1907:—

"Changeable, showery weather, with unsteady temperature, held throughout this week. On Sunday there were rather steep gradients for westerly winds, for the barometer stood as high as 30·73 inches at Corunna at 8 a.m., whereas it read only 29·66 inches at Stornoway. The wind was strong and squally and there were some passing showers. On Monday morning shallow depressions over Donegal and St. George's Channel respectively kept the weather in a cold, showery condition. In Scotland, where the week had opened with a snowstorm, temperature was very low on Monday—at 8 a.m. the thermometer stood at 20° at Wick. During the following 24 hours an area of high atmospheric pressure moved south-eastwards from the Hebrides to the S. of England. This shifting of the anticyclone threw a warm S.W. wind on the Irish and Scotch coasts, whereas the calm state of the air near the centre of high pressure caused a sharp frost in England—the thermometer falling to 22° at Bath. This frost was short-lived, but temperature was rather low till Thursday afternoon, when it rose briskly with the coming of a fresh W.S.W. wind. The last two days of the week were stormy and unsettled, and on Saturday a large and deep depression swept across Ireland from the Atlantic. At 8.30 p.m. the barometer fell to 28·794 inches in Dublin—but half an hour later the mercury had already risen to 28·940 inches. A sudden fall of temperature occurred at the same time. In Dublin the mean atmospheric pressure was 29·944 inches, the barometer rising to 30·480 inches at 9 p.m. of Monday (wind, E.S.E.) and falling (as already stated) to 28·794 inches at 8.30 p.m. of Saturday (wind blowing a fresh gale from S.W.). The corrected mean temperature was 45·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·4°. The screened thermometers rose to 56·7° on Friday, having fallen to 35·2° the previous day. The prevalent winds were W. and S.W. Rain fell on six days to the amount of ·544 inch, ·230 inch being recorded on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·936 inches. The highest reading (30·478) was on Monday at 9 p.m., wind S.E., and the lowest (28·954) on Saturday at 9 p.m., wind W.S.W.

The mean temperature for the week was 43·8°, being 0·2° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Friday, on which day the thermometer registered 55·5°, and was lowest on Thursday, the mercury having fallen to 33·9°. The mean of the Dry Bulb for the week was 43·6°, and of the Wet Bulb 41·9°. The mean humidity of the air was ·87, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 22·9 hours. The rainfall during the week measured 1·005 inches.

At Greenwich the mean temperature for the week was 42·8°, the maximum 58·1°, and the minimum 24·1°; at Glasgow the maximum was 52·4°, the minimum 28·5°, and the mean 40·0°; and at Edinburgh the maximum was 50·9°, the minimum 27·7°, and the mean 40·0°. The rainfall at Greenwich measured 0·40 in.; at Glasgow 1·77 ins.; and at Edinburgh 0·82 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

### Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Mar. 10, | 30·000 | 51·1 | 39·9 | 45·5 | 45·1 | 42·5 | ·81 | ·6 | 5·0 | ·035 | W. | W.N.W. |
| Monday, „ 11, | 30·417 | 43·7 | 36·2 | 40·0 | 39·4 | 37·7 | ·86 | ·5 | 0·0 | ·000 | W.N.W. | S.E. |
| Tuesday, „ 12, | 30·228 | 50·2 | 34·9 | 42·6 | 43·7 | 41·6 | ·86 | ·9 | 0·7 | ·060 | S.W. | W.N.W. |
| Wednesday, „ 13, | 29·981 | 47·6 | 34·7 | 41·2 | 40·1 | 37·9 | ·83 | 1·0 | 8·3 | ·025 | W.S.W. | W.N.W. |
| Thursday, „ 14, | 30·017 | 48·2 | 33·9 | 41·1 | 43·5 | 42·5 | ·92 | ·7 | 2·8 | ·105 | W.S.W. | S.W. |
| Friday, „ 15, | 29·696 | 55·5 | 45·9 | 50·7 | 49·2 | 47·9 | ·91 | ·7 | 6·1 | ·145 | W.S.W. | S.W. |
| Saturday, „ 16, | 29·216 | 51·5 | 39·9 | 45·7 | 44·5 | 43·1 | ·90 | ·6 | 0·0 | ·635 | S.W. | W.S.W. |
| Mean, . . | 29·936 | 49·7 | 37·9 | 43·8 | 43·6 | 41·9 | ·87 | ·7 | Total 22·9 | Total 1·005 | Prevailing Wind, W. | |

*Sunday*—Day cloudy, light showers 10 a.m. to 11·15 a.m.; night clear. *Monday*—Day overcast and cloudy; night cloudy. *Tuesday*—Cloudy day, showery 5.30 to 7.35 p.m.; night clear. *Wednesday*—Bright and cloudy day, light showers at intervals; night clear. *Thursday*—Cloudy a.m., overcast p.m., light rain; night cloudy and showery. *Friday*—Cloudy day, light rain 7 to 8 p.m.; night overcast, light and heavy rain 2.30 a.m. to 7 0 a.m. *Saturday*—Day overcast, light and heavy rain from 9 a.m. to 5.30 p.m.; night cloudy, light showers at intervals.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

### Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 16th, 1907.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Mar. 10, | 50·0 | 44·2 | 43·7 | 52·3 | 41·7 | 47·0 | 5·9 | ·012 |
| Monday, „ 11, | 42·1 | 43·8 | 43·8 | 45·0 | 37·0 | 41·0 | 1·0 | — |
| Tuesday, „ 12, | 47·0 | 43·0 | 43·9 | 50·8 | 38·0 | 44·4 | 0·8 | ·023 |
| Wednesday, „ 13, | 41·8 | 43·5 | 44·0 | 49·2 | 38·0 | 43·6 | 7·5 | ·038 |
| Thursday, „ 14, | 41·0 | 42·9 | 44·0 | 48·9 | 35·5 | 42·2 | 2·4 | ·088 |
| Friday, „ 15, | 52·0 | 43·6 | 44·0 | 55·9 | 47·0 | 51·5 | 5·5 | ·140 |
| Saturday, „ 16, | 49·4 | 45·0 | 44·0 | 53·3 | 40·9 | 47·1 | — | ·255 |
| Weekly Mean, . | 46·2 | 43·7 | 43·9 | 50·8 | 39·7 | 45·3 | Total 23·1 | Total ·556 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 481. 1. 1907.—16830.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 23RD MARCH, 1907. [No. 12.

*General Register Office, Charlemont House,*
*Dublin, 25th March,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Average Rate for 4 weeks. | Towns, &c. | Week ending Mar. 2. | Mar. 9. | Mar. 16 | Mar. 23. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 27·3 | 23·7 | 23·0 | 23·0 | 24·3 | Lisburn, . | 9·1 | 18·2 | 31·8 | 22·7 | 20·5 |
| Armagh, . . | 41·2 | 13·7 | 6·9 | 20·6 | 20·6 | Londonderry, . | 16·0 | 20·9 | 23·3 | 19·6 | 20·0 |
| Ballymena, . | 33·5 | 38·3 | 23·9 | 23·9 | 29·9 | Lurgan, . . | 44·3 | 8·9 | 31·0 | 17·7 | 25·5 |
| Belfast, . . . | 28·7 | 23·5 | 22·0 | 23·5 | 24·4 | Newry, . . | 21·0 | 21·0 | 8·4 | 12·6 | 15·8 |
| Clonmel, . | 15·4 | 15·4 | . | 25·6 | 14·1 | Newtownards, . | 17·2 | 34·3 | 40·1 | 28·6 | 30·0 |
| Cork, . . . | 24·0 | 26·7 | 28·1 | 25·3 | 26·0 | Portadown, . | 15·5 | 20·7 | 20·7 | 25·8 | 20·7 |
| Drogheda, . . | 16·3 | 20·4 | 8·2 | 28·6 | 18·4 | Queenstown . | 6·6 | 6·6 | . | 6·6 | 5·0 |
| Dublin Reg. Area, | 28·6 | 25·2 | 25·0 | 22·3 | 25·3 | Sligo, . . . | 38·4 | 14·4 | 33·6 | 14·4 | 25·2 |
| Dundalk, . . | 35·9 | 16·0 | 16·0 | 12·0 | 20·0 | Tralee, . | 42·3 | 31·7 | 31·7 | 10·6 | 29·1 |
| Galway, . . | 35·0 | 11·7 | 3·9 | 62·1 | 28·2 | Waterford, . | 27·3 | 29·2 | 21·4 | 27·3 | 26·3 |
| Kilkenny, . . | 9·8 | 39·3 | 29·5 | 24·6 | 25·8 | Wexford, . . | 32·7 | 9·3 | 14·0 | 4·7 | 15·2 |
| Limerick, . . | 24·6 | 21·9 | 23·2 | 26·0 | 23·9 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·1 in Clonmel, in which district the 5 deaths from all causes include one from diarrhœa. Among the 167 deaths from all causes registered in Belfast are 4 from measles, one each from whooping-cough, diphtheria, and diarrhœa, 6 from enteric fever, 9 deaths from cerebro spinal fever, and 5 deaths returned as from *cerebro spinal meningitis.* The 37 deaths from all causes registered for Cork include 2 from whooping-cough. Among the 14 deaths from all causes in Waterford there was one each from enteric fever and diarrhœa; and 5 deaths from all causes in Kilkenny include one from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 180—90 boys and 90 girls; and the deaths to 174—74 males and 100 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 23·2 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 22·3 per 1,000. During the twelve weeks ending with Saturday last the death-rate averaged 28·6, and was 1·2 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths (174) included 3 from measles, 4 from influenza, 7 from whooping-cough,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

one from diphtheria, 2 from cerebro spinal fever, and one death from *diarrhœa*. In each of the 3 preceding weeks, deaths from measles numbered one, one, and 5; deaths from influenza were 5, 0, and 4; deaths from whooping-cough were 7, 7, and 5; deaths from diphtheria were 0, one, and one; deaths from cerebro spinal fever were 2, 4, and one; and deaths from diarrhœal diseases were one, one, and 4.

There were 2 deaths from lobar pneumonia, 12 deaths from broncho-pneumonia, and 8 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease numbered 37, and include 14 deaths from tuberculous phthisis, 10 deaths returned as from *phthisis*, 5 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 7 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 48, 34, and 42, respectively.

Deaths from malignant diseases included one death from carcinoma, one from sarcoma, and 4 deaths from cancer (undefined).

The deaths of 4 infants prematurely born were recorded.

Of 8 deaths from diseases of the brain and nervous system, 4 were of children under 5 years of age from *convulsions*, and one was that of a child between the ages of 1 year and of 5 years from meningitis.

Diseases of the heart and blood vessels accounted for the deaths of 20 persons, and bronchitis caused 28 deaths.

Of 4 deaths attributed to accidental causes, one was that of an infant under one year of age from suffocation in bed.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness, and was that of an infant under one year old.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old) and 35 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the N. Dublin Union Workhouse and 17 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000; the rate in the City was 24·1 (North City Districts, 22·7; South, 25·6), and in the Suburbs, 16·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 1·9 (2·4 in the North City Districts, and 1·4 in the South) and for the Suburbs, 0·6 per 1,000.

*No.* 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·6 per 1,000. Broncho-pneumonia and tuberculous phthisis each caused one death; there were 2 deaths from bronchitis and one accidental death.

*No.* 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000, and include one death from measles, 2 deaths each from influenza and whooping-cough, 4 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), one from tuberculous phthisis, and 2 deaths from diseases of the respiratory system.

*No.* 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 17·3 per 1,000. The deaths (10) include one death from influenza, one from *pneumonia* (not defined), one from tuberculous meningitis, and 2 deaths from bronchitis.

*No.* 3 *North City District* (Benburb-street).—The deaths (29) represent an annual rate of 46·6 per 1,000. Among the deaths one was from cerebro-spinal fever, one from measles, 2 were from whooping-cough, one from diphtheria, 5 from pneumonia (all forms), 6 from tuberculous disease, and 3 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 4·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 14·4. The 2 deaths from all causes for Finglas and Glasnevin, part of, include one from broncho-pneumonia.

*No.* 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 28·7 per 1,000. The deaths (22) include one from whooping-cough, one from lobar-pneumonia, 8 from tuberculous disease, and 7 from diseases of the respiratory system.

*No.* 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 32·9 per 1,000. Among the deaths one was from measles, one from cerebro-spinal fever, 2 were from broncho-pneumonia, 2 from tuberculous disease of the lungs, and 6 from bronchitis.

*No.* 3 *South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 22·2 per 1,000, and include one death from whooping-cough, one death from broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 3 deaths from bronchitis.

*No.* 4 *South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. There was one death from whooping-cough, also one death from broncho-pneumonia, there were 6 deaths from tuberculous disease, 2 deaths from bronchitis, and one accidental death.

*New Kilmainham District.*—The only death registered was from cancer, and represented an annual rate of 5·9 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·5; Pembroke, 16·8; Blackrock, 11·9; and Kingstown, 8·9. The only death from any of the principal epidemic diseases tabulated for these districts was one from *diarrhœa* for Pembroke. The 14 deaths from all causes for Rathmines and Rathgar include one from influenza, 3 from tuberculous disease, 3 from diseases of the heart and blood vessels, and one accidental death. The 9 deaths from all causes for Pembroke include 2 each from tuberculous disease and bronchitis. Of the 2 deaths from all causes for Blackrock one was from broncho-pneumonia; and the 3 deaths from all causes for Kingstown include one from bronchitis and one accidental death.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 23rd March, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. *a* | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Mar. 2, | . | — | — | 6 | . | . | 5 | . | 1 | 9 | 14 | . | — | — | 2 | — | — | 37 |
| | Mar. 9, | . | — | — | 9 | . | . | 3 | . | 1 | 6 | 14 | . | — | — | 3 | — | — | 36 |
| | Mar. 16, | . | — | — | 8 | 1 | . | 7 | . | 3 | 7 | 19 | . | — | — | 1 | — | — | 46 |
| | Mar. 23, | . | — | — | 4 | 8 | . | 5 | . | 1 | 7 | 12 | . | — | — | 2 | — | — | 39 |
| Rathmines and Rathgar Urban District. | Mar. 2, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Mar. 9, | . | — | — | . | . | . | 1 | 1 | . | . | . | . | — | — | — | — | — | 2 |
| | Mar. 16, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Mar. 23, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| Pembroke Urban District. | Mar. 2, | . | . | . | 1 | . | . | . | . | . | . | 1 | . | — | 5 | 1 | — | — | 8 |
| | Mar. 9, | . | 2 | 1 | 1 | . | . | . | . | . | 1 | . | . | — | 20 | . | — | — | 25 |
| | Mar. 16, | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | — | 7 | . | — | — | 13 |
| | Mar. 23, | . | . | . | . | . | . | . | . | 1 | 2 | . | . | — | 13 | 1 | — | — | 17 |
| Blackrock Urban District. | Mar. 2, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| | Mar. 9, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | Mar. 16, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 23, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | Mar. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Mar. 2, | . | — | — | 16 | . | . | 7 | 1 | 5 | 18 | 4 | 2 | — | — | 20 | — | — | 73 |
| | Mar. 9, | . | — | — | 13 | . | . | 3 | . | 7 | 12 | 3 | 1 | — | — | 31 | — | — | 70 |
| | Mar. 16, | . | — | — | 10 | . | . | 11 | . | 6 | 18 | 5 | 1 | — | — | 24 | — | — | 75 |
| | Mar. 23, | . | — | — | 12 | . | . | 3 | . | 4 | 8 | 4 | . | — | — | 18 | — | — | 49 |

(*a*) Mr. Fawcett reports one case of cerebro spinal fever as having occurred in Rathmines during the week ending 9th instant.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd March, 1907.

From this it appears that:—

Twenty-four cases of measles were admitted into hospital during the week, 15 were discharged, and 63 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 16 were discharged, and 83* cases remained under treatment at the close of the week.

Ten cases of typhus were admitted to hospital during the week, there was one death, and 3 cases remained under treatment at its close.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, there was one death, and 21 patients remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital, 4 were discharged, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 1 were discharged, there were 3 deaths, and 36 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·3), was equal to an average annual death-rate of 16·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·6 per 1,000, the rate for Glasgow being 24·1 and for Edinburgh 17·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd March. From this Report it appears that of a total of 25 cases notified 18 were scarlet fever, 4 diphtheria, 2 erysipelas, and one enteric fever. Among the 334 cases of infectious diseases in hospital at the close of the week were 105 cases of scarlet fever, 66 of measles, 38 of diphtheria, one of membranous croup, 38 of whooping-cough, 14 of erysipelas, and 8 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd March, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-18. | Registration—Week ending Saturday, 23rd March, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System, c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e Week ending 23rd March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 16th March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 9th March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 25·9 | 22·0 | 1·4 | 556 | 493 | 82 | 119 | . | 7 | . | . | 11 | 2 | . | 7 | 4 | 42 | 57 | 39 | 17 | 76 | 6 | 15 | 148 | 23 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area: Total, d. | 390,691 | 28·4 | 24·0 | 22·3 | 1·6 | 180 | 167 | 27 | 35 | . | 3 | . | . | 7 | 1 | . | . | 1 | 21 | 21 | 13 | 6 | 30 | 4 | 5 | 67 | 1 | f57·4 | 24·9 | 43·9 | 0·87 | f55·5 | 33·9 | 43·8 | 1·01 | f55·4 | 28·1 | 43·1 | 0·43 |
| City of Dublin, | 300,850 | 38·0 | 26·7 | 24·1 | 1·9 | 154 | 139 | 25 | 25 | . | 3 | . | . | 7 | 1 | . | . | . | 20 | 19 | 10 | 5 | 27 | 2 | 4 | 60 | . | g57·9<br>h58·6 | 33·3<br>28·0 | 45·9<br>44·8 | 0·92<br>0·97 | g56·7<br>h55·8 | 35·2<br>35·0 | 45·4<br>44·7 | 0·54<br>0·95 | g58·0<br>h55·8 | 35·1<br>29·0 | 45·4<br>43·7 | 0·37<br>0·53 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 10·3 | 20·5 | . | 7 | 14 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,874 | 17·5 | 24·3 | 16·8 | 1·9 | 13 | 9 | 1 | 5 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 11·9 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 8·9 | 8·9 | . | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 55 | 37·5 | 45·4 | 0·28 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 29·6 | 23·5 | 1·8 | 210 | 167 | 30 | 33 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 6 | 37 | 3 | 54·0 | 33·0 | 43·6 | 1·70 | 53·0 | 32·0 | 41·8 | 2·43 | 54·0 | 31·0 | 42·7 | 0·37 |
| Cork, | 76,122 | 33·6 | 24·0 | 25·3 | 1·4 | 85 | 37 | 7 | 7 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 1 | 9 | 3 | 58 | 38 | 46·1 | 0·18 | 54 | 41 | 47·1 | 0·74 | 55 | 36 | 45·4 | 0·27 |
| Londonderry, | 42,475 | 19·6 | 27·0 | 19·6 | . | 22 | 16 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 16·4 | 26·0 | . | 12 | 19 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | . | 9 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 21·4 | 27·3 | 3·9 | 11 | 14 | 1 | 5 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 16,426 | 2·5 | 31·1 | 62·1 | . | 8 | 16 | 3 | 9 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 1 | 2 | . | . | 7 | 7 | 56 | 32 | 46 | 1·93 | 53 | 36 | 46·3 | 0·90 | 53 | 40 | 46 | 0·62 |
| Dundalk, | 18,076 | 3·4 | 39·9 | 12·0 | . | 10 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 4·1 | 28·6 | . | 1 | 7 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 16·8 | 12·6 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 |
| Lurgan, | 11,762 | 13·8 | 48·7 | 17·7 | . | 11 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 |
| Lisburn, | 11,461 | 10·1 | 31·8 | 22·7 | . | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 |
| Wexford, | 11,168 | 23·2 | 18·7 | 4·7 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 33·5 | 28·9 | . | 7 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 19·2 | 14·4 | . | 4 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 57·3 | 26·2 | 44·2 | 0·86 | 51·2 | 35·8 | 45·4 | 2·17 | 54·5 | 30·5 | 44·2 | 1·05 |
| Kilkenny, | 10,609 | 11·5 | . | 24·6 | 4·9 | . | 5 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . | 56 | 27 | 38·5 | 0·10 | 57 | 33 | 45 | 0·37 | 57 | 30 | 45·1 | 0·24 |
| Clonmel, | 10,167 | 7·8 | 46·2 | 25·6 | 5·1 | 9 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 18·2 | 36·2 | 25·8 | . | 7 | 5 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 |
| Tralee, | 9,867 | 16·6 | 15·9 | 10·6 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 17·2 | 28·6 | . | 3 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 55 | 33 | 43·1 | 0·81 | 54 | 30 | 41·0 | 1·14 | 55 | 31 | 42·7 | 1·07 |
| Queenstown, | 7,909 | 14·4 | 19·8 | 6·6 | . | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 58 | 38 | 46·1 | 0·18 | 54 | 41 | 47·1 | 0·74 | 55 | 36 | 45·4 | 0·27 |
| Armagh, | 7,588 | 22·2 | 34·4 | 20·6 | . | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 | 53·0 | 33·1 | 43·8 | 1·06 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one under 1 year old), admitted to hospital from localities outside the Area [illegible] Meteorological Observations for some of the Towns included in this Table the readings at the nearest stations from which Returns are received have been adopted. Queenstown. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at public gardens (approx.)

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 23rd March, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (part of). | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| A. GENERAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 3 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 2 | . | 2 | . | . | . | 1 | . | 1 | 1 | . | . | . | . | . | 7 | . |
| Diphtheria, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Pneumonia, | 1 | 5 | 1 | 5 | . | . | 1 | 1 | 2 | 3 | 1 | . | . | . | 1 | . | 21 | 1 |
| Tuberculous Disease. Phthisis, | 1 | 1 | . | 3 | . | . | . | 5 | 2 | 2 | 5 | . | 1 | 1 | . | . | 21 | 3 |
| Tuberculous Disease. Other Forms. | . | . | 1 | 3 | . | . | . | 3 | . | 2 | 1 | . | 2 | 1 | . | . | 12 | . |
| Cancer, Malignant Disease, | . | . | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | 1 | . | 6 | . |
| Other General Diseases | 1 | 2 | 2 | 3 | . | . | 1 | . | 1 | 1 | . | . | 3 | 2 | . | . | 16 | 1 |
| Total, | 3 | 11 | 5 | 18 | . | . | 2 | 11 | 6 | 10 | 9 | 1 | 6 | 5 | 2 | . | 89 | 5 |
| B. LOCAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 2 | 1 | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . | . | 8 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of: Heart and Blood Vessels, | 1 | 1 | 1 | 7 | . | 1 | . | 1 | 1 | 1 | 2 | . | 3 | . | . | . | 19 | 1 |
| Diseases of: Respiratory System, | 2 | 2 | 2 | 3 | . | . | . | 7 | 6 | 3 | 2 | . | . | 2 | . | 1 | 30 | . |
| Diseases of: Digestive System, | . | 1 | . | 1 | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . | . | 9 | . |
| Diseases of: Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . |
| Diseases of: Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 3 | 6 | 4 | 11 | . | 1 | . | 11 | 7 | 7 | 7 | . | 7 | 3 | . | 2 | 69 | 1 |
| C. OTHER SPECIFIED DISEASES | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. CAUSES ILL-DEFINED AND NOT SPECIFIED, | . | 1 | 1 | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 5 | 1 |
| E. VIOLENT DEATHS, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 4 | . |
| **Deaths from all Causes,** | 7 | 18 | 10 | 29 | . | 1 | 2 | 22 | 13 | 18 | 18 | 1 | 14 | 9 | 2 | 3 | 167 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 12·6 | 24·0 | 17·3 | 46·6 | . | 4·7 | 14·4 | 28·7 | 32·9 | 22·2 | 26·7 | 5·9 | 20·5 | 16·8 | 11·9 | 8·9 | 22·3 | . |
| | 22·7 | | | | | | | 25·6 | | | | | 16·3 | | | | | |
| | 21·1 | | | | | | | | | | | | | | | | | |
| Ages at Death. Under 1 year, | 3 | 3 | 2 | 4 | . | . | 1 | 3 | 2 | 3 | 4 | . | 1 | 1 | . | . | 27 | 1 |
| 1 and under 5 years, | 1 | 4 | 1 | 8 | . | . | 1 | 4 | 4 | 5 | 2 | . | . | . | 1 | . | 31 | . |
| 5 ,, 20 ,, | . | 2 | . | 4 | . | . | . | 3 | 1 | 2 | 3 | . | 2 | 1 | . | . | 18 | 1 |
| 20 ,, 40 ,, | 1 | 3 | 1 | 3 | . | . | . | 4 | 2 | 1 | 3 | . | 2 | . | . | . | 20 | 3 |
| 40 ,, 60 ,, | 1 | 1 | 4 | 6 | . | 1 | . | 3 | 3 | 4 | 3 | . | 6 | 2 | . | 2 | 36 | 2 |
| 60 and upwards, | 1 | 5 | 2 | 4 | . | . | . | 5 | 1 | 3 | 3 | 1 | 3 | 5 | 1 | 1 | 35 | . |
| Number of Uncertified Deaths, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 4 | 1 | 10 | . | . | . | 4 | 2 | 5 | 4 | . | 4 | 3 | . | . | 38 | 6 |
| Workhouse Hospitals, | 3 | 3 | 3 | 4 | . | . | . | 6 | 3 | 2 | 5 | . | . | . | . | . | 29 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 12th Week of the 10 years 1897-1906. | In the Week ending Saturd 23rd March, 1907. Deaths of Persons of the Ag | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 27, 1897. | Mar. 26, 1898. | Mar. 25, 1899. | Mar. 24, 1900. | Mar. 23, 1901. | Mar. 22, 1902. | Mar. 28, 1903. | Mar. 26, 1904. | Mar. 25, 1905. | Mar. 24, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 51·2 | 39·7 | 35·3 | 36·4 | 39·3 | 44·4 | 46·0 | 43·6 | 43·8 | 40·3 | 42·0 | 43·9 | | | | | | |
| **ALL CAUSES.** | 242 | 198 | 214 | 236 | 253 | 167 | 225 | 235 | 169 | 193 | 213·2 | 174 | 9 | 19 | 31 | 19 | 23 | 38 |
| Small-pox, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 37 | . | . | . | . | 1 | 2 | 5 | 4 | . | 4·9 | 3 | . | 1 | 2 | . | . | . |
| Scarlet Fever, | 1 | 2 | . | 1 | . | 1 | 4 | . | . | . | ·9 | . | . | . | . | . | . | . |
| Typhus, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 1 | 9 | 12 | 3 | 12 | 2 | 1 | 4 | 4 | 1 | 4·9 | 4 | . | . | . | . | . | 2 |
| Whooping-cough, | 19 | 3 | 2 | . | 7 | 1 | 6 | 5 | 1 | . | 4·4 | 7 | . | 1 | 5 | 1 | . | . |
| Diphtheria, | 1 | . | 1 | 1 | 1 | 1 | 2 | 2 | . | 1 | 1·0 | 1 | . | . | 1 | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | . | . |
| *Pyrexia* (origin uncertain), | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| Enteric Fever, | . | 6 | 4 | . | 1 | 1 | 3 | . | 1 | . | 1·6 | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 7 | 1 | 1 | 4 | 5 | 1 | . | . | . | 1 | 2·9 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | 3 | 1 | 1 | 4 | | 1 | . | . | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 1 | 1 | 1 | 1 | 2 | 1 | . | 2 | 2 | 1 | 1·2 | 2 | . | 2 | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 14 | 12 | 17 | 22 | 15 | 12 | . | 1 | 1 | . | 13·8 | 2 | . | . | 1 | . | 1 | . |
| Pneumonia, Broncho- | | | | | | | 5 | 6 | 5 | 6 | | 12 | . | 3 | 6 | 2 | 1 | . |
| Pneumonia, Epidemic, | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | | 8 | 2 | 4 | 7 | | 8 | . | 1 | 2 | 2 | 3 | . |
| Erysipelas, | . | . | . | . | . | . | 2 | . | . | 1 | ·3 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | 1 | 1 | 1 | . | 2 | 2 | . | . | ·7 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 5 | 1 | . | ·6 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 32 | 36 | 26 | 27 | 27 | 36 | 2 | 15 | 12 | 14 | 31·9 | 14 | . | . | 1 | 1 | 7 | 3 |
| "*Phthisis*," | | | | | | | 28 | 21 | 25 | 18 | | 10 | . | . | . | 1 | 5 | 4 |
| Tuberculous Meningitis, | 2 | 6 | 4 | 3 | 5 | 4 | 10 | 4 | 1 | 5 | 4·4 | 5 | . | 1 | 2 | 2 | . | . |
| Tuberculous Peritonitis, | 6 | 9 | 7 | 10 | 4 | 1 | . | . | 1 | 2 | 4·1 | 1 | . | . | . | 1 | . | . |
| *Tabes Mesenterica*, | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 4 | 1 | 4 | 6 | 7 | 6 | 9 | 4 | 2 | 4 | 4·8 | 7 | . | . | 2 | 2 | 3 | . |
| *Scrofula*, | | | | | | | . | . | 1 | . | | . | . | . | . | . | . | . |
| Alcoholism, | . | 1 | 2 | . | . | 2 | 2 | 1 | . | 1 | ·9 | 1 | . | . | . | . | 1 | . |
| Rheumatic Fever, | . | 1 | 1 | 1 | . | 1 | . | . | 2 | . | ·6 | . | . | . | . | . | . | . |
| Gout, | . | . | 2 | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . |
| Carcinoma, | 4 | 6 | 5 | 10 | 8 | 4 | . | 5 | 3 | 4 | 7·2 | 1 | . | . | . | . | . | 1 |
| Sarcoma, | | | | | | | . | 1 | 2 | 2 | | 1 | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | | 6 | 5 | 4 | 5 | | 4 | . | . | . | . | 1 | . |
| Diabetes Mellitus, | . | . | . | . | . | . | . | 1 | 2 | . | ·3 | 1 | . | . | . | . | . | . |
| Premature Birth, | 5 | 1 | 2 | 1 | 3 | 3 | 5 | 6 | 4 | 2 | 3·2 | 4 | 4 | . | . | . | . | . |

* The figures for the years 1897-1900 ar
† Formerly describe

WELFTH WEEK ending Saturday, 23rd March, 1907, with the deaths from each cause in the corresponding d the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 12th Week of the 10 years 1897–1906. | In the Week ending Saturday, 23rd March, 1907. Deaths of Persons of the Ages of | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 27, 1897. | Mar. 26, 1898. | Mar. 25, 1899. | Mar. 24, 1900. | Mar. 23, 1901. | Mar. 22, 1902. | Mar. 28, 1903. | Mar. 26, 1904. | Mar. 25, 1905. | Mar. 24, 1906. | | ALL AGES. | 0 to 5 | | | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | | | |
| Mean Temperature. | ° 51·2 | ° 39·7 | ° 35·3 | ° 36·4 | ° 39·3 | ° 44·4 | ° 46·0 | ° 43·6 | ° 43·8 | ° 40·3 | ° 42·0 | ° 43·9 | | | | | | | | |
| Meningitis (not tuberc.) ... | | | | | | | 2 | 3 | . | 1 | | 1 | . | . | 1 | . | . | . | . | . |
| Insanity, G. P. of Insane ... | | | | | | | 1 | 2 | 2 | 4 | | . | . | . | . | . | . | . | . | . |
| Epilepsy ... ... | | | | | | | . | . | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| *Convulsions* ... .. | | | | | | | 8 | 6 | 7 | 6 | | 4 | 1 | . | 3 | . | . | . | . | . |
| Locomotor Ataxy ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Paraplegia Dis. of Cord ... | | | | | | | 5 | 1 | 7 | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| Nervous System (other Dis.) | | | | | | | 2 | . | . | 4 | | 2 | . | . | 1 | . | . | 1 | . | . |
| | 42 | 37 | 39 | 42 | 58 | 32 | | | | | 43·9 | | | | | | | | | |
| Valv. Dis., Endocarditis | | | | | | | 8 | 7 | 1 | 2 | | 8 | . | . | . | 1 | 1 | 4 | 2 | . |
| Cerebr. Hæm. Thromb. .. | | | | | | | 2 | 2 | . | 3 | | 3 | . | . | . | . | . | 1 | 2 | . |
| *Apoplexy, Hemiplegia* ... | | | | | | | 4 | 6 | 3 | 3 | | 1 | . | . | . | . | . | 1 | . | . |
| Aneurysm ... ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | | . | 1 | . | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | | 24 | 19 | 16 | 22 | | 7 | . | . | . | . | . | 3 | 3 | 1 |
| *Croup* (not Spasm. nor Memb.) | 3 | . | 1 | . | . | . | . | . | . | 2 | ·6 | . | . | . | . | . | . | . | . | . |
| Bronchitis ... ... | 18 | 26 | 30 | 48 | 39 | 16 | 22 | 29 | 17 | 31 | 27·6 | 28 | . | 7 | 3 | . | . | 7 | 8 | 3 |
| Asthma, Emphysema ... | | | | | | | . | 2 | 1 | . | | 1 | . | . | . | . | . | . | 1 | . |
| Pleurisy ... ... | 1 | . | . | 2 | 4 | 2 | 1 | 1 | 1 | . | 2·3 | 1 | . | . | . | . | . | . | 1 | . |
| Respiratory Dis. (other) ... | | | | | | | 3 | 2 | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| Tonsillitis, Quinsy ... | 1 | . | 1 | 1 | . | . | . | . | . | . | ·3 | 1 | . | . | . | 1 | . | . | . | . |
| Enteritis (not Epid.) ... | 1 | . | . | 2 | . | 1 | 1 | . | . | 1 | ·7 | 2 | . | 1 | . | 1 | . | . | . | . |
| *Gastro Enteritis* ... ... | | | | | | | . | 1 | . | . | | 1 | . | 1 | . | . | . | . | . | . |
| *Peritonitis* (not Puerp.) ... | 1 | 1 | 1 | . | . | 3 | 1 | . | . | . | ·7 | . | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver ... | 3 | 2 | 2 | 1 | 4 | 5 | . | . | 2 | 1 | 2·6 | . | . | . | . | . | . | . | . | . |
| Liver Dis. (other) ... | | | | | | | 2 | 1 | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| Digestive Dis. (other) ... | 5 | 4 | 2 | 6 | 5 | 1 | 6 | 10 | 5 | 7 | 5·1 | 5 | . | . | . | . | . | 5 | . | . |
| Nephritis, Acute ... | | | | | | | 3 | 1 | 3 | 1 | | . | . | . | . | . | . | . | . | . |
| Bright's Dis., Albuminuria | 3 | 4 | 5 | 4 | 6 | 7 | 2 | 6 | 2 | 4 | 5·3 | 2 | . | . | . | . | . | 2 | . | . |
| Urinary Sys. (Other Dis.) | | | | | | | . | 2 | . | . | | . | . | . | . | . | . | . | . | . |
| Generative Organs Dis. ... | 1 | . | . | . | . | . | 1 | 2 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Childbirth (Accid. of) ... | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| *Old Age* ... ... | 7 | 15 | 18 | 17 | 17 | . | 6 | 11 | 4 | 3 | 9·8 | 2 | . | . | . | . | . | . | 2 | . |
| Other Diseases ... ... | 14 | 8 | 16 | 13 | 15 | 13 | 11 | 13 | 8 | 7 | 11·8 | 8 | 3 | . | . | 2 | . | 2 | . | 1 |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| By Railways ... ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses ... | . | 2 | 1 | . | 1 | 1 | . | 1 | . | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| In Ships, Boats, Docks (exclusive of Drowning) ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| In Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | 1 | . | . | 6 | 2 | 4 | 1 | 1 | 1 | 1 | 1·7 | . | . | . | . | . | . | . | . | . |
| By Drowning ... ... | 3 | 2 | 4 | . | 1 | . | 1 | 2 | 1 | . | 1·4 | . | . | . | . | . | . | . | . | . |
| By Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | 1 | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | . | 2 | . | . | 1 | . | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | 1 | . | 1 | 2 | 1 | 3 | 5 | 1 | . | . | 1·4 | 3 | 1 | . | . | 1 | . | 1 | . | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| Homicide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Suicide ... ... | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| Execution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 29. | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23. |
| No. of weeks in Annual Series. | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| BIRTHS registered, | 321 | 146 | 186 | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 193 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 203 | 181 | 195 | 236 | 254 | 194 | 180 |
| *Average Births in corresponding week of previous 10 years,** | 233 | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 |
| DEATHS registered, | 184 | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 |
| Annual Death-rate per 1,000, | 25·3 | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 |
| *Average Deaths in corresponding week of previous 10 years,** | 164 | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 |
| AGES, Under 5 years, | 76 | 71 | 50 | 58 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 50 |
| 5—20 ,, | 8 | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 |
| 20—40 ,, | 25 | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 18 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 |
| 40—60 ,, | 29 | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 |
| 60—80 ,, | 37 | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 38 | 52 | 65 | 47 | 62 | 40 | 51 | 28 |
| 80 years and upwards, | 9 | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 |
| Scarlet Fever | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 5 | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 |
| Diphtheria, | . | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . |
| Diarrhœal Diseases, | 31 | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 |
| Pneumonia, | 12 | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 |
| Tuberculous Disease. Phthisis, | 19 | 23 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 |
| Tuberculous Disease. Other Forms, | 14 | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 |
| Cancer, Malignant Disease, | 6 | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 |
| Diseases of Heart and Blood Vessels, | 18 | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 |
| Diseases of Respiratory System, | 14 | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 |
| Violent Deaths, | 5 | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 8 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 |
| Number of Uncertified Deaths, | 4 | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 |
| Mean Temperature of the Air (Phœnix Park), | 50·4 | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 50·4 | 43·7 | 48·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 52·5 | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 |
| Rainfall in inches, | ·000 | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·869 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·87 | ·92 | ·87 | ·85 | ·88 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·88 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd March, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD MARCH, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal) | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (18) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 24·2 | 174 | 59 | 19 | 23 | 38 | 28 | 7 | . | 3 | . | . | 7 | 1 | . | . | 1 | 12 | 22 | 24 | 13 | 6 | 4 | 30 | 4 | 59 | 1 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 17·9 | 6 | . | . | . | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . |
| II. | MIDDLE CLASS, | 87,188 | 20·3 | 34 | 8 | 4 | 6 | 10 | 4 | 2 | . | 2 | . | . | . | . | . | . | 1 | 3 | 4 | 3 | 2 | . | . | 2 | . | 20 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 14·2 | 30 | 12 | 3 | 2 | 8 | 5 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 4 | 2 | 3 | 1 | 5 | 1 | 12 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 32·8 | 74 | 34 | 10 | 9 | 14 | 6 | 1 | . | . | . | . | 7 | 1 | . | . | . | 8 | 14 | 10 | 8 | 1 | 3 | 12 | 2 | 16 | . |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 30 | 5 | 2 | 6 | 4 | 11 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | 7 | 1 | 1 | . | 10 | . | 8 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 26·7 | 4 | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 40·6 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 2 | . | . | 4 | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 22·3 | 13 | 5 | 4 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 4 | 1 | 1 | . | . | 1 | . | 6 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 25·1 | 13 | 1 | . | 4 | 3 | 4 | 1 | . | 1 | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | . | . | . | . | 9 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 26·2 | 15 | 7 | 1 | 1 | 5 | 1 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 3 | . | 7 | . |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | . | . | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 10·3 | 6 | 2 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | . | 1 | . |
| | 13. Petty Shopkeepers, | 7,894 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 31·1 | 8 | 2 | 2 | 1 | 3 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 4·3 | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 32·6 | 9 | 4 | 1 | 1 | 2 | 1 | . | . | . | . | . | 1 | 1 | . | . | . | 2 | 2 | 2 | . | 1 | . | . | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 31·3 | 54 | 28 | 7 | 5 | 8 | 5 | 1 | . | . | . | . | 5 | . | . | . | . | 5 | 12 | 4 | 7 | . | 2 | 12 | 2 | 10 | . |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 30 | 5 | 2 | 6 | 4 | 11 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | 7 | 1 | 1 | . | 10 | . | 8 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **City of Dublin (part of).** | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Feb. 2, | 44·9 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 3 | 4 | 1 | 4 | . | 3 |
| | „ 9, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| | „ 16, | 37·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| | „ 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| | Mar. 2, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| | „ 9, | 23·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| | „ 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | „ 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Feb. 2, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 5 | . | . |
| | „ 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| | „ 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| | „ 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| | „ 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| | „ 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | „ 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Feb. 2, | 39·8 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | 6 | 1 | 1 |
| | „ 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| | „ 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 8 | . | . |
| | „ 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | Mar. 2, | 35·1 | 1·7 | 24 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| | „ 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| | „ 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | „ 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Feb. 2, | 20·9 | 3·2 | 13 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 3 | . | . |
| | „ 9, | 40·2 | 3·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| | „ 16, | 17·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| | „ 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| | „ 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | „ 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 3 | . | 3 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Feb. 2, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 6 | . | 1 |
| | „ 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | . | . | 7 | . | 2 |
| | „ 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| | „ 23, | 37·8 | 8·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 8 | . | 1 |
| | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| | „ 9, | 27·4 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | . |
| | „ 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | „ 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Feb. 2, | 35·5 | 2·5 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 7 | . | . |
| | „ 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| | „ 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| | „ 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| | „ 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| | „ 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | „ 23, | 32·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Feb. 2, | 18·5 | 1·2 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 3 | 2 | 1 | . | 1 |
| | „ 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| | „ 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| | „ 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| | Mar. 2, | 38·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| | „ 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| | „ 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | „ 23, | 22·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | Feb. 2, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 3 | . | 1 |
| | „ 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |
| | „ 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . | 2 | 4 | . | 1 |
| | „ 23, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 1 | 5 | 1 | 1 |
| | Mar. 2, | 20·8 | 3·0 | 14 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |
| | „ 9, | 35·6 | 1·5 | 24 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 2 | . | . |
| | „ 16, | 13·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | „ 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | 1 | . |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban District of population represented thereby, and by the Deaths from certain Epidemic Diseases; withs *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Feb. 2, | 16·4 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 3 | 2 | 1 |
| | „ 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 | . |
| | „ 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | „ 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Feb. 2, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | „ 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 9, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . |
| | „ 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Feb. 2, | 32·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| | „ 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Feb. 2, | 20·7 | 0·7 | 147 | . | . | . | . | . | 1 | . | 2 | 2 | 11 | 18 | 8 | 4 | 26 | 3 | 2 |
| | „ 9, | 27·2 | 0·7 | 193 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 8 | 33 | 3 | 5 |
| | „ 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| | „ 23, | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 1 |
| | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| | „ 9, | 23·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| | „ 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| | „ 23, | 23·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Feb. 2, | 26·0 | 0·7 | 38 | . | . | . | . | . | . | . | . | 1 | 3 | 5 | 3 | . | 10 | . | 2 |
| | „ 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| | „ 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 6 |
| | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| | „ 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| | „ 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| | „ 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Feb. 2, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 3 | . | . |
| | „ 9, | 18·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| | „ 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| | „ 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | . |
| | Mar. 2, | 16·0 | 1·2 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| | „ 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| | „ 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| | „ 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| **Limerick.** Pop. (in 1901) 38,151. | Feb. 2, | 19·1 | 2·7 | 14 | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | 2 | . | 2 |
| | „ 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| | „ 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 3 | . | . |
| | „ 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| | „ 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | 1 |
| | „ 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 5 |
| | „ 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Feb. 2, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 4 | . | . |
| | „ 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |
| | „ 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |
| | „ 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | . |
| | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | . |
| | „ 9, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |
| | „ 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |
| | „ 23, | 27·3 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |

* Formerly described as "Simple Continued Fever.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd March, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Malignant Disease: Cancer. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (29) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 5 | 1 | 1 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . |
| Do. 2 „ . | 47,959 | 22 | | | 21 | 5 | 4 | 5 | . | 2 | 5 | . | 1 | . | . | . | . | . | 1 | . | . | . | 4 | . | . | . | 1 | 5 | . |
| Do. 3 „ . | 47,214 | 43 | | | 24 | 7 | 3 | 2 | 3 | 5 | 4 | . | 1 | . | . | . | . | . | . | . | 4 | 2 | . | . | 5 | . | . | 4 | 1 |
| Do. 4 „ . | 40,911 | 30 | | | 20 | 3 | 4 | . | 5 | 5 | 3 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 3 | . | 3 | . | . | 8 | . |
| Do. 5 „ . | 17,387 | 8 | | | 7 | 1 | 1 | 1 | 3 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 |
| Do 6 . | 48,122 | 25 | | | 22 | 2 | 3 | 1 | 5 | 3 | 8 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | . | 3 | . | . | 6 | 1 |
| Do. 7 „ . | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 3 | | | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 „ . | 19,569 | 10 | | | 13 | 3 | 1 | 4 | 4 | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 2 | 1 | 1 | . | . | 3 | . |
| Do. 10 „ . | 28,064 | 13 | | | 10 | 2 | 2 | . | 2 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 3 | 2 | . |
| Do. 11 „ . | 34,802 | 14 | | | 19 | 2 | 4 | 6 | 4 | 3 | . | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 2 | . | . | 1 | 1 | 4 | . |
| Do. 12 „ . | 33,588 | 23 | | | 16 | 3 | 3 | 4 | 2 | 1 | 3 | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | 4 | . | 3 | . | . | 1 | . |
| Do. 13 „ . | 15,006 | 11 | | | 9 | 1 | . | 1 | 2 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 210 | | | 167† | 30 | 26 | 15 | 30 | 23 | 33 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 6 | 37 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 9 | 16·2 | . | 4 | . | . | 4 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Do. 2 „ . . | 10,701 | 3 | 29·2 | 4·9 | 6 | 1 | . | 4 | | | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 1 | . | 1 | 1 | . |
| Do. 3 „ . . | 9,978 | 10 | 31·4 | 5·2 | 6 | 3 | 1 | 1 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| Do. 4 „ . . | 8,666 | 2 | 36·1 | . | 6 | 1 | 1 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . | 2 | 1 |
| Do. 5 „ . . | 6,592 | 2 | 7·9 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 6 „ . . | 10,702 | 4 | 34·1 | . | 7 | 2 | . | 2 | | | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 2 |
| Do. 7 „ . . | 16,616 | 5 | 22·0 | . | 7 | . | 3 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | . | 3 | . |
| Total, . . . . | 76,122 | 35 | 25·3 | 1·4 | 37 | 7 | 5 | 18 | | | 7 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 1 | 9 | 3 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 29. | Oct. 6. | Oct. 13 | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. |
| No. of weeks in Annual Series, | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| BIRTHS registered, | 226 | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 |
| DEATHS registered. | 136 | 144 | 109 | 121 | 120 | 122 | 131 | 145 | 125 | 128 | 189 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 198 | 203 | 146 | 204 | 167 | 156 | 167† |
| Annual Death-rate per 1,000 of estimated Population. | 19·4 | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 |
| AGES: Under 1 year, | 40 | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 |
| 1–5 years, | 17 | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 |
| 5–20 years, | 15 | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 |
| 20–40 years, | 15 | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 0 |
| 40–60 years, | 21 | 28 | 23 | 22 | 23 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 |
| 60 years and upwards, | 28 | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 |
| Scarlet Fever, | 1 | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . |
| Typhus, | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Whooping-cough, | 3 | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | |
| Diphtheria, | . | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 4 | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 |
| Diarrhœal Diseases, | 25 | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 |
| Pneumonia, | 6 | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 |
| Tuberculous Disease: Phthisis, | 19 | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 |
| Tuberculous Disease: Other Forms, | 4 | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 |
| Cancer, Malignant Disease, | 4 | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 |
| Diseases of Respiratory System, | 7 | 15 | 11 | 11 | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 |
| Violent Deaths, | 4 | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 |
| Number of Uncertified Deaths, | 1 | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 |

*Formerly described as "Simple Continued Fever."

† Including 11 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Exclusive of Stillborn. | | | | | | | | | |
| LONDON, | 4,758,218 | Mar. 23, | 2,548 | 1,483 | 16·3 | . | 29 | 6 | 12 | 36 | 6 | 15 |
| EDINBURGH, | 345,747 | „ 23, | 156 | 113*a* | 17·1 | . | 2 | . | . | 2 | 1 | 3 |
| GLASGOW, | 847,584 | „ 23, | 480 | 391*a* | 24·1 | . | 2 | . | 4 | 30 | 5 | 2 |
| CALCUTTA, | 847,796 | Feb. 2, | . | 689 | 42·2 | 41 | . | . | . | 1 | 137‡ | 274* |
| BOMBAY, | 977,822 | „ 19, | 356 | 788 | 41·9 | 6 | 3 | . | . | . | 91‡ | 72* |
| MADRAS, | 509,346 | „ 1, | 306 | 446 | 45·5 | . | . | ? | ? | ? | 115 | 76* |
| PARIS, | 2,750,000 | Mar. 9, | 1,086 | 1,250 | 23·8 | . | 5 | 6 | 2† | 11 | 10 | 21 |
| BRUSSELS (with 8 Faubourgs). | 622,913 | „ 2, | 203 | 181 | 15·1 | . | 1 | 1 | 9† | 1 | 1 | 7 |
| ANTWERP, | 304,032 | „ 2, | 125 | 73 | 12·5 | . | 1 | . | . | . | . | 8 |
| AMSTERDAM, | 565,186 | „ 9, | 314 | 155 | 14·3 | . | 3 | . | . | 4 | 1 | 2 |
| COPENHAGEN, | 425,000 | „ 2, | 238 | 180 | 22·1 | . | 1 | . | . | 6 | . | 2 |
| STOCKHOLM, | 324,488 | „ 2, | 162 | 104 | 16·7 | . | . | . | 1† | 1 | . | 2 |
| CHRISTIANIA, | 222,373 | „ 9, | 95 | 66 | 15·4 | . | 3 | . | 3† | 2 | . | 2 |
| ST. PETERSBURG, | 1,482,769 | „ 2, | 816 | 759 | 26·6 | 1 | 21 | 24 | 24 | 4 | 21 | 71 |
| MOSCOW, | 1,172,421 | Feb. 2, | . | 797 | 35·4 | . | 16 | 17 | 19† | 6 | 16 | 53 |
| BERLIN, | 2,098,106 | „ 23, | 1,076 | 693 | 17·2 | . | 2 | 5 | 10† | 4 | . | 17 |
| HAMBURG, | 824,792 | Mar. 2, | . | 259 | 16·3 | . | 1 | . | 4† | 5 | . | 12 |
| BRESLAU, | 482,576 | „ 9, | . | 207 | 22·4 | . | . | . | . | . | . | 22 |
| MUNICH, | 548,000 | „ 9, | . | 203 | 14·8 | . | 7 | . | 3† | 3 | . | 10 |
| VIENNA (with suburbs). | 1,958,323 | „ 9, | 948 | 796 | 21·1 | . | 17 | 11 | 7† | 3 | . | 29 |
| BUDA-PESTH, | 802,235 | „ 2, | . | 365 | 23·7 | . | 4 | 9 | 3 | . | . | 8 |
| PRAGUE and Faubourgs. | 466,133 | „ 2, | 191 | 194 | 21·6 | . | 4 | 2 | . | 1 | 1 | 14 |
| TRIESTE, | 199,003 | Feb. 23, | 118 | 140 | 36·7 | . | 3 | . | . | 3 | . | 3 |
| ROME, | 540,150 | Jan. 19, | 282 | 229 | 22·1 | . | 1 | . | 1 | . | 2 | 8 |
| VENICE, | 171,709 | Feb. 2, | 87 | 98 | 29·8 | . | . | . | . | 1 | . | 1 |
| NEW YORK, | 4,285,435 | „ 23, | 2,100 | 1,671 | 20·3 | . | 10 | 13 | 46† | 5 | 13 | 48 |
| PHILADELPHIA, | 1,500,595 | „ 9, | . | 595 | 20·6 | . | 3 | 1 | 18† | 4 | 41 | 20 |
| BOSTON, | 602,526 | „ 23, | . | 2.5 | 19·5 | . | . | 2 | 2 | 3 | . | 2 |

*a.* Including 4 deaths from cerebro-spinal meningitis in Edinburgh, and 33 in Glasgow.
* Including 186 deaths from cholera in Calcutta, one in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 24 deaths from plague in Calcutta, and 151 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd March, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 1, West, | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 |
| " " 2, | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 3 |
| " " 3, | . | . | . | . | 1 | . | . | 1 | 3 | . | . | . | 5 |
| Clontarf and Howth No. 1 (part of) | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of) | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| South City No. 1, | . | . | . | . | . | . | . | 3 | 5 | . | . | . | 8 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| " " 3 | . | 2 | 6 | . | 1 | . | . | 1 | 1 | . | 1 | . | 12 |
| " " 4, | . | . | . | . | 2 | . | . | 2 | 1 | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | 8 | . | 5 | . | 1 | 7 | 12 | . | 2 | . | 39 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd March, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 23rd March. | | | |
|---|---|---|---|---|---|---|---|
| | Mar. 2. | Mar. 9. | Mar. 16. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 52 | 42 | 54 | 24 | 15 | . | 63 |
| Scarlet Fever, | 90 | 96 | 91 | 8 | 16 | . | 83 |
| Typhus, | 3 | 4 | 4 | 10 | . | 1 | 13 |
| Diphtheria, | 22 | 21 | 22 | 7 | 7 | 1 | 21 |
| Enteric Fever, | 26 | 25 | 22 | 6 | 4 | . | 24 |
| Pneumonia, | 21 | 19 | 30 | 14 | 5 | 3 | 36 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 23rd March, 1907:—

"The early part of this week was unsettled, stormy and showery—a heavy fall of rain (·742 inch) occurring at this Climatological Station in the 24 hours ended at 9 a.m. of Wednesday. On this day an area of high atmospheric pressure surged northwards from the Peninsula and the Bay of Biscay, becoming fully established over the British Isles on Friday and leading to a great improvement in the weather. On Sunday morning a large and deep atmospheric depression, which had crossed Ireland the previous day, was central near the Shetland Islands, the barometer at 8 a.m. being down to 28·84 inches at Sumburgh Head. The disturbance had in its passage caused rain and storm in most districts, and the weather on Sunday, while bright and dry, was still squally. At night another deep depression passed rapidly across Ireland towards Scotland, the barometer falling to 28·83 inches at both Wick and Aberdeen at 8 a.m. of Monday. Fresh westerly gales accompanied this system, and temperature fell as hail squalls passed over from time to time. On Tuesday morning the Dublin Mountains were white with snow, but the thermometer rose fast as the wind backed to W.S.W. and once more freshened to a gale. About midnight a very tempest of rain, hail and wind swept over Dublin, after which the weather moderated, as an anticyclone spread northwards over the British Isles. At 8 a.m. of Thursday the barometer read 30·55 inches in Paris, but only 28·50 inches at Blönduos in Iceland. An aurora borealis was seen on Thursday evening. Friday and Saturday were very fine, quiet, bright days—the anticyclone persisting to the end of the week. In Dublin the mean height of the barometer was 30·082 inches, the mercury falling to 29·326 inches at 9 p.m. of Sunday (wind, S.W.) and rising to 30·482 inches at 9 a.m. of Saturday (wind, N.N.W.). The corrected mean temperature was was 45·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·1°. The screened thermometers rose to 57·9° on Thursday and fell to 33·3° on Saturday. The rainfall was ·918 inch on 4 days, ·742 inch being recorded on Tuesday. The prevalent winds were S.W., W., and N.W."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·083 inches. The highest reading (30·483) was on Friday at 9 p.m., air calm, and the lowest (29·323) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 43·9°, being 1·9° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Thursday, on which day the thermometer registered 57·4°, and was lowest on Saturday, the mercury having fallen to 24·9°. The mean of the Dry Bulb for the week was 43·7°, and of the Wet Bulb 42·0°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 49·2 hours. The rainfall during the week measured 0·868 inch.

At Greenwich the mean temperature for the week was 46·1°, the maximum 58·2°, and the minimum 29·1°; at Glasgow the maximum was 53·5°, the minimum 33·2°, and the mean 44·3°; and at Edinburgh the maximum was 52·1°, the minimum 31·3°, and the mean 41·5°. The rainfall at Greenwich measured 0·13 in.; at Glasgow 0·91 in.; and at Edinburgh 0·68 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Mar. 17, | 29·430 | 50·2 | 34·9 | 42·6 | 45·8 | 43·8 | ·85 | ·7 | 7·0 | ·006 | S.W. | S.W. |
| Monday, „ 18, | 29·674 | 52·8 | 33·9 | 43·4 | 40·7 | 39·0 | ·88 | ·7 | 9·0 | ·115 | W.S.W. | S.W. |
| Tuesday, „ 19, | 29·870 | 50·3 | 32·9 | 41·6 | 45·6 | 44·2 | ·90 | ·8 | 1·8 | ·740 | S.W. | W.S.W. |
| Wednesday, „ 20, | 30·357 | 53·8 | 41·9 | 47·9 | 46·1 | 44·3 | ·87 | ·6 | 6·8 | ·000 | W. | Calm. |
| Thursday, „ 21, | 30·363 | 57·4 | 36·1 | 46·8 | 47·4 | 45·7 | ·89 | 1·0 | 8·7 | ·007 | S.W. | W.S.W. |
| Friday, „ 22, | 30·458 | 50·8 | 37·7 | 44·3 | 40·7 | 39·1 | ·88 | ·9 | 5·6 | ·000 | Calm. | Calm. |
| Saturday, „ 23, | 30·426 | 56·0 | 24·9 | 40·5 | 39·8 | 38·2 | ·88 | ·4 | 10·3 | ·000 | Calm. | Calm. |
| Mean, . . | 30·083 | 53·0 | 34·6 | 43·9 | 43·7 | 42·0 | ·88 | ·7 | Total 49·2 | Total ·868 | Prevailing Wind, S.W. | |

*Sunday*—Cloudy day, light showers a.m. and p.m.; night clear. *Monday*—Bright and cloudy day; night clear, snow 1.0 to 1.30 a.m., heavy rain at intervals. *Tuesday*—Cloudy, and heavy rain 9.30 a.m. to 1.0 p.m., overcast, and heavy showers at intervals 1.0 to 5.30; night cloudy, heavy showers 11.40 to 1.45 a.m. *Wednesday*—Cloudy day, fine; night clear. *Thursday*—Cloudy day, fine; night overcast, light rain 4.20 to 5.30 a.m. *Friday*—Fine day, cloudy; night clear. *Saturday*—Fine bright day; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 23rd, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Mar. 17, | 44·7 | 44·8 | 44·3 | 51·8 | 36·9 | 44·4 | 7·8 | ·009 |
| Monday, „ 18, | 46·5 | 45·0 | 44·5 | 53·7 | 36·6 | 45·2 | 8·9 | ·100 |
| Tuesday, „ 19, | 43·3 | 43·7 | 44·8 | 51·1 | 34·2 | 42·7 | 2·0 | ·713 |
| Wednesday, „ 20, | 47·2 | 44·0 | 41·9 | 51·4 | 42·8 | 48·6 | 6·5 | — |
| Thursday, „ 21, | 49·9 | 44·5 | 44·8 | 58·8 | 39·5 | 49·2 | 8·0 | ·029 |
| Friday, „ 22, | 44·1 | 45·1 | 44·9 | 52·6 | 40·9 | 46·8 | 4·7 | — |
| Saturday, „ 23, | 44·7 | 44·6 | 45·0 | 51·5 | 33·5 | 42·5 | 8·5 | — |
| Weekly Mean, | 45·8 | 44·5 | 44·7 | 53·4 | 37·8 | 45·6 | Total 46·4 | Total ·851 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 481. 1. 1907.—10902.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 30TH MARCH, 1907. [No. 13.

*General Register Office, Charlemont House, Dublin, 2nd April,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances owing to deaths not having been registered within the week in which they occurred the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Mar. 9. | Week ending Mar. 16. | Week ending Mar. 23. | Week ending Mar. 30. | Average Rate for 4 weeks. | Towns, &c. | Week ending Mar. 9. | Week ending Mar. 16. | Week ending Mar. 23. | Week ending Mar. 30. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 23·7 | 23·0 | 23·0 | 21·2 | 22·7 | Lisburn, . | 18·2 | 31·8 | 22·7 | 9·1 | 20·5 |
| Armagh, . . | 13·7 | 6·9 | 20·6 | 13·7 | 13·7 | Londonderry, . | 20·9 | 23·3 | 19·6 | 13·5 | 19·3 |
| Ballymena, . | 38·3 | 23·9 | 23·9 | 9·6 | 23·9 | Lurgan, . . | 8·9 | 31·0 | 17·7 | 26·6 | 21·1 |
| Belfast, . . | 23·5 | 22·0 | 23·5 | 20·1 | 22·8 | Newry, . . | 21·0 | 8·4 | 12·6 | 12·6 | 13·7 |
| Clonmel, . | 15·4 | . | 25·6 | 5·1 | 11·5 | Newtownards, . | 34·3 | 40·1 | 28·6 | 22·9 | 31·5 |
| Cork, . . . | 26·7 | 28·1 | 25·3 | 20·5 | 25·1 | Portadown, . | 20·7 | 20·7 | 25·8 | 5·2 | 18·1 |
| Drogheda, . . | 20·4 | 8·2 | 28·6 | 24·5 | 20·4 | Queenstown . | 6·6 | . | 6·6 | . | 3·3 |
| Dublin Reg. Area, | 25·2 | 25·0 | 22·3 | 24·3 | 24·2 | Sligo, . . . | 14·4 | 33·6 | 14·4 | 19·2 | 20·4 |
| Dundalk, . . | 16·0 | 16·0 | 12·0 | 27·9 | 18·0 | Tralee, . | 31·7 | 31·7 | 10·6 | 21·1 | 23·8 |
| Galway, . . | 11·7 | 3·9 | 62·1 | 23·3 | 25·2 | Waterford, . | 29·2 | 21·4 | 27·3 | 25·3 | 25·8 |
| Kilkenny, . . | 39·3 | 29·5 | 24·6 | 19·7 | 28·3 | Wexford, . . | 9·3 | 14·0 | 4·7 | 28·0 | 14·0 |
| Limerick, . . | 21·9 | 23·2 | 26·0 | 24·6 | 23·9 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·3 in Tralee, the 4 deaths from all causes registered in that district including one from enteric fever. Among the 143 deaths from all causes registered in Belfast are one from scarlet fever, one from whooping-cough, 7 from enteric fever, 2 from diarrhœal diseases, 15 from cerebro spinal fever, and 6 returned as from *cerebro spinal meningitis.* The 30 deaths in Cork include one from whooping-cough and one from diarrhœa; one of the 18 deaths in Limerick is from enteric fever; of the 7 deaths from all causes in Dundalk one is from enteric fever; and among the 4 deaths registered in Kilkenny one is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 259—133 boys and 126 girls; and the deaths to 189—83 males and 106 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 25·2 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 24·3 per 1,000. During the thirteen weeks ending with Saturday last the death-rate averaged 28·3, and was 1·5 below the mean rate for the corresponding portions of the ten years, 1897-1906.

The deaths (189) included 4 from measles, 2 from typhus, 4 from whooping-cough, one from diphtheria, one from *diarrhœa*, and 2 from influenza. In each of the 3 preced-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

ing weeks, deaths from measles were one, 5, and 3; deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 7, 5, and 7; deaths from diphtheria were one, one, and one; deaths from diarrhœal diseases were one, 4, and one; and deaths from influenza were 0, 4, and 4.

Five deaths were due to lobar pneumonia, 13 to broncho-pneumonia, and 6 to *pneumonia* (not defined).

Of 38 deaths caused by all forms of tuberculosis, 14 were from tuberculous phthisis, 13 were returned as from *phthisis*, 2 deaths were caused by tuberculous meningitis, tuberculous peritonitis and *tabes mesenterica* each caused one death, and there were 7 deaths attributed to other forms of the disease. In each of the 3 weeks preceding, deaths from tuberculous disease numbered 34, 42, and 37.

There were 2 deaths from carcinoma and 6 deaths from cancer (undefined).

The deaths from diseases of the brain and nervous system, 10 in number, include the deaths of 6 children (all under 5 years of age) from *convulsions*, and the deaths of 2 children, also under 5 years of age, from meningitis.

Nineteen deaths were caused by diseases of the heart and blood vessels, and bronchitis was the cause of the deaths of 27 persons.

Of 5 deaths due to accidental causes, 2 were those of children under 5 years of age from burns or scalds, and one was of an infant under one year of age from suffocation in bed.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year old and the death of one person aged 60 years.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 10 were under one month old) and 46 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 8 were octogenarians.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the N. Dublin Union Workhouse, 17 in the S. Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

**The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed.** [See Tables III. and VII.

As already stated, the death-rate for the entire Registration Area was 24·3 per 1,000; the rate in the City was 26·0 (North City Districts, 26·4; South, 25·6), and in the Suburbs, 18·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 1·9 (1·7 in the North City Districts, and 2·1 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City Disvrict, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·2 per 1,000, and include one death from each of influenza, broncho-pneumonia, and *pneumonia* (not defined), 5 deaths from tuberculous disease, and 3 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Among the deaths were one from *diarrhœa*, 4 from pneumonia (all forms), 4 from tuberculous disease of the lungs, 6 from diseases of the respiratory system, and one accidental death by scalds.

*No. 2 North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. Measles caused one death; there were 2 deaths from broncho-pneumonia, 2 deaths from tuberculous disease, one death from bronchitis, and one death by accidental burns.

*No. 3 North City District* (Benburb-street).—The deaths (18) represent an annual rate of 28·9 per 1,000. The deaths (18) include one each from measles and whooping-cough, 3 from broncho-pneumonia, one from *pneumonia* (not defined), 4 from tuberculous disease, and 2 deaths from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 28·5, and Finglas and Glasnevin, part of, 28·9. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from *phthisis*. The 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from measles, one from broncho-pneumonia, and 2 from diseases of the heart and blood vessels; and the 4 deaths from all causes for Finglas and Glasnevin, part of, include one from *pneumonia* (not defined), and 3 from diseases of the heart and blood vessels.

*No. 1 South City District* (South Earl-street).—The deaths (17) represent an annual rate of 22·2 per 1,000. Measles and broncho-pneumonia each caused one death; there were 2 deaths from tuberculous phthisis, and 7 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 30·4 per 1,000. The deaths included one from typhus, 2 from lobar-pneumonia, one from broncho-pneumonia, 2 from tuberculous disease, and 3 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·6 per 1,000. Typhus, whooping-cough, diphtheria, and influenza each caused one death; there were 6 deaths from tuberculous disease, 2 deaths from diseases of the respiratory system, and 3 deaths from accidental causes.

*No. 4 South City District* (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Among the deaths there was one from whooping-cough; broncho-pneumonia and *pneumonia* (not defined) each caused one death; there was also one death from tuberculous meningitis, and diseases of the respiratory system caused 4 deaths.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of 3 deaths one was caused by tuberculous phthisis and one was due to cancer (undefined).

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·3; Pembroke, 22·5; Blackrock, 17·9; and Kingstown, 29·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. The 7 deaths from all causes for Rathmines and Rathgar include one each from croupous-pneumonia, *phthisis*, and bronchitis. Amongst the 12 deaths from all causes for Pembroke there were 3 from tuberculous disease; and the 10 deaths from all causes for Kingstown include one from broncho-pneumonia, one from *pneumonia* (not defined), 4 from tuberculous disease, and 2 from diseases of the respiratory system.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 30th March, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. *a* | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Mar. 9, | . | — | — | 9 | . | . | 3 | . | 1 | 6 | 14 | . | — | — | 3 | — | — | 36 |
| | Mar. 16, | . | — | — | 8 | 1 | . | 7 | . | 3 | 7 | 19 | . | — | — | 1 | — | — | 46 |
| | Mar. 23, | . | — | — | 4 | 8 | . | 5 | . | 1 | 7 | 12 | . | — | — | 2 | — | — | 39 |
| | Mar. 30, | . | — | — | 4 | 3 | . | 6 | . | 3 | 5 | 19 | . | — | — | . | — | — | 40 |
| Rathmines and Rathgar Urban District. | Mar. 9, | . | — | — | . | . | . | 1 | 1 | . | . | . | . | — | — | — | — | — | 2 |
| | Mar. 16, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| | Mar. 23, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Mar. 30, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Pembroke Urban District. | Mar. 9, | . | 2 | 1 | 1 | . | . | . | . | . | 1 | . | . | — | 20 | . | — | — | 25 |
| | Mar. 16, | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | — | 7 | . | — | — | 13 |
| | Mar. 23, | . | . | . | . | . | . | . | . | 1 | 2 | . | . | — | 13 | 1 | — | — | 17 |
| | Mar. 30, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | — | 26 | . | — | — | 28 |
| Blackrock Urban District. | Mar. 9, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | Mar. 16, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 23, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Mar. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Mar. 9, | . | — | — | 13 | . | . | 3 | . | 7 | 12 | 3 | 1 | — | — | 31 | — | — | 70 |
| | Mar. 16, | . | — | — | 10 | . | . | 11 | . | 6 | 18 | 5 | 1 | — | — | 24 | — | — | 75 |
| | Mar. 23, | . | — | — | 12 | . | . | 3 | . | 4 | 8 | 4 | . | — | — | 18 | — | — | 49 |
| | Mar. 30, | . | — | — | 16 | . | . | 2 | 1 | 7 | 13 | 14 | . | — | — | 31 | — | — | 84 |

(*a*) Mr. Fawcett reports one case of cerebro spinal fever as having occurred in Rathmines during the week ending 9th ultimo.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th March, 1907.

From this it appears that:—

Thirty-four cases of measles were admitted into hospital during the week, 31 were discharged, and 66 cases remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 30 were discharged, and 59* cases remained under treatment at the close of the week.

Three cases of typhus were admitted to hospital during the week, 3 were discharged, there was one death, and 12 cases remained under treatment at its close.

Four cases of diphtheria were admitted to hospital, 12 were discharged, there were 2 deaths, and 11 patients remained under treatment at the close of the week.

One case of enteric fever was admitted to hospital, 4 were discharged, and 21 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 7 were discharged, there were 2 deaths, and 29 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·4), was equal to an average annual death-rate of 17·7 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·3 per 1,000, the rate for Glasgow being 22·1 and for Edinburgh 19·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th March. From this Report it appears that of a total of 36 cases notified 17 were scarlet fever, 13 diphtheria, 5 erysipelas, and one enteric fever. Among the 346 cases of infectious diseases in hospital at the close of the week were 104 cases of scarlet fever, 79 of measles, 42 of diphtheria, one of membranous croup, 37 of whooping-cough, 10 of erysipelas, and 5 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th March, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Registration—Week ending Saturday, 30th March, 1907. Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-18. | Numbers Registered. Births. Total Number. | Deaths. Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. e — Week ending 30th March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 23rd March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 16th March, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 33·2 | 21·2 | 1·4 | 712 | 455 | 81 | 102 | . | 4 | 1 | 2 | 7 | 1 | . | 10 | 4 | 33 | 66 | 34 | 17 | 63 | 10 | 11 | 161 | 18 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 34·6 | 24·8 | 1·6 | 259 | 182 | 26 | 44 | . | 4 | . | 2 | 4 | 1 | . | . | 1 | 23 | 26 | 11 | 8 | 31 | 5 | 2 | 70 | 3 | f64·4 | 29·8 | 47·2 | 0·09 | f57·4 | 24·9 | 48·9 | 0·87 | f55·5 | 33·9 | 48·8 | 1·01 |
| City of Dublin, | 300,850 | 38·0 | 39·5 | 26·0 | 1·9 | 228 | 150 | 23 | 33 | . | 4 | . | 2 | 3 | 1 | . | . | 1 | 20 | 20 | 8 | 6 | 28 | 5 | 2 | 58 | 3 | g64·1<br>h62·8 | 37·8<br>31·0 | 49·2<br>46·2 | 0·08<br>0·09 | g57·9<br>h58·6 | 33·3<br>28·0 | 45·9<br>44·8 | 0·92<br>0·97 | g56·7<br>h55·8 | 35·2<br>35·0 | 45·4<br>44·7 | 0·54<br>0·95 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 11·7 | 10·3 | . | 8 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 26·2 | 22·5 | 1·9 | 14 | 12 | 3 | 3 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | . | 17·9 | . | . | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 26·6 | 29·6 | . | 9 | 10 | . | 4 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 31·6 | 20·1 | 1·5 | 224 | 143 | 26 | 21 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 6 | 43 | 1 | 61·8 | 30·5 | 47·0 | 0·08 | 54·0 | 33·0 | 43·6 | 1·70 | 53·0 | 32·0 | 41·8 | 2·43 |
| Cork, | 76,122 | 33·6 | 37·0 | 20·5 | 1·4 | 54 | 30 | 8 | 4 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 1 | 17 | 2 | 54 | 36 | 46·4 | 0·10 | 58 | 38 | 46·1 | 0·18 | 54 | 41 | 47·1 | 0·74 |
| Londonderry, | 42,475 | 19·6 | 25·8 | 13·5 | . | 21 | 11 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 72·4 | 24·6 | 1·4 | 53 | 18 | 5 | 2 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | . | 9 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 25·3 | 25·3 | . | 13 | 13 | 3 | 7 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 50·5 | 28·3 | . | 18 | 6 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 61 | 42 | 50·4 | 0·57 | 56 | 32 | 46 | 1·93 | 53 | 36 | 46·3 | 0·90 |
| Dundalk, | 18,676 | 9·4 | 19·9 | 27·9 | 4·0 | 5 | 7 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 28·6 | 24·5 | . | 7 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 29·4 | 12·6 | . | 7 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 |
| Lurgan, | 11,782 | 13·8 | 26·6 | 26·6 | . | 6 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 2 | . | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 |
| Lisburn, | 11,461 | 10·1 | 18·6 | 9·1 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 |
| Wexford, | 11,168 | 23·2 | 28·0 | 28·0 | . | 6 | 6 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,686 | 8·9 | 28·7 | 9·6 | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,670 | 8·7 | 33·6 | 19·2 | . | 7 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 | 62·4 | 36·3 | 47·9 | 0·73 | 57·3 | 26·2 | 44·2 | 0·86 | 54·2 | 35·8 | 45·4 | 2·17 |
| Kilkenny, | 10,609 | 11·5 | . | 13·7 | 4·9 | . | 4 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 60 | 28 | 47 | 0·30 | 56 | 27 | 38·5 | 0·10 | 57 | 33 | 45 | 0·57 |
| Clonmel, | 10,167 | 7·8 | 20·5 | 2·1 | . | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 25·8 | 5·2 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 |
| Tralee, | 9,867 | 16·6 | 5·3 | 21·1 | 5·3 | 1 | 4 | . | 2 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 57·2 | 22·9 | . | 10 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 58 | 37 | 46·5 | 0·10 | 55 | 33 | 43·1 | 0·81 | 54 | 30 | 41·0 | 1·14 |
| Queenstown, | 7,909 | 14·4 | 13·2 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 54 | 36 | 46·4 | 0·10 | 58 | 38 | 46·1 | 0·18 | 54 | 41 | 47·1 | 0·74 |
| Armagh, | 7,588 | 22·2 | 41·2 | 13·7 | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 | 53·9 | 33·0 | 43·0 | 1·16 |

*a* According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. *b* Formerly described as "Simple Continued Fever." *c* Exclusive of Pneumonia. *d* Exclusive of 7 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area *e* It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 30th March, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | GOOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | 1 | 1 | . | 1 | . | | 1 | . | . | . | . | . | . | . | . | 4 | . |
| Scarlet Fever | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | | . | 1 | 1 | . | . | . | . | . | . | 2 | . |
| Whooping-cough | . | . | . | 1 | . | . | . | | . | . | 1 | 1 | . | . | 1 | . | . | 4 | . |
| Diphtheria | . | . | . | . | . | . | . | | . | . | 1 | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases | . | 1 | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | 1 | . |
| Pneumonia | 2 | 4 | 2 | 4 | . | 1 | 1 | | 1 | 3 | . | 2 | . | 1 | . | . | 2 | 23 | 1 |
| Tuberculous Disease: Phthisis | 3 | 4 | . | 3 | 1 | . | . | | 2 | 1 | 5 | . | 1 | 1 | 2 | . | 3 | 26 | 1 |
| Tuberculous Disease: Other Forms | 2 | . | 2 | 1 | . | . | . | | . | 1 | 1 | 1 | . | . | 1 | 1 | 1 | 11 | . |
| Cancer, Malignant Disease | . | 1 | . | . | . | . | . | | . | . | 4 | . | 1 | . | 2 | . | . | 8 | . |
| Other General Diseases | 1 | 1 | 1 | . | . | 1 | . | | 1 | . | 2 | 3 | 1 | 1 | 1 | . | 1 | 14 | . |
| Total, | 8 | 11 | 6 | 10 | 1 | 3 | 1 | | 5 | 6 | 15 | 7 | 3 | 3 | 7 | 1 | 7 | 94 | 2 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | . | 2 | 3 | . | . | . | | . | 2 | . | 1 | . | 1 | 1 | . | . | 10 | . |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 1 | 1 | . | 2 | . | 2 | 3 | | 3 | 1 | 1 | 2 | . | 1 | 1 | . | . | 18 | 1 |
| Diseases of: Respiratory System | 3 | 6 | 1 | 2 | . | . | . | | 7 | 3 | 2 | 4 | . | 1 | . | . | 2 | 31 | 1 |
| Diseases of: Digestive System | 1 | 1 | 1 | 1 | . | . | . | | 1 | . | . | 1 | . | 1 | . | . | . | 7 | 3 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System | . | 1 | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | 1 | . | 1 | . |
| Accidents of Childbirth | . | . | 1 | . | . | . | . | | . | . | . | . | . | . | . | . | 1 | 2 | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | | . | . | . | . | . | . | 1 | 1 | . | 2 | . |
| Diseases of Integumentary System | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 9 | 5 | 8 | . | 2 | 3 | | 11 | 6 | 3 | 8 | . | 4 | 3 | 2 | 3 | 72 | 5 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | 1 | . | 1 | . | 1 | 1 | . | | 1 | . | 3 | 1 | . | . | 2 | . | . | 11 | . |
| **E. VIOLENT DEATHS** | . | 1 | 1 | . | . | . | . | | . | . | 3 | . | . | . | . | . | . | 5 | . |
| **Deaths from all Causes** | 14 | 21 | 13 | 18 | 2 | 6 | 4 | | 17 | 12 | 24 | 16 | 3 | 7 | 12 | 3 | 10 | 182 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 25·2 | 28·0 | 22·5 | 28·9 | 20·4 | 28·5 | 28·9 | | 22·2 | 0·4 | 29·6 | 23·7 | 17·6 | 10·3 | 22·5 | 17·9 | 29·6 | 24·3 | . |
| | 26·4 | | | | | | | | 25·6 | | | | | 18·6 | | | | | |
| | 26·0 | | | | | | | | | | | | | | | | | | |
| **Ages at Death:** Under 1 year | 1 | . | 2 | 3 | . | 1 | . | | 2 | 2 | 6 | 5 | 1 | . | 3 | . | . | 26 | . |
| 1 and under 5 years | 3 | 4 | 4 | 6 | . | 1 | . | | 5 | 4 | 4 | 1 | . | . | 2 | . | 1 | 35 | 1 |
| 5 " 20 " | 1 | . | 1 | . | . | . | . | | . | . | 2 | 1 | . | 1 | 3 | 1 | . | 10 | 2 |
| 20 " 40 " | 3 | 8 | 1 | 3 | . | 1 | . | | 3 | 3 | 4 | 1 | 1 | 2 | . | 1 | 2 | 33 | 2 |
| 40 " 60 " | 2 | 6 | 2 | 3 | 1 | 2 | 2 | | 2 | 1 | 4 | 3 | 1 | 1 | 1 | . | 3 | 34 | . |
| 60 and upwards | 4 | 3 | 3 | 3 | 1 | 1 | 2 | | 5 | 2 | 4 | 5 | . | 3 | 3 | 1 | 4 | 44 | 2 |
| Number of Uncertified Deaths | 1 | . | 1 | 1 | . | . | . | | . | . | . | . | . | . | . | . | . | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 1 | 5 | 2 | 3 | . | . | . | | 2 | 5 | 11 | 3 | . | 1 | 3 | 1 | 2 | 39 | 5 |
| Workhouse Hospitals | 2 | 4 | 2 | 4 | . | 1 | . | | 5 | 1 | 4 | 3 | . | 1 | 1 | . | 3 | 31 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in
week of the ten years, 1897-

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday April 3, 1897. | April 2, 1898. | April 1, 1899. | Mar. 31, 1900. | Mar. 30, 1901. | Mar. 29, 1902. | April 4, 1903. | April 2, 1904. | April 1, 1905. | Mar. 31, 1906. | Averages in 13th Week of the 10 years 1897-1906. | In the Week ending Saturday 30th March, 1907. Deaths of Persons of the Ages: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and [illegible] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 38·5 | ° 40·1 | ° 51·9 | ° 37·3 | ° 34·0 | ° 43·5 | ° 45·1 | ° 42·1 | ° 44·8 | ° 39·4 | ° 41·7 | Mean Temp. ° 47·2 | | | | | | | |
| **ALL CAUSES.** | 258 | 235 | 212 | 244 | 234 | 211 | 204 | 219 | 192 | 198 | 220·7 | 189 | 10 | 16 | 36 | 12 | 35 | 34 | 3 |
| Small-pox, ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Cowpox, ... .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 27 | . | . | . | 1 | 1 | . | 4 | 4 | . | 3·7 | 4 | . | . | 3 | 1 | . | . | . |
| Scarlet Fever, ... ... | 4 | 3 | 2 | . | . | 2 | 2 | 1 | 1 | . | 1·5 | . | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 2 | 8 | 15 | 4 | 8 | 2 | 2 | 2 | 4 | 2 | 4·9 | 2 | . | . | . | . | . | 1 | . |
| Whooping-cough, ... ... | 9 | 5 | 3 | . | 11 | 2 | 2 | 11 | . | 2 | 4·5 | 4 | . | 1 | 3 | . | . | . | . |
| Diphtheria, ... ... | 1 | 4 | 2 | 1 | . | . | 6 | . | 1 | 3 | 1·8 | 1 | . | . | . | . | 1 | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia* (origin uncertain), | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 1 | 3 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 3 | 1·8 | . | . | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 5 | 5 | 3 | . | 1 | . | . | . | . | . | 2·2 | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | | 2 | 2 | 2 | 2 | | 1 | . | . | . | . | 1 | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 2 | . | . | . | 2 | . | 3 | . | 1 | 3 | 1·1 | . | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | 2 | . | . | . | 1 | . | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 19 | 19 | 11 | 13 | 18 | 14 | 1 | 1 | 1 | 3 | 15·0 | 5 | . | . | . | 1 | 2 | 2 | . |
| Pneumonia, Broncho- | | | | | | | 3 | 9 | 4 | 2 | | 13 | . | 2 | 8 | . | 1 | . | 2 |
| Pneumonia, Epidemic, | | | | | | | . | 2 | . | . | | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | | 7 | 11 | 7 | 5 | | 6 | . | . | 1 | . | 2 | 3 | . |
| Erysipelas, ... ... | 1 | 2 | . | . | 4 | . | . | 1 | 1 | . | ·9 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | 1 | 1 | 1 | 2 | . | . | . | 1 | . | . | ·6 | 1 | . | . | . | . | . | . | 1 |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 1 | 1 | 1 | ·3 | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 24 | 37 | 29 | 30 | 39 | 37 | 1 | 10 | 14 | 7 | 32·0 | 14 | . | . | . | 2 | 7 | 5 | . |
| "*Phthisis*," ... | | | | | | | 26 | 17 | 31 | 18 | | 13 | . | . | . | 1 | 8 | 4 | . |
| Tuberculous Meningitis, ... | 10 | 4 | 6 | 7 | . | 2 | 4 | 7 | 4 | 5 | 4·9 | 2 | . | . | 2 | . | . | . | . |
| Tuberculous Peritonitis, | 10 | 2 | 2 | 7 | 2 | 3 | . | 3 | . | 1 | 3·5 | 1 | . | . | . | . | . | 1 | . |
| *Tabes Mesenterica*, ... | | | | | | | 2 | 1 | 2 | . | | 1 | . | . | 1 | . | . | . | . |
| Tuberculous Dis. (other), | 8 | 7 | 5 | 2 | 7 | 4 | 8 | 6 | 7 | 8 | 6·4 | 7 | . | 1 | 3 | 2 | 1 | . | . |
| *Scrofula*, ... ... | | | | | | | 1 | . | . | 1 | | . | . | . | . | . | . | . | . |
| Alcoholism, ... ... | . | . | . | . | . | 2 | . | 1 | . | 1 | ·4 | 2 | . | . | . | . | 2 | . | . |
| Rheumatic Fever, ... ... | 2 | . | . | . | 2 | . | 1 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| Gout, ... ... ... | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 6 | 5 | 12 | 4 | 12 | 5 | 2 | 1 | 1 | . | 6·4 | 2 | . | . | . | . | . | 1 | . |
| Sarcoma, ... ... | | | | | | | . | . | 1 | . | | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | | 7 | 2 | 2 | 4 | | 6 | . | . | . | . | 2 | 4 | |
| Diabetes Mellitus, ... | . | . | . | . | . | . | 2 | . | 1 | 1 | ·4 | 1 | . | . | . | . | 1 | . | . |
| Premature Birth, ... | 6 | 1 | 1 | 6 | 3 | 4 | 1 | 3 | 3 | 3 | 3·1 | 2 | 2 | . | . | . | . | . | . |

* The figures for the years 1897-1900 are
† Formerly described

TEENTH WEEK ending Saturday, 30th March, 1907, with the deaths from each cause in the corresponding
he average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday April 3, 1897. | April 2, 1898. | April 1, 1899. | Mar. 31, 1900. | Mar. 30, 1901. | Mar. 29, 1902. | April 4, 1903. | April 2, 1904. | April 1, 1905. | Mar. 31, 1906. | Averages in 13th Week of the 10 years 1897–1906. | In the Week ending Saturday, 30th March, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5: Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 38·5 | ° 40·1 | ° 51·9 | ° 37·3 | ° 34·0 | ° 43·5 | ° 45·1 | ° 42·1 | ° 44·8 | ° 39·4 | ° 41·7 | ° 47·2 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | | 4 | 1 | 1 | 3 | | 2 | 1 | . | 1 | . | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | | 1 | 5 | . | 1 | | . | . | . | . | . | . | . | . | . |
| lepsy .. ... | | | | | | | . | . | 3 | . | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | | 3 | 5 | 5 | 7 | | 6 | 1 | 3 | 2 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | | . | 2 | 3 | . | | . | . | . | . | . | . | . | . | . |
| vous System (other is.) | 32 | 36 | 34 | 53 | 45 | 49 | 1 | . | 3 | 3 | 41·4 | 2 | . | . | . | . | 1 | . | 1 | . |
| v. Dis., Endocarditis ... | | | | | | | 5 | 4 | 3 | 6 | | 3 | . | . | . | . | 1 | . | 1 | 1 |
| ebr. Hæm. Thromb. ... | | | | | | | 3 | 1 | 5 | 2 | | 2 | . | . | . | . | . | 2 | . | . |
| *plexy, Hemiplegia* ... | | | | | | | 8 | 9 | 5 | 4 | | 2 | . | . | . | . | . | 1 | . | 1 |
| urysm ... ... | | | | | | | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | | 17 | 11 | 9 | 20 | | 12 | . | . | . | . | 1 | 2 | 7 | 2 |
| *up* (not Spasm. nor emb.) | 1 | 2 | 2 | 1 | . | 1 | . | . | . | . | ·7 | 1 | . | . | . | 1 | . | . | . | . |
| nchitis ... ... | 34 | 29 | 32 | 39 | 37 | 37 | 26 | 31 | 22 | 25 | 31·2 | 27 | . | 4 | 5 | . | . | 4 | 13 | 1 |
| hma, Emphysema ... | | | | | | | 1 | 1 | . | 1 | | . | . | . | . | . | . | . | . | . |
| risy ... ... | 4 | 2 | 1 | 3 | 2 | 1 | . | . | 2 | . | 2·4 | 2 | . | . | . | 1 | 1 | . | . | . |
| piratory Dis. (other) ... | | | | | | | 3 | 2 | . | 1 | | 2 | . | . | 1 | . | . | . | 1 | . |
| sillitis, Quinsy ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| eritis (not Epid.) ... | 1 | 1 | . | 1 | 2 | 1 | 1 | . | 2 | 1 | 1·5 | 2 | 1 | . | 1 | . | . | . | . | . |
| *tro Enteritis* ... ... | | | | | | | 2 | . | 2 | 1 | | 1 | . | 1 | . | . | . | . | . | . |
| *tonitis* (not Puerp.) ... | 1 | . | . | 3 | 1 | 3 | . | . | . | 1 | ·9 | . | . | . | . | . | . | . | . | . |
| hosis of Liver ... | 1 | 4 | 2 | 2 | . | 1 | . | 1 | . | . | 1·9 | . | . | . | . | . | . | . | . | . |
| er Dis. (other) ... | | | | | | | 2 | 3 | 2 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| estive Dis. (other) ... | 7 | 4 | 7 | 5 | 5 | 5 | 1 | 13 | 4 | 15 | 6·6 | 6 | . | . | . | 1 | 2 | 1 | 2 | . |
| hritis, Acute ... | 4 | 8 | 2 | 8 | 7 | 7 | . | 1 | 3 | . | 5·1 | . | . | . | . | . | . | . | . | . |
| ght's Dis., Albuminuria | | | | | | | 2 | 3 | 2 | 3 | | 1 | . | . | . | . | . | 1 | . | . |
| nary Sys. (Other Dis.) | | | | | | | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| erative Organs Dis. ... | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | . | . | 1 | . |
| ldbirth (Accid. of) ... | 1 | . | . | . | . | 2 | 2 | . | . | 1 | ·6 | 2 | . | . | . | . | . | 2 | . | . |
| *Age* ... ... | 13 | 17 | 18 | 28 | 8 | 8 | 6 | 8 | 7 | 3 | 11·6 | 4 | . | . | . | . | . | . | 3 | 1 |
| er Diseases ... ... | 13 | 20 | 14 | 18 | 8 | 14 | 21 | 12 | 11 | 18 | 14·9 | 15 | 4 | 4 | 3 | 1 | 2 | 1 | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | 1 | . | . | 1 | . | 1 | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| hips, Boats, Docks (exusive of Drowning) ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | . | 2 | 3 | 1 | 2 | . | 2 | . | 1 | . | 1·1 | 3 | . | . | 2 | . | . | . | 1 | . |
| Drowning ... ... | . | 1 | . | . | 1 | . | 1 | 2 | 1 | . | ·6 | . | . | . | . | . | . | . | . | . |
| Suffocation in Bed ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | 1 | . | 1 | . | . | . | 1 | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| er Deaths by Accident | 2 | . | 1 | 1 | . | 1 | 3 | 1 | . | 3 | 1·2 | 1 | . | . | . | 1 | . | . | . | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| cide ... ... | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| cution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted.
ple Continued Fever.

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. |
| No. of weeks in Annual Series. | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| BIRTHS registered, | 146 | 186 | 240 | 178 | 231 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 |
| *Average Births in corresponding week of previous 10 years,** | 188 | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 |
| DEATHS registered, | 198 | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 |
| Annual Death-rate per 1,000, | 27·2 | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 |
| *Average Deaths in corresponding week of previous 10 years,** | 157 | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 |
| AGES, Under 5 years, | 71 | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 |
| 5—20 ,, | 9 | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 |
| 20—40 ,, | 22 | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 |
| 40—60 ,, | 38 | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 32 | 34 |
| 60—80 ,, | 51 | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 |
| 80 years and upwards, | 7 | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 |
| Scarlet Fever | . | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . |
| Typhus, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 |
| Whooping-cough, | 1 | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 |
| Diphtheria, | . | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . |
| Diarrhœal Diseases, | 31 | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 |
| Pneumonia, | 10 | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 |
| Tuberculous Phthisis, | 28 | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 |
| Disease. Other Forms, | 8 | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 13 | 13 | 14 | 13 | 11 |
| Cancer, Malignant Disease, | 13 | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 |
| Diseases of Heart and Blood Vessels, | 24 | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 |
| Diseases of Respiratory System, | 23 | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 |
| Violent Deaths, | 4 | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 |
| Number of Uncertified Deaths, | 4 | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 53·3 | 52·5 | 45·5 | 51·2 | 40·6 | 43·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 51·0 | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 |
| Rainfall in inches, | ·800 | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·92 | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th March, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH MARCH, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 26·3 | 189 | 62 | 12 | 35 | 34 | 38 | 8 | . | 4 | . | 2 | 4 | 1 | . | . | 1 | 12 | 24 | 27 | 11 | 8 | 6 | 32 | 5 | 64 | 3 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 9·0 | 3 | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . |
| II. | MIDDLE CLASS, | 87,188 | 19·7 | 33 | 5 | 1 | 2 | 9 | 12 | 4 | . | 2 | . | . | . | . | . | . | . | 2 | 3 | 3 | 1 | 3 | 1 | 4 | . | 16 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 18·4 | 39 | 9 | 3 | 12 | 7 | 7 | 1 | . | . | . | . | . | 1 | . | . | 1 | 2 | 7 | 6 | 1 | 1 | 2 | 5 | 1 | 14 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 37·1 | 81 | 45 | 8 | 11 | 8 | 9 | . | . | 2 | . | 2 | 4 | . | . | . | . | 8 | 12 | 8 | 7 | 2 | 3 | 14 | 4 | 23 | 1 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 33 | 3 | . | 10 | 10 | 9 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 10 | 2 | 2 | . | 8 | . | 9 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 2 | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 20·3 | 3 | 1 | . | 1 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 21·3 | 9 | 1 | . | . | 3 | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | 1 | . | 3 | 1 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 10·3 | 6 | 3 | 1 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 28·9 | 15 | . | . | . | 6 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 | . | 9 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 17·5 | 10 | 4 | 1 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | . | . | 1 | . | 3 | . |
| | 10. Clothing Trades, | 23,260 | 9·0 | 4 | 1 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·5 | 16 | 1 | 2 | 6 | 3 | 3 | 1 | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 1 | 3 | . | 5 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 18·2 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 15·5 | 4 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . |
| | 15. Domestic Servants, | 36,603 | 4·3 | 3 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 36·2 | 10 | 6 | . | 3 | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | . | . | . | 1 | 2 | 1 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 37·1 | 64 | 37 | 6 | 6 | 8 | 7 | . | . | 2 | . | 2 | 3 | . | . | . | . | 7 | 7 | 5 | 7 | 2 | 3 | 12 | 1 | 20 | 1 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 33 | 3 | . | 10 | 10 | 9 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 10 | 2 | 2 | . | 8 | . | 9 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Feb. 9, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . |
| | „ 16, | 37·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| | „ 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| | Mar. 2, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| | „ 9, | 23·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| | „ 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | „ 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| | „ 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| **North City, No. 1 (W.)** (Office, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Feb. 9, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 5 | 1 | . | 3 | . | 3 |
| | „ 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| | „ 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| | „ 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| | „ 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | „ 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| | „ 30, | 25·0 | 1·3 | 21 | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| **North City, No. 2.** (Office, Lisburn-street.) Pop. in 1907 (Est.) 80,107. | Feb. 9, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 3 | . | . |
| | „ 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 8 | . | . |
| | „ 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | Mar. 2, | 38·1 | 1·7 | 22 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| | „ 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| | „ 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | „ 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | „ 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| **North City, No. 3.** (Office, Benburb-street.) Pop. in 1907 (Est.) 82,422. | Feb. 9, | 40·2 | 3·2 | 25 | . | . | . | . | 1 | . | . | . | 1 | 3 | 3 | . | . | 4 | . | 1 |
| | „ 16, | 27·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| | „ 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| | „ 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | „ 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 3 | . | 3 | . | . |
| | „ 30, | 28·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| **South City, No. 1.** (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Feb. 9, | 41·7 | 6·5 | 32 | . | 4 | . | . | 1 | . | . | . | . | 2 | 1 | 2 | 2 | 7 | . | 2 |
| | „ 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| | „ 23, | 37·8 | 3·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 8 | . | 1 |
| | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| | „ 9, | 27·4 | 1·3 | 21 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | . |
| | „ 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | „ 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| | „ 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| **South City, No. 2.** (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | Feb. 9, | 35·5 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 5 | . | 1 |
| | „ 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| | „ 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| | „ 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| | „ 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | „ 23, | 32·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| | „ 30, | 30·4 | 2·5 | 12 | . | . | . | 1 | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| **South City, No. 3.** (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Feb. 9, | 34·6 | 2·5 | 28 | . | . | 1 | . | . | . | . | 1 | . | 2 | 3 | 2 | . | 8 | 2 | . |
| | „ 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| | „ 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| | Mar. 2, | 33·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| | „ 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| | „ 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | „ 23, | 24·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| | „ 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| **South City, No. 4.** (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,188. | Feb. 9, | 17·8 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | 2 | 1 |
| | „ 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . | 2 | 4 | . | 1 |
| | „ 23, | 26·2 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 5 | 1 | 1 |
| | Mar. 2, | 20·8 | 3·0 | 14 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |
| | „ 9, | 36·6 | 1·5 | 24 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 2 | . | . |
| | „ 16, | 18·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | „ 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | 1 | . |
| | „ 30, | 23·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | . | . |

* Formerly described as 'Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban District of population represented thereby, and by the Deaths from certain Epidemic Diseases; withs *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Feb. 9, | 22·0 | 4·4 | 15 | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 2 | 1 | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 | . |
| | „ 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | „ 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| | „ 30, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Feb. 9, | 31·8 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 3 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 9, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . |
| | „ 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| | „ 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Feb. 9, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . |
| | „ 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| | „ 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Feb. 9, | 27·2 | 0·7 | 193 | . | . | . | 1 | 2 | 1 | . | . | 1 | 15 | 18 | 6 | 3 | 33 | 3 | 5 |
| | „ 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| | „ 23, | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 1 |
| | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| | „ 9, | 23·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| | „ 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| | „ 23, | 23·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| | „ 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Feb. 9, | 19·2 | 6·8 | 28 | . | . | . | . | 9 | . | . | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| | „ 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 6 |
| | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| | „ 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| | „ 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| | „ 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| | „ 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Feb. 9, | 18·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 3 | . | . |
| | „ 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| | „ 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | . |
| | Mar. 2, | 16·0 | 1·2 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| | „ 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| | „ 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| | „ 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| | „ 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| **Limerick.** Pop. (in 1901) 38,151. | Feb. 9, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 1 | . | 1 |
| | „ 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | . |
| | „ 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| | „ 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | 1 |
| | „ 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 |
| | „ 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | 2 |
| | „ 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | 3 |
| **Waterford.** Pop. (in 1901) 26,769. | Feb. 9, | 31·2 | 1·9 | 16 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 5 | . | 2 |
| | „ 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |
| | „ 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | . |
| | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | . |
| | „ 9, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |
| | „ 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |
| | „ 23, | 27·3 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |
| | „ 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |

* Formerly described as "Simple Continued Fever.

**TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th March, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1901, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.**

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 9 | 2 | 2 | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | 4 | . |
| Do. 2 „ | 47,959 | 32 | | | 21 | 4 | 2 | 7 | 3 | 4 | 1 | . | . | 1 | . | . | . | . | 3 | 1 | . | 4 | 3 | 1 | 2 | 1 | 2 | 6 | . |
| Do. 3 „ | 47,214 | 30 | | | 10 | 3 | 2 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 3 | . |
| Do. 4 „ | 40,911 | 31 | | | 22 | 3 | 3 | . | 7 | 3 | 6 | . | . | . | . | 1 | . | . | 2 | 1 | 3 | 5 | 1 | . | 2 | . | . | 8 | . |
| Do. 5 „ | 17,387 | 14 | | | 7 | 1 | 2 | . | 3 | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | . | 4 | . |
| Do 6 | 48,122 | 22 | | | 16 | 3 | 2 | 1 | 3 | 3 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | 3 | 7 | . |
| Do. 7 „ | 1,524 | 3 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ | 5,060 | 6 | | | 5 | 1 | 1 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 2 | . |
| Do. 9 „ | 19,569 | 6 | | | 8 | 1 | 1 | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 3 | 1 |
| Do. 10 „ | 23,064 | 18 | | | 13 | 3 | 5 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | 1 | 2 | . |
| Do. 11 „ | 34,802 | 17 | | | 8 | . | 2 | 1 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 3 | . |
| Do. 12 „ | 33,588 | 27 | | | 17 | 4 | 2 | 6 | 1 | 2 | 2 | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 4 | . | . | 1 | . |
| Do. 13 „ | 15,006 | 10 | | | 7 | 1 | . | 2 | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | . | . | . |
| Do. 14 „ | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 224 | | | 143† | 26 | 24 | 24 | 24 | 24 | 21 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 6 | 43 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 5 | 20·3 | . | 5 | . | 1 | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Do. 2 „ | 10,701 | 7 | 29·2 | 4·9 | 6 | 3 | . | 3 | | | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 4 | 1 |
| Do. 3 „ | 9,978 | 10 | 15·7 | . | 3 | 1 | 1 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . |
| Do. 4 „ | 8,666 | 8 | 18·1 | . | 3 | 1 | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Do. 5 „ | 6,592 | 7 | 39·6 | . | 5 | 1 | 1 | 2 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . |
| Do. 6 „ | 10,702 | 8 | 14·6 | 4·9 | 3 | 1 | . | 2 | | | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| Do. 7 „ | 16,616 | 9 | 15·7 | . | 5 | 1 | 1 | 2 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 3 | . |
| Total, | 76,122 | 54 | 20·5 | 1·4 | 30 | 8 | 4 | 14 | | | 4 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 1 | 17 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 6. | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. |
| No. of weeks in Annual Series, | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| BIRTHS registered, | 211 | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 208 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 |
| DEATHS registered. | 144 | 109 | 122 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 130 | 173 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 148† |
| Annual Death-rate per 1,000 of estimated Population, | 20·5 | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 |
| AGES: Under 1 year, | 39 | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 |
| AGES: 1–5 years, | 15 | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 |
| AGES: 5–20 years, | 14 | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 |
| AGES: 20–40 years, | 24 | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 |
| AGES: 40–60 years, | 28 | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 |
| AGES: 60 years and upwards, | 24 | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . |
| Scarlet Fever, | 1 | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Typhus, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | | 1 |
| Diphtheria, | 1 | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 |
| Diarrhœal Diseases, | 19 | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 |
| Pneumonia, | 6 | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 |
| Tuberculous Disease, Phthisis, | 20 | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 |
| Tuberculous Disease, Other Forms, | 9 | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 |
| Cancer, Malignant Disease, | 2 | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 |
| Diseases of Respiratory System, | 15 | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 |
| Violent Deaths, | 4 | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 |
| Number of Uncertified Deaths, | 3 | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 |

*Formerly described as "Simple Continued Fever."

† Including 21 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Exclusive of Stillborn. | | | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseas |
| LONDON, | 4,758,218 | Mar. 30, | 2,236 | 1,586 | 17·4 | . | 59 | 8 | 16 | 71 | 1 | 14 |
| EDINBURGH, | 345,747 | „ 30, | 152 | 128*a* | 19·3 | . | 2 | . | . | 3 | . | 3 |
| GLASGOW, | 847,584 | „ 30, | 430 | 359*a* | 22·1 | . | 4 | 1 | 3 | 26 | . | 9 |
| CALCUTTA, | 847,796 | Feb. 9, | . | 635 | 38·9 | 50 | 1 | . | . | 2 | 120‡ | 182* |
| BOMBAY, | 977,822 | „ 26, | 351 | 971 | 51·6 | 4 | 1 | . | . | . | 94‡ | 93* |
| MADRAS, | 509,346 | „ 8, | 298 | 352 | 35·9 | 1 | . | ? | ? | ? | 89 | 63* |
| PARIS, | 2,750,000 | Mar. 16, | 1,023 | 1,157 | 22·1 | 2 | 18 | 9 | 4† | 8 | 2 | 22 |
| BRUSSELS (with 8 Faubourgs). | 622,913 | „ 9, | 225 | 186 | 15·4 | . | 1 | 1 | 4† | 2 | 1 | 9 |
| ANTWERP, | 304,032 | „ 9, | 147 | 80 | 13·7 | . | 5 | . | . | 1 | 1 | 6 |
| AMSTERDAM, | 565,186 | „ 16, | 276 | 163 | 15·0 | . | 2 | 1 | . | 4 | . | 3 |
| COPENHAGEN, | 425,000 | „ 9, | 220 | 151 | 18·5 | . | 2 | 1 | 1† | 2 | . | 3 |
| STOCKHOLM, | 324,488 | „ 9, | 150 | 111 | 17·8 | . | . | . | 1† | 1 | . | 5 |
| CHRISTIANIA, | 226,774 | „ 16, | 132 | 67 | 15·4 | . | . | . | 4† | 1 | . | 2 |
| ST. PETERSBURG, | 1,482,769 | „ 9, | 874 | 744 | 26·1 | 2 | 20 | 25 | 24 | 4 | 18 | 79 |
| MOSCOW, | 1,172,421 | Feb. 9, | . | 738 | 32·8 | 2 | 18 | 18 | 16† | 5 | 25 | 50 |
| BERLIN, | 2,098,106 | Mar. 2, | 944 | 615 | 15·3 | . | 1 | 1 | 6† | 3 | 2 | 31 |
| HAMBURG, | 824,792 | „ 9, | . | 271 | 17·1 | . | . | . | 3† | 3 | . | 11 |
| BRESLAU, | 484,355 | „ 16, | . | 215 | 23·1 | . | . | . | 2† | 2 | . | 24 |
| MUNICH, | 548,000 | „ 16, | . | 212 | 20·1 | . | 10 | 1 | 4† | 4 | . | 18 |
| VIENNA (with suburbs). | 1,958,323 | „ 16, | 960 | 798 | 21·2 | . | 12 | 7 | 12† | . | . | 24 |
| BUDA-PESTH, | 802,235 | „ 9, | 463 | 366 | 23·8 | . | 4 | 8 | 3† | 1 | 1 | 8 |
| PRAGUE and Faubourgs. | 466,133 | „ 9, | 222 | 203 | 22·6 | . | 3 | . | 1† | 1 | 1 | 14 |
| TRIESTE, | 199,003 | „ 2, | 132 | 132 | 34·6 | . | 4 | . | . | 3 | . | 3 |
| ROME, | 540,150 | Jan. 26, | 307 | 237 | 22·9 | . | 1 | . | 2 | 2 | 5 | 8 |
| VENICE, | 174,398 | Feb. 9, | 56 | 95 | 28·4 | . | . | . | 1† | . | . | 1 |
| NEW YORK, | 4,285,435 | Mar. 2, | 2,404 | 1,094 | 20·6 | . | 6 | 17 | 51† | 7 | 10 | 61 |
| PHILADELPHIA, | 1,500,595 | Feb. 16, | . | 656 | 22·7 | . | . | 4 | 16† | 3 | 39 | 23 |
| BOSTON, | 602,526 | Mar. 2, | . | 2..5 | 19·5 | . | . | 2 | 6 | 1 | . | 4 |

*a.* Including 4 deaths from cerebro-spinal meningitis in Edinburgh, and 31 in Glasgow.
* Including 105 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 21 deaths from plague in Calcutta, and 233 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th March, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 3 |
| " " 2, | . | . | 2 | . | . | . | 1 | 1 | . | . | . | . | 4 |
| " " 3, | . | . | . | . | 1 | . | . | 1 | 5 | . | . | . | 7 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| South City No. 1, | . | 1 | . | . | . | . | . | . | 12 | . | . | . | 13 |
| " " 2, | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| " " 3, | . | 3 | . | . | 2 | . | 1 | . | . | . | . | . | 6 |
| " " 4, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | 3 | . | 6 | . | 3 | 5 | 19 | . | . | . | 40 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th March, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 30th March. | | | |
|---|---|---|---|---|---|---|---|
| | Mar. 9. | Mar. 16. | Mar. 23. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 42 | 54 | 63 | 34 | 31 | . | 66 |
| Scarlet Fever, | 96 | 91 | 83 | 6 | 30 | . | 59* |
| Typhus, | 4 | 4 | 13 | 3 | 3 | 1 | 12 |
| Diphtheria, | 21 | 22 | 21 | 4 | 12 | 2 | 11 |
| Enteric Fever, | 25 | 22 | 24 | 1 | 4 | . | 21 |
| Pneumonia, | 19 | 30 | 36 | 12 | 17 | 2 | 29 |

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 30th March, 1907 :—

'While generally fine, the weather broke temporarily in Ireland on Tuesday and again on Friday. A large anticyclone, of great staying power, covered the southern half of the British Isles, France and Germany during the week. On the other hand, atmospheric pressure was steadily low in the Icelandic region and comparatively low in the Mediterranean Basin also. Owing to the Arctic low pressure, a warm S.W. aircurrent passed over Ireland, Scotland and Scandinavia. Within the central area of high barometric pressure, a very large diurnal range of temperature occurred in consequence of solar radiation by day and terrestrial radiation by night—thus, in the 24 hours ended at 8 a.m. of Thursday the thermometer in the screen passed through 35° at both Bath and Oxford, at which stations the maximum on Wednesday was 65° and the minimum during the following night 30°. Even in Dublin the diurnal range on Wednesday was 23·1°—from 41·0° to 64·1°; on Friday, it was 21·8°—from 41·5° to 63·3°. A slight cyclonic curve in the isobar of 30·3 inches on Tuesday was the probable cause of a considerable rainfall in Ireland, ·44 inch being registered at Birr Castle, ·30 inch at Blacksod Point, ·10 inch at Donaghadee, and ·08 inch in Dublin. An additional ·29 inch of rain was measured at Blacksod Point on Thursday morning and ·22 inch fell on Friday. Wednesday, Thursday and Friday were days of almost unclouded sunshine in Dublin, but on Saturday the sky was cloudy till late in the afternoon. There was auroral light on Saturday evening. In Dublin the mean height of the barometer was 30·235 inches, pressure rising to 30·433 inches at 9 p.m. of Tuesday (wind, S.W.) and falling to 29·845 inches at 9 p.m. of Friday (wind, S.S.W.). The corrected mean temperature was 49·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·9°. On Monday the screened thermometers fell to 37·8°, on Wednesday they rose to 64·1°. The dominant wind was S.W., but the force was light except on Friday. Rain was measured on Monday and Tuesday, the total amount being ·079 inch, of which ·051 inch was recorded on Tuesday.'

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·231 inches. The highest reading (30·430) was on Tuesday at 9 p m., air calm, and the lowest (29·830) on Friday at 9 p.m., wind S.W.

The mean temperature for the week was 47·2°, being 5·5° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 64·4°, and was lowest on Monday, the mercury having fallen to 29·8°. The mean of the Dry Bulb for the week was 47·0°, and of the Wet Bulb 43·2°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 44·7 hours. The rainfall during the week measured 0·085 inch.

At Greenwich the mean temperature for the week was 46·5°. the maximum 66·6°, and the minimum 28·0°; at Glasgow the maximum was 64·2°, the minimum 36·6°, and the mean 49·9°; and at Edinburgh the maximum was 64·0°, the minimum 37·7°, and the mean 50·6°. There was no rainfall recorded at Greenwich, Glasgow, or Edinburgh. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Mar. 24, | 30·351 | 54·3 | 32·9 | 43·6 | 42·8 | 41·2 | ·89 | ·7 | 6·9 | ·000 | S.W. | Calm. |
| Monday, „ 25, | 30·376 | 62·1 | 29·8 | 46·0 | 47·6 | 45·1 | ·83 | ·5 | 3·1 | ·035 | Calm. | Calm. |
| Tuesday, „ 26, | 30·420 | 55·8 | 44·4 | 50·1 | 48·1 | 46·5 | ·91 | ·6 | 0·7 | ·050 | Calm. | Calm. |
| Wednesday, „ 27, | 30·390 | 64·4 | 34·1 | 49·3 | 52·5 | 46·3 | ·64 | ·6 | 10·5 | ·000 | W. | S.W. |
| Thursday, „ 28, | 30·225 | 62·1 | 32·9 | 47·5 | 43·9 | 41·0 | ·81 | ·6 | 10·8 | ·000 | W.S.W. | Calm. |
| Friday, „ 29, | 29·886 | 63·8 | 30·9 | 47·4 | 55·0 | 44·4 | ·46 | ·7 | 11·3 | ·000 | S.S.E. | S.W. |
| Saturday, „ 30, | 29·973 | 58·2 | 34·1 | 46·2 | 39·0 | 37·8 | ·91 | ·2 | 1·4 | ·000 | W.N.W. | Calm. |
| Mean, . . | 30·231 | 60·1 | 34·2 | 47·2 | 47·0 | 43·2 | ·78 | ·6 | Total 44·7 | Total ·085 | — | |

*Sunday*—Fine day, but cloudy; night clear. *Monday*—Cloudy day, fine; night overcast, light showers at intervals. *Tuesday*—Cloudy day, overcast, light showers p.m.; night cloudy, light showers. *Wednesday*—Fine bright day, light clouds; night clear. *Thursday*—Beautiful day, light clouds; night clear. *Friday*—Beautiful clear day; night cloudy. *Saturday*—Cloudy day, fine; night cloudy, ground fog.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, March 30th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Mar. 24, | 49·2 | 44·3 | 45·0 | 55·8 | 39·4 | 47·6 | 6·4 | — |
| Monday, „ 25, | 44·2 | 44·9 | 45·0 | 54·4 | 36·0 | 45·2 | 2·5 | ·025 |
| Tuesday, „ 26, | 51·1 | 45·7 | 45·1 | 58·7 | 46·4 | 52·6 | 0·5 | ·052 |
| Wednesday, „ 27, | 51·7 | 46·1 | 45·2 | 61·2 | 39·3 | 50·3 | 8·0 | — |
| Thursday, „ 28, | 49·0 | 46·7 | 45·4 | 55·2 | 39·2 | 47·2 | 7·6 | — |
| Friday, „ 29, | 57·6 | 46·0 | 45·8 | 64·3 | 38·2 | 51·3 | 10·4 | — |
| Saturday, „ 30, | 44·4 | 46·7 | 45·8 | 53·1 | 38·0 | 45·6 | — | — |
| Weekly Mean, . | 49·6 | 45·8 | 45·3 | 57·5 | 39·5 | 48·5 | Total 35·4 | Total ·077 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 481. 1. 1907.—16961.

*OFFICIAL.*

# QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN THE

# DUBLIN REGISTRATION AREA,

## AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

*Containing Special Tables relating to Cerebro-spinal Fever in Belfast.*

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] QUARTER ENDING SATURDAY, 30TH MARCH, 1907. [No. 13A.

**DUBLIN REGISTRATION AREA.—Births.**—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1907, 390,691, there were registered during the thirteen weeks ended on Saturday, 30th March, 1907, 2,836 births—1,469 boys and 1,367 girls—being equal to an annual ratio of 1 in 34·4, or 29·0 in every 1,000 of the population.

The number of births registered in the city was 2,441, equivalent to an annual rate of 32·5 in every 1,000 of the population; and in the urban districts named above, 395, equal to an annual rate of 17·6 in every 1,000 of the population.

There were registered in London during the same period 31,710 births—being equal to an annual birth-rate of 26·7 in every 1,000 of the estimated population; in Glasgow there were registered 5,929, being equal to 28·0 per 1,000; and in Edinburgh, 1,899—a number affording an annual birth-rate of 22·0 in every 1,000 of the estimated population.

**Deaths.**—The number of deaths registered in the Dublin Registration Area during the quarter was 2,758—1,332 males and 1,426 females—affording an annual ratio of 1 in 35·4, or 28·2 in every 1,000 of the estimated population; omitting the deaths (105) of persons admitted into Public Institutions from localities outside the Area, the rate was 27·2 per 1,000. The annual mortality represented by the deaths registered during the first quarter of the ten years, 1897–1906, in the Dublin Registration Area as then constituted, was 29·7 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 1,116, representing an annual mortality of 29·0 in every 1,000 of the population; and the number in the South City districts was 1,066, equivalent to a rate of 29·0 per 1,000. In the urban districts the number of deaths registered was 471, being equal to an annual death-rate of 21·0 in every 1,000.

The number of deaths registered in London during the same period was 22,716—a number equal to an annual rate of mortality of 19·1 in every 1,000 of the inhabitants; in Glasgow the number was 4,584, equal to 21·6 in every 1,000; and in Edinburgh, 1,690, affording an annual death-rate of 19·6 in every 1,000 of the estimated population.

**Diseases.**—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 143, being 64 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·5, being 0·7 below the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from the diseases which occurred in the corresponding period of the 10 years, 1897–1906:—

| Names of Diseases. | No. of Deaths in March Quarter, 1907. | Average No. of Deaths in March Quarters, 1897–1906. |
|---|---|---|
| Small-pox, | — | 1 |
| Measles, | 28 | 55 |
| Scarlet Fever, | 3 | 18 |
| Typhus, | 3 | 1 |
| Whooping-cough, | 65 | 66 |
| Diphtheria, | 8 | 16 |
| *Pyrexia* (origin uncertain), | — | 1 |
| Enteric Fever, | 8 | 31 |
| Diarrhœal Diseases, | 28 | 28 |

*Small-pox.*—During the quarterly period now under notice there was not one death from small-pox registered. From Table I. it appears that there was no case of the disease admitted to Dublin Hospitals for treatment during the quarter.

*Measles.*—The mortality from measles, namely 28 deaths, represents an annual rate of 0·29 per 1,000 of the population. Of the deaths, 13 appertained to the South City No. 1 District. In each of the three preceding quarters deaths from measles numbered 9, 9, and 38. From Table I. it appears that 206 cases of measles were admitted to Hospitals, 150 were discharged, 8 died, and 66 patients remained under treatment at the close of the period.

*Scarlet Fever.*—The deaths from scarlet fever were 3, the average number of such deaths for the March quarter of the ten years 1897–1906, being 18. Deaths from this disease in the 3 preceding quarters were 0, 4, and 4 respectively. It will be seen from Table I. that there were 73 cases of scarlet fever under treatment at the close of December, 1906, and that 160 cases were admitted to Hospitals during the quarter; that is, 233 cases were treated during the period, and up to 30th March there were but 3 fatalities from the disease.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective district as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*), page 214.

*Typhus.*—The number of cases of typhus treated in Hospitals during the quarter was 28. Of these 26 were admitted during the period, 13 cases were discharged, there were 3 deaths, and 12 cases remained under treatment at the close of the quarter.

*Influenza.*—The death-rate represented by 56 deaths from influenza was 0·57 per 1,000 of the estimated population of the Area. In each of the quarterly periods preceding deaths from influenza were 19, 5, and 28. The average number of deaths from influenza registered in the corresponding March quarter of the ten years 1897–1906, was 71.

*Whooping-cough.*—The returns show that deaths from whooping-cough were 65 in number, representing an annual rate of 0·67 per 1,000 of the population. The deaths exceed the totals registered in any of the three preceding quarters, namely 21, 29, and 32; they are about equal to the average (66) for the March quarter of the ten years 1897–1906.

*Diphtheria.*—The average number of deaths from diphtheria registered in the corresponding quarter of the ten years preceding was 16; the number registered in the period under notice is 8; in each of the three quarters preceding such deaths numbered 5, 4, and 16. It would appear from Table I. that 89 cases of diphtheria were admitted to Dublin Hospitals, 90 were discharged, there were 11 deaths in Hospitals, and 11 patients remained under treatment on the 30th March, the number under treatment on the 29th December, 1906, being 23.

*Enteric Fever.*—The mortality from enteric fever shows a decline from 20 deaths registered in the December quarter of 1906 to 8 registered during the period under notice; in the earlier quarter of 1906 such deaths were 12, 11, and 11. The 8 deaths registered are considerably below the average (31) for the corresponding quarterly period of the ten years 1897–1906.

Turning to the Hospital Statistics in Table I. it will be seen, that there were 34 cases of enteric fever under treatment at the close of December quarter 1906, that 62 cases were admitted during the quarter under review, that 71 were discharged, that 4 fatalities occurred, and that on the 30th March there were 21 persons under treatment for enteric fever.

*Diarrhœal Diseases.*—In the June quarter of 1906, deaths from diarrhœal diseases numbered 23, rising to 275 in the September quarter of that year, declining to 95 in the December quarter, and further declining to 28 deaths registered in the period under review. This number is equal to the average for the corresponding quarter of the past ten years. Of the deaths, 20 were of children under 5 years of age.

*Cerebro-spinal Fever or Epidemic Cerebro-spinal Meningitis.*—Of 13 deaths referred to this disease and registered during the quarter in the Dublin Registration Area, 12 were from cerebro-spinal fever, and one returned as from *cerebro-spinal meningitis.*

*Pneumonia.*—Under the general head of pneumonia there were 250 deaths. Of this total 26 were from lobar pneumonia, 99 were from broncho-pneumonia, and 125 were returned as from *pneumonia* (not defined). The deaths, 250, are equal to an annual rate of 2·56 per 1,000 of the estimated population of the Area.

*Tuberculous Disease.*—The victims to all forms of tuberculous disease amounted to 492, representing an annual rate of 5·0 per 1,000 of the estimated population of the Area, the corresponding rates in the three preceding quarters being 4·5, 4·2, and 4·2 respectively. The total, 492, comprises 148 deaths from tuberculous phthisis, 180 deaths returned as from *phthisis*, 54 deaths from tuberculous meningitis, 11 deaths from tuberculous peritonitis, 2 deaths from *tabes mesenterica*, and 97 deaths from other forms of the disease. The rate for all forms of tuberculous disease for the North City Districts, the South City Districts, and for the aggregate of the Urban Districts were 5·3, 5·7, and 2·6, respectively. The death rates for tuberculous phthisis (*phthisis*) for the above-mentioned divisions of the Dublin Registration Area were 3·6, 3·7, and 1·8 respectively.

*Malignant Diseases.*—Of 97 deaths 27 were due to carcinoma, 10 to sarcoma, and 60 were returned as from cancer (undefined).

*Premature Birth.*—The deaths of 67 infants were referred to prematurity.

*Diseases of the Brain and Nervous System.*—Included in 189 deaths there were 37 deaths from meningitis and 75 deaths returned as from *convulsions*; of the latter figure 74 were of children under 5 years of age.

*Diseases of the Heart and Blood Vessels.*—In the aggregate, the deaths from diseases of the circulatory organs numbered 388; amongst these deaths 8 from aneurysm are included.

*Diseases of the Respiratory System.*—Exclusive of pneumonia, the deaths from this group of diseases were 485 in number; of this figure 432 deaths were caused by bronchitis.

*Accidental Deaths.*—Of 56 deaths from accident, 23 were due to burns, scalds, or explosions; 8 of the latter figure being deaths of children under 5 years of age. Six deaths were by drowning and 5 were of infants under one year of age by suffocation in bed.

*Homicide.*—Three deaths of a homicidal nature were registered.

*Suicide.*—There were 6 deaths by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 30th March, 1907.**

| DISEASES. | No. of Cases in Hospital at close of previous quarter. | No. admitted during quarter. | Dis-charged. | Died. | No. under treatment on above date. |
|---|---|---|---|---|---|
| Small-pox, . . | . | . | . | . | . |
| Measles, . . . | 18 | 206 | 150 | 8 | 66 |
| Scarlet Fever, . . | 73 | 160 | 171 | 3 | 59* |
| Typhus . . | 2 | 26 | 13 | 3 | 12 |
| Diphtheria, . . | 23 | 89 | 90 | 11 | 11 |
| Enteric Fever, . . | 34 | 62 | 71 | 4 | 21 |
| Pneumonia, . . | 22 | 142 | 111 | 24 | 29 |

In 97 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 97 cases, 50 (or 51·5 per cent.), were deaths of children under 5 years of age: these 50 deaths form 6·2 per cent. of the total number of deaths of children of that age. Of the deaths of 135 infants under one month old registered, there were 19 (or 14·1 per cent.) regarding which the cause was uncertified.

From Table II., on pages 212*b* and 212*c*, it will be seen that, excluding 105 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,653, equal to an annual rate of 27·2 per 1,000 of the estimated population, and that 141 of these deaths, representing an annual rate of 1·4 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 29·0 per 1,000, and for the urban districts 21·0 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·6, and in the urban districts 1·0, the rates for the several districts varying from 0·0 in four of the districts, to 2·5 in South City No. 1, the 305 deaths from all causes in that district including 13 from measles, 2 from scarlet fever and 10 from whooping-cough.

* Exclusive of 15 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.
† See note (*), page 214.

**Occupations.**—Table III., on pages 212*d* and 213, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 17·7 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 21·8 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 21·3; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 40·3.

**Ages.**—Of the 2,758 persons whose deaths were registered in the Dublin Registration Area during the quarter, 802 were under 5 years of age, including 449 infants under one year of age, representing a rate of 158·3 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 84·1 in every 1,000 children at that age (according to the Census of 1901); 176 were between the ages of 5 and 20, representing an annual rate of 6·6 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 27·0 per 1,000 of the population at that age (according to the Census of 1901); 401 or 11·8 per 1,000 persons were between 20 and 40; 570 or 33·2 per 1,000 between 40 and 60; 654 or 107·8 per 1,000 between 60 and 80; 155 or 325·6 per 1,000 were aged 80 and upwards, including 30 persons aged 90 and upwards, including 2 persons (a male and a female) who were stated to have been aged 100 and 114 years respectively.

*Public Institutions.*—Of the 2,758 deaths recorded during the quarter, 1,108, or 40·2 per cent., occurred in public institutions, viz., 609 in the various hospitals, prisons, and lunatic asylums; 237 in the North Dublin Union Workhouse; 248 in the South Dublin Union Workhouse; and 14 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

**Weather.**—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 40·9°. At Greenwich for the quarter, it was 39·9°; at Glasgow, 39·9°; and at Edinburgh, 39·5.

The rainfall at Dublin during the thirteen weeks measured 4·417 inches; at Greenwich, 3·56 inches; at Glasgow, 9·82 inches; and at Edinburgh, 3·72 inches.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 30th March, 1907,** the number
AREA, the annual Rate per 1,000 of the Population of the respective Districts represented
the principal causes; also the Deaths by certain age-periods, and the number of Uncertified
*were admitted.*

| REGISTRARS' DISTRICTS, &c. | POPULATION, ESTIMATED TO MIDDLE OF 1907.* | QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES. | FROM DISEASES IN COLS. 11–19. | TOTAL DEATHS. | DEATHS. Infants under 1 year of Age. | 1 and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | Persons aged 60 years and upwards. | CAUSED BY Small-pox. | Measles. | Scarlet Fever. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) |
| **North City.** | | | | | | | | | | | | | |
| NORTH CITY, No. 1, E., . . | 29,016 | 26·1 | 0·7 | 189 | 37 | 23 | 14 | 33 | 38 | 44 | . | 2 | . |
| " 1, W. . . | 39,146 | 30·8 | 1·3 | 301 | 41 | 56 | 8 | 41 | 61 | 94 | . | 4 | . |
| " 2, . . | 30,107 | 34·1 | 1·9 | 257 | 55 | 41 | 11 | 34 | 55 | 61 | . | 2 | . |
| " 3, . . | 32,422 | 32·2 | 2·0 | 261 | 55 | 42 | 21 | 35 | 53 | 55 | . | 2 | . |
| CLONTARF AND HOWTH, No. 1, part of, . . . . | 5,116 | 10·9 | . | 14 | 2 | . | 2 | . | 6 | 4 | . | . | . |
| COOLOCK AND DRUMCONDRA, No. 1, part of, . . . . | 10,991 | 20·0 | 1·1 | 55 | 3 | 3 | 3 | 13 | 14 | 19 | . | 1 | . |
| FINGLAS AND GLASNEVIN, part of, | 7,223 | 21·6 | . | 39 | 6 | 3 | 4 | 4 | 5 | 17 | . | . | . |
| **South City.** | | | | | | | | | | | | | |
| SOUTH CITY, No. 1, . . | 40,002 | 30·5 | 2·5 | 305 | 63 | 54 | 23 | 35 | 54 | 76 | . | 13 | 2 |
| " 2, . . | 20,589 | 35·7 | 2·1 | 184 | 39 | 34 | 10 | 26 | 37 | 38 | . | 2 | . |
| " 3, . . | 42,209 | 29·9 | 2·2 | 316 | 47 | 47 | 15 | 44 | 73 | 90 | . | 1 | 1 |
| " 4, . . | 35,138 | 25·2 | 1·0 | 221 | 33 | 17 | 17 | 42 | 48 | 64 | . | . | . |
| NEW KILMAINHAM, . . | 8,891 | 18·0 | . | 40 | 6 | 2 | 2 | 6 | 11 | 13 | . | . | . |
| **Urban Districts.** | | | | | | | | | | | | | |
| RATHMINES AND RATHGAR, . | 35,606 | 19·7 | 1·3 | 175 | 24 | 9 | 13 | 22 | 30 | 77 | . | . | . |
| PEMBROKE, . . . . | 27,854 | 21·7 | 1·0 | 151 | 23 | 8 | 9 | 18 | 23 | 70 | . | . | . |
| BLACKROCK, . . . | 8,759 | 14·6 | . | 32 | 2 | 1 | 4 | 3 | 8 | 14 | . | . | . |
| KINGSTOWN, . . . | 17,622 | 25·6 | 0·7 | 113 | 10 | 7 | 7 | 12 | 24 | 53 | . | . | . |
| **Total City,** North, . . | 154,021 | 29·0 | 1·3 | 1,116 | 199 | 168 | 63 | 160 | 232 | 294 | . | 11 | . |
| **Total City,** South, . . | 146,829 | 29.0 | 1·9 | 1,066 | 188 | 154 | 67 | 153 | 223 | 281 | . | 16 | 3 |
| **Total City,** North & South, | 300,850 | 29·0 | 1·6 | 2,182 | 387 | 322 | 130 | 313 | 455 | 575 | . | 27 | 3 |
| **Total Urban Districts,** . | 89,841 | 21·0 | 1·0 | 471 | 59 | 25 | 33 | 55 | 85 | 214 | . | . | . |
| **Total Registration Area,** | 390,691 | 27·2 | 1·4 | 2,653 | 446 | 347 | 163 | 368 | 540 | 789 | . | 27 | 3 |
| Deaths in Institutions of Persons admitted from without the Registration Area (not included in above). . . . . | | | | 105 | 3 | 6 | 13 | 33 | 30 | 20 | . | 1 | . |

* See note (*) on page 215.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

| ENDED 30TH MARCH, 1907. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DEATHS. | | | | | | | | | | | | | |
| CAUSED BY | | | | | | | | | | | | | |
| Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia* † (origin uncertain) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Number of Uncertified Deaths. | REGISTRARS' DISTRICTS, &c. |
| (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | |
| | | | | | | | | | | | | | **North City.** |
| . | 1 | . | . | 1 | 1 | 21 | 23 | 16 | 3 | 28 | 9 | 12 | NORTH CITY, No. 1, E. |
| . | 3 | 1 | . | . | 5 | 29 | 31 | 11 | 4 | 66 | 5 | 10 | " 1, W. |
| 1 | 7 | 1 | . | . | 3 | 21 | 30 | 17 | 8 | 43 | 4 | 10 | " 2. |
| . | 10 | 1 | . | . | 3 | 26 | 38 | 18 | 4 | 37 | 6 | 8 | " 3. |
| . | . | . | . | . | . | 1 | 3 | . | 1 | 2 | 1 | . | CLONTARF AND HOWTH, No. 1, part of. |
| . | . | . | . | 1 | 1 | 6 | 10 | 1 | 2 | 7 | 1 | 2 | COOLOCK AND DRUMCONDRA, No. 1, part of. |
| . | . | . | . | . | . | 6 | 4 | 2 | 2 | 3 | . | 1 | FINGLAS AND GLASNEVIN, part of. |
| | | | | | | | | | | | | | **South City.** |
| . | 10 | . | . | . | . | 21 | 31 | 19 | 10 | 66 | 5 | 10 | SOUTH CITY, No. 1. |
| 1 | 5 | 1 | . | . | 2 | 21 | 21 | 15 | 4 | 48 | 2 | 8 | " 2 |
| 1 | 13 | 3 | . | 1 | 3 | 28 | 37 | 26 | 10 | 72 | 8 | 6 | " 3. |
| . | 6 | . | . | 1 | 2 | 22 | 39 | 12 | 6 | 34 | 8 | 8 | " 4. |
| . | . | . | . | . | . | 4 | 7 | 2 | 3 | 5 | . | 6 | NEW KILMAINHAM. |
| | | | | | | | | | | | | | **Urban Districts.** |
| . | 6 | . | . | 2 | 4 | 14 | 14 | 7 | 10 | 20 | 7 | 5 | RATHMINES AND RATHGAR. |
| . | 3 | 1 | . | 1 | 2 | 9 | 12 | 6 | 10 | 22 | 1 | 4 | PEMBROKE. |
| . | . | . | . | . | . | 3 | 1 | 3 | 3 | 6 | 2 | 1 | BLACKROCK. |
| . | . | . | . | 1 | 2 | 12 | 13 | 2 | 5 | 15 | 3 | 6 | KINGSTOWN. |
| 1 | 21 | 3 | . | 2 | 13 | 110 | 139 | 65 | 24 | 186 | 26 | 43 | **North.** } **Total City.** |
| 2 | 34 | 4 | . | 2 | 7 | 96 | 135 | 74 | 33 | 225 | 23 | 38 | **South.** } **Total City.** |
| 3 | 55 | 7 | . | 4 | 20 | 206 | 274 | 139 | 57 | 411 | 49 | 81 | **North & South.** } **Total City.** |
| . | 9 | 1 | . | 4 | 8 | 38 | 40 | 18 | 28 | 63 | 13 | 16 | **Total Urban Districts.** |
| 3 | 64 | 8 | . | 8 | 28 | 244 | 314 | 157 | 85 | 474 | 62 | 97 | **Total Registration Area.** |
| . | 1 | . | . | . | . | 6 | 14 | 7 | 12 | 11 | 3 | . | |

* See note (†) on page 214.

† Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL **Quarter** (13 weeks) **ending Saturday, 30th March, 1907**; the Annual Death-rate the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

| CLASS. | OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | REGISTRATION OF DEATHS, QUARTER | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | AGES. | | | | | | |
| | | | | | Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| | **ALL PERSONS,** | 375,350 | 29·4 | 2,758 | 802 | 176 | 401 | 570 | 654 | 155 |
| | CLASSES. | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 17·7 | 77 | 1 | 2 | 5 | 15 | 29 | 25 |
| II. | MIDDLE CLASS, | 87,188 | 21·8 | 475 | 91 | 28 | 74 | 96 | 139 | 47 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 21·3 | 589 | 160 | 42 | 93 | 133 | 137 | 24 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 40·3 | 1,118 | 497 | 86 | 144 | 199 | 165 | 27 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 499 | 53 | 18 | 85 | 127 | 184 | 32 |
| I. | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | |
| | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 30·8 | 60 | . | 2 | 4 | 14 | 22 | 18 |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 6·3 | 2 | 1 | . | . | 1 | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 7·2 | 15 | . | . | 1 | . | 7 | 7 |
| II. | MIDDLE CLASS. | | | | | | | | | |
| | 4. General Body of Officials—Civil Service, Banking, &c. | 7,712 | 18·7 | 36 | 5 | 1 | 4 | 11 | 10 | 5 |
| | 5. Traders (except Petty Shopkeepers), Business Managers, &c., | 22,016 | 21.3 | 117 | 39 | 6 | 10 | 19 | 38 | 5 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 17·6 | 134 | 37 | 13 | 37 | 25 | 16 | 6 |
| | 7. Miscellaneous—including all Householders in Second Class Localities, not included in above, | 27,028 | 27·8 | 188 | 10 | 8 | 23 | 41 | 75 | 31 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | |
| | 8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers, | 9,874 | 28·8 | 71 | 30 | 8 | 12 | 5 | 14 | 2 |
| | 9. Building and Furnishing Trades, | 29,801 | 18·8 | 140 | 52 | 10 | 18 | 36 | 20 | 4 |
| | 10. Clothing Trades, | 23,260 | 16·5 | 96 | 20 | . | 17 | 15 | 30 | 6 |
| | 11. Food Supply Trades, | 9,242 | 17·3 | 40 | 10 | . | 6 | 13 | 10 | 1 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·1 | 206 | 38 | 15 | 35 | 55 | 53 | 10 |
| | 13. Petty Shopkeepers, | 7,894 | 18·2 | 36 | 10 | 1 | 5 | 9 | 10 | 1 |
| IV. | GENERAL SERVICE CLASS. | | | | | | | | | |
| | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 24·1 | 81 | 24 | 10 | 8 | 16 | 21 | 2 |
| | 15. Domestic Servants, | 36,603 | 10·5 | 96 | 19 | 4 | 27 | 19 | 17 | 10 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 27·5 | 99 | 42 | 6 | 12 | 22 | 16 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 37·5 | 842 | 412 | 66 | 97 | 142 | 111 | 14 |
| V. | INMATES OF WORKHOUSES. | | | | | | | | | |
| | 18. Workhouse Inmates, | 6,024 | . | 499 | 53 | 18 | 85 | 127 | 184 | 32 |

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the
represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 30TH MARCH, 1907.

| Causes of Death. | | | | | | | | | | | | | | | | | | Number of Uncertified Deaths. | Class and Order. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | Tuberculous Disease. | | | | | | | | |
| Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Total. Cols. 10-18. | Pneumonia. | Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Other Causes. | | |
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | |
| . | 28 | 3 | 3 | 65 | 8 | . | 8 | 28 | 143 | 250 | 328 | 164 | 97 | 75 | 485 | 65 | 1,151 | 97 | |
| . | . | . | . | 1 | . | . | . | . | 1 | 6 | 3 | 1 | 7 | . | 9 | 3 | 47 | 1 | I. |
| . | 5 | . | . | 5 | 1 | . | 2 | 3 | 16 | 39 | 51 | 23 | 24 | 11 | 57 | 10 | 244 | 11 | II. |
| . | 4 | 1 | . | 18 | 4 | . | 3 | 8 | 38 | 46 | 75 | 36 | 18 | 13 | 108 | 14 | 241 | 23 | III. |
| . | 19 | 2 | 3 | 41 | 3 | . | 3 | 16 | 87 | 127 | 106 | 78 | 31 | 50 | 189 | 34 | 416 | 62 | IV. |
| . | . | . | . | . | . | . | . | 1 | 1 | 32 | 93 | 26 | 17 | 1 | 122 | 4 | 203 | . | V. |
| | | | | | | | | | | | | | | | | | | | I. |
| . | . | . | . | 1 | . | . | . | . | 1 | 6 | 2 | . | 6 | . | 8 | 2 | 35 | 1 | 1 |
| . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 |
| . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 12 | . | 3 |
| | | | | | | | | | | | | | | | | | | | II. |
| . | 1 | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 3 | 1 | 5 | 1 | 21 | . | 4 |
| . | 1 | . | . | 2 | 1 | . | . | . | 4 | 7 | 11 | 6 | 6 | 5 | 13 | 4 | 61 | 3 | 5 |
| . | 1 | . | . | 3 | . | . | . | 2 | 6 | 13 | 24 | 10 | 2 | 4 | 18 | 2 | 55 | 6 | 6 |
| . | 2 | . | . | . | . | . | 2 | 1 | 5 | 18 | 13 | 7 | 13 | 1 | 21 | 3 | 107 | 2 | 7 |
| | | | | | | | | | | | | | | | | | | | III. |
| . | 1 | . | . | 1 | 2 | . | 1 | 1 | 6 | 5 | 11 | 8 | . | 3 | 7 | 4 | 27 | 1 | 8 |
| . | 1 | 1 | . | 6 | 1 | . | 1 | 1 | 11 | 18 | 14 | 9 | 4 | 2 | 30 | 6 | 46 | 2 | 9 |
| . | . | . | . | 4 | . | . | 1 | 2 | 7 | 4 | 11 | 7 | 4 | 1 | 21 | . | 41 | 7 | 10 |
| . | 1 | . | . | 1 | . | . | . | . | 2 | 3 | 5 | 1 | 1 | 3 | 6 | 1 | 18 | 2 | 11 |
| . | 1 | . | . | 5 | 1 | . | . | 3 | 10 | 12 | 29 | 9 | 7 | 4 | 40 | 3 | 92 | 9 | 12 |
| . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | 5 | 2 | 2 | . | 4 | . | 17 | 2 | 13 |
| | | | | | | | | | | | | | | | | | | | IV. |
| . | 1 | . | . | 3 | . | . | . | 1 | 5 | 9 | 9 | 4 | 1 | 2 | 8 | 4 | 39 | 3 | 14 |
| . | . | . | . | . | . | . | . | 2 | 2 | 3 | 14 | 5 | 3 | 4 | 8 | 5 | 52 | 6 | 15 |
| . | 5 | . | . | 5 | 1 | . | . | 2 | 13 | 16 | 13 | 6 | 3 | 1 | 21 | 2 | 24 | 3 | 16 |
| . | 13 | 2 | 3 | 33 | 2 | . | 3 | 11 | 67 | 99 | 70 | 63 | 24 | 43 | 152 | 23 | 301 | 50 | 17 |
| . | . | . | . | . | . | . | . | 1 | 1 | 32 | 93 | 26 | 17 | 1 | 122 | 4 | 203 | . | V. 18 |

* Formerly described as "Simple Continued Fever."

**Twenty-two Principal Town Districts of Ireland.**—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 24·6 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Queenstown, 9·1 ; Portadown, 17·8 ; Londonderry, 17·9 ; Newry, 18·1 ; Clonmel, 18·9 ; Armagh, 19·5 ; Sligo, 20·2 ; Limerick, 20·9 ; Drogheda, 21·3 , Lisburn, 21·6 ; Newtownards, 21·9 ; Dundalk, 23·2 ; Galway, 23·5 ; Belfast, 23·7 ; Lurgan, 23·8 ; Wexford, 25·4 ; Tralee, 25·9 ; Cork, 26·0 ; Ballymena, 26·1 ; Dublin Registration Area, 27·2 ; Waterford, 27·3 ; and Kilkenny, 30·2.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·2 per 1,000 of the population, the rates varying from 0·0 in three of the districts to 4·0 in Dundalk, the 76 deaths from all causes in that district including 10 from measles, one from diphtheria, one from enteric fever, and one from diarrhœa. The 2,196 deaths from all causes in Belfast include 11 from measles, 4 from scarlet fever, one from typhus, 22 from whooping-cough, 10 from diphtheria, 27 from enteric fever, and 28 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter ;—

*Small-pox.*—Not one death was recorded in any of the Town Districts of Ireland.

*Measles.*—Eleven deaths were registered from Belfast, and 10 from Dundalk.

*Scarlet Fever.*—There were 4 deaths in Belfast, and in each of Limerick and Waterford there was one death.

*Typhus.*—In each of Belfast, Cork, and Sligo, one death from typhus was registered.

*Whooping-cough.*—Of 68 deaths from whooping-cough, 22 were in Belfast, 32 in Cork, 8 in Kilkenny, 2 in each of Waterford and Lisburn, and one in each of Newry and Ballymena.

*Diphtheria.*—The total number of deaths (21) include 10 deaths in Belfast, 3 in Ballymena, 2 in each of Cork and Galway, and one death in each of Londonderry, Limerick, Dundalk, and Newry.

*Enteric Fever.*—The deaths (numbering 35) include 27 in Belfast, 2 in each of Limerick and Tralee, and one in each of Waterford, Dundalk, Sligo, and Armagh.

*Three deaths were assigned to pyrexia (origin uncertain) in Galway.*

*Diarrhœal Diseases.*—Of the 51 deaths registered 28 appertained to Belfast.

---

*Cerebro-spinal Fever.*—Four Tables, giving detailed information concerning the mortality from the epidemic of cerebro-spinal fever in Belfast for the quarter (13 weeks) ending 30th March, 1907, are appended to this report, and commence at page 216A. Table A gives the total number of deaths registered weekly in each district of Belfast, also the total number of cases notified for the whole of Belfast. Table B gives the ages and sexes of the decadents for each district of Belfast. Table C gives the occupation or social position, also by ages and sexes ; and Table D gives information regarding the duration of the illness of those persons who died, also by ages and by sexes.

The revision of the mortality returns of Belfast shows that 154 deaths from cerebro-spinal fever were registered during the period under notice. From returns supplied by Dr. Bailie it appears that 233 cases of the disease were notified to the Public Health Committee of the Corporation of Belfast during the above period.

---

*Phthisis.*—The death-rate from phthisis for the 22 towns in the aggregate, was 2·9 per 1,000 of the population ; for the Dublin Registration Area it was 3·2 per 1,000, for Belfast County Borough 2·7 per 1,000, and for the Urban Districts, collectively, (exclusive of Belfast and Dublin Registration Area) it was 2·9 per 1,000.

*Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain) enteric fever, and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ending Saturday, 30th March, 1907,** in the Dublin Registration Area, and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

| Towns and Districts. | Census Statistics of Districts.* Population. Total. | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births. | Deaths. From all Causes. | Deaths. From diseases in cols. 10–18. | REGISTRATION—QUARTER (13 WEEKS) ENDING SATURDAY, 30TH MARCH, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia† (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 29·2 | 24·6 | 1·2 | 8,156 | 6,866 | 1,119 | 1,971 | . | 48 | 9 | 6 | 132 | 29 | 3 | 43 | 79 | 536 | 820 | 339 | 214 | 1,193 | 126 | 221 | 2,176 | 317 |
| DUBLIN REGISTRATION AREA: | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL. | 390,691 | 28·4 | 29·0 | 27·2 | 1·4 | 2,836 | 2,653 | 446 | 789 | . | 27 | 3 | 3 | 64 | 8 | . | 8 | 28 | 244 | 314 | 157 | 85 | 474 | 62 | 78 | 1,003 | 97 |
| CITY OF DUBLIN, | 300,850 | 38·0 | 32·5 | 29·0 | 1·6 | 2,441 | 2,182 | 387 | 575 | . | 27 | 3 | 3 | 55 | 7 | . | 4 | 20 | 205 | 274 | 139 | 57 | 411 | 49 | 63 | 889 | 81 |
| Urban Districts. RATHMINES & RATHGAR, | 35,606 | 20·8 | 15·2 | 19·7 | 1·3 | 135 | 175 | 24 | 77 | . | . | . | . | 6 | . | . | 2 | 4 | 14 | 14 | 7 | 10 | 20 | 7 | 8 | 43 | 5 |
| PEMBROKE, | 27,854 | 17·5 | 22·7 | 21·7 | 1·0 | 158 | 151 | 23 | 70 | . | . | . | . | 3 | 1 | . | 1 | 2 | 9 | 12 | 6 | 10 | 22 | 1 | 2 | 41 | 4 |
| BLACKROCK, | 8,759 | 8·1 | 13·7 | 14·6 | . | 30 | 32 | 2 | 14 | . | . | . | . | . | . | . | . | . | 3 | 1 | 3 | 3 | 6 | 2 | 2 | 5 | 1 |
| KINGSTOWN, | 17,622 | 12·1 | 16·3 | 25·6 | 0·7 | 72 | 113 | 10 | 53 | . | . | . | . | . | . | . | 1 | 2 | 12 | 13 | 2 | 5 | 15 | 3 | 3 | 25 | 6 |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST, | 370,163 | 25·2 | 30·5 | 23·7 | 1·1 | 2,818 | 2196‡ | 375 | 520 | . | 11 | 4 | 1 | 22 | 10 | . | 27 | 28 | 193 | 219 | 136 | 60 | 372 | 39 | 95 | 591 | 30 |
| CORK, | 76,122 | 33·6 | 26·5 | 26·0 | 2·1 | 505 | 495 | 72 | 138 | . | . | . | 1 | 32 | 2 | . | . | 5 | 26 | 78 | 24 | 20 | 80 | 4 | 13 | 171 | 20 |
| LONDONDERRY, | 42,475 | 19·6 | 26·7 | 17·9 | 0·7 | 284 | 190 | 22 | 46 | . | . | . | . | . | 1 | . | . | 6 | 10 | 27 | 20 | 7 | 33 | 3 | 9 | 38 | 4 |
| LIMERICK, | 38,151 | 18·1 | 32·4 | 20·9 | 0·6 | 309 | 199 | 37 | 55 | . | . | 1 | . | . | 1 | . | 2 | 2 | 17 | 19 | 9 | 5 | 42 | . | 5 | 67 | 31 |
| WATERFORD, | 26,769 | 18·7 | 29·7 | 27·3 | 0·9 | 199 | 183 | 17 | 62 | . | . | 1 | . | 2 | . | . | 1 | 2 | 1 | 30 | 7 | 5 | 36 | 1 | 7 | 73 | 13 |
| GALWAY, | 13,426 | 2·5 | 27·4 | 23·5 | 1·5 | 92 | 79 | 13 | 38 | . | . | . | . | . | 2 | 3 | . | . | 3 | 9 | 1 | 3 | 9 | 5 | . | 34 | 23 |
| DUNDALK, | 13,076 | 9·4 | 24·8 | 23·2 | 4·0 | 81 | 76 | 9 | 24 | . | 10 | . | . | . | 1 | . | 1 | 1 | 4 | 8 | 1 | 1 | 17 | . | . | 21 | 10 |
| DROGHEDA, | 12,760 | 8·6 | 27·9 | 21·3 | . | 89 | 68 | 9 | 27 | . | . | . | . | . | . | . | . | . | 6 | 5 | 2 | . | 6 | 1 | 2 | 14 | 5 |
| NEWRY, | 12,405 | 17·8 | 23·9 | 18·1 | 0·6 | 74 | 56 | 7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 3 | 2 | 2 | 4 | 12 | 1 | 1 | 9 | 4 |
| LURGAN, | 11,782 | 13·8 | 29·5 | 23·8 | 0·3 | 87 | 70 | 15 | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 17 | 5 | 3 | 4 | 3 | 4 | 18 | 5 |
| LISBURN, | 11,461 | 10·1 | 30·0 | 21·6 | 1·0 | 86 | 62 | 13 | 17 | . | . | . | . | 2 | . | . | . | 1 | 2 | 5 | 2 | 3 | 11 | 2 | 3 | 15 | 3 |
| WEXFORD, | 11,168 | 23·2 | 28·7 | 25·4 | 0·4 | 80 | 71 | 12 | 33 | . | . | . | . | . | . | . | . | 1 | . | 4 | 6 | 2 | 23 | . | . | 14 | 9 |
| BALLYMENA, | 10,886 | 8·9 | 27·9 | 26·1 | 1·8 | 76 | 71 | 9 | 30 | . | . | . | . | 1 | 3 | . | . | 1 | 6 | 6 | 2 | 3 | 4 | 2 | . | 5 | 8 |
| SLIGO, | 10,870 | 3·7 | 22·8 | 20·2 | 1·1 | 62 | 55 | 5 | 24 | . | . | . | 1 | . | . | . | 1 | 1 | . | 11 | 1 | . | 4 | . | . | 17 | 12 |
| KILKENNY, | 10,609 | 11·5 | 28·7 | 30·2 | 3·0 | 76 | 80 | 17 | 26 | . | . | . | . | 8 | . | . | . | . | 6 | 7 | . | 2 | 21 | . | . | 22 | 10 |
| CLONMEL, | 10,167 | 7·8 | 26·4 | 18·9 | 0·4 | 67 | 48 | 6 | 17 | . | . | . | . | . | . | . | . | 1 | . | 7 | 2 | 1 | 12 | 1 | 1 | 17 | 13 |
| PORTADOWN, | 10,092 | 13·2 | 35·7 | 17·8 | . | 90 | 45 | 15 | 11 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 14 | . | 2 | . | 4 |
| TRALEE, | 9,867 | 16·6 | 28·0 | 25·9 | 0·8 | 69 | 64 | 5 | 30 | . | . | . | . | . | . | . | 2 | . | 2 | 7 | 3 | 4 | 2 | . | . | 26 | 11 |
| NEWTOWNARDS, | 9,110 | 18·9 | 34·7 | 21·9 | 0·4 | 79 | 50 | 10 | 22 | . | . | . | . | . | . | . | . | 1 | 4 | 5 | 4 | 2 | 6 | 1 | . | 6 | 2 |
| QUEENSTOWN, | 7,909 | 14·4 | 26·8 | 9·1 | . | 53 | 18 | 3 | 7 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 1 | 1 | 2 | 2 |
| ARMAGH, | 7,588 | 22·2 | 23·2 | 19·5 | 0·5 | 44 | 37 | 2 | 16 | . | . | . | . | . | . | . | 1 | . | 4 | 6 | 2 | 2 | 7 | . | . | 10 | 1 |

* The population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1907; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

‡ Including 154 deaths from Cerebro-spinal Fever (revised number). See text on page 214.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 30th March, 1907,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1.) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN, No. 1 DISTRICT, | 14,734 | 79 | The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 111 | 23 | 17 | 10 | 18 | 18 | 25 | . | . | . | . | 1 | . | . | . | 2 | 12 | 11 | 6 | 3 | 23 | 2 | 4 | 33 | 3 |
| ,, 2 ,, | 47,959 | 338 | | | 296 | 47 | 36 | 47 | 39 | 65 | 62 | . | 2 | 2 | 1 | 2 | 1 | . | 5 | 2 | 26 | 21 | 29 | 7 | 45 | 5 | 12 | 74 | 3 |
| ,, 3 ,, | 47,214 | 373 | | | 270 | 49 | 28 | 21 | 59 | 51 | 62 | . | 2 | 1 | . | 3 | . | . | 2 | 4 | 34 | 39 | 10 | 5 | 46 | 3 | 12 | 61 | 2 |
| ,, 4 ,, | 40,911 | 406 | | | 307 | 56 | 32 | 19 | 55 | 68 | 77 | . | 1 | . | . | 5 | . | . | 5 | 5 | 25 | 50 | 13 | 3 | 47 | 3 | 7 | 120 | 2 |
| ,, 5 ,, | 17,387 | 138 | | | 129 | 18 | 21 | 11 | 28 | 29 | 27 | . | 1 | . | . | 3 | 2 | . | 2 | . | 17 | 12 | 12 | 7 | 18 | 3 | 7 | 45 | 6 |
| ,, 6 ,, | 48,122 | 275 | | | 288 | 36 | 38 | 28 | 49 | 59 | 88 | . | 1 | . | . | 4 | 5 | . | 2 | 6 | 21 | 22 | 22 | 13 | 50 | 7 | 16 | 68 | 4 |
| ,, 7 ,, | 1,524 | 8 | | | 12 | 1 | 1 | 2 | 1 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 2 | . | . | 7 | . |
| ,, 8 ,, | 5,060 | 40 | | | 28 | 6 | 2 | 4 | 3 | 6 | 7 | . | . | . | . | 1 | . | . | . | . | 1 | 4 | 2 | 2 | 6 | . | 1 | 6 | . |
| ,, 9 ,, | 19,569 | 173 | | | 122 | 29 | 7 | 12 | 27 | 23 | 24 | . | . | . | . | 1 | . | . | 5 | 4 | 14 | 15 | 6 | 2 | 18 | 3 | 4 | 32 | 5 |
| ,, 10 ,, | 23,064 | 251 | | | 152 | 25 | 24 | 18 | 27 | 24 | 34 | . | 4 | . | . | 2 | . | . | 1 | 1 | 9 | 27 | 9 | 5 | 20 | 1 | 10 | 35 | 3 |
| ,, 11 ,, | 34,802 | 276 | | | 198 | 30 | 27 | 24 | 25 | 41 | 46 | . | . | 1 | . | . | 2 | . | 1 | 2 | 21 | 16 | 10 | 7 | 30 | 8 | 11 | 52 | 1 |
| ,, 12 ,, | 33,588 | 317 | | | 213 | 42 | 21 | 44 | 24 | 38 | 44 | . | . | . | . | . | . | . | 4 | 1 | 10 | 22 | 13 | 4 | 57 | 4 | 8 | 55 | 1 |
| ,, 13 ,, | 15,006 | 142 | | | 75 | 13 | 4 | 7 | 13 | 12 | 26 | . | . | . | . | . | . | . | . | 1 | 3 | 7 | 4 | 2 | 10 | . | 3 | 6 | . |
| ,, 14 ,, | 240 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 2,818 | | | 2,196† | 375 | 258 | 242 | 368 | 438 | 520 | . | 11 | 4 | 1 | 22 | 10 | . | 27 | 28 | 193 | 249 | 136 | 66 | 372 | 39 | 95 | 594 | 30 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN, No. 1 DISTRICT, | 12,867 | 75 | 25·8 | 1·6 | 83 | 4 | 10 | | 37 | | 32 | . | . | . | . | 5 | . | . | . | . | 5 | 18 | . | 3 | 11 | . | 1 | 36 | 2 |
| ,, 2 ,, | 10,701 | 72 | 28·4 | 7·1 | 76 | 19 | 9 | | 33 | | 15 | . | . | . | . | 14 | 2 | . | . | 3 | 8 | 13 | 2 | 1 | 8 | 2 | 4 | 20 | 5 |
| ,, 3 ,, | 9,978 | 71 | 34·9 | 2·4 | 87 | 18 | 10 | | 37 | | 22 | . | . | . | . | 5 | . | . | . | 1 | 4 | 16 | 4 | 3 | 24 | . | . | 25 | 5 |
| ,, 4 ,, | 8,666 | 59 | 33·2 | 1·4 | 72 | 11 | 6 | | 38 | | 17 | . | . | . | . | 2 | . | . | . | 1 | 1 | 14 | 1 | 3 | 16 | . | 1 | 26 | 4 |
| ,, 5 ,, | 6,592 | 43 | 24·3 | 0·6 | 40 | 5 | 3 | | 17 | | 15 | . | . | . | 1 | . | . | . | . | . | . | 3 | 4 | 2 | 7 | . | 1 | 14 | . |
| ,, 6 ,, | 10,702 | 75 | 16·4 | 0·4 | 44 | 7 | 2 | | 22 | | 13 | . | . | . | . | 1 | . | . | . | . | 4 | 4 | 6 | 1 | 3 | . | 1 | 6 | 3 |
| ,, 7 ,, | 16,616 | 110 | 22·4 | 1·2 | 93 | 8 | 14 | | 47 | | 24 | . | . | . | . | 5 | . | . | . | . | 4 | 10 | 7 | 7 | 11 | 2 | 5 | 44 | 1 |
| Total, | 76,122 | 505 | 26·0 | 2·1 | 495 | 72 | 54 | | 231 | | 138 | . | . | . | 1 | 32 | 2 | . | . | 5 | 26 | 78 | 24 | 20 | 80 | 4 | 13 | 171 | 20 |

* Formerly described as "Simple Continued Fever."

† See note (‡) on page 215.

# SPECIAL TABLES.

## Cerebro-spinal Fever.

The following tables contain information with reference to the epidemic of Cerebro-spinal Fever in the County Borough of Belfast.

Table A.—Showing for each of the 13 weeks of the Quarter ended 30th March, 1907, the Number of Deaths from Cerebro-spinal Fever for each Registrar's District of the County Borough of Belfast (Deaths in Institutions being assigned to the Districts from which the deceased were admitted, and deaths of persons admitted from without the County Borough being excluded); also the total number of cases notified during each week.

| Registrars' Districts. | Mortality. Week ending— | | | | | | | | | | | | | Total (13 weeks ending 30th March, 1907). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5th Jan. | 12th Jan. | 19th Jan. | 26th Jan. | 2nd Feb. | 9th Feb. | 16th Feb. | 23rd Feb. | 2nd Mar. | 9th Mar. | 16th Mar. | 23rd Mar. | 30th Mar. | |
| Belfast Urban, No. 1, | . | . | . | . | . | 1 | 2 | . | . | 2 | 1 | . | 2 | 8 |
| " " 2, | . | . | . | . | 4 | 4 | 2 | 1 | 2 | 4 | 1 | 3 | 3 | 24 |
| " " 3, | . | . | . | . | . | 1 | 1 | . | 2 | 3 | 2 | 3 | 2 | 14 |
| " " 4, | . | . | . | . | 1 | . | 3 | . | 3 | 4 | 2 | 2 | . | 15 |
| " " 5, | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 6 |
| " " 6, | . | . | . | 1 | 5 | 2 | 1 | 1 | 6 | 1 | 2 | 1 | 1 | 21 |
| " " 7, | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 |
| " " 8, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 9, | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 2 |
| " " 10, | . | . | . | . | . | 1 | 1 | 2 | 1 | . | 2 | . | 2 | 9 |
| " " 11, | . | . | . | . | . | 4 | . | 1 | 5 | 1 | 3 | 3 | 3 | 20 |
| " " 12, | 2 | 1 | 1 | 1 | . | . | 2 | 7 | 2 | 3 | 3 | 1 | 8 | 31 |
| " " 13, | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total Deaths, . | 2 | 1 | 1 | 2 | 12 | 14 | 12 | 12 | 22 | 22 | 19 | 14 | 21 | 154 |
| | Notifications as returned. | | | | | | | | | | | | | |
| Total Notifications, Belfast, . . | . | 2 | 7 | 16 | 24 | 12 | 19 | 29 | 20 | 31 | 24 | 18 | 31 | 233 |

TABLE B.—Showing, by Age periods and Sexes, the Number of Deaths registered from Cerebro-spinal Fever in the County Borough of Belfast, by Registrars' Districts, during the Quarter (13 weeks) ended 30th March, 1907—Deaths in Institutions being assigned to the Districts from which the diseased were admitted, and deaths of persons admitted from without the County Borough being excluded.

| REGISTRARS' DISTRICTS. | AGE PERIODS. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60 | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Belfast Urban, No. 1, | . | . | . | 2 | 1 | 2 | 3 | . | . | . | 4 | 4 | 8 |
| ,, No. 2, | 2 | 3 | 2 | 1 | 7 | 7 | 2 | . | . | . | 13 | 11 | 24 |
| ,, No. 3, | 2 | | 5 | 1 | 5 | 1 | . | . | . | . | 12 | 2 | 14 |
| ,, No. 4, | 1 | 2 | 1 | . | 2 | 3 | 4 | 1 | 1 | . | 9 | 6 | 15 |
| ,, No. 5, | . | . | 2 | 1 | 2 | 1 | . | . | . | . | 4 | 2 | 6 |
| ,, No. 6, | 1 | 1 | 6 | 3 | 4 | 4 | 1 | 1 | . | . | 12 | 9 | 21 |
| ,, No. 7, | . | . | . | 1 | 1 | . | . | . | . | . | 1 | 1 | 2 |
| ,, No. 8, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, No. 9, | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| ,, No. 10, | . | 1 | 4 | . | 2 | 1 | . | 1 | . | . | 6 | 3 | 9 |
| ,, No. 11, | 1 | . | 9 | 1 | 2 | 4 | 2 | 1 | . | . | 14 | 6 | 20 |
| ,, No. 12, | 5 | . | 3 | 2 | 7 | 13 | 1 | . | . | . | 16 | 15 | 31 |
| ,, No. 13, | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | 2 |
| ,, No. 14. | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . | 12 | 7 | 33 | 12 | 34 | 37 | 14 | 4 | 1 | . | 94 | 60 | 154 |

TABLE C.—Showing the Occupation or Social Condition, by Age Periods and Sexes, of the Persons whose deaths were registered as having been caused by Cerebro-spinal Fever in the County Borough of Belfast, during the Quarter (13 weeks), ended 30th March, 1907, excluding deaths in Institutions of persons admitted from without the County Borough of Belfast.

| Occupation or Social Condition. | Age Periods. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Agent, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Army Pensioner, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Baker, children of, | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | 2 |
| Bank Messenger, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Barber, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Barman, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Blacksmith, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Book-keeper, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Brassfinisher, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Bricklayer, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Cabinetmaker, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Carpenter and Joiner. | . | . | . | . | 1 | . | 2 | . | . | . | 3 | . | 3 |
| Carpenter and Joiner, children of, | 1 | . | . | 1 | . | 1 | . | . | . | . | 1 | 2 | 3 |
| Carter, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| " children of, | . | . | . | 1 | 2 | . | . | . | . | . | 2 | 1 | 3 |
| Caulker, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Clerk, children of, | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| Coach Trimmer, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Coalporter, children of, | . | . | 1 | 1 | . | . | . | . | . | . | 1 | 1 | 2 |
| Commercial Traveller, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Dock Labourer, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Draper, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Driller, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Electrician, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Engine Driver, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Farmer, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Fireman, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Fireman, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Fitter, children of, | . | . | 1 | . | 1 | . | . | . | . | . | 2 | . | 2 |
| Flour Mill worker, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| French Polisher, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Furniture Maker, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Gardener, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Grocer's Apprentice, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Hackler, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Hackle Maker, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| "Holder Up," child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Horseshoer, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | |
| Housekeeper, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | |
| Housekeeper, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Iron-checker, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | |
| Iron-moulder, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |

[*continued on next page.*

TABLE C.—*continued.*—Showing the Occupation or Social Condition, by Age Periods and Sexes, of the Persons whose deaths were registered as having been caused by Cerebro-spinal Fever in the County Borough of Belfast during the Quarter (13 weeks) ended 30th March, 1907, excluding deaths in Institutions of persons admitted from without the County Borough of Belfast.

| Occupation or Social Condition. | Age Periods. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year | | 1 year and under 5. | | 5 years and under 20. | | 20 years. and under 40. | | 40 years and under 60, | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Labourer, | . | . | . | . | . | . | 1 | . | 1 | . | 2 | . | 2 |
| ,, children of, | 6 | 3 | 16 | 6 | 13 | 6 | . | . | . | . | 35 | 15 | 50 |
| Laundress, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Manager (Prison Gate Mission), child of. | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Meat Salesman, children of, | . | 1 | 1 | . | . | . | . | . | . | . | 1 | 1 | 2 |
| Mechanic, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Medical Doctor, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Medical Student, | | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Millworker, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Naval Pensioner, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| ,, Seaman, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Painter, | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | 2 |
| ,, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Piano Merchant, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Plater, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Plumber, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Pork Cutter, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Porter, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Publican, daughter of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Registration Agent, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Rivetter, children of, | . | . | 2 | . | 1 | 1 | . | . | . | . | 3 | 1 | 4 |
| Saddler, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| ,, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Sample Maker, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| School Teacher, | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | 2 |
| Servant (domestic), | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Ship Carpenter, children of, | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| Soldier, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Stable-manager, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Stitcher, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Stone-cutter, children of, | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| Storeman, children of, | . | . | 2 | . | . | 1 | . | . | . | . | 2 | 1 | 3 |
| Tailor, children of, | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 | 2 |
| Timekeeper, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Tram-driver, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Typist, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Unknown, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Vanman, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Warehouseman, children of, | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | 2 |
| Water Inspector, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| TOTAL, | 12 | 7 | 33 | 12 | 34 | 37 | 14 | 4 | 1 | . | 94 | 60 | 154 |

TABLE D.—Showing, by sexes, for the County Borough of Belfast, the duration of illness of the persons whose deaths from Cerebro-spinal Fever were registered during the quarter (13 weeks) ended 30th March, 1907.

[The deaths are exclusive of those in Institutions of persons admitted from without the County Borough of Belfast.]

| SEXES. | DURATION OF ILLNESS. | | | | | | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 24 Hours. | Days. | | | | | | | | | | | | | | Unspecified. | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 and under 20. | 20 and upwards. | | |
| Males, . | 22 | 13 | 6 | 9 | 6 | 10 | 6 | 3 | 4 | 2 | 3 | 2 | 3 | 3 (*a*) | 2 (*c*) | . | 94 |
| Females, . | 13 | 11 | 4 | 10 | 2 | 3 | 2 | 2 | . | 2 | 1 | . | 2 | 3 (*b*) | 4 (*d*) | 1 | 60 |
| Total, . | 35 | 24 | 10 | 19 | 8 | 13 | 8 | 5 | 4 | 4 | 4 | 2 | 5 | 6 | 6 | 1 | 154 |

(*a*) Including one 14, one 15, and one 17 days.

(*b*) Including one 17 and two 19 days.

(*c*) Including one 20 and one 27 days.

(*d*) Including one 26 days, one 1 month, one 32 days, and one 41 days.

ROBERT E. MATHESON,
*Registrar-General.*

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, 27th May,* 1907.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street,

375. Wt. P. 481. 1. 1907—17100

Q

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 6TH APRIL, 1907. [No. 14.

*General Register Office, Charlemont House,*
*Dublin, 8th April,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 25·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Mar. 16. | Week ending Mar. 23. | Week ending Mar. 30. | Week ending April 6. | Average Rate for 4 weeks. | Towns, &c. | Week ending Mar. 16. | Week ending Mar. 23. | Week ending Mar. 30. | Week ending April 6. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 23·0 | 23·0 | 21·2 | 25·0 | 23·1 | Lisburn, . | 31·8 | 22·7 | 9·1 | 22·7 | 21·6 |
| Armagh, . . | 6·9 | 20·6 | 13·7 | . | 10·3 | Londonderry, . | 23·3 | 19·6 | 13·5 | 12·3 | 17·2 |
| Ballymena, . | 23·9 | 23·9 | 9·6 | 23·9 | 20·3 | Lurgan, . . | 31·0 | 17·7 | 26·6 | 17·7 | 23·2 |
| Belfast, . . | 22·0 | 23·5 | 20·1 | 27·0 | 23·1 | Newry, . . | 8·4 | 12·6 | 12·6 | 16·8 | 12·6 |
| Clonmel, . | . | 25·6 | 5·1 | 25·6 | 14·1 | Newtownards, . | 40·1 | 28·6 | 22·9 | 45·8 | 34·3 |
| Cork, . . . | 28·1 | 25·3 | 20·5 | 24·0 | 24·5 | Portadown, . | 20·7 | 25·8 | 5·2 | 10·3 | 15·5 |
| Drogheda, . . | 8·2 | 28·6 | 24·5 | 4·1 | 16·4 | Queenstown . | . | 6·6 | . | 6·6 | 3·3 |
| Dublin Reg. Area, | 25·0 | 22·3 | 24·3 | 28·3 | 25·0 | Sligo, . . . | 33·6 | 14·4 | 19·2 | 43·2 | 27·6 |
| Dundalk, . . | 16·0 | 12·0 | 27·9 | 4·0 | 15·0 | Tralee, . | 31·7 | 10·6 | 21·1 | 10·6 | 18·5 |
| Galway, . . | 3·9 | 62·1 | 23·3 | 15·5 | 26·2 | Waterford, . | 21·4 | 27·3 | 25·3 | 15·6 | 22·4 |
| Kilkenny, . . | 29·5 | 24·6 | 19·7 | 49·1 | 30·7 | Wexford, . . | 14·0 | 4·7 | 28·0 | 37·4 | 21·0 |
| Limerick, . . | 23·2 | 26·0 | 24·6 | 13·7 | 21·9 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fourteen of the districts to 4·9 in Kilkenny. Among the 192 deaths from all causes registered in Belfast are 4 from measles, 2 from whooping-cough, 2 from diphtheria, 2 from enteric fever, 3 from diarrhœal diseases, 14 from cerebro spinal fever, and 6 returned as from *cerebro spinal meningitis.* One of the 35 deaths from all causes in Cork is from whooping-cough; and of the 9 deaths from all causes registered in Sligo one is from typhus.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 168—84 boys and 84 girls; and the deaths to 219—93 males and 126 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 29·2 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 28·3 per 1,000. During the fourteen weeks ending with Saturday last the death-rate averaged 28·4, and was 1·3 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths registered include 3 from measles, one from typhus, 8 from whooping-cough,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

3 from diphtheria, and 5 from influenza. In each of the 3 preceding weeks, deaths from measles were 5, 3, and 4; deaths from typhus were 0, 0, and 2; deaths from whooping-cough were 5, 7, and 4; deaths from diphtheria were one, one, and one; and deaths from influenza were 4, 4, and 2.

The deaths from pneumonia comprise 2 from lobar pneumonia, 10 from broncho-pneumonia, and 5 deaths from *pneumonia* (not defined).

The mortality from all forms of tuberculous disease amounted to 51 deaths, including 15 from tuberculous phthisis, 14 returned as from *phthisis*, 8 from tuberculous meningitis, one from tuberculous peritonitis, and 13 deaths from other forms of the disease. The deaths from all forms of tuberculous disease in the 3 preceding weeks were 42, 37, and 38, respectively.

One death was attributed to carcinoma and 4 to cancer (undefined).

The deaths of 3 infants under one year of age were due to prematurity.

Of 10 deaths from diseases of the brain and nervous system, 4 were of children under 5 years of age from *convulsions*.

The deaths of 39 persons were caused by diseases of the heart or blood vessels, and 29 fatalities were due to bronchitis.

There were 3 deaths from accidental causes, and one death was by suicide.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the death of a person aged 85 years.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 9 were under one month old) and 51 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a female) was stated to have been aged 99 years.

One hundred and four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the N. Dublin Union Workhouse and 40 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·3 per 1,000; the rate in the City was 32·2 (North City Districts, 30·5; South, 34·1), and in the Suburbs, 15·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 2·4 (2·7 in the North City Districts, and 2·1 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·4 per 1,000, and include one death from diphtheria, one death from tuberculous disease, 3 deaths from bronchitis, and one death by accidental drowning.

*No. 1 North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 32·0 per 1,000. Whooping-cough and diphtheria each caused one death; there were 9 deaths from tuberculous disease, and one death from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 43·3 per 1,000. There was one death each from typhus and influenza, there were 2 deaths from whooping-cough, 3 deaths from pneumonia (all forms), 6 deaths from tuberculous disease, 2 deaths from diseases of the respiratory system, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (20) represent an annual rate of 32·2 per 1,000. The deaths (20) include one from each of measles and whooping-cough, one from broncho-pneumonia, 2 from *pneumonia* (not defined), 2 from tuberculous disease, and 4 deaths from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:— Clontarf and Howth, No. 1, part of, 30·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 14·2, and Finglas and Glasnevin, part of, 14·4. The 3 deaths from all causes for Clontarf and Howth, No. 1, part of, comprise 2 from influenza and one from tuberculous phthisis. Of the 3 deaths for Coolock and Drumcondra, No. 1, part of, one was from tuberculous phthisis; and the 2 deaths from all causes for Finglas and Glasnevin, part of, comprise one from lobar pneumonia and one from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (37) represent an annual rate of 48·2 per 1,000. There was one death from each of measles and whooping-cough; broncho-pneumonia caused 3 deaths, tuberculous disease caused 10 deaths, and diseases of the respiratory system 7 deaths.

*No. 2 South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 40·5 per 1,000, and include one death from diphtheria, one death from broncho-pneumonia, one death from *phthisis*, 3 deaths from bronchitis, and one death by suicide.

*No. 3 South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·6 per 1,000. Among the deaths was one from measles, one from broncho-pneumonia and one from *pneumonia* (not defined); there were 5 deaths from tuberculous disease and 5 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. Whooping-cough caused 2 deaths; there was one death from influenza, broncho-pneumonia caused 2 deaths, there were 4 deaths from tuberculous disease, and 5 deaths from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000. Of the deaths one was due to broncho-pneumonia and 3 were due to tuberculous disease.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:— Rathmines and Rathgar, 11·7; Pembroke, 24·3; Blackrock, 6·0; and Kingstown, 11·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. The 8 deaths from all causes for Rathmines and Rathgar include one each from *pneumonia* (not defined) and *phthisis*. Of the 13 deaths from all causes for Pembroke one was from influenza, 4 were from tuberculous disease, 2 from bronchitis; and the 4 deaths from all causes for Kingstown include one from tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 6th April, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Mar. 16, | . | — | — | 8 | 1 | . | 7 | . | 3 | 7 | 19 | . | — | — | 1 | — | — | 46 |
| | Mar. 23, | . | — | — | 4 | 8 | . | 5 | . | 1 | 7 | 12 | . | — | — | 2 | — | — | 39 |
| | Mar. 30, | . | — | — | 4 | 3 | . | 6 | . | 3 | 5 | 19 | . | — | — | . | — | — | 40 |
| | Apr. 6, | . | — | — | 1 | 2 | . | 4 | . | 4 | 4 | 4 | . | — | — | . | — | — | 19 |
| Rathmines and Rathgar Urban District. | Mar. 16, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Mar. 23, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Mar. 30, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 6, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| Pembroke Urban District. | Mar. 16, | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | — | 7 | . | — | — | 13 |
| | Mar. 23, | . | . | . | . | . | . | . | . | 1 | 2 | . | . | — | 13 | 1 | — | — | 17 |
| | Mar. 30, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | — | 26 | . | — | — | 28 |
| | Apr. 6, | . | . | . | . | . | . | . | . | . | . | . | . | — | 8 | . | — | — | 8 |
| Blackrock Urban District. | Mar. 16, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 23, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Mar. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Mar. 16, | . | — | — | 10 | . | . | 11 | . | 6 | 18 | 5 | 1 | — | — | 24 | — | — | 75 |
| | Mar. 23, | . | — | — | 12 | . | . | 3 | . | 4 | 8 | 4 | . | — | — | 18 | — | — | 49 |
| | Mar. 30, | . | — | — | 16 | . | . | 2 | 1 | 7 | 13 | 14 | . | — | — | 31 | — | — | 84 |
| | Apr. 6, | . | — | — | 5 | . | . | 3 | . | 1 | 5 | 3 | 1 | — | — | 27 | — | — | 45 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th April, 1907.

From this it appears that:—

Twenty cases of measles were admitted into hospital during the week, 16 were discharged, there was one death, and 69 cases remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 12 were discharged, and 53* cases remained under treatment at the close of the week.

Three cases of typhus were admitted to hospital during the week, 2 were discharged, there was one death, and 12 cases remained under treatment at its close.

Four cases of diphtheria were admitted to hospital, 3 were discharged, there was one death, and 11 patients remained under treatment at the close of the week.

One case of enteric fever was admitted to hospital, 4 were discharged, there was one death, and 17 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 16 cases of pneumonia were admitted to hospital, 11 were discharged, there was one death, and 33 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 17·8), was equal to an average annual death-rate of 17·9 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 19·4 per 1,000, the rate for Glasgow being 21·9 and for Edinburgh 18·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th April. From this Report it appears that of a total of 47 cases notified 27 were scarlet fever, 10 diphtheria, 8 erysipelas, and 2 enteric fever. Among the 356 cases of infectious diseases in hospital at the close of the week were 115 cases of scarlet fever, 83 of measles, 36 of whooping-cough, 30 of diphtheria, 13 of erysipelas, and 8 of enteric fever.

* See note (*) at foot of Table XII.

**TABLE II.—BIRTHS and DEATHS registered during the Week ending Saturday, 6th April, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the Temperature and Rainfall for the Week, and for each of two Weeks immediately preceding.**

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 6th April, 1907. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 30th March, 1907. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 23rd March, 1907. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·6 | 25·0 | 1·6 | 570 | 586 | 87 | 127 | . | 7 | . | 2 | 11 | 5 | . | 2 | 7 | 39 | 70 | 41 | 21 | 85 | 10 | 15 | 176 | 25 | ○ | ○ | ○ | . | ○ | ○ | ○ | . | ○ | ○ | ○ | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 22·4 | 28·3 | 2·0 | 168 | 212 | 32 | 50 | . | 3 | . | 1 | 8 | 3 | . | . | . | 17 | 29 | 20 | 4 | 34 | 4 | 7 | 97 | 5 | f56·5 | 24·9 | 42·1 | 0·73 | f64·4 | 29·8 | 47·2 | 0·09 | f57·4 | 24·9 | 43·9 | 0·87 |
| City of Dublin, | 300,850 | 38·0 | 25·1 | 32·2 | 2·4 | 145 | 186 | 26 | 41 | . | 3 | . | 1 | 7 | 3 | . | . | . | 16 | 24 | 19 | 2 | 31 | 3 | 6 | 91 | 5 | g57·0<br>h53·9 | 31·8<br>28·0 | 44·2<br>41·9 | 0·90<br>0·75 | g64·1<br>h62·8 | 37·8<br>31·0 | 49·2<br>46·2 | 0·08<br>0·09 | g57·9<br>h58·6 | 38·3<br>28·0 | 45·9<br>44·8 | 0·92<br>0·97 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 18·2 | 11·7 | . | 9 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | e | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 9·4 | 24·3 | 1·9 | 5 | 13 | 4 | 3 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 6·0 | . | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 11·8 | . | 6 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 53 | 35 | 43·8 | 0·99 | . | . | . | . | . | . | . | . |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 33·0 | 27·0 | 1·8 | 234 | 192 | 31 | 30 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 5 | 49 | 3 | 55·5 | 30·0 | 44·6 | 1·33 | 61·8 | 30·5 | 47·0 | 0·08 | 54·0 | 33·0 | 43·6 | 1·70 |
| Cork, | 76,122 | 33·6 | 19·9 | 24·0 | 0·7 | 29 | 35 | 4 | 11 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 | 11 | 1 | 51 | 32 | 44·2 | 1·08 | 54 | 36 | 46·4 | 0·10 | 58 | 38 | 46·1 | 0·18 |
| Londonderry, | 42,475 | 19·6 | 34·4 | 12·3 | 1·2 | 28 | 10 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 2 | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 16·4 | 13·7 | . | 12 | 10 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 27·3 | 15·6 | 1·9 | 14 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 19·4 | 15·5 | . | 5 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 1 | 2 | 56 | 30 | 46 | 0·57 | 61 | 42 | 50·4 | 0·57 | 56 | 22 | 46 | 1·93 |
| Dundalk, | 18,076 | 9·4 | 16·0 | 4·0 | . | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 28·6 | 4·1 | . | 7 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 25·2 | 16·8 | . | 6 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 |
| Lurgan, | 11,782 | 13·8 | 13·3 | 17·7 | . | 3 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 |
| Lisburn, | 11,461 | 10·1 | 18·2 | 22·7 | 4·5 | 4 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 3 | . | . | 3 | . | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 |
| Wexford, | 11,168 | 23·2 | 65·4 | 37·4 | . | 14 | 8 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 43·1 | 28·9 | . | 9 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 24·0 | 43·2 | 4·8 | 5 | 9 | 4 | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 5 | 57·3 | 31·4 | 43·7 | 0·59 | 62·4 | 36·3 | 47·9 | 0·73 | 57·3 | 26·2 | 44·2 | 0·86 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 49·1 | 4·9 | 5 | 10 | 3 | 4 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 1 | . | . | 2 | 1 | 55 | 29 | 42·4 | 0·98 | 60 | 28 | 47 | 0·30 | 56 | 27 | 38·5 | 0·10 |
| Clonmel, | 10,167 | 7·8 | 5·1 | 25·6 | . | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 25·8 | 10·3 | . | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 |
| Tralee, | 9,867 | 16·6 | 15·9 | 10·6 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 16·9 | 22·9 | 45·8 | . | 4 | 8 | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 2 | 2 | 55 | 35 | 44·3 | 1·36 | 58 | 37 | 46·5 | 0·10 | 55 | 33 | 43·1 | 0·81 |
| Queenstown, | 7,909 | 14·4 | 18·2 | 6·6 | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 51 | 32 | 44·2 | 1·08 | 54 | 36 | 46·4 | 0·10 | 58 | 38 | 46·1 | 0·18 |
| Armagh, | 7,588 | 22·2 | 55·0 | . | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 | 55·5 | 30·3 | 43·5 | 0·49 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one at 64 years), admitted to hospital from localities outside the Area e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and Queenstown.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 6th April, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 3 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough | . | 1 | 2 | 1 | . | . | . | 1 | . | . | 2 | . | . | 1 | . | . | 8 | . |
| Diphtheria | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 3 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia | . | . | 3 | 3 | . | . | 1 | 3 | 1 | 2 | 2 | 1 | 1 | . | . | . | 17 | . |
| Tuberculous Disease. Phthisis | . | 5 | 5 | 1 | 1 | 1 | . | 5 | 1 | . | 3 | 2 | 1 | 3 | . | 1 | 29 | . |
| Tuberculous Disease. Other Forms | 1 | 4 | 1 | 1 | . | . | . | 5 | . | 5 | 1 | 1 | . | 1 | . | . | 20 | 2 |
| Cancer, Malignant Disease | . | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 |
| Other General Diseases | . | 1 | 2 | . | 2 | 1 | . | 2 | 1 | 1 | 1 | . | . | 1 | . | . | 12 | 1 |
| Total, | 2 | 12 | 16 | 7 | 3 | 2 | 1 | 17 | 4 | 9 | 9 | 4 | 3 | 6 | . | 2 | 97 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | . | . | 3 | . | . | . | 3 | 1 | . | 1 | . | 1 | . | . | 1 | 10 | . |
| Diseases of Organs of Special Sense | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Heart and Blood Vessels | 4 | 5 | 2 | 4 | . | . | . | 7 | 4 | 6 | . | . | 1 | 2 | 1 | . | 36 | 3 |
| Diseases of Respiratory System | 3 | 1 | 2 | 4 | . | . | 1 | 7 | 3 | 5 | 5 | . | 1 | 2 | . | . | 34 | . |
| Diseases of Digestive System | 1 | 4 | 1 | . | . | . | . | . | 1 | 3 | . | . | . | 1 | . | . | 11 | . |
| Diseases of Lymphatic Sytem &c. | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Urinary System | . | 1 | 1 | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | 5 | . |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 9 | 11 | 6 | 12 | . | . | 1 | 19 | 9 | 15 | 6 | . | 4 | 5 | 1 | 2 | 100 | 3 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 1 | 2 | 1 | . | 1 | . | 1 | 2 | . | . | . | 1 | 1 | . | . | 11 | . |
| **E. VIOLENT DEATHS,** | 1 | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 4 | . |
| **Deaths from all Causes,** | 13 | 2 | 25 | 20 | 3 | 3 | 2 | 37 | 16 | 24 | 15 | 4 | 8 | 13 | 1 | 4 | 212 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 28·4 | 32·0 | 48·3 | 32·2 | 30· | 14·2 | 14 | 48·2 | 40·5 | 29·6 | 22·3 | 23·5 | 11·7 | 24·3 | 6·0 | 11·8 | 28·3 | . |
| | 30·5 | | | | | | | 34·1 | | | | | 15·1 | | | | | |
| | 32·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | . | 4 | 4 | 2 | . | 1 | . | 4 | 3 | 4 | 4 | . | 2 | 4 | . | . | 32 | . |
| 1 and under 5 years | 2 | 4 | 4 | 6 | . | . | . | 10 | 2 | 3 | 1 | 3 | . | . | . | 2 | 37 | 1 |
| 5 " 20 " | 2 | 2 | 1 | 2 | . | . | . | 2 | 2 | 3 | 1 | . | . | 2 | . | . | 17 | . |
| 20 " 40 " | 1 | 2 | 4 | 4 | 1 | . | . | 7 | 1 | 2 | 3 | . | 1 | 2 | . | . | 23 | 2 |
| 40 " 60 " | 4 | 3 | 8 | 4 | . | 1 | . | 3 | 3 | 8 | 4 | 1 | 1 | 2 | . | 1 | 48 | 3 |
| 60 and upwards | 4 | 4 | 4 | 2 | 2 | 1 | 2 | 11 | 5 | 4 | 2 | . | 4 | 3 | 1 | 1 | 50 | 1 |
| Number of Uncertified Deaths | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . | . | 5 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | . | 7 | 7 | 5 | 1 | . | . | 8 | 2 | 5 | 1 | . | . | 3 | 1 | . | 40 | 5 |
| Workhouse Hospitals | 3 | 4 | 9 | 3 | . | . | . | 12 | 5 | 13 | 4 | 2 | . | 2 | . | . | 57 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i week of the ten years, 1897-

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 14th Week of the 10 years 1897-1906. | In the Week ending Saturda 6th April, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | April 10, 1897. | April 9, 1898. | April 8, 1899. | April 7, 1900. | April 6, 1901. | April 5, 1902. | April 11, 1903. | April 9, 1904. | April 8, 1905. | April 7, 1906. | | ALL AGES. | 0 to 5. | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under 1 year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | ° 42·4 | ° 49·0 | ° 48·6 | ° 42·6 | ° 43·1 | ° 43·5 | ° 48·0 | ° 45·9 | ° 44·2 | ° 42·9 | ° 45·0 | ° 42·1 | | | | | | |
| **ALL CAUSES.** | 241 | 163 | 220 | 194 | 224 | 203 | 174 | 226 | 190 | 159 | 199·4 | 219 | 9 | 23 | 38 | 17 | 30 | 51 |
| Small-pox, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 25 | . | 2 | 3 | . | 1 | 3 | 4 | . | 1 | 3·9 | 3 | . | 2 | 1 | . | . | . |
| Scarlet Fever, | 3 | . | . | . | . | 1 | 1 | . | 1 | . | ·6 | . | . | . | . | . | . | . |
| Typhus, | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . | . | 1 |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 3 | 9 | 15 | 2 | 10 | 3 | 3 | 5 | 2 | 2 | 5·4 | 5 | . | . | . | 1 | . | 1 |
| Whooping-cough, | 9 | 2 | 5 | 3 | 5 | . | 2 | 8 | 1 | 2 | 3·7 | 8 | . | 4 | 4 | . | . | . |
| Diphtheria, | 2 | 2 | 3 | . | 2 | 2 | 2 | 2 | 1 | . | 1·6 | 3 | . | 1 | 2 | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . |
| *Pyrexia* (origin uncertain), | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Enteric Fever, | . | 3 | 4 | 3 | 3 | 1 | 4 | 3 | 1 | . | 2·2 | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 1 | 2 | . | . | 2 | . | 1 | 1 | . | . | 1·4 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | 2 | 1 | 2 | 1 | | . | . | . | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 2 | . | . | . | 1 | 1 | 1 | 3 | 2 | 3 | 1·3 | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 21 | 10 | 22 | 15 | 13 | 1 | 1 | . | . | 1 | 14·1 | 2 | . | . | . | . | . | 1 |
| Pneumonia, Broncho- | | | | | | 5 | 3 | 5 | 8 | 4 | | 10 | 1 | 1 | 5 | 1 | . | 1 |
| Pneumonia, Epidemic, | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 10 | 5 | 10 | 3 | 3 | | 5 | . | . | 1 | . | 3 | . |
| Erysipelas, | . | . | . | . | . | 2 | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 28 | 23 | 30 | 27 | 33 | 7 | 2 | 11 | 9 | 15 | 27·5 | 15 | . | . | 2 | 1 | 6 | 6 |
| "*Phthisis*," | | | | | | 20 | 17 | 23 | 22 | 8 | | 14 | . | . | . | 4 | 7 | 3 |
| Tuberculous Meningitis, | 4 | 4 | 4 | 6 | 4 | 5 | 4 | 2 | 3 | 3 | 3·9 | 8 | . | . | 4 | 4 | . | . |
| Tuberculous Peritonitis, | 3 | 10 | 5 | 8 | 7 | 1 | . | 2 | 3 | 2 | 4·3 | 1 | . | . | . | . | 1 | . |
| *Tabes Mesenterica*, | | | | | | . | . | 1 | 1 | . | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 5 | 5 | 4 | 1 | 5 | 7 | 6 | 9 | 11 | 10 | 6·4 | 13 | . | 1 | 7 | 3 | 1 | 1 |
| *Scrofula*, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, | . | . | 1 | . | . | . | 1 | 2 | 1 | . | ·5 | . | . | . | . | . | . | . |
| Rheumatic Fever, | 1 | . | 3 | . | . | . | 1 | . | . | . | ·5 | . | . | . | . | . | . | . |
| Gout, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Carcinoma, | 7 | 6 | 9 | 3 | 5 | 1 | 1 | 5 | 7 | 2 | 6·5 | 1 | . | . | . | . | . | 1 |
| Sarcoma, | | | | | | . | . | 1 | 1 | . | | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 7 | 1 | 5 | 2 | 2 | | 4 | . | . | . | . | 1 | 1 |
| Diabetes Mellitus, | . | . | . | . | . | 1 | 3 | 1 | 3 | 3 | 1·1 | . | . | . | . | . | . | . |
| Premature Birth, | 2 | . | 4 | 3 | 2 | 1 | 2 | 5 | 1 | . | 2·0 | 3 | 2 | 1 | . | . | . | . |

* The figures for the years 1897-1900 are
† Formerly describe

STEENTH WEEK ending Saturday, 6th April, 1907, with the deaths from each cause in the corresponding he average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: April 10, 1897. | April 9, 1898. | April 8, 1899. | April 7, 1900. | April 6, 1901. | April 5, 1902. | April 11, 1903. | April 9, 1904. | April 8, 1905. | April 7, 1906. | Averages in 14th Week of the 10 years 1897–1906. | In the Week ending Saturday, 6th April, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 42·4 | ° 49·0 | ° 48·6 | ° 42·6 | ° 43·1 | ° 43·5 | ° 48·0 | ° 45·9 | ° 44·2 | ° 42·9 | ° 45·0 | Mean Temp. ° 42·1 | | | | | | | | |
| ningitis (not tuberc.) ... | | | | | | 2 | 3 | 1 | 2 | 4 | | 2 | . | . | 1 | 1 | . | . | . | . |
| sanity, G. P. of Insane ... | | | | | | 1 | 4 | 4 | 1 | . | | 2 | . | . | . | . | 1 | . | 1 | . |
| pilepsy .. ... | | | | | | . | . | 1 | . | 2 | | . | . | . | . | . | . | . | . | . |
| *nvulsions* ... .. | | | | | | 9 | 6 | 4 | 13 | 6 | | 5 | 1 | 2 | 1 | . | 1 | . | . | . |
| coomotor Ataxy ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| raplegia Dis. of Cord ... | | | | | | 1 | 2 | 3 | 1 | . | | 1 | . | . | . | . | . | . | 1 | . |
| ervous System (other Dis.) | 40 | 33 | 35 | 28 | 44 | 1 | 1 | 4 | 2 | 1 | 38·9 | . | . | . | . | . | . | . | . | . |
| alv. Dis., Endocarditis ... | | | | | | 3 | 2 | 5 | 3 | 4 | | 14 | . | . | . | . | 1 | 7 | 5 | 1 |
| erebr. Hæm. Thromb. ... | | | | | | 1 | 3 | 1 | 2 | 4 | | 5 | . | . | . | . | . | 2 | 3 | . |
| oplexy, *Hemiplegia* ... | | | | | | 7 | 7 | . | 4 | 6 | | 8 | . | . | . | . | . | 3 | 5 | . |
| neurysm ... ... | | | | | | . | . | 1 | 1 | . | | . | . | . | . | . | . | . | . | . |
| nbolism, Thromb. (not cerebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| eart and Blood Vessel Dis. | | | | | | 20 | 12 | 13 | 17 | 13 | | 12 | . | . | . | . | . | 7 | 4 | 1 |
| roup (not Spasm. nor Memb.) | 3 | 1 | 1 | . | 1 | . | 1 | . | . | . | ·7 | 1 | . | . | 1 | . | . | . | . | . |
| ronchitis ... ... | 24 | 23 | 28 | 29 | 36 | 29 | 32 | 29 | 23 | 22 | 27·5 | 29 | 1 | 2 | 4 | 1 | 2 | 9 | 9 | 1 |
| sthma, Emphysema ... | | | | | | . | . | . | . | . | | 2 | . | . | . | . | . | . | 2 | . |
| eurisy ... ... | 7 | 2 | 1 | 2 | 1 | 1 | . | . | . | . | 2·7 | . | . | . | . | . | . | . | . | . |
| espiratory Dis. (other) ... | | | | | | 3 | 5 | 2 | 2 | 1 | | 2 | . | . | . | . | . | . | 2 | . |
| onsillitis, Quinsy ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | 1 | . | . | . | . |
| nteritis (not Epid.) ... | | | | | | . | 1 | . | 1 | 1 | | 3 | . | 2 | . | . | . | 1 | . | . |
| astro *Enteritis* ... ... | . | 2 | 1 | 1 | 1 | 2 | 1 | . | 1 | . | 1·2 | . | . | . | . | . | . | . | . | . |
| eritonitis (not Puerp.) ... | 2 | 1 | 1 | 1 | . | . | . | . | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| rrhosis of Liver ... | | | | | | 3 | . | 1 | . | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| iver Dis. (other) ... | 1 | 2 | 4 | 1 | 2 | 1 | . | 3 | 2 | 3 | 2·4 | . | . | . | . | . | . | . | . | . |
| igestive Dis. (other) ... | 3 | 2 | 4 | 4 | 4 | 5 | 3 | 16 | 9 | 6 | 5·6 | 6 | . | 3 | 2 | . | 1 | . | . | . |
| ephritis, Acute ... | | | | | | 3 | 1 | 1 | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| right's Dis., Albuminuria | 6 | 5 | 3 | 5 | 6 | 1 | 1 | 4 | 2 | 2 | 4·6 | 4 | . | . | . | . | 1 | 3 | . | . |
| rinary Sys. (Other Dis.) | | | | | | 1 | . | 1 | 1 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| enerative Organs Dis. ... | . | . | 1 | 1 | . | . | . | . | . | 1 | ·3 | 1 | . | . | . | . | . | 1 | . | . |
| hildbirth (Accid. of) ... | 1 | . | . | 2 | . | . | . | 2 | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| ld Age ... ... | 9 | 6 | 13 | 27 | 12 | 9 | 4 | 3 | 5 | 2 | 9·0 | 5 | . | . | . | . | . | . | 3 | 2 |
| ther Diseases ... ... | 20 | 9 | 7 | 15 | 18 | 17 | 15 | 13 | 8 | 12 | 13·4 | 14 | 3 | 4 | 3 | . | 3 | . | 1 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| y Railways ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| y Vehicles and Horses ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | 3 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| y Burns, Scalds, Explosions | 1 | . | . | 1 | 4 | . | 1 | 1 | . | . | ·8 | . | . | . | . | . | . | . | . | . |
| y Drowning ... ... | . | . | 1 | . | . | . | 1 | . | . | 1 | ·3 | 1 | . | . | . | . | . | 1 | . | . |
| y Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| y Poison or Poisonous Vapours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ther Deaths by Accident | 5 | . | 6 | 1 | 1 | . | 1 | 1 | 2 | . | 1·7 | 2 | 1 | . | . | . | . | . | 1 | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| omicide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| icide ... ... | . | . | 1 | . | . | 1 | . | . | . | 1 | ·3 | 1 | . | . | . | . | 1 | . | . | . |
| xecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
mple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. |
| No. of weeks in Annual Series. | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| BIRTHS registered, | 186 | 240 | 178 | 231 | 198 | 182 | 186 | 289 | 189 | 193 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 |
| *Average Births in corresponding week of previous 10 years,** | 184 | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 |
| DEATHS registered, | 175 | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 |
| Annual Death-rate per 1,000, | 24·1 | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 |
| *Average Deaths in corresponding week of previous 10 years,** | 168 | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 |
| AGES, Under 5 years, | 50 | 53 | 50 | 61 | 52 | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 |
| 5—20 " | 7 | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 |
| 20—40 " | 27 | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 |
| 40—60 " | 41 | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | [illegible] | 37 | 38 | 34 | 51 |
| 60—80 " | 45 | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 |
| 80 years and upwards, | 5 | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 |
| Scarlet Fever | . | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . |
| Typhus, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 |
| Whooping-cough, | 2 | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 |
| Diphtheria, | 1 | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 4 | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . |
| Diarrhœal Diseases, | 12 | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . |
| Pneumonia, | 16 | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 |
| Tuberculous Disease. { Phthisis, | 16 | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 |
| Tuberculous Disease. { Other Forms, | 7 | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 13 | 13 | 14 | 13 | 11 | 22 |
| Cancer, Malignant Disease, | 9 | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 |
| Diseases of Heart and Blood Vessels, | 25 | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 32 | 19 | 20 | 19 | 29 |
| Diseases of Respiratory System, | 20 | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 |
| Violent Deaths, | 6 | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 |
| Number of Uncertified Deaths, | 7 | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 |
| Mean Temperature of the Air (Phœnix Park), | 52·5 | 45·5 | 51·2 | 40·6 | 43·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 43·1 |
| *Average Mean Temperature in corresponding week of previous 10 years,* | 48·8 | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 |
| Rainfall in inches, | 1·125 | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·87 | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th April, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH APRIL, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 30·4 | 219 | 70 | 17 | 30 | 51 | 46 | 5 | . | 3 | . | 1 | 8 | 3 | . | . | . | 15 | 17 | 29 | 22 | 5 | 5 | 34 | 4 | 88 | 5 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 9·0 | 3 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| II. | MIDDLE CLASS, | 87,188 | 16·7 | 28 | 5 | 5 | 3 | 7 | 8 | . | . | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 2 | . | 4 | . | 13 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 17·0 | 36 | 12 | 3 | 9 | 8 | 4 | . | . | . | . | . | . | 2 | . | . | . | 2 | 7 | 8 | 3 | . | 1 | 5 | 1 | 9 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 49·4 | 93 | 42 | 8 | 13 | 14 | 13 | 3 | . | 3 | . | 1 | 8 | 1 | . | . | . | 13 | 5 | 7 | 13 | 1 | 4 | 11 | 3 | 36 | 3 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 59 | 11 | 1 | 5 | 21 | 19 | 2 | . | . | . | . | . | . | . | . | . | . | 4 | 8 | 4 | 2 | . | 14 | . | 27 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 2 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 18·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 1 | 3 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 2 | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 13·7 | 8 | 4 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 6 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | . | 1 | 2 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 1 | . | 5 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 21·1 | 4 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 | . | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 19·2 | 11 | 5 | 1 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 1 | 1 | . | 5 | 1 |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | 1 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | 1 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 11·3 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 17·2 | 10 | 2 | . | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | . | 2 | . | 2 | . |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | . | . | . | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 23·3 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 14·2 | 10 | 1 | 1 | 4 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 7 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 29·0 | 8 | 2 | 2 | 1 | 3 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | . | . | . | 1 | 4 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 40·0 | 69 | 38 | 4 | 7 | 8 | 11 | 1 | . | 3 | . | 1 | 6 | 1 | . | . | . | 11 | 3 | 6 | 11 | . | 4 | 10 | 2 | 22 | 3 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 59 | 11 | 1 | 5 | 21 | 19 | 2 | . | . | . | . | . | . | . | . | . | . | 4 | 8 | 4 | 2 | . | 14 | . | 27 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **City of Dublin (part of).** | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** | Feb. 16, | 37·7 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | 1 | 1 | 2 |
| | „ 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| | Mar. 2, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| (*Office, Clarence-street, Nth.*) | „ 9, | 23·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| | „ 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | „ 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| Pop. in 1907 (Est.) 29,016. | „ 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| **North City, No. 1 (W.)** | Feb. 16, | 55·9 | . | 42 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 9 | 1 | 4 |
| | „ 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| | „ 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| (*Office, Summer-hill.*) | „ 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | „ 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| | „ 30, | 28·0 | 1·3 | 21 | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| Pop. in 1907 (Est.) 59,146. | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 4 | . | 1 | . | . |
| **North City, No. 2.** | Feb. 16, | 45·0 | 1·7 | 26 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | 8 | . | . |
| | „ 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | Mar. 2, | 38·1 | 1·7 | 22 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| | „ 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| (*Office, Lisburn-street.*) | „ 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | „ 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | „ 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| Pop. in 1907 (Est.) 30,107. | Apr. 6, | 43·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| **North City, No. 3.** | Feb. 16, | 27·3 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 3 | . | . |
| | „ 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| | „ 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| (*Office, Benburb-street.*) | „ 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | „ 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 3 | . | 3 | . | . |
| | „ 30, | 28·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| Pop. in 1907 (Est.) 32,422. | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| **South City, No. 1.** | Feb. 16, | 27·4 | 2·6 | 21 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | . | 3 | 2 | 1 |
| | „ 23, | 37·8 | 3·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 3 | . | 1 |
| | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| | „ 9, | 27·4 | 1·8 | 21 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | . |
| (*Office, South Earl-street.*) | „ 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | „ 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| | „ 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| Pop. in 1907 (Est.) 40,002. | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| **South City, No. 2.** | Feb. 16, | 50·7 | 5·1 | 20 | . | 1 | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 1 | 3 | . | 4 |
| | „ 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| | „ 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| (*Office, Castle-street.*) | „ 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | „ 23, | 33·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| | „ 30, | 30·4 | 2·5 | 12 | . | . | . | 1 | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| Pop. in 1907 (Est.) 20,589. | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 3 | 1 | 1 |
| **South City, No. 3.** | Feb. 16, | 29·6 | . | 24 | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | 5 | . | 1 |
| | „ 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| | Mar. 2, | 38·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| | „ 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| (*Office, Peter-street.*) | „ 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | „ 23, | 22·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| Pop. in 1907 (Est.) 42,209. | „ 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| | Apr. 6, | 29·6 | 1·2 | 24 | . | 1 | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| **South City, No. 4.** | Feb. 16, | 28·2 | 3·0 | 19 | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . | 2 | 4 | . | 1 |
| | „ 23, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 5 | 1 | 1 |
| | Mar. 2, | 20·8 | 3·0 | 14 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |
| | „ 9, | 35·6 | 1·5 | 24 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 2 | . | . |
| (*Office, Grand Canal-street.*) | „ 16, | 13·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | „ 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | 1 | . |
| Pop. in 1907 (Est.) 35,188. | „ 30, | 23·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | . | . |
| | Apr. 6, | 22·3 | 3·0 | 15 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

| Districts. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Feb. 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 3 | 1 | . | . |
| | „ 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | „ 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| | „ 30, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Feb. 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 9, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . |
| | „ 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| | „ 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| | Apr. 6, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Feb. 16, | 35·5 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| | „ 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Feb. 16, | 28·6 | 0·8 | 203 | . | . | . | . | 2 | . | . | 4 | . | 18 | 22 | 8 | 7 | 43 | 5 | 2 |
| | „ 23 | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 1 |
| | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| | „ 9, | 23·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| | „ 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| | „ 23, | 23·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| | „ 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 1 |
| | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Feb. 16, | 26·7 | 2·1 | 39 | . | . | . | 1 | 2 | . | . | . | . | 1 | 10 | 2 | . | 10 | . | . |
| | „ 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 6 |
| | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| | „ 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| | „ 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| | „ 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| | „ 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Feb. 16, | 20·9 | 1·2 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | . | . |
| | „ 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | . |
| | Mar. 2, | 16·0 | 1·2 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| | „ 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| | „ 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| | „ 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| | „ 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | Apr. 6, | 12·3 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Feb. 16, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 6 | . | 2 | . | 2 | . | . |
| | „ 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| | „ 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 5 | . | 1 |
| | „ 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 |
| | „ 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | 2 |
| | „ 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | 3 |
| | Apr. 6, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | Feb. 16, | 39·0 | . | 20 | . | . | . | . | . | . | . | . | . | 1 | 5 | 1 | . | 3 | . | . |
| | „ 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | . |
| | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | . |
| | „ 9, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |
| | „ 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |
| | „ 23, | 27·3 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |
| | „ 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |
| | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |

* Formerly described as "Simple Continued Fever.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th April, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 13 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 9 | 3 | 1 | 1 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . | 1 | 2 | . |
| Do. 2 „ . | 47,959 | 42 | | | 29 | 3 | 5 | 4 | 6 | 7 | 4 | . | 1 | . | . | . | 1 | . | 1 | 1 | 4 | 3 | . | 2 | 4 | 1 | 1 | 8 | . |
| Do. 3 „ . | 47,214 | 25 | | | 36 | 3 | 5 | 10 | 6 | 4 | 8 | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 5 | 5 | . | 4 | 1 | 1 | 9 | . |
| Do. 4 „ . | 40,911 | 30 | | | 19 | 2 | 5 | 3 | 2 | 5 | 2 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 4 | . | . | 7 | . |
| Do. 5 „ . | 17,387 | 9 | | | 14 | 2 | 1 | 2 | 7 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | . | . | . | 7 | 1 |
| Do 6 „ . | 48,122 | 17 | | | 15 | 4 | 3 | 1 | 3 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 2 | 2 | 2 | 4 | . |
| Do. 7 „ . | 1,524 | 1 | | | 5 | . | 1 | 1 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | . | 2 | . |
| Do. 8 „ . | 5,060 | . | | | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . |
| Do. 9 „ . | 19,569 | 19 | | | 15 | 5 | . | 1 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 3 | . | . | 2 | 1 |
| Do. 10 „ . | 23,064 | 22 | | | 9 | 3 | 1 | . | 3 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . | . | 2 | 1 |
| Do. 11 „ . | 34,802 | 24 | | | 16 | 3 | 2 | 1 | 3 | 3 | 4 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | 2 | . | . | 3 | . |
| Do. 12 „ . | 33,588 | 18 | | | 16 | 3 | 1 | 3 | 5 | 1 | 3 | . | . | . | . | . | 1 | . | . | . | . | 4 | 2 | 1 | 3 | . | . | 2 | . |
| Do. 13 „ . | 15,006 | 14 | | | 7 | . | 1 | 1 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . | 1 | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 234 | | | 192† | 31 | 27 | 28 | 43 | 33 | 30 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 5 | 49 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 6 | 28·4 | . | 7 | 2 | 1 | 1 | | | 3 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | . | . | 1 | . |
| Do. 2 „ . . | 10,701 | 6 | 29·2 | . | 6 | . | 1 | 4 | | | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 1 | 1 |
| Do. 3 „ . . | 9,978 | 5 | 26·1 | . | 5 | 2 | 2 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . |
| Do. 4 „ . . | 8,666 | 2 | 24·1 | . | 4 | . | . | 1 | | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . |
| Do. 5 „ . . | 6,592 | 1 | 31·6 | . | 4 | . | . | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 1 | . |
| Do. 6 „ . . | 10,702 | 5 | 9·7 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 7 „ . . | 16,616 | 4 | 22·0 | 3·1 | 7 | . | 3 | 3 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 4 | . |
| Total, . . . . | 76,122 | 29 | 24·0 | 0·7 | 35 | 4 | 7 | 13 | | | 11 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 | 11 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 13. | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. |
| No. of weeks in Annual Series, | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| BIRTHS registered, | 222 | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 |
| DEATHS registered. | 109 | 123 | 120 | 122 | 131 | 145 | 125 | 123 | 139 | 118 | 127 | 130 | 173 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192† |
| Annual Death-rate per 1,000 of estimated Population, | 15·5 | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 |
| AGES — Under 1 year, | 31 | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 |
| 1–5 years, | 9 | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 |
| 5–20 years, | 8 | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 |
| 20–40 years, | 17 | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 |
| 40–60 years, | 23 | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 |
| 60 years and upwards, | 21 | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 |
| Scarlet Fever, | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Typhus, | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 |
| Diphtheria, | . | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 |
| Diarrhœal Diseases, | 8 | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 |
| Pneumonia, | 10 | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 |
| Tuberculous Disease, Phthisis, | 17 | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 |
| Tuberculous Disease, Other Forms, | 4 | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 |
| Cancer, Malignant Disease, | 2 | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 |
| Diseases of Respiratory System, | 11 | 11 | 17 | 13 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 |
| Violent Deaths, | 1 | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 |
| Number of Uncertified Deaths, | 3 | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 |

*Formerly described as "Simple Continued Fever."

† Including 20 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Apr. 6, | 2,387 | 1,627 | 17·8 | . | 63 | 13 | 19 | 63 | 4 | 10 |
| EDINBURGH, | 345,747 | „ 6, | 142 | 122*a* | 18·4 | . | 2 | 2 | . | 3 | 1 | 2 |
| GLASGOW, | 847,584 | „ 6, | 539 | 355*a* | 21·9 | . | 1 | 2 | 4 | 31 | 3 | 8 |
| CALCUTTA, | 847,796 | Feb. 16, | . | 560 | 34·3 | 41 | 2 | . | . | – | 124‡ | 122* |
| BOMBAY, | 977,822 | Mar. 5, | 315 | 1,027 | 54·6 | 3 | . | . | . | . | 88‡ | 74 |
| MADRAS, | 509,346 | Feb. 15, | 283 | 389 | 39·7 | . | 2 | ? | ? | ? | 104 | 87* |
| PARIS, | 2,750,000 | Mar. 23, | 1,042 | 1,022 | 19·5 | . | 9 | 11 | 8† | 13 | 1 | 21 |
| BRUSSELS (with 8 Faubourgs). | 622,913 | „ 16, | 211 | 213 | 17·8 | . | 3 | . | 1† | 2 | 2 | 9 |
| ANTWERP, | 304,032 | „ 16, | 144 | 83 | 14·2 | . | 3 | 2 | 3† | . | . | 8 |
| AMSTERDAM, | 565,186 | „ 23, | 276 | 158 | 14·6 | . | 2 | . | . | 4 | 1 | 3 |
| COPENHAGEN, | 427,000 | „ 16, | 249 | 143 | 17·5 | . | . | . | 2† | 4 | 1 | 3 |
| STOCKHOLM, | 324,488 | „ 16, | 174 | 100 | 16·0 | . | . | . | 1† | . | . | 2 |
| CHRISTIANIA, | 226,774 | „ 23, | 119 | 59 | 13·5 | . | . | . | 3† | 1 | . | . |
| ST. PETERSBURG, | 1,482,769 | „ 16, | 1,144 | 722 | 25·3 | 1 | 25 | 12 | 11 | 3 | 20 | 79 |
| MOSCOW, | 1,172,421 | Feb. 16, | . | 815 | 36·2 | 3 | 18 | 12 | 14† | 6 | 28 | 74 |
| BERLIN, | 2,098,297 | Mar. 9, | 954 | 571 | 14·2 | . | 3 | 2 | 9† | 6 | 1 | 26 |
| HAMBURG, | 824,792 | „ 16, | . | 271 | 17·1 | . | . | 2 | 4† | 1 | 1 | 13 |
| BRESLAU, | 484,355 | „ 23, | . | 187 | 20·1 | . | . | . | . | 3 | . | 14 |
| MUNICH, | 548,000 | „ 23, | . | 224 | 21·3 | . | 8 | 1 | 1† | 2 | . | 17 |
| VIENNA (with suburbs). | 1,958,323 | „ 23, | 905 | 813 | 21·6 | . | 17 | 3 | 17† | 3 | . | 28 |
| BUDA-PESTH, | 802,235 | „ 16, | 517 | 333 | 21·6 | . | 6 | 8 | 3† | 2 | . | 10 |
| PRAGUE and Faubourgs. | 466,133 | „ 16, | 184 | 219 | 24·4 | . | 5 | . | 2† | 4 | . | 18 |
| TRIESTE, | 199,003 | „ 9, | 138 | 121 | 31·7 | . | 7 | . | . | 2 | . | . |
| ROME, | 540,150 | Feb. 2, | 316 | 286 | 27·6 | . | 2 | . | . | 2 | 2 | 6 |
| VENICE, | 174,398 | „ 16, | 85 | 99 | 29·6 | . | . | . | . | . | . | 1 |
| NEW YORK, | 4,285,435 | Mar. 9, | 2,204 | 1,647 | 20·1 | . | 14 | 12 | 29† | 8 | 4 | 52 |
| PHILADELPHIA, | 1,500,595 | Feb. 23, | . | 650 | 22·5 | . | 2 | 4 | 12† | 3 | 47 | 24 |
| BOSTON, | 602,526 | Mar. 9, | . | 262 | 22·7 | . | . | . | 3 | 1 | . | 1 |

*a.* Including 6 deaths from cerebro-spinal meningitis in Edinburgh, and 29 in Glasgow.
* Including 58 deaths from cholera in Calcutta, and 9 in Madras.
† Including deaths from croup.
‡ Exclusive of 17 deaths from plague in Calcutta, and 306 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th April, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 3 |
| " " 2, | . | . | 1 | . | . | . | . | . | 2 | . | . | . | 3 |
| " " 3, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | 2 | 1 | . | . | . | 4 |
| " " 2, | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | 3 |
| " " 3, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 4, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 1 | 2 | . | 4 | . | 4 | 4 | 4 | . | . | . | 19 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th April, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 6th April. | | | |
|---|---|---|---|---|---|---|---|
| | Mar. 16. | Mar. 23. | Mar. 30. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 54 | 63 | 66 | 20 | 16 | 1 | 69 |
| Scarlet Fever | 91 | 83 | 59 | 6 | 12 | . | 53* |
| Typhus, | 4 | 13 | 12 | 3 | 2 | 1 | 12 |
| Diphtheria, | 22 | 21 | 11 | 4 | 3 | 1 | 11 |
| Enteric Fever, | 22 | 24 | 21 | 1 | 4 | 1 | 17 |
| Pneumonia, | 30 | 36 | 29 | 16 | 11 | 1 | 33 |

* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 6th April, 1907:—

"At the beginning, the weather was fair and cool, Sunday, March 31, Easter Day, opening with a frost even in the thermometer screen. At 8 a.m. of that day the barometer was below 28·8 inches in Iceland, but above 30·2 inches over the South of Sweden and the Baltic. This tendency to cyclonic conditions in the Icelandic region and to anticyclonic conditions in the Baltic area held throughout the week. Easter Monday was fine and genial, the thermometer rising to 72° in Paris, 68° at Oxford, 67° at Bath, and 65° in London. A steadily falling barometer on this day heralded the approach of an extensive cyclonic disturbance from the Atlantic. This system produced strong southerly winds or gales in Ireland and Wales as well as copious rainfalls in those countries and also in France. The rains extended later to Scotland and the greater part of England, but only a few showers fell in the Thames Valley and the London district. From Wednesday the Atlantic depressions seemed to be held in check by an anticyclone, which pushed southwestwards from Finland. Under these circumstances broken weather continued in Ireland, rain falling on Friday, sleet and snow on Saturday. The Dublin Mountains were white with snow on Wednesday and again on Saturday afternoon. In Dublin the mean height of the barometer was 29·446 inches, pressure ranging between 29·916 inches at 9 a.m. of Sunday (wind, W.N.W.) and 29·113 inches at 9 a.m. of Wednesday (wind, N.W.). A low reading of 29·132 inches was also observed at 9 p.m. of Friday (wind, S.). The corrected mean temperature was 41·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 44·3°. The screened thermometers fell to 31·8° on Sunday and rose to 57·0° next day. The most prevalent wind was S.S.E. Rain fell on 4 days to the amount of ·903 inch, ·380 inch being measured on Tuesday. Thunder was heard at 10.15 a.m. of Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·439 inches. The highest reading (29·910) was on Sunday at 9 a.m., air calm, and the lowest (29·105) on Wednesday at 9 a.m., air calm.

The mean temperature for the week was 42·1°, being 2·9° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Monday, on which day the thermometer registered 56·5°, and was lowest on Friday, the mercury having fallen to 24·9°. The mean of the Dry Bulb for the week was 43·7°, and of the Wet Bulb 40·8°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The registered duration of sunshine for the week was 31·1 hours. The rainfall during the week measured 0·725 inch.

At Greenwich the mean temperature for the week was 49·6°, the maximum 69·4°, and the minimum 35·1°; at Glasgow the maximum was 65·5°, the minimum 33·3°, and the mean 47·9°; and at Edinburgh the maximum was 61·8°, the minimum 38·6°, and the mean 47·8°. The rainfall at Greenwich measured 0·17 in.; at Glasgow, 1·02 ins.; and at Edinburgh, 0·44 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Mar. 31, | 29·891 | 52·7 | 26·7 | 39·7 | 41·5 | 39·8 | ·87 | ·8 | 5·0 | ·000 | Calm. | S.W. |
| Monday, April 1, | 29·730 | 56·5 | 35·9 | 46·2 | 50·6 | 44·6 | ·63 | ·7 | 7·4 | ·000 | S.S.W. | S.S.E. |
| Tuesday, „ 2, | 29·244 | 52·3 | 43·3 | 47·8 | 48·3 | 45·8 | ·83 | ·9 | 0·2 | ·245 | S.S.E. | S.E. |
| Wednesday, „ 3, | 29·159 | 49·8 | 34·9 | 42·4 | 37·9 | 36·6 | ·89 | ·8 | 0·8 | ·190 | Calm. | S.S.W. |
| Thursday, „ 4, | 29·469 | 48·8 | 30·1 | 39·5 | 38·2 | 36·7 | ·89 | ·7 | 10·4 | ·000 | Calm. | Calm. |
| Friday, „ 5, | 29·357 | 51·8 | 24·9 | 38·4 | 48·7 | 44·0 | ·73 | ·8 | 3·7 | ·070 | E. | S. |
| Saturday, „ 6, | 29·220 | 47·0 | 33·9 | 40·5 | 40·8 | 38·2 | ·82 | ·7 | 3·6 | ·220 | S.S.E. | W. |
| Mean, . . | 29·439 | 51·3 | 32·8 | 42·1 | 43·7 | 40·8 | ·81 | ·8 | Total 31·1 | Total ·725 | — | |

*Sunday*—Overcast, a.m., cloudy p.m.; night clear. *Monday*—Fine but cloudy day; night clear. *Tuesday*—Cloudy a.m., overcast, light rain. 8.45 to 11.20 p.m.; night overcast, light rain 12.30 to 7.0 a.m. *Wednesday*—Overcast, light rain, sleet 7 a.m. to 11.30 a.m., cloudy afterwards; night cloudy. *Thursday*—Fine bright day, light clouds; night clear. *Friday*—Cloudy a.m., overcast and light showers, p.m.; night clear. *Saturday*—Cloudy day, light rain, sleet 9.30 a.m. to 12.0, and light showers and hail from 2.30 p.m. at intervals; night cloudy and showery.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 6th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Mar. 31, | 37·7 | 45·0 | 45·9 | 50·2 | 31·3 | 40·8 | 3·6 | — |
| Monday, April 1, | 51·8 | 44·8 | 46·0 | 63·7 | 37·3 | 50·5 | 9·3 | — |
| Tuesday, „ 2, | 49·6 | 46·4 | 46·0 | 53·6 | 43·4 | 48·5 | 2·0 | ·329 |
| Wednesday, „ 3, | 39·0 | 46·3 | 46·0 | 50·8 | 36·0 | 43·4 | 1·7 | ·208 |
| Thursday, „ 4, | 43·8 | 44·9 | 46·0 | 49·1 | 33·9 | 41·5 | 8·0 | — |
| Friday, „ 5, | 50·7 | 44·5 | 46·1 | 52·4 | 32·1 | 42·3 | 3·7 | ·035 |
| Saturday, „ 6, | 48·0 | 44·8 | 46·0 | 52·3 | 32·0 | 42·2 | 2·5 | ·276 |
| Weekly Mean, . | 45·8 | 45·2 | 46·0 | 53·2 | 35·1 | 44·2 | Total 30·8 | Total ·848 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 481. 1. 1907.—17030.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 13TH APRIL, 1907. [No. 15.


*General Register Office, Charlemont House, Dublin, 15th April,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Mar. 23. | Week ending Mar. 30. | Week ending April 6. | Week ending April 13. | Average Rate for 4 weeks. | Towns, &c. | Week ending Mar. 23. | Week ending Mar. 30. | Week ending April 6. | Week ending April 13. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 23·0 | 21·2 | 25·0 | 23·5 | 23·2 | Lisburn, | 22·7 | 9·1 | 22·7 | 22·7 | 19·3 |
| Armagh, | 20·6 | 13·7 | . | 6·9 | 10·3 | Londonderry, | 19·6 | 13·5 | 12·3 | 16·0 | 15·4 |
| Ballymena, | 23·9 | 9·6 | 23·9 | 4·8 | 15·6 | Lurgan, | 17·7 | 26·6 | 17·7 | 17·7 | 19·9 |
| Belfast, | 23·5 | 20·1 | 27·0 | 22·4 | 23·2 | Newry, | 12·6 | 12·6 | 16·8 | 25·2 | 16·8 |
| Clonmel, | 25·6 | 5·1 | 25·6 | 30·8 | 21·8 | Newtownards, | 28·6 | 22·9 | 45·8 | 5·7 | 25·7 |
| Cork, | 25·3 | 20·5 | 24·0 | 23·3 | 23·3 | Portadown, | 25·8 | 5·2 | 10·3 | 15·5 | 14·2 |
| Drogheda, | 28·6 | 24·5 | 4·1 | 12·3 | 17·4 | Queenstown | 6·6 | . | 6·6 | 19·8 | 8·3 |
| Dublin Reg. Area, | 22·3 | 24·3 | 28·3 | 26·6 | 25·4 | Sligo, | 14·4 | 19·2 | 43·2 | 24·0 | 25·2 |
| Dundalk, | 12·0 | 27·9 | 4·0 | 16·0 | 15·0 | Tralee, | 10·6 | 21·1 | 10·6 | 37·0 | 19·8 |
| Galway, | 62·1 | 23·3 | 15·5 | 19·4 | 30·1 | Waterford, | 27·3 | 25·3 | 15·6 | 17·5 | 21·4 |
| Kilkenny, | 24·6 | 19·7 | 49·1 | 49·1 | 35·6 | Wexford, | 4·7 | 28·0 | 37·4 | 14·0 | 21·0 |
| Limerick, | 26·0 | 24·6 | 13·7 | 30·1 | 23·6 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·9 per 1,000, the rates varying from 0·0 in sixteen of the districts to 4·9 in Kilkenny. Among the 159 deaths from all causes registered in Belfast are one from measles, 2 from whooping-cough, 3 from enteric fever, 5 from diarrhœal diseases, 16 from cerebro spinal fever, and 7 returned as from *cerebro spinal meningitis.* The 34 deaths from all causes registered in Cork include 6 from whooping-cough; among the 22 deaths from all causes in Limerick is one each from whooping-cough and enteric fever; and one of the 5 deaths registered in Galway is from enteric fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 204—107 boys and 97 girls; and the deaths to 207—99 males and 108 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 27·6 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 26·6 per 1,000. During the fifteen weeks ending with Saturday last the death-rate averaged 28·3, and was 1·2 below the mean rate for the corresponding portions of the ten years, 1897-1906.

The deaths (207) included 7 from measles, 7 from whooping-cough, 2 from diphtheria, one from enteric fever, and 2 from diarrhœal diseases. There was one death from cerebro

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

spinal fever and there were 5 deaths from influenza. In the 3 weeks preceding, deaths from measles were 3, 4, and 3; deaths from whooping-cough were 7, 4, and 8; deaths from diphtheria were one, one, and 3; deaths from enteric fever were 0, 0, and 0; deaths from diarrhœal diseases were one, one, and 0; deaths from cerebro spinal fever were 2, 0, and 0; and deaths from influenza were 4, 2, and 5, respectively.

Lobar pneumonia caused one death, broncho-pneumonia caused 10 deaths, and *pneumonia* (not defined) caused 6 deaths.

The total deaths from all forms of tuberculous disease was 31, namely:—9 deaths from tuberculous phthisis, 12 deaths returned as from *phthisis*, 2 deaths from tuberculous meningitis, one death from *tabes mesenterica*, and 7 deaths from other forms of the disease. In each of the 3 weeks preceding, deaths from all forms of the disease were 37, 38, and 51.

There were 4 deaths from carcinoma and 3 deaths returned as from cancer (undefined).

The deaths of 5 infants prematurely born were registered.

Of 18 deaths from diseases of the brain and nervous system, 9 were from *convulsions* (8 of these being deaths of infants under one year of age), and 3 were from meningitis, of children under 5 years of age.

Diseases of the heart and blood vessels caused 31 deaths, and 31 deaths were due to bronchitis.

There were 2 deaths from accidental causes, and one death was of a homicidal character.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age and the death of one person aged 67 years.

Seventy-four of the persons whose deaths were registered during the week were under 5 years of age (42 being infants under one year, of whom 9 were under one month old) and 61 were aged 60 years and upwards, including 26 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the N. Dublin Union Workhouse and 20 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·6 per 1,000; the rate in the City was 28·3 (North City Districts, 29·5; South, 27·0), and in the Suburbs, 20·9 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 3·1 (2·7 in the North City Districts, and 3·6 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·6 per 1,000, and include 2 deaths from influenza and 2 deaths from tuberculous disease.

*No. 1 North City District, West* (Summer-hill).—The deaths (27) are equal to an annual rate of 36·0 per 1,000. Diphtheria and cerebro spinal fever each caused one death; there was one death from broncho-pneumonia, and 3 deaths from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 5 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Amongst the deaths were 2 from measles, one from *diarrhœa*, one from *pneumonia* (not defined), 2 from tuberculous disease, and 3 deaths from diseases of the respiratory system.

*No. 3 North City District* (Benburb-street).—The deaths (24) represent an annual rate of 38·6 per 1,000. There was one death from whooping-cough, 4 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), one death from *phthisis*, and bronchitis caused 3 deaths.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 23·7, and Finglas and Glasnevin, part of, 21·7. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from *diarrhœa*. The 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from influenza and one from bronchitis; and the 3 deaths from all causes for Finglas and Glasnevin, part of, comprise one each from measles, diphtheria, and tuberculous phthisis.

*No. 1 South City District* (South Earl-street).—The deaths (25) represent an annual rate of 32·6 per 1,000. The deaths include one from measles, 2 from whooping-cough, one from broncho-pneumonia, 3 from tuberculous disease of the lungs, and 5 deaths from bronchitis. One death was attributed to violence.

*No. 2 South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 17·7 per 1,000. There was one death from whooping-cough. The remaining deaths included 2 from tuberculous disease.

*No. 3 South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·9 per 1,000. Measles and whooping-cough each caused one death; there were 2 deaths from tuberculous disease, 7 deaths from diseases of the respiratory system, and one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (20) are equivalent to an annual rate of 29·7 per 1,000. The deaths (20) include 2 from measles, 2 from whooping-cough, 3 from broncho-pneumonia, 3 from tuberculous disease of the lungs, and 3 deaths from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of the 3 deaths one was caused by tuberculous phthisis and one was by drowning.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0; Pembroke, 20·6; Blackrock, 17·9; and Kingstown, 26·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from enteric fever for Pembroke. The 13 deaths from all causes for Rathmines and Rathgar include one each from influenza, *pneumonia* (not defined), and *phthisis*, and 2 from diseases of the respiratory system. The 11 deaths from all causes for Pembroke include one from lobar-pneumonia, 4 from tuberculous disease, and one from bronchitis; the 3 deaths from all causes for Blackrock include one each from broncho-pneumonia and tuberculous phthisis; and the 9 deaths from all causes for Kingstown include 2 from tuberculous disease of the lungs, and 3 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Tawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE L—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock, and Kingstown), and in the City of Belfast, during the week ended 13th April, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Mar. 23, | . | — | — | 4 | 8 | . | 5 | . | 1 | 7 | 12 | . | — | — | 2 | — | — | 39 |
| | Mar. 30, | . | — | — | 4 | 3 | . | 6 | . | 3 | 5 | 19 | . | — | — | . | — | — | 40 |
| | Apr. 6, | . | — | — | 1 | 2 | . | 4 | . | 4 | 4 | 4 | . | — | — | . | — | — | 19 |
| | Apr. 13, | . | — | — | 4 | 1 | . | 5 | . | 5 | 5 | 12 | . | — | — | 1 | — | — | 33 |
| Rathmines and Rathgar Urban District. | Mar. 23, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Mar. 30, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 6, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| | Apr. 13, | . | — | — | 2 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 3 |
| Pembroke Urban District. | Mar. 23, | . | . | . | . | . | . | . | . | 1 | 2 | . | . | — | 13 | 1 | — | — | 17 |
| | Mar. 30, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | — | 26 | . | — | — | 28 |
| | Apr. 6, | . | . | . | . | . | . | . | . | . | . | . | . | — | 8 | . | — | — | 8 |
| | Apr. 13, | . | . | . | 1 | . | . | . | . | . | 1 | . | . | — | 34 | . | — | — | 36 |
| Blackrock Urban District. | Mar. 23, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | Mar. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Mar. 23, | . | — | — | 12 | . | . | 3 | . | 4 | 8 | 4 | . | — | — | 18 | — | — | 49 |
| | Mar. 30, | . | — | — | 16 | . | . | 2 | 1 | 7 | 13 | 14 | . | — | — | 31 | — | — | 84 |
| | Apr. 6, | . | — | — | 5 | . | . | 3 | . | 1 | 5 | 3 | 1 | — | — | 27 | — | — | 45 |
| | Apr. 13, | . | — | — | 7 | . | . | 5 | 2 | 2 | 6 | 5 | 1 | — | — | 24 | — | — | 52 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th April, 1907.

From this it appears that :—

Thirty-one cases of measles were admitted into hospital during the week, 13 were discharged, there was one death, and 86 cases remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 19 were discharged, and 40* cases remained under treatment at the close of the week.

Twelve cases of typhus remained under treatment in hospital at the close of the week.

Ten cases of diphtheria were admitted to hospital, 3 were discharged, there were 2 deaths, and 16 patients remained under treatment at the close of the week.

Three case of enteric fever were admitted to hospital, 5 were discharged, there was one death, and 14 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 4 were discharged, and 40 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·4), was equal to an average annual death-rate of 16·9 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·2 per 1,000, the rate for Glasgow being 23·6 and for Edinburgh 15·4.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th April. From this Report it appears that of a total of 35 cases notified 11 were scarlet fever, 11 diphtheria, 7 erysipelas, and 2 enteric fever. Among the 359 cases of infectious diseases in hospital at the close of the week were 113 cases of scarlet fever, 82 of measles, 38 of diphtheria, 34 of whooping-cough 15 of erysipelas, and 8 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th April, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Urban Dists. / Towns and Districts. | Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by: Births | Deaths: From all Causes. | Deaths: From Diseases in cols. 10-18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyræxia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 13th April, 1907: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 6th April, 1907: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 30th March, 1907: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 31·3 | 23·5 | 1·9 | 671 | 503 | 97 | 134 | . | 8 | . | . | 16 | 2 | . | 6 | 8 | 32 | 63 | 31 | 20 | 76 | 9 | 14 | 161 | 26 | ° | ° | ° | . | ° | ° | ° | . | ° | ° | ° | . |
| DUBLIN REGISTRATION AREA:— TOTAL, d. | 390,691 | 28·4 | 27·2 | 26·6 | 2·5 | 204 | 199 | 42 | 58 | . | 7 | . | . | 7 | 2 | . | 1 | 2 | 17 | 20 | 9 | 7 | 33 | 3 | 6 | 75 | 9 | f55·8 | 32·1 | 42·7 | 1·09 | f56·5 | 24·9 | 42·1 | 0·73 | f64·4 | 29·8 | 47·2 | 0·09 |
| CITY OF DUBLIN, | 300,850 | 38·0 | 29·8 | 28·3 | 3·1 | 172 | 163 | 38 | 40 | . | 7 | . | . | 7 | 2 | . | . | 2 | 14 | 14 | 7 | 5 | 27 | 3 | 6 | 64 | 8 | g54·8<br>h53·9 | 34·9<br>29·0 | 44·7<br>42·4 | 1·09<br>1·84 | g57·0<br>h53·9 | 31·8<br>28·0 | 44·2<br>41·9 | 0·90<br>0·75 | g64·1<br>h62·8 | 37·8<br>31·0 | 49·2<br>46·2 | 0·08<br>0·09 |
| Urban Dists. RATHMINES AND RATHGAR. | 35,606 | 20·8 | 11·7 | 19·0 | . | 8 | 13 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| PEMBROKE | 27,874 | 17·5 | 26·2 | 20·6 | 1·9 | 14 | 11 | 1 | 5 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BLACKROCK | 8,759 | 8·1 | 23·8 | 17·9 | . | 4 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| KINGSTOWN, | 17,622 | 12·1 | 17·8 | 26·6 | . | 6 | 9 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . | 1 | . | 52 | 35·5 | 45·0 | 0·80 | 53 | 35 | 43·8 | 0·99 | . | . | . | . |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST (i), | 370,163 | 25·2 | 36·8 | 22·4 | 1·5 | 261 | 159 | 33 | 32 | . | 1 | . | . | 2 | . | . | 5 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 4 | 43 | 7 | 54·5 | 35·0 | 43·5 | 0·10 | 55·5 | 30·0 | 44·6 | 1·33 | 61·8 | 30·5 | 47·0 | 0·08 |
| CORK, | 76,122 | 33·6 | 28·8 | 23·3 | 4·1 | 42 | 34 | 4 | 8 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | . | 15 | 2 | 54 | 36 | 45·3 | 0·24 | 51 | 32 | 44·2 | 1·08 | 54 | 36 | 46·4 | 0·10 |
| LONDONDERRY, | 42,475 | 19·6 | 38·1 | 16·0 | . | 31 | 13 | 3 | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | 38,151 | 18·1 | 21·9 | 30·1 | 2·7 | 16 | 22 | 3 | 4 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | . | 9 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | 26,769 | 18·7 | 21·2 | 17·5 | . | 16 | 9 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | 18,426 | 2·5 | 27·2 | 19·4 | 3·9 | 7 | 5 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | . | . | . | . | 1 | 1 | 56 | 25 | 45·4 | 0·98 | 56 | 30 | 46 | 0·57 | 61 | 42 | 50·4 | 0·57 |
| DUNDALK, | 18,076 | 3·4 | 23·9 | 16·0 | . | 6 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| DROGHEDA, | 12,760 | 8·6 | 20·4 | 18·3 | . | 5 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| NEWRY, | 12,405 | 17·8 | 16·8 | 25·2 | . | 4 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | 1 | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 |
| LURGAN, | 11,782 | 13·8 | 13·3 | 17·7 | . | 3 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 |
| LISBURN, | 11,461 | 10·1 | 18·2 | 22·7 | . | 4 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 |
| WEXFORD, | 11,168 | 23·2 | 16·0 | 14·0 | . | 12 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BALLYMENA, | 10,886 | 8·9 | 38·3 | 4·8 | . | 8 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | 10,870 | 3·7 | 38·4 | 24·0 | . | 8 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 53·4 | 30·5 | 43·9 | 0·91 | 57·3 | 31·4 | 43·7 | 0·59 | 62·4 | 36·3 | 47·9 | 0·73 |
| KILKENNY, | 10,609 | 11·5 | 49·1 | 49·1 | 4·9 | 10 | 10 | 2 | 4 | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | 5 | . | . | 2 | . | 52 | 30 | 43·7 | 0·85 | 55 | 29 | 42·4 | 0·93 | 60 | 28 | 47 | 0·30 |
| CLONMEL, | 10,167 | 7·8 | 41·0 | 30·8 | . | 8 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| PORTADOWN, | 10,092 | 18·2 | 46·5 | 15·5 | . | 9 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 |
| TRALEE, | 9,867 | 16·6 | 21·1 | 37·0 | . | 4 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| NEWTOWNARDS, | 9,110 | 18·9 | 5·7 | 5·7 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 49 | 35 | 42·9 | 0·12 | 55 | 35 | 44·3 | 1·36 | 58 | 37 | 46·5 | 0·10 |
| QUEENSTOWN, | 7,909 | 14·4 | 46·1 | 19·8 | . | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | 54 | 36 | 45·3 | 0·24 | 51 | 32 | 44·2 | 1·08 | 54 | 36 | 46·4 | 0·10 |
| ARMAGH, | 7,588 | 22·2 | 34·4 | 6·9 | . | 5 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 | 62·8 | 38·8 | 49·4 | 0·05 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 13th April, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DROMONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 2 | . | . | . | . | . | 7 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | 1 | . | . | . | 2 | 1 | 1 | 2 | . | . | . | . | . | 7 | . |
| Diphtheria, | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Diarrhœal Diseases, | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Pneumonia, | . | 4 | 1 | 5 | . | . | . | 1 | . | . | 3 | . | 1 | 1 | 1 | . | 17 | . |
| Tuberculous Disease. { Phthisis, | 1 | 3 | 1 | 1 | . | . | 1 | 3 | . | . | 3 | 1 | 1 | 2 | 1 | 2 | 20 | 1 |
| Tuberculous Disease. { Other Forms. | 1 | 1 | 1 | . | . | . | . | . | 2 | 2 | . | . | . | 2 | . | . | 9 | 1 |
| Cancer, Malignant Disease, | . | . | . | 2 | . | . | . | . | 1 | 1 | 1 | . | . | 2 | . | . | 7 | . |
| Other General Diseases | 6 | 3 | 2 | 1 | . | 2 | . | 2 | 2 | 1 | . | . | 2 | . | . | . | 21 | . |
| Total, | 8 | 12 | 8 | 10 | 1 | 2 | 3 | 9 | 6 | 6 | 11 | 1 | 4 | 8 | 2 | 2 | 93 | 2 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | . | 1 | 2 | . | 2 | . | 2 | 1 | 5 | 2 | . | 2 | . | . | 1 | 18 | . |
| Diseases of Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels, | 3 | 7 | 1 | 3 | . | . | . | 4 | . | 2 | 2 | . | 3 | 2 | 1 | 2 | 30 | 1 |
| Diseases of Respiratory System, | . | 5 | 3 | 3 | . | 1 | . | 5 | . | 7 | 3 | . | 2 | 1 | . | 3 | 33 | 1 |
| Diseases of Digestive System, | . | 1 | 1 | 1 | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | 6 | 1 |
| Diseases of Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System, | 1 | 1 | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | . | 5 | 2 |
| Diseases of Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 14 | 6 | 10 | 1 | 3 | . | 14 | 1 | 14 | 8 | 1 | 7 | 3 | 1 | 6 | 93 | 6 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 1 | . | 4 | . | . | . | 1 | . | . | 1 | . | 2 | . | . | 1 | 10 | . |
| **E. VIOLENT DEATHS,** | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | . | 3 | . |
| **Deaths from all Causes,** | 12 | 27 | 14 | 24 | 2 | 5 | 3 | 25 | 7 | 21 | 20 | 3 | 13 | 11 | 3 | 9 | 199 | 8 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 36·0 | 24·2 | 38·6 | 20·4 | 23·7 | 21·7 | 32·6 | 17·7 | 25·9 | 29·7 | 17·6 | 19·0 | 20·6 | 17·9 | 26·6 | 26·6 | . |
| | 29·5 | | | | | | | 27·0 | | | | | 20·9 | | | | | |
| | 28·3 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 4 | 5 | 4 | 5 | . | 1 | . | 7 | 2 | 6 | 4 | . | . | 1 | 1 | 2 | 42 | . |
| 1 and under 5 years, | 1 | 2 | 3 | 5 | 1 | 1 | . | 3 | 4 | 4 | 5 | . | 2 | 1 | . | . | 32 | . |
| 5 " 20 " | 1 | 2 | 1 | 1 | . | . | 1 | 1 | . | 1 | 2 | . | 1 | 1 | . | . | 12 | 2 |
| 20 " 40 " | 1 | 4 | 1 | 4 | . | . | 2 | 3 | 1 | 2 | 2 | 2 | 1 | 2 | . | 2 | 27 | 1 |
| 40 " 60 " | 2 | 4 | 2 | 2 | . | . | . | 7 | . | 4 | 3 | . | 2 | 1 | . | 1 | 28 | 2 |
| 60 and upwards, | 3 | 10 | 3 | 7 | 1 | 3 | . | 4 | . | 4 | 4 | 1 | 7 | 5 | 2 | 4 | 58 | 3 |
| Number of Uncertified Deaths, | . | 1 | 2 | 1 | . | . | . | 2 | . | 2 | . | . | 1 | . | . | . | 9 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 4 | 3 | 2 | 2 | 1 | . | 1 | 6 | . | 2 | 4 | . | 1 | 5 | 1 | 1 | 33 | 8 |
| Workhouse Hospitals, | 2 | 3 | 4 | 8 | . | . | . | 4 | 2 | 8 | 3 | . | 1 | 2 | . | . | 42 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered the week of the ten years, 189 1906

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 15th Week of the 10 years 1897-1906. | In the Week ending Saturd 13th April, 1907. Deaths of Persons of the A | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | April 17, 1897. | April 16, 1898. | April 15, 1899. | April 14, 1900. | April 13, 1901. | April 12, 1902. | April 18, 1903. | April 16, 1904. | April 15, 1905. | April 14, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40. | 40 and under 60. 60 and under 80. 80 and upwards. |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | |
| Mean Temperature. | ° 45·1 | ° 46·9 | ° 42·8 | ° 46·9 | ° 44·3 | ° 38·4 | ° 37·3 | ° 47·3 | ° 43·1 | ° 44·2 | ° 43·6 | ° 42·7 | | | | | | |
| **ALL CAUSES.** | 189 | 182 | 224 | 230 | 242 | 206 | 186 | 186 | 167 | 174 | 198·6 | 207 | 9 | 33 | 32 | 14 | 28 | 3 3 8 |
| Small-pox, ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 15 | . | . | 2 | . | 3 | . | 4 | 4 | 1 | 2·9 | 7 | . | 1 | 5 | 1 | . | . |
| Scarlet Fever, ... ... | 2 | 2 | . | . | 2 | . | 3 | . | 1 | . | 1·0 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 9 | 15 | 6 | 14 | 1 | 2 | 4 | 2 | . | 5·4 | 5 | . | . | . | . | . | . |
| Whooping-cough, ... ... | 14 | 3 | 4 | 1 | 8 | 2 | 1 | 11 | 3 | 3 | 5·0 | 7 | . | 3 | 3 | 1 | . | . |
| Diphtheria, ... ... | 2 | 2 | 2 | 2 | . | 1 | . | 1 | 1 | . | 1·1 | 2 | . | . | 1 | . | 1 | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | 1 | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 1 | 3 | 4 | 2 | 2 | 2 | 3 | . | 1 | 1 | 1·9 | 1 | . | . | . | . | 1 | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 2 | . | . | 1 | 3 | . / 4 | . | . | . | . | 1·2 | . / 2 | 1 | . | . | . | . | 1 |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | 2 | . | . | 2 | 1 | 2 | . | 1 | 2 | 1·1 | 1 | . | 1 | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | . | . | . | . / . / . | . / . / . | . / . / . | . / . / . | . | . / . / . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-Epidemic, Not defined, | 12 | 11 | 13 | 17 | 21 | . / 3 / . / 11 | . / 2 / . / 12 | . / 3 / . / 5 | 1 / 1 / . / 9 | . / 6 / . / 16 | 14·3 | 1 / 10 / . / 6 | . | . | . | . | . | . |
| Erysipelas, ... ... | . | . | . | . | . | 1 | 1 | 1 | . | 1 | ·4 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | . | . | . | . | . | 1 | 3 / . | . / 1 | . / . | . / . | ·5 | . / . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | 1 | . | 1 | 2 | ·5 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 20 | 32 | 27 | 28 | 36 | 1 / 26 | 1 / 31 | 9 / 10 | 9 / 12 | 13 / 14 | 26·9 | 9 / 12 | . | 1 / . | . / . | . / 4 | 6 / 7 | 1 / 1 |
| Tuberculous Meningitis, ... | 6 | 8 | 7 | 4 | 1 | 5 | 5 | 4 | 1 | 1 | 4·2 | 2 | . | 1 | 1 | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 5 | 3 | 7 | 9 | 7 | 1 / 1 | 1 / 3 | 1 / 4 | 1 / 2 | 1 / . | 4·6 | . / 1 | . | . | . | . / 1 | . | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 6 | 5 | 4 | 5 | 4 | 7 / . | 6 / 1 | 11 / . | 3 / . | 6 / . | 5·8 | 7 / . | . | . | 5 | 2 | . | . |
| Alcoholism, ... ... | 2 | . | 1 | . | 1 | 1 | 1 | 1 | 1 | . | ·8 | . | . | . | . | . | . | . |
| Rheumatic Fever, ... | . | . | 1 | 1 | . | . | . | 1 | 1 | . | ·4 | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 3 | 6 | 5 | 4 | 11 | 1 / 1 / 4 | 3 / 1 / 4 | 3 / . / 3 | 3 / . / 6 | 3 / . / 6 | 6·7 | 4 / . / 3 | . | . | . | . | 1 / . / 1 | . / . / 1 |
| Diabetes Mellitus, ... | . | . | . | . | . | 1 | . | 1 | . | 1 | ·3 | 2 | . | . | . | . | 1 | . |
| Premature Birth, ... | 1 | 1 | 4 | 5 | 5 | 1 | 1 | 7 | 5 | 3 | 3·3 | 5 | 3 | 2 | . | . | . | . |

* The figures for the years 1897-1900 a for
† Formerly describ a

'IFTEENTH WEEK ending Saturday, 13th April, 1907, with the deaths from each cause in the corresponding ad the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 15th Week of the 10 years 1897–1906. | In the Week ending Saturday, 13th April, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | April 17, 1897. | April 16, 1898. | April 15, 1899. | April 14, 1900. | April 13, 1901. | April 12, 1902. | April 18, 1903. | April 16, 1904. | April 15, 1905. | April 14, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 0 to 5. 1 month and under a year. | 0 to 5. 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 45·1 | ° 46·9 | ° 42·8 | ° 46·9 | ° 44·3 | ° 38·4 | ° 37·3 | ° 47·3 | ° 43·1 | ° 44·2 | ° 43·6 | Mean Temp. ° 42·7 | | | | | | | |
| Meningitis (not tuberc.) ... | | | | | | 4 | 6 | 3 | 3 | 3 | | 3 | . | 1 | 2 | . | . | . | . |
| Insanity, G. P. of Insane ... | | | | | | 1 | . | 1 | 1 | . | | 2 | . | . | . | . | . | 2 | . |
| Epilepsy .. ... | | | | | | . | . | 1 | . | . | | 1 | . | . | . | . | 1 | . | . |
| *Convulsions* ... .. | | | | | | 11 | 5 | 3 | 6 | 2 | | 9 | 1 | 7 | . | 1 | . | . | . |
| Locomotor Ataxy ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . |
| Paraplegia Dis. of Cord ... | | | | | | . | 2 | 3 | 2 | 3 | | . | . | . | . | . | . | . | . |
| Nervous System (other Dis.) | 38 | 33 | 54 | 43 | 46 | . | 3 | 1 | 1 | 3 | 40·8 | 3 | . | . | 2 | . | . | 1 | . |
| Valv. Dis., Endocarditis .. | | | | | | 5 | 2 | 4 | 6 | 3 | | 9 | . | . | . | 1 | 1 | 1 | 6 |
| Cerebr. Hæm. Thromb. .. | | | | | | . | 3 | 4 | . | 5 | | 3 | . | . | . | . | . | . | 2 |
| *Apoplexy, Hemiplegia* ... | | | | | | 4 | 5 | 5 | 7 | 5 | | 1 | . | . | . | . | . | . | 1 |
| Aneurysm ... ... | | | | | | 1 | . | . | 2 | . | | . | . | . | . | . | . | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | 8 | 16 | 12 | 12 | 16 | | 18 | . | . | . | . | 2 | 5 | 8 |
| *Croup* (not Spasm. nor Memb.) | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Bronchitis ... ... | 25 | 19 | 29 | 35 | 39 | 27 | 17 | 23 | 15 | 23 | 25·7 | 31 | . | 7 | 2 | . | 1 | 9 | 10 |
| Asthma, Emphysema ... | | | | | | . | . | 2 | 1 | 1 | | . | . | . | . | . | . | . | . |
| Pleurisy ... ... | . | 2 | 1 | . | 1 | 3 | . | . | . | . | 2·2 | . | . | . | . | . | . | . | . |
| Respiratory Dis. (other) ... | | | | | | . | 3 | 2 | 6 | . | | 3 | . | . | . | . | . | 2 | 1 |
| Tonsillitis, Quinsy ... | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) ... | | | | | | . | 2 | 2 | 2 | 1 | | . | . | . | . | . | . | . | . |
| *Gastro Enteritis* ... ... | . | . | 2 | . | . | 1 | . | . | . | . | 1·0 | . | . | . | . | . | . | . | . |
| *Peritonitis* (not Puerp.) ... | . | 2 | 1 | 1 | 2 | . | 1 | . | 1 | . | ·8 | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver ... | | | | | | . | 2 | 1 | . | 2 | | 1 | . | . | . | 1 | . | . | . |
| Liver Dis. (other) ... | 2 | 3 | 4 | . | 2 | 6 | 1 | 1 | . | 1 | 2·5 | 1 | 1 | . | . | . | . | . | . |
| Digestive Dis. (other) ... | 1 | 2 | 5 | 2 | 4 | 9 | 1 | 2 | 8 | 3 | 3·7 | 5 | 1 | . | 2 | 1 | . | . | 1 |
| Nephritis, Acute ... | | | | | | 2 | 2 | 2 | 1 | 1 | | 2 | . | . | . | 1 | . | 1 | . |
| Bright's Dis., Albuminuria | 2 | 4 | 5 | 4 | 2 | 2 | 4 | 5 | 3 | . | 4·6 | 2 | . | . | . | . | . | 2 | . |
| Urinary Sys. (Other Dis.) | | | | | | 1 | . | 1 | 4 | 1 | | 3 | . | . | . | . | . | 1 | 2 |
| Generative Organs Dis. ... | 2 | . | 1 | . | . | 1 | . | 1 | . | . | ·5 | 1 | . | . | . | . | 1 | . | . |
| Childbirth (Accid. of) ... | . | . | 1 | 2 | 1 | 2 | . | . | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| *Old Age* ... ... | 7 | 13 | 9 | 22 | 11 | 7 | 1 | 6 | 5 | 6 | 8·7 | 4 | . | . | . | . | . | . | 3 |
| Other Diseases ... ... | 13 | 12 | 15 | 24 | 13 | 20 | 15 | 10 | 7 | 5 | 13·4 | 14 | 2 | 5 | 2 | . | . | 1 | 4 |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | |
| By Railways ... ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| By Vehicles and Horses ... | . | . | . | . | . | . | 2 | 2 | . | . | ·4 | . | . | . | . | . | . | . | . |
| In Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| In Building Operations ... | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| In Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 1 | . | 2 | 1·2 | . | . | . | . | . | . | . | . |
| By Drowning ... ... | 1 | 1 | . | 1 | 1 | . | . | . | . | . | ·4 | 1 | . | . | . | . | 1 | . | . |
| By Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | . | . | . | . | . | 3 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | . | . | 1 | 5 | 1 | 2 | 2 | 1 | 2 | 1 | 1·5 | 1 | . | . | . | . | 1 | . | . |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | |
| Homicide ... ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . |
| Suicide ... ... | . | 1 | . | 1 | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| Execution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

the Registration Area as then constituted.
"Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. |
| No. of weeks in Annual Series. | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| BIRTHS registered, | 240 | 178 | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 201 |
| *Average Births in corresponding week of previous 10 years,** | 201 | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 |
| DEATHS registered, | 166 | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 |
| Annual Death-rate per 1,000, | 22·8 | 23·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 |
| *Average Deaths in corresponding week of previous 10 years,** | 173 | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 |
| AGES,— Under 5 years, | 53 | 50 | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 |
| 5—20 ,, | 6 | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 |
| 20—40 ,, | 34 | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 |
| 40—60 ,, | 34 | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 |
| 60—80 ,, | 34 | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 |
| 80 years and upwards, | 5 | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 |
| Scarlet Fever | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . |
| Typhus, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . |
| Whooping-cough, | 2 | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 |
| Diphtheria, | 2 | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 4 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 |
| Diarrhœal Diseases, | 12 | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 |
| Pneumonia, | 17 | 13 | 10 | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 |
| Tuberculous Phthisis, | 21 | 17 | 21 | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 |
| Disease. Other Forms, | 5 | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 |
| Cancer, Malignant Disease, | 7 | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 |
| Diseases of Heart and Blood Vessels, | 24 | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 |
| Diseases of Respiratory System, | 15 | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 |
| Violent Deaths, | 4 | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 |
| Number of Uncertified Deaths, | 5 | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 |
| Mean Temperature of the Air (Phœnix Park), | 45·5 | 51·2 | 40·6 | 43·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 |
| *Average Mean Temperature in corresponding week of previous 10 years,* | 47·9 | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 |
| Rainfall in inches, | ·210 | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·863 | ·085 | ·725 | 1·087 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·85 | ·83 | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·83 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES AND EIGHTEEN CLASSES the Dublin Registration Area during the Week ending Saturday, 13th April, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH APRIL, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 28·8 | 207 | 74 | 14 | 28 | 30 | 53 | 8 | . | 7 | . | . | 7 | 2 | . | 1 | 2 | 19 | 17 | 21 | 10 | 7 | 9 | 34 | 3 | 87 | 9 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 12·0 | 4 | . | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . |
| II. | Middle Class, | 87,188 | 20·9 | 35 | 8 | 4 | 5 | 1 | 13 | 4 | . | 1 | . | . | . | . | . | . | 1 | 2 | 5 | 4 | . | 1 | 1 | 3 | . | 19 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,428 | 14·2 | 30 | 12 | 3 | 7 | 4 | 4 | . | . | 2 | . | . | 4 | 2 | . | 1 | . | 9 | 2 | 3 | 3 | . | . | 2 | 1 | 10 | 1 |
| IV. | General Service Class, | 154,279 | 44·9 | 96 | 46 | 5 | 12 | 15 | 16 | 2 | . | 4 | . | . | 3 | . | . | . | 1 | 8 | 7 | 11 | 4 | 3 | 8 | 17 | 2 | 36 | 7 |
| V. | Inmates of Workhouses, | 6,024 | | 42 | 8 | 2 | 4 | 10 | 17 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | 3 | 2 | . | 12 | . | 19 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 2 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | 6·2 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 30·8 | 13 | 4 | 2 | 1 | 1 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . | 8 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 17·1 | 10 | 3 | 1 | 3 | . | 3 | . | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | 1 | . | . | 4 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | 1 | 1 | 1 | . | 5 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | 2 | . | 6 | 1 |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 14·0 | 8 | 4 | . | 3 | . | 1 | . | . | . | . | . | 2 | 1 | . | 1 | . | 4 | . | . | . | . | . | . | 1 | 3 | . |
| | 10. Clothing Trades, | 23,260 | 9·0 | 4 | 1 | 1 | . | 2 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | 3 | . | 3 | 2 | 3 | . | . | 1 | . | . | . | 1 | . | . | . | 2 | . | 2 | 1 | . | . | 1 | . | 5 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 35·0 | 9 | 3 | 1 | 1 | 3 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | 1 | . | 1 | 1 | 3 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 3 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 29·0 | 8 | 3 | . | 2 | 1 | 2 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . | . | 4 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 42·4 | 73 | 37 | 4 | 8 | 11 | 12 | 1 | . | 3 | . | . | 2 | . | . | . | 1 | 6 | 7 | 7 | 3 | 1 | 7 | 15 | 1 | 26 | 7 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 42 | 8 | 2 | 4 | 10 | 17 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | 3 | 2 | . | 12 | . | 19 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Offices, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Feb. 23, | 10·8 | 1·8 | 6 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . |
| | Mar. 2, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| | „ 9, | 28·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| | „ 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | „ 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| | „ 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| | „ 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| **North City, No. 1 (W.)** (*Offices, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Feb. 23, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | 5 | 1 | . |
| | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| | „ 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| | „ 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | „ 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| | „ 30, | 28·0 | 1·3 | 21 | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 4 | . | 1 | . | . |
| | „ 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | 1 |
| **North City, No. 2.** (*Offices, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Feb. 23, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | Mar. 2, | 38·1 | 1·7 | 22 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| | „ 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| | „ 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | „ 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | „ 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| | Apr. 6, | 43·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| | „ 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| **North City, No. 3.** (*Offices, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Feb. 23, | 35·4 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 3 | 3 | 1 |
| | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| | „ 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | „ 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 3 | . | 3 | . | . |
| | „ 30, | 28·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| | „ 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Feb. 23, | 37·8 | 3·9 | 29 | . | . | . | . | 3 | . | . | . | . | 2 | 4 | 3 | . | 3 | . | 1 |
| | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| | „ 9, | 27·4 | 1·3 | 21 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | . |
| | „ 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | „ 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| | „ 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| | „ 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Feb. 23, | 45·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 5 | 1 | . |
| | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| | „ 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| | „ 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | „ 23, | 32·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| | „ 30, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | . | 3 | 1 | 1 |
| | „ 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Feb. 23, | 27·2 | 2·5 | 22 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 4 | . | . |
| | Mar. 2, | 38·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| | „ 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| | „ 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | „ 23, | 22·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| | „ 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| | Apr. 6, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| | „ 13, | 25·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| **South City, No. 4.** (*Offices, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | Feb. 23, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 5 | 1 | 1 |
| | Mar. 2, | 20·8 | 3·0 | 14 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |
| | „ 9, | 35·6 | 1·5 | 24 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 2 | . | 2 | . | . |
| | „ 16, | 13·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | „ 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | 1 | . |
| | „ 30, | 28·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | . | . |
| | Apr. 6, | 22·3 | 3·0 | 16 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |
| | „ 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Unverified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Feb. 23, | 22·0 | 2·9 | 15 | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 1 | 3 | . | . |
| | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 | . |
| | „ 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | „ 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| | „ 30, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Feb. 23, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 9, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . |
| | „ 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| | „ 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| | Apr. 6, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| | „ 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Feb. 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 2 |
| | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| | „ 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Feb. 23, | 20·6 | 0·4 | 146 | . | 1 | 1 | . | . | . | . | 1 | . | 12 | 20 | 7 | 6 | 34 | 1 | 1 |
| | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| | „ 9, | 28·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| | „ 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| | „ 23, | 28·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| | „ 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 1 |
| | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| | „ 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| **Cork.** Pop. (in 1901) 76,122. | Feb. 23, | 30·8 | 2·7 | 45 | . | . | . | . | 3 | 1 | . | . | . | 6 | 6 | 2 | 1 | 4 | . | 6 |
| | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| | „ 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| | „ 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| | „ 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| | „ 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| | „ 13, | 28·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Feb. 23, | 27·0 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | 3 | 1 | . |
| | Mar. 2, | 16·0 | 1·2 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| | „ 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| | „ 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| | „ 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| | „ 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | Apr. 6, | 12·3 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| | „ 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Feb. 23, | 20·5 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | . | 1 |
| | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| | „ 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | 1 |
| | „ 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 |
| | „ 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | 2 |
| | „ 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | 3 |
| | Apr. 6, | 13·7 | 1·2 | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| **Waterford.** Pop. (in 1901) 26,769. | Feb. 23, | 42·9 | 1·9 | 22 | . | . | 1 | . | . | . | . | . | . | . | 7 | 1 | . | 3 | . | . |
| | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | . |
| | „ 9, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |
| | „ 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |
| | „ 23, | 27·3 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |
| | „ 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |
| | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| | „ 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th April, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 5 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 9 | 3 | 2 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 3 | . |
| Do. 2 „ . | 47,959 | 32 | | | 22 | 6 | 3 | 1 | 3 | 3 | 6 | . | . | . | . | 1 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | 1 | . | . | 6 | . |
| Do. 3 „ . | 47,214 | 37 | | | 14 | 3 | 1 | 2 | 4 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . | . | 4 | . |
| Do. 4 „ . | 40,911 | 24 | | | 24 | 3 | 4 | 1 | 7 | 2 | 7 | . | . | . | . | . | . | . | . | 1 | 2 | 6 | . | . | 3 | . | 1 | 6 | . |
| Do. 5 „ . | 17,387 | 16 | | | 16 | 4 | 2 | 1 | 3 | 4 | 2 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 3 | . | 3 | . | . | 5 | 3 |
| Do „ . | 48,122 | 26 | | | 15 | 1 | 1 | 1 | 4 | 2 | 6 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 1 | 4 | 1 | 2 | 5 | . |
| Do. 7 „ . | 1,524 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 3 | | | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 9 „ . | 19,569 | 19 | | | 14 | 4 | . | . | 5 | 2 | 3 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | . | . | . | 4 | 2 |
| Do. 10 „ . | 28,064 | 21 | | | 9 | 4 | 3 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | . | . | . | 2 |
| Do. 11 „ . | 34,802 | 31 | | | 17 | 2 | 2 | 3 | 4 | 4 | 2 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | . | 1 | 2 | . | . | 5 | . |
| Do. 12 „ . | 38,588 | 32 | | | 15 | 3 | 3 | 1 | 4 | . | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 | 5 | . |
| Do. 13 „ . | 15,006 | 14 | | | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | . | . | . | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 261 | | | 159† | 33 | 21 | 14 | 36 | 23 | 32 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 4 | 43 | 7 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 4 | 32·4 | . | 8 | . | . | | 4 | | 4 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 2 | . | . | 8 | . |
| Do. 2 „ . . | 10,701 | 10 | 24·4 | 9·7 | 5 | . | 2 | | 3 | | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 |
| Do. 3 „ . . | 9,978 | 6 | 26·1 | 15·7 | 5 | . | 3 | | 1 | | 1 | . | . | . | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Do. 4 „ . . | 8,666 | 4 | 48·1 | . | 8 | 1 | 3 | | 4 | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | . | 4 | . |
| Do. 5 „ . . | 6,592 | . | 15·8 | 7·9 | 2 | 1 | . | | 1 | | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Do. 6 „ . . | 10,702 | 10 | 14·6 | . | 3 | 1 | 1 | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Do. 7 „ . . | 16,616 | 8 | 9·4 | . | 3 | 1 | . | | . | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Total, . . . . | 76,122 | 42 | 28·3 | 4·1 | 34 | 4 | 9 | | 13 | | 8 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | . | 15 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 20. | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 12. |
| No. of weeks in Annual Series, | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| BIRTHS registered, | 195 | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 208 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 |
| DEATHS registered. | 123 | 120 | 122 | 131 | 145 | 125 | 128 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 168 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159† |
| Annual Death-rate per 1,000 of estimated Population. | 17·4 | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 |
| AGES — Under 1 year, | 34 | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 |
| 1–5 years, | 13 | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 |
| 5–20 years, | 12 | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 |
| 20–40 years, | 19 | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 |
| 40–60 years, | 22 | 26 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 |
| 60 years and upwards, | 22 | 25 | 24 | 30 | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 |
| Scarlet Fever, | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| Typhus, | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | | 1 | 2 | 2 |
| Diphtheria, | 1 | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 |
| Diarrhœal Diseases, | 13 | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 |
| Pneumonia, | 10 | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 |
| Tuberculous Disease, Phthisis, | 15 | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 |
| Tuberculous Disease, Other Forms, | 5 | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 |
| Cancer, Malignant Disease, | 5 | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 |
| Diseases of Respiratory System, | 11 | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 |
| Violent Deaths, | 5 | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 |
| Number of Uncertified Deaths, | . | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 |

*Formerly described as "Simple Continued Fever."

† Including 23 deaths returned as from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Apr. 13, | 2,532 | 1,495 | 16·4 | . | 45 | 9 | 8 | 60 | 5 | 18 |
| EDINBURGH, | 345,747 | „ 13, | 147 | 102*a* | 15·4 | . | 3 | 1 | . | 5 | . | 1 |
| GLASGOW, | 847,584 | „ 13, | 551 | 383*a* | 23·6 | . | 4 | 1 | 4 | 45 | 1 | 1 |
| CALCUTTA, | 847,796 | Feb. 23, | . | 505 | 30·9 | 48 | 1 | . | 1 | 1 | 130‡ | 85* |
| BOMBAY, | 977,822 | Mar. 12, | 312 | 1,191 | 63·3 | 1 | 3 | . | . | 2 | 102‡ | 79* |
| MADRAS, | 509,346 | Feb. 22, | 252 | 394 | 40·2 | 1 | 1 | ? | ? | ? | 105 | 53* |
| PARIS, | 2,750,000 | Mar. 30, | 1,023 | 1,099 | 21·0 | 1 | 10 | 10 | 2† | 18 | 4 | 20 |
| BRUSSELS (with 8 Faubourgs). | 622,913 | „ 23, | 235 | 180 | 14·3 | . | 1 | 3 | 1† | 1 | 3 | 5 |
| ANTWERP, | 304,032 | „ 23, | 143 | 79 | 13·5 | . | 1 | . | 1† | 1 | 1 | 7 |
| AMSTERDAM, | 565,186 | „ 30, | 293 | 174 | 16·1 | . | 2 | 1 | . | . | . | 1 |
| COPENHAGEN, | 427,000 | „ 23, | 250 | 141 | 17·2 | . | 3 | . | . | 4 | . | 5 |
| STOCKHOLM, | 324,488 | „ 23, | 136 | 91 | 14·6 | . | . | 1 | 1† | . | . | 3 |
| CHRISTIANIA, | 226,774 | „ 30, | 129 | 66 | 15·1 | . | 1 | . | . | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 23, | 466 | 865 | 30·3 | . | 33 | 24 | 35 | 3 | 24 | 88 |
| MOSCOW, | 1,172,421 | Feb. 23, | . | 747 | 33·2 | . | 15 | 12 | 8† | 6 | 15 | 53 |
| BERLIN, | 2,097,918 | Mar. 16, | 999 | 607 | 15·1 | . | 3 | 2 | 5† | 6 | . | 28 |
| HAMBURG, | 824,792 | „ 23, | . | 305 | 19·2 | . | 1 | 1 | 1† | 3 | . | 14 |
| BRESLAU, | 484,355 | „ 30, | . | 214 | 23·0 | . | 1 | 1 | 1† | 4 | 1 | 14 |
| MUNICH, | 551,349 | „ 30, | . | 191 | 18·1 | . | 10 | . | 7† | 2 | . | 10 |
| VIENNA (with suburbs). | 1,958,323 | „ 30, | 1,023 | 855 | 22·7 | . | 19 | 5 | 7† | 3 | . | 38 |
| BUDA-PESTH, | 802,235 | „ 23, | 449 | 386 | 24·7 | . | 4 | 12 | 2† | . | . | 9 |
| PRAGUE and Faubourgs. | 466,133 | „ 23, | 226 | 218 | 24·3 | . | 4 | . | . | 1 | 1 | 12 |
| TRIESTE, | 199,003 | „ 16, | 116 | 126 | 33·0 | . | 1 | . | . | . | 1 | 1 |
| ROME, | 540,150 | Feb. 9, | 277 | 282 | 27·2 | . | . | . | . | 1 | 1 | 7 |
| VENICE, | 174,398 | „ 23, | 95 | 98 | 29·3 | . | . | . | . | . | . | 1 |
| NEW YORK, | 4,285,435 | Mar. 16, | 2,195 | 1,670 | 20·3 | . | 13 | 25 | 37† | 9 | 5 | 48 |
| PHILADELPHIA, | 1,500,595 | Mar. 2, | . | 625 | 21·6 | . | 3 | 2 | 15† | . | 46 | 25 |
| BOSTON, | 602,526 | Mar. 16, | . | 265 | 23·0 | . | . | . | 2 | 1 | . | 3 |

*a.* Including 8 deaths from cerebro-spinal meningitis in Edinburgh, and 30 in Glasgow.
* Including 42 deaths from cholera in Calcutta, 2 in Bombay, and 10 in Madras.
† Including deaths from croup.
‡ Exclusive of 27 deaths from plague in Calcutta, and 497 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th April, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 3 |
| " " 2, | . | 1 | . | . | 1 | . | 2 | 1 | . | . | . | . | 5 |
| " " 3, | . | 1 | . | . | . | . | 1 | 2 | 1 | . | . | . | 5 |
| Clontarf and Howth No. 1 (part of) | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of) | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 2 | . | . | 1 | 8 | . | . | . | 11 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 1 | 1 | . | . | . | . | . | 1 | . | . | . | 3 |
| " " 4, | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | 1 | . | 5 | . | 5 | 5 | 12 | . | 1 | . | 33 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th April, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 13th April. | | | |
|---|---|---|---|---|---|---|---|
| | Mar. 23. | Mar. 30. | Apr. 6. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 63 | 66 | 69 | 31 | 13 | 1 | 86 |
| Scarlet Fever | 83 | 59 | 53 | 6 | 19 | . | 40* |
| Typhus, | 13 | 12 | 12 | . | . | . | 12 |
| Diphtheria, | 21 | 11 | 11 | 10 | 3 | 2 | 16 |
| Enteric Fever, | 24 | 21 | 17 | 3 | 5 | 1 | 14 |
| Pneumonia, | 36 | 29 | 33 | 11 | 4 | . | 40 |

* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 13th April, 1907:—

"This was a week of very unsettled, cold, dull, rainy weather—the relapse into winter which took place in the previous se'nnight, being continued throughout that now under notice. At the beginning, an extensive area of low atmospheric pressure lay over the British Isles. In it two minima were shown on Sunday morning—one over Yorkshire, the other over the Straits of Dover. Cold, changeable weather prevailed. In Dublin there were passing showers, hail falling in places. Much the same state of things existed on Monday, heavy hail showers occurring in Dublin at 11 a.m. and 2 p.m. On Tuesday morning, with a rising barometer in the north, the wind shifted to E., and the air was cold and searching. By Wednesday the barometer had risen to 30·4 inches over the Gulf of Bothnia and to 30·3 inches over the north of Iceland. In Dublin rain and hail fell heavily in the morning, but the afternoon was fine though hazy. An area of low pressure now began to develop in the neighbourhood of the English Channel, and by Friday morning a well-defined cyclonic disturbance had become central over Brittany, where the barometer had fallen below 29·4 inches, while it remained above 30·3 inches in Iceland. The result was that the wind freshened to a strong and squally breeze from E. and N.E., gloom and rain became prevalent over England and Ireland, and temperature fell still further. Thunder and lightning occurred at many southern stations in both countries during the formation of this cyclonic system. In Dublin the mean height of the barometer was 29·631 inches, the range being between 29·303 inches at 9 a.m. of Sunday (wind, W.) and 29·855 inches at 9 a.m. of Wednesday (wind, N.). The corrected mean temperature was 44·7°, the mean dry bulb temperature at 9 a.m. and 9 p.m. was 43·9°. The screened thermometers fell to 34·9° on Sunday and rose to 54·8° on Monday. The prevalent wind at first was W., afterwards E.N.E. Rain fell daily to the amount of 1·094 inches, ·254 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·632 inches. The highest reading (29·858) was on Wednesday at 9 a.m., and the lowest (29·301) on Sunday at 9 a.m.

The mean temperature for the week was 42·7°, being 0·9° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Tuesday, on which day the thermometer registered 55·8°, and was lowest on Sunday, the mercury having fallen to 32·1°. The mean of the Dry Bulb for the week was 42·3°, and of the Wet Bulb 40·7°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 1·087 inches.

At Greenwich the mean temperature for the week was 44·1°, the maximum 58·3°, and the minimum 32·3°; at Glasgow the maximum was 54·8°, the minimum 35·5°, and the mean 43·6°; and at Edinburgh the maximum was 48·1°, the minimum 35·9°, and the mean 41·8°. The rainfall at Greenwich measured 1·42 ins.; at Glasgow, 0·53 in.; and at Edinburgh, 0·33 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals.* | Rain Gauge. | Direction of the Wind.* | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, April 7, | 29·312 | 52·7 | 32·1 | 42·4 | 41·8 | 40·5 | ·90 | ·7 | — | ·305 | — | — |
| Monday, „ 8, | 29·468 | 52·8 | 38·1 | 45·5 | 44·3 | 42·6 | ·88 | ·6 | — | ·065 | — | — |
| Tuesday, „ 9, | 29·665 | 55·8 | 35·9 | 45·9 | 41·0 | 40·1 | ·94 | ·8 | — | ·017 | — | — |
| Wednesday, „ 10, | 29·855 | 48·8 | 33·8 | 41·3 | 39·9 | 39·3 | ·95 | ·2 | — | ·000 | — | — |
| Thursday, „ 11, | 29·814 | 45·2 | 33·9 | 39·6 | 43·4 | 40·7 | ·79 | ·6 | — | ·105 | — | — |
| Friday, „ 12, | 29·662 | 47·6 | 38·0 | 42·8 | 43·5 | 41·5 | ·85 | ·4 | — | ·280 | — | — |
| Saturday, „ 13, | 29·646 | 43·9 | 39·4 | 41·7 | 41·9 | 40·0 | ·86 | ·7 | — | ·315 | — | — |
| Mean, . . | 29·632 | 49·5 | 35·9 | 42·7 | 42·3 | 40·7 | ·88 | ·6 | — | Total 1·087 | — | |

*Sunday*—Cloudy day, light showers at intervals to 6.45 p.m.; night cloudy. *Monday*—Cloudy day, light showers 5.30 to 8.40 p.m.; night cloudy. *Tuesday*—Cloudy day, fine; night overcast, light rain 3.0 to 4.30 a.m. *Wednesday*—Cloudy day, fine; night overcast. *Thursday*—Day overcast, light showers p.m.; night overcast, light rain 2.45 to 7 a.m. *Friday*—Day overcast, showery p.m.; night cloudy and showery. *Saturday*—Day overcast, light rain 7.0 a.m. to 3.0 p.m.; night overcast.

* No sunshine or wind direction records this week, in consequence of the erection of a new Observatory.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 13th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, April 7, | 43·0 | 43·5 | 46·0 | 53·8 | 34·7 | 44·3 | 8·5 | ·261 |
| Monday, „ 8, | 46·4 | 44·9 | 46·0 | 54·1 | 39·9 | 47·0 | 5·0 | ·124 |
| Tuesday, „ 9, | 46·0 | 45·1 | 45·9 | 50·8 | 40·9 | 45·9 | 3·8 | ·209 |
| Wednesday, „ 10, | 43·8 | 45·8 | 45·9 | 49·4 | 40·1 | 44·8 | 4·7 | ·005 |
| Thursday, „ 11, | 44·0 | 45·9 | 46·0 | 45·8 | 38·4 | 42·1 | — | ·061 |
| Friday, „ 12, | 44·0 | 45·0 | 46·0 | 47·9 | 39·9 | 43·9 | 1·1 | ·215 |
| Saturday, „ 13, | 41·6 | 45·0 | 46·0 | 45·5 | 40·1 | 42·8 | — | ·280 |
| Weekly Mean, . | 44·1 | 45·0 | 46·0 | 49·6 | 39·1 | 44·4 | Total 23·1 | Total 1·155 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17135.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

**By Authority of the Registrar-General.**

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 20TH APRIL, 1907. [No. 16.

*General Register Office, Charlemont House, Dublin, 22nd April,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Mar. 30. | Week ending April 6. | Week ending April 13. | Week ending April 20. | Average Rate for 4 weeks. | Towns, &c. | Week ending Mar. 30. | Week ending April 6. | Week ending April 13. | Week ending April 20. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **22 Town Dists.** | **21·2** | **25·0** | **23·5** | **23·7** | **23·3** | Lisburn, . | 9·1 | 22·7 | 22·7 | 31·8 | 21·6 |
| Armagh, . . | 13·7 | . | 6·9 | . | 5·2 | Londonderry, . | 13·5 | 12·3 | 16·0 | 19·6 | 15·4 |
| Ballymena, . | 9·6 | 23·9 | 4·8 | . | 9·6 | Lurgan, . . | 26·6 | 17·7 | 17·7 | 26·6 | 22·2 |
| Belfast, . . | 20·1 | 27·0 | 22·4 | 23·9 | 23·3 | Newry, . . | 12·6 | 16·8 | 25·2 | 25·2 | 20·0 |
| Clonmel, . | 5·1 | 25·6 | 30·8 | 51·3 | 28·2 | Newtownards, . | 22·9 | 45·8 | 5·7 | 28·6 | 25·7 |
| Cork, . . . | 20·5 | 24·0 | 23·3 | 21·9 | 22·4 | Portadown, . | 5·2 | 10·3 | 15·5 | 15·5 | 11·6 |
| Drogheda, . . | 24·5 | 4·1 | 12·3 | 16·3 | 14·3 | Queenstown . | . | 6·6 | 19·8 | 26·4 | 13·2 |
| Dublin Reg. Area, | 24·3 | 28·3 | 26·6 | 27·1 | 26·8 | Sligo, . . . | 19·2 | 43·2 | 24·0 | 19·2 | 26·4 |
| Dundalk, . . | 27·9 | 4·0 | 16·0 | 12·0 | 15·0 | Tralee, . . | 21·1 | 10·6 | 37·0 | . | 17·2 |
| Galway, . . | 23·3 | 15·5 | 19·4 | 23·3 | 20·4 | Waterford, . | 25·3 | 15·6 | 17·5 | 17·5 | 19·0 |
| Kilkenny, . . | 19·7 | 49·1 | 49·1 | 24·6 | 35·6 | Wexford, . . | 28·0 | 37·4 | 14·0 | 14·0 | 23·3 |
| Limerick, . . | 24·6 | 13·7 | 30·1 | 17·8 | 21·6 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 7·8 in Waterford, the 9 deaths from all causes registered in that district including one from scarlet fever, one from enteric fever, and 2 from diarrhœal diseases. Among the 170 deaths from all causes registered in Belfast are 3 from measles, one from whooping-cough, one from enteric fever, one from diarrhœa, 13 from cerebro spinal fever, and 14 returned as from *cerebro spinal meningitis.* In Cork out of a total of 32 deaths, 4 are from whooping-cough. The 5 deaths from all causes registered in Kilkenny include one from whooping-cough; and one of the 4 deaths from all causes in Queenstown is from diphtheria.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 220—111 boys and 109 girls; and the deaths to 215—101 males and 114 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 28·7 in every 1,000 of the population; omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 27·1 per 1,000. During the sixteen weeks ending with Saturday last the death-rate averaged 28·3, and was 1·1 below the mean rate for the corresponding portions of the ten years, 1897-1906.

Included in the deaths (215) there were 10 from measles, 7 from whooping-cough, one

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

from *diarrhœa*, 3 from cerebro-spinal fever, and 5 deaths from influenza. In each of the 3 preceding weeks, deaths from measles were 4, 3, and 7; deaths from whooping-cough were 4, 8, and 7; deaths from diarrhœal diseases were one, 0, and 2; deaths from influenza were 2, 5, and 5; and deaths from cerebro spinal fever were 0, 0, and one.

The deaths from pneumonia comprise 3 from lobar pneumonia, 12 from broncho-pneumonia, and 8 deaths from *pneumonia* (not defined).

The total number of deaths from all forms of tuberculous disease amounted to 46, as against the totals 38, 51, and 31 in each of the preceding 3 weeks. The total (46) included 15 deaths from tuberculous phthisis, 15 deaths returned as from *phthisis*, 5 deaths from tuberculous meningitis, 2 deaths each from tuberculous peritonitis and *tabes mesenterica*, and 7 deaths from other forms of the disease.

The deaths of 3 infants, prematurely born, were registered.

The deaths from diseases of the brain and nervous system include 2 deaths from meningitis (one of the latter being that of a child between the ages of one year and 5 years), and 4 deaths of infants under one year of age were from *convulsions*.

Diseases of the heart and blood vessels accounted for 30 deaths, and 29 persons succumbed to bronchitis.

Of 3 deaths from accidental causes, one was by burning and one was due to poisoning by carbolic acid.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of 2 infants under one year of age and the death of a person aged 72 years.

Seventy-one of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 7 were under one month old) and 51 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 5 were octogenarians.

Ninety-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the N. Dublin Union Workhouse and 30 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·1 per 1,000; the rate in the City was 29·6 (North City Districts, 26·4; South, 33·0), and in the Suburbs, 18·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·9 (3·0 in the North City Districts, and 2·8 in the South) and for the Suburbs, 0·6 per 1,000.

*No.* 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·8 per 1,000, and include 3 deaths from tuberculous disease and 2 deaths from bronchitis.

*No.* 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Among the deaths there were 2 from whooping-cough, one from *diarrhœa*, one from *pneumonia* (not defined), 5 from tuberculous disease, and 3 from bronchitis.

*No.* 2 *North City District* (Lisburn-street).—The deaths (23) are equivalent to an annual rate of 39·8 per 1,000. Of the total deaths (23) 2 were from measles, one was from whooping-cough; there were 2 deaths from each of broncho-pneumonia and *pneumonia* (not defined), tuberculous disease caused 4 deaths, and diseases of the circulatory system caused 8 deaths.

*No.* 3 *North City District* (Benburb-street).—The deaths (23) represent an annual rate of 37·0 per 1,000. Measles caused 3 deaths, there was one death from broncho-pneumonia, there were 6 deaths from tuberculous disease, and 4 deaths from diseases of the respiratory organs.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 14·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 0·0.

*No.* 1 *South City District* (South Earl-street).—The deaths (22) represent an annual rate of 28·7 per 1,000. The deaths (22) include 2 from measles, one from whooping-cough, one from cerebro spinal fever, 4 from broncho-pneumonia, 2 from tuberculous disease, 2 from diseases of the respiratory system, and one accidental death.

*No.* 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 40·5 per 1,000. There was one death from whooping-cough; there were 4 from pneumonia (all forms of), 3 from tuberculous disease of the lungs, and 3 deaths from bronchitis.

*No.* 3 *South City District* (Peter-street).—The deaths (29) are equal to an annual rate of 35·8 per 1,000. Amongst the deaths there were 2 from measles, 2 from cerebro spinal fever, 2 from lobar-pneumonia, one from broncho-pneumonia, 4 from tuberculous disease, 8 from bronchitis, and one accidental death.

*No.* 4 *South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·6 per 1,000. Measles, whooping-cough, and influenza each caused one death; there were 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), 6 deaths from tuberculous disease, and 6 deaths from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000. The deaths included one from tuberculous phthisis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 20·6; Blackrock, 11·9; and Kingstown, 23·7. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Pembroke. The 11 deaths from all causes for Rathmines and Rathgar include 3 from influenza, one from *pneumonia* (not defined), 2 from *phthisis*, and one from bronchitis. The 11 deaths from all causes for Pembroke include one from broncho-pneumonia, 3 from tuberculous disease of the lungs, and one from bronchitis; and the 8 deaths from all causes for Kingstown include one from influenza, one from *pneumonia* (not defined), and 2 from tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 20th April, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Mar. 30, | . | — | — | 4 | 3 | . | 6 | . | 3 | 5 | 19 | . | — | — | . | — | — | 40 |
| | Apr. 6, | . | — | — | 1 | 2 | . | 4 | . | 4 | 4 | 4 | . | — | — | . | — | — | 19 |
| | Apr. 13, | . | — | — | 4 | 1 | . | 5 | . | 5 | 5 | 12 | . | — | — | 1 | — | — | 33 |
| | Apr. 20, | . | — | — | 1 | . | . | 8 | . | 3 | 7 | 8 | . | — | — | 2 | — | — | 29 |
| Rathmines and Rathgar Urban District. | Mar. 30, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 6, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| | Apr. 13, | . | — | — | 2 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 3 |
| | Apr. 20, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| Pembroke Urban District. | Mar. 30, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | — | 26 | . | — | — | 28 |
| | Apr. 6, | . | . | . | . | . | . | . | . | . | . | . | . | — | 8 | . | — | — | 8 |
| | Apr. 13, | . | . | . | 1 | . | . | . | . | . | 1 | . | . | — | 34 | . | — | — | 36 |
| | Apr. 20, | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | — | 35 | . | — | — | 38 |
| Blackrock Urban District. | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 20, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| Kingstown Urban District. | Mar. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Mar. 30, | . | — | — | 16 | . | . | 2 | 1 | 7 | 13 | 14 | . | — | — | 31 | — | — | 84 |
| | Apr. 6, | . | — | — | 5 | . | . | 3 | . | 1 | 5 | 3 | 1 | — | — | 27 | — | — | 45 |
| | Apr. 13, | . | — | — | 7 | . | . | 5 | 2 | 2 | 6 | 5 | 1 | — | — | 24 | — | — | 52 |
| | Apr. 20, | . | — | — | 6 | . | . | 3 | 1 | 6 | 8 | 11 | . | — | — | 36 | — | — | 71 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th April, 1907.

From this it appears that:—

Twenty cases of measles were admitted into hospital during the week, 24 were discharged, there were 4 deaths, and 78 cases remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 5 were discharged, and 42* cases remained under treatment at the close of the week.

Six cases of typhus were discharged from hospital during the week, and 6 cases remained under treatment at its close.

Six cases of diphtheria were admitted to hospital, 2 were discharged, and 20 patients remained under treatment at the close of the week.

Seven case of enteric fever were admitted to hospital, 5 were discharged, and 16 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 17 cases of pneumonia were admitted to hospital, 10 were discharged, and 47 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·1), was equal to an average annual death-rate of 16·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·0 per 1,000, the rate for Glasgow being 22·2 and for Edinburgh 18·0.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th April. From this Report it appears that of a total of 48 cases notified 19 were scarlet fever, 12 diphtheria, 8 erysipelas, and 2 enteric fever. Among the 348 cases of infectious diseases in hospital at the close of the week were 121 cases of scarlet fever, 62 of measles, 37 of diphtheria 35 of whooping-cough, 17 of erysipelas, and 8 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th April, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 20th April, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. Week ending 20th April, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 13th April, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 6th April, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 29·6 | 23·7 | 1·6 | 634 | 509 | 93 | 112 | . | 13 | 1 | . | 13 | 1 | . | 2 | 5 | 43 | 74 | 30 | 17 | 71 | 7 | 15 | 163 | 18 | ○ . | ○ . | ○ . | . | ○ . | ○ . | ○ . | . | ○ . | ○ . | ○ . | . |
| Dublin Registration Area: Total, d. | 390,691 | 28·4 | 29·4 | 27·1 | 2·4 | 220 | 203 | 34 | 43 | . | 10 | . | . | 7 | . | . | . | 1 | 25 | 28 | 13 | 7 | 30 | 2 | 4 | 84 | 8 | f56·0 | 27·3 | 42·5 | 0·11 | f55·8 | 32·1 | 42·7 | 1·09 | f56·5 | 24·9 | 42·1 | 0·73 |
| City of Dublin, | 300,850 | 38·0 | 32·6 | 29·6 | 2·9 | 188 | 171 | 29 | 37 | . | 10 | . | . | 6 | . | . | . | 1 | 20 | 23 | 11 | 5 | 28 | 2 | 4 | 75 | 2 | g59·1<br>h57·8 | 33·2<br>29·8 | 45·5<br>43·7 | 0·06<br>0·10 | g54·8<br>h53·9 | 34·9<br>29·0 | 44·7<br>42·4 | 1·09<br>1·34 | g57·0<br>h53·9 | 31·8<br>28·0 | 44·2<br>41·9 | 0·90<br>0·75 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 33·7 | 16·1 | . | 23 | 11 | 2 | 5 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 9·4 | 20·6 | 1·9 | 5 | 11 | 3 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 6·9 | 11·9 | . | 1 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 8·9 | 23·7 | . | 3 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . | 2 | . | 55 | 32·5 | 45·1 | 0·02 | 52 | 35·5 | 45·0 | 0·30 | 53 | 35 | 43·8 | 0·99 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 29·2 | 28·9 | 0·8 | 207 | 170 | 39 | 24 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 5 | 40 | 6 | 53·0 | 31·5 | 44·1 | 0·16 | 54·5 | 35·0 | 43·5 | 0·10 | 55·5 | 30·0 | 44·6 | 1·33 |
| Cork, | 76,122 | 33·6 | 30·8 | 21·9 | 2·7 | 45 | 32 | 4 | 8 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | 2 | 15 | . | 55 | 34 | 46·2 | 1·06 | 54 | 36 | 45·3 | 0·24 | 51 | 32 | 44·2 | 1·08 |
| Londonderry, | 42,475 | 19·6 | 23·3 | 19·6 | . | 19 | 16 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 31·4 | 17·8 | . | 23 | 13 | 2 | 3 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 31·2 | 17·5 | 7·8 | 16 | 9 | 3 | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 27·2 | 23·3 | . | 7 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 2 | 53 | 30 | 44·8 | 0·35 | 56 | 35 | 45·4 | 0·98 | 56 | 30 | 46 | 0·57 |
| Dundalk, | 18,076 | 3·4 | 27·9 | 12·0 | . | 7 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 16·3 | . | 5 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 12·6 | 25·2 | . | 3 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | 2 | . | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 |
| Lurgan, | 11,782 | 13·8 | 34·1 | 26·6 | . | 19 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | . | . | . | 1 | . | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 |
| Lisburn, | 11,461 | 10·1 | 13·6 | 31·8 | . | 3 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | . | . | 1 | . | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 |
| Wexford, | 11,168 | 23·2 | 28·0 | 14·0 | . | 6 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 23·9 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 9·6 | 19·2 | . | 2 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 58·8 | 26·0 | 44·3 | 0·31 | 53·4 | 30·5 | 43·9 | 0·91 | 57·3 | 31·4 | 43·7 | 0·59 |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 24·6 | 4·9 | 3 | 5 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 55 | 29 | 45·6 | 0·25 | 52 | 30 | 43·7 | 0·85 | 55 | 29 | 42·4 | 0·93 |
| Clonmel, | 10,167 | 7·8 | 41·0 | 51·3 | 5·1 | 8 | 10 | 2 | 5 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 4 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 41·3 | 15·5 | . | 8 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 |
| Tralee, | 9,867 | 16·6 | 38·1 | . | . | 11 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 37·2 | 28·6 | . | 10 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 | 51 | 37 | 44·2 | 0·25 | 49 | 35 | 42·9 | 0·12 | 53 | 35 | 44·8 | 1·36 |
| Queenstown, | 7,909 | 14·4 | 33·0 | 26·4 | 6·6 | 5 | 4 | . | 3 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 55 | 34 | 46·2 | 1·06 | 54 | 36 | 45·3 | 0·24 | 51 | 32 | 44·2 | 1·08 |
| Armagh, | 7,588 | 22·2 | 13·7 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 | 53·9 | 30·8 | 43·8 | 0·92 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 12 deaths of persons (including one under 1 year old and 8 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, [illegible] for Limerick, Kilkenny, Newry, [illegible] Wexford, Ballymena, Sligo, Tralee, Newtownards, Queenstown, and Armagh. f See note (i) to Table IX.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 20th April, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| A. GENERAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 2 | 3 | . | . | . | 2 | . | 2 | 1 | . | . | . | . | . | 10 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 2 | 1 | . | . | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . | 7 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Pneumonia, | . | 1 | 4 | 1 | . | . | . | 4 | 4 | 3 | 3 | . | 1 | 1 | . | 1 | 23 | . |
| Tuberculous Disease. Phthisis, | 1 | 4 | 2 | 4 | . | . | . | 1 | 3 | 3 | 4 | 1 | 2 | 3 | . | . | 28 | 2 |
| Tuberculous Disease. Other Forms. | 2 | 1 | 2 | 2 | . | . | . | 1 | . | 1 | 2 | . | . | . | . | 2 | 13 | 3 |
| Cancer, Malignant Disease, | . | 1 | . | 2 | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | 7 | 3 |
| Other General Diseases | 1 | 1 | 1 | 1 | . | 2 | . | 2 | . | 3 | 2 | . | 3 | 1 | . | 2 | 19 | . |
| Total, | 4 | 11 | 12 | 13 | . | 2 | . | 11 | 9 | 12 | 14 | 1 | 6 | 6 | . | 7 | 108 | 8 |
| B. LOCAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | . | 3 | 1 | . | . | . | 1 | . | 2 | 1 | 3 | 1 | 2 | . | . | 15 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of: Heart and Blood Vessels, | 2 | 2 | 8 | 4 | . | 1 | . | 3 | 2 | 4 | 1 | . | 1 | 1 | 1 | . | 30 | . |
| Diseases of: Respiratory System, | 2 | 3 | . | 4 | . | . | . | 2 | 3 | 8 | 6 | . | 1 | 1 | . | . | 30 | 1 |
| Diseases of: Digestive System, | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | . | 1 | 8 | 1 |
| Diseases of: Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 |
| Diseases of: Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 6 | 7 | 11 | 10 | . | 1 | . | 8 | 6 | 16 | 8 | 3 | 4 | 5 | 1 | 1 | 87 | 3 |
| C. OTHER SPECIFIED DISEASES | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. CAUSES ILL-DEFINED AND NOT SPECIFIED, | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 | . | 1 | . | 6 | . |
| E. VIOLENT DEATHS, | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 2 | 1 |
| **Deaths from all Causes,** | 11 | 18 | 23 | 23 | . | 3 | . | 22 | 16 | 29 | 22 | 4 | 11 | 11 | 2 | 3 | 203 | 12 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 19·8 | 24·0 | 39·8 | 37·0 | . | 14·2 | . | 28·7 | 40·5 | 35·8 | 32·6 | 23·5 | 16·1 | 20·6 | 11·9 | 23·7 | 27·1 | . |
| | 26·4 | | | | | | | 33·0 | | | | | 18·6 | | | | | |
| | 29·6 | | | | | | | | | | | | | | | | | |
| Ages at Death. Under 1 year, | 1 | 3 | 1 | 2 | . | 2 | . | 5 | 4 | 4 | 6 | 1 | 2 | 3 | . | . | 34 | 1 |
| Ages at Death. 1 and under 5 years, | 2 | 4 | 9 | 8 | . | . | . | 4 | 1 | 4 | 2 | . | . | 2 | . | . | 36 | . |
| Ages at Death. 5 ,, 20 ,, | 1 | . | 1 | . | . | . | . | 1 | 1 | 3 | 3 | 1 | 1 | . | . | 2 | 14 | 2 |
| Ages at Death. 20 ,, 40 ,, | 2 | 4 | 3 | 3 | . | . | . | . | 3 | 4 | 1 | 1 | . | 3 | . | . | 24 | 1 |
| Ages at Death. 40 ,, 60 ,, | 2 | 5 | 4 | 4 | . | . | . | 6 | 5 | 6 | 7 | . | 3 | 2 | . | 3 | 47 | 5 |
| Ages at Death. 60 and upwards, | 3 | 2 | 5 | 6 | . | 1 | . | 6 | 2 | 8 | 3 | 1 | 5 | 1 | 2 | 3 | 48 | 3 |
| Number of Uncertified Deaths, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 1 | 7 | 5 | . | 1 | . | 4 | 1 | 8 | 6 | . | 3 | 4 | . | 2 | 43 | 11 |
| Workhouse Hospitals, | 2 | 3 | 4 | 3 | . | . | . | 9 | 3 | 10 | 6 | 1 | . | . | . | . | 41 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1897-1906.

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 16th Week of the 10 years 1897-1906. | In the Week ending Saturday, 20th April, 1907. Deaths of Persons of the Age of | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | April 24, 1897. | April 23, 1898. | April 22, 1899. | April 21, 1900. | April 20, 1901. | April 19, 1902. | April 25, 1903. | April 23, 1904. | April 22, 1905. | April 21, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards. |
| | | | | | | | | | | | | Mean Temp. | | | | | | | |
| Mean Temperature. | ° 45·6 | ° 48·6 | ° 42·7 | ° 50·2 | ° 46·8 | ° 45·9 | ° 40·0 | ° 46·0 | ° 44·0 | ° 44·3 | ° 45·4 | ° 42·5 | | | | | | | |
| **ALL CAUSES.** | 232 | 156 | 202 | 204 | 241 | 174 | 189 | 178 | 179 | 215 | 197·0 | 215 | 7 | 28 | 36 | 16 | 25 | 52 | 45 |
| Small-pox, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Cowpox, | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 19 | . | . | 2 | . | 2 | 1 | 3 | 4 | 3 | 3·4 | 10 | . | 2 | 8 | . | . | . | . |
| Scarlet Fever, | 1 | 5 | 1 | . | 2 | 2 | 2 | . | . | . | 1·3 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 1 | 8 | 7 | 4 | 7 | 2 | 3 | . | 3 | 3 | 3·8 | 5 | . | . | . | . | . | 2 | . |
| Whooping-cough, | 14 | 2 | 3 | 2 | 9 | 1 | 1 | 5 | 4 | . | 4·1 | 7 | . | 1 | 6 | . | . | . | . |
| Diphtheria, | 1 | 1 | 2 | 2 | . | 1 | 2 | 1 | 1 | . | 1·1 | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 3 | . | . | 1 | 2 | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 2 | 2 | 3 | 4 | . | 1 | . | . | 2 | 1·6 | . | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 4 | 3 | 2 | 3 | 4 | . / 4 | . | . / 1 | 1 / 2 | . / 1 | 2·5 | . / 1 | . | . | . / 1 | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 2 | 1 | . | 3 | . | 1 | 1 | . | 2 | 1·0 | . | . | . | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, | 2 | . | . | 1 | . | . | . / . / . | . / . / . | . / . / . | . / . / . | ·3 | . / . / . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-, Epidemic, Not defined, | 19 | 12 | 21 | 21 | 15 | . / 6 / . / 4 | . / 1 / . / 4 | 1 / 7 / . / 12 | 1 / 6 / . / 3 | 3 / 7 / . / 16 | 15·9 | 3 / 12 / . / 8 | . | . / 7 / . / 2 | . / 5 / . / 1 | . | 2 / . / . / 2 | 1 / . / . / 1 | . |
| Erysipelas, | 1 | . | . | 2 | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | . | 1 | 1 | . | 1 | . | . / . | . / . | . / 1 | 1 / . | ·5 | 2 / . | . | . | . | . | . | 2 | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," | 25 | 23 | 24 | 27 | 34 | 4 / 21 | 1 / 26 | 8 / 18 | 7 / 24 | 9 / 9 | 26·0 | 15 / 15 | . | . | 1 / . | . / 2 | 8 / 7 | 6 / 6 | . |
| Tuberculous Meningitis, | 3 | 7 | 5 | 7 | 3 | 4 | 6 | 3 | 3 | 5 | 4·6 | 5 | . | . | . | 5 | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, | 7 | 2 | 6 | 7 | 6 | 1 / 2 | 1 / . | . / . | . / . | 4 / . | 3·6 | 2 / 2 | . | . | . / 2 | . | 2 | . | . |
| Tuberculous Dis. (other), *Scrofula*, | 8 | . | 5 | 3 | 5 | 8 / . | 8 / . | 8 / . | 8 / . | 2 / . | 5·5 | 7 / . | . | 2 | 4 | 1 | . | . | . |
| Alcoholism, | . | . | 2 | . | 1 | . | 2 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . | . | 1 | . |
| Gout, | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Carcinoma, Sarcoma, Cancer (undefined), | 10 | 5 | 7 | 4 | 3 | 2 / . / 4 | 3 / . / 6 | 3 / . / 4 | 1 / 2 / 1 | 2 / 2 / 9 | 6·8 | 4 / 1 / 5 | . | . | . | . | 2 / 1 / 4 | 2 / . / 1 | . |
| Diabetes Mellitus, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| Premature Birth, | 4 | 4 | 4 | 6 | 5 | 3 | 4 | 3 | 3 | 2 | 3·8 | 3 | 2 | 1 | . | . | . | . | . |

* The figures for the years 1897-1900 are r

† Formerly described s

TEENTH WEEK ending Saturday, 20th April, 1907, with the deaths from each cause in the corresponding
l the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: April 24, 1897. | April 23, 1898. | April 22, 1899. | April 21, 1900. | April 20, 1901. | April 19, 1902. | April 25, 1903. | April 23, 1904. | April 22, 1905. | April 21, 1906. | Averages in 16th Week of the 10 years 1897–1906. | In the Week ending Saturday, 20th April, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5: Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 45·6 | ° 48·6 | ° 42·7 | ° 50·2 | ° 46·8 | ° 45·9 | ° 40·0 | ° 46·0 | ° 44·0 | ° 44·3 | ° 45·4 | ° 42·5 | | | | | | | | |
| Meningitis (not tuberc.) ... | | | | | | 4 | 5 | 2 | 3 | 3 | | 2 | . | . | 1 | 1 | . | . | . | . |
| Insanity, G. P. of Insane ... | | | | | | 2 | 1 | 2 | 1 | 1 | | 3 | . | . | . | 1 | . | 2 | . | . |
| Epilepsy ... | | | | | | . | 1 | 1 | . | . | | 2 | . | . | . | 1 | 1 | . | . | . |
| Convulsions ... | | | | | | 7 | 3 | 4 | 8 | 5 | | 4 | 1 | 3 | . | . | . | . | . | . |
| Locomotor Ataxy ... | | | | | | . | . | . | 1 | . | | 1 | . | . | . | . | . | 1 | . | . |
| Paraplegia Dis. of Cord ... | | | | | | . | 3 | 1 | 1 | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| Nervous System (other Dis.) | 35 | 35 | 36 | 40 | 44 | 5 | 2 | 4 | 2 | . | 41·0 | 2 | . | . | 1 | . | . | 1 | . | . |
| Valv. Dis., Endocarditis | | | | | | 5 | 2 | 4 | 1 | 7 | | 9 | . | . | . | 1 | 2 | 2 | 4 | . |
| Cerebr. Hæm. Thromb. | | | | | | 1 | 1 | 4 | 2 | 9 | | 5 | . | . | . | . | . | 3 | 2 | . |
| Apoplexy, *Hemiplegia* ... | | | | | | 4 | 6 | 1 | 1 | 9 | | 8 | . | . | . | . | . | 2 | 6 | . |
| Aneurysm ... | | | | | | 2 | . | . | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | 15 | 19 | 15 | 18 | 19 | | 8 | . | . | . | . | 1 | 3 | 4 | . |
| Croup (not Spasm. nor Memb.) | 2 | 1 | 2 | . | 1 | . | 1 | . | . | . | ·7 | . | . | . | . | . | . | . | . | . |
| Bronchitis ... | 32 | 19 | 33 | 26 | 31 | 18 | 28 | 24 | 22 | 36 | 26·9 | 29 | . | 6 | 4 | . | . | 6 | 10 | 3 |
| Asthma, Emphysema ... | | | | | | 1 | 2 | 1 | . | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| Pleurisy ... | 4 | . | 1 | . | 2 | . | 1 | . | . | 2 | 2·7 | . | . | . | . | . | . | . | . | . |
| Respiratory Dis. (other) ... | | | | | | 4 | 2 | 2 | . | 4 | | 1 | . | . | . | . | . | 1 | . | . |
| Tonsillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) ... | | | 1 | 2 | 1 | . | 1 | 2 | 1 | 1 | 1·3 | 1 | . | . | . | 1 | . | . | . | . |
| Gastro Enteritis ... | . | . | | | | 1 | . | 1 | . | 2 | | 1 | . | 1 | . | . | . | . | . | . |
| Peritonitis (not Puerp.) ... | . | . | 1 | . | 2 | . | . | 1 | . | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver ... | | | | | | 1 | . | 1 | 3 | 2 | 2·0 | . | . | . | . | . | . | . | . | . |
| Liver Dis. (other) ... | 4 | . | 1 | 1 | 2 | . | . | 1 | 2 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| Digestive Dis. (other) ... | 5 | 2 | 7 | 2 | 7 | 4 | 6 | 6 | 8 | 5 | 5·2 | 6 | 1 | 2 | . | . | . | 2 | 1 | . |
| Nephritis, Acute ... | | | | | | 2 | 2 | 2 | 1 | 1 | | 2 | . | . | . | 1 | . | 1 | . | . |
| Bright's Dis., Albuminuria | 8 | 5 | 1 | 3 | 14 | 2 | 3 | 2 | 5 | 2 | 5·7 | 1 | . | . | . | . | . | 1 | . | . |
| Urinary Sys. (Other Dis.) | | | | | | 2 | . | . | 2 | . | | . | . | . | . | . | . | . | . | . |
| Generative Organs Dis. ... | . | . | . | . | 2 | 2 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| Childbirth (Accid. of) ... | . | . | 2 | . | . | 1 | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Old Age ... | 8 | 11 | 12 | 13 | 11 | 2 | 8 | 3 | 5 | 6 | 7·9 | 5 | . | . | . | . | . | . | 3 | 2 |
| Other Diseases ... | 9 | 5 | 7 | 19 | 15 | 16 | 13 | 8 | 9 | 9 | 11·0 | 8 | 3 | . | 1 | 1 | . | 2 | 1 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| By Railways ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses ... | . | . | . | 1 | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| In Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Building Operations ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| In Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | 2 | . | 1 | . | 2 | . | . | . | 1 | . | ·6 | 1 | . | . | . | . | . | . | 1 | . |
| By Drowning ... | 1 | . | . | . | 1 | 1 | 1 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| By Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| Other Deaths by Accident | 1 | 1 | 1 | 2 | 3 | . | 2 | 2 | 1 | 4 | 1·7 | 1 | . | 1 | . | . | . | . | . | . |
| **VIOLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| Homicide ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Suicide ... | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Execution ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

e Registration Area as then constituted.
Simple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. |
| No. of weeks in Annual Series. | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| BIRTHS registered, | 178 | 231 | 198 | 182 | 186 | 289 | 189 | 193 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 203 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 201 | 220 |
| *Average Births in corresponding week of previous 10 years,** | 200 | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 |
| DEATHS registered, | 170 | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 289 | 209 | 228 | 194 | 208 | 174 | 189 | 219 | 207 | 215 |
| Annual Death-rate per 1,000, | 28·4 | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·8 | 23·5 | 29·9 | 28·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 |
| *Average Deaths in corresponding week of previous 10 years,** | 176 | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 |
| AGES, Under 5 years, | 50 | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 |
| 5—20 " | 13 | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 15 |
| 20—40 " | 34 | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 |
| 40—60 " | 25 | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 |
| 60—80 " | 38 | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 33 | 46 | 53 | 46 |
| 80 years and upwards, | 10 | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 |
| Scarlet Fever | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . |
| Typhus, | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . |
| Whooping-cough, | 2 | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 |
| Diphtheria, | . | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 1 | 1 | 1 | 1 | . | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . |
| Diarrhœal Diseases, | 8 | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 |
| Pneumonia, | 13 | 10 | 8 | 12 | 18 | 11 | 18 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 |
| Tuberculous Disease. Phthisis, | 17 | 21 | 31 | 19 | 27 | 18 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 |
| Tuberculous Disease. Other Forms, | 13 | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 |
| Cancer, Malignant Disease, | 10 | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 |
| Diseases of Heart and Blood Vessels, | 26 | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 31 | 19 | 20 | 19 | 39 | 31 | 30 |
| Diseases of Respiratory System, | 19 | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 33 | 34 | 34 | 31 |
| Violent Deaths, | 7 | 1 | 3 | 9 | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 |
| Number of Uncertified Deaths, | 7 | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 51·2 | 40·6 | 48·8 | 42·9 | 47·7 | 49·1 | 44·8 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 48·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 41·1 | 42·7 | 42·5 |
| *Average Mean Temperature in corresponding week of previous 10 years,* | 46·8 | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 |
| Rainfall in inches, | ·707 | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·083 | ·168 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·88 | ·91 | ·86 | ·87 | ·85 | ·89 | ·88 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·88 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th April, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Registration of Deaths, Week ending Saturday, 20th April, 1907. Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS.** | 375,350 | 29·9 | 215 | 71 | 16 | 25 | 52 | 46 | 5 | . | 10 | . | . | 7 | . | . | . | 1 | 18 | 23 | 30 | 16 | 10 | 4 | 31 | 3 | 80 | 3 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 17·9 | 6 | . | . | . | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 3 | . |
| II. | MIDDLE CLASS, | 87,188 | 15·5 | 26 | 4 | 2 | 2 | 9 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 4 | . | 3 | . | 12 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 26·4 | 56 | 20 | 4 | 8 | 12 | 12 | . | . | 5 | . | . | 2 | . | . | . | . | 7 | 4 | 8 | 4 | 1 | 2 | 8 | 1 | 21 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 41·3 | 85 | 37 | 9 | 9 | 17 | 10 | 3 | . | 5 | . | . | 5 | . | . | . | 1 | 11 | 9 | 12 | 7 | 1 | 2 | 11 | 2 | 30 | 3 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 42 | 10 | 1 | 6 | 13 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | 6 | 9 | 3 | 2 | . | 8 | . | 14 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 26·7 | 4 | . | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 12·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 18·9 | 8 | 1 | . | 1 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 5 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·4 | 9 | 3 | 1 | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . | . | 5 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 15·4 | 8 | . | 1 | . | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 1 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 31·7 | 6 | 2 | . | 1 | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 19·2 | 11 | 2 | 1 | 2 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | 5 | . |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | 3 | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 11·3 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 80,352 | 42·9 | 25 | 10 | 2 | 4 | 5 | 4 | . | . | 3 | . | . | 1 | . | . | . | . | 4 | 3 | 4 | 3 | . | 1 | 1 | 1 | 8 | . |
| | 1 , Petty Shopkeepers, | 7,894 | 46·2 | 7 | 2 | . | 1 | 1 | 3 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | 4 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 35·0 | 9 | 1 | . | 1 | 2 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 8 | 1 |
| | 15. Domestic Servants, | 36,603 | 10·0 | 7 | 2 | . | . | 3 | 1 | 1 | . | . | . | . | 2 | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 4 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 25·4 | 7 | 3 | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | . | . | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 36·0 | 62 | 31 | 9 | 5 | 11 | 5 | 1 | . | 5 | . | . | 3 | . | . | . | 1 | 9 | 7 | 9 | 7 | . | 2 | 10 | 2 | 16 | 2 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 42 | 10 | 1 | 6 | 13 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | 6 | 9 | 3 | 2 | . | 8 | . | 14 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Offices, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Mar. 2, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | 1 | 1 |
| | „ 9, | 23·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| | „ 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | „ 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| | „ 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| | „ 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | 1 |
| **North City, No. 1 (W.)** (*Offices, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Mar. 2, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 1 | . | 4 | . | . |
| | „ 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| | „ 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | „ 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| | „ 30, | 28·0 | 1·3 | 21 | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 4 | . | 1 | . | . |
| | „ 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | 1 |
| | „ 20, | 24·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| **North City, No. 2.** (*Offices, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Mar. 2, | 36·1 | 1·7 | 22 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | 3 | . | 3 | . | 2 |
| | „ 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| | „ 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | „ 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | „ 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| | Apr. 6, | 48·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| | „ 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| | „ 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| **North City, No. 3.** (*Offices, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Mar. 2, | 37·0 | 1·6 | 23 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 4 | . | 2 | . | 1 |
| | „ 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | „ 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 3 | . | 3 | . | . |
| | „ 30, | 28·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| | „ 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| | „ 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| **South City, No. 1.** (*Offices, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Mar. 2, | 31·3 | . | 24 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 2 | 5 | . | . |
| | „ 9, | 27·4 | 1·3 | 21 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | . |
| | „ 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | „ 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| | „ 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| | „ 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| | „ 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| **South City, No. 2.** (*Offices, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Mar. 2, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | 1 | 3 | . | . |
| | „ 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| | „ 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | „ 23, | 32·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| | „ 30, | 30·4 | 2·5 | 12 | . | . | . | 1 | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 3 | 1 | 1 |
| | „ 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| **South City, No. 3.** (*Offices, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Mar. 2, | 38·3 | 3·7 | 31 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 2 | . | 9 | . | 1 |
| | „ 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| | „ 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | „ 23, | 22·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| | „ 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| | Apr. 6, | 29·6 | 1·2 | 24 | . | 1 | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| | „ 13, | 25·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| | „ 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| **South City, No. 4.** (*Offices, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Mar. 2, | 20·8 | 3·0 | 14 | . | . | . | . | 2 | . | . | . | . | . | 4 | 1 | . | 2 | . | 1 |
| | „ 9, | 35·6 | 1·5 | 24 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 2 | . | . |
| | „ 16, | 18·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | „ 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | 1 | . |
| | „ 30, | 28·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | . | . |
| | Apr. 6, | 22·3 | 3·0 | 15 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |
| | „ 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |
| | „ 20, | 32·6 | 3·0 | 22 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |

City of Dublin (part of).

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Mar. 2, | 30·8 | 1·5 | 21 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 3 | 1 | . |
| | " 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| | " 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | " 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| | " 30, | 10·8 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | " 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | " 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Mar. 2, | 18·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | " 9, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | " 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . |
| | " 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| | " 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| | Apr. 6, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| | " 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| | " 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Mar. 2, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | " 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| | " 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | " 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | " 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | " 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| | " 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Mar. 2, | 28·7 | 0·6 | 204 | . | 2 | . | . | . | . | . | 1 | 1 | 25 | 23 | 10 | 2 | 30 | . | 2 |
| | " 9, | 23·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| | " 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| | " 23, | 23·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| | " 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 1 |
| | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| | " 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| | " 20, | 23·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 6 |
| **Cork.** Pop. (in 1901) 76,122. | Mar. 2, | 24·0 | 2·1 | 35 | . | . | . | . | 3 | . | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | . |
| | " 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| | " 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| | " 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| | " 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| | " 13, | 23·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| | " 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Mar. 2, | 16·0 | 1·2 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 3 | . | 1 |
| | " 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| | " 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| | " 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| | " 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | Apr. 6, | 12·3 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| | " 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| | " 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Mar. 2, | 24·6 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 7 |
| | " 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | 1 |
| | " 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 |
| | " 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | 2 |
| | " 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | 3 |
| | Apr. 6, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | " 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| | " 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Mar. 2, | 27·3 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | 1 | . |
| | " 9, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |
| | " 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |
| | " 23, | 27·3 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |
| | " 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |
| | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| | " 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | " 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th April, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 9 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 11 | 2 | 2 | . | 2 | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 1 | 2 | 6 | . |
| Do. 2 „ . | 47,959 | 17 | | | 26 | 2 | 8 | 4 | 5 | 3 | 4 | . | . | . | . | . | . | . | . | . | . | 6 | 1 | 1 | 3 | . | . | 6 | 2 |
| Do. 3 „ . | 47,214 | 34 | | | 14 | 2 | 6 | . | 2 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 2 | . | . | 5 | . |
| Do. 4 „ . | 40,911 | 34 | | | 28 | 10 | 1 | . | 10 | 3 | 4 | . | . | . | . | 1 | . | . | . | . | 1 | 7 | . | . | 4 | . | . | 6 | 1 |
| Do. 5 „ . | 17,387 | 7 | | | 12 | 7 | 1 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 2 | 2 | 3 | . |
| Do 6 „ . | 48,122 | 14 | | | 16 | 1 | 3 | 1 | 3 | 4 | 4 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . | . | 6 | 1 |
| Do. 7 „ . | 1,524 | . | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 8 „ . | 5,060 | 2 | | | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 „ . | 19,569 | 10 | | | 12 | 3 | 3 | 1 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 3 | . | . | . | . | . | . |
| Do. 10 „ . | 28,064 | 16 | | | 11 | 5 | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 1 | 2 |
| Do. 11 „ . | 34,802 | 23 | | | 16 | 1 | 3 | 2 | 4 | 4 | 2 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | . | 3 | . | . | 2 | . |
| Do. 12 „ . | 33,588 | 25 | | | 17 | 4 | 2 | 3 | 3 | . | 5 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 4 | 1 | 1 | 3 | . |
| Do. 13 „ . | 15,006 | 15 | | | 5 | . | 1 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . |
| Do. 14 „ . | 240 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 207 | | | 170† | 39 | 33 | 11 | 31 | 32 | 24 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 5 | 40 | 6 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 6 | 24·3 | 4·1 | 6 | 1 | . | | 4 | | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 6 | . |
| Do. 2 „ . . | 10,701 | 6 | 29·2 | 4·9 | 6 | . | . | | 5 | | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | . | 1 | . |
| Do. 3 „ . . | 9,978 | 8 | 15·2 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 4 „ . . | 8,666 | 5 | 18·1 | . | 3 | . | . | | 1 | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . |
| Do. 5 „ . . | 6,592 | 2 | 31·6 | . | 4 | . | . | | 3 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 3 | . |
| Do. 6 „ . . | 10,702 | 9 | 14·6 | 9·7 | 3 | 2 | . | | 1 | | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 „ . . | 16,616 | 9 | 28·2 | . | 9 | 1 | 2 | | 4 | | 2 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | . | . | 1 | 2 | . |
| Total, . . . . | 76,122 | 45 | 21·9 | 2·7 | 32 | 4 | 2 | | 18 | | 8 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | 2 | 15 | . |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 27. | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 12 | Apr. 20. |
| No. of weeks in Annual Series, | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| BIRTHS registered, | 238 | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 |
| DEATHS registered. | 120 | 122 | 131 | 145 | 125 | 123 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170† |
| Annual Death-rate per 1,000 of estimated Population. | 17·1 | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 |
| AGES — Under 1 year | 26 | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 |
| AGES — 1–5 years, | 17 | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 |
| AGES — 5–20 years, | 9 | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 |
| AGES — 20–40 years, | 17 | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 |
| AGES — 40–60 years, | 23 | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 |
| AGES — 60 years and upwards, | 25 | 24 | 30 | 37 | 33 | 35 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 |
| Scarlet Fever, | . | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| Typhus, | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 |
| Diphtheria, | 1 | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 3 | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 |
| Diarrhœal Diseases, | 5 | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 |
| Pneumonia, | 7 | 13 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 |
| Tuberculous Disease, — Phthisis, | 15 | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 |
| Tuberculous Disease, — Other Forms, | 5 | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 |
| Cancer, Malignant Disease, | 4 | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 |
| Diseases of Respiratory System, | 17 | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 |
| Violent Deaths, | 7 | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 |
| Number of Uncertified Deaths, | 3 | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 |

*Formerly described as "Simple Continued Fever."

† Including 27 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Apr. 20, | 2,577 | 1,469 | 16·1 | . | 40 | 9 | 10 | 50 | 6 | 13 |
| EDINBURGH, | 345,747 | „ 20, | 137 | 119*a* | 18·0 | . | 4 | . | . | 6 | . | 3 |
| GLASGOW, | 847,584 | „ 20, | 534 | 361*a* | 22·2 | . | 8 | 1 | 1 | 41 | 3 | 12 |
| CALCUTTA, | 847,796 | Mar. 2, | . | 541 | 33·1 | 68 | 5 | . | . | . | 115‡ | 81* |
| BOMBAY, | 977,822 | „ 19, | 312 | 1,264 | 67·2 | . | . | . | . | . | 92‡ | 72* |
| MADRAS, | 509,346 | „ 1, | 313 | 347 | 35·4 | 1 | 2 | ? | ? | ? | 96 | 74* |
| PARIS, | 2,750,000 | Apr. 6, | 1,074 | 1,162 | 22·2 | . | 14 | 10 | 6† | 2 | 3 | 30 |
| BRUSSELS (with 8 Faubourgs). | 622,913 | Mar. 30, | 217 | 192 | 16·0 | . | . | . | 4† | 1 | . | 12 |
| ANTWERP, | 304,032 | „ 30, | 110 | 78 | 13·4 | . | 1 | . | . | 2 | . | 4 |
| AMSTERDAM, | 565,186 | Apr. 6, | 313 | 156 | 14·4 | . | 2 | 1 | 1† | 2 | . | 9 |
| COPENHAGEN, | 427,000 | Mar. 31, | 236 | 149 | 18·2 | . | . | . | 1† | 3 | . | 4 |
| STOCKHOLM, | 324,488 | „ 30, | 158 | 97 | 15·2 | . | . | . | . | . | . | 3 |
| CHRISTIANIA, | 226,774 | Apr. 6, | 77 | 62 | 14·2 | . | 2 | . | . | . | . | . |
| ST. PETERSBURG, | 1,482,769 | Mar. 30, | 777 | 755 | 26·5 | . | 30 | 18 | 13 | 3 | 21 | 96 |
| MOSCOW, | 1,172,421 | „ 2, | . | 749 | 33·3 | 1 | 17 | 16 | 16† | 3 | 15 | 77 |
| BERLIN, | 2,097,005 | „ 23, | 914 | 672 | 15·7 | . | 4 | 4 | 11† | 3 | 1 | 33 |
| HAMBURG, | 824,792 | „ 30, | . | 281 | 17·7 | . | 2 | 3 | 1† | 2 | . | 28 |
| BRESLAU, | 484,355 | Apr. 6, | . | 210 | 22·6 | . | . | . | . | 5 | 1 | 20 |
| MUNICH, | 548,000 | „ 6, | . | 221 | 21·0 | . | 9 | . | 6† | 1 | . | 18 |
| VIENNA (with suburbs). | 1,958,323 | „ 6, | 1,081 | 802 | 20·9 | . | 28 | 7 | 6† | 4 | 1 | 36 |
| BUDA-PESTH, | 802,235 | Mar. 30, | 466 | 335 | 21·8 | . | 2 | 8 | 4† | 1 | . | 12 |
| PRAGUE and Faubourgs. | 466,133 | „ 30, | 164 | 225 | 25·1 | . | 6 | 1 | 1† | . | 1 | 18 |
| TRIESTE, | 199,003 | „ 23, | 133 | 146 | 38·3 | . | 1 | . | 1† | . | . | . |
| ROME, | 540,150 | Feb. 16, | 294 | 294 | 28·4 | . | . | . | 3 | 2 | . | 8 |
| VENICE, | 174,398 | Mar. 2, | 79 | 94 | 28·1 | . | . | . | . | . | . | 4 |
| NEW YORK, | 4,285,435 | „ 23, | 2,303 | 1,571 | 19·1 | . | 13 | 19 | 34† | 12 | 17 | 54 |
| PHILADELPHIA, | 1,500,595 | „ 9 | . | 655 | 22·6 | . | . | 2 | 14† | 1 | 36 | 16 |
| BOSTON, | 602,526 | „ 23, | . | 231 | 20·0 | . | . | . | 2 | 2 | . | 2 |

*a.* Including 10 deaths from cerebro spinal meningitis in Edinburgh, and 18 in Glasgow.
* Including 33 deaths from cholera in Calcutta, 2 in Bombay, and 3 in Madras.
† Including deaths from croup.
‡ Exclusive of 42 deaths from plague in Calcutta, and 581 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th April, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | . | . | . | 1 | . | . | 2 | 2 | . | . | . | 5 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| South City No. 1, | . | . | . | . | 4 | . | . | 3 | 3 | . | . | . | 10 |
| " " 2, | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 3 |
| " " 4, | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 1 | . | . | 8 | . | 3 | 7 | 8 | . | 2 | . | 29 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th April, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 20th April. | | | |
|---|---|---|---|---|---|---|---|
| | Mar. 30. | April 6. | April 13. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 66 | 69 | 86 | 20 | 24 | 4 | 78 |
| Scarlet Fever | 59 | 53 | 40 | 7 | 5 | . | 42* |
| Typhus, | 12 | 12 | 12 | . | 6 | . | 6 |
| Diphtheria, | 11 | 11 | 16 | 6 | 2 | . | 20 |
| Enteric Fever, | 21 | 17 | 14 | 7 | 5 | . | 16 |
| Pneumonia, | 29 | 33 | 40 | 17 | 10 | . | 47 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 20th April, 1907 :—

"While it was much finer and drier than in the previous week, the weather remained distinctly cold until Saturday, when a freshening south-westerly wind brought a higher temperature, so that the period closed with a promise of spring. During the earlier days of the week an anticyclone of moderate intensity occupied the Icelandic region, whereas the curiously erratic depression observed over Brittany on Friday, April 12, and off Portland Bill next morning, whence its centre travelled westward to the Land's End in the course of Saturday, was again near Brest on Sunday morning, and from this point it travelled down the west coast of France, finally disappearing over that country. These systems determined a cold north-easterly wind over the British Isles and low temperatures by night. Cold showers also fell in various places. On Monday morning the thermometer fell to 33·2° in Dublin, where a dense vapour fog prevailed during the morning hours. On Wednesday the Icelandic anticyclone moved south-eastwards towards the British Isles, across which it passed on Thursday. Its northerly winds were keen, and sharp night frosts occurred at inland stations in Ireland as well as in Great Britain—28° was recorded at Birr Castle on Thursday morning, 26° at Darwen and at Bettws-y-Coed. On Friday night a large area of low barometric pressure spread over Ireland from the Atlantic, bringing with it clouds, some rain, S.W. winds, and a genial temperature. In Dublin the mean height of the barometer was 29·816 inches, the range being from 29·606 inches at 9 p.m of Monday (wind, E ) to 30·009 inches at 9 p.m. of Wednesday (wind, N.N.E.). The corrected mean temperature was 45·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 45·6°. The screened thermometers fell to 33·2° on Monday and rose to 59·1° on Saturday. The prevalent winds were N.E. and S. Rain fell on 4 days to the amount of ·057 inch, of which ·021 inch was recorded on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·827 inches. The highest reading (30·158) was on Wednesday at 9 p.m., and the lowest (29·610) on Monday at 9 p.m.

The mean temperature for the week was 42·5°, being 2·9° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Saturday, on which day the thermometer registered 56·0°, and was lowest on Tuesday, the mercury having fallen to 27·3°. The mean of the Dry Bulb for the week was 43·9°, and of the Wet Bulb 41·6°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·111 inch.

At Greenwich the mean temperature for the week was 43·7°. the maximum 57·0°, and the minimum 29·1°; at Glasgow the maximum was 54·8°, the minimum 31·6°, and the mean 42·9°; and at Edinburgh the maximum was 51·9°, the minimum 28·4°, and the mean 41·3°. The rainfall at Greenwich measured 0·63 in.; at Glasgow, 0·12 in.; and at Edinburgh, 0·07 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, April 14, | 29·718 | 45·1 | 34·1 | 39·6 | 38·9 | 37·8 | ·90 | ·6 | — | ·000 | — | — |
| Monday, „ 15, | 29·640 | 52·5 | 28·5 | 40·5 | 39·5 | 39·4 | ·96 | ·1 | — | ·000 | — | — |
| Tuesday, „ 16, | 29·663 | 53·0 | 27·3 | 40·2 | 44·4 | 42·7 | ·88 | ·4 | — | ·000 | — | — |
| Wednesday, „ 17, | 29·973 | 51·9 | 35·1 | 43·5 | 43·6 | 40·6 | ·79 | ·6 | — | ·030 | — | — |
| Thursday, „ 18, | 29·972 | 50·0 | 27·7 | 38·9 | 45·9 | 41·2 | ·68 | ·6 | 1·1 | ·050 | — | S.E. |
| Friday, „ 19, | 30·013 | 52·1 | 40·1 | 46·1 | 46·2 | 43·1 | ·79 | ·5 | 0·7 | ·025 | S.S.E. | S.W. |
| Saturday, „ 20, | 29·807 | 56·0 | 41·1 | 48·6 | 48·6 | 46·7 | ·87 | ·8 | 0·5 | ·006 | S.S.E. | S.W. |
| Mean, . . | 29·827 | 51·5 | 33·4 | 42·5 | 43·9 | 41·6 | ·84 | ·5 | Total* 2·3 | Total ·111 | Prevailing Wind,* S.S.E. | |

*Sunday*—Day overcast; night clear, ground fog. *Monday*—Cloudy day, fine; night clear. *Tuesday*—Cloudy day, fine; night cloudy, light shower 5.0 p.m. *Wednesday*—Fine day, cloudy, light showers p.m.; night cloudy. *Thursday*—Cloudy day; night cloudy, light showers at intervals from 2.40 a.m. to 7.0 a.m. *Friday*—Day cloudy, fine, light showers p.m.; night clear. *Saturday*—Overcast a.m., light shower 8 to 8.30, cloudy p.m.; night cloudy.

* Three days only.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 20th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, April 14, | 43·9 | 44·3 | 46·0 | 46·2 | 39·3 | 42·8 | — | — |
| Monday, „ 15, | 39·1 | 43·9 | 46·0 | 49·8 | 32·2 | 41·0 | 4·5 | — |
| Tuesday, „ 16, | 45·6 | 44·3 | 46·0 | 51·6 | 33·9 | 42·8 | 5·3 | ·004 |
| Wednesday, „ 17, | 46·9 | 45·7 | 46·0 | 52·1 | 40·9 | 46·5 | 5·7 | ·015 |
| Thursday, „ 18, | 48·0 | 45·5 | 46·0 | 50·0 | 33·8 | 41·9 | 3·5 | — |
| Friday, „ 19, | 47·1 | 46·0 | 46·0 | 52·2 | 43·4 | 47·8 | 0·1 | ·011 |
| Saturday, „ 20, | 50·4 | 46·0 | 46·0 | 58·8 | 43·5 | 50·7 | 0·6 | ·009 |
| Weekly Mean, . | 45·9 | 45·1 | 46·0 | 51·5 | 38·1 | 44·8 | Total 19·7 | Total ·039 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17199.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 27TH APRIL, 1907. [No. 17.

*General Register Office, Charlemont House, Dublin, 29th April,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 27·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending April 6. | Week ending April 13. | Week ending April 20. | Week ending April 27. | Average Rate for 4 weeks. | Towns, &c. | Week ending April 6. | Week ending April 13. | Week ending April 20. | Week ending April 27. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 25·0 | 23·5 | 23·7 | 27·9 | 25·0 | Lisburn, . | 22·7 | 22·7 | 31·8 | 9·1 | 21·6 |
| Armagh, . . | . | 6·9 | . | 20·6 | 6·9 | Londonderry, . | 12·3 | 16·0 | 19·6 | 34·4 | 20·6 |
| Ballymena, . | 23·9 | 4·8 | . | 38·3 | 16·8 | Lurgan, . . | 17·7 | 17·7 | 26·6 | 53·1 | 28·8 |
| Belfast, . . | 27·0 | 22·4 | 23·9 | 23·9 | 24·3 | Newry, . . | 16·8 | 25·2 | 25·2 | 33·6 | 25·2 |
| Clonmel. . . | 25·6 | 30·8 | 51·3 | 20·5 | 32·0 | Newtownards, . | 45·8 | 5·7 | 28·6 | 57·2 | 34·3 |
| Cork, . . . | 24·0 | 23·3 | 21·9 | 21·9 | 22·8 | Portadown, . | 10·3 | 15·5 | 15·5 | 10·3 | 12·9 |
| Drogheda, . . | 4·1 | 12·3 | 16·3 | 24·5 | 14·3 | Queenstown . | 6·6 | 19·8 | 26·4 | . | 13·2 |
| Dublin Reg. Area, | 28·3 | 26·6 | 27·1 | 33·5 | 28·9 | Sligo, . . . | 43·2 | 24·0 | 19·2 | 33·6 | 30·0 |
| Dundalk, . . | 4·0 | 16·0 | 12·0 | 4·0 | 9·0 | Tralee, . | 10·6 | 37·0 | . | 10·6 | 14·6 |
| Galway, . . | 15·5 | 19·4 | 23·3 | 23·3 | 20·4 | Waterford, . | 15·6 | 17·5 | 17·5 | 40·9 | 22·9 |
| Kilkenny, . . | 49·1 | 49·1 | 24·6 | 54·1 | 44·2 | Wexford, . . | 37·4 | 14·0 | 14·0 | 9·3 | 18·7 |
| Limerick, . . | 13·7 | 30·1 | 17·8 | 17·8 | 19·9 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in sixteen of the districts to 9·8 in Kilkenny, the 11 deaths from all causes registered in that district including one death from whooping-cough and one death from diarrhœa. Among the 170 deaths from all causes registered in Belfast were one death from whooping-cough, 20 deaths from cerebro spinal fever, and 7 deaths returned as from *cerebro spinal meningitis.* The 32 deaths from all causes in Cork include 2 deaths from whooping-cough and one death from diarrhœa; of the 8 deaths from all causes registered in Newry 2 were from typhus; and the 12 deaths from all causes registered in Lurgan include one from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—105 boys and 109 girls; and the deaths to 262—138 males and 124 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 35·0 in every 1,000 of the population; omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 33·5 per 1,000. During the seventeen weeks ending with Saturday last the death-rate averaged 28·7, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1897-1906.

The total deaths amounted to 262, and included 10 from measles, 15 from whooping-cough, one from diphtheria, one from *pyrexia* (origin uncertain), one from enteric fever, one from *diarrhœa*, 5 from influenza, 2 from cerebro spinal fever, and one death from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

tetanus. In each of the 3 weeks preceding, the deaths registered from measles were 3, 7, and 10; from whooping-cough were 8, 7, and 7; from diphtheria were 3, 2, and 0; from enteric fever were 0, one, and 0; from diarrhœal diseases were 0, 2, and one; from influenza were 5, 5, and 5; and from cerebro spinal fever were 0, one, and 3.

Of 12 deaths from pneumonia, one was due to lobar pneumonia, 5 were due to broncho-pneumonia, and 6 to *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 54; the total includes 10 deaths from tuberculous phthisis, 24 deaths returned as from *phthisis*, 4 deaths from tuberculous meningitis, 5 from tuberculous peritonitis, one from *tabes mesenterica*, and 10 from other forms of the disease. In each of the 3 preceding weeks, the total deaths from all forms of tuberculous disease were 51, 31, and 46.

Nine infants whose births were premature succumbed.

The 18 deaths from diseases of the brain and nervous system include the deaths of 4 infants under one year from meningitis, and also the death of one child aged one year from meningitis. The total also includes 10 deaths from *convulsions*, all being of infants under one year of age.

There were 36 deaths from diseases of the heart and blood vessels, and bronchitis caused the deaths of 31 persons.

Of 7 deaths from accidental causes, 2 were by vehicles and horses, 2 were by scalds of children under 5 years of age, and one was by drowning.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age and the deaths of 3 persons aged 60 years and upwards.

Ninety of the persons whose deaths were registered during the week were under 5 years of age (54 being infants under one year, of whom 14 were under one month old) and 72 were aged 60 years and upwards, including 39 persons aged 70 and upwards, of whom 12 were octogenarians, and 2 (females) were stated to have been aged 90 years respectively.

One hundred of the deaths registered during the week occurred in hospitals and other public institutions; of this number 26 took place in the N. Dublin Union Workhouse, 22 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 33·5 per 1,000; the rate in the City was 36·2 (North City Districts, 40·3; South, 32·0), and in the Suburbs, 24·4 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 3·9 per 1,000 inhabitants, the rate for the City being 4·3 (5·1 in the North City Districts, and 3·6 in the South) and for the Suburbs, 2·3 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (22) are equal to an annual rate of 39·5 per 1,000. There were 2 deaths from measles, one from whooping-cough, 3 from broncho-pneumonia, 3 from tuberculous disease, 2 from bronchitis, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 30·6 per 1,000. Whooping-cough, diphtheria, and cerebro spinal fever each caused one death; broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 8 deaths from *phthisis*, one from *tabes mesenterica*, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 43·3 per 1,000. Measles and whooping-cough each caused 2 deaths; there were 2 deaths from tuberculous disease, 2 deaths from bronchitis, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (35) represent an annual rate of 56·3 per 1,000, and include one death from measles, 2 deaths from whooping-cough, one death from *pneumonia* (not defined), 6 deaths from tuberculous disease, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 61·7 per 1,000 inhabitants; Clontarf and Howth, No. 1 part of, 0·0, and Finglas and Glasnevin, part of, 7·2. The 13 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from measles, one from broncho-pneumonia, 5 from tuberculous disease, and 2 from bronchitis. The only death registered for Finglas and Glasnevin, part of, was one from *diarrhœa*.

*No. 1 South City District* (South Earl-street).—The deaths (30) represent an annual rate of 39·1 per 1,000. There was one death each from measles and enteric fever, 2 deaths from *pneumonia* (not defined), 6 deaths from tuberculous disease, 7 deaths from diseases of the respiratory system, and one accidental death.

*No. 2 South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 30·4 per 1,000. The deaths include one from measles, 2 from whooping-cough, and 3 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (30) are equal to an annual rate of 37·1 per 1,000. There was one death from lobar-pneumonia, cerebro spinal fever caused one death, tuberculous disease caused 10 deaths, and bronchitis 6 deaths.

*No. 4 South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Among the deaths were 2 from measles, 3 from whooping-cough, 4 from *phthisis*, and 3 from bronchitis.

*New Kilmainham District.*—There were no deaths registered for this district during the week.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·4; Pembroke, 35·6; Blackrock, 17·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Rathmines and Rathgar, and 3 from the same disease for Pembroke. The 16 deaths from all causes for Rathmines and Rathgar include 2 from *pneumonia* (not defined), 2 from tuberculous disease, 5 from bronchitis, and one accidental death. The 19 deaths from all causes for Pembroke include 2 from influenza, 3 from tuberculous disease, and one from bronchitis. Of the 3 deaths from all causes for Blackrock 2 were from *phthisis*, and the 4 deaths from all causes for Kingstown include 2 from influenza and one caused by burns accidentally received.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 27th April, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Apr. 6, | . | — | — | 1 | 2 | . | 4 | . | 4 | 4 | 4 | . | — | — | . | — | — | 19 |
| | Apr. 13, | . | — | — | 4 | 1 | . | 5 | . | 5 | 5 | 12 | . | — | — | 1 | — | — | 33 |
| | Apr. 20, | . | — | — | 1 | . | . | 8 | . | 3 | 7 | 8 | . | — | — | 2 | — | — | 29 |
| | Apr. 27, | . | — | — | 4 | 5 | . | 5 | . | 2 | 2 | 18 | 1 | — | — | 3 | — | — | 40 |
| Rathmines and Rathgar Urban District. | Apr. 6, | . | — | — | 5 | . | . | . | . | . | . | . | . | — | — | . | — | — | 5 |
| | Apr. 13, | . | — | — | 2 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 3 |
| | Apr. 20, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 27, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | . | — | — | 4 |
| Pembroke Urban District. | Apr. 6, | . | . | . | . | . | . | . | . | . | . | . | . | — | 8 | . | — | — | 8 |
| | Apr. 13, | . | . | . | 1 | . | . | . | . | . | 1 | . | . | — | 34 | . | — | — | 36 |
| | Apr. 20, | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | — | 35 | . | — | — | 38 |
| | Apr. 27, | . | 15 | 2 | 1 | . | . | . | . | 2 | . | . | . | — | 77 | . | — | — | 97 |
| Blackrock Urban District. | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 20, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| | Apr. 27, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| Kingstown Urban District. | Apr. 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Apr. 6, | . | — | — | 5 | . | . | 3 | . | 1 | 5 | 3 | 1 | — | — | 27 | — | — | 45 |
| | Apr. 13, | . | — | — | 7 | . | . | 5 | 2 | 2 | 6 | 5 | 1 | — | — | 24 | — | — | 52 |
| | Apr. 20, | . | — | — | 6 | . | . | 3 | 1 | 6 | 8 | 11 | . | — | — | 36 | — | — | 71 |
| | Apr. 27, | . | — | — | 12 | . | . | 5 | 2 | 4 | 7 | 4 | . | — | — | 20 | — | — | 54 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th April, 1907.

From this it appears that:—

Thirty-four cases of measles were admitted into hospital during the week, 28 were discharged, there was one death, and 83 cases remained under treatment at its close.

Thirteen cases of scarlet fever were admitted to hospital, 12 were discharged, and 43* cases remained under treatment at the close of the week.

Five cases of typhus were admitted to hospital during the week, one was discharged, and 10 cases remained under treatment at its close.

Six cases of diphtheria were admitted to hospital, 2 were discharged, there was one death, and 23 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital, 4 were discharged, there were 2 deaths, and 12 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 5 were discharged, and 41 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·6), was equal to an average annual death-rate of 16·0 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·6 per 1,000, the rate for Glasgow being 22·4 and for Edinburgh 18·7.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th April. From this Report it appears that of a total of 42 cases notified 15 were scarlet fever, 9 erysipelas, 6 diphtheria, one membranous croup, and 4 enteric fever. Among the 361 cases of infectious diseases in hospital at the close of the week were 118 cases of scarlet fever, 62 of measles, 41 of whooping-cough, 35 of diphtheria, one of membranous croup, 18 of erysipelas, and 11 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th April, 1907, in the DUBLIN REGISTRATION **AREA** and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by: Births | Deaths: From all Causes. | Deaths: From Diseases, in cols. 10-18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 27th April, 1907: Air Temperature: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 20th April, 1907: Air Temperature: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 13th April, 1907: Air Temperature: Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 27·1 | 27·9 | 1·8 | 580 | 599 | 108 | 167 | . | 11 | . | 2 | 19 | 1 | 1 | 1 | 3 | 30 | 87 | 37 | 12 | 81 | 11 | 15 | 179 | 25 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 28·6 | 33·5 | 3·9 | 214 | 251 | 53 | 71 | . | 10 | . | . | 15 | 1 | 1 | 1 | 1 | 12 | 33 | 19 | 4 | 33 | 7 | 7 | 89 | 6 | f64·0 | 33·3 | 49·8 | 0·29 | f56·0 | 27·3 | 42·5 | 0·11 | f55·8 | 32·1 | 42·7 | 1·09 |
| City of Dublin, | 300,850 | 38·0 | 31·9 | 36·2 | 4·3 | 184 | 209 | 44 | 50 | . | 10 | . | . | 11 | 1 | 1 | 1 | 1 | 10 | 29 | 16 | 2 | 27 | 5 | 6 | 81 | 5 | g67·0<br>h65·9 | 36·8<br>35·0 | 51·7<br>50·7 | 0·30<br>0·27 | g59·1<br>h57·8 | 33·2<br>29·8 | 45·5<br>43·7 | 0·06<br>0·10 | g54·8<br>h53·9 | 34·9<br>29·0 | 44·7<br>42·4 | 1·09<br>1·34 |
| Urban Distts. Rathmines and Rathgar. | 35,606 | 20·8 | 14·6 | 13·4 | 1·5 | 10 | 16 | 4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 26·2 | 35·6 | 5·6 | 14 | 19 | 5 | 9 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 17·9 | . | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 11·8 | 11·8 | . | 4 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 65·5 | 37·5 | 51·3 | 0·35 | 55 | 32·5 | 45·1 | 0·02 | 52 | 35·5 | 45·0 | 0·80 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 28·2 | 23·9 | 0·1 | 200 | 170 | 33 | 25 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 4 | 36 | 3 | 60·5 | 36·0 | 49·3 | 0·65 | 53·0 | 31·5 | 44·1 | 0·16 | 54·5 | 35·0 | 43·5 | 0·10 |
| Cork, | 76,122 | 33·6 | 26·0 | 21·9 | 2·1 | 38 | 32 | 4 | 13 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 1 | 9 | 4 | 60 | 36 | 50·3 | 0·55 | 55 | 34 | 46·2 | 1·06 | 54 | 36 | 45·3 | 0·24 |
| Londonderry, | 42,475 | 19·6 | 23·3 | 34·4 | . | 19 | 28 | 1 | 10 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | 1 | 10 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 20·5 | 17·8 | . | 15 | 13 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | . | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 17·5 | 40·9 | . | 9 | 21 | 3 | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 3·9 | 23·8 | . | 1 | 6 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 59 | 39 | 47 | 0·87 | 53 | 30 | 44·3 | 0·35 | 56 | 35 | 45·4 | 0·98 |
| Dundalk, | 18,076 | 3·4 | 27·9 | 4·0 | . | 7 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 4·1 | 24·5 | . | 1 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 29·4 | 33·6 | 8·4 | 7 | 8 | . | 2 | . | . | . | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 68·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 |
| Lurgan, | 11,782 | 13·8 | 22·1 | 53·1 | 4·4 | 5 | 12 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | 1 | 4 | 1 | 68·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 |
| Lisburn, | 11,461 | 10·1 | 31·8 | 9·1 | . | 7 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 |
| Wexford, | 11,168 | 23·2 | 28·0 | 9·3 | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 14·4 | 38·8 | . | 3 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 14·4 | 33·6 | . | 3 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | . | . | 6 | . | 59·1 | 31·3 | 47·6 | 0·63 | 58·8 | 26·0 | 44·3 | 0·31 | 53·4 | 30·5 | 43·9 | 0·91 |
| Kilkenny, | 10,609 | 11·5 | 73·7 | 54·1 | 9·8 | 15 | 11 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 2 | . | . | 6 | . | 64 | 35 | 49·6 | 0·13 | 55 | 29 | 45·6 | 0·25 | 52 | 30 | 43·7 | 0·85 |
| Clonmel, | 10,167 | 7·8 | 20·5 | 20·5 | . | 4 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 46·5 | 10·3 | . | 9 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 |
| Tralee, | 9,867 | 16·6 | 10·6 | 10·6 | . | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 34·3 | 57·2 | . | 6 | 10 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . | 1 | 5 | 61 | 37 | 47·6 | 0·67 | 51 | 37 | 44·2 | 0·25 | 49 | 35 | 42·9 | 0·12 |
| Queenstown, | 7,909 | 14·4 | 46·1 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 60 | 36 | 50·3 | 0·55 | 55 | 34 | 46·2 | 1·06 | 54 | 36 | 45·3 | 0·24 |
| Armagh, | 7,588 | 22·2 | 13·7 | 20·6 | . | 2 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 | 53·2 | 31·0 | 42·7 | 0·43 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly [illegible] deaths of persons (including one under 1 year old and one at 62 years), admitted to hospital from localities outside the Area. [illegible] in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh are [illegible] taken at Botanic Gardens, Glasgow.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 27th April, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Clontarf & Howth No. 1 (part of). | Goolock and Drumcondra, No. 1 (part of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| A. General Diseases: | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | 2 | . | 2 | 1 | . | 1 | . | 1 | 1 | . | 2 | . | . | . | . | . | 10 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | 1 | 1 | 2 | 2 | . | . | . | . | 2 | . | 3 | . | 1 | 3 | . | . | 15 | . |
| Diphtheria | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . |
| Pneumonia | 3 | 2 | . | 1 | . | 1 | . | 2 | . | 1 | . | . | 2 | . | . | . | 12 | . |
| Tuberculous Phthisis | 2 | 8 | . | 4 | . | 4 | . | 3 | . | 4 | 4 | . | 1 | 1 | 2 | . | 33 | 1 |
| Tuberculous Other Forms. | 1 | 1 | 2 | 2 | . | 1 | . | 3 | . | 6 | . | . | 1 | 2 | . | . | 19 | 1 |
| Cancer, Malignant Disease | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 4 | 1 |
| Other General Diseases | 3 | 2 | 4 | 5 | . | . | . | . | . | 5 | . | . | . | 4 | . | 2 | 25 | 5 |
| Total, | 13 | 15 | 12 | 15 | . | 7 | 1 | 10 | 3 | 16 | 9 | . | 6 | 10 | 3 | 2 | 122 | 8 |
| B. Local Diseases: | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | 3 | 2 | 4 | . | . | . | 3 | . | 2 | 1 | . | 1 | 2 | . | . | 18 | . |
| Diseases of Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels | . | 2 | 5 | 5 | . | 4 | . | 3 | 5 | 5 | 1 | . | 3 | 2 | . | . | 35 | 1 |
| Diseases of Respiratory System | 2 | 1 | 2 | 1 | . | 2 | . | 7 | 3 | 6 | 3 | . | 5 | 1 | . | . | 33 | . |
| Diseases of Digestive System | . | 1 | 3 | 6 | . | . | . | . | 1 | . | 3 | . | . | . | . | . | 14 | 1 |
| Diseases of Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System | 1 | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 4 | . |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Total, | 3 | 7 | 13 | 17 | . | 6 | . | 13 | 9 | 13 | 9 | . | 9 | 7 | . | . | 105 | 3 |
| C. Other Specified Diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. Causes Ill-defined and Not Specified | 5 | . | . | 2 | . | . | . | 6 | . | 1 | . | . | . | 2 | . | 1 | 17 | . |
| E. Violent Deaths | 1 | 1 | 1 | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 7 | . |
| **Deaths from all Causes** | 22 | 23 | 25 | 35 | . | 13 | 1 | 30 | 12 | 30 | 18 | . | 16 | 19 | 3 | 4 | 251 | 11 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 39·5 | 30·6 | 43·3 | 56·3 | . | 61·7 | 7·2 | 39·1 | 30·4 | 37·1 | 26·7 | . | 23·4 | 35·6 | 17·9 | 11·8 | 33·5 | . |
| | 40·3 | | | | | | | 34·0 | | | | | 24·4 | | | | | |
| | 36·2 | | | | | | | | | | | | | | | | | |
| Ages at Death. Under 1 year | 6 | 3 | 5 | 8 | . | 1 | . | 9 | 3 | 5 | 4 | . | 4 | 5 | . | . | 53 | 1 |
| 1 and under 5 years | 5 | 6 | 7 | 2 | . | 2 | 1 | 1 | 1 | 4 | 3 | . | 1 | 3 | . | . | 36 | . |
| 5 ,, 20 ,, | 3 | 1 | 2 | 2 | . | 1 | . | 2 | . | 4 | 1 | . | . | . | . | 1 | 17 | 3 |
| 20 ,, 40 ,, | 1 | 5 | . | 6 | . | 3 | . | 4 | . | 4 | 5 | . | 2 | . | 2 | . | 33 | 5 |
| 40 ,, 60 ,, | 2 | 5 | 5 | 9 | . | 3 | . | 4 | 4 | 7 | . | . | 1 | 2 | . | . | 42 | 1 |
| 60 and upwards | 5 | 3 | 6 | 8 | . | 3 | . | 10 | 4 | 6 | 5 | . | 8 | 9 | 1 | 3 | 71 | 1 |
| Number of Uncertified Deaths | 2 | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . | . | 6 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 6 | 6 | 3 | 6 | . | 1 | . | 5 | 3 | 3 | 4 | . | 1 | 2 | . | 1 | 41 | 10 |
| Workhouse Hospitals | . | 6 | 5 | 14 | . | . | . | 5 | 2 | 9 | 3 | . | 3 | . | 1 | . | 48 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in t week of the ten years, 1897–19

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 17th Week of the 10 years 1897–1906. | In the Week ending Saturday, 27th April, 1907. Deaths of Persons of the Ages o | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 1, 1897. | April 30, 1898. | April 29, 1899. | April 28, 1900. | April 27, 1901. | April 26, 1902. | May 2, 1903. | April 30, 1904. | April 29, 1905. | April 28, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. |
| Mean Temperature. | ° 48·0 | ° 47·1 | ° 50·1 | ° 47·6 | ° 49·1 | ° 49·8 | ° 47·1 | ° 48·9 | ° 46·8 | ° 41·9 | ° 47·6 | Mean Temp. ° 49·8 | | | | | | | |
| **ALL CAUSES.** | 198 | 170 | 199 | 178 | 202 | 199 | 201 | 158 | 165 | 174 | 184·4 | 262 | 14 | 40 | 36 | 20 | 37 | 43 | 58 |
| Small-pox, ... ... | . | . | . | . | . | . | 3 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Cowpox, ... . ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 16 | . | . | . | . | 2 | 1 | 2 | 2 | 1 | 2·4 | 10 | . | 2 | 7 | 1 | . | . | . |
| Scarlet Fever, ... ... | . | 1 | . | . | 2 | . | 2 | . | . | . | ·5 | . | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 5 | 10 | 3 | 10 | 6 | 2 | 2 | 1 | 1 | 4·0 | 5 | . | . | . | . | 1 | . | 4 |
| Whooping-cough, ... ... | 13 | 3 | 8 | 2 | 8 | 3 | 1 | 3 | 1 | 2 | 4·4 | 15 | . | 7 | 7 | 1 | . | . | . |
| Diphtheria, ... ... | 2 | 2 | 1 | . | . | . | . | 1 | . | 2 | ·8 | 1 | . | . | 1 | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . | | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . | . | . | 1 |
| Enteric Fever, ... ... | 3 | 2 | 3 | 5 | 1 | 4 | 2 | 1 | 1 | 1 | 2·3 | 1 | . | . | . | . | 1 | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 1 | . | 3 | . | . | . | . | . | 1 | 1·7 | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | 1 | 1 | 3 | 3 | | 1 | . | . | 1 | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 4 | . | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 1·4 | 1 | . | 1 | . | . | . | . | . |
| Puerperal Septicæmia, | | | | | | | 1 | . | . | . | | 1 | . | . | . | . | 1 | . | . |
| Puerperal Pyæmia, | . | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| Pneumonia, Lobar, | 15 | 4 | 13 | 9 | 21 | . | 2 | . | . | 3 | 13·8 | 1 | . | . | . | . | 1 | . | . |
| Pneumonia, Broncho-Epidemic, | | | | | | 7 | 5 | 5 | 7 | 2 | | 5 | . | 1 | 3 | . | . | . | 1 |
| Pneumonia, Not defined, | | | | | | 6 | 8 | 12 | 7 | 12 | | 6 | . | . | . | 3 | 2 | 1 | . |
| Erysipelas, ... ... | . | . | . | . | . | 3 | 1 | . | . | 1 | ·5 | 1 | . | . | . | . | . | 1 | . |
| Septicæmia (not Puerperal) | . | . | . | 1 | 1 | 1 | 1 | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | 1 | . | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | 2 | . | . | . | 1 | . | . | 1 |
| Tuberculous Phthisis, | 23 | 30 | 24 | 32 | 32 | 1 | 1 | 5 | 4 | 11 | 24·6 | 10 | . | . | . | . | 5 | 4 | 1 |
| "*Phthisis*," ... | | | | | | 19 | 22 | 14 | 17 | 11 | | 24 | . | . | . | 3 | 12 | 7 | 2 |
| Tuberculous Meningitis, ... | 2 | 4 | 3 | 1 | 3 | 4 | 1 | 4 | 2 | 2 | 2·6 | 4 | . | 3 | . | 1 | . | . | . |
| Tuberculous Peritonitis, | 2 | 3 | 11 | 4 | 3 | 1 | 1 | . | 1 | . | 2·7 | 5 | . | . | . | 4 | 1 | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | . | 1 | . | . | | 1 | . | . | 1 | . | . | . | . |
| Tuberculous Dis. (other), | 4 | 1 | . | 5 | 5 | 3 | 8 | 9 | 7 | 7 | 5·2 | 10 | . | . | 6 | 4 | . | . | . |
| *Scrofula*, ... ... | | | | | | . | 2 | . | . | 1 | | . | . | . | . | . | . | . | . |
| Alcoholism, ... ... | 2 | . | 3 | 2 | 2 | . | . | . | 1 | . | 1·0 | . | . | . | . | . | . | . | . |
| Rheumatic Fever, ... | 2 | . | . | 1 | . | . | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 4 | 2 | 11 | 10 | 2 | 2 | 2 | 1 | 4 | 6 | 6·9 | 1 | . | . | . | . | . | . | 1 |
| Sarcoma, ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 7 | 7 | 5 | 1 | 4 | | 4 | . | . | . | . | . | 3 | 1 |
| Diabetes Mellitus, .. | . | . | . | . | . | 1 | . | 1 | . | 2 | ·4 | . | . | . | . | . | . | . | . |
| Premature Birth, ... | 7 | 2 | 4 | 2 | 3 | 4 | 3 | 4 | 1 | 1 | 3·1 | 9 | 8 | 1 | . | . | . | . | . |

* The figures for the years 1897–1900 are f
† Formerly described

ITEENTH WEEK ending Saturday, 27th April, 1907, with the deaths from each cause in the corresponding
e average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: May 1, 1897. | April 30, 1898. | April 29, 1899. | April 28, 1900. | April 27, 1901. | April 26, 1902. | May 2, 1903. | April 30, 1904. | April 29, 1905. | April 28, 1906. | Averages in 17th Week of the 10 years 1897–1906. | In the Week ending Saturday, 27th April, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 48·0 | ° 47·1 | ° 50·1 | ° 47·6 | ° 49·1 | ° 49·8 | ° 47·1 | ° 48·9 | ° 46·8 | ° 41·9 | ° 47·6 | Mean Temp. ° 49·8 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 5 | 6 | 3 | 4 | . | | 5 | . | 4 | 1 | . | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | 3 | 2 | . | 1 | . | | 2 | . | . | . | 1 | 1 | . | . | . |
| lepsy .. ... | | | | | | . | . | . | 2 | . | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | 12 | 7 | 3 | 8 | 4 | | 10 | 2 | 8 | . | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| nplegia Dis. of Cord ... | | | | | | 1 | 2 | 3 | 1 | . | | . | . | . | . | . | . | . | . | . |
| vous System (other s.) | 35 | 43 | 33 | 29 | 42 | 4 | 1 | . | 1 | 5 | 38·5 | 1 | . | . | . | 1 | . | . | . | . |
| v. Dis., Endocarditis | | | | | | 3 | 4 | 4 | 10 | 5 | | 8 | . | . | . | . | 1 | 7 | . | . |
| ebr. Hæm. Thromb. | | | | | | 2 | 2 | 3 | 3 | 1 | | . | . | . | . | . | . | . | . | . |
| *plexy, Hemiplegia* ... | | | | | | 2 | 4 | 3 | 7 | 5 | | 5 | . | . | . | . | 1 | 3 | 1 | . |
| urysm ... ... | | | | | | . | 1 | 1 | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| bolism, Thromb. (not rebral) | | | | | | 1 | 1 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 14 | 11 | 7 | 13 | 16 | | 22 | . | . | . | . | 13 | 5 | 4 | . |
| *up* (not Spasm. nor emb.) | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 20 | 20 | 25 | 26 | 18 | 24 | 27 | 23 | 18 | 21 | 22·2 | 31 | . | 5 | 2 | 1 | 1 | 5 | 13 | 4 |
| hma, Emphysema ... | | | | | | 1 | . | 1 | . | 1 | | . | . | . | . | . | . | . | . | . |
| urisy ... ... | 2 | . | 2 | 5 | 1 | 1 | 2 | . | . | 1 | 2·2 | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | 1 | 1 | 3 | . | . | | 2 | . | . | . | . | . | . | . | 2 |
| nsillitis, Quinsy ... | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | 1 | . | . | 2 | . | . | 1 | . | . | 3 | 1·3 | 3 | . | 1 | 1 | . | 1 | . | . | . |
| *tro Enteritis* ... ... | | | | | | 1 | 1 | . | 3 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| *itonitis* (not Puerp.) ... | 1 | . | 1 | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| rhosis of Liver ... | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 3 | . | . | 1·8 | 1 | . | . | . | . | 1 | . | . | . |
| er Dis. (other) ... | | | | | | 1 | 1 | . | 1 | . | | 1 | . | . | . | . | . | . | . | . |
| estive Dis. (other) ... | 3 | 3 | 3 | 4 | 3 | 8 | 11 | 2 | 3 | 6 | 4·6 | 9 | 1 | . | 2 | 1 | 1 | 2 | 1 | 1 |
| phritis, Acute ... | | | | | | 1 | 1 | . | . | 2 | | . | . | . | . | . | . | . | . | . |
| ght's Dis., Albuminuria | 4 | 2 | 8 | 7 | 7 | 4 | 3 | 7 | 3 | 5 | 6·3 | 3 | . | . | . | 1 | 1 | . | 1 | . |
| inary Sys. (Other Dis.) | | | | | | 4 | 3 | . | 1 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| nerative Organs Dis. ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ildbirth (Accid. of) ... | . | . | 2 | 1 | 1 | 1 | . | 1 | . | . | ·6 | 1 | . | . | . | . | 1 | . | . | . |
| *l Age* ... ... | 10 | 22 | 11 | 7 | 11 | 8 | 7 | 1 | 4 | 5 | 8·6 | 9 | . | . | . | . | . | 7 | 2 | . |
| ner Diseases ... ... | 14 | 10 | 15 | 11 | 16 | 15 | 12 | 12 | 13 | 12 | 13·0 | 16 | 3 | 4 | 2 | . | 1 | 6 | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | 1 | . | . | . | . | . | . | 1 | 1 | . | ·3 | 2 | . | . | 1 | . | 1 | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 1 | 1 | 3 | . | 1 | . | . | 1 | . | . | ·7 | 3 | . | 1 | 1 | 1 | . | . | . | . |
| Drowning ... ... | 1 | . | 1 | . | 1 | . | 1 | . | . | . | ·4 | 1 | . | . | . | . | 1 | . | . | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous Vapours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| her Deaths by Accident | 6 | 1 | 2 | 4 | 2 | 3 | 2 | . | 3 | 1 | 2·4 | 1 | . | 1 | . | . | . | . | . | . |
| IOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| omicide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| icide ... ... | . | 1 | 1 | . | . | 1 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 2. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. |
| No. of weeks in Annual Series. | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| BIRTHS registered, | 281 | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 201 | 220 | 214 |
| *Average Births in corresponding week of previous 10 years,** | 199 | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 |
| DEATHS registered, | 204 | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 |
| Annual Death-rate per 1,000, | 28·1 | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 171 | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 |
| AGES,— Under 5 years, | 61 | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 |
| 5—20 ,, | 15 | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 |
| 20—40 ,, | 30 | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 |
| 40—60 ,, | 43 | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 |
| 60—80 ,, | 42 | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 |
| 80 years and upwards, | 13 | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 |
| Scarlet Fever | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . |
| Whooping-cough, | 3 | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 |
| Diphtheria, | 1 | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Enteric Fever, | 1 | 1 | 1 | 1 | . | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 |
| Diarrhœal Diseases, | 7 | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 |
| Pneumonia, | 10 | 8 | 12 | 18 | 11 | 18 | 15 | 28 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 28 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 |
| Tuberculous Phthisis, | 21 | 31 | 19 | 27 | 18 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 |
| Disease. Other Forms, | 17 | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 |
| Cancer, Malignant Disease, | 10 | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 |
| Diseases of Heart and Blood Vessels, | 33 | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 |
| Diseases of Respiratory System, | 33 | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 |
| Violent Deaths, | 1 | 3 | 9 | 3 | 8 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 7 |
| Number of Uncertified Deaths, | 6 | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 6 |
| Mean Temperature of the Air (Phœnix Park), | 40·6 | 43·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 47·3 | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 |
| Rainfall in inches, | ·545 | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·91 | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·78 | ·81 | ·88 | ·84 | ·80 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

In the Dublin Registration Area during the week ending Saturday, 27th April, 1907, the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH APRIL, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20 | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 36·4 | 262 | 90 | 20 | 37 | 43 | 58 | 14 | . | 10 | . | . | 15 | 1 | 1 | 1 | 1 | 29 | 12 | 34 | 20 | 5 | 10 | 33 | 7 | 112 | 6 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 17·9 | 6 | 1 | . | . | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 4 | . |
| II. | Middle Class, | 87,188 | 26·3 | 44 | 13 | 3 | 4 | 5 | 13 | 6 | . | 2 | . | . | 2 | 1 | . | . | 1 | 6 | 2 | 4 | 2 | . | . | 4 | 2 | 24 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 28·8 | 61 | 18 | 9 | 9 | 12 | 10 | 3 | . | . | . | . | 1 | . | . | 1 | . | 2 | 5 | 6 | 6 | 2 | 3 | 8 | 1 | 28 | 1 |
| IV. | General Service Class, | 154,279 | 49·1 | 102 | 51 | 5 | 17 | 12 | 15 | 2 | . | 8 | . | . | 12 | . | . | . | . | 20 | 4 | 10 | 8 | 3 | 6 | 10 | 4 | 37 | 4 |
| V. | Inmates of Workhouses, | 6,024 | | 49 | 7 | 3 | 7 | 13 | 16 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 12 | 4 | . | 1 | 11 | . | 19 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 33·4 | 5 | 1 | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 18·5 | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 26·1 | 11 | 3 | 1 | . | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 9 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 25·7 | 15 | 6 | 1 | 3 | 2 | 2 | 1 | . | 2 | . | . | 2 | 1 | . | . | . | 5 | . | 2 | . | . | . | 1 | 1 | 6 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 30·9 | 16 | 3 | 1 | . | 1 | 6 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | 3 | 1 | 8 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 58·1 | 11 | 6 | . | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 2 | . | 6 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 31·5 | 18 | 5 | 3 | 2 | 5 | 1 | 2 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 1 | 3 | 1 | . | 3 | . | 6 | . |
| | 10. Clothing Trades, | 28,260 | 20·2 | 9 | 3 | 3 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 5 | 1 |
| | 11. Food Supply Trades, | 9,242 | 28·2 | 5 | . | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | 2 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 24·1 | 14 | 2 | 3 | 2 | 2 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 3 | 1 | 7 | . |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 2 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 42·7 | 11 | 5 | . | 2 | 2 | 2 | . | . | 2 | . | . | 1 | . | . | . | . | 3 | . | 1 | . | 2 | . | . | 1 | 4 | 1 |
| | 15. Domestic Servants, | 36,603 | 15·7 | 11 | 4 | . | 3 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 1 | 1 | 4 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 14·5 | 4 | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 44·1 | 76 | 40 | 5 | 12 | 8 | 10 | 1 | . | 6 | . | . | 11 | . | . | . | . | 17 | 4 | 6 | 6 | 1 | 4 | 9 | 2 | 27 | 3 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 49 | 7 | 3 | 7 | 13 | 16 | 3 | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 12 | 4 | | 1 | 11 | . | 19 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **City of Dublin (part of).** | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Mar. 9, | 23·4 | 1·8 | 13 | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | . | 1 | 1 | . |
| | „ 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | „ 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| | „ 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| | „ 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | 1 |
| | „ 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 1 | 2 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Mar. 9, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 3 | . | . |
| | „ 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | „ 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| | „ 30, | 28·0 | 1·3 | 21 | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 4 | . | 1 | . | . |
| | „ 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | 1 |
| | „ 20, | 24·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| | „ 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 3 | 1 | . | 1 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Mar. 9, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 |
| | „ 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | „ 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | „ 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| | Apr. 6, | 43·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| | „ 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| | „ 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| | „ 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Mar. 9, | 38·6 | . | 24 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 1 | 2 | 1 | . |
| | „ 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | „ 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 3 | . | 3 | . | . |
| | „ 30, | 28·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| | „ 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| | „ 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| | „ 27, | 56·3 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Mar. 9, | 27·4 | 1·3 | 21 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | . |
| | „ 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | „ 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| | „ 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| | „ 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| | „ 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| | „ 27, | 39·1 | 2·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Mar. 9, | 35·5 | 5·1 | 14 | . | . | . | . | 2 | . | . | . | . | 3 | 1 | . | . | 2 | . | 1 |
| | „ 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | „ 23, | 32·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| | „ 30, | 30·4 | 2·5 | 12 | . | . | . | 1 | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 3 | 1 | 1 |
| | „ 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| | „ 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | 3 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Mar. 9, | 18·5 | 1·2 | 15 | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . | 7 | . | 1 |
| | „ 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | „ 23, | 22·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| | „ 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| | Apr. 6, | 29·6 | 1·2 | 24 | . | 1 | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| | „ 13, | 25·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| | „ 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| | „ 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | Mar. 9, | 35·6 | 1·5 | 24 | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 2 | . | . |
| | „ 16, | 18·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | „ 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | . | . |
| | „ 30, | 22·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | 1 | . |
| | Apr. 6, | 22·3 | 3·0 | 15 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |
| | „ 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |
| | „ 20, | 32·6 | 3·0 | 22 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |
| | „ 27, | 26·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 3 | . | 1 |

* Formerly described as "Simple Continued Fever"

tain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of pulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *blic Institutions being assigned to the Districts from which the deceased were admitted;* also, ovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Mar. 9, | 16·1 | 2·9 | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | 1 | . | . | . |
| | „ 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | „ 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| | „ 30, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 27, | 23·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Mar. 9, | 2·4 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 3 | . | . |
| | „ 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| | „ 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| | Apr. 6, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| | „ 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| | „ 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| | „ 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Mar. 9, | 29·6 | 3·0 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 3 | 1 | . |
| | „ 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| | „ 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| | „ 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Mar. 9, | 28·5 | 1·4 | 167 | . | 1 | . | . | 3 | . | . | 2 | 4 | 12 | 21 | 15 | 2 | 21 | 2 | 1 |
| | „ 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| | „ 23, | 23·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| | „ 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 1 |
| | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| | „ 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| | „ 20, | 23·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 6 |
| | „ 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| **Cork.** Pop. (in 1901) 76,129. | Mar. 9, | 26·7 | 0·7 | 39 | . | . | . | . | 1 | . | . | . | . | 1 | 8 | 2 | 4 | 5 | 1 | 1 |
| | „ 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| | „ 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| | „ 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| | „ 13, | 23·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| | „ 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| | „ 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Mar. 9, | 20·9 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | . | 1 |
| | „ 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| | „ 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| | „ 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | Apr. 6, | 12·8 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| | „ 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| | „ 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| | „ 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Mar. 9, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | . | 3 | . | 1 |
| | „ 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 |
| | „ 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | . | . | 5 | . | 2 |
| | „ 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 1 | 3 | . | 3 |
| | Apr. 6, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| | „ 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| | „ 27, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Mar. 9, | 29·2 | 1·9 | 15 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . |
| | „ 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |
| | „ 23, | 27·8 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |
| | „ 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |
| | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| | „ 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 |
| | „ 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th April, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (29) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 3 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | . | 1 | . | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | . | . | 1 | . |
| Do. 2 „ . | 47,959 | 23 | | | 24 | 4 | 2 | 5 | 4 | 4 | 5 | . | . | . | . | . | . | . | . | . | 3 | 5 | 1 | 2 | 5 | . | 2 | 5 | . |
| Do. 3 „ . | 47,214 | 27 | | | 21 | 4 | 2 | 4 | 4 | 5 | 2 | . | . | . | . | . | . | . | . | . | 2 | 5 | . | . | 2 | . | . | 7 | . |
| Do. 4 „ . | 40,911 | 23 | | | 21 | 6 | 5 | 2 | 3 | 4 | 1 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 1 | . | 1 | 1 | 1 | 4 | . |
| Do. 5 „ . | 17,387 | 8 | | | 10 | 3 | 2 | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 4 | . | . | 3 | 1 |
| Do 6 „ . | 48,122 | 16 | | | 25 | 3 | 2 | 3 | 5 | 6 | 6 | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 1 | 6 | . | . | 6 | 1 |
| Do, 7 „ . | 1,524 | . | | | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | . | | | 3 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 9 „ . | 19,569 | 16 | | | 11 | 1 | 1 | 5 | . | 1 | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 1 | . |
| Do. 10 „ . | 23,064 | 24 | | | 15 | 4 | 4 | 2 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 1 | 1 |
| Do. 11 „ . | 34,802 | 19 | | | 16 | 3 | 5 | . | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | . | . | . | . | 1 | . |
| Do. 12 „ . | 33,588 | 26 | | | 16 | 4 | 4 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | 1 | 7 | . |
| Do. 13 „ . | 15,006 | 9 | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 14 „ . | 240 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 200 | | | 170† | 33 | 29 | 25 | 29 | 29 | 25 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 4 | 36 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 7 | 16·2 | . | 4 | . | 1 | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Do. 2 „ . . . | 10,701 | 9 | 19·5 | 9·7 | 4 | 1 | 1 | 1 | | | 1 | . | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| Do. 3 „ . . . | 9,978 | 4 | 26·1 | . | 5 | 3 | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 2 |
| Do. 4 „ . . . | 8,666 | 5 | 48·1 | 6·0 | 8 | . | 3 | 2 | | | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | 1 |
| Do. 5 „ . . . | 6,592 | 1 | 47·5 | . | 6 | . | . | 2 | | | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Do. 6 „ . . . | 10,702 | 2 | 9·7 | . | 2 | . | . | . | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 7 „ . . . | 16,616 | 10 | 9·4 | . | 3 | . | 1 | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Total, . . . . | 76,122 | 38 | 21·9 | 2·1 | 32 | 4 | 6 | 9 | | | 13 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 1 | 9 | 4 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 3. | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. |
| No. of weeks in Annual Series, | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| BIRTHS registered, | 194 | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 |
| DEATHS registered, | 122 | 131 | 145 | 125 | 128 | 189 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170† |
| Annual Death-rate per 1,000 of estimated Population, | 17·4 | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 |
| AGES: Under 1 year | 36 | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 |
| 1–5 years, | 15 | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 |
| 5–20 years, | 10 | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 |
| 20–40 years, | 16 | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 |
| 40–60 years, | 21 | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 |
| 60 years and upwards, | 24 | 30 | 37 | 33 | 35 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . |
| Scarlet Fever, | . | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . |
| Typhus, | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 |
| Diphtheria, | 1 | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . |
| Diarrhœal Diseases, | 10 | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . |
| Pneumonia, | 18 | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 |
| Tuberculous Disease: Phthisis, | 13 | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 |
| Tuberculous Disease: Other Forms, | 7 | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 |
| Cancer, Malignant Disease, | 3 | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 |
| Diseases of Respiratory System, | 15 | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 |
| Violent Deaths, | 1 | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 |
| Number of Uncertified Deaths, | 3 | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 |

*Formerly described as "Simple Continued Fever."

† Including 27 deaths from cerebro-spinal fever, or from *cerebro spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Apr. 27, | 2,452 | 1,423 | 15·6 | . | 47 | 8 | 16 | 67 | 3 | 14 |
| EDINBURGH, | 345,747 | „ 27, | 173 | 124*a* | 18·7 | . | 4 | . | . | 2 | 1 | 1 |
| GLASGOW, | 847,584 | „ 27, | 469 | 364*a* | 22·4 | . | 5 | . | 3 | 43 | 1 | 6 |
| CALCUTTA, | 847,796 | Mar. 9, | . | 572 | 35·0 | 75 | 3 | . | . | . | 110‡ | 106* |
| BOMBAY, | 977,822 | „ 26, | 331 | 1,323 | 70·4 | 6 | 1 | . | . | . | 90‡ | 61* |
| MADRAS, | 509,346 | „ 8, | 237 | 428 | 43·6 | . | 3 | ? | ? | ? | 120 | 84* |
| PARIS, | 2,750,000 | Apr. 13, | 915 | 1,092 | 20·8 | . | 12 | 8 | 7† | 10 | 10 | 24 |
| BRUSSELS (with 8 Faubourgs). | 623,074 | „ 6, | 233 | 167 | 13·9 | . | 2 | . | 5† | . | . | 3 |
| ANTWERP, | 304,032 | „ 6, | 137 | 83 | 14·2 | . | . | . | 1† | 3 | . | 2 |
| AMSTERDAM, | 565,368 | „ 13, | 280 | 154 | 14·2 | . | 2 | 2 | . | 6 | 2 | 7 |
| COPENHAGEN, | 427,000 | „ 6, | 289 | 168 | 20·5 | . | . | 1 | . | 2 | . | 1 |
| STOCKHOLM, | 324,488 | „ 6, | 188 | 91 | 14·2 | . | . | . | 2† | . | . | 2 |
| CHRISTIANIA, | 226,774 | „ 13, | 101 | 76 | 17·4 | . | 1 | . | 4† | 1 | . | 3 |
| ST. PETERSBURG, | 1,482,769 | „ 6, | . | . | . | . | . | . | . | . | . | . |
| MOSCOW, | 1,172,421 | Mar. 9, | . | 695 | 30·9 | . | 16 | 9 | 10† | 3 | 32 | 43 |
| BERLIN, | 2,094,456 | „ 30, | 936 | 638 | 15·9 | . | 1 | 3 | 7† | 7 | . | 26 |
| HAMBURG, | 824,792 | Apr. 6, | . | 274 | 17·3 | . | 1 | . | 4† | . | 1 | 13 |
| BRESLAU, | 483,486 | „ 13, | . | 206 | 22·2 | . | . | . | 3† | 3 | 1 | 11 |
| MUNICH, | 548,000 | „ 13, | . | 224 | 16·2 | . | 4 | . | 6† | 1 | . | 22 |
| VIENNA (with suburbs). | 1,998,479 | „ 13, | 944 | 802 | 20·9 | . | 25 | 5 | 2† | 5 | 3 | 48 |
| BUDA-PESTH, | 802,235 | „ 6, | 416 | 332 | 21·6 | . | 2 | 5 | 2† | 1 | . | 11 |
| PRAGUE and Faubourgs. | 466,133 | „ 6, | 220 | 201 | 22·4 | . | 4 | . | 3† | 1 | . | 19 |
| TRIESTE, | 199,003 | Mar. 30, | 124 | 119 | 31·2 | . | 3 | 1 | . | 2 | . | 3 |
| ROME, | 540,150 | Feb. 23, | 288 | 246 | 23·7 | . | . | . | 2 | 2 | 2 | 5 |
| VENICE, | 174,398 | Mar. 9, | 83 | 75 | 22·4 | . | . | . | . | . | 1 | 3 |
| NEW YORK, | 4,285,435 | „ 30, | 2,265 | 1,631 | 19·9 | . | 5 | 17 | 41† | 9 | 16 | 65 |
| PHILADELPHIA, | 1,500,595 | „ 16. | . | 688 | 23·8 | . | . | 2 | 9† | 4 | 38 | 20 |
| BOSTON, | 602,526 | „ 30, | . | 234 | 20·3 | . | . | 3 | 1 | 1 | . | 1 |

*a.* Including 8 deaths from cerebro spinal meningitis in Edinburgh, and 26 in Glasgow.
* Including 53 deaths from cholera in Calcutta, 5 in Bombay, and 10 in Madras.
† Including deaths from croup.
‡ Exclusive of 57 deaths from plague in Calcutta, and 653 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th April, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 1, West, | . | . | 4 | . | 1 | . | . | 1 | 2 | . | 2 | . | 10 |
| " " 2, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | 1 | . | 3 | . | . | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 |
| South City No. 1, | . | 1 | . | . | 1 | . | . | . | 9 | . | . | . | 11 |
| " " 2, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 3, | . | . | 1 | . | 1 | . | . | . | 1 | 1 | 1 | . | 5 |
| " " 4, | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | 5 | . | 5 | . | 2 | 2 | 18 | 1 | 3 | . | 40 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th April, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 27th April. | | | |
|---|---|---|---|---|---|---|---|
| | April 6. | April 13. | April 20. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 69 | 86 | 78 | 34 | 28 | 1 | 83 |
| Scarlet Fever, | 53 | 40 | 42 | 13 | 12 | . | 43* |
| Typhus, | 12 | 12 | 6 | 5 | 1 | . | 10 |
| Diphtheria, | 11 | 16 | 20 | 6 | 2 | 1 | 23 |
| Enteric Fever, | 17 | 14 | 16 | 2 | 4 | 2 | 12 |
| Pneumonia, | 33 | 40 | 47 | 9 | 15 | . | 41 |

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 27th April, 1907:—

"Although changeable, the weather of this period was in the main favourable, and on Tuesday and Wednesday a foretaste of summer warmth was enjoyed, the thermometer rising in the screen to 67° on the former, and to 65° on the latter, day. On Sunday morning the barometer ranged from 30·35 inches at Munich to 28·77 inches at several Icelandic stations. In addition to this deep cyclonic disturbance in the far North a secondary depression, V-shaped, advanced over the South of England from the Atlantic, causing continuous wet weather in that region. The day was chiefly fine in Dublin, save for passing showers which fell at 1 and 5 p.m. On Monday an anticyclone spread in from the Atlantic over the southern half of the British Isles and the Bay of Biscay. Its westerly and south-westerly winds brought sudden warmth, so that the thermometer rose to 67° in Dublin on Tuesday, and on Wednesday to 65° in this City, 67° at Yarmouth and Bath, 69° at several places on the shores of the English Channel, 70° at Oxford and Worthing, and 72° in London. This spell of summer weather was short-lived, for on Wednesday night a small baric depression developed over Wales, whence it travelled at first southwards to the English Channel, later on eastwards to Germany. Northerly winds, clouds, rain, and a brisk fall of temperature followed. On Friday a more serious disturbance approached from the northward, cold rainfalls, hail and thundershowers accompanying the system in its travels. Saturday was cold, and shortly before noon a hailstorm passed over the Kingstown district—one loud peal of thunder being heard even in Dublin. The week closed with a cold, clear moonlight night. In Dublin the mean height of the barometer was 30·152 inches, the range being from 29·830 inches at 9 a.m. of Sunday (wind, W.S.W.) to 30·357 inches at 9 a.m. of Thursday (wind, N.E.). The corrected mean temperature was 51·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·1°. The screened thermometers rose to 67·0° on Tuesday and fell to 36·8° on Saturday—a range of 30·2°. The prevalent winds were W.S.W. and N.W. Rain fell on 4 days, the total measurement being ·300 inch, of which ·151 inch was recorded on Wednesday and ·111 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·149 inches. The highest reading (30·355) was on Thursday at 9 a.m., wind N.N.E., and the lowest (29·818) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 49·8°, being 2·2° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Tuesday, on which day the thermometer registered 64·0°, and was lowest on Saturday, the mercury having fallen to 33·3°. The mean of the Dry Bulb for the week was 48·6°, and of the Wet Bulb 45·6°. The mean humidity of the air was ·80, complete saturation being represented by 1·0. The rainfall during the week measured 0·289 inch.

At Greenwich the mean temperature for the week was 49·4°. the maximum 72·0°, and the minimum 35·1°; at Glasgow the maximum was 55·8°, the minimum 34·0°, and the mean 46·9°; and at Edinburgh the maximum was 58·7°, the minimum 34·8°, and the mean 47·2°. The rainfall at Greenwich measured 0·90 in.; at Glasgow, 0·24 in.; and at Edinburgh, 0·10 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

### Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, April 21, | 29·932 | 56·2 | 42·9 | 49·6 | 47·2 | 44·1 | ·78 | ·7 | 3·2 | ·012 | S.W. | W.S.W. |
| Monday, „ 22, | 30·181 | 58·0 | 35·3 | 46·7 | 51·5 | 48·1 | ·77 | ·7 | 5·0 | ·000 | S.S.W. | S.S.W. |
| Tuesday, „ 23, | 30·240 | 64·0 | 52·0 | 58·0 | 56·3 | 54·3 | ·88 | ·6 | 4·0 | ·007 | S.S.W. | S.W. |
| Wednesday, „ 24, | 30·335 | 63·3 | 51·7 | 57·5 | 56·7 | 53·1 | ·78 | ·7 | 8·2 | ·125 | S.W. | S.W. |
| Thursday, „ 25, | 30·322 | 57·5 | 42·0 | 49·8 | 45·3 | 42·6 | ·80 | ·5 | 1·6 | ·000 | N.N.E. | Calm. |
| Friday, „ 26, | 30·017 | 51·7 | 36·8 | 44·3 | 41·9 | 39·2 | ·81 | ·6 | 7·6 | ·130 | N.W. | S.W. |
| Saturday, „ 27, | 30·020 | 52·4 | 33·3 | 42·9 | 41·3 | 38·0 | ·75 | ·6 | 8·6 | ·015 | N.W. | Calm. |
| Mean, . . . | 30·149 | 57·6 | 42·0 | 49·8 | 48·6 | 45·6 | ·80 | ·6 | Total 38·2 | Total ·289 | Prevailing Wind, S.W. | |

*Sunday*—Cloudy day, light showers p.m.; night clear. *Monday*—Cloudy day, fine; night cloudy. *Tuesday*—Cloudy day, fine; night overcast, light rain 4.40 a.m. to 5.15 a.m. *Wednesday*—Day fine but cloudy; night overcast, light rain 2.30 a.m. to 7.0 a.m. *Thursday*—Fine but cloudy day; night cloudy. *Friday*—Bright and cloudy day, light rain 5.30 p.m. to 7.55 p.m.; night clear. *Saturday*—Cloudy day, light showers a.m. and p.m. at intervals; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

### Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, April 27th, 1907.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, April 21, | 52·2 | 47·0 | 46·1 | 57·4 | 45·3 | 51·4 | 2·6 | ·007 |
| Monday, „ 22, | 50·2 | 47·0 | 46·2 | 60·2 | 39·9 | 50·1 | 5·2 | — |
| Tuesday, „ 23, | 57·6 | 49·0 | 46·4 | 66·0 | 52·9 | 59·5 | 5·0 | — |
| Wednesday, „ 24, | 57·4 | 51·4 | 46·6 | 64·7 | 52·4 | 58·6 | 7·6 | ·138 |
| Thursday, „ 25, | 45·9 | 52·0 | 47·0 | 58·9 | 42·4 | 50·7 | 1·1 | — |
| Friday, „ 26, | 46·3 | 50·6 | 47·6 | 52·5 | 39·3 | 45·9 | 8·0 | ·137 |
| Saturday, „ 27, | 45·1 | 49·0 | 47·8 | 52·5 | 35·9 | 44·2 | 6·9 | — |
| Weekly Mean, . | 50·7 | 49·4 | 46·8 | 58·9 | 44·0 | 51·5 | Total 36·4 | Total ·282 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17265.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 4TH MAY, 1907. [No. 18.

*General Register Office, Charlemont House,*
*Dublin, 6th May,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending April 13. | Week ending April 20. | Week ending April 27. | Week ending May 4. | Average Rate for 4 weeks. | Towns, &c. | Week ending April 13. | Week ending April 20. | Week ending April 27. | Week ending May 4. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 23·5 | 23·7 | 27·9 | 23·8 | 24·7 | Lisburn, . | 22·7 | 31·8 | 9·1 | 13·6 | 19·3 |
| Armagh, . . | 6·9 | . | 20·6 | 20·6 | 12·0 | Londonderry, . | 16·0 | 19·6 | 34·4 | 16·0 | 21·5 |
| Ballymena, . | 4·8 | . | 38·3 | 14·4 | 14·4 | Lurgan, . . | 17·7 | 26·6 | 53·1 | 4·4 | 25·4 |
| Belfast, . . | 22·4 | 23·9 | 23·9 | 23·8 | 23·5 | Newry, . . | 25·2 | 25·2 | 33·6 | 21·0 | 26·2 |
| Clonmel, . | 30·8 | 51·3 | 20·5 | 15·4 | 29·5 | Newtownards, . | 5·7 | 28·6 | 57·2 | 45·8 | 34·3 |
| Cork, . . . | 23·3 | 21·9 | 21·9 | 21·2 | 22·1 | Portadown, . | 15·5 | 15·5 | 10·3 | 10·3 | 12·9 |
| Drogheda, . . | 12·3 | 16·3 | 24·5 | 32·7 | 21·5 | Queenstown . | 19·8 | 26·4 | . | 19·8 | 16·5 |
| Dublin Reg. Area, | 26·6 | 27·1 | 33·5 | 26·4 | 28·4 | Sligo, . . . | 24·0 | 19·2 | 33·6 | 24·0 | 25·2 |
| Dundalk, . . | 16·0 | 12·0 | 4·0 | 12·0 | 11·0 | Tralee, . | 37·0 | . | 10·6 | 21·1 | 17·2 |
| Galway, . . | 19·4 | 23·3 | 23·3 | 11·7 | 19·4 | Waterford, . | 17·5 | 17·5 | 40·9 | 27·3 | 25·8 |
| Kilkenny, . . | 49·1 | 24·6 | 54·1 | 34·3 | 40·5 | Wexford, . . | 14·0 | 14·0 | 9·3 | 18·7 | 14·0 |
| Limerick, . . | 30·1 | 17·8 | 17·8 | 27·3 | 23·3 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·8 in Waterford, the 14 deaths from all causes registered in that district including one each from measles, scarlet fever, and diarrhœa. Among the 169 deaths from all causes registered in Belfast are one from measles, one from whooping-cough, 2 from enteric fever, 2 from diarrhœal diseases, 16 deaths from cerebro spinal fever, and 9 deaths returned as from *cerebro spinal meningitis.* One of the 20 deaths from all causes in Limerick is from enteric fever, and one of the 5 deaths registered in Sligo is from typhus.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 303—145 boys and 158 girls; and the deaths to 205—105 males and 100 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 27·4 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 26·4 per 1,000. During the eighteen weeks ending with Saturday last the death-rate averaged 28·7, and was 0·3 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths (205) included 3 from measles, 10 from whooping-cough, one from *diarrhœa,* and 2 from influenza. In each of the 3 preceding weeks, deaths from measles were 7,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

10, and 10; deaths from whooping-cough were 7, 7, and 15; deaths from diarrhœal diseases were 2, one and one; and deaths from influenza were 5, 5, and 5.

There was one death from lobar pneumonia, there were 5 deaths from broncho-pneumonia, and 9 from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease amounted to 53, as against 31, 46, and 54 in each of the 3 preceding weeks. The total deaths (53) include 19 from tuberculous phthisis, 20 returned as from *phthisis*, 3 from tuberculous meningitis, one from tuberculous peritonitis, and 10 deaths from other forms of the disease.

Of 3 deaths from malignant diseases, one was due to carcinoma and 2 were from cancer (undefined).

The deaths of 3 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 17 deaths. This figure includes 6 deaths from meningitis (4 of the latter figure being deaths of children under 5 years of age), and 6 deaths from *convulsions*, all of children under 5 years of age.

Twenty-four deaths were accounted for by diseases of the heart and blood vessels, and 16 deaths were due to bronchitis.

Of 7 deaths assigned to accidental causes, one was caused by a railway accident, 2 by vehicles and horses, and one of a child between the ages of one year and 5 years by burns.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these were all deaths of infants under one year of age.

Seventy-three of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 7 were under one month old) and 45 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 11 were octogenarians, and 3 (a male and 2 females) were stated to have been aged 90, 90, and 91 years, respectively.

Ninety-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 27 took place in the N. Dublin Union Workhouse and 24 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·4 per 1,000; the rate in the City was 28·1 (North City Districts, 32·5; South, 23·4), and in the Suburbs 20·9 per 1,000.

The deaths from certain epidemic diseases* in the entire area equal to an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 1·9 (3·0 in the North City Districts, and 0·7 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·8 per 1,000. The deaths include one from whooping-cough, one from *pneumonia* (not defined), one from *phthisis*, and 2 from bronchitis.

*No. North City District, West* (Summer-hill).—The deaths (27) are equal to an annual rate of 36·0 per 1,000. Amongst the deaths there was one from measles, there were 2 from whooping-cough, 2 from *pneumonia* (not defined), 7 from tuberculous disease, and one death from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (29) are equivalent to an annual rate of 50·2 per 1,000. Measles and whooping-cough each caused one death; there was one death from *pneumonia* (not defined), tuberculous disease caused 7 deaths, and bronchitis 2 deaths.

*No 3 North City District* (Benburb-street).—The deaths (26) represent an annual rate of 41·8 per 1,000, and include one from measles, 2 from whooping cough, one from broncho-pneumonia, 7 from tuberculous disease, 2 from diseases of the respiratory system, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1 part of, 19·0, and Finglas and Glasnevin, part of, 2·7. The 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from tuberculous phthisis; and the 3 deaths from all causes for Finglas and Glasnevin, part of, include one from tuberculous phthisis, and one death by accident.

*No. 1 South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·5 per 1,000. Influenza, lobar pneumonia, and broncho-pneumonia each caused one death, tuberculous disease of the lungs caused 6 deaths, and bronchitis caused 2 deaths.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000. Of the deaths one was from *diarrhœa*, 5 were from tuberculous disease, and one was due to bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·8 per 1,000. Broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 6 deaths from tuberculous disease, 4 deaths from bronchitis, and one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. The 19 deaths include one from whooping-cough, 2 from *pneumonia* (not defined), 4 from tuberculous disease, and one death from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and include one death from *phthisis* and one death from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0; Pembroke, 24·3; Blackrock, 23·8; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts include 2 from whooping-cough for Rathmines and Rathgar, and one from the same disease for Pembroke. The 13 deaths from all causes for Rathmines and Rathgar include one from broncho-pneumonia, one from *pneumonia* (not defined), 2 from tuberculous phthisis, 2 from diseases of the respiratory system, and one accidental death. The 13 deaths from all causes for Pembroke include one each from broncho-pneumonia, tuberculous meningitis, and bronchitis, and one accidental death; and the 6 deaths from all causes for Kingstown include one from influenza, one from *pneumonia* (not defined), and 2 deaths from *phthisis*.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 4th May, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Apr. 13, | . | — | — | 4 | 1 | . | 5 | . | 5 | 5 | 12 | . | — | — | 1 | — | — | 33 |
| | Apr. 20, | . | — | — | 1 | . | . | 8 | . | 3 | 7 | 8 | . | — | — | 2 | — | — | 29 |
| | Apr. 27, | . | — | — | 4 | 5 | . | 5 | . | 2 | 2 | 18 | 1 | — | — | 3 | — | — | 40 |
| | May 4, | . | — | — | 4 | 1 | . | 6 | . | 2 | 1 | 10 | . | — | — | . | — | — | 24 |
| Rathmines and Rathgar Urban District. | Apr. 13, | . | — | — | 2 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 3 |
| | Apr. 20, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 27, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | . | — | — | 4 |
| | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Pembroke Urban District. | Apr. 13, | . | . | . | 1 | . | . | . | . | . | 1 | . | . | — | 34 | . | — | — | 36 |
| | Apr. 20, | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | — | 35 | . | — | — | 38 |
| | Apr. 27, | . | 15 | 2 | 1 | . | . | . | . | 2 | . | . | . | — | 77 | . | — | — | 97 |
| | May 4, | . | 2 | . | . | . | . | . | . | . | . | 2 | . | — | 21 | . | — | — | 25 |
| Blackrock Urban District. | Apr. 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 20, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| | Apr. 27, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | May 4, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | . | — | — | 2 |
| Kingstown Urban District. | Apr. 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Apr. 13, | . | — | — | 7 | . | . | 5 | 2 | 2 | 6 | 5 | 1 | — | — | 24 | — | — | 52 |
| | Apr. 20, | . | — | — | 6 | . | . | 3 | 1 | 6 | 8 | 11 | . | — | — | 36 | — | — | 71 |
| | Apr. 27, | . | — | — | 12 | . | . | 5 | 2 | 4 | 7 | 4 | . | — | — | 20 | — | — | 54 |
| | May 4, | . | — | — | 17 | . | . | 4 | . | 6 | 6 | 7 | . | — | — | 30 | — | — | 70 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 4th May, 1907.

From this it appears that:—

Forty-one cases of measles were admitted into hospital during the week, 7 were discharged, ere were 2 deaths, and 115 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 5 were discharged, and 50* cases emained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, 5 were discharged, and 6 ases remained under treatment at its close.

Nine cases of diphtheria were admitted to hospital, 3 were discharged, and 29 patients emained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital, 2 were discharged, there was one eath, and 13 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 3 were discharged, and 41 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 14·9), was equal to an average annual death-rate of 15·9 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 19·9 per 1,000, the rate for Glasgow eing 21·5 and for Edinburgh 20·8.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health or Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th ay. From this Report it appears that of a total of 54 cases notified 19 were scarlet fever, 10 ysipelas, 7 diphtheria, one membranous croup, and 3 enteric fever. Among the 352 cases of infectious seases in hospital at the close of the week were 118 cases of scarlet fever, 54 of measles, 40 of whooping-ugh, 35 of diphtheria, 2 of membranous croup, 15 of erysipelas, and 13 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 4th May, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 4th May, 1907. Air Temperature. Absolute Highest. | Week ending 4th May, 1907. Air Temperature. Absolute Lowest. | Week ending 4th May, 1907. Air Temperature. Mean. | Week ending 4th May, 1907. Rainfall in Inches. | Week ending 27th April, 1907. Air Temperature. Absolute Highest. | Week ending 27th April, 1907. Air Temperature. Absolute Lowest. | Week ending 27th April, 1907. Air Temperature. Mean. | Week ending 27th April, 1907. Rainfall in Inches. | Week ending 20th April, 1907. Air Temperature. Absolute Highest. | Week ending 20th April, 1907. Air Temperature. Absolute Lowest. | Week ending 20th April, 1907. Air Temperature. Mean. | Week ending 20th April, 1907. Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·4 | 23·8 | 1·2 | 780 | 510 | 87 | 117 | . | 5 | 1 | 1 | 11 | . | . | 3 | 5 | 34 | 87 | 39 | 8 | 60 | 10 | 21 | 180 | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 40·4 | 26·4 | 1·9 | 303 | 198 | 36 | 45 | . | 3 | . | . | 10 | . | . | . | 1 | 15 | 37 | 14 | 3 | 19 | 5 | 11 | 88 | 4 | f54·3 | 31·1 | 44·1 | 0·56 | f64·0 | 33·3 | 49·8 | 0·29 | f56·0 | 27·3 | 42·5 | 0·11 |
| City of Dublin, | 300,850 | 33·0 | 47·1 | 28·1 | 1·9 | 272 | 162 | 33 | 33 | . | 3 | . | . | 7 | . | . | . | 1 | 11 | 33 | 13 | 2 | 16 | 3 | 7 | 79 | 3 | g56·8<br>h55·0 | 34·4<br>32·6 | 46·3<br>45·4 | 0·51<br>0·66 | g67·0<br>h65·9 | 36·8<br>35·0 | 51·7<br>50·7 | 0·30<br>0·27 | g59·1<br>h57·8 | 33·2<br>29·8 | 45·5<br>43·7 | 0·06<br>0·10 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 20·5 | 19·0 | 2·9 | 14 | 13 | 1 | 1 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 15·0 | 24·3 | 1·9 | 8 | 13 | 1 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 23·8 | 23·8 | . | 4 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 14·8 | 17·8 | . | 5 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 1 | . | 55 | 35·5 | 45·9 | 0·55 | 65·5 | 37·5 | 51·8 | 0·35 | 55 | 32·5 | 45·1 | 0·02 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 38·9 | 23·8 | 0·8 | 276 | 169 | 37 | 28 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 4 | 43 | 1 | 53·0 | 35·0 | 44·7 | 0·86 | 60·5 | 36·0 | 49·3 | 0·65 | 53·0 | 31·5 | 44·1 | 0·16 |
| Cork, | 76,122 | 33·6 | 24·7 | 21·2 | . | 36 | 31 | 4 | 9 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | . | 14 | 2 | 55 | 39 | 46·6 | 0·36 | 60 | 36 | 50·3 | 0·55 | 55 | 34 | 46·2 | 1·06 |
| Londonderry, | 42,475 | 19·6 | 24·6 | 16·0 | . | 20 | 13 | 1 | 6 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 51·9 | 27·3 | 1·4 | 38 | 20 | 2 | 2 | . | . | . | . | . | . | . | 1 | . | 1 | 8 | . | . | . | . | 2 | 8 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 17·5 | 27·3 | 5·8 | 9 | 14 | . | 4 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 31·1 | 11·7 | . | 8 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 58 | 32 | 47 | 1·07 | 59 | 39 | 47 | 0·37 | 53 | 30 | 44·3 | 0·35 |
| Dundalk, | 18,076 | 2·4 | 8·0 | 12·0 | . | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 32·7 | . | 5 | 8 | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 12·6 | 21·0 | . | 3 | 5 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 2 | . | 54·0 | 31·2 | 44·3 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 |
| Lurgan, | 11,782 | 13·8 | 31·0 | 4·4 | . | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 |
| Lisburn, | 11,461 | 10·1 | 45·5 | 13·6 | . | 10 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 |
| Wexford, | 11,168 | 23·2 | 9·3 | 18·7 | . | 2 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,686 | 8·9 | 43·1 | 14·4 | . | 9 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,670 | 8·7 | 9·6 | 24·0 | 4·8 | 2 | 5 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 53·8 | 34·0 | 45·2 | 2·04 | 59·1 | 31·3 | 47·6 | 0·68 | 58·8 | 26·0 | 44·3 | 0·31 |
| Kilkenny, | 10,609 | 11·5 | 34·3 | 34·3 | 4·9 | 7 | 7 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 56 | 30 | 45 | 0·52 | 64 | 35 | 49·6 | 0·13 | 55 | 29 | 45·6 | 0·25 |
| Clonmel, | 10,167 | 7·8 | 15·4 | 15·4 | . | 3 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 62·0 | 10·3 | . | 12 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 |
| Tralee, | 9,867 | 16·6 | 47·6 | 21·1 | . | 9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 40·1 | 45·8 | . | 7 | 8 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | . | . | . | 2 | 1 | 53 | 36 | 44·9 | 0·82 | 61 | 37 | 47·6 | 0·67 | 51 | 37 | 44·2 | 0·25 |
| Queenstown, | 7,909 | 14·4 | 33·0 | 19·8 | . | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 55 | 39 | 46·6 | 0·36 | 60 | 36 | 50·3 | 0·55 | 55 | 34 | 46·2 | 1·06 |
| Armagh, | 7,588 | 22·2 | 48·1 | 20·6 | . | 7 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 | 54·0 | 30·0 | 44·3 | 0·16 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons, admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Dungarvan have been adopted for Waterford.
f See note (f) to Table 12.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 4th May, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | GOOLOCK and DRUMCONDRA, No. 1 (part of). | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | 1 | 2 | 1 | 2 | . | . | . | . | . | . | 1 | . | 2 | 1 | . | . | 10 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Pneumonia | 1 | 2 | 1 | 1 | . | . | . | 2 | . | 2 | 2 | . | 2 | 1 | . | 1 | 15 | . |
| Tuberculous Disease: Phthisis | 1 | 6 | 4 | 5 | . | 1 | 1 | 6 | 2 | 3 | 3 | 1 | 2 | . | . | 2 | 37 | 2 |
| Tuberculous Disease: Other Forms | . | 1 | 3 | 2 | . | . | . | . | 3 | 3 | 1 | . | . | 1 | . | . | 14 | . |
| Cancer, Malignant Disease | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 3 | . |
| Other General Diseases | . | 4 | 3 | 5 | . | . | . | 2 | . | . | 1 | . | 1 | 1 | . | 1 | 18 | 1 |
| Total, | 3 | 16 | 13 | 17 | . | 2 | 1 | 10 | 6 | 8 | 8 | 1 | 7 | 4 | 1 | 4 | 101 | 3 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 3 | 2 | 1 | . | 1 | . | 1 | 1 | . | 3 | . | 2 | 1 | 1 | . | 16 | 1 |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | . | 6 | 6 | 2 | . | . | 1 | . | . | 1 | . | 1 | 1 | 3 | 1 | 1 | 23 | 1 |
| Diseases of: Respiratory System | 2 | 1 | 2 | 2 | . | . | . | 2 | 1 | 4 | 1 | 1 | 2 | 1 | . | . | 19 | . |
| Diseases of: Digestive System | 1 | 1 | 4 | 1 | 1 | . | . | 1 | . | 1 | 2 | . | . | 1 | . | . | 13 | . |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 2 | . | . | 1 | . | 1 | 8 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " Integumentary System | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Total, | 3 | 11 | 15 | 8 | 1 | 1 | 1 | 5 | 3 | 7 | 8 | 2 | 5 | 7 | 2 | 2 | 81 | 2 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | . | . | 1 | . | . | 1 | . | 3 | 1 | . | 3 | . | . | 1 | 1 | . | 11 | . |
| **E. VIOLENT DEATHS** | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | 1 | . | . | 5 | 2 |
| **Deaths from all Causes** | 6 | 27 | 29 | 26 | 1 | 4 | 3 | 18 | 10 | 16 | 19 | 3 | 13 | 13 | 4 | 6 | 198 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 10·8 | 36·0 | 50·2 | 41·8 | 10·2 | 19·0 | 21·7 | 23·5 | 25·3 | 19·8 | 28·2 | 17·6 | 19·0 | 24·3 | 23·8 | 17·8 | 26·4 | . |
| | 32·5 | | | | | | | 23·4 | | | | | 20·9 | | | | | |
| | 28·1 | | | | | | | | | | | | | | | | | |
| **Ages at Death:** Under 1 year | 2 | 4 | 7 | 7 | . | . | 1 | 6 | 1 | 3 | 2 | . | 1 | 1 | 1 | . | 36 | . |
| 1 and under 5 years | . | 5 | 6 | 5 | 1 | . | . | . | 3 | 4 | 4 | . | 6 | 2 | . | . | 36 | 1 |
| 5 " 20 " | . | . | 1 | 3 | . | 1 | . | 2 | . | . | 1 | . | 1 | 1 | . | . | 10 | 2 |
| 20 " 40 " | 2 | 5 | 5 | 2 | . | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 3 | 2 | . | 1 | 29 | 3 |
| 40 " 60 " | 1 | 8 | 4 | 5 | . | 1 | . | 6 | 2 | 6 | 4 | . | 1 | 1 | 1 | 2 | 42 | 1 |
| 60 and upwards | 1 | 5 | 6 | 4 | . | 1 | | 3 | 3 | 2 | 7 | 1 | 1 | 6 | 2 | 3 | 45 | . |
| Number of Uncertified Deaths | . | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 1 | 5 | 3 | 9 | . | . | 1 | . | 2 | 3 | 4 | . | 5 | 3 | . | 1 | 37 | 7 |
| Workhouse Hospitals | 1 | 11 | 9 | 5 | . | 1 | . | 9 | 3 | 6 | 5 | 1 | . | . | . | . | 51 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 1897-1906.

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 18th Week of the 10 years 1897-1906. | In the Week ending Saturday 4th May, 1907. Deaths of Persons of the Ages | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 8, 1897. | May 7, 1898. | May 6, 1899. | May 5, 1900. | May 4, 1901. | May 3, 1902. | May 9, 1903. | May 7, 1904. | May 6, 1905. | May 5, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 0 to 5. 1 month and under a year. | 0 to 5. 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards. |
| Mean Temperature. | 46·8 | 47·9 | 45·3 | 48·6 | 46·3 | 46·9 | 47·0 | 46·7 | 46·4 | 44·3 | 46·6 | 44·1 | | | | | | | |
| **ALL CAUSES.** | 226 | 164 | 166 | 204 | 183 | 191 | 192 | 178 | 164 | 191 | 185·9 | 205 | 7 | 29 | 37 | 12 | 32 | 43 | 34 |
| Small-pox, ... ... | . | . | . | . | . | . | 4 | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 8 | . | . | . | . | 3 | . | 4 | 3 | . | 1·8 | 3 | . | 1 | 2 | . | . | . | . |
| Scarlet Fever, ... ... | 4 | 1 | . | . | . | . | 2 | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| Typhus, ... ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 5 | 4 | 8 | 3 | 5 | 2 | 3 | 1 | 2 | 2 | 3·5 | 2 | . | . | . | . | 2 | . | . |
| Whooping-cough, ... ... | 16 | 3 | 4 | 4 | 9 | 3 | 4 | 11 | 1 | 1 | 5·6 | 10 | . | 5 | 3 | 2 | . | . | . |
| Diphtheria, ... ... | 2 | 1 | 1 | . | 1 | 2 | 1 | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 2 | 3 | 2 | 6 | 2 | 1 | 3 | 2 | 3 | 1 | 2·5 | . | . | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 1 | 1 | 1 | 2 | . | . | . | . | . | 1·2 | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | 1 | 1 | 1 | . | | 1 | . | . | . | . | . | . | 1 |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 3 | 1 | . | . | . | 2 | 1 | 1 | 2 | 2 | 1·2 | 2 | . | 2 | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 18 | 14 | 16 | 10 | 11 | 1 | 1 | 1 | . | 2 | 14·5 | 1 | . | 1 | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 2 | 2 | 8 | 4 | 11 | | 5 | . | 2 | 3 | . | . | . | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 10 | 10 | 8 | 8 | 8 | | 9 | . | 1 | 3 | . | 1 | 1 | 1 |
| Erysipelas, ... ... | . | 1 | . | . | 1 | 1 | 1 | 1 | 1 | 1 | ·7 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | 1 | 2 | . | . | . | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | | . | . | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 2 | . | . | . | ·2 | 3 | . | . | . | . | 2 | . | 1 |
| Tuberculous Phthisis, | 31 | 21 | 18 | 29 | 29 | 4 | 3 | 5 | 7 | 14 | 26·3 | 19 | . | . | 1 | 3 | 6 | 9 | . |
| "*Phthisis*," ... | | | | | | 21 | 24 | 17 | 18 | 22 | | 20 | . | . | . | 1 | 12 | 6 | . |
| Tuberculous Meningitis, ... | 7 | 5 | 4 | 2 | 3 | 3 | 3 | 2 | 2 | 3 | 3·4 | 3 | . | 1 | 2 | . | . | . | . |
| Tuberculous Peritonitis, | 5 | 1 | 6 | 6 | 4 | 1 | 1 | 3 | 3 | 2 | 3·5 | 1 | . | . | 1 | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | 3 | . | . | . | . | | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 5 | 2 | 7 | 4 | 6 | 3 | 6 | 7 | 6 | 10 | 5·6 | 10 | . | 2 | 6 | 1 | . | 1 | . |
| *Scrofula*, ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Alcoholism, ... ... | . | . | 1 | 1 | . | 1 | 2 | . | 2 | . | ·7 | 1 | . | . | . | . | 1 | . | . |
| Rheumatic Fever, ... ... | 2 | 2 | . | 1 | 1 | 1 | . | 1 | . | . | ·8 | . | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 7 | 6 | 7 | 4 | 8 | . | 1 | 1 | 5 | 4 | 6·3 | 1 | . | . | . | . | . | . | 1 |
| Sarcoma, ... ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 5 | 3 | 3 | 2 | | 2 | . | . | . | . | 2 | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | 2 | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| Premature Birth, ... | 2 | 8 | 1 | 2 | 3 | 3 | 4 | 5 | 2 | 2 | 3·2 | 3 | 2 | 1 | . | . | . | . | . |

* The figures for the years 1897-1900 are

† Formerly described

TEENTH WEEK ending Saturday, 4th May, 1907, with the deaths from each cause in the corresponding
e average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: May 8, 1897. | May 7, 1898. | May 6, 1899. | May 5, 1900. | May 4, 1901. | May 3, 1902. | May 9, 1903. | May 7, 1904. | May 6, 1905. | May 5, 1906. | Averages in 18th Week of the 10 years 1897-1906. | In the Week ending Saturday, 4th May, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5: Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 46·8 | ° 47·9 | ° 45·3 | ° 48·6 | ° 46·3 | ° 46·9 | ° 47·0 | ° 46·7 | ° 46·4 | ° 44·3 | ° 46·6 | Mean Temp. ° 44·1 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 9 | 2 | 3 | 1 | 3 | | 6 | . | 2 | 2 | 1 | 1 | . | . | . |
| nity, G. P. of Insane ... | | | | | | . | 1 | 3 | 2 | 2 | | . | . | . | . | . | . | . | . | . |
| epsy .. ... | | | | | | 1 | 2 | . | . | . | | . | . | . | . | . | . | . | . | . |
| *ulsions* ... .. | | | | | | 6 | 8 | 7 | 3 | 4 | | 6 | 2 | 2 | 2 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | 2 | 1 | 1 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| vous System (other s.) | 34 | 26 | 25 | 57 | 36 | 6 | 4 | . | 3 | . | 38·8 | 4 | . | . | . | 1 | 1 | 1 | 1 | 1 |
| Dis., Endocarditis | | | | | | 2 | 6 | 5 | 5 | 4 | | 5 | . | . | . | . | 2 | 1 | 2 | . |
| br. Hæm. Thromb. | | | | | | 4 | 2 | 1 | 2 | . | | 2 | . | . | . | . | . | . | 1 | 1 |
| *lexy, Hemiplegia* ... | | | | | | 6 | 5 | 9 | 2 | 5 | | 5 | . | . | . | . | . | 2 | 2 | 1 |
| rysm ... | | | | | | 1 | 1 | . | . | 2 | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 14 | 15 | 16 | 15 | 11 | | 12 | . | 1 | . | . | 1 | 7 | 2 | 1 |
| p (not Spasm. nor mb.) | 1 | . | . | . | 2 | 1 | 2 | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 22 | 27 | 24 | 19 | 25 | 14 | 16 | 15 | 16 | 33 | 21·1 | 16 | 1 | 1 | 1 | . | . | 3 | 7 | 3 |
| ma, Emphysema ... | | | | | | 2 | 3 | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| risy ... ... | 3 | . | . | . | 2 | . | . | 1 | . | . | 2·2 | 1 | . | . | . | . | . | 1 | . | . |
| iratory Dis. (other) ... | | | | | | 2 | 1 | 1 | 4 | 2 | | 2 | . | . | . | 1 | . | . | 1 | . |
| illitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | | | | | | . | . | 2 | . | . | 1·0 | 5 | . | 1 | 3 | . | 1 | . | . | . |
| *ro Enteritis* ... . | 3 | . | . | 1 | . | 2 | 1 | . | 1 | . | | 1 | . | . | 1 | . | . | . | . | . |
| *onitis* (not Puerp.) ... | 3 | | 1 | 1 | . | . | 1 | 2 | . | 1 | 9 | . | . | . | . | . | . | . | . | . |
| osis of Liver ... | | | | | | . | 1 | . | 2 | 4 | | 2 | . | . | . | . | 2 | . | . | . |
| r Dis. (other) ... | 3 | 2 | 3 | 1 | 5 | 3 | 3 | 2 | 1 | 2 | 3·2 | 1 | . | . | . | . | . | . | 1 | . |
| stive Dis. (other) ... | 2 | 4 | 1 | 5 | 6 | 9 | 5 | 3 | 4 | 5 | 4·4 | 4 | . | 2 | 1 | 1 | . | . | . | . |
| ritis, Acute ... | | | | | | 3 | 1 | . | . | 4 | | . | . | . | . | . | . | . | . | . |
| ht's Dis., Albuminuria | 2 | 3 | 6 | 6 | 6 | 1 | 4 | 5 | 2 | 2 | 5·0 | 6 | . | . | . | . | . | 4 | 2 | . |
| ary Sys. (Other Dis.) | | | | | | . | . | 2 | 1 | 2 | | 2 | . | . | . | . | . | . | 1 | 1 |
| rative Organs Dis. ... | . | 2 | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| lbirth (Accid. of) ... | . | . | . | . | . | . | 1 | . | 2 | . | ·3 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 10 | 9 | 11 | 16 | 5 | 8 | 3 | 5 | 3 | 5 | 7·5 | 5 | . | . | . | . | . | . | 2 | 3 |
| r Diseases ... ... | 20 | 16 | 12 | 16 | 9 | 13 | 15 | 7 | 17 | 6 | 13·1 | 16 | 2 | 4 | 3 | 1 | . | 1 | 5 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | . | 1 | . | . | . |
| ehicles and Horses ... | . | . | 1 | 1 | . | . | . | . | 1 | . | ·3 | 2 | . | . | 1 | . | 1 | . | . | . |
| ips, Boats, Docks (exsive of Drowning) ... | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | 1 | 1 | . | 3 | . | 2 | 1 | 1 | . | 1 | 1·0 | 1 | . | . | 1 | . | . | . | . | . |
| rowning ... ... | 1 | . | 1 | . | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| uffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous pours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| r Deaths by Accident | . | . | 3 | 2 | 1 | 2 | 1 | 2 | . | 2 | 1·3 | 3 | . | . | 1 | 1 | . | 1 | . | . |
| **LENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| de ... ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted,
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. |
| No. of weeks in Annual Series. | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| BIRTHS registered, | 198 | 182 | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 |
| *Average Births in corresponding week of previous 10 years,** | 194 | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 |
| DEATHS registered, | 192 | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 |
| Annual Death-rate per 1,000, | 26·4 | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 177 | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 |
| AGES,— Under 5 years, | 52 | 61 | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 |
| 5—20 ,, | 10 | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 |
| 20—40 ,, | 36 | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 |
| 40—60 ,, | 42 | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 |
| 60—80 ,, | 45 | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 |
| 80 years and upwards, | 7 | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 6 | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 |
| Scarlet Fever | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . |
| Whooping-cough, | 2 | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 |
| Diphtheria, | 1 | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever, | 1 | 1 | 1 | . | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . |
| Diarrhœal Diseases, | 2 | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 |
| Pneumonia, | 8 | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 |
| Tuberculous Phthisis, | 31 | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 |
| Disease. Other Forms, | 9 | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 13 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 |
| Cancer, Malignant Disease, | 11 | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 |
| Diseases of Heart and Blood Vessels, | 32 | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 2 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 21 |
| Diseases of Respiratory System, | 19 | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 |
| Violent Deaths, | 3 | 9 | 3 | 8 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 |
| Number of Uncertified Deaths, | 9 | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 48·8 | 42·9 | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 46·0 | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 |
| Rainfall in inches, | ·820 | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·423 | 1·005 | ·268 | ·085 | ·725 | 1·037 | ·111 | ·289 | ·560 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·86 | ·87 | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·93 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION of the Deaths registered in the Dublin Registration Area during the Week ending Saturday, 4th May, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 4TH MAY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 28·5 | 205 | 73 | 12 | 32 | 43 | 31 | 14 | . | 3 | . | . | 10 | . | . | . | 1 | 14 | 15 | 39 | 14 | 3 | 6 | 19 | 7 | 88 | 4 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 15·0 | 5 | . | 1 | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 4 | . |
| II. | MIDDLE CLASS, | 87,188 | 16·1 | 27 | 6 | 4 | 6 | 4 | 4 | 3 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 7 | . | . | 2 | . | . | 14 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 18·4 | 39 | 13 | 3 | 9 | 8 | 6 | . | . | 1 | . | . | 3 | . | . | . | . | 4 | 3 | 7 | 3 | 1 | 2 | 5 | . | 14 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 43·6 | 83 | 43 | 3 | 11 | 11 | 11 | 4 | . | 2 | . | . | 6 | . | . | . | . | 8 | 6 | 9 | 5 | 1 | 2 | 6 | 7 | 39 | 3 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 51 | 11 | 1 | 6 | 20 | 9 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 16 | 6 | 1 | . | 8 | . | 17 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 26·7 | 4 | . | 1 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 27·0 | 4 | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 1 | . | 2 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·4 | 9 | 4 | 1 | 2 | . | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | . | 1 | . | . | 5 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 13·5 | 7 | 1 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . | . | . | . | . | 1 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 31·7 | 6 | 2 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 3 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 14·0 | 8 | 4 | . | 1 | 1 | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | . | . | 1 | 2 | . | 1 | . |
| | 10. Clothing Trades, | 28,260 | 4·5 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,852 | 29·2 | 17 | 4 | 2 | 3 | 6 | 2 | . | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 | 1 | 1 | 1 | 2 | . | 6 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 19·8 | 3 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 15·5 | 4 | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | . | . | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | 1 | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 39·9 | 11 | 5 | . | 1 | . | 4 | 1 | . | . | . | . | 2 | . | . | . | . | 2 | 1 | . | . | . | 1 | 1 | . | 6 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 36·0 | 62 | 36 | 3 | 8 | 8 | 5 | 2 | . | 2 | . | . | 4 | . | . | . | . | 6 | 5 | 6 | 5 | 1 | 1 | 4 | 6 | 28 | 3 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 51 | 11 | 1 | 6 | 20 | 9 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 16 | 6 | 1 | . | 8 | . | 17 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyræxia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Mar. 16, | 32·3 | 1·8 | 18 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 3 | 1 | 2 |
| | „ 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| | „ 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| | „ 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | 1 |
| | „ 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 2 | 1 |
| | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Mar. 16, | 26·6 | 4·0 | 20 | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . | . | 6 | 1 | . |
| | „ 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| | „ 30, | 28·0 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | . | . | . | . | . | 5 | 4 | . | 1 | . | . |
| | „ 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | 1 |
| | „ 20, | 21·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| | „ 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 8 | 1 | . | 1 | 1 | . |
| | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Mar. 16, | 45·0 | 5·2 | 26 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 4 | 1 | 1 | 2 | . | . |
| | „ 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 3 | . | . |
| | „ 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| | Apr. 6, | 43·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| | „ 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| | „ 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| | „ 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| | May 4, | 50·2 | 3·5 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Mar. 16, | 33·8 | 4·8 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 2 | 1 | 2 | . | 2 |
| | „ 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 5 | . | 3 | . | . |
| | „ 30, | 28·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| | „ 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| | „ 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| | „ 27, | 56·3 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Mar. 16, | 30·0 | 5·2 | 23 | . | 2 | 1 | . | 1 | . | . | . | . | . | 1 | 2 | 2 | 4 | . | 2 |
| | „ 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| | „ 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| | „ 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| | „ 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| | „ 27, | 39·1 | 2·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Mar. 16, | 20·3 | . | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | . | . |
| | „ 23, | 32·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| | „ 30, | 30·4 | 2·5 | 12 | . | . | . | 1 | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 1 |
| | „ 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| | „ 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | 3 | . | . |
| | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Mar. 16, | 34·6 | 1·2 | 28 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 4 | 2 | 7 | . | 1 |
| | „ 23, | 22·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| | „ 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| | Apr. 6, | 29·6 | 1·2 | 24 | . | 1 | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| | „ 13, | 25·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| | „ 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| | „ 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,186. | Mar. 16, | 18·4 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | „ 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | . | . |
| | „ 30, | 23·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | 1 | . |
| | Apr. 6, | 22·3 | 3·0 | 15 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |
| | „ 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |
| | „ 20, | 32·6 | 3·0 | 22 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |
| | „ 27, | 26·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 3 | . | 1 |
| | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | . |

* Formerly described as "Simple Continued Fever"

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia*[*] (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Mar. 16, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | „ 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| | „ 30, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 27, | 23·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Mar. 16, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 8 | . | . |
| | „ 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| | „ 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| | Apr. 6, | 24·8 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| | „ 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| | „ 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| | „ 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| | May 4, | 24·8 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Mar. 16, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| | „ 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| | „ 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Mar. 16, | 22·0 | 1·0 | 156 | . | . | . | . | . | . | . | 2 | 5 | 26 | 12 | 9 | 4 | 27 | 5 | 1 |
| | „ 23, | 23·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| | „ 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 1 |
| | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| | „ 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| | „ 20, | 23·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 28 | 13 | 4 | 21 | 4 | 6 |
| | „ 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| | May, 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Mar. 16, | 28·1 | 2·7 | 41 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 2 | 2 | 6 | . | . |
| | „ 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| | „ 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| | „ 13, | 23·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| | „ 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| | „ 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Mar. 16, | 23·3 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 3 | 3 | 3 | . | . |
| | „ 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| | „ 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | Apr. 6, | 12·3 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| | „ 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| | „ 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| | „ 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| | May 4, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| **Limerick.** Pop. (in 1901) 38,151. | Mar. 16, | 23·2 | . | 17 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 |
| | „ 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | 2 |
| | „ 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | 3 |
| | Apr. 6, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| | „ 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| | „ 27, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 8 | . | . | . | . | 3 |
| **Waterford.** Pop. (in 1901) 26,769. | Mar. 16, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 2 |
| | „ 23, | 27·3 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |
| | „ 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |
| | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| | „ 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 |
| | „ 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | May 4, | 27·3 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th May, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (29) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 2 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | 2 | 2 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 4 | . |
| Do. 2 „ | 47,959 | 37 | | | 18 | 3 | 1 | 2 | 5 | 3 | 4 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 1 | . | 5 | . | 1 | 5 | . |
| Do. 3 „ | 47,214 | 33 | | | 27 | 7 | 5 | 1 | 5 | 4 | 5 | . | 1 | . | . | . | . | . | . | 1 | 3 | 3 | 1 | . | 4 | 1 | 2 | 5 | . |
| Do. 4 „ | 40,911 | 50 | | | 21 | 6 | 2 | 1 | 1 | 7 | 4 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | . | 10 | . |
| Do. 5 „ | 17,887 | 13 | | | 13 | 3 | 5 | 2 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | 2 | . | 5 | . | . | . | . | 4 | . |
| Do. 6 „ | 48,122 | 30 | | | 15 | 1 | 3 | 5 | 1 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 4 | 1 |
| Do. 7 „ | 1,524 | 2 | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ | 5,060 | 4 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 9 „ | 19,569 | 17 | | | 10 | 1 | 2 | 2 | 2 | 2 | 1 | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | . | . | 3 | . | . | 5 | . |
| Do. 10 „ | 28,064 | 23 | | | 18 | 5 | 3 | 3 | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 4 | . | . | 4 | . |
| Do. 11 „ | 34,802 | 23 | | | 14 | 2 | 1 | 2 | 2 | 6 | 1 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 2 | 1 | . | . | 1 | . |
| Do. 12 „ | 33,588 | 32 | | | 18 | 4 | 1 | 4 | 3 | 3 | 3 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 1 | . | . | 4 | . |
| Do. 13 „ | 15,006 | 10 | | | 5 | 2 | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | . |
| Do. 14 „ | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 276 | | | 169† | 37 | 25 | 24 | 23 | 32 | 28 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 4 | 48 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 4 | 16·2 | . | 4 | 1 | . | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Do. 2 „ | 10,701 | 6 | 24·4 | . | 5 | 1 | 1 | 3 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 3 „ | 9,978 | 7 | 20·9 | . | 4 | . | . | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . |
| Do. 4 „ | 8,666 | 6 | 24·1 | . | 4 | . | 1 | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . |
| Do. 5 „ | 6,592 | 2 | 7·9 | . | 1 | 1 | . | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Do. 6 „ | 10,702 | 5 | 24·4 | . | 5 | . | 1 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | 1 | . |
| Do. 7 „ | 16,616 | 6 | 25·1 | . | 8 | 1 | 1 | 3 | | | 3 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | . | . | . | 5 | . |
| Total, | 76,122 | 36 | 21·2 | . | 31 | 4 | 4 | 14 | | | 9 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | . | 14 | 2 |

TABLE [illegible]—City of Belfast. Comparative Table of Deaths [illegible] *without the City are omitted.*

| Belfast. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 10. | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. |
| No. of weeks in Annual Series, | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| Births registered, | 180 | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 |
| Deaths registered, | 131 | 145 | 125 | 123 | 139 | 118 | 127 | 130 | 173 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169† |
| Annual Death-rate per 1,000 of estimated Population, | 18·7 | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 |
| Ages: Under 1 year | 33 | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 |
| Ages: 1-5 years, | 13 | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 |
| Ages: 5-20 years, | 14 | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 |
| Ages: 20-40 years, | 19 | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 |
| Ages: 40-60 years, | 22 | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 |
| Ages: 60 years and upwards, | 30 | 37 | 33 | 35 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 |
| Scarlet Fever, | 1 | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . |
| Typhus, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 |
| Diphtheria, | 2 | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 |
| Diarrhœal Diseases, | 5 | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 |
| Pneumonia, | 11 | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 |
| Tuberculous Disease: Phthisis, | 12 | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 |
| Tuberculous Disease: Other Forms, | 7 | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 |
| Cancer, Malignant Disease, | 3 | 3 | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 |
| Diseases of Respiratory System, | 27 | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 |
| Violent Deaths, | 4 | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 |
| Number of Uncertified Deaths, | 4 | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 |

*Formerly described as "Simple Continued Fever."

† Including 23 deaths from cerebro-spinal fever, or from *cerebro spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | May 4, | 2,352 | 1,364 | 14·9 | . | 40 | 8 | 13 | 69 | 2 | 18 |
| EDINBURGH, | 345,747 | „ 4, | 151 | 138*a* | 20·8 | . | . | 2 | . | 3 | . | . |
| GLASGOW, | 847,584 | „ 4, | 493 | 350*a* | 21·5 | . | 4 | 1 | 1 | 36 | 1 | 3 |
| CALCUTTA, | 847,796 | Mar. 16, | . | 631 | 38·7 | 66 | 4 | . | 2 | . | 86‡ | 121* |
| BOMBAY, | 977,822 | Apr. 2, | 286 | 1,340 | 71·3 | 3 | 1 | . | . | . | 85‡ | 66* |
| MADRAS, | 509,346 | „ 15, | 288 | 382 | 38·9 | 4 | 9 | ? | ? | ? | 94 | 88* |
| PARIS, | 2,750,000 | „ 20, | 996 | 1,085 | 20·7 | 1 | 13 | 12 | 3† | 5 | 12 | 18 |
| BRUSSELS (with 8 Faubourgs). | 623,074 | „ 13, | 237 | 167 | 13·9 | . | 1 | . | . | 1 | 1 | 7 |
| ANTWERP, | 304,032 | „ 13, | 134 | 84 | 14·4 | . | 1 | 1 | . | . | 1 | 7 |
| AMSTERDAM, | 565,368 | „ 20, | 307 | 178 | 16·4 | . | . | 2 | 1† | 2 | 1 | 3 |
| COPENHAGEN, | 427,000 | „ 13, | 222 | 162 | 19·8 | . | 4 | . | 1† | 4 | . | 2 |
| STOCKHOLM, | 324,488 | „ 13, | 148 | 78 | 12·2 | . | . | . | . | . | . | 4 |
| CHRISTIANIA, | 226,774 | „ 20, | 128 | 63 | 14·4 | . | 1 | . | 1† | 1 | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 13, | 932 | 794 | 27·9 | . | 41 | 13 | 16 | 2 | 12 | 103 |
| MOSCOW, | 1,172,421 | Mar. 16, | . | 714 | 31·8 | 1 | 15 | 15 | 13† | 7 | 20 | 62 |
| BERLIN, | 2,090,504 | Apr. 6, | 856 | 634 | 15·8 | . | 3 | 4 | 7† | 9 | . | 38 |
| HAMBURG, | 824,792 | „ 13, | . | 268 | 16·9 | . | . | 1 | 1† | 1 | . | 23 |
| BRESLAU, | 483,486 | „ 20, | . | 197 | 21·2 | . | . | . | 2† | . | . | 16 |
| MUNICH, | 548,000 | „ 20, | | 217 | 20·6 | . | 5 | 1 | 4† | . | 2 | 20 |
| VIENNA (with suburbs). | 1,998,479 | „ 20, | 954 | 734 | 19·1 | . | 21 | . | 8† | . | . | 32 |
| BUDA-PESTH, | 802,235 | „ 13, | 489 | 358 | 23·2 | . | 3 | 8 | 1† | . | 2 | 12 |
| PRAGUE and Faubourgs. | 466,133 | „ 13, | . | . | . | . | . | . | . | . | . | . |
| TRIESTE, | 200,962 | Apr. 6, | 113 | 159 | 41·3 | 1 | 2 | . | . | 2 | . | 2 |
| ROME, | 540,150 | Mar. 2, | 299 | 232 | 22·4 | 1 | . | . | 5 | 3 | 3 | 2 |
| VENICE, | 174,398 | „ 16, | 80 | 93 | 27·8 | . | . | . | 1† | . | 1 | 3 |
| NEW YORK, | 4,285,435 | Apr. 6, | 2,632 | 1,540 | 18·8 | . | 21 | 16 | 38† | 12 | 19 | 62 |
| PHILADELPHIA, | 1,500,595 | Mar. 23, | . | 615 | 21·3 | . | 4 | 4 | 11† | 4 | 33 | 22 |
| BOSTON, | 602,526 | Apr. 6, | . | 248 | 21·5 | . | . | 1 | 1 | . | 1 | 5 |

*a.* Including 7 deaths from cerebro spinal meningitis in Edinburgh, and 30 in Glasgow.
* Including 50 deaths from cholera in Calcutta, one in Bombay, and 10 in Madras.
† Including deaths from croup.
‡ Exclusive of 95 deaths from plague in Calcutta, and 655 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th May, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 1, West, | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| " " 2, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | 1 | . | 2 | . | . | . | 3 |
| Clontarf and Howth No. 1 part of) | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 part of) | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 4 | . | . | . | 3 | . | . | . | 7 |
| " " 2, | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 3 |
| " " 3 | . | 3 | 1 | . | . | . | . | . | . | . | . | . | 4 |
| " 4, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| New Kilmainham, | . | . | . | | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | 1 | . | 6 | . | 2 | 1 | 10 | . | . | . | 24 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th May, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 4th May. | | | |
|---|---|---|---|---|---|---|---|
| | April 13. | April 20. | April 27. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox. | . | . | . | . | . | . | . |
| Measles, | 86 | 78 | 83 | 41 | 7 | 2 | 115 |
| Scarlet Fever | 40 | 42 | 43 | 12 | 5 | . | 50* |
| Typhus, | 12 | 6 | 10 | 1 | 5 | . | 6 |
| Diphtheria, | 16 | 20 | 23 | 9 | 3 | . | 29 |
| Enteric Fever, | 14 | 16 | 12 | 4 | 2 | 1 | 13 |
| Pneumonia, | 40 | 47 | 41 | 13 | 13 | . | 41 |

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 4th May, 1907:—

"Very unsettled, cold, stormy and showery weather prevailed during the greater part of this week. Until Wednesday the barometer was highest over the Ocean to the southwest of the British Isles, whereas successive areas of relatively low pressure hovered over the Icelandic and Scandinavian regions. As a result, cold N.W. winds prevailed in the British Isles, and were accompanied by showers of cold rain, sleet and hail. On Tuesday a thunderstorm occurred at Llandudno, lightning was seen at Aberdeen and in the Scilly Isles, and hail fell in many places. In Dublin there were on this day passing showers of hail and graupel (soft hail). In the course of Wednesday the barometer fell quickly as an unusually deep depression approached the N. of Ireland and W. of Scotland from the Atlantic. By 8 a.m. of Thursday the mercury had fallen to 28·77 inches at Stornoway in the Hebrides and to 28·84 inches at Malin Head. At the hour named a very steep baric gradient, 0·7 inch, was shown over Ireland, and accordingly a fresh or strong gale was felt over this country and the South of England, Blacksod Point reporting 'a whole gale.' The cyclone travelled slowly eastwards, and was central at 8 a.m. of Friday off the east coast of Caithness, the barometer at Wick reading 28·80 inches. In the course of the afternoon of Friday a secondary disturbance passed eastwards across Ireland, causing rain and a renewed fall of temperature. A fresh westerly gale blew for many hours on Saturday, but bright sunshine took the place of the clouds and showers of earlier days. In Dublin the mean height of the barometer was 29·606 inches, the range being from 29·980 inches at 9 a.m. of Sunday (wind, W.N.W.) to 29·130 inches at 12.35 p.m. of Thursday (wind, W.). The corrected mean temperature was 46·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·5°. The screened thermometers rose to 56·8° on Monday and fell to 34·4° on Wednesday. The prevailing winds were N.W. and W. Rain fell on six days to the amount of ·508 inch, ·190 inch being recorded on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·608 inches. The highest reading (29·968) was on Sunday at 9 a.m., wind S.W., and the lowest (29·178) on Thursday at 9 a.m. and 9 p.m., wind S.S.W.

The mean temperature for the week was 44·1°, being 2·5° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Monday, on which day the thermometer registered 54·3°, and was lowest on Wednesday, the mercury having fallen to 31·1°. The mean of the Dry Bulb for the week was 45·3°, and of the Wet Bulb 42·0°. The mean humidity of the air was ·78, complete saturation being represented by 1·0. The rainfall during the week measured 0·560 inch.

At Greenwich the mean temperature for the week was 46·4°, the maximum 60·4°, and the minimum 35·0°; at Glasgow the maximum was 55·2°, the minimum 34·0°, and the mean 45·0°; and at Edinburgh the maximum was 52·9°, the minimum 32·9°, and the mean 42·8°. The rainfall at Greenwich measured 0·59 in.; at Glasgow, 1·55 ins.; and at Edinburgh, 0·92 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, April 28, | 29·938 | 50·8 | 32·3 | 41·6 | 46·5 | 44·7 | ·87 | ·8 | 0·0 | ·045 | S.W. | W.S.W. |
| Monday, „ 29, | 29·825 | 54·3 | 45·5 | 49·9 | 48·9 | 45·7 | ·79 | ·7 | 1·1 | ·175 | W.S.W. | Calm. |
| Tuesday, „ 30, | 29·840 | 49·2 | 38·1 | 43·7 | 41·6 | 38·1 | ·74 | ·6 | 10·5 | ·010 | W.S.W. | S.W. |
| Wednesday, May 1, | 29·627 | 50·0 | 31·1 | 40·6 | 46·1 | 43·0 | ·79 | ·5 | 5·9 | ·170 | S.W. | S.S.W. |
| Thursday, „ 2, | 29·178 | 49·5 | 33·1 | 41·3 | 44·7 | 41·3 | ·76 | ·7 | 9·0 | ·105 | S.S.W. | S.S.W. |
| Friday, „ 3, | 29·288 | 53·1 | 39·4 | 46·3 | 44·2 | 41·0 | ·79 | ·6 | 9·0 | ·055 | S.S.W. | S.W. |
| Saturday, „ 4, | 29·557 | 53·6 | 37·3 | 45·5 | 45·0 | 40·5 | ·71 | ·6 | 12·5 | ·000 | S.W. | S.S.W. |
| Mean, . . | 29·608 | 51·5 | 36·7 | 44·1 | 45·3 | 42·0 | ·78 | ·6 | Total 48·0 | Total ·560 | Prevailing Winds, S.W. and S.S.W. | |

*Sunday*—Day overcast, light showers 12.40 to 5.20 p.m. at intervals; night overcast. *Monday*—Overcast a.m., cloudy and showery p.m.; night overcast, light and heavy rain 1.30 to 4.30 a.m. *Tuesday*—Bright and cloudy day, light showers, hail and snow a.m. and p.m.; night clear. *Wednesday*—Cloudy a.m., overcast, light rain 4.30 p.m.; night cloudy, light showers at intervals 1.30 a.m. to 6.30 a.m. *Thursday*—Cloudy day, strong wind, hail, light rain a.m. and p.m.; night cloudy. *Friday*—Bright and cloudy day, light showers 11.30. a.m. to 11.45 a.m., light showers p.m.; night clear. *Saturday*—Fine bright day; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 4th, 1907.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, April 28, | 46·5 | 48·0 | 48·0 | 51·8 | 31·1 | 41·5 | 0·6 | ·019 |
| Monday, „ 29, | 51·3 | 48·3 | 48·0 | 55·3 | 46·1 | 50·7 | 0·5 | ·199 |
| Tuesday, „ 30, | 46·1 | 48·9 | 48·0 | 50·9 | 39·9 | 45·4 | 9·2 | ·019 |
| Wednesday, May 1, | 44·9 | 47·6 | 48·0 | 52·1 | 39·0 | 45·6 | 6·5 | ·114 |
| Thursday, „ 2, | 46·9 | 48·0 | 48·0 | 52·0 | 37·8 | 44·9 | 10·0 | ·088 |
| Friday, „ 3, | 50·0 | 48·0 | 48·0 | 55·8 | 41·3 | 48·6 | 9·5 | ·031 |
| Saturday, „ 4, | 49·8 | 48·8 | 48·0 | 55·5 | 39·9 | 47·7 | 12·7 | — |
| Weekly Mean, . | 47·9 | 48·2 | 48·0 | 53·3 | 39·3 | 46·3 | Total 49·0 | Total ·500 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17339.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 11TH MAY, 1907. [No. 19.

*General Register Office, Charlemont House, Dublin,* 13*th May,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending April 20. | Week ending April 27. | Week ending May 4. | Week ending May 11. | Average Rate for 4 weeks. | Towns, &c. | Week ending April 20. | Week ending April 27. | Week ending May 4. | Week ending May 11. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 23·7 | 27·9 | 23·8 | 22·4 | 24·5 | Lisburn, | 31·8 | 9·1 | 13·6 | 18·2 | 18·2 |
| Armagh, | . | 20·6 | 20·6 | 27·5 | 17·2 | Londonderry, | 19·6 | 34·4 | 16·0 | 16·0 | 21·5 |
| Ballymena, | . | 38·3 | 14·4 | 23·9 | 19·2 | Lurgan, | 26·6 | 53·1 | 4·4 | 17·7 | 25·4 |
| Belfast, | 23·9 | 23·9 | 23·8 | 24·5 | 24·0 | Newry, | 25·2 | 33·6 | 21·0 | 25·2 | 26·2 |
| Clonmel, | 51·3 | 20·5 | 15·4 | 25·6 | 28·2 | Newtownards, | 28·6 | 57·2 | 45·8 | 34·3 | 41·5 |
| Cork, | 21·9 | 21·9 | 21·2 | 19·9 | 21·2 | Portadown, | 15·5 | 10·3 | 10·3 | . | 9·0 |
| Drogheda, | 16·3 | 24·5 | 32·7 | 12·3 | 21·5 | Queenstown | 26·4 | . | 19·8 | 19·8 | 16·5 |
| Dublin Reg. Area, | 27·1 | 33·5 | 26·4 | 24·0 | 27·7 | Sligo, | 19·2 | 33·6 | 24·0 | 14·4 | 22·8 |
| Dundalk, | 12·0 | 4·0 | 12·0 | 8·0 | 9·0 | Tralee, | . | 10·6 | 21·1 | 31·7 | 15·9 |
| Galway, | 23·3 | 23·3 | 11·7 | 3·9 | 15·6 | Waterford, | 17·5 | 40·9 | 27·3 | 25·3 | 27·7 |
| Kilkenny, | 24·6 | 54·1 | 34·3 | 14·7 | 31·9 | Wexford, | 14·0 | 9·3 | 18·7 | 18·7 | 15·2 |
| Limerick, | 17·8 | 17·8 | 27·3 | 17·8 | 20·2 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 6·6 in Queenstown. Among the 174 deaths from all causes registered in Belfast are 2 from measles, 2 from enteric fever, one from diarrhœa, 13 from cerebro spinal fever, and 3 returned as from *cerebro spinal meningitis;* and the 29 deaths from all causes registered in Cork include 2 from whooping-cough.

## DUBLIN REGISTRATION AREA. (*a*)

In the Dublin Registration Area the births registered during the week amounted to 189—93 boys and 96 girls; and the deaths to 195—91 males and 104 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 26·0 in every 1,000 of the population; omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, the rate was 24·0 per 1,000. During the nineteen weeks ending with Saturday last the death-rate averaged 28·5, and was 0·2 below the mean rate for the corresponding portions of the ten years, 1897–1906.

Of the deaths registered (195) 6 were from measles, 8 from whooping-cough, one each from diphtheria, enteric fever, and *diarrhœa*, and 3 from influenza. In each of the 3 preceding weeks, deaths from measles were 10, 10, and 3; deaths from whooping-cough

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

(*a*) The return for Clontarf and Howth No. 1 (part of), for last week not having been received in time for Press, the numbers and details of Births (2) and Deaths (2) registered in that district are not included in this Report.

were 7, 15, and 10; deaths from diphtheria were 0, one, and 0; deaths from enteric fever were 0, one, and 0; deaths from *diarrhœa* were one, one, and one; and deaths from influenza were 5, 5, and 2.

Lobar pneumonia caused 3 deaths, broncho-pneumonia 6 deaths, and *pneumonia* (not defined) 7 deaths.

Deaths from all forms of tuberculous disease, which numbered 46, 54, and 53 in the 3 preceding weeks, fell to 27 last week, the latter number including 5 from tuberculous phthisis, 11 returned as from *phthisis*, 2 each from tuberculous meningitis and tuberculous peritonitis, and 7 from other forms of tuberculous disease.

There was one death each from carcinoma and sarcoma, and there were 10 deaths from cancer (undefined).

The deaths of 4 infants were ascribed to prematurity.

Of 10 deaths from diseases of the brain and nervous system, 4 (all of children under 5 years of age) were attributed to *convulsions*.

Thirty deaths were caused by diseases of the heart and blood vessels, and there were 21 deaths from bronchitis.

Of 5 accidental deaths, one was caused by drowning and 2 of infants under 1 year of age, were caused by suffocation in bed.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year of age and the deaths of 2 persons aged 60 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 10 were under one month old) and 51 were aged 60 years and upwards, including 25 persons aged 70 and upwards, of whom 7 were octogenarians, and one (a woman) was stated to have been aged 92 years.

Seventy-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the N. Dublin Union Workhouse, 20 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·0 per 1,000; the rate in the City was 25·7 (North City Districts, 23·4; South, 28·1), and in the Suburbs, 18·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·1 (1·7 in the North City Districts, and 2·5 in the South) and for the Suburbs, 2·9 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·6 per 1,000, and include one death each from influenza and *pneumonia* (not defined), and 2 deaths each from *phthisis* and bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. One of the deaths was from measles, 2 were from tuberculous disease, 4 from bronchitis, and 2 were caused accidentally.

*No. 2 North City District* (Lisburn-street).—The deaths (19) are equivalent to an annual rate of 32·9 per 1,000. They include one death each from measles, lobar pneumonia, and *pneumonia* (not defined), 4 deaths from tuberculous disease, and one death from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (12) represent an annual rate of 19·3 per 1,000. Among the deaths are 2 from measles, one each from whooping-cough and broncho-pneumonia, and 2 from tuberculous disease.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 19·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0, and Finglas and Glasnevin, part of, 21·7. Of the 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from *phthisis*; and the 3 deaths for Finglas and Glasnevin, part of, include one each from lobar pneumonia and *pneumonia* (not defined).

*No. 1 South City District* (South Earl-street).—The deaths (29) represent an annual rate of 37·8 per 1,000. One of the deaths was from whooping-cough, 2 were from *pneumonia* (not defined), 7 were from tuberculous disease, 6 were from diseases of the respiratory system, and one was an accidental death.

*No. 2 South City District* (Castle-street).—The deaths (14) are equal to an annual rate of 35·5 per 1,000, and include one death each from measles, whooping-cough, and *diarrhœa*, one death from tuberculous peritonitis, and 2 deaths from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·5 per 1,000. Among them are one death each from measles, influenza, lobar pneumonia, and *pneumonia* (not defined), 2 deaths from *phthisis*, and 5 from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. Of the 15 deaths one was from whooping-cough, one from enteric fever, 3 were from tuberculous disease, and 2 from bronchitis.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 20·6; Blackrock, 17·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases recorded for these districts consist of one death from whooping-cough for Rathmines and Rathgar, 3 deaths from whooping-cough for Pembroke, and one death from diphtheria for Blackrock. Among the 11 deaths from all causes for Rathmines and Rathgar are one from influenza and one from *phthisis*; the 11 deaths from all causes for Pembroke include one death each from broncho-pneumonia and *pneumonia* (not defined), and one death caused by accidental drowning; and the 7 deaths from all causes for Kingstown include one death each from tuberculous disease and bronchitis, and 3 deaths from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 11th May, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Apr. 20, | . | — | — | 1 | . | . | 8 | . | 3 | 7 | 8 | . | — | — | 2 | — | — | 29 |
| | Apr. 27, | . | — | — | 4 | 5 | . | 5 | . | 2 | 2 | 18 | 1 | — | — | 3 | — | — | 40 |
| | May 4, | . | — | — | 4 | 1 | . | 6 | . | 2 | 1 | 10 | . | — | — | . | — | — | 24 |
| | May 11, | . | — | — | 1 | 1 | . | 3 | . | 3 | 3 | 6 | . | — | — | . | — | — | 17 |
| Rathmines and Rathgar Urban District. | Apr. 20, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Apr. 27, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | . | — | — | 4 |
| | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 11, | . | — | — | 1 | . | . | 2 | . | 1* | . | . | . | — | — | . | — | — | 4* |
| Pembroke Urban District. | Apr. 20, | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | — | 35 | . | — | — | 38 |
| | Apr. 27, | . | 15 | 2 | 1 | . | . | . | . | 2 | . | . | . | — | 77 | . | — | — | 97 |
| | May 4, | . | 2 | . | . | . | . | . | . | . | . | 2 | . | — | 21 | . | — | — | 25 |
| | May 11, | . | 16 | . | . | . | . | . | . | . | . | 1 | . | — | 10 | . | — | — | 27 |
| Blackrock Urban District. | Apr. 20, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| | Apr. 27, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | May 4, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | . | — | — | 2 |
| | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Apr. 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Apr. 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | Apr. 20, | . | — | — | 6 | . | . | 3 | 1 | 6 | 8 | 11 | . | — | — | 36 | — | — | 71 |
| | Apr. 27, | . | — | — | 12 | . | . | 5 | 2 | 4 | 7 | 4 | . | — | — | 20 | — | — | 54 |
| | May 4, | . | — | — | 17 | . | . | 4 | . | 6 | 6 | 7 | . | — | — | 30 | — | — | 70 |
| | May 11, | . | — | — | 13 | . | . | 2 | 1 | 9 | 4 | 2 | 1 | — | — | 29 | — | — | 61 |

Including one case of dysentery or continued fever.

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th May, 1907.

From this it appears that:—

Forty-seven cases of measles were admitted into hospital during the week, 37 were discharged, there were 4 deaths, and 121 cases remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 8 were discharged, and 48* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, and 7 cases remained under treatment at its close.

Ten cases of diphtheria were admitted to hospital, 6 were discharged, and 33 patients remained under treatment at the close of the week.

Three cases of enteric fever were discharged from hospital during the week, and 10 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 18 cases of pneumonia were admitted to hospital, 3 were discharged, there were 2 deaths, and 44 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·7), was equal to an average annual death-rate of 15·7 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow being 20·4 and for Edinburgh 17·5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th May. From this Report it appears that of a total of 44 cases notified 15 were scarlet fever, 9 diphtheria, 2 erysipelas, and 2 enteric fever. Among the 356 cases of infectious diseases in hospital at the close of the week were 115 cases of scarlet fever, 62 of measles, 46 of whooping-cough, 29 of diphtheria, 3 of membranous croup, 13 of enteric fever, and 8 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 11th May, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 11th May, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 11th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 4th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 27th April, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 22·6 | 22·4 | 1·2 | 634 | 481 | 90 | 122 | . | 8 | . | . | 10 | 1 | . | 3 | 4 | 33 | 64 | 28 | 20 | 52 | 9 | 15 | 150 | 18 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 25·2 | 24·0 | 2·3 | 189 | 180 | 37 | 50 | . | 6 | . | . | 8 | 1 | . | 1 | 1 | 12 | 16 | 10 | 10 | 23 | 4 | 4 | 64 | 7 | f61·3 | 31·1 | 50·3 | 1·77 | f54·3 | 31·1 | 44·1 | 0·56 | f64·0 | 33·3 | 49·8 | 0·29 |
| City of Dublin, | 300,850 | 38·0 | 27·7 | 25·7 | 2·1 | 160 | 148 | 32 | 41 | . | 6 | . | . | 4 | . | . | 1 | 1 | 10 | 15 | 9 | 9 | 22 | 3 | 3 | 60 | 7 | g62·7<br>h61·4 | 40·0<br>32·8 | 52·7<br>51·4 | 2·22<br>2·12 | g56·8<br>h55·0 | 34·4<br>32·6 | 46·3<br>45·4 | 0·51<br>0·66 | g67·0<br>h65·9 | 36·8<br>35·0 | 51·7<br>50·7 | 0·30<br>0·27 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 14·6 | 16·1 | 1·5 | 10 | 11 | 2 | 4 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 5 | 18·7 | 20·6 | 5·6 | 10 | 11 | 2 | 1 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 17·9 | 6·0 | 2 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 20·7 | 20·7 | . | 7 | 7 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | 59 | 39·5 | 51·8 | 2·42 | 55 | 35·5 | 45·9 | 0·55 | 65·5 | 37·5 | 51·3 | 0·35 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 34·2 | 24·5 | 0·7 | 243 | 174 | 37 | 35 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 7 | 41 | 4 | 58·5 | 35·0 | 48·5 | 1·41 | 53·0 | 35·0 | 44·7 | 0·86 | 60·5 | 36·0 | 49·3 | 0·65 |
| Cork, | 76,122 | 33·6 | 28·1 | 19·9 | 1·4 | 41 | 29 | 3 | 10 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | 1 | 13 | . | 55 | 37 | 48·5 | 1·74 | 55 | 39 | 46·6 | 0·36 | 60 | 36 | 50·3 | 0·55 |
| Londonderry, | 42,475 | 19·6 | 33·1 | 16·0 | . | 27 | 13 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 20·5 | 17·8 | . | 15 | 13 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | . | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 27·3 | 25·3 | 1·9 | 14 | 13 | 2 | 3 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 27·2 | 3·9 | . | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 62 | 38 | 49·8 | 1·18 | 58 | 32 | 47 | 1·07 | 59 | 39 | 47 | 0·37 |
| Dundalk, | 18,076 | 3·4 | 19·9 | 8·0 | . | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 61·3 | 12·8 | . | 15 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 25·2 | 25·2 | . | 6 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 3 | . | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 |
| Lurgan, | 11,782 | 18·8 | 31·0 | 17·7 | . | 7 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 |
| Lisburn, | 11,461 | 10·1 | 45·5 | 18·2 | . | 10 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 |
| Wexford, | 11,168 | 23·2 | 42·0 | 18·7 | . | 9 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 19·2 | 28·9 | . | 4 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 19·2 | 14·4 | . | 4 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | 61·9 | 32·0 | 56·6 | 1·60 | 53·8 | 34·0 | 45·2 | 2·04 | 59·1 | 31·3 | 47·6 | 0·68 |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 14·7 | . | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . | 60 | 32 | 50·9 | 1·89 | 56 | 30 | 45 | 0·52 | 64 | 35 | 49·6 | 0·13 |
| Clonmel, | 10,167 | 7·8 | 35·9 | 25·6 | . | 7 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 36·2 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 |
| Tralee, | 9,867 | 16·6 | 26·4 | 31·7 | . | 5 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 28·6 | 34·3 | . | 5 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 2 | . | . | . | . | 61 | 38 | 48·9 | 1·24 | 53 | 36 | 44·9 | 0·82 | 61 | 37 | 47·6 | 0·67 |
| Queenstown, | 7,909 | 14·4 | 33·0 | 19·8 | 6·6 | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 55 | 37 | 48·5 | 1·74 | 55 | 39 | 46·6 | 0·36 | 60 | 36 | 50·3 | 0·55 |
| Armagh, | 7,588 | 22·2 | 41·2 | 27·5 | . | . | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | 2 | . | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·2 | 1·11 | 63·0 | 34·2 | 48·4 | 0·51 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 15 deaths of persons (including 2 under 1 year old and one at 78 years), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 11th May, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | 1 | 1 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 6 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | . | 1 | 3 | . | . | 8 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Pneumonia | 1 | . | 2 | 1 | . | . | 2 | 2 | . | 2 | . | . | . | 2 | . | . | 12 | 4 |
| Tuberculous Disease { Phthisis | 2 | 1 | 2 | 1 | . | 1 | . | 4 | . | 2 | 2 | . | 1 | . | . | . | 16 | . |
| Tuberculous Disease { Other Forms | . | 1 | 2 | 1 | . | . | . | 3 | 1 | . | 1 | . | . | . | . | 1 | 10 | 1 |
| Cancer, Malignant Disease | 1 | . | 2 | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 1 | . | . | . | 10 | 2 |
| Other General Diseases | 3 | 1 | 2 | 2 | . | . | . | 2 | 1 | 2 | 1 | 1 | 2 | . | 1 | . | 18 | 2 |
| Total, | 7 | 4 | 11 | 8 | . | 1 | 2 | 13 | 6 | 8 | 8 | 2 | 5 | 5 | 2 | 1 | 83 | 9 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 2 | 2 | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 1 | 9 | 1 |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 1 | 2 | 2 | 3 | . | 1 | 1 | 2 | 3 | 3 | 3 | . | 3 | 1 | . | 3 | 28 | 2 |
| Diseases of: Respiratory System | 2 | 4 | 1 | . | . | . | . | 6 | 2 | 5 | 2 | . | . | . | . | 1 | 23 | . |
| Diseases of: Digestive System | . | 2 | . | . | . | 2 | . | 2 | . | . | . | . | . | 1 | 1 | 1 | 9 | 1 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Diseases of: Urinary System | 1 | 2 | . | . | . | . | . | 2 | 1 | . | 1 | . | 1 | 2 | . | . | 10 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 13 | 6 | 3 | . | 3 | 1 | 12 | 7 | 9 | 6 | . | 6 | 4 | 1 | 6 | 81 | 5 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | 1 | . | 2 | 1 | . | . | . | 3 | 1 | 2 | 1 | . | . | 1 | . | . | 12 | . |
| **E. VIOLENT DEATHS** | . | 2 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 4 | 1 |
| **Deaths from all Causes** | 12 | 19 | 19 | 12 | . | 4 | 3 | 29 | 14 | 19 | 15 | 2 | 11 | 11 | 3 | 7 | 180 | 15 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 25·3 | 32·9 | 19·3 | . | 19·0 | 21·7 | 37·8 | 35·5 | 23·5 | 22·3 | 11·7 | 16·1 | 20·6 | 17·9 | 20·7 | 24·0 | . |
| | 23·4 | | | | | | | 28·1 | | | | | 18·6 | | | | | |
| | 25·7 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | 2 | 4 | 6 | 4 | . | . | . | 4 | 2 | 7 | 3 | . | 2 | 2 | 1 | . | 37 | 2 |
| 1 and under 5 years | . | 4 | . | 2 | . | . | . | 3 | 2 | 2 | . | . | . | 4 | 1 | . | 18 | 2 |
| 5 " 20 " | 1 | 3 | 2 | 1 | . | 1 | . | 1 | 2 | . | . | . | 1 | 1 | . | 1 | 14 | 2 |
| 20 " 40 " | 4 | 3 | 4 | 1 | . | . | 1 | 5 | 1 | 3 | 2 | . | 2 | 1 | 1 | 1 | 29 | 5 |
| 40 " 60 " | . | 1 | 4 | 1 | . | 1 | . | 7 | 3 | 4 | 4 | 2 | 2 | 2 | . | 1 | 32 | 3 |
| 60 and upwards | 5 | 4 | 3 | 3 | . | 2 | 2 | 9 | 4 | 3 | 6 | . | 4 | 1 | . | 4 | 50 | 1 |
| Number of Uncertified Deaths | 1 | 1 | 1 | . | . | . | . | . | 2 | 2 | . | . | . | . | . | . | 7 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 2 | 3 | 4 | 2 | . | 1 | . | 5 | 5 | 3 | 5 | . | 1 | . | 1 | . | 32 | 13 |
| Workhouse Hospitals | 1 | 3 | 6 | 3 | . | . | . | 7 | 4 | 3 | 2 | 1 | . | 1 | . | 1 | 32 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i week of the ten years, 1897

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 19th Week of the 10 years 1897-1906. | In the Week ending Saturda 11th May, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 15, 1897. | May 14, 1898. | May 13, 1899. | May 12, 1900. | May 11, 1901. | May 10, 1902. | May 16, 1903. | May 14, 1904. | May 13, 1905. | May 12, 1906. | | ALL AGES. | 0 to 5. | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 46·6° | 48·8° | 45·8° | 48·7° | 46·3° | 43·3° | 48·1° | 49·7° | 49·9° | 50·2° | 47·7° | 50·3° | | | | | | |
| **ALL CAUSES.** | 190 | 151 | 179 | 179 | 189 | 173 | 175 | 173 | 181 | 165 | 175·5 | 195 | 10 | 29 | 20 | 16 | 34 | 35 |
| Small-pox, ... ... | . | . | . | . | . | . | 4 | . | . | . | ·4 | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 6 | . | . | . | 1 | 6 | 5 | 2 | 4 | 1 | 2·5 | 6 | . | 2 | 4 | . | . | . |
| Scarlet Fever, ... ... | 3 | 1 | 2 | . | 2 | . | 1 | 1 | . | . | 1·0 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 2 | 3 | 9 | 5 | 5 | 2 | 7 | 2 | 2 | 2 | 3·9 | 3 | . | . | . | . | . | . |
| Whooping-cough, ... ... | 6 | 3 | 2 | 1 | 7 | . | 3 | 10 | . | 1 | 3·3 | 8 | . | 3 | 5 | . | . | . |
| Diphtheria, ... ... | 1 | 1 | 1 | . | 1 | 2 | . | 1 | 1 | . | ·8 | 1 | . | . | 1 | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 2 | 2 | 2 | 1 | 1 | 2 | 1 | 2 | 1 | 3 | 1·7 | 1 | . | . | . | . | 1 | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 1 | . | . | 3 | 3 | . | . | . | . | . | 1·7 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 2 | 2 | . | 3 | 3 | | 1 | . | . | . | 1 | . | . |
| Tetanus, ... ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 6 | . | 1 | 2 | 2 | 2 | 1 | 1 | 2 | 1·7 | 2 | 1 | 1 | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | 1 | 2 | . | . | ·4 | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | | . | . | . | 1 | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Pneumonia, Lobar, | 10 | 9 | 7 | 14 | 13 | . | 2 | 1 | 1 | 1 | 11·6 | 3 | . | . | . | . | 1 | 1 |
| Pneumonia, Broncho- | | | | | | . | 7 | 1 | 6 | 7 | | 6 | . | 2 | 2 | 1 | 1 | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 9 | 4 | 6 | 8 | 10 | | 7 | . | 1 | 1 | 1 | . | 3 |
| Erysipelas, ... ... | . | . | . | . | 1 | . | . | 1 | 2 | 1 | ·5 | 1 | . | 1 | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | 1 | 1 | . | . | . | . | ·5 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | 1 | . | 1 | 1 | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 2 | . | . | 1 | . | 1 | . |
| Tuberculous Phthisis, | 20 | 19 | 21 | 32 | 25 | 3 | 4 | 6 | 6 | 3 | 22·0 | 5 | . | . | 1 | . | 1 | 3 |
| "*Phthisis*," ... | | | | | | 20 | 20 | 13 | 13 | 15 | | 11 | . | . | . | 1 | 8 | 1 |
| Tuberculous Meningitis, ... | 9 | 6 | 4 | 11 | 7 | 3 | . | 3 | 4 | 1 | 4·8 | 2 | . | 1 | . | 1 | . | . |
| Tuberculous Peritonitis, | 6 | 2 | 2 | 8 | 8 | 2 | 1 | 2 | . | . | 3·3 | 2 | . | . | . | 2 | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | . | 1 | 1 | . | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 7 | 2 | 6 | 7 | 3 | 4 | 3 | 7 | 8 | 9 | 5·7 | 7 | . | 2 | 1 | 3 | 1 | . |
| *Scrofula*, ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | . | 1 | . | . | 1 | 1 | 1 | 1 | ·6 | . | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | 1 | . | . | . | . | . | 1 |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 3 | 4 | 9 | 6 | 4 | . | 3 | 5 | 2 | 2 | 6·8 | 1 | . | . | . | . | . | 1 |
| Sarcoma, ... ... | | | | | | . | . | 1 | . | . | | 1 | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 8 | 6 | 6 | 6 | 3 | | 10 | . | . | . | . | 1 | 4 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | 2 | 4 | ·6 | . | . | . | . | . | . | . |
| Premature Birth, ... | 3 | 6 | 5 | 1 | 4 | 9 | 4 | 5 | 2 | 2 | 4·1 | 4 | 4 | . | . | . | . | . |

* The figures for the years 1897-1900 ar
† Formerly describe

EENTH WEEK ending Saturday, 11th May, 1907, with the deaths from each cause in the corresponding e average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: May 15, 1897. | May 14, 1898. | May 13, 1899. | May 12, 1900. | May 11, 1901. | May 10, 1902. | May 16, 1903. | May 14, 1904. | May 13, 1905. | May 12, 1906. | Averages in 19th Week of the 10 years 1897-1906. | In the Week ending Saturday, 11th May, 1907. Deaths of Persons of the Ages of: All Ages. | Mean Temp. | 0 to 5. Under 1 month. | 1 month and under 1 year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ean Temperature. | ° 46·6 | ° 48·8 | ° 45·8 | ° 48·7 | ° 46·3 | ° 43·3 | ° 48·1 | ° 49·7 | ° 49·9 | ° 50·2 | ° 47·7 | | ° 50·3 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 4 | 1 | 2 | 3 | 1 | | | 1 | . | . | . | 1 | . | . | . | . |
| ity, G. P. of Insane ... | | | | | | 1 | 4 | . | . | 1 | | | 1 | . | . | . | . | . | 1 | . | . |
| psy ... ... | | | | | | 1 | . | 3 | 1 | 1 | | | . | . | . | . | . | . | . | . | . |
| *ilsions* ... .. | | | | | | 7 | 9 | 8 | 2 | 3 | | | 4 | . | 3 | 1 | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | 1 | 1 | . | | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | 1 | . | 4 | 1 | | | 3 | . | . | . | . | 1 | . | 2 | . |
| ous System (other .) | 42 | 37 | 35 | 31 | 36 | 5 | 1 | 1 | 4 | 2 | 36·3 | | 1 | . | 1 | . | . | . | . | . | . |
| Dis., Endocarditis ... | | | | | | 5 | 5 | 4 | 8 | 5 | | | 7 | . | . | . | . | 5 | 1 | 1 | . |
| or. Hæm. Thromb. ... | | | | | | 3 | 1 | 1 | 2 | 1 | | | 1 | . | . | . | . | . | 1 | . | . |
| *lexy, Hemiplegia* ... | | | | | | 3 | 5 | 5 | 3 | 5 | | | 6 | . | . | . | . | . | 2 | 3 | 1 |
| rysm ... ... | | | | | | . | . | . | . | . | | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | . | . | | | . | . | . | . | . | . | . | . | . |
| t and Blood Vessel Dis. | | | | | | 8 | 11 | 7 | 16 | 11 | | | 16 | . | . | . | 1 | 1 | 5 | 7 | 2 |
| (not Spasm. nor mb.) | 1 | 1 | . | 3 | . | . | . | . | . | . | ·5 | | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 15 | 16 | 27 | 13 | 21 | 18 | 21 | 20 | 22 | 27 | 20·0 | | 21 | . | 5 | 2 | . | 2 | 4 | 7 | 1 |
| na, Emphysema ... | | | | | | . | 1 | . | 1 | 1 | | | . | . | . | . | . | . | . | . | . |
| isy ... ... | 4 | . | 2 | 4 | 5 | . | . | . | . | 2 | 2·6 | | . | . | . | . | . | . | . | . | . |
| ratory Dis. (other) ... | | | | | | 2 | . | 1 | 2 | 1 | | | 2 | . | . | . | . | . | . | 1 | 1 |
| llitis, Quinsy ... | 1 | 1 | . | 1 | . | . | . | . | . | . | ·3 | | . | . | . | . | . | . | . | . | . |
| itis (not Epid.) ... | | | | | | 1 | . | . | . | . | | | 3 | . | 2 | . | . | . | . | 1 | . |
| *Enteritis* ... ... | . | . | . | 2 | . | . | 1 | . | . | . | ·4 | | 1 | . | 1 | . | . | . | . | . | . |
| *nitis* (not Puerp.) ... | 1 | 1 | 2 | 1 | 1 | . | . | . | . | 1 | ·7 | | . | . | . | . | . | . | . | . | . |
|osis of Liver ... | | | | | | 1 | . | 1 | 4 | . | | | . | . | . | . | . | . | . | . | . |
| Dis. (other) ... | 2 | 3 | 4 | . | 3 | 2 | 3 | 3 | 2 | 1 | 2·9 | | 2 | . | . | . | . | . | 2 | . | . |
| tive Dis. (other) ... | 2 | 2 | 8 | 5 | 1 | 3 | 7 | 5 | 6 | 5 | 4·4 | | 4 | . | . | . | 2 | . | . | 2 | . |
| ritis, Acute ... | | | | | | 4 | 2 | 1 | 2 | 1 | | | 3 | . | . | 1 | . | 1 | 1 | . | . |
| t's Dis., Albuminuria | 7 | 5 | 5 | 5 | 6 | 1 | 2 | 2 | 3 | 6 | 5·7 | | 6 | . | . | . | 1 | 2 | . | 2 | 1 |
| ry Sys. (Other Dis.) | | | | | | . | 3 | 1 | . | 1 | | | 1 | . | . | . | . | . | 1 | . | . |
| rative Organs Dis. ... | . | 1 | . | . | . | . | . | 1 | 1 | 1 | ·4 | | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | 1 | . | . | . | 2 | . | . | . | . | ·3 | | 1 | . | . | . | . | 1 | . | . | . |
| *lge* ... ... | 9 | 9 | 7 | 13 | 15 | 6 | 5 | 10 | 5 | 3 | 8·2 | | 3 | . | . | . | . | . | . | 1 | 2 |
| Diseases ... ... | 16 | 5 | 12 | 5 | 10 | 16 | 6 | 12 | 10 | 10 | 10·2 | | 17 | 5 | 2 | . | 1 | 3 | 2 | 4 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | 4 | . | 1 | 1 | . | 1 | . | 1 | . | . | ·8 | | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (exive of Drowning) ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | | . | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | 1 | . | 3 | 1 | 1 | . | . | 1 | 2 | . | ·9 | | . | . | . | . | . | . | . | . | . |
| owning ... ... | 3 | 2 | . | 1 | 1 | 2 | . | . | 1 | . | 1·0 | | 1 | . | . | . | . | 1 | . | . | . |
| ffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | | 2 | . | 2 | . | . | . | . | . | . |
| oison or Poisonous ours | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Deaths by Accident | 2 | 1 | 1 | 1 | . | 1 | . | . | 1 | 1 | ·8 | | 2 | . | . | . | . | 1 | 1 | . | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | | . | . | . | . | . | . | . | . | . |
| ie ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | | . | . | . | . | . | . | . | . | . |
| tion ... ... | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |

istration Area as then constituted,
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 2. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. |
| No. of weeks in Annual Series. | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| BIRTHS registered, | 182 | 186 | 289 | 189 | 193 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 203 | 181 | 195 | 236 | 254 | 194 | 189 | 259 | 168 | 201 | 220 | 214 | 303 | 189 |
| *Average Births in corresponding week of previous 10 years,** | 199 | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 |
| DEATHS registered, | 191 | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 |
| Annual Death-rate per 1,000, | 26·3 | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 186 | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 |
| AGES,— Under 5 years, | 61 | 49 | 51 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 92 | 78 | 59 |
| 5—20 ,, | 12 | 13 | 21 | 8 | 6 | 17 | 15 | 18 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 |
| 20—40 ,, | 33 | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 |
| 40—60 ,, | 38 | 31 | 36 | 42 | 42 | 42 | 36 | 53 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 |
| 60—80 ,, | 39 | 49 | 41 | 34 | 34 | 56 | 35 | 63 | 57 | 46 | 45 | 38 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 54 | 46 | 53 | 31 | 43 |
| 80 years and upwards, | 8 | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 9 | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 |
| Scarlet Fever | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . |
| Whooping-cough, | 1 | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 |
| Diphtheria, | . | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Enteric Fever, | 1 | 1 | . | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 |
| Diarrhœal Diseases, | 3 | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 |
| Pneumonia, | 12 | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 |
| Tuberculous Disease. {Phthisis, | 19 | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 |
| Tuberculous Disease. {Other Forms, | 5 | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 |
| Cancer, Malignant Disease, | 13 | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 |
| Diseases of Heart and Blood Vessels, | 27 | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 2 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 21 | 30 |
| Diseases of Respiratory System, | 34 | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 |
| Violent Deaths, | 9 | 3 | 8 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 3 | 8 | 7 | 5 |
| Number of Uncertified Deaths, | 3 | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 |
| Mean Temperature of the Air (Phœnix Park), | 42·9 | 47·7 | 40·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 43·7 | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 |
| Rainfall in inches, | ·475 | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·773 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·87 | 85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 |

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th May, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH MAY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1907. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 27·1 | 195 | 59 | 16 | 34 | 35 | 43 | 8 | . | 6 | . | . | 8 | 1 | . | 1 | 1 | 17 | 16 | 16 | 11 | 12 | 4 | 23 | 5 | 91 | 7 |
| | CLASSES. Deaths in Families of the— | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 32·9 | 11 | 1 | . | 1 | 1 | 5 | 3 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 10 | . |
| II. | MIDDLE CLASS, | 87,188 | 15·5 | 26 | 2 | 2 | 3 | 8 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 1 | 5 | . | 2 | . | 1 | . | 15 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 15·6 | 33 | 9 | 1 | 10 | 8 | 4 | 1 | . | 2 | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | 4 | . | 5 | 2 | 15 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,273 | 40·7 | 91 | 38 | 11 | 15 | 9 | 16 | 2 | . | 4 | . | . | 8 | . | . | . | . | 12 | 11 | 5 | 4 | 4 | 4 | 12 | 3 | 36 | 5 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 34 | 9 | 2 | 5 | 9 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 5 | 5 | 2 | . | 5 | . | 15 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 53·5 | 8 | 1 | . | 1 | 1 | 4 | 1 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 7 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 18·7 | 3 | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 26·1 | 11 | 1 | . | . | 5 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 9 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·4 | 9 | . | 1 | 3 | 3 | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | 1 | . | 1 | . | 3 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 9·6 | 5 | 1 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | 3 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 22·7 | 18 | 3 | 1 | 4 | 3 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | 2 | . | . | 2 | 1 | . | 2 | 1 | 5 | . |
| | 10. Clothing Trades, | 28,260 | 9·0 | 4 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 15·5 | 9 | 2 | . | 3 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 6 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 23·3 | 6 | 2 | 1 | 1 | . | 2 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 4 | 1 |
| | 15. Domestic Servants, | 36,603 | 10·0 | 7 | . | . | 3 | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | 2 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 14·5 | 4 | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | . | . | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 42·9 | 74 | 32 | 10 | 11 | 8 | 12 | 1 | . | 3 | . | . | 7 | . | . | . | . | 10 | 9 | 5 | 4 | 3 | 2 | 8 | 3 | 30 | 4 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 34 | 9 | 2 | 5 | 9 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 5 | 5 | 2 | . | 5 | . | 15 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrheal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Mar. 23, | 12·6 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| | „ 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| | „ 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | 1 |
| | „ 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 2 | 1 |
| | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 89,146. | Mar. 23, | 24·0 | 4·0 | 18 | . | 1 | . | . | 2 | . | . | . | . | 5 | 1 | . | . | 2 | . | . |
| | „ 30, | 28·0 | 1·3 | 21 | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 4 | . | 1 | . | . |
| | „ 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | 1 |
| | „ 20, | 24·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| | „ 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 8 | 1 | . | 1 | 1 | . |
| | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | 1 |
| | „ 11, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 80,107. | Mar. 23, | 17·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | . |
| | „ 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| | Apr. 6, | 43·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| | „ 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| | „ 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| | „ 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| | May 4, | 50·2 | 8·5 | 29 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | 1 |
| | „ 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Mar. 23, | 46·6 | 6·4 | 29 | . | 1 | . | . | 2 | 1 | . | . | . | 5 | 3 | 3 | . | 3 | . | . |
| | „ 30, | 26·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| | „ 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| | „ 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| | „ 27, | 56·3 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| | „ 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Mar. 23, | 28·7 | 1·3 | 22 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 3 | 1 | 7 | . | . |
| | „ 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| | „ 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| | „ 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| | „ 27, | 39·1 | 2·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| | „ 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Mar. 23, | 32·9 | 2·5 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 6 | . | . |
| | „ 30, | 30·4 | 2·5 | 12 | . | . | . | 1 | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 3 | 1 | 1 |
| | „ 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| | „ 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | 3 | . | . |
| | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| | „ 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Mar. 23, | 22·2 | 1·2 | 18 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | . |
| | „ 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| | Apr. 6, | 29·6 | 1·2 | 24 | . | 1 | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| | „ 13, | 25·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| | „ 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| | „ 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| | „ 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | Mar. 23, | 26·7 | 1·5 | 18 | . | . | . | . | 1 | . | . | . | . | 1 | 5 | 1 | 1 | 2 | . | . |
| | „ 30, | 23·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | 1 | . |
| | Apr. 6, | 22·3 | 3·0 | 15 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |
| | „ 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |
| | „ 20, | 32·6 | 3·0 | 22 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |
| | „ 27, | 26·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 3 | . | 1 |
| | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | 1 | . | 1 | . | . |
| | „ 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Mar. 23, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 |
| | „ 30, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 27, | 28·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| | „ 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Mar. 23, | 16·8 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . | . |
| | „ 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| | Apr. 6, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| | „ 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| | „ 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| | „ 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| | May 4, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | „ 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Mar. 23, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| | „ 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| | „ 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| | „ 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Mar. 23, | 23·5 | 1·8 | 167 | . | 4 | . | . | 1 | 1 | . | 6 | 1 | 14 | 15 | 19 | 3 | 19 | 1 | 3 |
| | „ 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 3 | 1 |
| | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| | „ 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| | „ 20, | 23·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 6 |
| | „ 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| | May 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| | „ 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 4 |
| **Cork.** Pop. (in 1901) 76,122. | Mar. 23, | 25·3 | 1·4 | 37 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 1 | 5 | 6 | . | 3 |
| | „ 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| | „ 13, | 28·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| | „ 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| | „ 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| | „ 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Mar. 23, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 1 | . |
| | „ 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | Apr. 6, | 12·3 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| | „ 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| | „ 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| | „ 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| | May 4, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| | „ 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Mar. 23, | 26·0 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 5 | . | 2 |
| | „ 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | 3 |
| | Apr. 6, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| | „ 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| | „ 27, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | . | . | . | . | 3 |
| | „ 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Mar. 23, | 27·3 | 3·9 | 14 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | 1 |
| | „ 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |
| | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| | „ 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 |
| | „ 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | May 4, | 27·3 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |
| | „ 11, | 25·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th May, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 3 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 18 | . | 2 | 3 | 1 | 3 | 4 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | . | 1 | . | 2 | 5 | . |
| Do. 2 „ | 47,959 | 26 | | | 28 | 7 | 5 | 6 | 2 | 2 | 6 | . | . | . | . | . | . | . | 1 | . | 4 | 3 | 3 | 1 | 2 | . | . | 6 | . |
| Do. 3 „ | 47,214 | 36 | | | 15 | 1 | 2 | . | 5 | 1 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | 2 | . | . | 4 | 2 |
| Do. 4 „ | 40,911 | 42 | | | 19 | 7 | 1 | 3 | 3 | 3 | 2 | . | . | . | . | . | . | . | . | . | 2 | 1 | 3 | . | 2 | 1 | 1 | 6 | 2 |
| Do. 5 „ | 17,387 | 7 | | | 10 | 2 | . | . | 3 | 1 | 4 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | 1 | 2 | . |
| Do 6 „ | 48,122 | 21 | | | 24 | 3 | 2 | 4 | 2 | 6 | 7 | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | 2 | . | 2 | 6 | . |
| Do. 7 „ | 1,524 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ | 5,060 | 4 | | | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . |
| Do. 9 „ | 19,569 | 19 | | | 3 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 10 „ | 28,064 | 16 | | | 15 | 4 | 4 | 2 | 1 | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . | 2 | . |
| Do. 11 „ | 34,802 | 22 | | | 17 | 3 | 1 | 7 | 2 | 2 | 2 | . | . | . | . | . | . | . | 1 | . | . | 5 | 1 | . | . | . | . | 1 | . |
| Do. 12 „ | 33,588 | 30 | | | 15 | 4 | 2 | 1 | 3 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 1 | 5 | . |
| Do. 13 „ | 15,006 | 16 | | | 12 | 5 | 1 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | . |
| Do. 14 „ | 240 | . | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| Total, | 349,180 | 243 | | | 174† | 37 | 20 | 29 | 27 | 26 | 35 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 7 | 41 | 4 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 2 | 28·4 | . | 7 | 1 | . | 4 | | | 2 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | . | . | 5 | . |
| Do. 2 „ | 10,701 | 13 | 24·4 | 4·9 | 5 | 1 | 2 | 1 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 3 „ | 9,978 | 6 | 5·2 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Do. 4 „ | 8,666 | 4 | 30·1 | . | 5 | . | . | 3 | | | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Do. 5 „ | 6,592 | 3 | 15·8 | . | 2 | 1 | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 6 „ | 10,702 | 3 | 9·7 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 7 „ | 16,616 | 10 | 22·0 | 3·1 | 7 | . | 1 | 2 | | | 4 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 2 | . | . | 5 | . |
| Total, | 76,122 | 41 | 19·9 | 1·4 | 29 | 3 | 3 | 13 | | | 10 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | 1 | 13 | . |

* Formerly described as "Simple Continued Fever."

† See note (b) p. xlii.

**Table IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.***

| Belfast. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 17. | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19 | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13 | Apr. 20 | Apr. 27 | May 4. | May. 11. |
| No of weeks in Annual Series, | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| Births registered, | 189 | 211 | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 |
| Deaths registered. | 145 | 125 | 128 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174† |
| Annual Death-rate per 1,000 of estimated Population. | 20·6 | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·6 | 24·5 |
| Ages: Under 1 year | 26 | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 23 | 39 | 33 | 37 | 37 |
| 1-5 years, | 14 | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 26 |
| 5-20 years, | 15 | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 |
| 20-40 years, | 28 | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 |
| 40-60 years, | 25 | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 |
| 60 years and upwards, | 37 | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 |
| Scarlet Fever, | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| Typhus, | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . |
| Diphtheria, | . | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 |
| Diarrhœal Diseases, | 4 | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 |
| Pneumonia, | 12 | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 |
| Tuberculous Disease, Phthisis, | 20 | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 |
| Tuberculous Disease, Other Forms, | 10 | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 |
| Cancer, Malignant Disease, | 3 | 2 | 4 | 3 | 3 | 6 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 |
| Diseases of Respiratory System, | 22 | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 |
| Violent Deaths, | 6 | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 |
| Number of Uncertified Deaths, | 5 | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 |

*Formerly described as "Simple Continued Fever."

† Including 16 deaths from cerebro-spinal fever, or from *cerebro spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | May 11, | 2,537 | 1,431 | 15·7 | . | 39 | 9 | 15 | 63 | 4 | 9 |
| EDINBURGH, | 345,747 | „ 11, | 151 | 116*a* | 17·5 | . | 2 | 1 | . | 4 | . | 2 |
| GLASGOW, | 847,584 | „ 11, | 519 | 332*a* | 20·4 | . | 7 | 2 | 2 | 27 | 4 | 8 |
| CALCUTTA, | 847,796 | Mar. 23, | . | 665 | 40·7 | 86 | 4 | . | 1 | . | 115‡ | 100* |
| BOMBAY, | 977,822 | Apr. 9, | 339 | 1,253 | 66·6 | 5 | 3 | . | . | . | 67‡ | 75* |
| MADRAS, | 509,346 | Mar. 22, | 334 | 369 | 37·6 | 3 | 6 | ? | ? | ? | 95 | 66* |
| PARIS, | 2,750,000 | Apr. 27, | 963 | 1,022 | 19·5 | 1 | 10 | 9 | 4† | 13 | 11 | 25 |
| BRUSSELS (with 8 Faubourgs). | 623,077 | „ 20 | 211 | 164 | 13·7 | . | 3 | . | . | 1 | 2 | 5 |
| ANTWERP, | 304,032 | „ 20, | 135 | 77 | 13·2 | . | 1 | . | 1† | . | . | 5 |
| AMSTERDAM, | 565,368 | „ 27, | 282 | 140 | 12·9 | . | 2 | 1 | 3† | . | 1 | 5 |
| COPENHAGEN, | 427,000 | „ 20, | 237 | 143 | 17·5 | . | 3 | . | 1† | 1 | . | 5 |
| STOCKHOLM, | 324,488 | „ 20, | 156 | 96 | 15·0 | . | . | . | 1† | 4 | . | 3 |
| CHRISTIANIA, | 226,774 | „ 27, | 114 | 61 | 14·0 | . | 3 | . | 1† | 2 | . | 3 |
| ST. PETERSBURG, | 1,482,769 | „ 20, | 790 | 833 | 29·2 | . | 40 | 21 | 20 | 5 | 20 | 105 |
| MOSCOW, | 1,172,421 | Mar. 23, | . | 726 | 32·3 | 1 | 15 | 11 | 18† | 4 | 23 | 55 |
| BERLIN, | 2,090,504 | Apr. 13, | 887 | 642 | 16·0 | . | 4 | 2 | 7† | 6 | 1 | 23 |
| HAMBURG, | 824,792 | „ 20, | . | 266 | 16·8 | . | 1 | 1 | 3† | . | . | 15 |
| BRESLAU, | 483,486 | „ 27, | . | 195 | 21·0 | . | 1 | . | 2† | . | . | 21 |
| MUNICH, | 548,000 | „ 27, | . | 199 | 18·9 | . | 6 | . | . | 2 | . | 19 |
| VIENNA (with suburbs). | 1,998,479 | „ 27, | 889 | 800 | 20·8 | . | 18 | 4 | 8† | 3 | . | 47 |
| BUDA-PESTH, | 802,235 | „ 20, | 387 | 318 | 20·6 | . | 7 | 8 | 3† | . | 2 | 11 |
| PRAGUE and Faubourgs. | 466,133 | „ 13, | . | . | . | . | . | . | . | . | . | . |
| TRIESTE, | 200,962 | Apr. 13, | 113 | 130 | 33·7 | . | 3 | . | 1† | 3 | . | . |
| ROME, | 540,150 | Mar. 9, | 274 | 236 | 22·8 | . | . | . | . | 1 | 1 | 6 |
| VENICE, | 174,398 | „ 23, | 81 | 64 | 19·1 | . | . | . | 1† | . | . | 3 |
| NEW YORK, | 4,285,435 | Apr. 13, | 2,201 | 1,517 | 18·5 | 1 | 6 | 14 | 39† | 7 | 9 | 55 |
| PHILADELPHIA, | 1,500,595 | Mar. 30, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 602,526 | Apr. 13, | . | 203 | 17·6 | . | . | 2 | 4 | . | . | 1 |

*a.* Including 6 deaths from cerebro spinal meningitis in Edinburgh, and 18 in Glasgow.
* Including 49 deaths from cholera in Calcutta, one in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 94 deaths from plague in Calcutta, and 607 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th May, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 3 |
| " " 1, West, | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | |
| " " 3, | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | |
| Coolock and Drumcondra No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | 2 | 3 | . | . | . | 6 |
| " " 2, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 3, | . | . | 1 | . | . | . | . | . | 1 | . | . | . | 2 |
| " " 4, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| New Kilmainham, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Total, | . | 1 | 1 | . | 3 | . | 3 | 3 | 6 | . | . | . | 17 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th May, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 11th May. | | | |
|---|---|---|---|---|---|---|---|
| | April 20. | April 27. | May 4. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 78 | 83 | 115 | 47 | 37 | 4 | 121 |
| Scarlet Fever | 42 | 43 | 50 | 6 | 8 | . | 48* |
| Typhus, | 6 | 10 | 6 | 1 | . | . | 7 |
| Diphtheria, | 20 | 23 | 29 | 10 | 6 | . | 33 |
| Enteric Fever, | 16 | 12 | 13 | . | 3 | . | 10 |
| Pneumonia, | 47 | 41 | 41 | 18 | 13 | 2 | 44 |

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 11th May, 1907:—

"Weather of a cyclonic and southerly type signalised this week, which was very unsettled, cloudy, rainy and windy. A thunderstorm occurred on Monday evening. Sunday morning broke fair and cold, but as a low pressure system advanced northwards from the Bay of Biscay, the sky became overcast from S.W. and the wind backed to N.E. with continuous rain in Dublin from 5 p.m. A solar halo had been seen at 11 a.m., and lightning was reported late at night. At 8 a.m. of Monday the centre of low pressure lay off the S.W. coast of Ireland. A few hours of sunshine and warmth were enjoyed, but showers fell in the afternoon and at 8 p.m. a thunderstorm burst on the shores of the Counties Dublin and Wicklow, as well as on the Welsh coast. The rainfall accompanying or following this electrical storm was very considerable in the Dublin district—1·680 inches being measured at Greystones, Co. Wicklow, 1·30 inches at Kingstown, 1·115 inches in Dublin, and 1·100 inches at White Cross, Stillorgan. Tuesday was fine, but early on Wednesday rain fell heavily and that day proved very unsettled, squally and rainy in consequence of the approach of a new depression from the southward. A brief interval of dry weather occurred on Friday, but rain again set in towards evening. Saturday was fine to cloudy and changeable. Temperature made a distinct advance during this week, which was also comparatively fine in England. In Dublin the mean height of the barometer was 29·619 inches, pressure ranging between 29·446 inches at 9 a.m. of Thursday (wind, S.) and 29·796 inches at 9 p.m. of Saturday (wind, S.E.). The corrected mean temperature was 52·7°, or 6·4° above the value for the previous week. At 9 a.m. and 9 p.m. the mean dry bulb reading was 52·0°. The screened thermometers fell to 40·0° on Sunday and rose to 62·7° on Monday. Southerly winds prevailed. Rain fell daily to the unusual amount of 2·215 inches, about half of which was recorded on Monday—1·115 inches."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·616 inches. The highest reading (29·803) was on Saturday at 9 p.m., wind N.E., and the lowest (29·443) on Thursday at 9 a.m., wind E.S.E.

The mean temperature for the week was 50·3°, being 2·6° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Saturday, on which day the thermometer registered 61·3°, and was lowest on Sunday, the mercury having fallen to 31·1°. The mean of the Dry Bulb for the week was 50·8°, and of the Wet Bulb 47·8°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The rainfall during the week measured 1·772 inches.

At Greenwich the mean temperature for the week was 56·0°, the maximum 78·0°, and the minimum 37·3°; at Glasgow the maximum was 61·2°, the minimum 43·4°, and the mean 51·9°; and at Edinburgh the maximum was 60·8°, the minimum 40·8°, and the mean 49·8°. The rainfall at Greenwich measured 0·36 in.; at Glasgow, 0·73 in.; and at Edinburgh, 0·18 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, May 5, | 29·678 | 51·1 | 31·1 | 41·1 | 47·2 | 42·9 | ·63 | ·6 | 5·6 | ·400 | N.E. | N.N.E. |
| Monday, „ 6, | 29·614 | 60·1 | 44·9 | 52·5 | 51·4 | 50·2 | ·92 | ·7 | 2·4 | 1·040 | N.N.E. | N.N.E. |
| Tuesday, „ 7, | 29·666 | 59·3 | 46·0 | 52·7 | 50·6 | 47·2 | ·77 | ·7 | 2·1 | ·100 | S. | S.E. |
| Wednesday, „ 8, | 29·550 | 52·8 | 44·5 | 48·7 | 50·0 | 48·1 | ·88 | ·7 | 0·3 | ·035 | E.S.E. | S.E. |
| Thursday, „ 9, | 29·508 | 57·0 | 42·9 | 50·0 | 51·6 | 48·1 | ·77 | ·7 | 5·0 | ·007 | E.S.E. | S.E. |
| Friday, „ 10, | 29·551 | 56·5 | 46·9 | 51·7 | 51·6 | 48·5 | ·80 | ·7 | 0·2 | ·085 | S.E. | N.E. |
| Saturday, „ 11, | 29·747 | 61·3 | 48·9 | 55·1 | 53·0 | 49·5 | ·78 | ·6 | 5·7 | ·105 | S.S.W. | N.E. |
| Mean, . . | 29·616 | 56·9 | 43·6 | 50·3 | 50·8 | 47·8 | ·79 | ·7 | Total 21·3 | Total 1·772 | Prevailing Wind, S.E. | |

*Sunday*—Cloudy a.m., overcast p.m.; light rain 5.30 to 8.50 and 9.0 to 11.30 p.m.; night overcast, light rain 12.0 to 2.50 a.m, *Monday*—Cloudy a.m., cloudy and overcast, light rain, thunder and lightning, heavy rain p.m.; night overcast, heavy rain 12.0 to 6.30 a.m. *Tuesday*—Overcast a.m., cloudy p.m.; night cloudy, light rain 3.0 to 4.15 a.m. *Wednesday*—Cloudy and light showers a.m., overcast, light showers p.m.; night cloudy. light rain 6.0 to 7.0 a.m. *Thursday*—Cloudy day, light showers a.m. and p.m.; night cloudy. *Friday*—Day overcast, light rain 5.30 to 10.45 p.m.; night cloudy. *Saturday*—Cloudy day, fine; night overcast, light rain 1.20. to 3.45 a.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 11th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, May 5, | 49·3 | 48·8 | 48·0 | 53·8 | 39·9 | 46·9 | 6·0 | ·450 |
| Monday, „ 6, | 52·2 | 49·8 | 48·1 | 60·0 | 38·9 | 49·5 | 3·7 | 1·085 |
| Tuesday, „ 7, | 53·4 | 51·6 | 48·2 | 60·8 | 46·9 | 53·9 | 3·0 | ·221 |
| Wednesday, „ 8, | 50·0 | 51·9 | 48·5 | 55·0 | 41·5 | 48·3 | 1·0 | ·118 |
| Thursday, „ 9, | 53·5 | 51·0 | 48·9 | 59·7 | 46·2 | 53·0 | 5·2 | ·038 |
| Friday, „ 10, | 54·0 | 51·8 | 49·0 | 58·0 | 47·5 | 52·8 | 0·6 | ·050 |
| Saturday, „ 11, | 55·5 | 51·9 | 49·1 | 60·1 | 50·0 | 55·1 | 4·0 | ·107 |
| Weekly Mean, . . | 52·7 | 51·0 | 48·5 | 58·2 | 44·4 | 51·3 | Total 23·5 | Total 2·069 |
| | | | | 51·3 | | | | |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17430.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 18TH MAY, 1907. [No. 20.

*General Register Office, Charlemont House, Dublin, 21st May,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending April 27. | May 4. | May 11. | May 18. | Average Rate for 4 weeks. | Towns, &c. | Week ending April 27. | May 4. | May 11. | May 18. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 27·9 | 23·8 | 22·4 | 22·0 | 24·0 | Lisburn, | 9·1 | 13·6 | 18·2 | 13·6 | 13·6 |
| Armagh, | 20·6 | 20·6 | 27·5 | . | 17·2 | Londonderry, | 34·4 | 16·0 | 16·0 | 13·5 | 20·0 |
| Ballymena, | 38·3 | 14·4 | 23·9 | 19·2 | 24·0 | Lurgan, | 53·1 | 4·4 | 17·7 | 17·7 | 23·2 |
| Belfast, | 23·9 | 23·8 | 24·5 | 22·3 | 23·6 | Newry, | 33·6 | 21·0 | 25·2 | 12·6 | 23·1 |
| Clonmel, | 20·5 | 15·4 | 25·6 | 15·4 | 19·2 | Newtownards, | 57·2 | 45·8 | 34·3 | 22·9 | 40·0 |
| Cork, | 21·9 | 21·2 | 19·9 | 21·9 | 21·2 | Portadown, | 10·3 | 10·3 | . | 10·3 | 7·7 |
| Drogheda, | 24·5 | 32·7 | 12·3 | 20·4 | 22·5 | Queenstown | . | 19·8 | 19·8 | . | 9·9 |
| Dublin Reg. Area, | 33·5 | 26·4 | 24·0 | 26·7 | 27·6 | Sligo, | 33·6 | 24·0 | 14·4 | 9·6 | 20·4 |
| Dundalk, | 4·0 | 12·0 | 8·0 | 12·0 | 9·0 | Tralee, | 10·6 | 21·1 | 31·7 | 21·1 | 21·1 |
| Galway, | 23·3 | 11·7 | 3·9 | 27·2 | 16·5 | Waterford, | 40·9 | 27·3 | 25·3 | 19·5 | 28·2 |
| Kilkenny, | 54·1 | 34·3 | 14·7 | 9·8 | 28·2 | Wexford, | 9·3 | 18·7 | 18·7 | 18·7 | 16·4 |
| Limerick, | 17·8 | 27·3 | 17·8 | 13·7 | 19·2 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 0·7 per 1,000, the rates varying from 0·0 in seventeen of the districts to 3·9 in Galway, the 7 deaths from all causes registered in that district including one from typhus. Among the 158 deaths from all causes registered in Belfast are 2 from measles, one from whooping-cough, 2 from diarrhœal diseases, 14 deaths from cerebro-spinal fever, and 7 returned as from *cerebro-spinal meningitis;* and the 32 deaths from all causes in Cork include one from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 167—88 boys and 79 girls; and the deaths to 208—111 males and 97 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 27·8 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 26·7 per 1,000. During the twenty weeks ending with Saturday last the death-rate averaged 28·5, and was equal to the mean rate for the corresponding portions of the ten years, 1897–1906.

Among the deaths registered (208) there were 2 from measles, 4 from whooping-cough, one from diphtheria, and one from *diarrhœa*; there were also 4 deaths from influenza,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

and 2 from cerebro-spinal fever. In the preceding 3 weeks deaths from measles were 10, 3, and 6; deaths from whooping-cough were 15, 10, and 8; deaths from diphtheria were one, 0, and one; deaths from diarrhœal diseases were one, one, and one; deaths from influenza were 5, 2, and 3; and deaths from cerebro-spinal fever were 2, 0, and 0.

Under the general heading pneumonia there were 23 deaths, namely—5 from lobar pneumonia, 7 from broncho-pneumonia, and 11 from *pneumonia* (not defined).

Tuberculous diseases accounted for 49 deaths, or nearly 24 per cent. of all deaths registered during the week; these deaths included 12 from tuberculous phthisis, 17 returned as from *phthisis*, 5 from tuberculous meningitis, 2 tuberculous peritonitis, one from *tabes mesenterica*, and 12 deaths from other forms of the disease. In the 3 preceding weeks deaths from all forms of tuberculous diseases were 54, 53, and 27, respectively.

There were 6 deaths from carcinoma, and 5 deaths from cancer (undefined).

The deaths of 2 infants were caused by prematurity.

Of 18 deaths from diseases of the brain and nervous system, 8 were from meningitis, and 4 of children under 5 years of age from *convulsions*.

Diseases of the heart and blood vessels caused 27 deaths, and there were 16 deaths from bronchitis.

There were 2 deaths due to accidental circumstances.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year of age and the death of one person aged 66 years.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 8 were under one month old) and 59 were aged 60 years and upwards, including 32 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a female) was stated to have been aged 94 years.

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the N. Dublin Union Workhouse, and 22 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·7 per 1,000; the rate in the City was 29·3 (North City Districts, 30·1; South, 28·4), and in the Suburbs, 18·0 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (1·4 in the North City Districts, and 0·7 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 28·8 per 1,000, and include one death each from influenza and broncho-pneumonia, 2 deaths from *pneumonia* (not defined), 6 deaths from tuberculous disease, and 2 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 28·0 per 1,000. Among the deaths there were 2 from broncho-pneumonia and one from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 3 deaths from diseases of the respiratory system.

*No. 2 North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. Measles and whooping-cough each caused one death, there were 3 deaths from *pneumonia* (not defined), 2 deaths from tuberculous disease, and one death from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (22) represent an annual rate of 35·4 per 1,000. Whooping-cough and *diarrhœa* each caused one death, there were 4 deaths from pneumonia (all forms), 6 deaths from tuberculous disease of the lungs, and 2 deaths from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 51·0 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 23·7; and Finglas and Glasnevin, part of, 21·7. The 5 deaths from all causes for Clontarf and Howth, No. 1, part of, include one from broncho-pneumonia, and the 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from broncho-pneumonia and 3 from diseases of the heart and blood vessels. Of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (21) represent an annual rate of 27·4 per 1,000. The deaths include one death each from diphtheria and influenza, 2 deaths from lobar pneumonia, and 6 deaths from all forms of tuberculous disease.

*No. 2 South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 22·8 per 1,000. Of the deaths one was from *pneumonia* (not defined), 3 were from tuberculous disease, and 2 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 30·9 per 1,000. Whooping-cough and broncho-pneumonia each caused one death; there were 7 deaths from all forms of tuberculous disease, one death from disease of the respiratory system, and one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (23) are equivalent to an annual rate of 34·1 per 1,000, and include one death from lobar pneumonia, 6 deaths from all forms of tuberculous disease, 2 deaths from bronchitis, and one accidental death.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths one was caused by *pneumonia* (not defined).

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 15·0; Blackrock, 6·0; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Pembroke. The 15 deaths from all causes for Rathmines and Rathgar include one from influenza 2 from cerebro-spinal fever, 3 from tuberculous disease of the lungs, and one from bronchitis. The 8 deaths from all causes for Pembroke include one from *pneumonia* (not defined), and 3 from bronchitis, and the 7 deaths from all causes for Kingstown include one each from influenza, *pneumonia* (not defined), *phthisis*, and bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Lawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 18th May, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Apr. 27, | . | — | — | 4 | 5 | . | 5 | . | 2 | 2 | 18 | 1 | — | — | 3 | — | — | 40 |
| | May 4, | . | — | — | 4 | 1 | . | 6 | . | 2 | 1 | 10 | . | — | — | . | — | — | 24 |
| | May 11, | . | — | — | 1 | 1 | . | 3 | . | 3 | 3 | 6 | . | — | — | . | — | — | 17 |
| | May 18, | . | — | — | 2 | . | . | 3 | . | 5 | 1 | 5 | . | — | — | 2 | — | — | 18 |
| Rathmines and Rathgar Urban District. | Apr. 27, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | . | — | — | 4 |
| | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 11, | . | — | — | 1 | . | . | 2 | . | 1 | . | . | . | — | — | . | — | — | 4 |
| | May 18. | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | 4 | — | — | 5 |
| Pembroke Urban District. | Apr. 27, | . | 15 | 2 | 1 | . | . | . | . | 2 | . | . | . | — | 77 | . | — | — | 97 |
| | May 4, | . | 2 | . | . | . | . | . | . | . | . | 2 | . | — | 21 | . | — | — | 25 |
| | May 11, | . | 16 | . | . | . | . | . | . | . | . | 1 | . | — | 10 | . | — | — | 27 |
| | May 18. | . | 32 | . | 1 | . | . | . | . | . | . | 1 | . | — | 33 | . | — | — | 67 |
| Blackrock Urban District. | Apr. 27, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | May 4, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | . | — | — | 2 |
| | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 18, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Apr. 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 18, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | . | — | — | 2 |
| City of Belfast. | Apr. 27, | . | — | — | 12 | . | . | 5 | 2 | 4 | 7 | 4 | . | — | — | 20 | — | — | 54 |
| | May 4, | . | — | — | 17 | . | . | 4 | . | 6 | 6 | 7 | . | — | — | 30 | — | — | 70 |
| | May 11, | . | — | — | 13 | . | . | 2 | 1 | 9 | 4 | 2 | 1 | — | — | 29 | — | — | 61 |
| | May 18, | . | — | — | 8 | . | . | 4 | . | 2 | 5 | 6 | . | — | — | 24 | — | — | 49 |

The Registrar of Belfast, No. 14 District, reports as follows:—"A case of cerebro-spinal meningitis occurred in Holywood (Castlereagh No. 2) on the 15th instant, a boy, aged 16 years, who was removed to hospital in Belfast, and died on the 16th instant."

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th May, 1907.

From this it appears that:—

Twenty-nine cases of measles were admitted into hospital during the week, 16 were discharged, there were 2 deaths, and 132 cases remained under treatment at its close. At the close of each of the three preceding weeks the cases of measles under treatment numbered 115 and 121.

Four cases of scarlet fever were admitted to hospital, 12 were discharged, and 40* cases remained under treatment at the close of the week.

Seven cases of typhus remained under treatment in hospital at the close of the week.

Four cases of diphtheria were admitted to hospital, 12 were discharged, there was one death, and 24 patients remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 9 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 7 were discharged, there were 2 deaths, and 42 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·2), was equal to an average annual death-rate of 15·1 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 19·7 per 1,000, the rate for Glasgow being 21·8 and for Edinburgh 16·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th May. From this Report it appears that of a total of 42 cases notified 20 were scarlet fever, 12 were diphtheria, and 6 erysipelas. Among the 335 cases of infectious diseases in hospital at the close of the week there were 108 cases of scarlet fever, 54 of measles, 49 of whooping-cough, 35 of diphtheria, 2 of membranous croup, 10 of enteric fever, and 9 of erysipelas.

* See note (*) at foot of Table XII.

**TABLE II.—BIRTHS and DEATHS** registered during the Week ending Saturday, 18th May, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 18th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 11th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 4th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, . . | 1,117,547 | 19·6 | 30·6 | 22·0 | 0·7 | 656 | 471 | 78 | 138 | . | 3 | . | 1 | 6 | 1 | . | . | 4 | 32 | 67 | 39 | 21 | 50 | 11 | 15 | 144 | 22 | ○ . | ○ . | ○ . | . | ○ . | ○ . | ○ . | . | ○ . | ○ . | ○ . | . |
| Dublin Registration Area:— Total, d. . . | 390,691 | 28·4 | 22·3 | 26·7 | 0·9 | 167 | 200 | 30 | 58 | . | 1 | . | . | 4 | 1 | . | . | 1 | 23 | 27 | 19 | 10 | 19 | 2 | 1 | 66 | 9 | f61·2 | 29·1 | 47·3 | 0·04 | f61·3 | 31·1 | 50·3 | 1·77 | f54·3 | 31·1 | 44·1 | 0·56 |
| City of Dublin, | 300,850 | 38·0 | 22·0 | 29·3 | 1·0 | 127 | 169 | 25 | 43 | . | 1 | . | . | 3 | 1 | . | . | 1 | 21 | 23 | 19 | 10 | 14 | 2 | 1 | 60 | 7 | g63·1<br>h61·8 | 37·8<br>32·0 | 51·0<br>48·2 | 0·06<br>0·05 | g62·7<br>h61·4 | 40·0<br>32·8 | 52·7<br>51·4 | 2·22<br>2·12 | g56·8<br>h55·0 | 34·4<br>32·6 | 46·3<br>45·4 | 0·51<br>0·66 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 26·4 | 22·0 | . | 18 | 15 | 1 | 8 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke . | 27,854 | 5 | 22·5 | 15·0 | 1·9 | 12 | 8 | 1 | 3 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock . | 8,759 | 8·1 | 29·8 | 6·0 | . | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, . | 17,622 | 12·1 | 14·8 | 20·7 | . | 5 | 7 | 2 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | 2 | 61 | 39·5 | 50·6 | 0·08 | 59 | 39·5 | 51·8 | 2·42 | 55 | 35·5 | 45·9 | 0·55 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), . . | 370,168 | 25·2 | 38·3 | 22·3 | 0·7 | 272 | 158 | 33 | 41 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 12 | 45 | 3 | 64·0 | 40·0 | 52·0 | 0·29 | 58·5 | 35·0 | 48·5 | 1·41 | 53·0 | 35·0 | 44·7 | 0·86 |
| Cork, . . | 76,122 | 33·6 | 37·0 | 21·9 | 0·7 | 54 | 32 | 6 | 7 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 1 | 10 | 2 | 60 | 39 | 50·9 | 0·43 | 55 | 37 | 48·5 | 1·74 | 55 | 39 | 46·6 | 0·36 |
| Londonderry, . | 42,475 | 19·6 | 24·6 | 18·5 | . | 20 | 11 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, . . | 38,151 | 18·1 | 17·8 | 18·7 | . | 13 | 10 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, . . | 26,769 | 18·7 | 35·1 | 19·5 | 1·9 | 18 | 10 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, . . | 18,426 | 2·5 | 42·7 | 27·2 | 3·9 | 11 | 7 | . | 5 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 64 | 42 | 53·5 | 0·37 | 62 | 38 | 49·8 | 1·18 | 58 | 32 | 47 | 1·07 |
| Dundalk, . . | 18,076 | 9·4 | 31·9 | 12·0 | . | 8 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, . . | 12,760 | 8·6 | 4·1 | 20·4 | . | 1 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, . . | 12,405 | 17·8 | 50·4 | 12·6 | . | 12 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·3 | 1·11 |
| Lurgan, . . | 11,782 | 18·8 | 39·8 | 17·7 | . | 9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·2 | 1·11 |
| Lisburn, . | 11,461 | 10·1 | 36·4 | 18·6 | . | 8 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·3 | 1·11 |
| Wexford, . . | 11,168 | 23·2 | 51·4 | 18·7 | . | 11 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, . . | 10,886 | 8·9 | 33·5 | 19·2 | . | 7 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, . . | 10,870 | 8·7 | 24·0 | 9·6 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 59·4 | 29·4 | 49·4 | 0·13 | 61·9 | 32·0 | 56·6 | 1·60 | 53·8 | 34·0 | 45·2 | 2·04 |
| Kilkenny, . . | 10,609 | 11·5 | 24·6 | 9·8 | . | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 64 | 36 | 49·4 | 0·09 | 60 | 32 | 50·9 | 1·89 | 56 | 30 | 45 | 0·52 |
| Clonmel, . . | 10,167 | 7·8 | 5·1 | 15·4 | . | 1 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, . . | 10,092 | 18·2 | 56·8 | 10·3 | . | 11 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·3 | 1·11 |
| Trallee, . . | 9,867 | 16·6 | 15·9 | 21·1 | . | 3 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, . | 9,110 | 18·9 | 51·5 | 22·9 | . | 9 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | 57 | 40 | 48·1 | 0·56 | 61 | 38 | 48·9 | 1·24 | 53 | 36 | 44·9 | 0·82 |
| Queenstown, . | 7,909 | 14·4 | 52·7 | . | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 60 | 39 | 50·9 | 0·43 | 55 | 37 | 48·5 | 1·74 | 55 | 39 | 46·6 | 0·36 |
| Armagh, . . | 7,588 | 22·2 | 20·6 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 | 54·0 | 31·2 | 44·2 | 1·11 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 18th May, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | 1 | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 4 | . |
| Diphtheria, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Pneumonia, | 3 | 3 | 3 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | . | 1 | . | 1 | 23 | . |
| Tuberculous Disease. Phthisis, | 2 | 2 | 1 | 6 | . | . | 1 | 3 | 2 | 3 | 3 | . | 3 | . | . | 1 | 27 | 2 |
| Tuberculous Disease. Other Forms, | 4 | 2 | 1 | . | 1 | . | . | 3 | 1 | 4 | 3 | . | . | . | . | . | 19 | 1 |
| Cancer, Malignant Disease, | 1 | . | . | 1 | 1 | . | . | . | . | 1 | 6 | . | . | . | . | . | 10 | 1 |
| Other General Diseases | 1 | 2 | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 4 | 2 | . | 1 | 17 | . |
| Total, | 11 | 9 | 7 | 14 | 3 | 1 | 1 | 12 | 4 | 11 | 15 | 1 | 7 | 4 | . | 3 | 103 | 5 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 2 | 1 | 5 | 2 | . | . | . | 2 | . | 3 | 2 | . | . | . | . | 1 | 18 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | . | 1 | 2 | 2 | . | 3 | 1 | 4 | 1 | 6 | 2 | 1 | 4 | . | . | . | 27 | . |
| Diseases of: Respiratory System, | 2 | 3 | 1 | 2 | . | . | 1 | . | 2 | 1 | 2 | . | 1 | 3 | . | 1 | 19 | . |
| Diseases of: Digestive System, | . | 4 | . | 1 | . | 1 | . | . | 1 | 2 | . | . | 2 | 1 | 1 | 1 | 14 | 2 |
| Diseases of: Lymphatic System &c., | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of: Urinary System, | . | 1 | 1 | . | 2 | . | . | 1 | . | . | 1 | . | . | . | . | . | 6 | . |
| Diseases of: Generative System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| ,, Integumentary System, | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| Total, | 4 | 11 | 9 | 8 | 2 | 4 | 2 | 7 | 4 | 13 | 7 | 1 | 8 | 4 | 1 | 3 | 88 | 3 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 1 | 1 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | 1 | 7 | . |
| **E. VIOLENT DEATHS,** | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . |
| **Deaths from all Causes,** | 16 | 21 | 17 | 22 | 5 | 5 | | 21 | 9 | 25 | 23 | 2 | 15 | 8 | 1 | 7 | 200 | 8 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 28·8 | 28·0 | 29·4 | 35·4 | 51·0 | 23·7 | 21·7 | 27·4 | 22·8 | 30·9 | 34·1 | 11·7 | 22·0 | 15·0 | 6·0 | 20·7 | 26·7 | . |
| | 30·1 | | | | | | | 28·4 | | | | | 18·0 | | | | | |
| | 29·3 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 2 | 9 | 3 | . | . | 1 | . | 2 | 2 | 3 | 2 | 1 | 1 | 1 | 1 | 2 | 30 | . |
| 1 and under 5 years, | 4 | 3 | 2 | 2 | 1 | . | . | 3 | . | 6 | 2 | . | 1 | . | . | . | 24 | 1 |
| 5 ,, 20 ,, | 1 | 2 | 2 | 2 | 1 | . | . | 1 | . | 1 | 2 | . | 2 | . | . | . | 14 | 1 |
| 20 ,, 40 ,, | 6 | 4 | 3 | 4 | . | 1 | 1 | 2 | 3 | 4 | 4 | . | 1 | 2 | . | 1 | 36 | 3 |
| 40 ,, 60 ,, | 2 | 2 | 4 | 6 | 3 | . | . | 6 | . | 5 | 5 | 1 | 2 | 2 | . | . | 38 | 2 |
| 60 and upwards, | 1 | 1 | 3 | 8 | . | 3 | 2 | 7 | 4 | 6 | 8 | . | 8 | 3 | . | 4 | 58 | 1 |
| Number of Uncertified Deaths, | 2 | . | . | 1 | 1 | 1 | . | 1 | . | 1 | . | . | . | . | . | 2 | 9 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 1 | 4 | 5 | . | . | 1 | 1 | 1 | 3 | 5 | . | 1 | 2 | . | . | 26 | 8 |
| Workhouse Hospitals, | 1 | 6 | 4 | 7 | . | 1 | . | 6 | 4 | 4 | 4 | . | 1 | 2 | . | . | 40 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere
week of the ten years, 1

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 20th Week of the 10 years 1897-1906. | In the Week ending Satu 18th May, 1907. Deaths of Persons of the | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 22, 1897. | May 21, 1898. | May 20, 1899. | May 19, 1900. | May 18, 1901. | May 17, 1902. | May 23, 1903. | May 21, 1904. | May 20, 1905. | May 19, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40. |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | |
| Mean Temperature. | ° 50·3 | ° 48·0 | ° 49·9 | ° 47·0 | ° 48·2 | ° 47·2 | ° 50·2 | ° 49·3 | ° 50·1 | ° 46·8 | ° 48·7 | ° 47·3 | | | | | |
| **ALL CAUSES.** | 183 | 161 | 180 | 168 | 187 | 186 | 173 | 173 | 149 | 169 | 172·9 | 208 | 8 | 22 | 25 | 15 | 39 |
| Small-pox, ... ... | . | . | . | . | . | . | 4 | . | . | . | ·4 | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 5 | . | 2 | 2 | . | 3 | 1 | 2 | 2 | . | 1·7 | 2 | . | . | 2 | . | . |
| Scarlet Fever, ... ... | . | . | 1 | . | . | 1 | 1 | 1 | . | . | ·4 | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 3 | 11 | 3 | 1 | 3 | 1 | 2 | 2 | . | 2·7 | 4 | . | . | . | . | 1 |
| Whooping-cough, ... ... | 6 | 1 | 3 | 1 | 8 | 3 | 1 | 5 | 1 | . | 2·9 | 4 | . | 2 | 2 | . | . |
| Diphtheria, ... ... | 2 | 2 | 1 | 1 | . | 3 | . | 1 | . | 2 | 1·2 | 1 | . | . | 1 | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | . |
| *Pyrexia*† (origin uncertain), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| Enteric Fever, ... ... | 1 | 4 | . | 2 | 1 | 2 | 2 | 3 | . | . | 1·5 | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | . | 3 | . | 2 | 1 | 1<br>. | .<br>2 | 1<br>2 | 1<br>2 | .<br>1 | 1·6 | .<br>1 | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | . | . | 1 | 2 | . | 1 | 1 | 3 | 2 | 1·1 | 2 | . | 1 | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | 2 | 1 | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | ·3 | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Pneumonia, Lobar, Broncho-Epidemic, Not defined, | 13 | 8 | 14 | 13 | 15 | 1<br>6<br>.<br>5 | 1<br>3<br>.<br>7 | .<br>9<br>.<br>6 | 2<br>3<br>.<br>3 | 1<br>2<br>.<br>10 | 12·2 | 5<br>7<br>.<br>11 | .<br>.<br>.<br>1 | .<br>3<br>.<br>1 | .<br>2<br>.<br>. | .<br>.<br>.<br>1 | 1<br>.<br>.<br>3 |
| Erysipelas, ... ... | . | 1 | . | . | 1 | . | . | 1 | . | 2 | ·5 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 1 | 1 | 1 | . | 1 | .<br>. | .<br>. | .<br>. | .<br>. | .<br>. | ·4 | 2<br>. | . | . | . | .<br>. | 2<br>. |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 25 | 25 | 31 | 30 | 30 | 3<br>27 | 4<br>20 | 4<br>19 | 3<br>15 | 4<br>12 | 25·2 | 12<br>17 | .<br>. | .<br>. | .<br>. | 1<br>4 | 10<br>7 |
| Tuberculous Meningitis, ... | 5 | 7 | 5 | 6 | 4 | 3 | 6 | 4 | 4 | 4 | 4·8 | 5 | . | 1 | 3 | 1 | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 7 | 2 | 2 | 4 | 5 | 1<br>1 | 2<br>. | 1<br>. | 1<br>. | .<br>. | 2·6 | 2<br>1 | .<br>. | .<br>. | 2<br>1 | .<br>. | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 8 | 4 | 2 | 4 | 5 | 9<br>. | 2<br>. | 3<br>. | 5<br>. | 10<br>2 | 5·4 | 12<br>. | . | 1<br>. | 3<br>. | 3<br>. | 4<br>. |
| Alcoholism, ... ... | . | . | 1 | . | . | 1 | 1 | 1 | 1 | 1 | ·6 | 1 | . | . | . | . | 1 |
| Rheumatic Fever, ... ... | . | 1 | 2 | 1 | . | . | . | . | . | . | ·4 | . | . | . | . | . | . |
| Gout, ... ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 5 | 5 | 8 | 7 | 5 | .<br>.<br>4 | 2<br>1<br>3 | 6<br>1<br>4 | 2<br>1<br>3 | 6<br>.<br>9 | 7·2 | 6<br>.<br>5 | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | 3<br>.<br>. |
| Diabetes Mellitus, ... | . | . | . | . | . | 2 | . | . | . | 2 | ·4 | . | . | . | . | . | . |
| Premature Birth, ... | 4 | 4 | 3 | 1 | 4 | 2 | 7 | 2 | 2 | 7 | 3·6 | 2 | 1 | 1 | . | . | . |

* The figures for the years 1897-1900
† Formerly descri

NTIETH WEEK ending Saturday, 18th May, 1907, with the deaths from each cause in the corresponding he average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: May 22, 1897. | May 21, 1898. | May 20, 1899. | May 19, 1900. | May 18, 1901. | May 17, 1902. | May 23, 1903. | May 21, 1904. | May 20, 1905. | May 19, 1906. | Averages in 20th Week of the 10 years 1897–1906. | In the Week ending Saturday, 18th May, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 50·3 | ° 48·0 | ° 49·9 | ° 47·0 | ° 48·2 | ° 47·2 | ° 50·2 | ° 49·3 | ° 50·1 | ° 46·8 | ° 48·7 | Mean Temp. ° 47·3 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 6 | 1 | 3 | 3 | 3 | | 8 | . | . | 3 | 3 | 1 | 1 | . | . |
| nity, G. P. of Insane ... | | | | | | . | 1 | 1 | 1 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| lepsy ... ... | | | | | | . | . | 2 | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| *vulsions* ... .. | | | | | | 5 | 6 | 5 | 13 | 6 | | 4 | 2 | 1 | 1 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | 1 | 2 | 1 | 2 | 2 | | 2 | . | . | . | . | 1 | . | 1 | . |
| vous System (other s.) | 31 | 35 | 27 | 33 | 39 | 4 | 2 | 2 | 3 | 2 | 36·7 | 2 | . | 1 | . | . | . | . | 1 | . |
| v. Dis., Endocarditis ... | | | | | | 4 | 5 | 1 | 5 | 6 | | 4 | . | . | . | . | . | 3 | 1 | . |
| ebr. Hæm. Thromb. ... | | | | | | 2 | 3 | 2 | 1 | 2 | | 3 | . | . | . | . | . | 1 | 1 | 1 |
| *plexy, Hemiplegia* ... | | | | | | 4 | 3 | 6 | 1 | 1 | | 7 | . | . | . | . | . | 1 | 6 | . |
| urysm ... ... | | | | | | . | 1 | 1 | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | . | 1 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| rt and Blood Vessel Dis. | | | | | | 16 | 13 | 14 | 11 | 18 | | 12 | . | . | . | . | 2 | 1 | 7 | 2 |
| *up* (not Spasm. nor emb.) | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 22 | 13 | 21 | 11 | 22 | 16 | 20 | 19 | 14 | 13 | 17·1 | 16 | . | 3 | 1 | . | 1 | 5 | 5 | 1 |
| nma, Emphysema ... | 1 | 1 | 1 | . | . | . | 3 | . | . | . | 1·7 | . | . | . | . | . | . | . | . | . |
| irisy ... ... | | | | | | . | 1 | . | 2 | . | | 1 | . | . | . | . | 1 | . | . | . |
| piratory Dis. (other) ... | | | | | | 2 | 1 | 2 | 1 | 2 | | 2 | . | . | . | . | 1 | . | 1 | . |
| sillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| eritis (not Epid.) ... | 2 | 1 | . | . | . | 2 | . | 1 | . | . | 1·0 | 1 | . | 1 | . | . | . | . | . | . |
| *ro Enteritis* ... ... | | | | | | . | . | 2 | 1 | 1 | | 2 | . | 1 | 1 | . | . | . | . | . |
| *tonitis* (not Puerp.) ... | 1 | 2 | . | . | . | . | . | 1 | . | . | ·4 | 1 | . | . | . | . | 1 | . | . | . |
| hosis of Liver ... | 1 | 4 | 3 | 4 | 3 | . | 2 | 1 | 2 | 2 | 3·2 | 2 | . | . | . | . | . | 1 | 1 | . |
| r Dis. (other) ... | | | | | | 2 | 3 | . | 4 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| estive Dis. (other) ... | 5 | 1 | 8 | 2 | 8 | 6 | 3 | 5 | 5 | 4 | 4·7 | 8 | . | 3 | 1 | 1 | . | 1 | 2 | . |
| hritis, Acute ... | 3 | 5 | 3 | 2 | 5 | 3 | . | 1 | 3 | . | 4·5 | 3 | . | . | . | . | . | 2 | 1 | . |
| ht's Dis., Albuminuria | | | | | | 4 | 1 | 5 | 2 | 3 | | 3 | . | . | . | . | 1 | 2 | . | . |
| nary Sys. (Other Dis.) | | | | | | 1 | 1 | 1 | . | 2 | | . | . | . | . | . | . | . | . | . |
| erative Organs Dis. ... | 1 | . | . | 1 | . | 1 | 1 | . | . | . | ·4 | 1 | . | . | . | . | . | 1 | . | . |
| dbirth (Accid. of) ... | . | . | . | . | 1 | 1 | . | . | . | 2 | ·4 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 11 | 13 | 11 | 14 | 9 | 7 | 8 | 8 | 7 | 6 | 9·4 | 3 | . | . | . | . | . | 2 | 1 | |
| er Diseases ... ... | 16 | 9 | 14 | 14 | 7 | 13 | 11 | 7 | 6 | 8 | 10·5 | 11 | 3 | 2 | 1 | . | 3 | 2 | . | |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | . | 1 | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| hips, Boats, Docks (exusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | 3 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | . | 1 | 2 | . | 1 | . | 1 | . | 1 | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| Drowning ... ... | 1 | 1 | 2 | 1 | 2 | . | . | . | . | 1 | ·8 | . | . | . | . | . | . | . | . | . |
| Suffocation in Bed ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . | . |
| er Deaths by Accident | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 3 | 2 | 2 | 1·9 | 2 | 1 | . | . | . | . | 1 | . | |
| **OLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| nicide ... ... | 1 | . | . | . | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| cide ... ... | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| cution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
ole Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. |
| No. of weeks in Annual Series. | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| BIRTHS registered, | 186 | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 203 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 |
| *Average Births in corresponding week of previous 10 years,** | 183 | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 22¼ | 206 |
| DEATHS registered, | 182 | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 203 | 205 | 195 | 208 |
| Annual Death-rate per 1,000, | 25·0 | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 |
| *Average Deaths in corresponding week of previous 10 years,** | 193 | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 |
| AGES, Under 5 years, | 49 | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 73 | 59 | 55 |
| 5—20 " | 13 | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 13 |
| 20—40 " | 30 | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 52 | 34 | 39 |
| 40—60 " | 31 | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 |
| 60—80 " | 49 | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 |
| 80 years and upwards, | 10 | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 9 | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 |
| Scarlet Fever | . | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . |
| Whooping-cough, | 2 | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 |
| Diphtheria, | 1 | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | } | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Enteric Fever, | 1 | . | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . |
| Diarrhœal Diseases, | 6 | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 8 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 |
| Pneumonia, | 18 | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 |
| Tuberculous Disease. {Phthisis, | 27 | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 |
| Tuberculous Disease. {Other Forms, | 7 | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 |
| Cancer, Malignant Disease, | 5 | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 |
| Diseases of Heart and Blood Vessels, | 22 | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 2 | 33 | 42 | 24 | 28 | 32 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 |
| Diseases of Respiratory System, | 30 | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 |
| Violent Deaths, | 3 | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 8 | 8 | 7 | 5 | 2 |
| Number of Uncertified Deaths, | 5 | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 |
| Mean Temperature of the Air (Phœnix Park), | 47·7 | 49·1 | 44·3 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 48·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 41·7 | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 |
| Rainfall in inches, | ·155 | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·85 | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 18th May, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH MAY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 28·9 | 208 | 55 | 15 | 39 | 40 | 52 | 7 | . | 2 | . | . | 4 | 1 | . | . | 1 | 8 | 23 | 29 | 20 | 11 | 4 | 19 | 2 | 92 | 9 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 17·9 | 6 | . | . | . | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | 3 | . |
| II. | MIDDLE CLASS, | 87,188 | 25·1 | 42 | 4 | 2 | 9 | 7 | 16 | 4 | . | . | . | . | . | . | . | . | . | . | 5 | 4 | 3 | 4 | . | 6 | . | 20 | 2 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 22·7 | 48 | 21 | 4 | 7 | 9 | 7 | . | . | 2 | . | . | 1 | . | . | . | . | 3 | 5 | 6 | 6 | 4 | 2 | 4 | . | 18 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 36·4 | 72 | 26 | 7 | 14 | 14 | 10 | 1 | . | . | . | . | 3 | 1 | . | . | 1 | 5 | 10 | 11 | 7 | 2 | 2 | 2 | 1 | 32 | 6 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 40 | 4 | 2 | 9 | 10 | 15 | . | . | . | . | . | . | . | . | . | . | . | 1 | 8 | 4 | . | . | 7 | 1 | 19 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 40·1 | 6 | . | . | . | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 40·6 | 6 | . | . | 2 | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 4 | 1 |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 38·2 | 14 | 1 | 1 | 1 | 2 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | 2 | . | 7 | 1 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 17·1 | 10 | 2 | 1 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | 1 | . | 4 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 23·2 | 12 | 1 | . | 1 | 2 | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 3 | . | 5 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 26·4 | 5 | 2 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 31·5 | 18 | 7 | 2 | 2 | 3 | 4 | . | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | 1 | 3 | . | 5 | . |
| | 10. Clothing Trades, | 28,260 | 15·7 | 7 | 3 | . | 3 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | 1 | . | 3 | 1 |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 22·3 | 13 | 8 | . | 1 | 4 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | 1 | 1 | . | . | 7 | . |
| | 13. Petty Shopkeepers, | 7,894 | 13·2 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 23·3 | 6 | 2 | 1 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 2 | . |
| | 15. Domestic Servants, | 36,603 | 7·1 | 5 | 1 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 4 | 2 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 29·0 | 8 | 3 | . | 3 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | . | . | . | . | . | 4 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 30·8 | 53 | 20 | 6 | 10 | 10 | 6 | 1 | . | . | . | . | 2 | 1 | . | . | 1 | 4 | 7 | 8 | 7 | 1 | 1 | 2 | 1 | 22 | 4 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 40 | 4 | 2 | 9 | 10 | 15 | . | . | . | . | . | . | . | . | . | . | . | 1 | 8 | 4 | . | . | 7 | 1 | 19 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (Offices, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Mar. 30, | 25·2 | . | 14 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 3 | . | 1 |
| | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| | „ 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | 1 |
| | „ 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 2 | 1 |
| | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | „ 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . | 2 |
| **North City, No. 1 (W.)** (Offices, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Mar. 30, | 28·0 | 1·3 | 21 | . | . | . | . | . | . | . | . | 1 | 4 | 4 | . | 1 | 6 | 1 | . |
| | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 4 | . | 1 | . | . |
| | „ 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | 1 |
| | „ 20, | 24·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| | „ 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 8 | 1 | . | 1 | 1 | . |
| | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | 1 |
| | „ 11, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . | . |
| **North City, No. 2.** (Office, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | Mar. 30, | 22·5 | 1·7 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 1 | 1 |
| | Apr. 6, | 43·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| | „ 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| | „ 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| | „ 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| | May 4, | 50·2 | 3·5 | 29 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | 1 |
| | „ 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . | . |
| **North City, No. 3.** (Offices, Benburb-street.) Pop. in 1907 (Est.) 32,422. | Mar. 30, | 28·9 | 3·2 | 18 | . | 1 | . | . | 1 | . | . | . | . | 4 | 3 | 1 | . | 2 | . | 1 |
| | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| | „ 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| | „ 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| | „ 27, | 56·3 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| | „ 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . | 1 |
| **South City, No. 1.** (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Mar. 30, | 22·2 | 1·3 | 17 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 7 | . | . |
| | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| | „ 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| | „ 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| | „ 27, | 39·1 | 2·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| | „ 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| | „ 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . | 1 |
| **South City, No. 2.** (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | Mar. 30, | 30·4 | 2·5 | 12 | . | . | . | 1 | . | . | . | . | . | 3 | 1 | 1 | . | 3 | . | . |
| | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 3 | 1 | 1 |
| | „ 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| | „ 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | 2 | . | 3 | . | . |
| | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| | „ 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| | „ 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| **South City, No. 3.** (Office, Peter-street.) Pop. in 1907 (Est. 42,269. | Mar. 30, | 29·6 | 3·7 | 24 | . | . | . | 1 | 1 | 1 | . | . | . | . | 5 | 1 | 4 | 2 | 3 | . |
| | Apr. 6, | 29·6 | 1·2 | 24 | . | 1 | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| | „ 13, | 28·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| | „ 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| | „ 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| | „ 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| | „ 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | 1 |
| **South City, No. 4.** (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,188. | Mar. 30, | 23·7 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 4 | 1 | . |
| | Apr. 6, | 12·3 | 3·0 | 15 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |
| | „ 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |
| | „ 20, | 32·6 | 3·0 | 22 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |
| | „ 27, | 16·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 3 | . | 1 |
| | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | . |
| | „ 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 | . |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Mar. 30, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 27, | 28·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| | „ 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 18, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Mar. 30, | 22·5 | 1·9 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 2 | . | . | . |
| | Apr. 6, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| | „ 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| | „ 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| | „ 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| | May 4, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | „ 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| | „ 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Mar. 30, | 29·6 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | . | 2 | . | . |
| | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| | „ 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| | „ 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| | „ 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Mar. 30, | 20·1 | 1·5 | 143 | . | . | 1 | . | 1 | . | . | 7 | 2 | 8 | 20 | 15 | 4 | 17 | 8 | 1 |
| | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| | „ 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| | „ 20, | 23·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 28 | 13 | 4 | 21 | 4 | 6 |
| | „ 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| | May 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| | „ 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 4 |
| | „ 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 6 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Mar. 30, | 20·5 | 1·4 | 30 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | 2 | . | 4 | . | 2 |
| | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| | „ 13, | 23·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| | „ 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| | „ 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| | „ 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | . |
| | „ 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Mar. 30, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | Apr. 6, | 12·3 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| | „ 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| | „ 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| | „ 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| | May 4, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| | „ 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| | „ 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Mar. 30, | 24·6 | 1·4 | 18 | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 | 1 | 3 | . | 3 |
| | Apr. 6, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| | „ 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| | „ 27, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 8 | . | . | . | . | 3 |
| | „ 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| | „ 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Mar. 30, | 25·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 |
| | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| | „ 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 |
| | „ 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | May 4, | 27·3 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |
| | „ 11, | 25·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |
| | „ 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th May, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 4 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 12 | 2 | 1 | 1 | 2 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 | 4 | . |
| Do. 2 " | 47,959 | 38 | | | 19 | 3 | 1 | 7 | 1 | 2 | 5 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 3 | . | . | 3 | . |
| Do. 3 " | 47,214 | 36 | | | 18 | 4 | 7 | 2 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | 3 | 3 | 5 | 1 |
| Do. 4 " | 40,911 | 42 | | | 19 | 3 | 1 | 2 | 7 | 2 | 4 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | . | 1 | 2 | 10 | . |
| Do. 5 " | 17,387 | 11 | | | 9 | 1 | . | 1 | 1 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | . | 1 | 4 | . |
| Do 6 " | 48,122 | 20 | | | 16 | 2 | 2 | 2 | 1 | 2 | 6 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | . | 7 | . |
| Do, 7 " | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 " | 5,060 | 17 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 " | 19,569 | 13 | | | 11 | 1 | 1 | . | 2 | 2 | 5 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 3 | . | . | 5 | 1 |
| Do. 10 " | 28,064 | 29 | | | 16 | 3 | 1 | 6 | 1 | 1 | 4 | . | 2 | . | . | 1 | . | . | . | . | . | 3 | . | 1 | . | . | . | 1 | . |
| Do. 11 " | 34,802 | 27 | | | 15 | 5 | 1 | . | 1 | 3 | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 4 | 2 | 3 | 2 | 1 |
| Do. 12 " | 38,588 | 24 | | | 19 | 7 | 2 | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 2 | 2 | 2 | 4 | . |
| Do. 13 " | 15,006 | 11 | | | 4 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . |
| Do. 14 " | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 272 | | | 158† | 33 | 17 | 27 | 20 | 20 | 41 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 12 | 45 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 8 | 32·4 | . | 8 | 2 | . | 4 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 3 | . |
| Do. 2 " | 10,701 | 8 | 19·5 | . | 4 | . | . | 4 | | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . |
| Do. 3 " | 9,978 | 4 | 20·9 | . | 4 | 1 | . | 3 | | | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 1 | . |
| Do. 4 " | 8,666 | 8 | 30·1 | 6·0 | 5 | 2 | . | 2 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . |
| Do. 5 " | 6,592 | 6 | 15·8 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . |
| Do. 6 " | 10,702 | 9 | 9·7 | . | 2 | . | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 7 " | 16,616 | 9 | 22·0 | . | 7 | 1 | . | 3 | | | 3 | . | . | . | . | . | . | . | . | . | . | 4 | . | . | . | . | . | 2 | 2 |
| Total, | 76,122 | 54 | 21·9 | 0·7 | 32 | 6 | . | 19 | | | 7 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 1 | 10 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 24. | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13 | Apr. 20. | Apr. 27. | May 4. | May. 11. | May. 18. |
| No of weeks in Annual Series, | 47 | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| BIRTHS registered, | 211 | 178 | 185 | 219 | 178 | 155 | 268 | 282 | 207 | 206 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 |
| DEATHS registered. | 125 | 128 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 |
| Annual Death-rate per 1,000 of estimated Population. | 17·8 | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 |
| AGES — Under 1 year | 32 | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 |
| AGES — 1-5 years, | 16 | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 |
| AGES — 5-20 years, | 13 | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 | 22 | 28 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 |
| AGES — 20-40 years, | 18 | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 |
| AGES — 40-60 years, | 13 | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 |
| AGES — 60 years and upwards, | 33 | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 |
| Scarlet Fever, | 1 | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Typhus, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 4 | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 |
| Diphtheria, | 1 | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . |
| Diarrhœal Diseases, | 3 | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 |
| Pneumonia, | 13 | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 16 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 |
| Tuberculous Disease, Phthisis, | 16 | 14 | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 19 |
| Tuberculous Disease, Other Forms, | 7 | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 |
| Cancer, Malignant Disease, | 2 | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 |
| Diseases of Respiratory System, | 24 | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 |
| Violent Deaths, | 1 | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 |
| Number of Uncertified Deaths, | 1 | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 |

*Formerly described as "Simple Continued Fever."
† Including 21 deaths from cerebro-spinal fever, or from *cerebro spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Exclusive of Stillborn. | | | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
| LONDON, . | 4,758,218 | May 18, | 2,499 | 1,383 | 15·2 | . | 51 | 12 | 11 | 59 | 1 | 21 |
| EDINBURGH, . | 345,747 | „ 18, | 161 | 108*a* | 16·3 | . | 3 | 1 | . | 5 | . | 2 |
| GLASGOW, . . | 847,584 | „ 18, | 504 | 354*a* | 21·8 | . | 2 | . | . | 40 | 2 | 2 |
| CALCUTTA, . | 847,796 | Mar. 30, | . | 694 | 42·5 | 81 | 3 | . | . | . | 105‡ | 101* |
| BOMBAY, . . | 977,822 | Apr. 16, | 308 | 1,140 | 60·6 | 4 | 3 | . | . | . | 79‡ | 62* |
| MADRAS, . . | 509,346 | Mar. 29, | 303 | 382 | 38·9 | 1 | 9 | ? | ? | ? | 99 | 63 |
| PARIS, . . | 2,750,000 | May 4, | 970 | 1,122 | 21·4 | 2 | 15 | 11 | 10† | 7 | 11 | 25 |
| BRUSSELS (with 8 Faubourgs). | 623,077 | Apr. 27, | 220 | 168 | 14·0 | . | . | 3 | 2† | . | . | 10 |
| ANTWERP, . . | 304,032 | „ 27, | 138 | 82 | 14·1 | . | 1 | . | . | 2 | 1 | 6 |
| AMSTERDAM, . | 565,368 | May 4, | 313 | 167 | 15·4 | . | 2 | . | . | 2 | 1 | 6 |
| COPENHAGEN, . | 427,000 | Apr. 27, | 225 | 155 | 18·9 | . | . | . | 1† | 2 | 1 | 9 |
| STOCKHOLM, . | 324,488 | „ 27, | 145 | 103 | 16·1 | . | . | 1 | . | 2 | . | 3 |
| CHRISTIANIA, . | 226,774 | May 4, | 114 | 82 | 18·8 | . | 1 | . | 3† | . | . | 2 |
| ST. PETERSBURG, | 1,482,769 | Apr. 27, | 688 | 801 | 28·1 | . | 49 | 25 | 13 | 3 | 19 | 85 |
| MOSCOW, . . | 1,172,421 | Mar. 30, | . | 657 | 29·2 | 1 | 27 | 9 | 9† | 2 | 15 | 68 |
| BERLIN, . . | 2,089,037 | Apr. 20, | 913 | 630 | 15·7 | 1 | 3 | 3 | 7† | 8 | 2 | 33 |
| HAMBURG, . . | 824,792 | „ 27, | . | 249 | 15·7 | . | . | 3 | 4† | 4 | . | 15 |
| BRESLAU, . . | 483,486 | May 4, | . | 220 | 23·7 | . | 1 | . | . | 1 | . | 21 |
| MUNICH, . . | 548,000 | „ 4, | . | 203 | 19·3 | . | 2 | 2 | . | 1 | . | 18 |
| VIENNA (with suburbs). | 1,998,479 | „ 4, | 949 | 800 | 20·8 | . | 28 | 6 | 6† | 6 | 1 | 42 |
| BUDA-PESTH, . | 802,235 | Apr. 27, | 391 | 338 | 21·9 | . | 2 | 7 | 4† | . | 1 | 11 |
| PRAGUE and Faubourgs. | 466,133 | „ 13, | 189 | 195 | 21·8 | . | 4 | . | 2† | . | . | 10 |
| TRIESTE, . . | 200,962 | „ 20, | 107 | 118 | 30·6 | . | . | . | . | . | . | 2 |
| ROME, . . . | 540,150 | Mar. 16, | 260 | 212 | 20·5 | . | 1 | . | 2 | 1 | 3 | 8 |
| VENICE, . . | 174,398 | „ 30, | 98 | 81 | 24·2 | . | . | 1 | . | 1 | . | 2 |
| NEW YORK, . | 4,285,435 | Apr. 20, | 2,027 | 1,557 | 18·9 | . | 8 | 27 | 40† | 11 | 14 | 58 |
| PHILADELPHIA, | 1,500,595 | Mar. 30, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, . . | 602,526 | Apr. 20, | . | 216 | 18·7 | . | . | 1 | 2 | . | . | 3 |

*a.* Including 5 deaths from cerebro spinal meningitis in Edinburgh, and 23 in Glasgow.
* Including 57 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Exclusive of 166 deaths from plague in Calcutta, and 461 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th May, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 2 | . | . | 1 | . | 2 | . | 2 | . | . | . | 7 |
| " " 1, West, | . | . | . | . | . | . | 3 | . | . | . | . | . | 3 |
| " " 2, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 3, | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | |
| Coolock and Drumcondra No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 2, | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 |
| " " 3, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 2 |
| " " 4, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 2 | . | . | 3 | . | 5 | 1 | 5 | . | 2 | . | 18 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th May, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 18th May. | | | |
|---|---|---|---|---|---|---|---|
| | April 27. | May 4. | May 11. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox. | . | . | . | . | . | . | . |
| Measles, | 83 | 115 | 121 | 29 | 16 | 2 | 132 |
| Scarlet Fever. | 43 | 50 | 48 | 4 | 12 | . | 40* |
| Typhus, | 10 | 6 | 7 | . | . | . | 7 |
| Diphtheria, | 23 | 29 | 33 | 4 | 12 | 1 | 24 |
| Enteric Fever, | 12 | 13 | 10 | 3 | 4 | . | 9 |
| Pneumonia, | 41 | 41 | 44 | 14 | 14 | 2 | 42 |

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 18th May, 1907 :—

"A wet week, with southerly winds and a tolerably high temperature, has been followed by a dry week with northerly and easterly winds and a low temperature, particularly after Tuesday. In the course of Sunday, which was the only rain-day experienced in Dublin during the week, a shallow atmospheric depression—first noticed off the Portuguese coast on Saturday morning, May 11, whence it travelled briskly northwards across the Bay of Biscay to Brittany—passed in a northwesterly direction over Ireland and out upon the Atlantic. While this was happening in the West a heat wave on Sunday sent the thermometer up to 82° at Fulbeck, Lincolnshire, 80° at Margate and Nottingham, and 79° in London and at Oxford; while 82° was recorded in Paris and at Lyons, 88° in Berlin and at Frankfurt. A steep heat gradient over England caused thunderstorms over the N.W. of England and N.E. of Ireland—in Dublin rain fell in fitful showers and the clouds appeared highly electrical, but there was no thunderstorm. Monday was a fine, bright warm day in Ireland, but dull and wet in England. A great change in the distribution of atmospheric pressure now set in, an area of high pressure spreading southeastward from Iceland towards, and finally over, the British Isles. With this system came searching N.E. and E. winds and—as the amount of cloud lessened—very low night temperatures. On Saturday morning the anticyclone was central over the Ocean between the Hebrides and Iceland. In Dublin the mean height of the barometer was 30·024 inches, pressure ranging between 29·637 inches at 9 p.m. of Sunday (wind, S.E.) and 30·334 inches at 9 p.m. of Friday (wind, calm). The corrected mean temperature was 51·0°, which was also the mean dry bulb reading at 9 a.m. and 9 p.m. On Monday the screened thermometers rose to 63·1°, on Saturday they fell to 37·8°. N.N.W. and E.N.E. were the prevailing winds. Rain fell on Sunday to the amount of ·063 inch."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·001 inches. The highest reading (30·337) was on Friday at 9 p.m., air calm, and the lowest (29·632) on Sunday at 9 p.m., wind S.E.

The mean temperature for the week was 47·3°, being 1·4° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Monday, on which day the thermometer registered 61·2°, and was lowest on Saturday, the mercury having fallen to 29·1°. The mean of the Dry Bulb for the week was 48·4°, and of the Wet Bulb 45·1°. The mean humidity of the air was ·79, complete saturation being represented by 1·0. The rainfall during the week measured ·035 inch.

At Greenwich the mean temperature for the week was 53·2°, the maximum 81·5°, and the minimum 38·1°; at Glasgow the maximum was 65·5°, the minimum 36·2°, and the mean 50·2°; and at Edinburgh the maximum was 64·5°, the minimum 36·7°, and the mean 48·4°. The rainfall at Greenwich measured 0·35 in.; and at Glasgow, 0·24 in. There was no rainfall recorded at Edinburgh. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hour and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, May 12, | 29·702 | 57·3 | 46·2 | 51·8 | 53·3 | 50·9 | ·84 | ·8 | 0·0 | ·035 | N.E. | S.E. |
| Monday, „ 13, | 29·869 | 61·2 | 47·4 | 54·3 | 52·0 | 47·6 | ·74 | ·3 | 12·3 | ·000 | S.S.E. | Calm. |
| Tuesday, „ 14, | 29·890 | 57·8 | 42·5 | 50·2 | 51·6 | 48·4 | ·84 | ·5 | 8·2 | ·000 | W.N.W. | Calm. |
| Wednesday, „ 15, | 29·940 | 56·1 | 37·2 | 46·7 | 48·7 | 45·4 | ·79 | ·5 | 2·0 | ·000 | N.W. | Calm. |
| Thursday, „ 16, | 30·146 | 54·7 | 36·2 | 45·5 | 47·6 | 43·6 | ·74 | ·8 | 1·6 | ·000 | N.N.E. | N.W. |
| Friday, „ 17, | 30·169 | 52·0 | 32·4 | 42·2 | 41·7 | 39·7 | ·86 | ·5 | 9·7 | ·000 | N.W. | Calm. |
| Saturday, „ 18, | 30·290 | 51·7 | 29·1 | 40·4 | 43·9 | 40·2 | ·73 | ·5 | 12·0 | ·000 | N.E. | Calm. |
| Mean, . . | 30·001 | 55·8 | 38·7 | 47·3 | 48·4 | 45·1 | ·79 | ·6 | Total 45·8 | Total ·035 | — | |

*Sunday*—Day overcast, light showers a.m. and p.m.; night clear. *Monday*—Cloudy day, fine; night clear. *Tuesday*—Cloudy day, fine; night clear. *Wednesday*—Cloudy a.m., overcast p.m.; night clear. *Thursday*—Overcast a.m., cloudy p.m., fine; night clear. *Friday*—Cloudy day, fine; night clear. *Saturday*—Cloudy a.m., bright fine p.m.; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 18th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, May 12, | 51·0 | 52·9 | 49·2 | 57·2 | 47·1 | 52·2 | — | ·060 |
| Monday, „ 13, | 57·0 | 52·7 | 49·6 | 62·2 | 48·5 | 55·9 | 13·0 | — |
| Tuesday, „ 14, | 57·5 | 54·0 | 49·9 | 57·8 | 47·1 | 52·5 | 9·6 | — |
| Wednesday, „ 15, | 53·1 | 54·0 | 50·0 | 56·0 | 43·6 | 49·8 | 2·6 | — |
| Thursday, „ 16, | 50·8 | 53·0 | 50·1 | 56·4 | 42·2 | 49·3 | 1·4 | — |
| Friday, „ 17, | 47·8 | 51·9 | 50·3 | 51·7 | 39·0 | 45·4 | 10·7 | — |
| Saturday, „ 18, | 50·0 | 51·6 | 50·7 | 51·6 | 30·3 | 41·0 | 12·0 | — |
| Weekly Mean, . | 52·5 | 52·9 | 50·0 | 56·3 | 42·5 | 49·4 | Total 49·3 | Total ·060 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17497.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 25TH MAY, 1907. [No. 21.

*General Register Office, Charlemont House, Dublin, 27th May,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending May 4. | Week ending May 11. | Week ending May 18. | Week ending May 25. | Average Rate for 4 weeks. | Towns, &c. | Week ending May 4. | Week ending May 11. | Week ending May 18. | Week ending May 25. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 23·8 | 22·4 | 22·0 | 21·8 | 22·5 | Lisburn, . | 13·6 | 18·2 | 13·6 | 22·7 | 17·0 |
| Armagh, . . | 20·6 | 27·5 | . | 6·9 | 13·8 | Londonderry, . | 16·0 | 16·0 | 13·5 | 11·0 | 14·1 |
| Ballymena, . | 14·4 | 23·9 | 19·2 | 4·8 | 15·6 | Lurgan, . . | 4·4 | 17·7 | 17·7 | 26·6 | 16·6 |
| Belfast, . . | 23·8 | 24·5 | 22·3 | 23·1 | 23·4 | Newry, . . | 21·0 | 25·2 | 12·6 | 33·6 | 23·1 |
| Clonmel, . | 15·4 | 25·6 | 15·4 | 20·5 | 19·2 | Newtownards, . | 45·8 | 34·3 | 22·9 | 5·7 | 27·2 |
| Cork, . . . | 21·2 | 19·9 | 21·9 | 16·4 | 19·9 | Portadown, . | 10·3 | . | 10·3 | 25·8 | 11·6 |
| Drogheda, . . | 32·7 | 12·3 | 20·4 | 12·3 | 19·4 | Queenstown . | 19·8 | 19·8 | . | 13·2 | 13·2 |
| Dublin Reg. Area, | 26·4 | 24·0 | 26·7 | 25·8 | 25·7 | Sligo, . . . | 24·0 | 14·4 | 9·6 | 9·6 | 14·4 |
| Dundalk, . . | 12·0 | 8·0 | 12·0 | 35·9 | 17·0 | Tralee, . | 21·1 | 31·7 | 21·1 | 5·3 | 19·8 |
| Galway, . . | 11·7 | 3·9 | 27·2 | 38·8 | 20·4 | Waterford, . | 27·3 | 25·3 | 19·5 | 7·8 | 20·0 |
| Kilkenny, . . | 34·3 | 14·7 | 9·8 | 19·7 | 19·6 | Wexford, . . | 18·7 | 18·7 | 18·7 | 9·3 | 16·4 |
| Limerick, . . | 27·3 | 17·8 | 13·7 | 12·3 | 17·8 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 7·8 in Galway, the 10 deaths from all causes registered in that district including one from *pyrexia* (origin uncertain) and one from diarrhœa. Among the 164 deaths from all causes registered in Belfast are 2 from measles, 2 from whooping-cough, 2 from enteric fever, 3 from diarrhœal diseases, 11 from cerebro-spinal fever, and 9 returned as from *cerebro-spinal meningitis;* the 24 deaths from all causes in Cork include one each from whooping-cough and diarrhœa; of the 4 deaths registered in Waterford 2 are from diarrhœal diseases; and one of the 8 deaths from all causes in Newry is from typhus.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 200—107 boys and 93 girls; and the deaths to 203—101 males and 102 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 27·1 in every 1,000 of the population; omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 25·8 per 1,000. During the twenty-one weeks ending with Saturday last the death-rate averaged 28·4, and was 0·2 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths (203) include 6 from measles, 10 from whooping-cough, one from enteric fever, one from influenza, 2 from cerebro spinal fever, and one death from tetanus. In the 3 preceding weeks, deaths from measles were 3, 6, and 2; deaths from whooping-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

cough were 10, 8, and 4; deaths from enteric fever were 0, one, and 0; deaths from influenza were 2, 3, and 4; and deaths from cerebro-spinal fever were 0, 0, and 2 respectively.

There were 4 deaths from lobar pneumonia, 8 deaths from broncho-pneumonia, and 13 deaths from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease, which, in each of the 3 weeks preceding, were 53, 27, and 49, in the period under notice numbered 44. This figure includes 12 deaths from tuberculous phthisis, 15 deaths returned as from *phthisis*, 4 deaths from tuberculous meningitis, one death from tuberculous peritonitis, one death from *tabes mesenterica*, and 11 deaths from other forms of the disease.

Of 11 deaths from malignant diseases, 4 were due to carcinoma, one to sarcoma, and 6 to cancer (undefined).

The deaths of 6 infants prematurely born were registered.

The deaths (10) from diseases of the brain and nervous system include 2 deaths from meningitis and the deaths of 6 infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 23 persons, and there were 22 deaths from bronchitis.

Of 5 violent deaths 4 were due to accidental circumstances and one was by suicide; of the former figure one death was by "vehicles and horses," one was by burning, and one was by immersion.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the death of one person aged 72 years.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 16 were under one month old), and 47 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 9 were octogenarians.

One hundred and eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the N. Dublin Union Workhouse, 29 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·8 per 1,000; the rate in the City was 28·1 (North City Districts, 26·7; South, 29·5), and in the Suburbs, 18·0 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·4 (1·4 in the North City Districts, and 3·6 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·8 per 1,000. Influenza, broncho-pneumonia, and tuberculous phthisis each caused one death, and there was one death from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (26) are equal to an annual rate of 34·6 per 1,000. The deaths include 2 from measles, one from whooping-cough, one from cerebro-spinal fever, 5 from pneumonia (all forms), 5 from tuberculous disease, 4 from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. There were 3 deaths from broncho-pneumonia, 4 from tuberculous disease, and one death from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (18) represent an annual rate of 28·9 per 1,000. Lobar pneumonia and broncho-pneumonia each caused one death, there were 5 deaths from tuberculous disease, 4 deaths from diseases of the respiratory system, and one death by suicide.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 19·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. The 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from whooping-cough and 2 from tuberculous disease of the lungs. Of the 2 deaths from all causes for Finglas and Glasnevin, part of, one was from lobar pneumonia and one from *pneumonia* (not defined).

*No. 1 South City District* (South Earl-street).—The deaths (20) represent an annual rate of 26·1 per 1,000. Among the deaths was one from enteric fever, broncho-pneumonia caused one death, there were 6 deaths from tuberculous disease, 2 deaths from bronchitis, and one death caused by an accident.

*No. 2 South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 32·9 per 1,000, and include one death from *pneumonia* (not defined), 5 deaths from tuberculous disease, and 3 deaths from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 28·4 per 1,000. Whooping-cough caused 2 deaths, there was one death from lobar pneumonia, 2 deaths from *pneumonia* (not defined), 6 deaths from tuberculous disease, and 3 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (25) are equivalent to an annual rate of 37·1 per 1,000. Measles caused 2 deaths, and whooping-cough caused 5 deaths; there were 2 deaths from *pneumonia* (not defined), 3 deaths from tuberculous disease, and 4 deaths from bronchitis.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths one was from *pneumonia* (not defined).

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 22·5; Blackrock, 6·0; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include 2 from measles for Pembroke and one from whooping-cough for Kingstown. The 10 deaths from all causes for Rathmines and Rathgar include one each from cerebro-spinal fever, *pneumonia* (not defined), and *phthisis*. The 12 deaths from all causes for Pembroke include one each from broncho-pneumonia, *pneumonia* (not defined), *phthisis* and bronchitis; and the 8 deaths from all causes for Kingstown include one from *pneumonia* (not defined), one from *phthisis*, 3 from diseases of the heart and blood vessels, and one from burns accidentally received.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 25th May, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | May 4, | . | — | — | 4 | 1 | . | 6 | . | 2 | 1 | 10 | . | — | — | . | — | — | 24 |
| | May 11, | . | — | — | 1 | 1 | . | 3 | . | 3 | 3 | 6 | . | — | — | . | — | — | 17 |
| | May 18, | . | — | — | 2 | . | . | 3 | . | 5 | 1 | 5 | . | — | — | 2 | — | — | 18 |
| | May 25, | . | — | — | 6 | 1 | . | 3 | . | . | 4 | 7 | 1 | — | — | 1 | — | — | 23 |
| Rathmines and Rathgar Urban District. | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 11, | . | — | — | 1 | . | . | 2 | . | 1 | . | . | . | — | — | . | — | — | 4 |
| | May 18. | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | 4 | — | — | 5 |
| | May 25, | . | — | — | 4 | . | . | 1 | . | . | . | 2 | . | — | — | . | — | — | 7 |
| Pembroke Urban District. | May 4, | . | 2 | . | . | . | . | . | . | . | . | 2 | . | — | 21 | . | — | — | 25 |
| | May 11, | . | 16 | . | . | . | . | . | . | . | . | 1 | . | — | 10 | . | — | — | 27 |
| | May 18. | . | 32 | . | 1 | . | . | . | . | . | . | 1 | . | — | 33 | . | — | — | 67 |
| | May 25, | . | 16 | . | . | . | . | 2 | . | . | . | 1 | . | — | 6 | . | — | — | 25 |
| Blackrock Urban District. | May 4, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | . | — | — | 2 |
| | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 18, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 25, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| Kingstown Urban District. | May 4, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 18, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | . | — | — | 2 |
| | May 25, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | May 4, | . | — | — | 17 | . | . | 4 | . | 6 | 6 | 7 | . | — | — | 30 | — | — | 70 |
| | May 11, | . | — | — | 13 | . | . | 2 | 1 | 9 | 4 | 2 | 1 | — | — | 29 | — | — | 61 |
| | May 18, | . | — | — | 8 | . | . | 4 | . | 2 | 5 | 6 | . | — | — | 24 | — | — | 49 |
| | May 25, | . | — | — | 5 | . | . | 3 | 1 | 1 | 5 | 4 | . | — | — | 22 | — | — | 41 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th May, 1907.

From this it appears that:—

Thirty-four cases of measles were admitted into hospital during the week, 42 were discharged, there was one death, and 123 cases remained under treatment at its close. At the close of each of the three preceding weeks the cases of measles under treatment numbered 115, 121 and 132.

Nine cases of scarlet fever were admitted to hospital, 3 were discharged, one died, and 15* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, 3 cases were discharged, and 5 remained under treatment in hospital at the close of the week.

Four cases of diphtheria were admitted to hospital, 10 were discharged, and 18 patients remained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital during the week, 2 were discharged, there was one death, and 17 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 3 were discharged, there were 2 deaths, and 40 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·4), was equal to an average annual death-rate of 14·9 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 17·5 per 1,000, the rate for Glasgow being 18·7 and for Edinburgh 16·5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th May. From this Report it appears that of a total of 64 cases notified 23 were scarlet fever, 10 diphtheria, one membranous croup, and 2 erysipelas. Among the 346 cases of infectious diseases in hospital at the close of the week were 116 cases of scarlet fever, 61 of measles, 53 of whooping-cough, 34 of diphtheria, 2 of membranous croup, 8 of enteric fever, and 7 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 25th May, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by: Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 29·1 | 21·8 | 1·6 | 624 | 467 | 67 | 94 | . | 8 | . | 1 | 13 | . | 1 | 3 | 8 | 37 | 76 | 35 | 24 | 53 | 10 | 18 | 166 | 15 |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 26·7 | 25·8 | 2·3 | 200 | 193 | 29 | 45 | . | 6 | . | . | 10 | . | . | 1 | . | 25 | 24 | 16 | 10 | 23 | 4 | 6 | 98 | 3 |
| City of Dublin, | 300,850 | 38·0 | 27·6 | 28·1 | 2·4 | 159 | 162 | 27 | 36 | . | 4 | . | . | 9 | . | . | 1 | . | 21 | 21 | 16 | 6 | 22 | 3 | 4 | 82 | 2 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 11·7 | 14·6 | . | 8 | 10 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | 7 | . |
| Urban Dists. Pembroke | 27,854 | 5 | 33·7 | 22·5 | 3·7 | 18 | 12 | 1 | 3 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | 1 | 4 | . |
| Urban Dists. Blackrock | 8,759 | 8·1 | . | 6·0 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Urban Dists. Kingstown, | 17,622 | 12·1 | 44·4 | 23·7 | 3·0 | 15 | 8 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 | 4 | 1 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 33·7 | 23·1 | 1·3 | 289 | 164 | 22 | 26 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 9 | 40 | 5 |
| Cork, | 76,122 | 33·6 | 27·4 | 16·4 | 1·4 | 40 | 24 | 4 | 5 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | . | 5 | 1 |
| Londonderry, | 42,475 | 19·6 | 19·6 | 11·0 | 1·2 | 16 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | 2 | 1 | . |
| Limerick, | 38,151 | 18·1 | 21·9 | 12·3 | . | 16 | 9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | . | 6 | 2 |
| Waterford, | 26,769 | 18·7 | 29·2 | 7·8 | 3·9 | 15 | 4 | 2 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | 1 | 2 | . |
| Galway, | 13,426 | 2·5 | 28·3 | 38·8 | 7·8 | 6 | 10 | 2 | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 2 | . | . | 1 | 1 |
| Dundalk, | 13,076 | 9·4 | 47·9 | 35·9 | . | 12 | 9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 16·3 | 12·3 | . | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . |
| Newry, | 12,405 | 17·8 | 25·2 | 33·6 | 4·2 | 6 | 8 | . | 2 | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | 3 | . |
| Lurgan, | 11,782 | 13·8 | 21·0 | 26·6 | . | 7 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Lisburn, | 11,461 | 10·1 | 27·3 | 22·7 | . | 6 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . |
| Wexford, | 11,168 | 23·2 | 37·4 | 9·3 | . | 8 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 28·7 | 4·8 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 33·6 | 9·6 | . | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 |
| Kilkenny, | 10,609 | 11·5 | 4·9 | 19·7 | . | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 1 | 1 |
| Clonmel, | 10,167 | 7·8 | 51·3 | 20·5 | . | 10 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 3 | . |
| Portadown, | 10,092 | 13·2 | 72·3 | 25·8 | . | 14 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | . | 1 |
| Tralee, | 9,867 | 16·6 | 52·8 | 5·3 | . | 10 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Newtownards, | 9,110 | 18·9 | . | 5·7 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Queenstown, | 7,909 | 14·4 | . | 13·2 | . | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Armagh, | 7,588 | 22·2 | 6·9 | 6·9 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |

| Towns and Districts. | Week ending 25th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 18th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 11th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area: Total, d. | f63·3 | 29·9 | 45·0 | 0·19 | f61·2 | 29·1 | 47·3 | 0·04 | f61·8 | 31·1 | 50·3 | 1·77 |
| City of Dublin, | g64·2 / h61·8 | 36·9 / 31·0 | 48·7 / 45·6 | 0·15 / 0·14 | g63·1 / h61·8 | 37·8 / 32·0 | 51·0 / 48·2 | 0·06 / 0·05 | g62·7 / h61·4 | 40·0 / 32·8 | 52·7 / 51·4 | 2·22 / 2·12 |
| Rathmines and Rathgar. | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 63 | 37 | 47·6 | 0·03 | 61 | 39·5 | 50·6 | 0·08 | 59 | 39·5 | 51·8 | 2·42 |
| Urban Districts. | | | | | | | | | | | | |
| Belfast (i), | 56·0 | 34·0 | 45·3 | 0·49 | 64·0 | 40·0 | 52·0 | 0·29 | 58·5 | 35·0 | 48·5 | 1·41 |
| Cork, | 60 | 39 | 48·5 | 0·13 | 60 | 39 | 50·9 | 0·43 | 55 | 37 | 48·5 | 1·74 |
| Londonderry, | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 68 | 38 | 51·3 | 0·17 | 64 | 42 | 53·5 | 0·37 | 62 | 38 | 49·8 | 1·18 |
| Dundalk, | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 |
| Lurgan, | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 |
| Lisburn, | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 |
| Wexford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 69·5 | 36·4 | 50·2 | 0·27 | 59·4 | 29·4 | 49·4 | 0·13 | 61·9 | 32·0 | 56·6 | 1·60 |
| Kilkenny, | 65 | 31 | 47·7 | 0·15 | 64 | 36 | 49·4 | 0·09 | 60 | 32 | 50·9 | 1·89 |
| Clonmel, | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 |
| Tralee, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 53 | 36 | 45·4 | 1·30 | 57 | 40 | 48·1 | 0·56 | 61 | 38 | 48·9 | 1·24 |
| Queenstown, | 60 | 39 | 48·5 | 0·13 | 60 | 39 | 50·9 | 0·43 | 55 | 37 | 48·5 | 1·74 |
| Armagh, | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 | 60·5 | 36·2 | 51·1 | 1·04 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 10 deaths of persons (including 4 under 1 year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 25th May, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1 E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Goodlock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | . | 6 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | 1 | . | . | . | 1 | . | . | . | 2 | 5 | . | . | . | . | 1 | 10 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia | 1 | 5 | 3 | 2 | . | . | 2 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | . | 1 | 25 | . |
| Tuberculous Disease. Phthisis | 1 | 3 | 2 | 3 | . | 2 | . | 3 | 3 | 4 | . | . | 1 | 1 | . | 1 | 24 | 3 |
| Tuberculous Disease. Other Forms. | . | 2 | 2 | 2 | . | . | . | 3 | 2 | 2 | 3 | . | . | . | . | . | 16 | 1 |
| Cancer, Malignant Disease | 2 | 1 | . | . | . | . | . | 1 | . | . | 2 | . | 1 | 2 | . | 1 | 10 | 1 |
| Other General Diseases | 1 | 1 | 2 | 1 | . | 1 | . | 1 | 2 | 3 | 2 | 1 | 3 | 1 | . | . | 19 | 1 |
| Total, | 5 | 15 | 9 | 8 | . | 4 | 2 | 10 | 8 | 14 | 16 | 2 | 6 | 8 | . | 4 | 111 | 6 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 2 | . | 1 | 1 | . | . | . | 2 | . | 2 | . | . | . | 2 | . | . | 10 | . |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 1 | 3 | 3 | 2 | . | . | . | 2 | 1 | 2 | 2 | . | 2 | 1 | 1 | 3 | 23 | . |
| Diseases of: Respiratory System | 1 | 4 | 1 | 4 | . | . | . | 2 | 3 | 3 | 4 | . | . | 1 | . | . | 23 | . |
| Diseases of: Digestive System | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | 2 |
| Diseases of: Lymphatic System &c. | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of: Urinary System | 1 | . | 1 | . | . | . | . | 1 | 1 | . | 3 | . | 1 | . | . | . | 8 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 9 | 6 | 7 | . | . | . | 8 | 5 | 8 | 9 | . | 4 | 4 | 1 | 3 | 69 | 2 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | 1 | 1 | 3 | 2 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 9 | 1 |
| **E. Violent Deaths,** | . | 1 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 4 | 1 |
| **Deaths from all Causes,** | 11 | 26 | 18 | 18 | . | 4 | 2 | 20 | 18 | 23 | 25 | 2 | 10 | 12 | 1 | 8 | 193 | 10 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 19·8 | 34·6 | 31·2 | 28·9 | . | 19·0 | 14·4 | 26·1 | 32·9 | 28·4 | 37·1 | 11·7 | 14·6 | 22·5 | 6·0 | 23·7 | 25·8 | . |
| | 26·7 | | | | | | | 29·5 | | | | | 18·0 | | | | | |
| | 28·1 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | 1 | 3 | 3 | 3 | . | . | . | 8 | 1 | 4 | 4 | . | . | 1 | . | 1 | 29 | 4 |
| 1 and under 5 years | 1 | 5 | 2 | 2 | . | 1 | . | 1 | 2 | 3 | 8 | . | . | 4 | . | . | 29 | . |
| 5 " 20 " | . | 1 | 2 | 3 | . | 1 | 1 | . | 1 | 3 | . | 1 | 1 | . | . | 1 | 15 | 1 |
| 20 " 40 " | 1 | 3 | 2 | 4 | . | 1 | . | 4 | 3 | 7 | 3 | . | 3 | 2 | . | 2 | 35 | 1 |
| 40 " 60 " | 4 | 9 | 2 | 1 | . | . | 1 | 2 | 5 | 4 | 4 | 1 | 2 | 2 | 1 | 2 | 40 | 2 |
| 60 and upwards | 4 | 5 | 7 | 5 | . | 1 | . | 5 | 1 | 2 | 6 | . | 4 | 3 | . | 2 | 45 | 2 |
| Number of Uncertified Deaths, | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 1 | 9 | 3 | 6 | . | 1 | . | 5 | 2 | 7 | 5 | . | 6 | 3 | 1 | 3 | 52 | 9 |
| Workhouse Hospitals | 1 | 7 | 6 | 2 | . | . | 1 | 9 | 7 | 6 | 3 | 1 | 1 | 1 | . | 1 | 46 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 21st Week of the 10 years 1897-1906. | In the Week ending Saturday 25th May, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 29, 1897. | May 28, 1898. | May 27, 1899. | May 26, 1900. | May 25, 1901. | May 24, 1902 | May 30, 1903. | May 28, 1904. | May 27, 1905. | May 26, 1906. | | ALL AGES. | 0 to 5. | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 49·0° | 51·7° | 48·5° | 51·2° | 51·2° | 49·7° | 53·3° | 50·5° | 50·5° | 47·3° | 50·3° | 45·0° | | | | | | |
| **ALL CAUSES.** | 190 | 155 | 178 | 176 | 178 | 149 | 170 | 163 | 143 | 173 | 167·5 | 203 | 16 | 17 | 29 | 16 | 36 | 42 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 5 | 1 | 1 | . | . | 2 | . | . | 1 | . | 1·0 | 6 | . | 1 | 5 | . | . | . |
| Scarlet Fever, ... ... | 3 | 1 | . | . | . | 2 | 2 | 2 | . | . | 1·0 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 2 | 1 | 3 | 2 | 3 | . | 1 | 2 | . | . | 1·4 | 1 | . | . | . | . | . | 1 |
| Whooping-cough, ... ... | 2 | 3 | 1 | 3 | 5 | . | 2 | 4 | 1 | 3 | 2·4 | 10 | . | 3 | 7 | . | . | . |
| Diphtheria, ... ... | . | 4 | . | . | . | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | 2 | . | . | 1 | 1 | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 1 | 3 | 4 | 2 | . | 1 | 1 | 1 | 1 | . | 1·4 | 1 | . | . | . | . | 1 | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 4 | 2 | 1 | . | 3 | . | 1 | . | . | . | 1·9 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 2 | 2 | 1 | . | 3 | | . | . | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | 1 | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | 2 | 1 | 1 | . | . | 1 | 3 | 1 | ·9 | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 12 | 10 | 16 | 14 | 15 | 1 | 1 | 2 | . | 2 | 12·0 | 4 | . | . | . | . | 2 | 2 |
| Pneumonia, Broncho-Epidemic, | | | | | | 3 | 2 | 4 | 4 | 3 | | 8 | . | 2 | 4 | . | . | . |
| Pneumonia, Not defined; | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| | | | | | | 4 | 7 | 7 | 5 | 8 | | 13 | . | . | 3 | 1 | 4 | 5 |
| Erysipelas, ... ... | 1 | . | 1 | . | 2 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | 1 | 1 | . | 1 | . | 1 | . | ·6 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | 1 | . | 1 | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . |
| Tuberculous Phthisis, | 32 | 25 | 27 | 32 | 25 | 2 | 4 | 8 | 13 | 9 | 27·6 | 12 | . | 1 | . | 1 | 7 | 3 |
| "*Phthisis*," ... | | | | | | 23 | 25 | 18 | 20 | 13 | | 15 | . | . | . | 4 | 9 | 2 |
| Tuberculous Meningitis, ... | 9 | 10 | 10 | 8 | 2 | 2 | 5 | 6 | 1 | . | 5·3 | 4 | . | . | 2 | 2 | . | . |
| Tuberculous Peritonitis, | 8 | 4 | 3 | 4 | 4 | . | 4 | 3 | 1 | 1 | 3·6 | 1 | . | 1 | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | 1 | 2 | . | 1 | | 1 | . | . | . | 1 | . | . |
| Tuberculous Dis. (other), | 4 | 4 | 4 | 11 | 5 | 2 | 4 | 8 | 5 | 5 | 5·3 | 11 | 2 | 2 | 3 | 2 | . | 2 |
| *Scrofula*, ... ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | 1 | 2 | 1 | . | . | . | . | 1 | . | ·6 | . | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | 1 | . | . | . | . | . | . | 2 | . | . | ·3 | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | . | . | . |
| Carcinoma, ... | 5 | 7 | 6 | 6 | 8 | 1 | 2 | 1 | 2 | 3 | 7·1 | 4 | . | . | . | . | . | 3 |
| Sarcoma, ... ... | | | | | | . | . | . | . | . | | 1 | . | . | . | . | 1 | . |
| Cancer (undefined), | | | | | | 6 | 11 | 5 | 3 | 5 | | 6 | . | . | . | . | 1 | 1 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | 1 | . | . | 2 | ·3 | 3 | . | . | . | 1 | . | 1 |
| Premature Birth, ... | 3 | 3 | 2 | 1 | 5 | 2 | 3 | 5 | 7 | 2 | 3·3 | 6 | 5 | 1 | . | . | . | . |

* The figures for the years 1897-1900 a
† Formerly describ

'Y-FIRST WEEK ending Saturday, 25th May, 1907, with the deaths from each cause in the corresponding
e average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: May 29, 1897. | May 28, 1898. | May 27, 1899. | May 26, 1900. | May 25, 1901. | May 24, 1902. | May 30, 1903. | May 28, 1904. | May 27, 1905. | May 26, 1906 | Averages in 21st Week of the 10 years 1897–1906. | In the Week ending Saturday, 25th May, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ean Temperature. | ° 49·0 | ° 51·7 | ° 48·5 | ° 51·2 | ° 51·2 | ° 49·7 | ° 53·3 | ° 50·5 | ° 50·5 | ° 47·3 | ° 50·3 | Mean Temp. ° 45·0 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 8 | 4 | 7 | 4 | 6 | | 2 | . | . | . | 1 | . | 1 | . | . |
| ity, G. P. of Insane ... | | | | | | 4 | 2 | 2 | . | 1 | | . | . | . | . | . | . | . | . | . |
| psy .. ... | | | | | | 1 | 1 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| *ilsions* ... .. | | | | | | 9 | 7 | 5 | 3 | 7 | | 6 | 3 | 3 | . | . | . | . | . | . |
| notor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | . | 1 | 2 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| ous System (other ) | 30 | 27 | 31 | 31 | 36 | 4 | 1 | . | 5 | 2 | 35·7 | . | . | . | . | . | . | . | . | . |
| Dis., Endocarditis ... | | | | | | 4 | 3 | 2 | 3 | 8 | | 7 | . | . | . | . | 1 | 4 | 2 | . |
| r. Hæm. Thromb. ... | | | | | | . | 1 | . | 2 | 3 | | 3 | . | . | . | . | 2 | . | . | 1 |
| *exy, Hemiplegia* ... | | | | | | 2 | 5 | 6 | 4 | 6 | | 5 | . | . | . | . | . | 2 | 3 | . |
| rysm ... ... | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| and Blood Vessel Dis. | | | | | | 9 | 15 | 13 | 15 | 12 | | 8 | . | . | . | . | 2 | 3 | 2 | 1 |
| (not Spasm. nor nb.) | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| hitis ... ... | 18 | 16 | 23 | 15 | 19 | 14 | 11 | 14 | 9 | 23 | 16·2 | 22 | . | . | 1 | . | 1 | 7 | 12 | 1 |
| na, Emphysema ... | | | | | | . | 1 | . | . | . | | 1 | . | . | . | 1 | . | . | . | . |
| isy ... ... | 2 | 1 | 1 | . | 1 | . | 2 | . | . | 1 | 1·8 | . | . | . | . | . | . | . | . | . |
| ratory Dis. (other) ... | | | | | | 1 | 3 | 2 | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| llitis, Quinsy ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| itis (not Epid.) ... | 1 | 1 | 1 | . | 1 | . | 1 | 1 | . | 1 | ·9 | 1 | . | 1 | . | . | . | . | . | . |
| *Enteritis* ... ... | | | | | | . | . | . | 2 | . | | . | . | . | . | . | . | . | . | . |
| *ntis* (not Puerp.) ... | . | . | 2 | 1 | 1 | . | . | . | 1 | 2 | ·7 | . | . | . | . | . | . | . | . | . |
| osis of Liver ... | 2 | 1 | 2 | 5 | 2 | 2 | 1 | 1 | . | . | 2·1 | 1 | . | . | . | . | . | . | 1 | . |
| Dis. (other) ... | | | | | | 3 | 2 | . | . | . | | 1 | 1 | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 6 | 1 | 6 | 5 | 7 | 3 | 6 | 6 | 3 | 9 | 5·2 | 2 | . | . | 1 | . | . | . | 1 | . |
| ritis, Acute ... | 6 | 2 | 4 | 3 | 1 | 4 | 1 | . | . | 1 | 4·2 | 3 | . | . | 1 | . | . | 1 | 1 | . |
| t's Dis., Albuminuria | | | | | | 3 | 1 | 5 | . | 3 | | 4 | . | . | . | . | 1 | 1 | 2 | . |
| ry Sys. (Other Dis.) | | | | | | . | 2 | . | 1 | 2 | | 1 | . | . | . | . | . | . | 1 | . |
| rative Organs Dis. ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | . | . | . | 1 | . | . | 1 | 1 | ·3 | 1 | . | . | . | . | 1 | . | . | . |
| *ge* ... ... | 12 | 13 | 11 | 11 | 12 | 4 | 3 | 4 | 2 | 1 | 7·3 | 4 | . | . | . | . | . | . | 1 | 3 |
| Diseases ... ... | 12 | 8 | 9 | 17 | 11 | 13 | 7 | 8 | 9 | 11 | 10·5 | 11 | 5 | 1 | 1 | 1 | . | 1 | 1 | 1 |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ilways ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | . | . | 1 | . | . | 1 | 2 | . | 3 | 1 | ·8 | 1 | . | . | . | 1 | . | . | . | . |
| ps, Boats, Docks (ex- ive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | . | . | . | . | . | . | 1 | 1 | 1 | 2 | ·5 | 1 | . | . | . | . | 1 | . | . | . |
| owning ... ... | 1 | . | . | 1 | . | . | 4 | . | 1 | 2 | ·9 | 1 | . | . | . | . | . | . | 1 | . |
| ffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| oison or Poisonous ours | 2 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Deaths by Accident | 2 | 2 | 3 | . | 2 | 3 | 1 | 1 | . | . | 1·4 | 1 | . | . | . | . | . | . | 1 | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| le ... ... | 1 | 1 | 1 | . | . | . | 1 | 1 | . | . | ·5 | 1 | . | . | . | . | . | . | 1 | . |
| tion ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

istration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. |
| No. of weeks in Annual Series. | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| BIRTHS registered, | 289 | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 |
| *Average Births in corresponding week of previous 10 years,** | 193 | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 |
| DEATHS registered, | 179 | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 |
| Annual Death-rate per 1,000, | 24·6 | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 |
| *Average Deaths in corresponding week of previous 10 years,** | 196 | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 |
| AGES,— Under 5 years, | 54 | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 63 |
| 5—20 " | 21 | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 |
| 20—40 " | 18 | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 |
| 40—60 " | 36 | 42 | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 |
| 60—80 " | 41 | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 |
| 80 years and upwards, | 9 | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 |
| Scarlet Fever | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 |
| Diphtheria, | 2 | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Enteric Fever, | . | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | 1 |
| Diarrhœal Diseases, | 4 | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . |
| Pneumonia, | 11 | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 |
| Tuberculous Disease. Phthisis, | 13 | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 31 | 39 | 16 | 29 | 27 |
| Tuberculous Disease. Other Forms, | 12 | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 |
| Cancer, Malignant Disease, | 9 | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 |
| Diseases of Heart and Blood Vessels, | 23 | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 32 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 |
| Diseases of Respiratory System, | 29 | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 |
| Violent Deaths, | 3 | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 |
| Number of Uncertified Deaths, | 6 | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 49·1 | 44·8 | 37·3 | 45·5 | 31·8 | 59·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 43·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 42·3 | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 |
| Rainfall in inches, | ·330 | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·168 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·773 | ·035 | ·187 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·89 | ·83 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 |

* See note (B) at foot of p. [illegible]

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS of SOCIAL POSITION of the PERSONS WHOSE DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th May, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH MAY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Colls. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 28·2 | 203 | 62 | 16 | 36 | 42 | 38 | 9 | . | 6 | . | . | 10 | . | . | 1 | . | 17 | 25 | 27 | 17 | 11 | 6 | 23 | | 72 | 3 |
| | CLASSES. Deaths in Families of the— | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | Professional and Independent Class, | 17,486 | 17·9 | 6 | . | . | 1 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | 3 | . |
| II. | Middle Class, | 87,188 | 19·1 | 32 | 3 | 4 | 8 | 6 | 6 | 5 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 6 | . | 3 | 1 | 3 | . | 15 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 16·5 | 35 | 10 | 5 | 6 | 7 | 7 | . | . | 1 | . | . | 2 | . | . | . | . | 3 | 6 | 3 | 1 | 3 | 2 | 3 | 1 | 13 | 2 |
| IV. | General Service Class, | 154,279 | 42·3 | 83 | 41 | 6 | 11 | 12 | 11 | 2 | . | 5 | . | . | 7 | . | . | 1 | . | 13 | 11 | 8 | 11 | 4 | 2 | 5 | 4 | 25 | 1 |
| V. | Inmates of Workhouses, | 6,024 | | 47 | 8 | 1 | 10 | 14 | 13 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 10 | 5 | 1 | 1 | 11 | . | 16 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 13·4 | 5 | . | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 21·3 | 9 | 1 | 1 | 4 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 6 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 18·8 | 11 | 1 | 2 | 3 | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | 2 | . | 4 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | 1 | 1 | 1 | 4 | 3 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 1 | . | 4 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 2·1 | 4 | 1 | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 19·2 | 11 | 6 | 1 | 1 | 2 | 1 | . | . | 1 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 1 | 1 | 2 | 1 |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | . | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 24·1 | 14 | 3 | 2 | 2 | 4 | 3 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 | 2 | . | 6 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 15·5 | 4 | . | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | 1 |
| | 15. Domestic Servants, | 36,603 | 5·7 | 4 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 39·9 | 11 | 7 | . | 2 | 1 | . | 1 | . | 1 | . | . | 2 | . | . | . | . | 3 | 3 | 1 | . | 1 | . | . | . | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 37·1 | 64 | 34 | 5 | 6 | 10 | 9 | . | . | 4 | . | . | 5 | . | . | 1 | . | 10 | 7 | 5 | 11 | 2 | 2 | 5 | 4 | 18 | . |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 47 | 8 | 1 | 10 | 14 | 13 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 10 | 5 | 1 | 1 | 11 | . | 16 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). | Cols. (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Apr. 6, | 23·4 | 1·8 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 1 | 1 |
| | „ 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | 1 |
| | „ 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 2 | 1 |
| | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | . | 1 |
| | „ 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . | 2 |
| | „ 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 89,146. | Apr. 6, | 32·0 | 2·7 | 24 | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 4 | . | 1 | . | . |
| | „ 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | 1 |
| | „ 20, | 24·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| | „ 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 8 | 1 | . | 1 | 1 | . |
| | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | 1 |
| | „ 11, | 25·3 | 1·8 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . | . |
| | „ 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 3 | 2 | 1 | 4 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Apr. 6, | 43·3 | 5·2 | 25 | . | . | . | 1 | 2 | . | . | . | . | 3 | 5 | 1 | 2 | 2 | 1 | . |
| | „ 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| | „ 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| | „ 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| | May 4, | 50·2 | 3·5 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | . |
| | „ 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . | . |
| | „ 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Apr. 6, | 32·2 | 3·2 | 20 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 4 | . | 3 |
| | „ 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| | „ 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| | „ 27, | 56·8 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| | „ 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . | 1 |
| | „ 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Apr. 6, | 48·2 | 2·6 | 37 | . | 1 | . | . | 1 | . | . | . | . | 3 | 5 | 5 | . | 7 | . | . |
| | „ 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| | „ 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| | „ 27, | 39·1 | 2·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| | „ 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| | „ 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . | 1 |
| | „ 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 3 | 1 | 2 | 1 | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Apr. 6, | 40·5 | 2·5 | 16 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 3 | 1 | 1 |
| | „ 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| | „ 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | 3 | . | . |
| | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| | „ 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| | „ 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Apr. 6, | 29·6 | 1·2 | 24 | . | 1 | . | . | . | . | . | . | . | 2 | . | 5 | . | 5 | . | . |
| | „ 13, | 25·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| | „ 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| | „ 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| | „ 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| | „ 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | 1 |
| | „ 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Apr. 6, | 22·3 | 3·0 | 15 | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | 5 | . | . |
| | „ 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |
| | „ 20, | 32·6 | 3·0 | 22 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |
| | „ 27, | 26·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 3 | . | 1 |
| | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | . |
| | „ 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 | . |
| | „ 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . | . |

* Formerly described as "Simple Continued Fever"

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of pulation represented thereby, and by the Deaths from certain Epidemic Diseases; with blic Institutions being assigned to the Districts from which the deceased were admitted; also, ovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Apr. 6, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | „ 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 27, | 23·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| | „ 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 18, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| | „ 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Apr. 6, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | 1 | . |
| | „ 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| | „ 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| | „ 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| | May 4, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | „ 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| | „ 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| | „ 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Apr. 6, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| | „ 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| | „ 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| | „ 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| | „ 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Apr. 6, | 27·0 | 1·8 | 192 | . | 4 | . | . | 2 | 2 | . | 2 | 3 | 17 | 27 | 14 | 11 | 27 | 4 | 3 |
| | „ 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| | „ 20, | 23·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 6 |
| | „ 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| | May 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| | „ 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 4 |
| | „ 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 3 |
| | „ 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| **Cork.** Pop. (in 1901) 76,122. | Apr. 6, | 24·0 | 0·7 | 35 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 3 | 2 | 6 | . | 1 |
| | „ 13, | 23·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| | „ 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| | „ 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| | „ 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | . |
| | „ 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 2 |
| | „ 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Apr. 6, | 12·3 | 1·2 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | . | . |
| | „ 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| | „ 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| | „ 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| | May 4, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| | „ 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| | „ 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| | „ 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| **Limerick.** Pop. (in 1901) 38,151. | Apr. 6, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| | „ 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| | „ 27, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 8 | . | . | . | . | 3 |
| | „ 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| | „ 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Apr. 6, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 |
| | „ 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | „ 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | 1 | . | 1 |
| | „ 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | May 4, | 27·3 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |
| | „ 11, | 25·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |
| | „ 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |
| | „ 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th May, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Malignant Disease: Cancer. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | 2 | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | 1 | 1 | 3 | . |
| Do. 2 „ . | 47,959 | 37 | | | 23 | 1 | 5 | 5 | 5 | 2 | 5 | . | . | . | . | . | . | . | . | . | 2 | 8 | 1 | 1 | . | . | 1 | 5 | 1 |
| Do. 3 „ . | 47,214 | 41 | | | 16 | 5 | 1 | 3 | . | 3 | 4 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 1 | 5 | . | . | 3 | . |
| Do. 4 „ . | 40,911 | 28 | | | 26 | 2 | 2 | 3 | 9 | 5 | 5 | . | . | . | . | . | . | . | 2 | . | . | 9 | 1 | . | . | 1 | 2 | 9 | 1 |
| Do. 5 „ . | 17,887 | 7 | | | 13 | 1 | 4 | . | 5 | 1 | 2 | . | 2 | . | . | . | . | . | . | . | 1 | 2 | . | . | 2 | . | . | 3 | . |
| Do 6 „ . | 48,122 | 21 | | | 11 | . | 2 | . | 6 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 1 | . | . | . | 3 | . |
| Do, 7 „ . | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 4 | | | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . |
| Do. 9 „ . | 19,569 | 16 | | | 10 | 2 | . | 4 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | 1 | 1 | 1 |
| Do. 10 „ . | 28,064 | 22 | | | 10 | 2 | 2 | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 4 | . |
| Do. 11 „ . | 34,862 | 15 | | | 18 | 2 | 4 | 2 | 4 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . | 6 | . |
| Do. 12 „ . | 33,588 | 30 | | | 19 | 3 | 5 | 4 | 1 | 3 | 3 | . | . | . | . | 1 | . | . | . | . | 1 | . | 3 | . | 2 | 3 | 3 | 3 | 2 |
| Do. 13 „ . | 15,006 | 15 | | | 7 | 1 | 4 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | . | . | . |
| Do. 14 „ . | 240 | - | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Total, . . . . | 349,180 | 239 | | | 164† | 22 | 31 | 24 | 34 | 27 | 26 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 9 | 40 | 5 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 8 | 28·4 | 4·1 | 7 | . | 2 | 3 | | | 2 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | . | . | 2 | 1 |
| Do. 2 „ . . | 10,701 | 3 | 9·7 | . | 2 | . | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 3 „ . . | 9,978 | 7 | 10·5 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 4 „ . . | 8,666 | 4 | 18·1 | . | 3 | 1 | . | 2 | | | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . |
| Do. 5 „ . . | 6,592 | 2 | 13·7 | 7·9 | 3 | 1 | 1 | . | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Do. 6 „ . . | 10,702 | 6 | 14·6 | . | 3 | 2 | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . |
| Do. 7 „ . . | 16,616 | 10 | 12·6 | . | 4 | . | . | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Total, . . . . | 76,122 | 40 | 16·4 | 1·4 | 24 | 4 | 3 | 12 | | | 5 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | . | 5 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 1. | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. |
| No. of weeks in Annual Series, | 48 | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| BIRTHS registered, | 178 | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 |
| DEATHS registered, | 123 | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164† |
| Annual Death-rate per 1,000 of estimated Population, | 18·2 | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 |
| AGES — Under 1 year | 25 | 21 | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 |
| 1–5 years, | 11 | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 |
| 5–20 years, | 14 | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 |
| 20–40 years, | 16 | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 |
| 40–60 years, | 24 | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 |
| 60 years and upwards, | 38 | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 24 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 |
| Scarlet Fever, | 1 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Typhus, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 |
| Diphtheria, | . | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 3 | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 |
| Diarrhœal Diseases, | 4 | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 |
| Pneumonia, | 12 | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 |
| Tuberculous Disease, — Phthisis, | 14 | 18 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 33 |
| Tuberculous Disease, — Other Forms, | 10 | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 |
| Cancer, Malignant Disease, | 4 | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 |
| Diseases of Respiratory System, | 21 | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 |
| Violent Deaths, | 2 | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 |
| Number of Uncertified Deaths, | 2 | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 |

*Formerly described as "Simple Continued Fever."

† Including 20 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Deaths. Exclusive of Stillborn. | | Annual Death-rate per 1,000 living. | Deaths from | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
| LONDON, . | 4,758,218 | May 25, | 2,258 | 1,316 | 14·4 | . | 53 | 13 | 12 | 36 | 3 | 14 |
| EDINBURGH, . | 345,747 | „ 25, | 133 | 109*a* | 16·5 | . | 4 | 1 | 4 | 2 | . | . |
| GLASGOW, . . | 847,584 | „ 25, | 489 | 304*a* | 18·7 | . | 4 | 2 | . | 33 | . | 3 |
| CALCUTTA, . | 847,796 | Apr. 6, | . | 817 | 50·1 | 87 | 6 | . | . | 3 | 97‡ | 107* |
| BOMBAY, . . | 977,822 | „ 23, | 346 | 965 | 51·3 | 3 | 2 | . | . | . | 69‡ | 57* |
| MADRAS, . . | 509,346 | „ 5, | 384 | 344 | 35·1 | 6 | 5 | ? | ? | ? | 90 | 63* |
| PARIS, . . | 2,750,000 | May 11, | 932 | 1,037 | 19·8 | 5 | 15 | 9 | 10† | 9 | 8 | 25 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 4, | 223 | 153 | 12·8 | . | . | . | 1† | 1 | . | 8 |
| ANTWERP, . . | 304,032 | „ 4, | 145 | 93 | 15·9 | . | 1 | 1 | 1† | 1 | . | 13 |
| AMSTERDAM, . | 565,163 | „ 11, | 300 | 156 | 14·4 | . | 1 | . | 1† | . | 1 | 6 |
| COPENHAGEN, . | 427,000 | „ 4, | 211 | 168 | 20·5 | . | 2 | . | 1† | 1 | . | 6 |
| STOCKHOLM, . | 324,488 | „ 4, | 148 | 94 | 14·7 | . | . | 3 | . | . | . | 4 |
| CHRISTIANIA, . | 226,774 | „ 11, | 110 | 61 | 13·9 | . | 2 | . | 1† | . | . | 2 |
| ST. PETERSBURG, | 1,482,769 | „ 4, | 622 | 757 | 26·5 | . | 43 | 14 | 22 | 4 | 20 | 83 |
| MOSCOW, . . | 1,172,421 | Apr. 6, | . | 685 | 30·5 | 1 | 24 | 13 | 10† | 5 | 11 | 65 |
| BERLIN, . . | 2,090,359 | „ 27, | 913 | 603 | 15·0 | 1 | 4 | 1 | 10† | 7 | 2 | 34 |
| HAMBURG, . . | 824,792 | May 4, | . | 267 | 16·8 | . | . | 3 | 5† | 4 | . | 17 |
| BRESLAU, . . | 483,486 | „ 11, | . | 236 | 25·5 | . | 1 | . | 1† | 3 | . | 14 |
| MUNICH, . . | 548,000 | „ 11, | . | 219 | 20·8 | . | 7 | . | 2† | . | . | 25 |
| VIENNA (with suburbs). | 1,998,479 | „ 11, | 1,016 | 799 | 20·8 | . | 29 | 1 | 10† | 2 | . | 63 |
| BUDA-PESTH, . | 802,235 | „ 4, | . | . | . | . | . | . | . | . | . | . |
| PRAGUE and Faubourgs. | 466,133 | Apr. 20, | 198 | 221 | 24·7 | . | 3 | 1 | 1† | 1 | . | 24 |
| TRIESTE, . . | 200,962 | „ 27, | 114 | 101 | 27·0 | . | 3 | . | . | 1 | . | . |
| ROME, . . . | 540,150 | Mar. 23, | 282 | 221 | 21·3 | . | 1 | . | 2 | 2 | . | 8 |
| | | „ 30, | 230 | 222 | 21·4 | . | . | . | 1 | 1 | . | 8 |
| VENICE, . . | 174,398 | Apr. 6, | 106 | 82 | 24·5 | . | 1 | . | . | 1 | . | 2 |
| NEW YORK, . | 4,285,435 | „ 27, | 2,486 | 1,671 | 20·3 | 1 | 17 | 26 | 39† | 11 | 20 | 53 |
| PHILADELPHIA, | 1,500,595 | Mar. 30, | . | 655 | 22·6 | . | 2 | 2 | 13† | 6 | 20 | 28 |
| | | Apr. 6, | . | 617 | 21·3 | . | 4 | 3 | 12† | 3 | 13 | 33 |
| BOSTON, . . | 602,526 | „ 27, | . | 257 | 22·3 | . | . | . | 9 | . | 1 | 5 |

*a*. Including 1 death from cerebro spinal meningitis in Edinburgh, and 19 in Glasgow.
* Including 56 deaths from cholera in Calcutta, 2 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 290 deaths from plague in Calcutta, and 376 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th May, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 2, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 3, | . | 4 | 1 | . | 1 | . | . | 1 | 1 | . | . | . | 8 |
| Clontarf and Howth No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | . | 1 | 5 | 1 | . | . | 7 |
| " " 2, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| " " 3, | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| " " 4, | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 6 | 1 | . | 3 | . | . | 4 | 7 | 1 | 1 | . | 23 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th May, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 25th May. | | | |
|---|---|---|---|---|---|---|---|
| | May 4. | May 11. | May 18. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 115 | 121 | 132 | 34 | 42 | 1 | 123 |
| Scarlet Fever, | 50 | 48 | 40 | 9 | 3 | 1 | 45* |
| Typhus, | 6 | 7 | 7 | 1 | 3 | . | 5 |
| Diphtheria, | 29 | 33 | 24 | 4 | 10 | . | 18 |
| Enteric Fever, | 13 | 10 | 9 | 11 | 2 | 1 | 17 |
| Pneumonia, | 41 | 44 | 42 | 13 | 13 | 2 | 40 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 25th May, 1907 :—

"This week witnessed a final struggle between Winter and advancing Summer, but the extension northwards of a higher temperature was slow and halting. The general distribution of atmospheric pressure was anticyclonic in the far North—on the other hand, areas of comparatively low pressure formed, at first over Central Europe, later on over the Bay of Biscay. The result was a prevalence of cold and searching north-easterly winds in Scotland and Ireland and parts of England, in which countries the nights were particularly cold—the thermometer fell even in the screen to 31° at Nairn on Monday night, to 32° at Nottingham on Tuesday night and to 32° at Birr Castle on Wednesday night. In Dublin, Sunday and Monday were fine and dry days, with cold easterly to north-easterly winds. On Tuesday the weather broke, as a cyclonic depression travelled westwards from Denmark to Scotland. Heavy showers of cold rain and hail fell at intervals, and on the day in question the thermometer ranged only from 42·8° to 51·9° in this City. As the centre of the depression passed westward, a warm southwest wind spread temporarily over England and Ireland and on Thursday the thermometer touched 68° in London—in Dublin the highest temperature on the same day was 53·3°, or 15° lower. The depression dispersed quickly, but further depressions soon developed in the Bay region, and the wind again backed to easterly points in the British Islands, thunder and lightning becoming frequent owing to the steep thermometric gradient. No excessive rainfalls accompanied the electrical disturbances. In Dublin the mean height of the barometer was 29·906 inches, pressure ranging between 30·190 inches at 9 a.m. of Sunday (wind, E.N.E.) and 29·715 inches at 9 a.m. of Wednesday (wind, W.S.W.). The corrected mean temperature was 48·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 49·2°. The screened thermometers fell to 36·9° on Wednesday and rose to 64·2° on Saturday. Rain fell on 4 days to the amount of ·151 inch, ·080 inch being measured on Tuesday. The wind was north-easterly throughout."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·900 inches. The highest reading (30·149) was on Sunday at 9 a.m., wind E., and the lowest (29·708) on Wednesday at 9 a.m., wind S.S.W.

The mean temperature for the week was 45·0°, being 5·3° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Saturday, on which day the thermometer registered 63·3°, and was lowest on Sunday, the mercury having fallen to 29·9°. The mean of the Dry Bulb for the week was 47·1°, and of the Wet Bulb 44·1°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured ·187 inch.

At Greenwich the mean temperature for the week was 50·6°, the maximum 72·2°, and the minimum 33·5°; at Glasgow the maximum was 57·8°, the minimum 38·8°, and the mean 47·0°; and at Edinburgh the maximum was 49·1°, the minimum 36·1°, and the mean 43·2°. The rainfall at Greenwich measured 0·35 in.; at Glasgow, 0·94 in. and at Edinburgh, 1·14 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hour and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, May 19, | 30·121 | 53·5 | 29·9 | 41·7 | 46·4 | 41·3 | ·70 | ·7 | 13·6 | ·000 | E. | Calm. |
| Monday, „ 20, | 30·021 | 51·9 | 36·4 | 44·2 | 46·3 | 42·1 | ·72 | ·7 | 6·7 | ·092 | N.N.E. | N.E. |
| Tuesday, „ 21, | 29·871 | 48·1 | 37·3 | 42·7 | 42·2 | 39·7 | ·83 | ·8 | 7·5 | ·035 | N.E. | Calm. |
| Wednesday, „ 22, | 29·727 | 52·9 | 32·9 | 42·9 | 41·8 | 39·4 | ·82 | ·4 | 8·5 | ·000 | S.S.W. | Calm. |
| Thursday, „ 23, | 29·729 | 51·3 | 30·4 | 40·9 | 47·7 | 45·3 | ·84 | ·9 | 0·3 | ·045 | N.N.E. | N. |
| Friday, „ 24, | 29·799 | 55·3 | 43·5 | 49·4 | 49·8 | 48·6 | ·92 | ·7 | 0·0 | ·000 | N.N.W. | Calm. |
| Saturday, „ 25, | 30·033 | 63·3 | 43·3 | 53·3 | 55·5 | 52·3 | ·82 | ·6 | 11·8 | ·015 | Calm. | N.N.E. |
| Mean, . . | 29·900 | 53·8 | 36·2 | 45·0 | 47·1 | 44·1 | ·81 | ·7 | Total 48·4 | Total ·187 | — | |

*Sunday*—Beautiful day, light clouds; night cloudy. *Monday*—Cloudy a.m., overcast p.m., fine; night cloudy and showery. *Tuesday*—Cloudy day, hail, rain, 10.45 a.m., heavy hail, rain showers 1.0 p.m.; night cloudy. *Wednesday*—Cloudy day, but fine; night clear. *Thursday*—Day overcast, light rain showers p.m.; night overcast, light rain 12.0 to 2.0 a.m. *Friday*—Day overcast, fine; night overcast. *Saturday*—Bright a.m., cloudy p.m., fine; night overcast, light rain m.n. to 1.15 a.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, May 25th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, May 19, | 52·0 | 52·0 | 50·8 | 53·9 | 31·9 | 42·9 | 13·4 | — |
| Monday, „ 20, | 50·0 | 52·8 | 50·5 | 52·9 | 42·5 | 47·7 | 6·8 | ·050 |
| Tuesday, „ 21, | 47·1 | 52·3 | 50·8 | 49·2 | 41·2 | 45·2 | 6·6 | ·049 |
| Wednesday, „ 22, | 46·4 | 51·0 | 50·8 | 51·8 | 31·1 | 41·5 | 7·9 | — |
| Thursday, „ 23, | 51·0 | 50·6 | 50·7 | 51·9 | 36·0 | 44·0 | 0·2 | ·020 |
| Friday, „ 24, | 48·8 | 50·6 | 50·6 | 55·5 | 44·5 | 50·0 | — | — |
| Saturday, „ 25, | 57·9 | 51·8 | 50·6 | 60·0 | 48·0 | 54·0 | 11·6 | ·014 |
| Weekly Mean, . | 50·5 | 51·6 | 50·7 | 53·6 | 39·3 | 46·5 | Total 46·5 | Total ·123 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17568.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 1ST JUNE, 1907. [No. 22.

*General Register Office, Charlemont House,*
*Dublin, 3rd June,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending May 11. | Week ending May 18. | Week ending May 25 | Week ending June 1. | Average Rate for 4 weeks. | Towns, &c. | Week ending May 11. | Week ending May 18. | Week ending May 25. | Week ending June 1. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 22·4 | 22·0 | 21·8 | 20·9 | 21·8 | Lisburn, . | 18·2 | 13·6 | 22·7 | . | 13·6 |
| Armagh, . . | 27·5 | . | 6·9 | 13·7 | 12·0 | Londonderry, . | 16·0 | 13·5 | 11·0 | 14·7 | 13·8 |
| Ballymena, . | 23·9 | 19·2 | 4·8 | 33·5 | 20·4 | Lurgan, . . | 17·7 | 17·7 | 26·6 | 31·0 | 23·2 |
| Belfast, . . | 24·5 | 22·3 | 23·1 | 22·0 | 23·0 | Newry, . | 25·2 | 12·6 | 33·6 | 12·6 | 21·0 |
| Clonmel, . | 25·6 | 15·4 | 20·5 | 10·3 | 18·0 | Newtownards, . | 34·3 | 22·9 | 5·7 | 11·4 | 18·6 |
| Cork, . . . | 19·9 | 21·9 | 16·4 | 21·9 | 20·0 | Portadown, . | . | 10·3 | 25·8 | 10·3 | 11·6 |
| Drogheda, . | 12·3 | 20·4 | 12·3 | 20·4 | 16·4 | Queenstown . | 19·8 | . | 13·2 | 19·8 | 13·2 |
| Dublin Reg. Area, | 24·0 | 26·7 | 25·8 | 23·1 | 24·9 | Sligo, . . . | 14·4 | 9·6 | 9·6 | 14·4 | 12·0 |
| Dundalk, . . | 8·0 | 12·0 | 35·9 | 8·0 | 16·0 | Tralee, . | 31·7 | 21·1 | 5·3 | 5·3 | 15·9 |
| Galway, . . | 3·9 | 27·2 | 38·8 | 15·5 | 21·4 | Waterford, . | 25·3 | 19·5 | 7·8 | 21·4 | 18·5 |
| Kilkenny, . . | 14·7 | 9·8 | 19·7 | 9·8 | 13·5 | Wexford, . . | 18·7 | 18·7 | 9·3 | 18·7 | 16·4 |
| Limerick, . . | 17·8 | 13·7 | 12·3 | 19·1 | 15·7 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in nineteen of the districts to 2·1 in Cork, the 32 deaths from all causes registered in that district including one each from typhus, diphtheria, and enteric fever. Among the 156 deaths registered in Belfast are 2 from measles, 3 from whooping-cough, 10 from cerebro-spinal fever, and 4 returned as from *cerebro-spinal meningitis.*

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 288—147 boys and 141 girls; and the deaths to 181—85 males and 96 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 24·2 in every 1,000 of the population; omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 23·1 per 1,000. During the twenty-two weeks ending with Saturday last the death-rate averaged 28·2, and was 0·3 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths (181) include 4 from measles, 8 from whooping-cough, and one from enteric fever. In each of the 3 preceding weeks, deaths from measles were 6, 2, and 6; deaths from whooping-cough were 8, 4, and 10; and deaths from enteric fever were one, 0, and one. There were also registered 2 deaths from influenza and 3 deaths from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

cerebro-spinal fever; in the 3 preceding weeks, deaths from influenza numbered 3, 4, and one, and deaths from cerebro-spinal fever numbered 0, 2, and 2, respectively.

Of 23 deaths from penumonia, 3 were due to lobar pneumonia, 9 to broncho-pneumonia, and 11 were returned as from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease, which, in the 3 preceding weeks had been 27, 49, and 44, respectively, in the period under notice declined to 25. This latter figure includes 8 deaths from tuberculous phthisis, 6 deaths returned as from *phthisis*, 3 deaths from tuberculous meningitis, 2 deaths each from tuberculous peritonitis and from *tabes mesenterica*, and 4 deaths from other forms of the disease.

Of 6 deaths from malignant diseases, 3 were from carcinoma, and 3 were returned as from cancer (undefined).

The deaths of 3 infants were due to prematurity.

Amongst the deaths (13) caused by diseases of the brain and nervous system, 3 were from meningitis and 5 (of infants under one year of age) were returned as being due to *convulsions*.

Diseases of the heart and blood vessels accounted for 32 of the deaths registered, and there were 22 deaths from bronchitis.

The deaths from accidental violence, 6 in number, include 2 of children under 5 years of age by burns or scalds, and 3 by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year of age and the deaths of 2 persons aged 60 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 8 were under one month old), and 56 were aged 60 years and upwards, including 31 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a woman) was stated to have been aged 90 years.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the N. Dublin Union Workhouse and 18 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·1 per 1,000; the rate in the City was 25·1 (North City Districts, 24·7; South, 25·6), and in the Suburbs, 16·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·7 (2·0 in the North City Districts, and 1·4 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·6 per 1,000, and include 2 deaths from whooping-cough, one death from broncho-pneumonia, 2 deaths from bronchitis, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 30·6 per 1,000. Amongst the deaths there were one from influenza, one from broncho-pneumonia, 3 from *pneumonia* (not defined), 3 from tuberculous disease, 3 from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. The deaths include one each from whooping-cough, lobar pneumonia, broncho-pneumonia, *pneumonia* (not defined), 2 from tuberculous disease of the lungs, one death from bronchitis, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (16) represent an annual rate of 25·7 per 1,000. Measles and whooping-cough each caused one death, there was one death each from broncho-pneumonia and *pneumonia* (not defined), and bronchitis caused 2 deaths.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 14·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. The 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from whooping-cough and one from bronchitis; and the 2 deaths from all causes for Finglas and Glasnevin, part of, include one from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (30) represent an annual rate of 39·1 per 1,000. There was one death from enteric fever, tuberculous disease caused 6 deaths, and there were 6 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 12·7 per 1,000, and include one death from measles, one death from *pneumonia* (not defined), and 2 deaths from tuberculous disease.

*No. 3 South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 17·3 per 1,000. Amongst the deaths there was one from cerebro-spinal fever, one from broncho-pneumonia, 2 from *pneumonia* (not defined), 3 from tuberculous disease, and one death from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (22) are equivalent to an annual rate of 32·6 per 1,000. The deaths include one from influenza, 2 from whooping-cough, one from cerebro-spinal fever, one from broncho-pneumonia, 4 from tuberculous disease, 4 from bronchitis, and one accidental death.

*New Kilmainham District.*—There was but one death (representing an annual rate of 5·9 per 1,000) registered for this district during the week.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0; Pembroke, 16·8; Blackrock, 6·0; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and one from whooping-cough for Rathmines and Rathgar, and one from measles for Pembroke. The 13 deaths from all causes for Rathmines and Rathgar include one from cerebro-spinal fever, one from lobar pneumonia, and 2 from *phthisis*. The 9 deaths from all causes for Pembroke include one from broncho-pneumonia, and the 5 deaths from all causes for Kingstown include 3 from pneumonia (all forms).

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. 'awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock 'rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban 'istrict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 1st June, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | May 11, | . | — | — | 1 | 1 | . | 3 | . | 3 | 3 | 6 | . | — | — | . | — | — | 17 |
| | May 18, | . | — | — | 2 | . | . | 3 | . | 5 | 1 | 5 | . | — | — | 2 | — | — | 18 |
| | May 25, | . | — | — | 6 | 1 | . | 3 | . | . | 4 | 7 | 1 | — | — | 1 | — | — | 23 |
| | June 1, | . | — | — | 3 | . | . | 4 | . | 1 | 5 | 19 | . | — | — | 2 | — | — | 34 |
| Rathmines and Rathgar Urban District. | May 11, | . | — | — | 1 | . | . | 2 | . | 1 | . | . | . | — | — | . | — | — | 4 |
| | May 18. | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | 4 | — | — | 5 |
| | May 25, | . | — | — | 4 | . | . | 1 | . | . | . | 2 | . | — | — | . | — | — | 7 |
| | June 1, | . | — | — | . | . | . | . | . | . | 2 | 1 | . | — | — | . | — | — | 3 |
| Pembroke Urban District. | May 11, | . | 16 | . | . | . | . | . | . | . | . | 1 | . | — | 10 | . | — | — | 27 |
| | May 18. | . | 32 | . | 1 | . | . | . | . | . | . | 1 | . | — | 33 | . | — | — | 67 |
| | May 25, | . | 16 | . | . | . | . | 2 | . | . | . | 1 | . | — | 6 | . | — | — | 25 |
| | June 1, | . | 31 | . | . | . | . | . | . | . | . | 1 | . | — | 21 | . | — | — | 53 |
| Blackrock Urban District. | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 18, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 25, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| | June 1, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| Kingstown Urban District. | May 11, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 18, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | . | — | — | 2 |
| | May 25, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 1, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | May 11, | . | — | — | 13 | . | . | 2 | 1 | 9 | 4 | 2 | 1 | — | — | 29 | — | — | 61 |
| | May 18, | . | — | — | 8 | . | . | 4 | . | 2 | 5 | 6 | . | — | — | 24 | — | — | 49 |
| | May 25, | . | — | — | 5 | . | . | 3 | 1 | 1 | 5 | 4 | . | — | — | 22 | — | — | 41 |
| | June 1, | . | — | — | 11 | . | . | 5 | 1 | 2 | 3 | 12 | . | — | — | 22 | — | — | 56 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 1st June, 1907.

From this it appears that :—

Thirty-one cases of measles were admitted into hospital during the week, 55 were discharged, ere were 3 deaths, and 96 cases remained under treatment at its close. At the close of ch of the three preceding weeks the cases of measles under treatment numbered 121, 2, and 123.

Seven cases of scarlet fever were admitted to hospital, 4 were discharged, and 48* cases nained under treatment at the close of the week.

Three cases of typhus were discharged from hospital during the week, and 2 remained der treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 5 were discharged, and 19 patients nained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital during the week, 2 were discharged, d 19 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, were discharged, there were 2 deaths, and 45 cases remained under treatment at the end the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 13·0), was equal to an average annual death-rate of 14·5 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow ng 18·6 and for Edinburgh 17·8.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st e. From this Report it appears that of a total of 44 cases notified 18 were scarlet fever, 10 htheria, and 5 erysipelas. Among the 356 cases of infectious diseases in hospital at the close of the ek were 112 cases of scarlet fever, 62 of whooping-cough, 60 of measles, 27 of diphtheria, 2 of membranous up, 9 of erysipelas, and 7 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 1st June, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 1st June, 07. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 25th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 18th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 31·1 | 20·9 | 1·0 | 667 | 447 | 73 | 123 | . | 6 | . | 1 | 11 | 1 | . | 2 | . | 40 | 49 | 35 | 11 | 54 | 11 | 19 | 143 | 12 | ° | ° | ° | | ° | ° | ° | | ° | ° | ° | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 38·4 | 28·1 | 1·7 | 288 | 173 | 25 | 55 | . | 4 | . | . | 8 | . | . | 1 | . | 21 | 12 | 11 | 6 | 23 | 6 | 5 | 76 | 4 | f65·8 | 40·1 | 52·9 | 0·49 | f63·3 | 29·9 | 45·0 | 0·19 | f61·2 | 29·1 | 47·3 | 0·04 |
| City of Dublin, | 300,850 | 38·0 | 45·2 | 25·1 | 1·7 | 261 | 145 | 20 | 46 | . | 2 | . | . | 7 | . | . | 1 | . | 15 | 10 | 11 | 5 | 22 | 4 | 3 | 67 | 3 | g67·5 / h62·8 | 47·8 / 43·0 | 55·3 / 52·3 | 0·66 / 0·77 | g64·2 / h61·8 | 36·9 / 31·0 | 48·7 / 45·6 | 0·15 / 0·14 | g63·1 / h61·8 | 37·8 / 32·0 | 51·0 / 48·2 | 0·06 / 0·05 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 17·6 | 19·0 | 2·9 | 12 | 13 | 3 | 3 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,874 | 5 | 16·8 | 16·8 | 1·9 | 9 | 9 | 2 | 4 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 23·8 | 6·0 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 5·9 | 14·8 | . | 2 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . | 3 | . | 68 | 45·5 | 53·9 | 0·44 | 65 | 37 | 47·6 | 0·03 | 61 | 39·5 | 50·6 | 0·08 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 27·9 | 22·0 | 0·7 | 198 | 156 | 32 | 33 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 7 | 31 | 4 | 66·8 | 37·5 | 51·4 | 1·31 | 56·0 | 34·0 | 45·3 | 0·49 | 64·0 | 40·0 | 52·0 | 0·29 |
| Cork, | 76,122 | 33·6 | 21·9 | 21·9 | 2·1 | 32 | 32 | 5 | 8 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 4 | 14 | 1 | 63 | 49 | 54·5 | 1·46 | 60 | 39 | 48·5 | 0·13 | 60 | 39 | 50·9 | 0·43 |
| Londonderry, | 49,475 | 19·6 | 30·7 | 14·7 | . | 25 | 12 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 37·4 | 16·1 | . | 42 | 14 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 15·6 | 21·4 | . | 8 | 11 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 38·8 | 16·5 | . | 10 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 72 | 46 | 61 | 1·39 | 68 | 38 | 51·3 | 0·17 | 64 | 42 | 53·5 | 0·37 |
| Dundalk, | 13,076 | 3·4 | 28·9 | 8·0 | . | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 4·1 | 20·4 | . | 1 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 16·8 | 12·6 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 |
| Lurgan, | 11,782 | 13·8 | 17·7 | 31·0 | . | 4 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 | . | . | 2 | . | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 |
| Lisburn, | 11,461 | 10·1 | 22·7 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 |
| Wexford, | 11,168 | 23·2 | 23·3 | 18·7 | . | 5 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 38·3 | 33·5 | . | 8 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 38·4 | 14·4 | . | 8 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . | 67·4 | 44·4 | 55·0 | 0·91 | 69·5 | 36·4 | 50·2 | 0·27 | 59·4 | 29·4 | 49·4 | 0·13 |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 9·8 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 67 | 41 | 54·7 | 0·81 | 65 | 31 | 47·7 | 0·15 | 64 | 36 | 49·4 | 0·09 |
| Clonmel, | 10,167 | 7·8 | 10·3 | 10·3 | . | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 15·5 | 10·3 | . | 3 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 |
| Tralee, | 9,867 | 16·6 | 21·1 | 5·8 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 34·3 | 11·4 | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 61 | 44 | 49·3 | 1·32 | 53 | 36 | 45·4 | 1·30 | 57 | 40 | 48·1 | 0·56 |
| Queenstown, | 7,909 | 14·4 | 18·2 | 19·8 | . | 2 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 63 | 49 | 54·5 | 1·46 | 60 | 39 | 48·5 | 0·13 | 60 | 39 | 50·9 | 0·48 |
| Armagh, | 7,588 | 22·2 | 20·6 | 13·7 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 | 62·3 | 33·0 | 49·5 | 0·11 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 1st June, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | 4 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | . | 1 | 1 | . | 1 | . | . | . | . | 2 | . | 1 | . | . | . | 8 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, | 1 | 4 | 3 | 2 | . | . | . | . | 1 | 3 | 1 | . | 1 | 1 | 1 | 3 | 21 | 2 |
| Tuberculous Disease { Phthisis, | . | . | 2 | . | . | . | . | 4 | . | . | 3 | 1 | 2 | . | . | . | 12 | 2 |
| Tuberculous Disease { Other Forms. | . | 3 | . | . | . | . | . | 2 | 2 | 3 | 1 | . | . | . | . | . | 11 | . |
| Cancer, Malignant Disease, | . | 1 | . | 1 | . | . | . | 1 | . | . | 2 | . | 1 | . | . | . | 6 | . |
| Other General Diseases | . | 2 | 3 | . | . | . | . | 1 | 1 | 1 | 4 | . | 2 | . | . | . | 14 | . |
| Total, | 3 | 10 | 9 | 5 | . | 1 | . | 9 | 5 | 7 | 13 | 1 | 8 | 2 | 1 | 3 | 77 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | 1 | 2 | 1 | . | . | . | 1 | 3 | . | 1 | . | . | 1 | 1 | . | . | 11 | 2 |
| Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessels, | 3 | 4 | 2 | 6 | . | . | . | 6 | . | 3 | 3 | . | 3 | 1 | . | 1 | 32 | . |
| Respiratory System, | 2 | 3 | 1 | 2 | . | 2 | 1 | 6 | . | 1 | 4 | . | . | . | . | 1 | 23 | 1 |
| Digestive System, | 1 | . | 2 | 1 | . | . | . | 1 | . | 1 | . | . | 1 | 1 | . | . | 8 | . |
| Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urinary System, | . | 1 | 1 | . | . | . | . | 2 | . | 1 | 1 | . | . | 1 | . | . | 7 | 1 |
| Generative System | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 7 | 10 | 7 | 9 | . | 2 | 2 | 19 | . | 7 | 8 | . | 5 | 4 | . | 2 | 82 | 4 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 2 | . | 2 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | 8 | . |
| **E. VIOLENT DEATHS,** | 1 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 6 | . |
| **Deaths from all Causes,** | 12 | 23 | 17 | 16 | . | 3 | 2 | 30 | 5 | 14 | 22 | 1 | 13 | 9 | 1 | 5 | 173 | 8 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 30·6 | 29·4 | 25·7 | . | 14·2 | 14·4 | 39·1 | 12·7 | 17·3 | 32·6 | 5·9 | 19·0 | 16·8 | 6·0 | 14·8 | 23·1 | . |
| | 24·7 | | | | | | | 25·6 | | | | | 16·3 | | | | | |
| | 25·1 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** { Under 1 year, | 4 | 2 | 3 | 2 | . | . | 1 | 6 | . | 1 | 1 | . | 3 | 2 | . | . | 25 | 1 |
| 1 and under 5 years, | 2 | 6 | 5 | 2 | . | 1 | . | 4 | 3 | 2 | 4 | . | 1 | 1 | . | 2 | 33 | . |
| 5 ,, 20 ,, | . | . | . | 2 | . | . | . | 1 | . | 3 | 1 | . | . | . | . | . | 7 | . |
| 20 ,, 40 ,, | . | 1 | 2 | 1 | . | . | . | 3 | 2 | 2 | 5 | 1 | 2 | 1 | . | . | 20 | 3 |
| 40 ,, 60 ,, | 1 | 6 | 2 | 2 | . | . | 1 | 9 | . | 1 | 4 | . | 4 | 1 | 1 | 1 | 33 | 3 |
| 60 and upwards, | 5 | 8 | 5 | 7 | . | 2 | . | 7 | . | 5 | 7 | . | 3 | 4 | . | 2 | 55 | 1 |
| Number of Uncertified Deaths, | . | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 4 | 4 | 4 | . | 1 | 1 | 7 | 3 | 4 | 4 | . | 4 | . | 1 | 3 | 41 | 6 |
| Workhouse Hospitals, | 3 | 6 | 4 | 5 | . | . | . | 10 | . | 1 | 5 | . | 1 | . | . | . | 35 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i
week of the ten years, 1897

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 22nd Week of the 10 years 1897-1906. | In the Week ending Saturd 1st June, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 5, 1897. | June 4, 1898. | June 3, 1899. | June 2, 1900. | June 1, 1901. | May 31, 1902. | June 6, 1903. | June 4, 1904. | June 3, 1905. | June 2, 1906. | | ALL AGES. | 0 to 5. | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 54·8° | 50·7° | 53·4° | 52·3° | 54·8° | 50·0° | 53·3° | 56·2° | 56·4° | 55·7° | 53·8° | 52·9° | | | | | | |
| **ALL CAUSES.** | 169 | 132 | 148 | 157 | 164 | 165 | 177 | 150 | 145 | 151 | 156·1 | 181 | 8 | 18 | 33 | 7 | 23 | 36 |
| Small-pox, ... ... | . | . | . | . | . | . | 3 | . | . | . | ·3 | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 3 | . | 1 | . | . | 2 | 2 | 5 | 3 | 2 | 1·8 | 4 | . | 1 | 3 | . | . | . |
| Scarlet Fever, ... ... | 2 | 1 | 1 | 1 | . | 1 | . | . | 1 | . | ·7 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 2 | 1 | 5 | . | 2 | 1 | 2 | 2 | 2 | 3 | 2·0 | 2 | . | . | . | . | . | . |
| Whooping-cough, ... ... | 3 | 5 | 2 | . | 2 | 1 | 1 | 9 | 3 | 3 | 2·9 | 8 | . | 3 | 5 | . | . | . |
| Diphtheria, ... ... | . | . | . | . | 1 | 2 | . | 1 | . | . | ·4 | . | . | . | . | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | 3 | . | . | 2 | 1 | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | . | 2 | . | 1 | 1 | 1 | 3 | 2 | . | . | 1·0 | 1 | . | . | 1 | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 2 | 2 | 1 | 1 | . | . | . | . | . | . | 1·1 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | 1 | . | 1 | 2 | | . | . | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 3 | 2 | 1 | 2 | 1 | . | 1 | . | 2 | . | 1·2 | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | 2 | . | . | 2 | . | 1 | ·7 | 1 | . | . | . | . | 1 | . |
| Puerperal Pyæmia, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 10 | 6 | 11 | 6 | 12 | 1 | 2 | 1 | 1 | . | 11·1 | 3 | . | . | . | . | 1 | . |
| Pneumonia, Broncho- | | | | | | 2 | 7 | 1 | 5 | 3 | | 9 | . | . | 4 | 1 | . | 2 |
| Pneumonia, Epidemic, | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 8 | 10 | 8 | 9 | 7 | | 11 | . | . | 3 | 1 | 3 | 4 |
| Erysipelas, ... ... | . | 1 | . | 1 | . | 1 | 2 | 1 | . | . | ·6 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | . | . | 1 | . | . | 1 | ·4 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | 1 | . | 1 | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Tuberculous Phthisis, | 25 | 21 | 19 | 13 | 33 | 2 | 2 | 7 | 4 | 8 | 22·0 | 8 | . | . | . | . | 5 | 3 |
| "*Phthisis*," ... | | | | | | 25 | 14 | 16 | 19 | 12 | | 6 | . | . | . | . | 5 | 1 |
| Tuberculous Meningitis, ... | 7 | 5 | 3 | 5 | . | 3 | 4 | 1 | 1 | 3 | 3·2 | 3 | . | 1 | 2 | . | . | . |
| Tuberculous Peritonitis, | 2 | 2 | 6 | 7 | 6 | . | . | . | . | 1 | 2·5 | 2 | . | . | 1 | 1 | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | . | 1 | . | . | | 2 | . | . | 2 | . | . | . |
| Tuberculous Dis. (other), | 4 | 1 | 9 | 3 | 3 | 4 | 4 | 4 | 7 | 4 | 4·3 | 4 | . | 1 | 1 | 1 | 1 | . |
| *Scrofula*, ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, ... ... | . | 1 | 1 | 2 | 2 | 1 | . | . | . | 1 | ·8 | . | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | . | . | . | 1 | . | . | . | . | . | 2 | ·3 | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . |
| Carcinoma, ... | 8 | 13 | 4 | 6 | 5 | . | 3 | 2 | 2 | 4 | 7·3 | 3 | . | . | . | . | . | . |
| Sarcoma, ... ... | | | | | | . | 1 | . | 1 | . | | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 4 | 4 | 4 | 6 | | 3 | . | . | . | . | . | 1 |
| Diabetes Mellitus, ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | 1 | . | . | . | . | . | 1 |
| Premature Birth, ... | 3 | 4 | 2 | 1 | 5 | 6 | 6 | 2 | 2 | 3 | 3·4 | 3 | 3 | . | . | . | . | . |

* The figures for the years 1897-1900 ar
† Formerly describe

ENTY-SECOND WEEK ending Saturday, 1st June, 1907, with the deaths from each cause in the corresponding the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: June 5, 1897. | June 4, 1898. | June 3, 1899. | June 2, 1900. | June 1, 1901. | May 31, 1902. | June 6, 1903. | June 4, 1904. | June 3, 1905. | June 2, 1906. | Averages in 22nd Week of the 10 years 1897-1906. | In the Week ending Saturday, 1st June, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 54·8 | ° 50·7 | ° 53·4 | ° 52·3 | ° 54·8 | ° 50·0 | ° 53·3 | ° 56·2 | ° 56·4 | ° 55·7 | ° 53·8 | Mean Temp. ° 52·9 | | | | | | | | |
| eningitis (not tuberc.) ... | | | | | | 2 | . | 2 | 3 | 6 | | 3 | . | 1 | 1 | . | 1 | . | . | . |
| sanity, G. P. of Insane ... | | | | | | 1 | 1 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| pilepsy .. ... | | | | | | . | 1 | 3 | . | 1 | | 1 | . | . | 1 | . | . | . | . | . |
| *nvulsions* ... .. | | | | | | 11 | 5 | 3 | 4 | 6 | | 5 | 2 | 3 | . | . | . | . | . | . |
| ecomotor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| raplegia Dis. of Cord ... | | | | | | . | . | 2 | 3 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| ervous System (other Dis.) | 37 | 15 | 25 | 36 | 28 | 5 | 4 | 2 | 2 | 3 | 31·7 | 3 | . | . | . | 1 | . | 2 | . | . |
| alv. Dis., Endocarditis | | | | | | 3 | 3 | 2 | 2 | 3 | | 8 | . | . | . | . | . | 5 | 3 | . |
| rebr. Hæm. Thromb. .. | | | | | | . | 2 | 2 | 1 | 3 | | 3 | . | . | . | . | . | 2 | 1 | . |
| *oplexy, Hemiplegia* ... | | | | | | 2 | 1 | 2 | 2 | . | | 5 | . | . | . | . | 1 | 1 | 2 | 1 |
| eurysm ... ... | | | | | | . | 1 | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| nbolism, Thromb. (not cerebral) | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| eart and Blood Vessel Dis. | | | | | | 16 | 24 | 15 | 11 | 7 | | 16 | . | . | . | . | 1 | 4 | 10 | 1 |
| *oup* (not Spasm. nor Memb.) | 4 | 1 | 1 | . | . | . | . | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| onchitis ... ... | 19 | 8 | 11 | 14 | 15 | 14 | 21 | 14 | 9 | 13 | 13·8 | 22 | . | 3 | 3 | . | . | 6 | 9 | 1 |
| thma, Emphysema ... | | | | | | 1 | 2 | . | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| eurisy ... ... | . | 1 | . | 3 | 1 | 1 | . | 1 | . | 1 | 2·2 | . | . | . | . | . | . | . | . | . |
| spiratory Dis. (other) ... | | | | | | 5 | 1 | . | 4 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| nsillitis, Quinsy ... | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | 1 | 1 | . | . | 2 | 1 | 1 | . | 1 | . | 1·4 | . | . | . | . | . | . | . | . | . |
| *stro Enteritis* ... ... | | | | | | . | 3 | 1 | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| *itonitis* (not Puerp.) ... | 1 | . | . | . | 2 | 1 | . | . | 1 | 1 | ·6 | 1 | . | . | . | 1 | . | . | . | . |
| rrhosis of Liver ... | . | 3 | 3 | 1 | . | . | 3 | . | . | 1 | 2·1 | . | . | . | . | . | . | . | . | . |
| ver Dis. (other) ... | | | | | | 2 | 2 | 3 | 1 | 2 | | 2 | . | 1 | . | . | . | . | 1 | . |
| gestive Dis. (other) ... | 4 | . | 4 | 9 | 5 | 2 | 6 | 9 | 3 | 9 | 5·1 | 5 | . | 2 | . | . | . | 1 | 2 | . |
| phritis, Acute ... | | | | | | 1 | 2 | . | 1 | 3 | | . | . | . | . | . | . | . | . | . |
| ight's Dis., Albuminuria | 3 | 5 | 4 | 7 | 9 | 2 | 3 | 5 | 5 | 2 | 5·5 | 6 | . | . | . | . | . | 1 | 5 | . |
| inary Sys. (Other Dis.) | | | | | | . | . | 1 | . | 2 | | 2 | . | . | . | . | . | . | 2 | . |
| nerative Organs Dis. ... | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . | . |
| ildbirth (Accid. of) ... | . | . | 1 | 1 | 2 | . | 1 | . | 1 | . | ·6 | . | . | . | . | . | . | . | . | . |
| *l Age* ... ... | 8 | 11 | 10 | 9 | 7 | 6 | 2 | 5 | 1 | 1 | 6·0 | 4 | . | . | . | . | . | . | 2 | 2 |
| her Diseases ... ... | 13 | 12 | 14 | 20 | 13 | 13 | 10 | 6 | 12 | 13 | 12·6 | 7 | 3 | 2 | 2 | . | . | . | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | 2 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | 1 | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | 1 | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 1 | 1 | 2 | . | 1 | 2 | 1 | 1 | . | . | ·9 | 2 | . | . | 2 | . | . | . | . | . |
| Drowning ... ... | 1 | 2 | 2 | . | . | 1 | 1 | . | 3 | . | 1·0 | 3 | . | . | . | . | 2 | 1 | . | . |
| Suffocation in Bed ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| her Deaths by Accident | 2 | 1 | 3 | 4 | 1 | 1 | 2 | . | 3 | 2 | 1·9 | 1 | . | . | . | . | . | . | 1 | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| micide ... ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| cide ... ... | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. |
| No. of weeks in Annual Series. | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| BIRTHS registered, | 189 | 198 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 |
| *Average Births in corresponding week of previous 10 years,** | 195 | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 |
| DEATHS registered, | 169 | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 |
| Annual Death-rate per 1,000, | 23·3 | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 |
| *Average Deaths in corresponding week of previous 10 years,** | 188 | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 |
| AGES, Under 5 years, | 54 | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 61 | 59 |
| 5—20 " | 8 | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 13 | 20 | 12 | 16 | 15 | 16 | 7 |
| 20—40 " | 24 | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 |
| 40—60 " | 42 | 42 | 42 | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 |
| 60—80 " | 34 | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 |
| 80 years and upwards, | 7 | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 |
| Scarlet Fever | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . |
| Whooping-cough, | 5 | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 |
| Diphtheria, | . | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . |
| *Pyrexia* † (origin uncertain), | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Enteric Fever, | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 |
| Diarrhœal Diseases, | 2 | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . |
| Pneumonia, | 13 | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 |
| Tuberculous Disease. Phthisis, | 22 | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 |
| Tuberculous Disease. Other Forms, | 13 | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 |
| Cancer, Malignant Disease, | 7 | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 |
| Diseases of Heart and Blood Vessels, | 30 | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 31 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 |
| Diseases of Respiratory System, | 21 | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 |
| Violent Deaths, | 1 | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 |
| Number of Uncertified Deaths, | 7 | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 44·8 | 37·3 | 45·5 | 31·8 | 39·4 | 43·7 | 48·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 43·4 | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 |
| Rainfall in inches, | ·485 | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·083 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | ·005 | ·869 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·773 | ·085 | ·187 | ·488 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·88 | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1st JUNE, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,550 | 25·1 | 181 | 59 | 7 | 23 | 36 | 51 | 5 | . | 4 | . | . | 8 | . | . | 1 | . | 13 | 23 | 14 | 11 | 6 | 5 | 24 | 6 | 79 | 4 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 12·0 | 4 | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 2 | . |
| II. | Middle Class, | 87,188 | 15·0 | 25 | 8 | . | 3 | 4 | 8 | 2 | . | 1 | . | . | 2 | . | . | . | . | 3 | 2 | 2 | 1 | . | 1 | 2 | . | 14 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 19·4 | 41 | 15 | 2 | 8 | 9 | 6 | 1 | . | 1 | . | . | 3 | . | . | . | . | 4 | 6 | 4 | 4 | 1 | . | 3 | 1 | 18 | 2 |
| IV. | General Service Class, | 154,279 | 36·1 | 74 | 34 | 5 | 10 | 10 | 15 | 2 | . | 2 | . | . | 3 | . | . | 1 | . | 6 | 12 | 4 | 5 | . | 4 | 8 | 4 | 31 | 1 |
| V. | Inmates of Workhouses, | 6,024 | | 37 | 4 | . | 2 | 11 | 20 | . | . | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 5 | . | 11 | . | 14 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 14·2 | 6 | 4 | . | . | . | 2 | . | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | . | . | . | 1 | . | 3 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 10·3 | 6 | 1 | . | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 3 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | 3 | . | . | 2 | 4 | 2 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | . | 7 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 21·0 | 12 | 8 | . | 1 | 3 | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | . | 1 | . | 3 | 1 |
| | 10. Clothing Trades, | 28,260 | 15·7 | 7 | 2 | . | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 5 | . |
| | 11. Food Supply Trades, | 9,242 | 11·5 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | 1 | 1 | 2 | 6 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 1 | . | . | . | 2 | . | 4 | . |
| | 13. Petty Shopkeepers, | 7,894 | 46·2 | 7 | 2 | 1 | 1 | . | 2 | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . | 4 | 1 |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 42·7 | 11 | 6 | 1 | 1 | 1 | 2 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | . | 5 | . |
| | 15. Domestic Servants, | 86,608 | 10·0 | 7 | 1 | . | 3 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 3 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 29·0 | 50 | 22 | 3 | 5 | 9 | 10 | 1 | . | 1 | . | . | 3 | . | . | 1 | . | 5 | 9 | 2 | 4 | . | 1 | 6 | 3 | 20 | 1 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 37 | 4 | . | 2 | 11 | 20 | . | . | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 5 | . | 11 | . | 14 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of t

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Apr. 13, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . |
| | „ 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 2 | . |
| | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | . |
| | „ 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . | . |
| | „ 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| **North City, No. 1 (W.)** (*Offices, Summer-hill.*) Pop. in 1907 (Est.) 29,146. | Apr. 13, | 36·0 | 1·3 | 27 | . | . | . | . | . | 1 | . | . | . | 4 | 3 | 1 | . | 5 | . | . |
| | „ 20, | 24·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| | „ 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 3 | 1 | . | 1 | 1 | . |
| | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | . |
| | „ 11, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | . |
| | „ 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . | . |
| | „ 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 3 | 2 | 1 | 4 | 1 | . |
| | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 | . |
| **North City, No. 2.** (*Offices, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Apr. 13, | 24·2 | 5·2 | 14 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 3 | . | 2 |
| | „ 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| | „ 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| | May 4, | 50·2 | 3·5 | 29 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | 1 |
| | „ 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . | . |
| | „ 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . | . |
| | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 | . |
| **North City, No. 3.** (*Offices, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Apr. 13, | 38·6 | 1·6 | 24 | . | . | . | . | 1 | . | . | . | . | 5 | 1 | . | 2 | 3 | . | 1 |
| | „ 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| | „ 27, | 56·3 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| | „ 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . | 1 |
| | „ 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 | 1 |
| | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . | . |
| **South City, No. 1.** (*Offices, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Apr. 13, | 32·6 | 3·9 | 25 | . | 1 | . | . | 2 | . | . | . | . | 1 | 3 | . | . | 5 | 1 | 2 |
| | „ 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| | „ 27, | 39·1 | 4·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| | „ 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| | „ 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . | 1 |
| | „ 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 3 | 1 | 2 | 1 | . |
| | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | 1 | 6 | . | 1 |
| **South City, No. 2.** (*Offices, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Apr. 13, | 17·7 | 2·5 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . |
| | „ 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| | „ 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | 3 | . | . |
| | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| | „ 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| | „ 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . | . |
| | June 1, | 12·7 | 2·5 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| **South City, No. 3.** (*Offices, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Apr. 13, | 25·9 | 2·5 | 21 | . | 1 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 7 | 1 | 2 |
| | „ 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| | „ 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| | „ 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| | „ 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | 1 |
| | „ 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . | . |
| | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | Apr. 13, | 29·7 | 5·9 | 20 | . | 2 | . | . | 2 | . | . | . | . | 3 | 3 | . | 1 | 3 | . | . |
| | „ 20, | 32·6 | 3·0 | 23 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |
| | „ 27, | 26·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 3 | . | 1 |
| | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | . |
| | „ 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 | . |
| | „ 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . | . |
| | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Apr. 13, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | 1 |
| | " 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | " 27, | 23·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| | " 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | " 18, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| | " 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| | June 1, | 19·0 | 2·9 | 13 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Apr. 13, | 20·6 | 1·9 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 2 | 1 | . | . |
| | " 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| | " 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| | May 4, | 24·8 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | " 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| | " 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| | " 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Apr. 13, | 26·6 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . |
| | " 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| | " 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| | " 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | " 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| | " 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| | June 1, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Apr. 13, | 22·4 | 1·5 | 159 | . | 1 | . | . | 2 | . | . | 3 | 5 | 9 | 22 | 11 | 7 | 19 | 2 | 7 |
| | " 20, | 23·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 6 |
| | " 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| | May 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| | " 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 4 |
| | " 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 3 |
| | " 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| **Cork.** Pop. (in 1901) 76,122. | Apr. 13, | 23·3 | 4·1 | 34 | . | . | . | . | 6 | . | . | . | . | . | 5 | . | 2 | 5 | . | 2 |
| | " 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| | " 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| | " 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | . |
| | " 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 2 |
| | " 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | 1 |
| | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Apr. 13, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 3 | . | 1 |
| | " 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| | " 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| | May 4, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| | " 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| | " 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| | " 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Apr. 13, | 30·1 | 2·7 | 22 | . | . | . | . | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 4 | . | 5 |
| | " 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| | " 27, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 8 | . | . | . | . | 3 |
| | " 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| | " 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | " 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | Apr. 13, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | " 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 |
| | " 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | May 4, | 27·3 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |
| | " 11, | 25·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |
| | " 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |
| | " 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st June, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 6 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | . | . | . | 1 | 4 | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | 1 | 2 | 1 |
| Do. 2 ,, | 47,959 | 21 | | | 20 | 4 | 5 | 2 | 2 | 2 | 5 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 1 | 2 | . | . | 5 | . |
| Do. 3 ,, | 47,214 | 27 | | | 20 | 3 | 5 | . | 5 | 2 | 5 | . | . | . | . | 1 | . | . | . | . | 3 | 4 | 1 | . | 2 | 1 | 2 | 4 | . |
| Do. 4 ,, | 40,911 | 31 | | | 21 | 5 | 2 | 2 | 4 | 3 | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 7 | . | . | 5 | . |
| Do. 5 ,, | 17,387 | 8 | | | 7 | 1 | 2 | 1 | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 1 | . | . | 1 | 1 |
| Do. 6 ,, | 48,122 | 16 | | | 12 | 1 | . | . | 2 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 2 | . |
| Do. 7 ,, | 1,524 | 2 | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Do. 8 ,, | 5,060 | . | | | 3 | 1 | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Do. 9 ,, | 19,569 | 16 | | | 13 | 1 | 1 | 1 | 4 | 2 | 4 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 2 | . | . | 3 | 1 |
| Do. 10 ,, | 28,064 | 16 | | | 13 | 5 | . | . | 1 | 4 | 3 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | . | . | . | . | 2 | . |
| Do. 11 ,, | 34,802 | 18 | | | 15 | 4 | 2 | 1 | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | 1 | 5 | . |
| Do. 12 ,, | 38,588 | 26 | | | 14 | 5 | . | 5 | 1 | 2 | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | . | 1 | 1 | . |
| Do. 13 ,, | 15,006 | 11 | | | 11 | 1 | 1 | 3 | 2 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | 1 | . |
| Do. 14 ,, | 240 | .. | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 198 | | | 156† | 32 | 19 | 15 | 29 | 28 | 33 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 7 | 31 | 4 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 4 | 24·3 | 4·1 | 6 | . | 1 | 4 | | | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | . | . | . | 4 | . |
| Do. 2 ,, | 10,701 | 4 | 9·7 | . | 2 | . | 1 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 3 ,, | 9,978 | 5 | 26·1 | . | 5 | . | 1 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 1 | . |
| Do. 4 ,, | 8,666 | 6 | 12·0 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . |
| Do. 5 ,, | 6,592 | 1 | 15·8 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Do. 6 ,, | 10,702 | 7 | 14·6 | . | 3 | . | . | 2 | | | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . |
| Do. 7 ,, | 16,616 | 5 | 37·7 | 6·3 | 12 | 5 | . | 4 | | | 3 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | . | 2 | . | . | . | 1 | 6 | 1 |
| Total, | 76,122 | 32 | 21·9 | 2·1 | 32 | 5 | 3 | 16 | | | 8 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 4 | 14 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 8. | Dec. 15. | Dec. 22. | Dec. 29. | Jan 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 12 | Apr. 20. | Apr. 27. | May 4. | May. 11. | May. 18. | May. 25. | June 1. |
| No. of weeks in Annual Series, | 49 | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| BIRTHS registered, | 185 | 219 | 178 | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 |
| DEATHS registered, | 139 | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156† |
| Annual Death-rate per 1,000 of estimated Population, | 19·8 | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 |
| AGES — Under 1 year | 21 | 20 | 25 | 12 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 |
| 1–5 years, | 24 | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 |
| 5–20 years, | 9 | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 |
| 20–40 years, | 23 | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 |
| 40–60 years, | 27 | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 |
| 60 years and upwards, | 35 | 26 | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 5 | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 |
| Scarlet Fever, | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 |
| Diphtheria, | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 6 | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . |
| Diarrhœal Diseases, | 3 | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . |
| Pneumonia, | 10 | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 16 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 |
| Tuberculous Disease, Phthisis, | 13 | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 |
| Tuberculous Disease, Other Forms, | 11 | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 |
| Cancer, Malignant Disease, | 3 | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 |
| Diseases of Respiratory System, | 23 | 21 | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 |
| Violent Deaths, | 2 | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 |
| Number of Uncertified Deaths, | . | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 |

*Formerly described as "Simple Continued Fever."
† Including 14 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | June 1, | 2,461 | 1,190 | 13·0 | . | 52 | 13 | 14 | 30 | . | 20 |
| EDINBURGH, | 345,747 | „ 1, | 155 | 118*a* | 17·8 | . | 4 | . | 2 | 7 | . | 2 |
| GLASGOW, | 847,584 | „ 1, | 433 | 302*a* | 18·6 | . | 2 | 2 | 3 | 26 | 3 | 7 |
| CALCUTTA, | 847,796 | Apr. 13, | . | 895 | 54·8 | 94 | 2 | . | . | . | 72‡ | 118* |
| BOMBAY, | 977,822 | „ 30, | 321 | 900 | 47·9 | 1 | 2 | . | . | . | 64‡ | 61* |
| MADRAS, | 509,346 | „ 12, | 328 | 337 | 34·4 | 1 | 4 | ? | ? | ? | 92 | 62 |
| PARIS, | 2,750,000 | May 18, | 967 | 978 | 18·6 | 1 | 10 | 9 | 3† | 7 | 6 | 23 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 11, | 222 | 156 | 13·0 | . | . | 3 | 2† | 1 | . | 4 |
| ANTWERP, | 304,032 | „ 11, | 131 | 84 | 14·4 | . | . | . | . | 2 | . | 8 |
| AMSTERDAM, | 565,163 | „ 18, | 265 | 155 | 14·3 | . | 6 | . | 3† | 3 | 1 | 12 |
| COPENHAGEN, | 427,000 | „ 11, | 241 | 149 | 18·2 | . | 1 | . | 2† | 4 | . | 6 |
| STOCKHOLM, | 324,488 | „ 11, | 141 | 97 | 15·2 | . | . | 1 | 1† | . | . | 2 |
| CHRISTIANIA, | 226,774 | „ 18, | 123 | 54 | 12·4 | . | 1 | . | 2† | 1 | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 11. | 1,140 | 856 | 30·0 | . | 48 | 20 | 19 | 8 | 25 | 122 |
| MOSCOW, | 1,172,421 | Apr. 13, | . | 679 | 30·2 | . | 24 | 8 | 13† | 7 | 9 | 85 |
| BERLIN, | 2,091,398 | May 4, | 941 | 571 | 14·2 | . | 1 | 2 | 9† | 3 | 3 | 28 |
| HAMBURG, | 824,792 | „ 11, | . | 294 | 18·5 | . | 1 | 2 | 1† | 1 | . | 12 |
| BRESLAU, | 485,278 | „ 18, | . | 247 | 26·5 | . | 2 | . | 1† | 3 | . | 28 |
| MUNICH, | 548,000 | „ 18, | . | 197 | 18·7 | . | 6 | . | 1† | . | . | 32 |
| VIENNA (with suburbs). | 1,979,003 | „ 18, | 916 | 778 | 20·4 | 1 | 25 | 2 | 5† | 2 | 3 | 57 |
| BUDA-PESTH, | 802,235 | „ 11, | 392 | 351 | 22·8 | . | 7 | 7 | 1† | 1 | . | 14 |
| PRAGUE and Faubourgs. | 466,133 | Apr. 27, | 204 | 191 | 21·3 | . | 4 | . | 1† | 1 | 1 | 26 |
| TRIESTE, | 200,962 | May 4, | 122 | 96 | 24·9 | . | 1 | . | . | 4 | . | 3 |
| ROME, | 542,760 | Apr. 6, | 270 | 211 | 20·3 | . | . | . | 1 | . | . | 3 |
| VENICE, | 174,398 | „ 13, | 75 | 72 | 21·5 | . | . | . | . | 1 | . | 2 |
| NEW YORK, | 4,285,435 | May 4, | 2,269 | 1,509 | 18·4 | . | 12 | 19 | 38† | 9 | 25 | 53 |
| PHILADELPHIA, | 1,500,595 | Apr. 13, | . | 603 | 20·8 | . | 1 | 3 | 11† | 2 | 20 | 31 |
| | | „ 20, | . | 605 | 20·8 | . | 4 | . | 14† | 6 | 21 | 32 |
| BOSTON, | 602,526 | May 4, | . | 221 | 19·1 | . | . | . | 2 | 1 | 2 | 5 |

*a*. Including one death from cerebro spinal meningitis in Edinburgh, and 17 in Glasgow.
* Including 61 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Exclusive of 383 deaths from plague in Calcutta, and 343 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st June, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 1, West, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 2, | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 |
| " " 3, | . | 3 | . | . | 1 | . | . | . | 1 | . | 1 | . | 6 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | 1 | 2 | 13 | . | . | . | 16 |
| " " 2, | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 3 |
| " " 4, | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | . | 3 | . | . | 4 | . | 1 | 5 | 19 | . | 2 | . | 34 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st June, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 1st June. | | | |
|---|---|---|---|---|---|---|---|
| | May 11. | May 18. | May 25. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 121 | 132 | 123 | 31 | 55 | 3 | 96 |
| Scarlet Fever | 48 | 40 | 45 | 7 | 4 | . | 48* |
| Typhus, | 7 | 7 | 5 | . | 3 | . | 2 |
| Diphtheria, | 33 | 24 | 18 | 6 | 5 | . | 19 |
| Enteric Fever, | 10 | 9 | 17 | 4 | 2 | . | 19 |
| Pneumonia, | 44 | 42 | 40 | 15 | 8 | 2 | 45 |

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 1st June, 1907:—

"Although fine and dry at first, the weather was particularly dull. On Wednesday, it broke up completely owing to the gradual spreading of an atmospheric depression eastward over the British Isles. All through the period an anticyclone held its position over Iceland, in which island a return to very wintry weather attended the high barometric pressure. On the other hand, a large area of low pressure existed in the Baltic region, gradually extending eastward across Northern Russia. A second low pressure system occupied the Mediterranean Basin. This distribution of baric pressure determined a prevalence of searching polar winds over Europe. In the Dublin district Sunday and Monday were fine days, and a prevalence of sunshine sent the thermometer up from a minimum of 47·3° to a maximum of 67·5° on Monday, these readings being the extremes for the whole week. Tuesday was dull and hazy but dry. On Wednesday a great change took place as a well-defined low pressure system spread in from the Atlantic—first over Ireland, later over Great Britain and France. Temperature rose but the sky became densely clouded, haze and fog hung round the coasts, and rain fell frequently in all, and heavily in many, districts. On Saturday the centre of the depression passed eastwards from Ireland and the barometer rose slowly. In Dublin the mean pressure for the week was 29·889 inches, the range being from 30·163 inches at 9 a.m. of Wednesday (wind very light from E.) to 29·448 inches at 9 p.m. of Friday (wind equally light from E.N.E.). The corrected mean temperature was 55·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·8°. The range of temperature was from 47·3° to 67·5° on Monday—these being the extreme readings for the week. The dominant wind was E.N.E., but its force was light. Rain fell on 3 days to the amount of ·656 inch, ·335 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·868 inches. The highest reading (30·158) was on Wednesday at 9 a.m., wind N.E., and the lowest (29·435) on Friday at 9 p.m., wind N.E.

The mean temperature for the week was 52·9°, being 0·9° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Monday, on which day the thermometer registered 65·8°, and was also lowest on that day, the mercury having fallen to 40·1°. The mean of the Dry Bulb for the week was 52·4°, and of the Wet Bulb 50·4°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured ·488 inch.

At Greenwich the mean temperature for the week was 53·4°, the maximum 69·8°, and the minimum 41·1°; at Glasgow the maximum was 70·0°, the minimum 37·8°, and the mean 50·0°; and at Edinburgh the maximum was 56·3°, the minimum 36·4°, and the mean 45·5°. The rainfall at Greenwich measured 0·67 in.; at Glasgow, 1·14 ins. and at Edinburgh, 1·09 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hour and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, May 26, | 29·999 | 62·3 | 49·8 | 56·1 | 52·1 | 50·0 | ·93 | ·7 | 4·5 | ·000 | N.E. | Calm. |
| Monday, „ 27, | 30·008 | 65·8 | 40·1 | 53·0 | 53·6 | 51·6 | ·88 | ·3 | 8·5 | ·000 | S.W. | Calm. |
| Tuesday, „ 28, | 30·134 | 53·8 | 41·0 | 47·4 | 50·7 | 49·2 | ·90 | ·2 | 0·7 | ·000 | N.N.E. | N.E. |
| Wednesday, „ 29, | 30·126 | 51·8 | 46·0 | 48·9 | 48·5 | 45·3 | ·80 | ·5 | 0·0 | ·240 | N.E. | Calm. |
| Thursday, „ 30, | 29·798 | 60·1 | 45·4 | 52·8 | 53·3 | 52·1 | ·91 | ·8 | 0·1 | ·200 | E.N.E. | S.S.E. |
| Friday, „ 31, | 29·500 | 56·8 | 51·9 | 54·4 | 53·2 | 51·5 | ·89 | ·0 | 0·0 | ·010 | E. | N.E. |
| Saturday, June 1, | 29·509 | 63·0 | 50·2 | 57·6 | 55·7 | 53·2 | ·84 | ·9 | 0·5 | ·038 | S.E. | S.W. |
| Mean, . . | 29·868 | 59·1 | 46·3 | 52·9 | 52·4 | 50·4 | ·88 | ·5 | Total 14·5 | Total ·488 | Prevailing Wind, N.E. | |

*Sunday*—Cloudy day, fine; night clear. *Monday*—Fine day but cloudy; night clear. *Tuesday*—Day overcast; fine night, overcast. *Wednesday*—Day overcast, light rain 8.30 p.m. to 11.40 p.m.; night overcast. light rain 5.0 to 7.0 a.m. *Thursday*—Day overcast, light rain 7.0 a.m. to 1.30 p.m.; night overcast, and showery. *Friday*—Day overcast, light rain, showers p.m.; night overcast. *Saturday*—Day overcast and cloudy, light rain at intervals from 1.45 p.m.; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 1st, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, May 26, | 53·3 | 54·0 | 50·4 | 61·8 | 50·4 | 56·1 | 3·6 | — |
| Monday, „ 27, | 54·9 | 54·6 | 50·9 | 65·4 | 46·0 | 55·7 | 10·5 | — |
| Tuesday, „ 28, | 53·1 | 55·2 | 50·9 | 54·8 | 48·0 | 51·4 | — | — |
| Wednesday, „ 29, | 49·6 | 54·0 | 51·1 | 52·1 | 47·1 | 49·6 | — | ·328 |
| Thursday, „ 30, | 49·9 | 53·2 | 51·3 | 61·2 | 47·2 | 54·2 | 0·9 | ·184 |
| Friday, „ 31, | 55·0 | 54·0 | 51·4 | 59·0 | 51·9 | 55·5 | — | ·006 |
| Saturday, June 1, | 55·4 | 54·0 | 51·4 | 61·7 | 51·1 | 56·4 | 0·2 | ·195 |
| Weekly Mean, . . | 53·0 | 54·1 | 51·1 | 59·4 | 48·8 | 54·1 | Total 15·2 | Total ·713 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17638.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 8TH JUNE, 1907. [No. 23.

*General Register Office, Charlemont House, Dublin,* 10*th June,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending May 18. | May 25. | June 1. | June 8. | Average Rate for 4 weeks. | Towns, &c. | Week ending May 18. | May 25. | June 1. | June 8. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 22·0 | 21·8 | 20·9 | 21·7 | 21·6 | Lisburn, . | 13·6 | 22·7 | . | 9·1 | 11·4 |
| Armagh, . . | . | 6·9 | 13·7 | . | 5·2 | Londonderry, . | 13·5 | 11·0 | 14·7 | 23·3 | 15·6 |
| Ballymena, . | 19·2 | 4·8 | 33·5 | 14·4 | 18·0 | Lurgan, . . | 17·7 | 26·6 | 31·0 | 8·9 | 21·1 |
| Belfast, . . | 22·3 | 23·1 | 22·0 | 22·7 | 22·5 | Newry, . . | 12·6 | 33·6 | 12·6 | 4·2 | 15·8 |
| Clonmel, . | 15·4 | 20·5 | 10·3 | 10·3 | 14·1 | Newtownards, . | 22·9 | 5·7 | 11·4 | 45·8 | 21·5 |
| Cork, . . . | 21·9 | 16·4 | 21·9 | 17·1 | 19·3 | Portadown, . | 10·3 | 25·8 | 10·3 | 15·5 | 15·5 |
| Drogheda, . . | 20·4 | 12·3 | 20·4 | 20·4 | 18·4 | Queenstown . | . | 13·2 | 19·8 | . | 8·3 |
| Dublin Reg. Area, | 26·7 | 25·8 | 23·1 | 23·9 | 24·9 | Sligo, . . . | 9·6 | 9·6 | 14·4 | 4·8 | 9·6 |
| Dundalk, . . | 12·0 | 35·9 | 8·0 | 8·0 | 16·0 | Tralee, . | 21·1 | 5·3 | 5·3 | 10·6 | 10·6 |
| Galway, . . | 27·2 | 38·8 | 15·5 | 23·3 | 26·2 | Waterford, . | 19·5 | 7·8 | 21·4 | 39·0 | 21·9 |
| Kilkenny, . . | 9·8 | 19·7 | 9·8 | 34·3 | 18·4 | Wexford, . . | 18·7 | 9·3 | 18·7 | 23·3 | 17·5 |
| Limerick, . . | 13·7 | 12·3 | 19·1 | 16·4 | 15·4 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·7 in Newtownards, the 8 deaths from all causes registered in that district including one from whooping-cough. Among the 161 deaths from all causes in Belfast are 8 from measles, one from scarlet fever, one from diphtheria, 2 from enteric fever, 4 from diarrhœal diseases, 9 deaths from cerebro-spinal fever, and one returned as from *cerebro-spinal meningitis;* and the 20 deaths from all causes in Waterford include one from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 193—97 boys and 96 girls; and the deaths to 180—88 males and 92 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 24·0 in every 1,000 of the population; omitting the death of one person admitted into a public institution from a locality outside the Area, the rate was 23·9 per 1,000. During the twenty-three weeks ending with Saturday last the death-rate averaged 28·0, and was 0·3 above the mean rate for the corresponding portions of the ten years, 1897–1906.

Amongst the deaths registered there were 6 from measles, 4 from whooping-cough, and one from diphtheria. In each of the 3 preceding weeks, deaths from measles were 2, 6, and 4; deaths from whooping-cough were 4, 10, and 8; and deaths from diph-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

theria were one, 0, and 0. Six deaths were attributed to influenza; the fatalities from this disease in the 3 weeks preceding were 4, one, and 2 deaths, respectively.

Lobar pneumonia caused 3 deaths, broncho-pneumonia caused 7 deaths, and *pneumonia* (not defined) caused 8 deaths.

The deaths from all forms of tuberculous disease, which were 25 in the preceding week, rose to 32 in the period under notice. The 32 deaths include 10 from tuberculous phthisis, 6 returned as from *phthisis*, 6 from tuberculous meningitis, 2 from tuberculous peritonitis, and 8 deaths from other forms of the disease. In each of the weeks ending 18th May and 25th May, 49 and 44 deaths from all forms of tuberculous disease were registered.

The 10 deaths from malignant diseases include one death from carcinoma, 2 deaths from sarcoma, and 7 deaths from cancer (undefined).

Prematurity was the cause of death of 2 infants.

Of 12 deaths from diseases of the brain and nervous system, 2 were from meningitis and 2 were returned as from *convulsions;* of the latter, one was the death of an infant under one year of age.

Diseases of the heart and blood vessels caused 36 deaths, and 16 deaths were due to bronchitis.

Of 5 accidental deaths, 3 were by drowning, and one was by suffocation in bed of an infant under one year of age.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the death of one infant under one year of age and the death of a person aged 68 years.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 9 were under one month old), and 47 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 7 were octogenarians.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the N. Dublin Union Workhouse, 19 in the S. Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·9 per 1,000; the rate in the City was 24·4 (North City Districts, 23·7; South, 25·2), and in the Suburbs, 22·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·2 (0·7 in the North City Districts, and 1·8 in the South) and for the Suburbs, 2·3 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 32·3 per 1,000. The deaths included 3 from influenza, one from broncho-pneumonia, 2 from tuberculous disease, and 3 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Amongst the deaths were 2 from influenza, one from broncho-pneumonia, 4 from tuberculous disease, and 4 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000, and include one death from measles, one death from *pneumonia* (not defined), and 5 deaths from tuberculous disease.

*No. 3 North City District* (Benburb-street).—The deaths (14) represent an annual rate of 22·5 per 1,000. Measles caused one death, there were 2 deaths from *pneumonia* (not defined), and 4 deaths from tuberculous disease.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 33·2; and Finglas and Glasnevin, part of, 7·2. The 7 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from influenza, one from lobar pneumonia, one from *pneumonia* (not defined), 2 from tuberculous disease, and one caused by drowning.

*No. 1 South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·8 per 1,000. The 19 deaths from all causes include one death from whooping-cough, one death each from lobar-pneumonia and from *pneumonia* (not defined), 2 deaths from tuberculous disease, and 5 deaths from diseases of the respiratory system.

*No. 2 South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 22·8 per 1,000, and include one death from measles, 2 deaths from broncho-pneumonia, one death from *phthisis*, and one death from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·6 per 1,000. Measles and diphtheria each caused one death, there was one death from lobar-pneumonia, 2 deaths from broncho-pneumonia, 4 deaths from tuberculous disease, and one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. The deaths include one death from whooping-cough, one death from broncho-pneumonia, 5 deaths from tuberculous disease, 2 deaths from bronchitis, and one death caused by drowning.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of the 2 deaths registered was caused by *pneumonia* (not defined).

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 20·5; Pembroke, 18·7; Blackrock, 17·9; and Kingstown, 32·5. The deaths from the principal epidemic diseases tabulated for these districts include one from measles for each of Pembroke and Kingstown, and 2 from whooping-cough for Pembroke. The 14 deaths from all causes for Rathmines and Rathgar include 3 from tuberculous disease, 5 from diseases of the heart and blood vessels, and one by accidental suffocation in bed. The 10 deaths from all causes for Pembroke include 3 from diseases of the heart and blood vessels; and the 11 deaths from all causes for Kingstown include 2 from *pneumonia* (not defined), and 2 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 8th June, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | May 18, | . | — | — | 2 | . | . | 3 | . | 5 | 1 | 5 | . | — | — | 2 | — | — | 18 |
| | May 25, | . | — | — | 6 | 1 | . | 3 | . | . | 4 | 7 | 1 | — | — | 1 | — | — | 23 |
| | June 1, | . | — | — | 3 | . | . | 4 | . | 1 | 5 | 19 | . | — | — | 2 | — | — | 34 |
| | June 8, | . | — | — | 4 | . | . | 7 | . | 1 | 5 | 17 | . | — | — | 1 | — | — | 35 |
| Rathmines and Rathgar Urban District. | May 18. | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | 4 | — | — | 5 |
| | May 25, | . | — | — | 4 | . | . | 1 | . | . | . | 2 | . | — | — | . | — | — | 7 |
| | June 1. | . | — | — | . | . | . | . | . | . | 2 | 1 | . | — | — | . | — | — | 3 |
| | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| Pembroke Urban District. | May 18. | . | 32 | . | 1 | . | . | . | . | . | . | 1 | . | — | 33 | . | — | — | 67 |
| | May 25, | . | 16 | . | . | . | . | 2 | . | . | . | 1 | . | — | 6 | . | — | — | 25 |
| | June 1, | . | 31 | . | . | . | . | . | . | . | . | 1 | . | — | 21 | . | — | — | 53 |
| | June 8, | . | 44 | . | 2 | . | . | 3 | . | . | . | . | . | — | 13 | . | — | — | 62 |
| Blackrock Urban District. | May 18, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | May 25, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| | June 1, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | June 8, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | May 18, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | . | — | — | 2 |
| | May 25, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 1, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | May 18, | . | — | — | 8 | . | . | 4 | . | 2 | 5 | 6 | . | — | — | 24 | — | — | 49 |
| | May 25, | . | — | — | 5 | . | . | 3 | 1 | 1 | 5 | 4 | . | — | — | 22 | — | — | 41 |
| | June 1, | . | — | — | 11 | . | . | 5 | 1 | 2 | 3 | 12 | . | — | — | 22 | — | — | 56 |
| | June 8, | . | — | — | 12 | . | . | 2 | 1 | 6 | 11 | 10 | . | — | — | 13 | — | — | 55 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th June, 1907.

From this it appears that:—

Thirty-eight cases of measles were admitted into hospital during the week, 30 were discharged, there were 3 deaths, and 101 cases remained under treatment at its close. At the close of each of the three preceding weeks the cases of measles under treatment numbered 132, 123, and 96.

Eight cases of scarlet fever were admitted to hospital, 9 were discharged, and 47* cases remained under treatment at the close of the week.

One case of typhus was discharged from hospital during the week, and one remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 5 were discharged, and 23 patients remained under treatment at the close of the week.

One case of enteric fever was admitted to hospital during the week, one was discharged, and 19 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 18 were discharged, there was one death, and 39 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·2), was equal to an average annual death-rate of 13·7 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 19·0 per 1,000, the rate for Glasgow being 18·4 and for Edinburgh 17·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th June. From this Report it appears that a total of 52 cases notified 21 were scarlet fever, 13 diphtheria, one membranous croup, and 5 erysipelas. Among the 374 cases of infectious diseases in hospital at the close of the week were 115 cases of scarlet fever, 70 of whooping-cough, 68 of measles, 36 of diphtheria, 3 of membranous croup, 8 of erysipelas, and 6 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 8th June, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 8th June, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 8th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 1st June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 25th May, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 30·8 | 21·7 | 1·4 | 661 | 465 | 84 | 116 | . | 15 | 1 | . | 5 | 2 | . | 2 | 4 | 45 | 68 | 36 | 20 | 42 | 9 | 15 | 127 | 17 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 890,691 | 28·4 | 25·8 | 23·9 | 1·5 | 193 | 179 | 27 | 47 | . | 6 | . | . | 4 | 1 | . | . | . | 18 | 16 | 16 | 10 | 18 | 5 | 5 | 71 | 2 | f64·7 | 39·6 | 52·7 | 1·54 | f65·8 | 40·1 | 52·9 | 0·49 | f63·3 | 29·9 | 45·0 | 0·19 |
| City of Dublin. | 300,850 | 38·0 | 28·8 | 24·4 | 1·2 | 166 | 141 | 24 | 33 | . | 4 | . | . | 2 | 1 | . | . | . | 16 | 15 | 14 | 9 | 15 | 4 | 4 | 60 | . | g64·2<br>h63·4 | 45·1<br>41·8 | 54·2<br>53·4 | 1·18<br>1·87 | g67·5<br>h62·8 | 47·8<br>43·0 | 55·3<br>54·8 | 0·66<br>0·77 | g64·2<br>h61·8 | 36·9<br>31·0 | 48·7<br>45·6 | 0·15<br>0·14 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 5·9 | 20·5 | . | 4 | 14 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,874 | 5 | 16·8 | 18·7 | 5·6 | 9 | 10 | . | 3 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 29·8 | 17·9 | . | 5 | 8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 26·6 | 32·5 | 3·0 | 9 | 11 | 3 | 3 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . | 4 | 2 | 61 | 44 | 54·1 | 0·91 | 63 | 45·5 | 53·9 | 0·44 | 63 | 37 | 47·6 | 0·03 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 26·1 | 22·7 | 2·3 | 256 | 161 | 31 | 38 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 2 | 27 | 3 | 63·0 | 40·5 | 50·6 | 1·81 | 66·8 | 37·5 | 51·4 | 1·31 | 56·0 | 34·0 | 45·8 | 0·49 |
| Cork, | 76,122 | 33·6 | 25·3 | 17·1 | . | 37 | 25 | 7 | 4 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 4 | 6 | 2 | 61 | 48 | 53·6 | 1·24 | 63 | 49 | 54·5 | 1·46 | 60 | 39 | 48·5 | 0·13 |
| Londonderry, | 42,475 | 19·6 | 28·2 | 23·3 | . | 23 | 19 | 3 | 5 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 23·2 | 16·4 | . | 17 | 12 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | . | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 27·3 | 39·0 | 1·9 | 14 | 20 | 2 | 8 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 31·1 | 23·3 | . | 8 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 2 | 61 | 46 | 53 | 0·97 | 72 | 46 | 61 | 1·39 | 68 | 38 | 51·3 | 0·17 |
| Dundalk, | 18,076 | 3·4 | 31·9 | 8·0 | . | 8 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 24·5 | 20·4 | . | 6 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 25·2 | 4·2 | . | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 |
| Lurgan, | 11,782 | 13·8 | 39·8 | 8·9 | . | 9 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 |
| Lisburn, | 11,461 | 10·1 | 72·8 | 9·1 | . | 16 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | . | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 |
| Wexford, | 11,168 | 23·2 | 32·7 | 23·3 | . | 7 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 23·9 | 14·4 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 64·4 | 43·5 | 52·7 | 0·97 | 67·4 | 44·4 | 55·0 | 0·91 | 69·5 | 36·4 | 50·2 | 0·27 |
| Sligo, | 10,870 | 8·7 | 43·2 | 4·8 | . | 9 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . | 2 | . | 69 | 44 | 55·3 | 1·11 | 67 | 41 | 54·7 | 0·81 | 65 | 31 | 47·7 | 0·15 |
| Kilkenny, | 10,609 | 11·5 | 44·2 | 34·3 | . | 9 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Clonmel, | 10,167 | 7·8 | 25·6 | 10·3 | . | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 |
| Portadown, | 10,092 | 13·2 | 62·0 | 15·5 | . | 12 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tralee, | 9,867 | 16·6 | 15·9 | 10·6 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | . | 2 | 62 | 42 | 50·5 | 0·86 | 61 | 44 | 49·3 | 1·32 | 53 | 36 | 45·4 | 1·30 |
| Newtownards, | 9,110 | 18·9 | 40·1 | 45·8 | 5·7 | 7 | 8 | 4 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 61 | 48 | 53·6 | 1·24 | 63 | 49 | 54·5 | 1·46 | 60 | 39 | 48·5 | 0·13 |
| Queenstown, | 7,909 | 14·4 | 26·4 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 | 60·2 | 35·7 | 47·5 | 1·14 |
| Armagh, | 7,588 | 22·2 | 48·1 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of one death of a person, admitted to hospital from outside the Area.
e It having been found impracticable to obtain Meteorological Observations in Cork and Limerick, the Observations in Queenstown are substituted for those in Cork, and Armagh for those in Limerick. f Observations by Sir John Moore taken at Fitzwilliam Square. g Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 8th June, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | North City No. 1E. | North City No. 1 W. | North City No 2. | North City No 3. | Glontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | 1 | 1 | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 1 | 6 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . | . | 4 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia | 1 | 1 | 1 | 2 | . | 2 | . | 2 | 2 | 3 | 1 | 1 | . | . | . | 2 | 18 | . |
| Tuberculous Disease — Phthisis | 1 | 3 | 2 | 2 | . | 1 | . | 1 | 1 | 1 | 3 | . | 1 | . | . | . | 16 | . |
| Tuberculous Disease — Other Forms | 1 | 1 | 3 | 2 | . | 1 | . | 1 | . | 3 | 2 | . | 2 | . | . | . | 16 | . |
| Cancer, Malignant Disease | . | . | 1 | 1 | . | . | 1 | . | 1 | 3 | 2 | . | 1 | . | . | . | 10 | . |
| Other General Diseases | 4 | 2 | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | . | . | . | . | . | 14 | . |
| Total, | 7 | 7 | 3 | 9 | . | 5 | 1 | 7 | 7 | 13 | 10 | 1 | 4 | 3 | . | 3 | 85 | . |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of — Nervous System | 3 | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | 1 | 1 | . | 2 | 11 | 1 |
| Diseases of — Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of — Heart and Blood Vessels | 4 | 5 | 3 | 3 | . | 1 | . | 2 | . | 4 | 2 | . | 5 | 3 | 2 | 2 | 36 | . |
| Diseases of — Respiratory System | 3 | 4 | . | . | . | . | . | 5 | 1 | . | 2 | . | 1 | . | . | 2 | 18 | . |
| Diseases of — Digestive System | 1 | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 | 1 | . | . | 9 | . |
| Diseases of — Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of — Urinary System | . | . | . | 1 | . | . | . | 1 | 1 | 5 | . | . | 1 | 1 | . | . | 10 | . |
| Diseases of — Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Total, | 11 | 11 | 3 | 5 | . | 1 | . | 12 | 2 | 10 | 6 | 1 | 9 | 7 | 2 | 6 | 86 | 1 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . |
| **E. VIOLENT DEATHS** | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | . | 1 | . | . | . | 5 | . |
| **Deaths from all Causes** | 18 | 18 | 11 | 14 | 1 | 7 | 1 | 19 | 9 | 24 | 17 | 2 | 14 | 10 | 3 | 11 | 179 | 1 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 32·3 | 24·0 | 19·1 | 22·5 | 10·2 | 33·2 | 7·2 | 24·8 | 22·3 | 29·6 | 25·2 | 11·7 | 20·5 | 18·7 | 17·9 | 33·5 | 23·9 | . |
| | 23·7 | | | | | | | 25·2 | | | | | 22·1 | | | | | |
| | 24·4 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | 2 | . | . | 2 | . | . | . | 5 | 2 | 6 | 5 | 2 | . | . | . | 3 | 27 | . |
| 1 and under 5 years | 7 | 1 | 2 | 1 | . | 1 | . | 3 | 2 | 2 | 1 | . | 1 | 3 | . | 1 | 25 | . |
| 5 " 20 " | 1 | 2 | 1 | 1 | . | 1 | . | . | . | 1 | 2 | . | 2 | . | . | . | 11 | 1 |
| 20 " 40 " | 2 | 3 | 3 | 2 | . | 2 | . | 3 | . | 3 | 2 | . | . | 1 | 1 | 3 | 25 | . |
| 40 " 60 " | 5 | 3 | 2 | 3 | 1 | 1 | . | 5 | 1 | 9 | 5 | . | 4 | 3 | 1 | 1 | 44 | . |
| 60 and upwards | 1 | 9 | 3 | 5 | . | 2 | 1 | 3 | 4 | 3 | 2 | . | 7 | 3 | 1 | 3 | 47 | . |
| Number of Uncertified Deaths | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 1 | . | 3 | 1 | . | 1 | . | 4 | 4 | 7 | 4 | . | 2 | 2 | 1 | 3 | 33 | 1 |
| Workhouse Hospitals | 4 | 4 | 3 | 5 | . | 1 | . | 9 | 2 | 5 | 2 | . | 1 | . | 1 | 1 | 38 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 1897-

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 23rd Week of the 10 years 1897-1906. | In the Week ending Saturd 8th June, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 12, 1897. | June 11, 1898. | June 10, 1899. | June 9, 1900. | June 8, 1901. | June 7, 1902. | June 12, 1903. | June 11, 1904. | June 10, 1905. | June 9, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | |
| Mean Temperature. | ° 58·0 | ° 55·0 | ° 58·8 | ° 56·6 | ° 53·1 | ° 53·5 | ° 52·9 | ° 53·1 | ° 50·8 | ° 56·1 | ° 54·8 | ° 52·7 | | | | | | |
| **ALL CAUSES.** | 150 | 168 | 169 | 161 | 152 | 156 | 172 | 143 | 148 | 142 | 156·1 | 180 | 9 | 18 | 25 | 12 | 25 | 44 |
| Small-pox, ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 2 | . | . | . | 1 | 3 | . | 1 | 3 | . | 1·0 | 6 | . | 1 | 5 | . | . | . |
| Scarlet Fever, ... ... | 4 | . | 2 | . | 1 | 1 | 1 | 1 | . | . | 1·0 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 4 | 6 | 3 | 2 | 3 | 2 | 1 | 2 | 2 | 2·5 | 6 | . | . | 1 | 1 | . | 3 |
| Whooping-cough, ... ... | 4 | 2 | 3 | 5 | 5 | 2 | 5 | 1 | 2 | 1 | 3·0 | 4 | . | 2 | 2 | . | . | . |
| Diphtheria, ... ... | 1 | . | 1 | 2 | . | 1 | . | . | . | . | ·5 | 1 | . | . | 1 | . | . | . |
| Cerebro Spinal Fever, ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 2 | 1 | 4 | 2 | . | . | 2 | 1 | . | . | 1·2 | . | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 1 | 1 | 1 | 2 | 2 | . | . | . | . | . | ·9 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | . | . | . | 1 | | . | . | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | . | . | . | 2 | 1 | . | 2 | . | ·5 | 1 | . | 1 | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | 1 | 1 | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 8 | 9 | 12 | 10 | 10 | . | . | . | . | . | 9·5 | 3 | 1 | . | . | . | . | 1 |
| Pneumonia, Broncho- | | | | | | 4 | 3 | 1 | 3 | 3 | | 7 | 1 | 2 | 3 | . | . | 1 |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 3 | 11 | 12 | 3 | 3 | | 8 | 1 | . | . | 3 | 2 | 2 |
| Erysipelas, ... ... | . | . | 1 | . | . | . | 2 | . | 1 | . | ·4 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 1 | 1 | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 2 | 1 | 1 | ·4 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 18 | 24 | 36 | 28 | 30 | 3 | 5 | 8 | 6 | 6 | 25·8 | 10 | . | . | 1 | 1 | 6 | 1 |
| "*Phthisis*," ... | | | | | | 37 | 15 | 22 | 9 | 11 | | 6 | . | . | . | 1 | 2 | 3 |
| Tuberculous Meningitis, ... | 3 | 7 | 1 | 3 | 1 | . | 6 | 2 | 3 | 4 | 3·1 | 6 | . | 2 | 3 | 1 | . | . |
| Tuberculous Peritonitis, | 2 | 3 | 3 | 3 | 4 | 1 | 3 | 4 | 1 | 1 | 3·1 | 2 | . | 1 | . | . | 1 | . |
| *Tabes Mesenterica*, ... | | | | | | . | 1 | 3 | 1 | 1 | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 3 | 4 | 3 | 7 | 5 | 3 | 2 | 5 | 10 | 7 | 5·0 | 8 | . | 1 | 2 | 4 | 1 | . |
| *Scrofula*, ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, ... ... | . | . | 1 | 1 | 1 | . | 1 | 1 | . | 1 | ·6 | 1 | . | . | . | . | 1 | . |
| Rheumatic Fever, .. ... | . | . | . | 2 | . | 1 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | 1 | . | . | 1 | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| Carcinoma, ... | 4 | 5 | 5 | 6 | 4 | 2 | 3 | 2 | 7 | 3 | 6·6 | 1 | . | . | . | . | 1 | . |
| Sarcoma, ... ... | | | | | | . | 1 | . | 2 | 1 | | 2 | . | . | . | . | . | 2 |
| Cancer (undefined), | | | | | | 5 | 2 | 7 | 5 | 2 | | 7 | . | . | . | . | 4 | 3 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | 1 | . | 1 | 1 | ·3 | 1 | . | . | . | . | . | 1 |
| Premature Birth, ... | 8 | 2 | 3 | 5 | . | 5 | 4 | 5 | 4 | 7 | 4·3 | 2 | 2 | . | . | . | . | . |

* The figures for the years 1897-1900 are
† Formerly described

TY-THIRD WEEK ending Saturday, 8th June, 1907, with the deaths from each cause in the corresponding
e average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: June 12, 1897. | June 11, 1898. | June 10, 1899. | June 9, 1900. | June 8, 1901. | June 7, 1902. | June 13, 1903. | June 11, 1904. | June 10, 1905. | June 9, 1906. | Averages in 23rd Week of the 10 years 1897-1906. | In the Week ending Saturday, 8th June, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 58·0 | ° 55·0 | ° 58·8 | ° 56·6 | ° 53·1 | ° 53·5 | ° 52·9 | ° 53·1 | ° 50·8 | ° 56·1 | ° 54·8 | Mean Temp. ° 52·7 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 3 | 3 | 3 | 2 | 7 | | 2 | . | . | 1 | 1 | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | 1 | 3 | . | . | 3 | | 2 | . | . | . | . | 1 | . | 1 | . |
| lepsy .. ... | | | | | | . | . | . | . | 1 | | 2 | . | . | . | . | 2 | . | . | . |
| *vulsions* ... .. | | | | | | 9 | 6 | 3 | 6 | 7 | | 2 | . | 1 | . | 1 | . | . | . | . |
| omotor Ataxy ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | . | 4 | . | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| vous System (other s.) | 32 | 37 | 33 | 27 | 28 | 4 | 2 | 1 | 5 | 3 | 34·2 | 4 | . | . | 1 | . | 1 | . | 2 | . |
| v. Dis., Endocarditis | | | | | | 3 | 13 | 5 | 4 | 8 | | 10 | . | . | . | . | 1 | 5 | 4 | . |
| ebr. Hæm. Thromb. | | | | | | 3 | 2 | 1 | 2 | 4 | | 4 | . | . | . | . | . | 1 | 2 | 1 |
| *plexy, Hemiplegia* ... | | | | | | 1 | 2 | 5 | 1 | 1 | | 6 | . | . | . | . | . | 5 | 1 | . |
| urysm ... ... | | | | | | . | . | . | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 5 | 7 | 9 | 12 | 15 | | 16 | . | . | . | . | 1 | 3 | 9 | 3 |
| up (not Spasm. nor emb.) | . | 3 | . | . | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 10 | 18 | 10 | 9 | 20 | 17 | 13 | 14 | 12 | 9 | 13·2 | 16 | . | 4 | 3 | . | . | 2 | 7 | . |
| hma, Emphysema ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| urisy ... ... | . | . | 1 | 4 | 1 | . | 1 | . | . | 1 | 1·4 | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | 1 | 2 | 2 | 1 | . | | 2 | . | . | 1 | . | . | 1 | . | . |
| sillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| eritis (not Epid.) ... | 1 | . | . | 2 | 1 | . | . | . | 1 | . | ·7 | 1 | . | 1 | . | . | . | . | . | . |
| *tro Enteritis* ... ... | | | | | | . | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| *tonitis* (not Puerp.) ... | 2 | . | 1 | . | 2 | 1 | 3 | . | 2 | . | 1·1 | 1 | . | . | . | . | 1 | . | . | . |
| rhosis of Liver ... | 6 | 1 | . | 4 | 1 | . | . | . | 2 | 3 | 2·3 | 2 | . | . | . | . | . | 2 | . | . |
| er Dis. (other) ... | | | | | | 2 | 2 | 1 | 1 | . | | 2 | . | . | . | . | . | 1 | 1 | . |
| estive Dis. (other) ... | 4 | 2 | 3 | 4 | 5 | 4 | 3 | 3 | 8 | 3 | 3·9 | 3 | . | . | 1 | . | 2 | . | . | . |
| bhritis, Acute ... | | | | | | 1 | 2 | 3 | 2 | 1 | | 3 | . | . | . | . | 1 | 2 | . | . |
| ght's Dis., Albuminuria | 6 | 2 | 5 | 4 | 5 | 1 | 3 | 2 | 1 | 5 | 4·4 | 5 | . | . | . | . | 2 | 3 | . | . |
| nary Sys. (Other Dis.) | | | | | | . | . | . | 1 | . | | 2 | . | . | . | . | 1 | . | 1 | . |
| herative Organs Dis. ... | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . | . | 1 | . | . |
| ldbirth (Accid. of) ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| *l Age* ... ... | 5 | 14 | 17 | 6 | 7 | 4 | 4 | 1 | 4 | 3 | 6·5 | . | . | . | . | . | . | . | . | . |
| ner Diseases ... ... | 15 | 23 | 11 | 18 | 11 | 10 | 14 | 5 | 8 | 6 | 12·1 | 7 | 4 | 1 | . | . | 1 | . | . | 1 |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | 2 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | 2 | 1 | 1 | . | . | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 1 | . | . | 2 | . | 1 | 1 | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | . | . |
| Drowning ... ... | 3 | . | . | 1 | . | . | 1 | . | 1 | 1 | ·7 | 3 | . | . | . | 2 | . | 1 | . | . |
| Suffocation in Bed ... | . | . | 2 | . | . | . | . | 1 | . | . | ·3 | 1 | . | 1 | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ner Deaths by Accident | 3 | . | 2 | 1 | . | 3 | 4 | . | 1 | 2 | 1·6 | 1 | . | . | . | . | . | . | . | 1 |
| **OLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| micide ... ... | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| cide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 15. | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. |
| No. of weeks in Annual Series. | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| BIRTHS registered, | 193 | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 203 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 |
| *Average Births in corresponding week of previous 10 years,** | 190 | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 |
| DEATHS registered, | 171 | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 208 | 181 | 180 |
| Annual Death-rate per 1,000, | 23·5 | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 187 | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 |
| AGES, Under 5 years, | 60 | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 63 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 92 | 73 | 59 | 55 | 62 | 59 | 52 |
| 5—20 ,, | 6 | 17 | 15 | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 13 | 20 | 12 | 16 | 15 | 16 | 7 | 12 |
| 20—40 ,, | 26 | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 |
| 40—60 ,, | 42 | 42 | 36 | 52 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 |
| 60—80 ,, | 34 | 56 | 35 | 65 | 57 | 46 | 45 | 38 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 |
| 80 years and upwards, | 3 | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 |
| Scarlet Fever | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 4 | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 |
| Diphtheria, | 5 | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 |
| *Pyrexia* † (origin uncertain), | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| Diarrhœal Diseases, | 4 | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . |
| Pneumonia, | 15 | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 |
| Tuberculous Disease. Phthisis, | 15 | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 31 | 39 | 16 | 29 | 27 | 14 | 16 |
| Tuberculous Disease. Other Forms, | 5 | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 |
| Cancer, Malignant Disease, | 7 | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 |
| Diseases of Heart and Blood Vessels, | 33 | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 32 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 21 | 30 | 27 | 23 | 32 | 26 |
| Diseases of Respiratory System, | 25 | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 |
| Violent Deaths, | 3 | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 |
| Number of Uncertified Deaths, | 12 | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 |
| Mean Temperature of the Air (Phœnix Park), | 37·3 | 45·5 | 31·8 | 50·4 | 43·7 | 48·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 42·3 | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 |
| Rainfall in inches, | 1·100 | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·90 | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·88 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 8th June, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 8TH JUNE, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 25·0 | 180 | 52 | 12 | 25 | 41 | 40 | 7 | . | 6 | . | . | 4 | 1 | . | . | . | 11 | 18 | 16 | 16 | 10 | 2 | 18 | 5 | 34 | 2 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 26·9 | 9 | . | . | 1 | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 9 | . |
| II. | Middle Class, | 87,188 | 16·1 | 27 | 4 | 4 | 4 | 7 | 6 | 2 | . | . | . | . | 2 | . | . | . | . | 2 | 4 | 2 | 3 | 1 | . | 1 | 2 | 12 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 20·3 | 43 | 11 | 3 | 5 | 13 | 9 | 2 | . | 1 | . | . | 2 | . | . | . | . | 3 | 4 | 4 | 1 | 3 | 2 | 1 | 1 | 24 | . |
| IV. | General Service Class, | 154,279 | 32·9 | 63 | 32 | 5 | 8 | 6 | 10 | 2 | . | 5 | . | . | . | 1 | . | . | . | 6 | 9 | 5 | 7 | 1 | . | 9 | 2 | 24 | 2 |
| V. | Inmates of Workhouses, | 6,024 | | 38 | 5 | . | 7 | 14 | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | 5 | 5 | . | 7 | . | 15 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 46·8 | 7 | . | . | 1 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 7 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 40·8 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 27·0 | 4 | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 9·5 | 4 | . | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 3 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 10·3 | 6 | 2 | . | 2 | 2 | . | . | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | 1 | . | . | . | . | 1 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 25·1 | 18 | 2 | 3 | 2 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | . | . | 1 | 7 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 31·7 | 6 | 1 | . | 1 | 2 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 14·0 | 8 | 2 | . | 1 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 6 | . |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | 1 | . | . | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 32·6 | 19 | 6 | 3 | 2 | 4 | 4 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | 2 | 1 | . | 14 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 7·8 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| | 15. Domestic Servants, | 36,608 | 7·1 | 5 | 1 | . | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 1 | 1 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,990 | 29·0 | 8 | 3 | . | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 5 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 27·9 | 48 | 27 | 5 | 4 | 5 | 7 | . | . | 5 | . | . | . | 1 | . | . | . | 6 | 7 | 3 | 5 | 1 | . | 8 | 1 | 17 | . |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 38 | 5 | . | 7 | 14 | 12 | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | 5 | 5 | . | 7 | . | 15 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Apr. 20, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | 1 |
| | „ 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 2 | 1 |
| | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | „ 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . | 2 |
| | „ 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| | „ 8, | 32·8 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Apr. 20, | 24·0 | 4·0 | 18 | . | . | . | . | 2 | . | . | . | 1 | 1 | 4 | 1 | 1 | 3 | . | . |
| | „ 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 8 | 1 | . | 1 | 1 | . |
| | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | 1 |
| | „ 11, | 25·3 | 1·8 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . | . |
| | „ 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 8 | 2 | 1 | 4 | 1 | . |
| | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 | 1 |
| | „ 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Apr. 20, | 39·8 | 5·2 | 23 | . | 2 | . | . | 1 | . | . | . | . | 4 | 2 | 2 | . | . | . | . |
| | „ 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| | May 4, | 40·2 | 3·5 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | 1 |
| | „ 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . | . |
| | „ 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . | . |
| | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 | 1 |
| | „ 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Apr. 20, | 37·0 | 4·8 | 23 | . | 3 | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 4 | . | . |
| | „ 27, | 56·3 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| | „ 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . | 1 |
| | „ 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 | 1 |
| | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . | . |
| | „ 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Apr. 20, | 28·7 | 3·9 | 22 | . | 2 | . | . | 1 | . | . | . | . | 4 | 1 | 1 | . | 2 | 1 | . |
| | „ 27, | 39·1 | 2·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| | „ 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| | „ 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . | 1 |
| | „ 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 3 | 1 | 2 | 1 | . |
| | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | 1 | 6 | . | 1 |
| | „ 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Apr. 20, | 40·5 | 2·5 | 16 | . | . | . | . | 1 | . | . | . | . | 4 | 3 | . | 1 | 3 | . | . |
| | „ 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | 3 | . | . |
| | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| | „ 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| | „ 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . | . |
| | June 1, | 12·7 | 2·5 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| | „ 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Apr. 20, | 38·5 | 2·5 | 29 | . | 2 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 8 | 1 | . |
| | „ 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| | „ 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| | „ 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | 1 |
| | „ 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . | . |
| | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . | . |
| | „ 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Apr. 20, | 32·6 | 3·0 | 22 | . | 1 | . | . | 1 | . | . | . | . | 3 | 4 | 2 | 1 | 6 | . | 1 |
| | „ 27, | 26·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 3 | . | 1 |
| | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | . |
| | „ 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 | . |
| | „ 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . | . |
| | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 | . |
| | „ 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 | . |

* Formerly described as "Simple Continued Fever"

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted*; also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Apr. 20, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . |
| | „ 27, | 23·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| | „ 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 18, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| | „ 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| | June 1, | 19·0 | 2·9 | 13 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| | „ 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Apr. 20, | 20·6 | 1·9 | 11 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | . | 1 | . | 1 |
| | „ 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| | May 4, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | „ 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| | „ 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| | „ 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | „ 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Apr. 20, | 23·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | . |
| | „ 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| | „ 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| | „ 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| | June 1, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| | „ 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Apr. 20, | 28·9 | 0·8 | 170 | . | 3 | . | . | 1 | . | . | 1 | 1 | 15 | 23 | 13 | 4 | 21 | 4 | 6 |
| | „ 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| | May 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| | „ 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 8 | 4 |
| | „ 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 3 |
| | „ 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| | „ 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Apr. 20, | 21·9 | 2·7 | 32 | . | . | . | . | 4 | . | . | . | . | 3 | 9 | 1 | . | 3 | . | . |
| | „ 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| | „ 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | 2 | 2 | . | . |
| | „ 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 2 |
| | „ 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | 1 |
| | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| | „ 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Apr. 20, | 19·6 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 6 | . | . |
| | „ 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| | May 4, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| | „ 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| | „ 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| | „ 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 8, | 23·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Apr. 20, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | . | 2 |
| | „ 27, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 8 | . | . | . | . | 3 |
| | „ 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| | „ 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| | „ 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Apr. 20, | 17·5 | 7·8 | 9 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 |
| | „ 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | May 4, | 27·8 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |
| | „ 11, | 25·8 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |
| | „ 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |
| | „ 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th June, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 16 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 10 | . | 1 | 3 | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | . | . | . | 1 | 1 |
| Do. 2 „ . | 47,959 | 31 | | | 13 | . | 3 | 3 | 1 | 1 | 5 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 2 | . | . | . | 2 | . |
| Do. 3 „ . | 47,214 | 39 | | | 19 | 6 | 3 | . | 4 | 2 | 4 | . | 2 | . | . | . | . | . | . | 2 | 1 | 4 | . | . | 3 | . | . | 2 | 1 |
| Do. 4 „ . | 40,911 | 32 | | | 19 | 5 | 3 | 2 | 3 | 5 | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 3 | 1 | 1 | 6 | . |
| Do. 5 „ . | 17,387 | 17 | | | 14 | 1 | 3 | . | 1 | 5 | 4 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | 1 | 1 | . | . | 9 | . |
| Do 6 „ . | 48,122 | 23 | | | 21 | 3 | 1 | 1 | 5 | 3 | 8 | . | . | . | . | . | . | . | . | 1 | 3 | 4 | 2 | . | 2 | . | 1 | 2 | 1 |
| Do. 7 „ . | 1,524 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 1 | | | 2 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Do. 9 „ . | 19,569 | 10 | | | 10 | 1 | . | 2 | 3 | 2 | 2 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . | 2 | . |
| Do. 10 „ . | 28,064 | 18 | | | 15 | 7 | 2 | . | 1 | 2 | 3 | . | 6 | . | . | . | . | . | . | . | 5 | 1 | . | . | 1 | . | . | . | . |
| Do. 11 „ . | 34,802 | 26 | | | 13 | 1 | . | 2 | 4 | 2 | 4 | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | . | 1 | . | . | 1 | . |
| Do. 12 „ . | 33,588 | 29 | | | 18 | 7 | 2 | 4 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | 7 | 1 | 3 | . | . | 1 | . |
| Do. 13 „ . | 15,006 | 12 | | | 7 | . | 3 | . | 2 | . | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 1 | . | . | . | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 256 | | | 161† | 31 | 21 | 17 | 29 | 25 | 38 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 2 | 27 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 10 | 20·3 | . | 5 | 2 | . | | 3 | | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | . | 1 | 1 | . |
| Do. 2 „ . . | 10,701 | 7 | 9·7 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 3 „ . . | 9,978 | 6 | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 4 „ . . | 8,666 | 4 | 24·1 | . | 4 | 1 | . | | . | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| Do. 5 „ . . | 6,592 | . | 23·7 | . | 3 | 1 | . | | 2 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . |
| Do. 6 „ . . | 10,702 | 3 | 19·5 | . | 4 | 1 | . | | 3 | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 |
| Do. 7 „ . . | 16,616 | 7 | 22·0 | . | 7 | 2 | . | | 5 | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 2 | 3 | 1 |
| Total, . . . . | 76,122 | 37 | 17·1 | . | 25 | 7 | . | | 14 | | 4 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 4 | 6 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 15. | Dec. 22. | Dec. 29. | Jan 5. | Jan. 12 | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 12. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. |
| No. of weeks in Annual Series, | 50 | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| BIRTHS registered, | 219 | 178 | 155 | 263 | 232 | 207 | 208 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 289 | 193 | 256 |
| DEATHS registered, | 118 | 127 | 130 | 178 | 166 | 168 | 163 | 147 | 193 | 209 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161† |
| Annual Death-rate per 1,000 of estimated Population, | 16·8 | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 |
| AGES — Under 1 year | 20 | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 |
| 1–5 years, | 6 | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 |
| 5–20 years, | 13 | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 21 | 27 | 24 | 15 | 17 |
| 20–40 years, | 23 | 24 | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 31 | 29 | 29 |
| 40–60 years, | 30 | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 15 |
| 60 years and upwards, | 26 | 32 | 36 | 44 | 49 | 40 | 30 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 |
| Scarlet Fever, | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| Typhus, | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . |
| Diphtheria, | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 |
| *Pyræxia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 |
| Diarrhœal Diseases, | 4 | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 |
| Pneumonia, | 6 | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 |
| Tuberculous Disease, Phthisis, | 15 | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 |
| Tuberculous Disease, Other Forms, | 9 | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 |
| Cancer, Malignant Disease, | 3 | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 |
| Diseases of Respiratory System, | 21 | 24 | 30 | 30 | 32 | 26 | 31 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 |
| Violent Deaths, | 1 | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 |
| Number of Uncertified Deaths, | 1 | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 |

*Formerly described as "Simple Continued Fever."

† Including 10 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Exclusive of Stillborn. | | | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
| LONDON, . | 4,758,218 | June 8, | 2,474 | 1,209 | 13·2 | . | 61 | 11 | 10 | 46 | 3 | 14 |
| EDINBURGH, . | 345,747 | „ 8, | 149 | 114*a* | 17·2 | . | . | . | 1 | 4 | . | . |
| GLASGOW, . . | 847,584 | „ 8, | 471 | 299*a* | 18·4 | . | 5 | . | 2 | 37 | 1 | 8 |
| CALCUTTA, . | 847,796 | Apr. 20, | . | 829 | 50·8 | 65 | 5 | . | 1 | 1 | 71‡ | 103* |
| BOMBAY, . . | 977,822 | May 7, | 329 | 785 | 41·7 | 1 | 5 | . | . | . | 80‡ | 51 |
| MADRAS, . . | 509,346 | Apr. 19, | 339 | 339 | 34·6 | 2 | 5 | ? | ? | ? | 100 | 60* |
| PARIS, . . | 2,750,000 | May 25, | 971 | 1,021 | 19·5 | 1 | 17 | 6 | 10† | 10 | 4 | 28 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 18, | 230 | 154 | 12·9 | . | . | 2 | 2† | . | . | 8 |
| ANTWERP, . . | 304,032 | „ 18, | 147 | 62 | 10·6 | . | 2 | . | . | 1 | 1 | 2 |
| AMSTERDAM, . | 565,163 | „ 25, | 298 | 170 | 15·7 | . | 12 | . | 1† | 1 | . | 11 |
| COPENHAGEN, . | 427,000 | „ 18, | 226 | 161 | 19·7 | . | 2 | 1 | . | 1 | . | 3 |
| STOCKHOLM, . | 324,488 | „ 18, | 148 | 108 | 16·9 | . | . | 1 | . | . | 1 | 5 |
| CHRISTIANIA, . | 226,774 | „ 25, | 124 | 45 | 10·3 | . | . | . | 3† | . | . | 2 |
| ST. PETERSBURG, | 1,482,769 | „ 18, | 706 | 777 | 27·3 | . | 59 | 16 | 20 | 3 | 18 | 92 |
| MOSCOW, . . | 1,172,421 | Apr. 20, | . | 659 | 29·3 | 1 | 19 | 5 | 11† | 5 | 14 | 70 |
| BERLIN, . . | 2,090,750 | May 11, | 973 | 674 | 16·8 | . | 4 | 1 | 7† | 5 | 1 | 39 |
| HAMBURG, . . | 824,792 | „ 18, | . | 323 | 20·4 | . | . | . | 1† | 3 | . | 41 |
| BRESLAU, . . | 485,278 | „ 25, | . | 204 | 21·9 | . | . | . | . | . | . | 31 |
| MUNICH, . . | 548,000 | „ 25, | . | 191 | 18·1 | . | 6 | 1 | 2† | 2 | . | 19 |
| VIENNA (with suburbs). | 1,979,003 | „ 25, | 961 | 704 | 18·5 | . | 27 | 9 | 6† | 6 | . | 45 |
| BUDA-PESTH, . | 802,235 | „ 18, | . | . | . | . | . | . | . | . | . | . |
| PRAGUE and Faubourgs. | 466,133 | „ 4, | 230 | 232 | 25·9 | . | 5 | . | 1† | . | 2 | 23 |
| TRIESTE, . . | 200,962 | „ 11, | 116 | 114 | 29·6 | . | 5 | . | 2† | 1 | . | . |
| ROME, . . . | 542,760 | Apr. 6, | 270 | 211 | 20·3 | . | . | . | 1 | . | . | 3 |
| VENICE, . . | 174,398 | „ 20, | 86 | 63 | 18·8 | . | . | . | 1† | . | . | 2 |
| NEW YORK, . | 1,285,435 | May 11, | 2,233 | 1,558 | 19·0 | 1 | 16 | 20 | 48† | 6 | 9 | 63 |
| PHILADELPHIA, | 1,500,595 | Apr. 27, | . | 608 | 21·0 | . | 4 | 1 | 12† | 6 | 30 | 22 |
| | | May 4, | . | 566 | 19·6 | . | . | 1 | 13† | 2 | 17 | 16 |
| BOSTON, . . | 602,526 | „ 11, | . | 242 | 21·0 | . | 1 | 1 | 3 | 1 | 1 | 1 |

*a*. Including 5 deaths from cerebro spinal meningitis in Edinburgh, and 15 in Glasgow.
* Including 55 deaths from cholera in Calcutta, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 324 deaths from plague in Calcutta, and 230 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th June, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro Spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | . | . | . | . | 3 | . | . | . | 3 |
| " " 2, | . | . | . | . | . | . | . | 3 | 1 | . | . | . | 4 |
| " " 3, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | 1 | 1 | 8 | . | . | . | 11 |
| " " 2, | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 |
| " " 3, | . | 1 | . | . | 5 | . | . | . | 2 | . | 1 | . | 9 |
| " " 4, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | . | . | 7 | . | 1 | 5 | 17 | . | 1 | . | 35 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th June, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 8th June. | | | |
|---|---|---|---|---|---|---|---|
| | May 18. | May 25. | June 1. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 132 | 123 | 96 | 38 | 30 | 3 | 101 |
| Scarlet Fever, | 40 | 45 | 48 | 8 | 9 | . | 47* |
| Typhus, | 7 | 5 | 2 | . | 1 | . | 1 |
| Diphtheria, | 24 | 18 | 19 | 9 | 5 | . | 23 |
| Enteric Fever, | 9 | 17 | 19 | 1 | 1 | . | 19 |
| Pneumonia, | 42 | 40 | 45 | 13 | 18 | 1 | 39 |

* Exclusive of 3 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 8th June, 1907:—

"Very unsettled, cloudy and rainy weather prevailed throughout this week, and temperature was generally many degrees below the average for the time of year. The strangely broken weather of the present season seems to depend on the persistence of an area of high atmospheric pressure (anticyclone) in the Icelandic region. This system has thrown an easterly or north-easterly wind on the shores of North-western Europe, and the Atlantic depressions arriving from the S.W. or W. on the British and Irish coasts have been delayed in their passage towards N.E. or E. Hence the low temperature, clouds, gloom, and rain which have been so remarkably in evidence during May and up to the present date. Sunday was breezy and showery and in the evening very cold. On Monday a westerly gale blew for several hours, but the wind veered and moderated in the afternoon. After a cold night, a new depression advanced eastwards over Ireland on Tuesday and rain fell heavily in the afternoon and late at night. On Wednesday morning the depression was central over Mayo. Thence it moved slowly to Scotland; but as it was followed by a further disturbance on Friday, the weather remained unsettled. As the wind was southerly, temperature rose, though the comparative absence of sunshine lessened the diurnal range. In Dublin the mean atmospheric pressure was 29·707 inches, the barometer ranging between 29·928 inches at 9 p.m. of Monday (wind, N.W.) and 29·502 inches at 9 p.m. of Wednesday (wind, W.N.W.). The corrected mean temperature was 54·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·3°. The screened thermometers fell to 45·1° on Tuesday and rose to 64·9° on Wednesday. The prevalent winds were W.N.W. and S.W. Rain fell daily to the amount of 1·183 inches, the greatest fall in 24 hours being ·498 inch on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·703 inches. The highest reading (29·923) was on Monday at 9 p.m., wind S.W., and the lowest (29·507) on Wednesday at 9 a.m., wind S.

The mean temperature for the week was 52·7°, being 2·1° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Friday, on which day the thermometer registered 64·7°, and was lowest on Tuesday, the mercury having fallen to 39·6°. The mean of the Dry Bulb for the week was 52·4°, and of the Wet Bulb 49·9°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 1·535 inches.

At Greenwich the mean temperature for the week was 54·7°. the maximum 69·5°, and the minimum 45·2°; at Glasgow the maximum was 60·6°, the minimum 43·0°, and the mean 50·5°; and at Edinburgh the maximum was 60·4°, the minimum 39·7°, and the mean 49·4°. The rainfall at Greenwich measured 0·42 in.; at Glasgow, 1·17 ins. and at Edinburgh, 0·51 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hour and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, June 2, | 29·723 | 55·3 | 45·9 | 50·6 | 48·9 | 45·0 | ·74 | ·8 | 6·3 | ·022 | S.W. | S.W. |
| Monday, ,, 3, | 29·828 | 55·8 | 42·9 | 49·4 | 49·0 | 46·1 | ·81 | ·5 | 2·7 | ·035 | S.W. | S.W. |
| Tuesday, ,, 4, | 29·728 | 61·6 | 39·6 | 50·6 | 53·2 | 51·9 | ·91 | ·6 | 0·3 | ·470 | N.E. | S. |
| Wednesday, ,, 5, | 29·512 | 62·1 | 48·9 | 55·5 | 54·0 | 51·4 | ·98 | ·6 | 4·5 | ·280 | S. | Calm. |
| Thursday, ,, 6, | 29·715 | 56·9 | 45·3 | 51·1 | 50·9 | 47·4 | ·78 | ·5 | 2·3 | ·078 | S.W. | W.S.W. |
| Friday, ,, 7, | 29·747 | 64·7 | 43·9 | 54·3 | 52·7 | 52·3 | ·97 | ·6 | 4·2 | ·590 | Calm. | Calm. |
| Saturday, ,, 8, | 29·669 | 62·0 | 52·8 | 57·4 | 58·2 | 55·2 | ·82 | ·7 | 0·3 | ·060 | S.E. | Calm. |
| Mean, . . | 29·703 | 59·8 | 45·6 | 52·7 | 52·4 | 49·9 | ·86 | ·6 | Total 20·6 | Total 1·535 | Prevailing Wind, S.W. | |

*Sunday*—Cloudy day, light rain, showers a.m. and p.m.; night cloudy. *Monday*—Cloudy day; night cloudy, light rain, showers from 3.0 a.m. at intervals. *Tuesday*—Day overcast, light showers p.m.; night overcast, light and heavy rain 1.0 to 3.30 a.m., cloudy, light rain from 3.30 a.m. *Wednesday*—Cloudy day, heavy rain, showers 11.45 a.m. to 1.0 p.m., light and heavy rain, showers 1.30 p.m. at intervals; night cloudy. *Thursday*—Cloudy day, light showers a.m.; night overcast, light rain from 5.45 a.m to 6.30 a.m. *Friday*—Overcast, light rain 7.30 a.m. to 1.0 p.m., cloudy, heavy rain 7.30 p.m. to 9.0 p.m.: night cloudy, light showers from m.n. to 12.30 a.m. *Saturday*—Day overcast, light rain 11.15 a.m. to 12.0 n.; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 8th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, June 2, | 52·5 | 54·2 | 51·7 | 57·0 | 41·3 | 49·2 | 6·7 | ·011 |
| Monday, ,, 3, | 51·8 | 53·2 | 51·7 | 56·8 | 44·8 | 50·8 | 2·9 | ·024 |
| Tuesday, ,, 4, | 51·0 | 52·4 | 51·8 | 62·0 | 44·6 | 53·3 | 0·7 | ·501 |
| Wednesday, ,, 5, | 60·1 | 54·0 | 51·8 | 64·7 | 50·9 | 57·8 | 4·9 | ·132 |
| Thursday, ,, 6, | 51·9 | 54·5 | 51·9 | 52·0 | 46·9 | 49·5 | 5·0 | ·064 |
| Friday, ,, 7, | 51·1 | 54·2 | 51·9 | 61·7 | 47·1 | 54·4 | 4·2 | ·396 |
| Saturday, ,, 8, | 58·0 | 55·6 | 52·0 | 63·6 | 53·2 | 58·4 | — | ·034 |
| Weekly Mean, . | 53·8 | 54·0 | 51·8 | 59·7 | 47·0 | 53·3 | Total 24·4 | Total 1·162 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17745.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 15TH JUNE, 1907. [No. 24.


*General Register Office, Charlemont House, Dublin, 17th June,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending May 25. | Week ending June 1. | Week ending June 8. | Week ending June 15. | Average Rate for 4 weeks. | Towns, &c. | Week ending May 25. | Week ending June 1. | Week ending June 8. | Week ending June 15. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **22 Town Dists.** | 21·8 | 20·9 | 21·7 | 21·2 | 21·4 | Lisburn, . | 22·7 | . | 9·1 | 4·5 | 9·1 |
| Armagh, . . | 6·9 | 13·7 | . | 20·6 | 10·3 | Londonderry, . | 11·0 | 14·7 | 23·3 | 13·5 | 15·6 |
| Ballymena, . | 4·8 | 33·5 | 14·4 | 19·2 | 18·0 | Lurgan, . . | 26·6 | 31·0 | 8·9 | 17·7 | 21·1 |
| Belfast, . . | 23·1 | 22·0 | 22·7 | 19·7 | 21·9 | Newry, . . | 33·6 | 12·6 | 4·2 | 8·4 | 14·7 |
| Clonmel, . | 20·5 | 10·3 | 10·3 | 61·5 | 25·6 | Newtownards, . | 5·7 | 11·4 | 45·8 | 22·9 | 21·4 |
| Cork, . . . | 16·4 | 21·9 | 17·1 | 18·5 | 18·5 | Portadown, . | 25·8 | 10·3 | 15·5 | 31·0 | 20·7 |
| Drogheda, . . | 12·3 | 20·4 | 20·4 | 8·2 | 15·3 | Queenstown . | 13·2 | 19·8 | . | 33·0 | 16·5 |
| Dublin Reg. Area, | 25·8 | 23·1 | 23·9 | 24·3 | 24·3 | Sligo, . . . | 9·6 | 14·4 | 4·8 | 62·4 | 22·8 |
| Dundalk, . . | 35·9 | 8·0 | 8·0 | 27·9 | 20·0 | Tralee, . | 5·3 | 5·3 | 10·6 | 15·9 | 9·3 |
| Galway, . . | 38·8 | 15·5 | 23·3 | 3·9 | 20·4 | Waterford, . | 7·8 | 21·4 | 39·0 | 21·4 | 22·4 |
| Kilkenny, . . | 19·7 | 9·8 | 34·3 | 14·7 | 19·6 | Wexford, . . | 9·3 | 18·7 | 23·3 | 23·3 | 18·7 |
| Limerick, . . | 12·3 | 19·1 | 16·4 | 10·9 | 14·7 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·1 per 1,000, the rates varying from 0·0 in eighteen of the districts to 5·7 in Newtownards. Among the 140 deaths from all causes in Belfast are 6 from measles, 2 from scarlet fever, one from diarrhœa, 12 from cerebro-spinal fever, and 3 returned as from *cerebro-spinal meningitis.*

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—107 boys and 89 girls; and the deaths to 191—98 males and 93 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 25·5 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 24·3 per 1,000. During the twenty-four weeks ending with Saturday last the death-rate averaged 27·9, and was 0·5 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths registered during the week included 3 from measles, 8 from whooping-cough, and one from *diarrhœa.* In each of the 3 weeks preceding, deaths from measles were 6, 4, and 6; deaths from whooping-cough were 10, 8, and 4; and deaths from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

diarrhœal diseases were 0, 0, and 0. There were also returned 3 deaths from influenza and 5 deaths from cerebro-spinal fever; there were one, 2, and 6 deaths from the former disease, and 2, 3, and 0 from the latter, registered in each of the 3 preceding weeks.

Broncho-pneumonia caused 9 deaths, and 6 were returned as from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease amounted to 38, as compared with 44, 25, and 32 deaths in each of the 3 preceding weeks. The total (38) comprises 12 deaths from tuberculous phthisis, 15 returned as from *phthisis*, 5 from tuberculous meningitis, one from tuberculous peritonitis, and 5 deaths from other forms of the disease.

Three deaths were due to carcinoma, and 7 were returned as from cancer (undefined).

Prematurity caused the deaths of 4 infants.

Of 16 deaths from diseases of the brain and nervous system, 3 were caused by meningitis, and 5 (of children under 5 years of age) by *convulsions*.

There were 29 deaths accounted for by diseases of the heart and blood vessels, and 19 deaths were from bronchitis.

The death of an infant under one year of age occurred by drowning.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 4 infants under one year old) and the deaths of 2 persons aged 60 years or upwards.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old), and 45 were aged 60 years and upwards, including 24 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a male) was stated to have been aged 92 years.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the N. Dublin Union Workhouse, 21 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·3 per 1,000; the rate in the City was 24·3 (North City Districts, 23·0; South, 25·6), and in the Suburbs, 24·4 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 1·2 (0·7 in the North City Districts, and 1·8 in the South) and for the Suburbs, 2·9 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·4 per 1,000. Influenza, broncho-pneumonia, and *pneumonia* (not defined), each caused one death; there were 5 deaths from tuberculous disease and 2 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. The deaths include one from influenza, 2 from broncho-pneumonia, 4 from tuberculous disease, and 2 deaths from diseases of the respiratory system.

*No. 2 North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000, and include one death from whooping-cough, one death from broncho-pneumonia, 2 deaths from bronchitis, and one death by drowning.

*No. 3 North City District* (Benburb-street).—The deaths (9) represent an annual rate of 14·5 per 1,000. Amongst the deaths there was one from whooping-cough, there were 2 from *pneumonia* (not defined), 3 from *phthisis*, and one from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 47·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·2. The 10 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from *pneumonia* (not defined), and 3 from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (21) represent an annual rate of 27·4 per 1,000. The deaths registered include 2 from broncho-pneumonia, 4 from tuberculous disease, and 4 from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000. There was one death from influenza, tuberculous disease caused 5 deaths, and there was one death from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 22·2 per 1,000. Measles and whooping-cough each caused one death; there were 2 deaths from cerebro-spinal fever, there was one death from broncho-pneumonia, there were 3 deaths from tuberculous disease, and 4 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (21) are equivalent to an annual rate of 31·2 per 1,000. Among the deaths there was one from measles, whooping-cough caused 2 deaths, *pneumonia* (not defined) caused one death, there were 3 deaths from tuberculous disease, and 3 deaths from bronchitis.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths one was due to tuberculous meningitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 27·8; Pembroke, 26·2; Blackrock, 11·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include one from *diarrhœa* for Rathmines and Rathgar, and one from measles and 2 from whooping-cough for Pembroke, and one from whooping-cough for Blackrock. The 19 deaths from all causes for Rathmines and Rathgar include 3 deaths from cerebro-spinal fever, one death from *pneumonia* (not defined), and 2 deaths from tuberculous disease. The 14 deaths from all causes for Pembroke include 2 deaths from tuberculous disease, and 3 deaths from diseases of the heart and blood vessels; and the 7 deaths from all causes for Kingstown include one death from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 15th June, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | May 25, | . | — | — | 6 | 1 | . | 3 | . | . | 4 | 7 | 1 | — | — | 1 | — | — | 23 |
| | June 1, | . | — | — | 3 | . | . | 4 | . | 1 | 5 | 19 | . | — | — | 2 | — | — | 34 |
| | June 8, | . | — | — | 4 | . | . | 7 | . | 1 | 5 | 17 | . | — | — | 1 | — | — | 35 |
| | June 15, | . | — | — | 5 | 1 | . | 4 | . | 1 | 4 | 10 | . | — | — | 2 | — | — | 27 |
| Rathmines and Rathgar Urban District. | May 25, | . | — | — | 4 | . | . | 1 | . | . | . | 2 | . | — | — | . | — | — | 7 |
| | June 1. | . | — | — | . | . | . | . | . | . | 2 | 1 | . | — | — | . | — | — | 3 |
| | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| | June 15, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | 2 | — | — | 3 |
| Pembroke Urban District. | May 25, | . | 16 | . | . | . | . | 2 | . | . | . | 1 | . | — | 6 | . | — | — | 25 |
| | June 1, | . | 31 | . | . | . | . | . | . | . | . | 1 | . | — | 21 | . | — | — | 53 |
| | June 8, | . | 44 | . | 2 | . | . | 3 | . | . | . | . | . | — | 13 | . | — | — | 62 |
| | June 15, | . | 54 | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 58 |
| Blackrock Urban District. | May 25, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| | June 1, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | June 8, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | June 15. | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | May 25, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 1, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 15, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | May 25, | . | — | — | 5 | . | . | 3 | 1 | 1 | 5 | 4 | . | — | — | 22 | — | — | 41 |
| | June 1, | . | — | — | 11 | . | . | 5 | 1 | 2 | 3 | 12 | . | — | — | 22 | — | — | 56 |
| | June 8, | . | — | — | 12 | . | . | 2 | 1 | 6 | 11 | 10 | . | — | — | 13 | — | — | 55 |
| | June 15, | . | — | — | 9 | . | . | . | . | 6 | 5 | 2 | 1 | — | — | 17 | — | — | 40 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 15th June, 1907.

From this it appears that :—

Twenty-two cases of measles were admitted into hospital during the week, 30 were discharged, ere were 2 deaths, and 91 cases remained under treatment at its close. At the close of ch of the three preceding weeks the cases of measles under treatment numbered 123, 6, and 101.

Seven cases of scarlet fever were admitted to hospital, 6 were discharged, and 48* cases emained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, and 2 cases remained nder treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, 8 were discharged, and 18 patients mained under treatment at the close of the week.

Eleven cases of enteric fever were admitted to hospital during the week, 6 were discharged, ere was one death, and 23 cases remained under treatment in hospital at the close of the eek.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, there were 3 deaths, and 33 cases remained under treatment at the end the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 12·8), was equal to an average annual death-rate of 13·1 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 17·2 per 1,000, the rate for Glasgow ing 18·5 and for Edinburgh 16·5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health r Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th ne. From this Report it appears that of a total of 65 cases notified 24 were scarlet fever, 11 ysipelas, 10 diphtheria, and one enteric fever. Among the 375 cases of infectious diseases in hospital at e close of the week were 126 cases of scarlet fever, 69 of measles, 66 of whooping-cough, 29 of diphtheria, f membranous croup, 9 of erysipelas, and 7 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 15th June, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Registration—Week ending Saturday, 15th June, 1907. Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in col. 10-18. | Births. | Numbers Registered. Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 15th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 8th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 1st June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 28·3 | 21·2 | 1·1 | 607 | 454 | 73 | 111 | . | 9 | 2 | . | 8 | . | . | . | 4 | 34 | 63 | 32 | 18 | 41 | 3 | 11 | 150 | 20 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 26·2 | 24·3 | 1·6 | 196 | 182 | 28 | 43 | . | 3 | . | . | 8 | . | . | . | 1 | 14 | 24 | 11 | 10 | 20 | 1 | 4 | 75 | 11 | f64·0 | 44·9 | 54·6 | 0·33 | f64·7 | 39·6 | 52·7 | 1·54 | f65·8 | 40·1 | 52·9 | 0·49 |
| City of Dublin, | 300,850 | 38·0 | 28·4 | 24·3 | 1·2 | 164 | 140 | 18 | 29 | . | 2 | . | . | 5 | . | . | . | . | 12 | 22 | 9 | 7 | 20 | 1 | 4 | 63 | 7 | g65·2 h64·0 | 50·2 46·0 | 56·7 55·9 | 0·50 0·47 | g64·9 h63·4 | 45·1 41·8 | 54·2 53·4 | 1·18 1·37 | g67·5 h62·8 | 47·3 43·0 | 55·3 54·3 | 0·66 0·77 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 19·0 | 27·8 | 1·5 | 13 | 19 | 2 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | . | 9 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 5 | 30·0 | 26·2 | 5·6 | 16 | 14 | 6 | 2 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 6·0 | 11·9 | 6·0 | 1 | 2 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 5·9 | 20·7 | . | 2 | 7 | 1 | 4 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 65 | 46·5 | 57·0 | 0·52 | 64 | 44 | 54·1 | 0·91 | 63 | 45·5 | 53·9 | 0·44 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 30·7 | 19·7 | 1·3 | 218 | 140 | 22 | 30 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 12 | 2 | 5 | 33 | . | 63·0 | 45·0 | 54·3 | 0·74 | 63·0 | 40·5 | 50·6 | 1·31 | 66·8 | 37·5 | 51·4 | 1·31 |
| Cork, | 76,122 | 33·6 | 38·4 | 18·5 | . | 56 | 27 | 7 | 6 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | . | 13 | 2 | 59 | 50 | 54·6 | 1·03 | 61 | 48 | 53·6 | 1·24 | 63 | 49 | 54·5 | 1·46 |
| Londonderry, | 42,475 | 19·6 | 22·1 | 13·5 | . | 18 | 11 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 16·4 | 10·9 | . | 12 | 8 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 33·1 | 21·4 | 1·9 | 17 | 11 | 3 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 15·5 | 3·9 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 63 | 43 | 57 | 0·98 | 61 | 46 | 53 | 0·97 | 72 | 46 | 61 | 1·39 |
| Dundalk, | 18,076 | 9·4 | 51·8 | 27·9 | . | 18 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 13,760 | 8·6 | 40·9 | 8·2 | . | 10 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 33·6 | 8·4 | . | 8 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 |
| Lurgan, | 11,722 | 13·8 | 31·0 | 17·7 | . | 7 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | 2 | . | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 |
| Lisburn, | 11,461 | 10·1 | 18·2 | 4·5 | . | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 |
| Wexford, | 11,168 | 23·2 | 37·4 | 23·3 | . | 8 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 19·2 | 19·2 | . | 4 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 14·4 | 62·4 | . | 3 | 13 | . | 7 | . | . | . | . | . | . | . | . | . | . | 5 | . | 1 | . | . | . | 5 | 3 | 64·5 | 46·5 | 55·3 | 1·73 | 64·4 | 43·5 | 52·7 | 0·97 | 67·4 | 44·4 | 55·0 | 0·91 |
| Kilkenny, | 10,609 | 11·5 | 19·7 | 14·7 | . | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 64 | 49 | 55·1 | 1·19 | 69 | 44 | 55·3 | 1·11 | 67 | 41 | 54·7 | 0·81 |
| Clonmel, | 10,167 | 7·8 | 20·5 | 61·5 | . | 4 | 12 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | 5 | . | . | . | . | 11 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,099 | 13·2 | 31·0 | 31·0 | . | 6 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 |
| Tralee, | 9,867 | 16·6 | 15·9 | 15·9 | . | 3 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 17·2 | 22·9 | 5·7 | 3 | 4 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | 64 | 44 | 53·5 | 0·62 | 62 | 42 | 50·5 | 0·86 | 61 | 44 | 49·3 | 1·32 |
| Queenstown, | 7,909 | 14·4 | 26·4 | 33·0 | . | 4 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 59 | 50 | 54·6 | 1·03 | 61 | 48 | 53·6 | 1·24 | 63 | 49 | 54·5 | 1·46 |
| Armagh, | 7,588 | 22·2 | 34·4 | 20·6 | . | 5 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 | 68·9 | 43·9 | 53·7 | 0·84 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 9 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 15th June, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| Names of Diseases, &c. | Deaths in Dublin Registration Area. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1 E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 3 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | 1 | . | . | . | . | . | 1 | 2 | . | . | 2 | 1 | . | 8 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Pneumonia, | 2 | 2 | 1 | 2 | . | 1 | . | 2 | . | 1 | 1 | . | 1 | . | . | 1 | 14 | 1 |
| Tuberculous Disease. Phthisis, | 4 | 3 | . | 3 | . | 3 | . | 3 | 2 | 2 | 2 | . | 1 | 1 | . | . | 24 | 3 |
| Tuberculous Disease. Other Forms. | 1 | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | 1 | 1 | . | . | 11 | . |
| Cancer, Malignant Disease, | . | 2 | . | . | . | 1 | . | 1 | . | 1 | 2 | . | 3 | . | . | . | 10 | . |
| Other General Diseases | 1 | 1 | 2 | . | . | 1 | . | 2 | 1 | 3 | 1 | . | 3 | 2 | . | 1 | 18 | . |
| Total, | 8 | 9 | 4 | 6 | . | 6 | . | 9 | 6 | 10 | 10 | 1 | 10 | 7 | 1 | 2 | 89 | 4 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | . | 2 | 1 | . | 2 | . | 1 | 1 | 1 | 2 | . | 1 | 2 | 1 | 2 | 16 | . |
| Diseases of Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels, | 2 | 2 | 2 | 1 | . | 1 | 1 | 5 | . | 3 | 2 | . | 3 | 3 | . | 1 | 26 | 3 |
| Diseases of Respiratory System, | 2 | 2 | 2 | 1 | . | . | . | 4 | 1 | 4 | 3 | 1 | . | . | . | . | 20 | 1 |
| Diseases of Digestive System, | . | 3 | . | . | . | . | . | 1 | 1 | . | 2 | . | 2 | . | . | . | 9 | . |
| Diseases of Lymphatic System &c., | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System, | 1 | 3 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 8 | 1 |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| " Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 10 | 7 | 3 | . | 3 | 1 | 11 | 3 | 3 | 11 | 1 | 8 | 5 | 1 | 4 | 81 | 5 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | . | 1 | 3 | . | . | 1 | . | 1 | 1 | . | . | . | 1 | 2 | . | 1 | 11 | . |
| **E. Violent Deaths,** | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| **Deaths from all Causes,** | 13 | 20 | 15 | 9 | . | 10 | 1 | 21 | 10 | 18 | 21 | 2 | 19 | 14 | 2 | 7 | 182 | 9 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 28·4 | 26·6 | 26·0 | 14·5 | . | 47·4 | 7·2 | 27·4 | 25·3 | 22·2 | 31·2 | 11·7 | 27·8 | 26·2 | 11·9 | 20·7 | 24·3 | . |
| | 23·0 | | | | | | | 25·6 | | | | | 24·4 | | | | | |
| | 24·3 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 1 | 2 | 6 | 2 | . | . | . | 1 | 3 | 1 | 2 | . | 2 | 6 | 1 | 1 | 28 | . |
| 1 and under 5 years, | 2 | 2 | 1 | . | . | 1 | . | 3 | 1 | 5 | 5 | . | 1 | 2 | . | 1 | 24 | . |
| 5 " 20 " | . | 3 | . | 1 | . | 1 | . | 2 | 1 | 1 | 3 | 1 | 3 | 1 | . | . | 17 | 3 |
| 20 " 40 " | 3 | 4 | 2 | 5 | . | 1 | . | 5 | . | 3 | 2 | . | 2 | 2 | . | . | 29 | 1 |
| 40 " 60 " | 3 | 4 | 4 | . | . | 6 | . | 5 | 5 | 3 | 4 | 1 | 4 | 1 | . | 1 | 41 | 3 |
| 60 and upwards, | 4 | 5 | 2 | 1 | . | 1 | 1 | 5 | . | 5 | 5 | . | 7 | 2 | 1 | 4 | 43 | 2 |
| Number of Uncertified Deaths, | 1 | . | 2 | . | . | . | . | 2 | . | 1 | 1 | . | 1 | 2 | . | 1 | 11 | . |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 4 | 5 | 6 | 3 | . | 3 | 1 | 2 | 1 | 5 | 3 | . | 9 | 2 | . | . | 44 | 6 |
| Workhouse Hospitals, | 1 | 5 | 3 | 3 | . | . | . | 5 | 3 | 7 | 3 | . | . | . | . | 1 | 31 | 3 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i week of the ten years, 1897

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 24th Week of the 10 years 1897–1906. | In the Week ending Saturd 15th June, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 19, 1897. | June 18, 1898. | June 17, 1899. | June 16, 1900. | June 15, 1901. | June 14, 1902. | June 20, 1903. | June 18, 1904. | June 17, 1905. | June 16, 1906. | | ALL AGES. | 0 to 5. | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 53·1 | 55·3 | 58·4 | 57·8 | 50·7 | 48·5 | 49·1 | 56·3 | 55·6 | 55·0 | 54·0 | 54·6 | | | | | | |
| **ALL CAUSES.** | 132 | 147 | 144 | 167 | 148 | 155 | 151 | 169 | 132 | 126 | 147·1 | 191 | 9 | 19 | 24 | 20 | 30 | 44 |
| Small-pox, | . | . | . | . | . | . | 3 | . | . | . | ·3 | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 1 | . | 1 | . | . | 4 | 1 | 2 | . | . | ·9 | 3 | . | 1 | 1 | . | 1 | . |
| Scarlet Fever, | 2 | . | 1 | 1 | . | . | 1 | . | 1 | . | ·6 | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 4 | . | 5 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1·8 | 3 | . | . | . | . | . | 2 |
| Whooping-cough, | 6 | 1 | 4 | . | 3 | 3 | 6 | 3 | 2 | 2 | 3·0 | 8 | . | 3 | 5 | . | . | . |
| Diphtheria, | 3 | . | . | 2 | . | 1 | 1 | . | 1 | . | ·8 | . | . | . | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | 5 | . | . | 2 | 3 | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 4 | 1 | 2 | 1 | 1 | . | 1 | . | 1 | 1·2 | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 1 | 1 | 4 | 1 | 4 | . | . | . | . | 1 | 1·6 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | . | . | . | 3 | | 1 | . | . | 1 | . | . | . |
| Tetanus, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 2 | . | . | . | . | . | 1 | . | 3 | . | ·6 | 1 | . | . | . | . | . | 1 |
| Puerperal Septicæmia, | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | | | | | | . | 3 | . | . | . | 9·6 | . | . | . | . | . | . | . |
| Pneumonia, Broncho-Epidemic, | 3 | 5 | 13 | 11 | 12 | 1 | 7 | 2 | 4 | 2 | | 9 | . | . | . | 2 | . | 5 |
| Pneumonia, Not defined, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| | | | | | | 5 | 4 | 11 | 9 | 4 | | 6 | . | . | 2 | . | 3 | 1 |
| Erysipelas, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | 1 | 1 | . | . | . | . | . | 1 | ·4 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 17 | 22 | 21 | 28 | 28 | 2 | 3 | 6 | 9 | 9 | 22·7 | 12 | . | . | 1 | 4 | 3 | 4 |
| "*Phthisis*," | | | | | | 24 | 13 | 20 | 17 | 8 | | 15 | . | . | 1 | 4 | 6 | 4 |
| Tuberculous Meningitis, | 5 | 5 | 5 | 6 | 2 | 2 | 3 | 3 | 2 | 2 | 3·5 | 5 | . | 1 | 2 | 1 | . | . |
| Tuberculous Peritonitis, | 5 | 5 | 5 | 4 | 2 | . | . | 1 | . | . | 2·4 | 1 | . | . | . | 1 | . | . |
| *Tabes Mesenterica*, | | | | | | . | . | 1 | 1 | . | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 2 | 5 | 2 | 7 | 4 | 4 | 7 | 7 | 1 | 10 | 4·9 | 5 | . | 2 | 1 | 1 | 1 | . |
| *Scrofula*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, | 1 | 1 | 1 | 2 | . | 1 | 2 | . | . | 2 | 1·0 | 1 | . | . | . | . | 1 | . |
| Rheumatic Fever, | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, | | | | | | 1 | 1 | 2 | 2 | 2 | | 3 | . | . | . | . | . | 2 |
| Sarcoma, | 5 | 5 | 5 | 8 | 4 | . | 1 | 2 | . | . | 6·4 | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 7 | 4 | 4 | 5 | 6 | | 7 | . | . | . | . | 2 | 1 |
| Diabetes Mellitus, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | . | . | . | . | . | . | . |
| Premature Birth, | 3 | 6 | 2 | 1 | 3 | 2 | 4 | 3 | 3 | . | 2·7 | 4 | 4 | . | . | . | . | . |

* The figures for the years 1897–1900 ar
† Formerly describe

TY-FOURTH WEEK ending Saturday, 15th June, 1907, with the deaths from each cause in the corresponding he average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: June 19, 1897. | June 18, 1898. | June 17, 1899. | June 16, 1900. | June 15, 1901. | June 14, 1902. | June 20, 1903. | June 18, 1904. | June 17, 1905. | June 16, 1906. | Averages in 24th Week of the 10 years 1897–1906. | In the Week ending Saturday, 15th June, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 53·1 | ° 55·3 | ° 58·4 | ° 57·8 | ° 50·7 | ° 48·5 | ° 49·1 | ° 56·3 | ° 55·6 | ° 55·0 | ° 54·0 | ° 54·6 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 6 | . | 3 | 3 | . | | 3 | . | 1 | 1 | . | . | 1 | . | . |
| nity, G. P. of Insane ... | | | | | | . | 1 | 1 | . | . | | 2 | . | . | . | . | . | 2 | . | . |
| lepsy .. ... | | | | | | . | . | 1 | 1 | . | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | 8 | 4 | 6 | 5 | 2 | | 5 | . | 2 | 3 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | 1 | 1 | 2 | 1 | 1 | | 3 | . | . | 1 | 1 | . | . | 1 | . |
| vous System (other is.) | 29 | 32 | 33 | 29 | 33 | 1 | 1 | 2 | 2 | 2 | 32·1 | 3 | . | 2 | . | . | 1 | . | . | . |
| v. Dis., Endocarditis | | | | | | 3 | 4 | 7 | 4 | 6 | | 9 | . | . | . | 1 | 2 | 4 | 2 | . |
| ebr. Hæm. Thromb. | | | | | | 1 | 1 | 5 | 2 | 5 | | 3 | . | . | . | . | . | 1 | 2 | . |
| *plexy, Hemiplegia* ... | | | | | | 2 | 4 | 7 | 5 | 4 | | 4 | . | . | . | . | . | 2 | 2 | . |
| eurysm ... ... | | | | | | 1 | . | . | 1 | . | | 1 | . | . | . | . | 1 | . | . | . |
| bolism, Thromb. (not erebral) | | | | | | . | . | 2 | 1 | . | | . | . | . | . | . | . | . | . | . |
| art and Blood Vessel Dis. | | | | | | 11 | 4 | 13 | 5 | 11 | | 12 | . | . | . | . | 2 | 2 | 5 | 3 |
| *up* (not Spasm. nor lemb.) | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| onchitis ... ... | 9 | 10 | 10 | 17 | 10 | 8 | 21 | 14 | 15 | 10 | 12·4 | 19 | . | 1 | 1 | . | 1 | 5 | 10 | 1 |
| hma, Emphysema ... | | | | | | . | 2 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| urisy ... ... | 2 | . | 2 | 5 | 3 | . | 1 | . | . | 1 | 2·1 | . | . | . | . | . | . | . | . | . |
| spiratory Dis. (other) ... | | | | | | 2 | 1 | 1 | 1 | . | | 1 | . | . | . | . | 1 | . | . | . |
| nsillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | | | | | | 2 | . | . | 2 | 1 | ·7 | 1 | . | . | 1 | . | . | . | . | . |
| *tro Enteritis* ... ... | . | . | . | . | . | 1 | . | . | 1 | . | | 1 | . | 1 | . | . | . | . | . | . |
| *itonitis* (not Puerp.) ... | . | . | . | 1 | . | . | 2 | 2 | 3 | . | ·8 | 1 | . | . | 1 | . | . | . | . | . |
| rhosis of Liver ... | | | | | | 2 | . | 3 | . | 3 | | . | . | . | . | . | . | . | . | . |
| er Dis. (other) ... | 2 | 1 | 1 | 3 | 6 | . | . | . | 1 | 1 | 2·3 | . | . | . | . | . | . | . | . | . |
| estive Dis. (other) ... | 1 | 2 | 5 | 4 | 4 | 5 | 9 | 4 | 3 | 5 | 4·2 | 6 | 3 | . | . | 1 | 1 | 1 | . | . |
| ohritis, Acute ... | | | | | | 2 | 2 | 1 | 1 | 1 | | 1 | . | . | . | 1 | . | . | . | . |
| ght's Dis., Albuminuria | 3 | 2 | 3 | . | 3 | 1 | 2 | 3 | 3 | 5 | 3·6 | 7 | . | . | . | . | 1 | 2 | 4 | . |
| nary Sys. (Other Dis.) | | | | | | . | 2 | 2 | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| nerative Organs Dis. ... | 1 | . | 1 | . | . | 1 | . | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . | . |
| ldbirth (Accid. of) ... | . | . | . | . | 1 | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 3 | 17 | 5 | 11 | 6 | 8 | 3 | 3 | 2 | 3 | 6·1 | 5 | . | . | . | . | . | 3 | 2 | |
| ner Diseases ... ... | 16 | 17 | 12 | 19 | 10 | 14 | 13 | 15 | 6 | 6 | 12·8 | 11 | 2 | 4 | . | . | 2 | 3 | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | 1 | . | . | . | 1 | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | 2 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | . | . | 1 | . | . | 4 | . | . | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| Drowning ... ... | 1 | 2 | . | 1 | . | 2 | 1 | 1 | 1 | . | ·9 | 1 | . | 1 | . | . | . | . | . | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| er Deaths by Accident | 2 | 2 | . | . | 3 | 3 | 1 | . | . | 2 | 1·3 | . | . | . | . | . | . | . | . | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| nicide ... ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| cide ... ... | 1 | . | . | . | 2 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
ple Continued Fever."

TABLE 7.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1906-7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 22. | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. |
| No. of weeks in Annual Series. | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| BIRTHS registered, | 189 | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 |
| *Average Births in corresponding week of previous 10 years,** | 164 | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 |
| DEATHS registered, | 217 | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 |
| Annual Death-rate per 1,000, | 29·9 | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 |
| *Average Deaths in corresponding week of previous 10 years,** | 190 | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 |
| AGES, Under 5 years, | 64 | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 |
| 5—20 " | 17 | 15 | 18 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 |
| 20—40 " | 28 | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 |
| 40—60 " | 42 | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 |
| 60—80 " | 56 | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 |
| 80 years and upwards, | 10 | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 |
| Scarlet Fever | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | 2 | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 |
| Diphtheria, | 2 | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . |
| *Pyrexia* † (origin uncertain), | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . |
| Diarrhœal Diseases, | 2 | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 |
| Pneumonia, | 23 | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 |
| Tuberculous Disease. Phthisis, | 27 | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 |
| Tuberculous Disease. Other Forms, | 9 | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 |
| Cancer, Malignant Disease, | 17 | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 |
| Diseases of Heart and Blood Vessels, | 35 | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 31 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 |
| Diseases of Respiratory System, | 25 | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 |
| Violent Deaths, | 5 | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 |
| Number of Uncertified Deaths, | 8 | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 |
| Mean Temperature of the Air (Phœnix Park), | 45·5 | 31·8 | 59·4 | 43·7 | 48·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 43·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 40·3‡ | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 |
| Rainfall in inches, | ·000 | ·332 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·269 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·86 | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·88 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·74 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS OF SOCIAL POSITION of the PERSONS [illegible] in the Dublin Registration Area during the Week ending Saturday, 15th June, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH JUNE, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal) | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 26·5 | 191 | 52 | 20 | 30 | 44 | 39 | 6 | . | 3 | . | . | 8 | . | . | . | 1 | 12 | 15 | 27 | 11 | 10 | 5 | 21 | 1 | 89 | 11 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 9·0 | 3 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| II. | MIDDLE CLASS, | 87,188 | 18·5 | 31 | 6 | 5 | 4 | 6 | 8 | 2 | . | 1 | . | . | 2 | . | . | . | . | 3 | 3 | 7 | 1 | 2 | 1 | . | . | 14 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 18·9 | 40 | 10 | 5 | 8 | 10 | 7 | . | . | 1 | . | . | 1 | . | . | . | . | 2 | 5 | 7 | 2 | 1 | . | 1 | 1 | 21 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 38·1 | 83 | 32 | 9 | 14 | 14 | 12 | 2 | . | 1 | . | . | 5 | . | . | . | 1 | 7 | 4 | 9 | 7 | 4 | 3 | 9 | . | 40 | 8 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 34 | 4 | 1 | 4 | 13 | 10 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | 2 | 1 | 11 | . | 12 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 20·1 | 3 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 11·8 | 5 | 1 | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 22·3 | 13 | 4 | 4 | 3 | 2 | . | . | . | . | . | . | 2 | . | . | . | . | 2 | 2 | 5 | . | . | 1 | . | . | 3 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | 1 | . | 1 | 3 | 6 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | 7 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 1 | 1 |
| | 9. Building and Furnishing Trades, | 29,801 | 14·0 | 8 | 3 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | . | . | 1 | 2 | . |
| | 10. Clothing Trades, | 28,260 | 20·2 | 9 | 1 | 2 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | . | 1 | . | 3 | . |
| | 11. Food Supply Trades, | 9,242 | 11·3 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·5 | 16 | 4 | 1 | 1 | 5 | 5 | . | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | 13 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 13·2 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 23·3 | 6 | 3 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 5 | 1 |
| | 15. Domestic Servants, | 36,608 | 7·1 | 5 | 2 | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | 2 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 39·9 | 11 | 6 | 2 | 1 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | 1 | . | 1 | . | 6 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 35·4 | 61 | 21 | 6 | 10 | 13 | 9 | 2 | . | 1 | . | . | 4 | . | . | . | 1 | 6 | 4 | 5 | 5 | 3 | 3 | 8 | . | 27 | 7 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 34 | 4 | 1 | 4 | 13 | 10 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | 2 | 1 | 11 | . | 12 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Apr. 27, | 39·5 | 5·4 | 22 | . | 2 | . | . | 1 | . | . | . | . | 3 | 2 | 1 | 1 | 2 | 2 | 1 |
| | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | „ 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . | 2 |
| | „ 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| | „ 8, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Apr. 27, | 30·6 | 2·7 | 23 | . | . | . | . | 1 | 1 | . | . | . | 2 | 8 | 1 | . | 1 | 1 | . |
| | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | 1 |
| | „ 11, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . | . |
| | „ 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 3 | 2 | 1 | 4 | 1 | . |
| | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 | 1 |
| | „ 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Apr. 27, | 43·3 | 8·7 | 25 | . | 2 | . | . | 2 | . | 1 | . | . | . | . | 2 | 1 | 2 | 1 | . |
| | May 4, | 50·2 | 3·5 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | 1 |
| | „ 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . | . |
| | „ 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . | . |
| | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 | 1 |
| | „ 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . |
| | „ 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Apr. 27, | 56·3 | 4·8 | 35 | . | 1 | . | . | 2 | . | . | . | . | 1 | 4 | 2 | . | 1 | 1 | . |
| | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| | „ 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . | 1 |
| | „ 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 | 1 |
| | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . | . |
| | „ 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . | . |
| | „ 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Apr. 27, | 39·1 | 2·6 | 30 | . | 1 | . | . | . | . | . | 1 | . | 2 | 3 | 3 | . | 7 | 1 | 1 |
| | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| | „ 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| | „ 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . | 1 |
| | „ 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 3 | 1 | 2 | 1 | . |
| | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | 1 | 6 | . | 1 |
| | „ 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . | . |
| | „ 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . | 2 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Apr. 27, | 30·4 | 7·6 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | 3 | . | . |
| | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| | „ 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| | „ 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . | . |
| | June 1, | 14·7 | 2·5 | 6 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| | „ 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Apr. 27, | 37·1 | . | 30 | . | . | . | . | . | . | . | . | . | 1 | 4 | 6 | . | 6 | . | 1 |
| | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| | „ 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| | „ 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | 1 |
| | „ 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . | . |
| | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . | . |
| | „ 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 | . |
| | „ 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | Apr. 27, | 26·7 | 7·4 | 18 | . | 2 | . | . | 3 | . | . | . | . | . | 4 | . | . | 5 | . | 1 |
| | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 8 | 1 | . | 1 | . | . |
| | „ 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 | . |
| | „ 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . | . |
| | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 | . |
| | „ 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 | . |
| | „ 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . | 1 |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexiæ** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal, and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| Rathmines and Rathgar Urban District. Pop. in 1907 (Est.) 35,606. | Apr. 27, | 23·4 | 1·5 | 16 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | 5 | 1 | . |
| | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| | „ 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 18, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| | „ 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| | June 1, | 19·0 | 2·9 | 13 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| | „ 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| | „ 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| Pembroke Urban District. Pop. in 1907 (Est.) 27,854. | Apr. 27, | 35·6 | 5·6 | 19 | . | . | . | . | 3 | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 |
| | May 4, | 24·8 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | „ 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| | „ 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| | „ 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | „ 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| Kingstown Urban District. Pop. in 1907 (Est.) 17,622. | Apr. 27, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| | „ 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| | „ 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| | June 1, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| | „ 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| | „ 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Belfast. Pop. in 1907 (Est.) 370,163. | Apr. 27, | 23·9 | 0·1 | 170 | . | . | . | . | 1 | . | . | . | . | 17 | 23 | 9 | 4 | 25 | 2 | 3 |
| | May 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| | „ 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 4 |
| | „ 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 3 | 3 |
| | „ 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| | „ 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| | „ 15, | 19·7 | 1·3 | 140 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| Cork. Pop. (in 1901) 76,122. | Apr. 27, | 21·9 | 2·1 | 32 | . | . | . | . | 2 | . | . | . | 1 | . | 4 | . | 1 | 3 | . | 4 |
| | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| | „ 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | . |
| | „ 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 2 |
| | „ 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | 1 |
| | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| | „ 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| | „ 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| Londonderry. Pop. in 1907 (Est.) 42,475. | Apr. 27, | 34·4 | . | 28 | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 1 | 5 | . | . |
| | May 4, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| | „ 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| | „ 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| | „ 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 8, | 23·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| | „ 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| Limerick. Pop. (in 1901) 38,151. | Apr. 27, | 17·8 | . | 18 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 |
| | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 8 | . | . | . | . | 3 |
| | „ 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| | „ 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| | „ 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| | „ 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| Waterford. Pop. (in 1901) 26,769. | Apr. 27, | 40·9 | . | 21 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | May 4, | 27·3 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |
| | „ 11, | 25·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |
| | „ 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |
| | „ 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | „ 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 15th June, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12 20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 12 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 10 | 3 | 1 | 2 | . | 2 | 2 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | 1 | 1 | 1 | 2 | . |
| Do. 2 „ . | 47,959 | 28 | | | 20 | 5 | 2 | . | 6 | 2 | 5 | . | . | 1 | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . | 5 | . |
| Do. 3 „ . | 47,214 | 31 | | | 17 | . | 4 | 4 | 1 | 4 | 4 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 1 | 5 | . |
| Do. 4 „ . | 40,911 | 22 | | | 16 | 1 | 3 | 2 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | . | . | 7 | . |
| Do. 5 „ . | 17,887 | 8 | | | 6 | 1 | 2 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Do 6 „ . | 48,122 | 15 | | | 13 | 1 | . | . | 3 | 1 | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | 2 | . |
| Do. 7 „ . | 1,524 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 „ . | 19,569 | 12 | | | 7 | 1 | . | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 3 | . | . | 2 | . |
| Do. 10 „ . | 23,064 | 20 | | | 20 | 2 | 9 | 1 | 3 | 1 | 4 | . | 5 | . | . | . | . | . | . | . | 3 | 1 | . | . | . | . | 2 | 2 | . |
| Do. 11 „ . | 34,802 | 24 | | | 9 | 3 | . | 2 | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 2 | . |
| Do. 12 „ . | 33,588 | 32 | | | 16 | 5 | . | 3 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 2 | . | . | 2 | . |
| Do. 13 „ . | 15,006 | 13 | | | 6 | . | 1 | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 1 | . | . | 2 | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 218 | | | 140† | 22 | 22 | 14 | 31 | 21 | 30 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | 5 | 33 | . |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT . | 12,867 | 6 | 20·3 | . | 5 | . | 1 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 3 | . |
| Do. 2 „ . | 10,701 | 11 | 19·5 | . | 4 | 3 | . | . | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| Do. 3 „ . | 9,978 | 7 | 15·7 | . | 3 | 1 | 1 | . | | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 4 „ . | 8,666 | 6 | 6·0 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 5 „ . | 6,592 | 4 | 23·7 | . | 3 | . | 1 | 1 | | | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 1 | . |
| Do. 6 „ . | 10,702 | 6 | 14·6 | . | 3 | 2 | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 2 |
| Do. 7 „ . | 16,616 | 16 | 25·1 | . | 8 | 1 | . | 5 | | | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | . | . | 4 | . |
| Total, . . . . | 76,122 | 56 | 18·5 | . | 27 | 7 | 3 | 11 | | | 6 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | . | 13 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 22. | Dec. 29. | Jan 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 12 | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. |
| No. of weeks in Annual Series, | 51 | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| BIRTHS registered, | 178 | 155 | 268 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 |
| DEATHS registered, | 127 | 180 | 178 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 148 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140† |
| Annual Death-rate per 1,000 of estimated Population, | 18·1 | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 |
| AGES: Under 1 year | 25 | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 |
| 1–5 years, | 15 | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 |
| 5–20 years, | 8 | 8 | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 |
| 20–40 years, | 24 | 20 | 32 | 28 | 29 | 25 | 36 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 |
| 40–60 years, | 23 | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 15 | 21 |
| 60 years and upwards, | 32 | 36 | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 |
| Scarlet Fever, | 1 | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 |
| Typhus, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . |
| Diphtheria, | 1 | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . |
| Diarrhœal Diseases, | 1 | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 |
| Pneumonia, | 6 | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 |
| Tuberculous Disease: Phthisis, | 14 | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 |
| Tuberculous Disease: Other Forms, | 5 | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 |
| Cancer, Malignant Disease, | 8 | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 |
| Diseases of Respiratory System, | 24 | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 |
| Violent Deaths, | 2 | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 |
| Number of Uncertified Deaths, | 1 | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . |

*Formerly described as "Simple Continued Fever."
† Including 15 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | June 15, | 2,356 | 1,172 | 12·8 | . | 56 | 13 | 8 | 53 | 2 | 19 |
| EDINBURGH, | 345,747 | „ 15, | 165 | 109*a* | 16·5 | . | 4 | . | 1 | 7 | . | 1 |
| GLASGOW, | 847,584 | „ 15, | 501 | 300*a* | 18·5 | . | . | . | 1 | 30 | . | 4 |
| CALCUTTA, | 847,796 | Apr. 27, | . | 907 | 55·6 | 67 | 4 | . | . | . | 53‡ | 83* |
| BOMBAY, | 977,822 | May 14, | 284 | 687 | 36·5 | 3 | . | . | . | . | 67‡ | 55* |
| MADRAS, | 509,346 | Apr. 26, | 356 | 338 | 34·5 | 2 | 8 | ? | ? | ? | 82 | 47 |
| PARIS, | 2,750,000 | June 1, | 955 | 886 | 16·9 | 2 | 10 | 5 | 8† | 4 | 6 | 21 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | May 25, | 196 | 166 | 13·8 | . | . | 1 | 2† | . | 1 | 13 |
| ANTWERP, | 304,032 | „ 25, | 130 | 82 | 14·1 | . | 1 | . | . | 3 | . | 10 |
| AMSTERDAM, | 565,163 | June 1, | 287 | 138 | 12·7 | . | 7 | 2 | . | 2 | . | 8 |
| COPENHAGEN, | 427,000 | May 25, | 223 | 128 | 15·6 | . | 1 | 1 | . | 4 | . | 8 |
| STOCKHOLM, | 324,488 | „ 25, | 150 | 85 | 13·3 | . | . | . | . | . | . | 6 |
| CHRISTIANIA, | 226,774 | June 1, | 92 | 65 | 14·9 | . | . | . | 3† | . | . | 2 |
| ST. PETERSBURG, | 1,482,769 | May 25, | . | 724 | 25·5 | 1 | 48 | 15 | 15 | 5 | 28 | 76 |
| MOSCOW, | 1,172,421 | Apr. 27, | . | 707 | 31·4 | 1 | 27 | 7 | 4† | 8 | 12 | 74 |
| BERLIN, | 2,092,507 | May 18, | 950 | 724 | 18·0 | . | 4 | 5 | 9† | 7 | . | 71 |
| HAMBURG, | 824,792 | „ 25, | . | 244 | 15·4 | . | . | 2 | 1† | 3 | . | 12 |
| BRESLAU, | 485,278 | June 1, | . | 191 | 20·5 | . | . | . | 1† | 1 | 1 | 18 |
| MUNICH, | 548,000 | „ 1, | . | 188 | 17·8 | . | 4 | . | 3† | 1 | 2 | 33 |
| VIENNA (with suburbs). | 1,979,003 | „ 1, | 949 | 657 | 17·3 | . | 27 | 3 | 6† | 3 | 1 | 35 |
| BUDA-PESTH, | 802,235 | May 18, | . | . | . | . | . | . | . | . | . | . |
| PRAGUE and Faubourgs. | 466,133 | „ 11, | 190 | 243 | 27·1 | . | 2 | . | 1† | . | . | 24 |
| TRIESTE, | 200,962 | „ 18, | 125 | 79 | 20·5 | . | 2 | . | . | . | . | 1 |
| ROME, | 542,760 | Apr. 13, | 279 | 214 | 20·6 | . | 1 | . | 6 | 4 | 2 | 1 |
| VENICE, | 174,398 | „ 27, | 60 | 58 | 17·3 | . | 2 | . | . | . | . | 1 |
| NEW YORK, | 1,285,435 | May 18, | 2,017 | 1,471 | 17·9 | . | 19 | 21 | 32† | 7 | 19 | 57 |
| PHILADELPHIA, | 1,500,595 | „ 11, | . | 560 | 19·4 | . | 1 | 7 | 7† | 3 | 18 | 15 |
| BOSTON, | 602,526 | „ 18, | . | 229 | 19·8 | . | 1 | . | 3 | 1 | 2 | 4 |

*a.* Including 7 deaths from cerebro spinal meningitis in Edinburgh, and 14 in Glasgow.
* Including 33 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 423 deaths from plague in Calcutta, and 188 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th June, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 1, West, | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 |
| " " 2, | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | 4 |
| " " 3, | . | . | . | . | . | . | . | 1 | 5 | . | . | . | 6 |
| Clontarf and Howth No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of). | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | 3 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 2 | . | . | 2 | . | . | 1 | 1 | . | 1 | . | 7 |
| " " 4, | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 |
| New Kilmainham, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Total, | . | 5 | 1 | . | 4 | . | 1 | 4 | 10 | . | 2 | . | 27 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th June, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 15th June. | | | |
|---|---|---|---|---|---|---|---|
| | May 25. | June 1. | June 8. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox. | . | . | . | . | . | . | . |
| Measles, | 123 | 96 | 101 | 22 | 30 | 2 | 91 |
| Scarlet Fever | 45 | 48 | 47 | 7 | 6 | . | 48* |
| Typhus, | 5 | 2 | 1 | 1 | . | . | 2 |
| Diphtheria, | 18 | 19 | 23 | 3 | 8 | . | 18 |
| Enteric Fever, | 17 | 19 | 19 | 11 | 6 | 1 | 23 |
| Pneumonia, | 40 | 45 | 39 | 11 | 14 | 3 | 33 |

* Exclusive of 2 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 15th June, 1907:—

"Cool, changeable, showery, breezy weather has once more to be recorded. Only on Sunday did the thermometer rise about 70° in the screen in Great Britain and the maximum recorded on that day was 75° at Liverpool and Llandudno—in London the highest reading was 74°. Sharp thunderstorms followed this brief 'heat-wave.' In Dublin the maximum on Sunday was only 62·1°, but 64° was registered at Birr Castle. On Sunday and Monday the barometer was lowest off the coasts of Kerry and Clare—the reading at 8 a.m. of the latter day being only 29·25 inches at Valentia. Southerly winds consequently prevailed and these were accompanied by clouds and rain in Ireland; but clear skies over England allowed free play to solar radiation—hence the warmth of that day in Great Britain. On Monday afternoon thunder and lightning occurred in Dublin, and there was a heavy downpour of rain mingled with hail. As the depression moved northwards, a brief spell of fair weather was enjoyed on Tuesday, but in the evening rain fell heavily as a new disturbance approached St. George's Channel. This system was central midway between Cork and the Scilly Isles on Wednesday morning. Thence it passed north-eastwards to Pembroke, and finally northwards across the Irish Sea and through the North Channel to the Hebrides. Its light northerly winds brought cool, but dry weather to Ireland. On Friday the depression reached the Faroe Islands; but the wind backed into S.W. in Ireland, with a slowly falling barometer, clouds, and showers. Saturday also was unsettled, with fresh W. wind and passing showers—the barometer rose in the afternoon, with a N.W. wind, clearing sky and falling temperature. In Dublin the mean height of the barometer was 29·674 inches, pressure falling to 29·399 inches at 9 a.m. of Monday (wind, S.) and rising to 29·968 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 56·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·0°. On Wednesday the screened thermometers fell to 50·2°, on Friday they rose to 65·2°. S. and S.W. winds were most prevalent. The rainfall was ·500 inch on 6 days, ·241 inch being measured on Tuesday and ·201 inch on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·665 inches. The highest reading (29·961) was on Saturday at 9 p.m., wind S.W., and the lowest (29·381) on Monday at 9 a.m., wind S.E.

The mean temperature for the week was 54·6°, being 0·6° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Friday, on which day the thermometer registered 64·0°, and was lowest on Thursday, the mercury having fallen to 44·9°. The mean of the Dry Bulb for the week was 54·5°, and of the Wet Bulb 51·8°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·325 inch.

At Greenwich the mean temperature for the week was 58·7°. the maximum 75·7°, and the minimum 47·1°; at Glasgow the maximum was 72·8°, the minimum 46·0°, and the mean 56·4°; and at Edinburgh the maximum was 67·0°, the minimum 46·7°, and the mean 55·7°. The rainfall at Greenwich measured 0·41 in.; at Glasgow, 1·60 ins. and at Edinburgh, 0·96 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hour and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, June 9, | 29·526 | 60·8 | 47·9 | 54·4 | 54·5 | 52·1 | ·85 | ·8 | 0·6 | ·000 | E.N.E. | S.S.E. |
| Monday, „ 10, | 29·434 | 63·1 | 46·9 | 55·0 | 55·3 | 53·6 | ·89 | ·9 | 6·1 | ·125 | S.E. | S.S.E. |
| Tuesday, „ 11, | 29·665 | 61·3 | 50·9 | 56·1 | 54·5 | 51·7 | ·83 | ·7 | 1·1 | ·140 | S. | N.E. |
| Wednesday, „ 12, | 29·537 | 60·0 | 46·7 | 53·8 | 51·6 | 49·4 | ·87 | ·4 | 7·7 | ·000 | E.N.E. | Calm. |
| Thursday, „ 13, | 29·811 | 58·3 | 44·9 | 51·6 | 53·0 | 50·6 | ·85 | ·4 | 0·6 | ·010 | S.W. | S.S.E. |
| Friday, „ 14, | 29·829 | 64·0 | 48·9 | 56·5 | 58·3 | 55·8 | ·85 | ·4 | 0·4 | ·015 | S.S.W. | S.S.W. |
| Saturday, „ 15, | 29·856 | 61·3 | 48·4 | 54·9 | 54·2 | 49·4 | ·70 | ·4 | 3·5 | ·035 | S.S.W. | S.W. |
| Mean, . . | 29·665 | 61·3 | 47·8 | 54·6 | 54·5 | 51·8 | ·83 | ·6 | Total 20·0 | Total ·325 | Prevailing Wind, S.S.W. and S.S.E | |

*Sunday*—Overcast a.m., cloudy p.m.; night cloudy. *Monday*—Cloudy day, light and heavy showers a.m. and p.m. at intervals; night cloudy. *Tuesday*—Cloudy day, light rain 8.0 p.m. to 12.0 m.n.; night overcast, light rain 12.0 to 1.0 a.m. *Wednesday*—Cloudy day, fine; night cloudy. *Thursday*—Day cloudy, light showers a.m.; night cloudy. *Friday*—Cloudy a.m., light showers and overcast, p.m.: night cloudy, light showers at intervals. *Saturday*—Cloudy day, light showers a.m. and p.m.; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 15th, 1907.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, June 9, | 56·2 | 55·6 | 52·0 | 61·7 | 51·5 | 56·6 | 0·9 | ·002 |
| Monday, „ 10, | 56·5 | 55·2 | 52·1 | 63·5 | 52·0 | 57·8 | 5·0 | ·146 |
| Tuesday, „ 11, | 59·3 | 55·9 | 52·2 | 62·3 | 52·0 | 57·2 | 6·0 | ·226 |
| Wednesday, „ 12, | 56·3 | 56·2 | 52·8 | 60·0 | 49·4 | 54·7 | 8·5 | — |
| Thursday, „ 13, | 55·8 | 56·9 | 52·7 | 59·0 | 50·0 | 54·5 | — | — |
| Friday, „ 14, | 60·8 | 56·6 | 53·0 | 65·7 | 49·4 | 57·6 | 2·0 | ·011 |
| Saturday, „ 15, | 60·0 | 57·1 | 53·0 | 62·5 | 50·0 | 56·3 | 2·6 | ·013 |
| Weekly Mean, . | 57·8 | 56·2 | 52·5 | 62·1 | 50·6 | 56·4 | Total 25·0 | Total ·398 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17822.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 22ND JUNE, 1907. [No. 25.

*General Register Office, Charlemont House, Dublin, 24th June,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending June 1. | Week ending June 8. | Week ending June 15. | Week ending June 22. | Average Rate for 4 weeks. | Towns, &c. | Week ending June 1. | Week ending June 8. | Week ending June 15. | Week ending June 22. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 20·9 | 21·7 | 21·2 | 17·7 | 20·4 | Lisburn, | . | 9·1 | 4·5 | 18·2 | 8·0 |
| Armagh, | 13·7 | . | 20·6 | 6·9 | 10·3 | Londonderry, | 14·7 | 23·3 | 13·5 | 8·6 | 15·0 |
| Ballymena, | 33·5 | 14·4 | 19·2 | 14·4 | 20·4 | Lurgan, | 31·0 | 8·9 | 17·7 | . | 14·4 |
| Belfast, | 22·0 | 22·7 | 19·7 | 18·5 | 20·7 | Newry, | 12·6 | 4·2 | 8·4 | . | 6·3 |
| Clonmel, | 10·3 | 10·3 | 15·4 | 15·4 | 12·9 | Newtownards, | 11·4 | 45·8 | 22·9 | 17·2 | 24·3 |
| Cork, | 21·9 | 17·1 | 18·5 | 13·7 | 17·8 | Portadown, | 10·3 | 15·5 | 31·0 | 15·5 | 18·1 |
| Drogheda, | 20·4 | 20·4 | 8·2 | 16·3 | 16·3 | Queenstown | 19·8 | . | 33·0 | 13·2 | 16·5 |
| Dublin Reg. Area, | 23·1 | 23·9 | 24·3 | 20·8 | 23·0 | Sligo, | 14·4 | 4·8 | 62·4 | 33·6 | 28·8 |
| Dundalk, | 8·0 | 8·0 | 27·9 | 16·0 | 15·0 | Tralee, | 5·3 | 10·6 | 15·9 | 21·1 | 13·2 |
| Galway, | 15·5 | 23·3 | 3·9 | 31·1 | 18·5 | Waterford, | 21·4 | 39·0 | 21·4 | 15·6 | 24·3 |
| Kilkenny, | 9·8 | 34·3 | 14·7 | 9·8 | 17·2 | Wexford, | 18·7 | 23·3 | 23·3 | 9·3 | 18·7 |
| Limerick, | 19·1 | 16·4 | 10·9 | 10·9 | 14·3 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in seventeen of the districts to 7·8 in Galway, the 8 deaths from all causes in that district including 2 from diphtheria. Among the 131 deaths from all causes in Belfast are 6 from measles, one from whooping-cough, one from enteric fever, 3 from diarrhœal diseases, 17 deaths from cerebro-spinal fever, and 3 returned as from *cerebro-spinal meningitis;* and the 20 deaths from all causes in Cork include one each from whooping-cough and diarrhœa.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 181—96 boys and 85 girls; and the deaths to 171—89 males and 82 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 22·8 in every 1,000 of the population; omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, the rate was 20·8 per 1,000. During the twenty-five weeks ending with Saturday last the death-rate averaged 27·7, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1897–1906.

Of the deaths registered (171) there were 9 from measles, one each from scarlet fever, typhus, and diphtheria, 5 from whooping-cough, and 3 from diarrhœal diseases; two

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

deaths were caused by cerebro-spinal fever. In each of the 3 preceding weeks, deaths from measles were 4, 6, and 3; deaths from scarlet fever were 0, 0, and 0; deaths from typhus were 0, 0, and 0; deaths from diphtheria were 0, one, and 0; deaths from whooping-cough were 8, 4, and 8; deaths from diarrhœal diseases were 0, 0, and one; and deaths from cerebro-spinal fever numbered 3, 0, and 5.

Among the 15 deaths from pneumonia (all forms), 3 were from lobar pneumonia, 8 from broncho-pneumonia, and 4 deaths were from *pneumonia* (not defined).

All forms of tuberculous disease caused 43 deaths, including 13 deaths from tuberculous phthisis, 16 returned as from *phthisis*, 6 from tuberculous meningitis, and 8 from other forms of tuberculous disease. The deaths from all forms of tuberculous disease registered during the 3 preceding weeks numbered 25, 32, and 38, respectively.

There were 5 deaths each from carcinoma and cancer (undefined).

Three deaths were ascribed to premature birth.

Diseases of the brain and nervous system caused 13 deaths, including 5 from meningitis and 3 (of children under 5 years of age) from *convulsions*.

Twenty-one deaths were caused by diseases of the heart and blood vessels, and there were 13 deaths from bronchitis.

One accidental death was registered—that of an infant under one year of age caused by overlying in bed.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under one year of age and the death of a person aged 76 years.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old), and 43 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 8 were octogenarians.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the N. Dublin Union Workhouse, 18 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·8 per 1,000; the rate in the City was 23·2 (North City Districts, 18·6; South, 28·1), and in the Suburbs, 12·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·9 (2·4 in the North City Districts, and 3·6 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City District, East.* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·0 per 1,000. There were 5 deaths from tuberculous disease and one deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000, and include one death each from typhus and *diarrhœa*, 3 from tuberculous disease, one death from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Measles, whooping-cough, and broncho-pneumonia each caused one death; there were 5 deaths from tuberculous disease and 2 from diseases of the respiratory system.

*No. 3 North City District* (Benburb-street).—The deaths (14) represent an annual rate of 22·5 per 1,000. Among them are one death each from measles and whooping-cough, 8 deaths from tuberculous disease, and one from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 9·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. Of the 2 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from *phthisis*, and the 2 deaths from all causes for Finglas and Glasnevin, part of, include one from measles.

*No. 1 South City District* (South Earl-street).—The deaths (26) represent an annual rate of 33·9 per 1,000. The 26 deaths include one each from measles diphtheria, broncho-pneumonia and *pneumonia* (not defined), 3 deaths from tuberculous disease, and 4 from diseases of the respiratory system.

*No. 2 South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 20·3 per 1,000. Whooping-cough caused one death; there were 3 deaths from tuberculous disease, and one death from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 17·3 per 1,000, and include one death each from measles and scarlet fever, 6 deaths from pneumonia (all forms), and one from tuberculous phthisis.

*No. 4 South City District* (Grand Canal-street).—The deaths (29) are equivalent to an annual rate of 43·0 per 1,000. Among the deaths are 3 from measles, one from whooping-cough, one from cerebro-spinal fever, one from *diarrhœa*, 3 from broncho-pneumonia, one from *pneumonia* (not defined), 3 from tuberculous disease, and 3 from diseases of the respiratory system.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000, and include one death from tuberculous disease.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·8; Pembroke, 16·8; Blackrock, 6·0; and Kingstown, 17·8. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and one from whooping-cough for Pembroke. Among the 6 deaths from all causes for Rathmines and Rathgar are one from tuberculous phthisis, one from tuberculous meningitis, and one from bronchitis; the 9 deaths from all causes for Pembroke include one from cerebro-spinal fever, one from broncho-pneumonia, and 2 from bronchitis; the only death for Blackrock was one from *phthisis*; and the 6 deaths from all causes for Kingstown include one from lobar pneumonia and 2 from diseases of the heart and blood vessels.

* See Columns 10-18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 22nd June, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | June 1, | . | — | — | 3 | . | . | 4 | . | 1 | 5 | 19 | . | — | — | 2 | — | — | 34 |
| | June 8, | . | — | — | 4 | . | . | 7 | . | 1 | 5 | 17 | . | — | — | 1 | — | — | 35 |
| | June 15, | . | — | — | 5 | 1 | . | 4 | . | 1 | 4 | 10 | . | — | — | 2 | — | — | 27 |
| | June 22, | . | — | — | 8 | 3 | . | 3 | . | 3 | 7 | 8 | . | — | — | 1 | — | — | 33 |
| Rathmines and Rathgar Urban District. | June 1, | . | — | — | . | . | . | . | . | . | 2 | 1 | . | — | — | . | — | — | 3 |
| | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| | June 15, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | 2 | — | — | 3 |
| | June 22, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| Pembroke Urban District. | June 1, | . | 31 | . | . | . | . | . | . | . | . | 1 | . | — | 21 | . | — | — | 53 |
| | June 8, | . | 44 | . | 2 | . | . | 3 | . | . | . | . | . | — | 13 | . | — | — | 62 |
| | June 15, | . | 54 | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 58 |
| | June 22, | . | 47 | . | . | . | . | . | . | . | 1 | . | . | — | 8 | . | — | — | 56 |
| Blackrock Urban District. | June 1, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | June 8, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | June 15, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | June 22, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | June 1, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 15, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 22, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | June 1, | . | — | — | 11 | . | . | 5 | 1 | 2 | 3 | 12 | . | — | — | 22 | — | — | 56 |
| | June 8, | . | — | — | 12 | . | . | 2 | 1 | 6 | 11 | 10 | . | — | — | 13 | — | — | 55 |
| | June 15, | . | — | — | 9 | . | . | . | . | 6 | 5 | 2 | 1 | — | — | 17 | — | — | 40 |
| | June 22, | . | — | — | 9 | . | . | 3 | 1 | 11 | 8 | 6 | 1 | — | — | 16 | — | — | 55 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 22nd June, 1907.

From this it appears that:—

Twenty-five cases of measles were admitted into hospital during the week, 50 were discharged, ere was one death, and 65 cases remained under treatment at its close. At the close of ch of the three preceding weeks the cases of measles under treatment numbered 96, 1, and 91.

Thirteen cases of scarlet fever were admitted to hospital, 16 were discharged, and 45* cases mained under treatment at the close of the week.

Two cases of typhus were admitted to hospital during the week, there was one death, and cases remained under treatment at the close of the week.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, there was one ath, and 17 patients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital during the week, one was discharged d 26 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 15 cases of pneumonia were admitted to hospital, were discharged, there were 5 deaths, and 32 cases remained under treatment at the end the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 12·7), was equal to an average annual death-rate of 12·7 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow ing 17·8 and for Edinburgh 15·5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd ne. From this Report it appears that of a total of 50 cases notified 19 were scarlet fever, 14 iphtheria, one membranous croup, 4 erysipelas, and 2 enteric fever. Among the 378 cases of infectious eases in hospital at the close of the week were 123 cases of scarlet fever, 76 of measles, 63 of whooping-ugh, 32 of diphtheria, 2 of membranous croup, 11 of erysipelas, and 9 of enteric fever

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 22nd June, 1907, in the DUBLIN REGISTRATION **AREA and in each of the under-mentioned 21 URBAN DISTRICTS** (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of **Deaths** from some of the **PRINCIPAL CAUSES**, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 22nd June, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 22nd June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 15th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 8th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | ° | ° | ° | | ° | ° | ° | | ° | ° | ° | |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 28·1 | 17·7 | 1·6 | 602 | 380 | 71 | 89 | . | 15 | 1 | 1 | 7 | 3 | . | 1 | 7 | 36 | 56 | 24 | 19 | 36 | 3 | 6 | 118 | 17 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 890,691 | 28·4 | 24·2 | 20·8 | 2·5 | 181 | 156 | 26 | 42 | . | 9 | 1 | 1 | 5 | 1 | . | . | 2 | 15 | 24 | 12 | 7 | 16 | 1 | 2 | 63 | 3 | f63·2 | 39·4 | 52·7 | 0·54 | f64·0 | 44·9 | 54·6 | 0·33 | f64·7 | 39·6 | 52·7 | 1·54 |
| City of Dublin, | 300,850 | 28·0 | 26·0 | 23·2 | 2·9 | 150 | 131 | 25 | 33 | . | 8 | 1 | 1 | 4 | 1 | . | . | 2 | 13 | 22 | 11 | 5 | 13 | 1 | 2 | 55 | 3 | g64·9<br>h63·8 | 45·1<br>40·0 | 55·1<br>53·3 | 0·51<br>0·62 | g65·2<br>h64·0 | 50·2<br>46·0 | 56·7<br>55·9 | 0·50<br>0·47 | g64·9<br>h63·4 | 45·1<br>41·8 | 54·4<br>53·4 | 1·18<br>1·37 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 13·2 | 8·8 | . | 9 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 5 | 26·2 | 16·8 | 3·7 | 14 | 9 | 1 | 3 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 6·0 | 6·0 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 20·7 | 17·8 | . | 7 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . | 64 | 46·5 | 55·4 | 0·33 | 65 | 46·5 | 57·0 | 0·52 | 64 | 44 | 54·1 | 0·91 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 36·6 | 18·5 | 1·5 | 260 | 131 | 28 | 25 | . | 6 | . | . | 1 | . | . | 1 | 8 | 16 | 17 | 7 | 6 | 13 | 2 | 3 | 32 | 3 | 63·5 | 42·5 | 53·6 | 1·22 | 63·0 | 45·0 | 54·3 | 0·74 | 63·0 | 40·5 | 50·6 | 1·31 |
| Cork, | 76,122 | 33·6 | 19·9 | 13·7 | 1·4 | 29 | 20 | 5 | 5 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | . | 9 | 1 | 60 | 42 | 53·3 | 0·46 | 59 | 50 | 54·6 | 1·03 | 61 | 48 | 53·6 | 1·24 |
| Londonderry, | 42,475 | 19·6 | 18·4 | 8·6 | . | 15 | 7 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 17·8 | 10·9 | . | 13 | 8 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 33·1 | 15·6 | 1·9 | 17 | 8 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 50·5 | 31·1 | 7·8 | 13 | 8 | 3 | 2 | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 | 1 | . | . | . | 4 | 62 | 43 | 54·3 | 0·79 | 63 | 43 | 57 | 0·98 | 61 | 46 | 53 | 0·97 |
| Dundalk, | 18,076 | 9·4 | 19·9 | 16·0 | . | 5 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 16·3 | . | 5 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 12·6 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 |
| Lurgan, | 11,792 | 13·8 | 17·7 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 |
| Lisburn, | 11,461 | 10·1 | 18·2 | 18·2 | . | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 |
| Wexford, | 11,168 | 23·2 | 23·3 | 9·3 | . | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,686 | 8·9 | 33·5 | 14·4 | . | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,670 | 3·7 | 19·2 | 33·6 | . | 4 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | 2 | 1 | 63·5 | 37·0 | 52·0 | 1·42 | 64·5 | 46·5 | 55·3 | 1·78 | 64·4 | 43·5 | 52·7 | 0·97 |
| Kilkenny, | 10,609 | 11·5 | 4·9 | 9·8 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 65 | 39 | 54·3 | 0·50 | 64 | 49 | 55·1 | 1·19 | 69 | 44 | 55·8 | 1·11 |
| Clonmel, | 10,167 | 7·8 | 20·5 | 15·4 | . | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,099 | 13·2 | 36·2 | 15·5 | . | 7 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 |
| Tralee, | 9,867 | 16·6 | 37·0 | 21·1 | . | 7 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 68·7 | 17·2 | . | 12 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 63 | 43 | 51·9 | 1·12 | 64 | 44 | 53·5 | 0·62 | 62 | 42 | 50·5 | 0·86 |
| Queenstown, | 7,909 | 14·4 | 38·0 | 13·2 | . | 5 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 60 | 42 | 53·8 | 0·46 | 59 | 50 | 54·6 | 1·03 | 61 | 48 | 53·6 | 1·24 |
| Armagh, | 7,588 | 22·2 | 6·9 | 6·9 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 | 63·3 | 40·3 | 51·1 | 0·78 |

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 22nd June, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | |
| | North City No. 1E. | North City No. 1W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Coolock and Drumgoondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | 1 | . | . | 1 | | 1 | . | 1 | 3 | . | . | 1 | . | . | 9 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Typhus, | . | 1 | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough, | . | . | 1 | 1 | . | . | . | | . | 1 | . | 1 | . | . | 1 | . | . | 5 | . |
| Diphtheria, | . | . | . | . | . | . | . | | 1 | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | 1 | . | . | . | . | . | | . | . | . | 1 | . | . | . | . | . | 2 | 1 |
| Pneumonia, | . | . | 1 | . | . | . | . | | 2 | . | 6 | 4 | . | . | 1 | . | 1 | 15 | . |
| Tuberculous Disease. } Phthisis, | 4 | 2 | 4 | 5 | . | 1 | . | | 1 | 2 | 1 | 2 | . | 1 | . | 1 | . | 24 | 5 |
| Tuberculous Disease. } Other Forms. | 1 | 1 | 1 | 3 | . | . | . | | 2 | 1 | . | 1 | 1 | 1 | . | . | . | 12 | 2 |
| Cancer, Malignant Disease, | . | . | . | . | . | . | . | | 1 | 1 | 1 | 2 | . | . | 1 | . | 1 | 7 | 3 |
| Other General Diseases | 1 | . | . | 1 | . | . | . | | 2 | . | . | 5 | . | . | 2 | . | . | 11 | 1 |
| Total, | 6 | 5 | 8 | 11 | . | 1 | 1 | | 10 | 5 | 10 | 19 | 1 | 2 | 6 | 1 | 2 | 88 | 12 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 1 | 1 | . | . | . | . | | 2 | 1 | 1 | 2 | . | 1 | . | . | 1 | 11 | 2 |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 2 | 1 | 1 | 2 | . | 1 | 1 | | 5 | . | 2 | 1 | 1 | 1 | 1 | . | 2 | 21 | . |
| Diseases of: Respiratory System, | 1 | 1 | 2 | 1 | . | . | . | | 4 | 1 | . | 3 | . | 1 | 2 | . | . | 16 | . |
| Diseases of: Digestive System, | . | 1 | 1 | . | . | . | . | | 3 | . | 1 | . | . | . | . | . | . | 6 | . |
| Diseases of: Lymphatic System &c., | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | 1 | 1 | . | . | . | . | | 1 | . | . | 3 | . | 1 | . | . | . | 7 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | 1 | 1 | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 5 | 6 | 3 | . | 1 | 1 | | 15 | 2 | 4 | 9 | 1 | 4 | 3 | . | 4 | 62 | 2 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | . | 1 | 1 | . | . | . | . | | 1 | 1 | . | 1 | . | . | . | . | . | 5 | 1 |
| **E. Violent Deaths,** | . | 1 | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | 1 | . |
| **Deaths from all Causes,** | 10 | 12 | 15 | 14 | . | 2 | 2 | | 26 | 8 | 14 | 29 | 2 | 6 | 9 | 1 | 6 | 156 | 15 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 18·0 | 16·0 | 26·0 | 22·5 | . | 9·5 | 14·4 | | 33·9 | 20·3 | 17·3 | 43·0 | 11·7 | 8·8 | 16·8 | 6·0 | 17·8 | 20·8 | . |
| | 18·6 | | | | | | | | 28·1 | | | | | 12·8 | | | | | |
| | 23·2 | | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 1 | 4 | 3 | 2 | . | . | . | | 4 | 1 | 3 | 6 | 1 | . | 1 | . | . | 26 | 2 |
| 1 and under 5 years, | 1 | . | 5 | 5 | . | . | 1 | | 4 | 3 | 1 | 4 | . | . | 3 | . | . | 27 | . |
| 5 ,, 20 ,, | 1 | 1 | 1 | 2 | . | . | . | | 2 | 1 | 1 | 2 | . | 1 | 1 | . | 2 | 15 | . |
| 20 ,, 40 ,, | 3 | 1 | 3 | 1 | . | 1 | . | | 5 | 1 | 2 | 4 | . | 1 | 1 | . | 1 | 24 | 7 |
| 40 ,, 60 ,, | 3 | 4 | 2 | 1 | . | . | 1 | | 3 | . | 4 | 2 | . | 1 | . | 1 | . | 22 | 5 |
| 60 and upwards, | 1 | 2 | 1 | 3 | . | 1 | . | | 8 | 2 | 3 | 11 | 1 | 3 | 3 | . | 3 | 42 | 1 |
| Number of Uncertified Deaths, | . | . | 1 | . | . | . | 1 | | . | 1 | . | . | . | . | . | . | . | 3 | . |
| **NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.** | | | | | | | | | | | | | | | | | | |
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 4 | 2 | 3 | . | . | . | | 3 | 2 | 6 | 7 | . | 1 | 4 | 1 | . | 36 | 13 |
| Workhouse Hospitals, | 3 | 1 | 2 | 3 | . | . | . | | 9 | 3 | . | 2 | 2 | 1 | . | . | 1 | 27 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years,

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 25th Week of the 10 years 1897–1906. | In the Week ending Sat 22nd June, 1907. Deaths of Persons of the | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 26, 1897. | June 25, 1898. | June 24, 1899. | June 23, 1900. | June 22, 1901. | June 21, 1902. | June 27, 1903. | June 25, 1904. | June 24, 1905. | June 23, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40 |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | |
| Mean Temperature. | ° 59·9 | ° 57·1 | ° 54·6 | ° 55·8 | ° 55·6 | ° 53·5 | ° 55·0 | ° 55·4 | ° 60·4 | ° 60·1 | ° 56·7 | ° 52·7 | | | | | |
| **ALL CAUSES.** | 146 | 153 | 143 | 122 | 153 | 139 | 170 | 149 | 138 | 149 | 146·2 | 171 | 9 | 19 | 27 | 15 | 3 |
| Small-pox, ... ... | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . |
| Cowpox, ... . ... | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 2 | . | 1 | . | . | 5 | 4 | 1 | 2 | . | 1·5 | 9 | 2 | . | 7 | . | . |
| Scarlet Fever, ... ... | 1 | . | 1 | . | 1 | 1 | . | . | 1 | . | ·5 | 1 | . | . | 1 | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 2 | 5 | 2 | 3 | . | 1 | 1 | 1 | . | 1·5 | . | . | . | . | . | . |
| Whooping-cough, ... ... | 1 | 5 | 1 | 1 | 3 | . | 2 | . | . | 2 | 1·5 | 5 | . | 2 | 3 | . | . |
| Diphtheria, ... ... | 5 | 2 | . | 1 | 1 | 1 | 2 | 3 | 1 | 1 | 1·7 | 1 | . | . | 1 | | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 2 | . | . | . | 1 | 1 |
| *Pyrexia*† (origin uncertain), | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . |
| Enteric Fever, ... ... | . | . | 2 | 2 | 2 | 1 | 2 | . | 1 | . | 1·0 | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 2 | 2 | . | 1 | 3 | . | 1 | . | . | . | 1·1 | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | . | . | . | 2 | . | | 3 | 1 | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | . | 1 | 1 | 1 | . | . | 2 | . | ·5 | . | . | . | . | . | . |
| Puerperal Septicæmia, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . |
| Puerperal Pyæmia, | 1 | . | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . |
| Pneumonia, Lobar, | 10 | 10 | 4 | 11 | 11 | . | 1 | 2 | 1 | . | 9·3 | 3 | . | 1 | . | . | 1 |
| Pneumonia, Broncho- | | | | | | . | 4 | 6 | 1 | 3 | | 8 | 1 | 1 | 2 | 1 | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 4 | 7 | 5 | 3 | 10 | | 4 | . | . | . | . | 1 |
| Erysipelas, ... ... | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 1 | . | 1 | . | . | . |
| Septicæmia (not Puerperal) | 1 | . | . | . | 1 | . | . | 1 | 1 | . | ·4 | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | 1 | . | . | . | 1 | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . |
| Tuberculous Phthisis, | 21 | 19 | 24 | 22 | 22 | 7 | 1 | 4 | 6 | 11 | 22·2 | 13 | . | . | 1 | 1 | 7 |
| "*Phthisis*," ... | | | | | | 19 | 14 | 19 | 15 | 18 | | 16 | . | . | 1 | 2 | 8 |
| Tuberculous Meningitis, ... | 5 | 8 | 5 | 2 | 2 | 3 | 1 | 7 | 3 | 6 | 4·2 | 6 | . | 1 | 3 | 1 | 1 |
| Tuberculous Peritonitis, | . | 1 | 4 | 3 | 4 | 1 | 3 | . | . | . | 2·3 | . | . | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | 2 | 2 | . | 1 | 2 | | . | . | . | . | . | . |
| Tuberculous Dis. (other). | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 4 | . | 3 | 3·0 | 8 | . | 1 | 1 | 4 | 2 |
| *Scrofula*, ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | 1 | 1 | . | 1 | 3 | . | 1 | . | ·8 | . | . | . | . | . | . |
| Rheumatic Fever, .. ... | . | 1 | . | . | . | 1 | 1 | 2 | . | . | ·5 | . | . | . | . | . | . |
| Gout, .. ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | | | | | | 2 | 4 | 4 | 3 | . | | 5 | . | . | . | . | 3 |
| Sarcoma, ... ... | 6 | 7 | 5 | 4 | 8 | 1 | . | 2 | 1 | 1 | 6·5 | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 2 | 2 | 4 | 4 | 5 | | 5 | . | . | . | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Premature Birth, ... | 3 | 1 | 2 | 2 | 2 | 8 | 5 | 1 | 3 | 4 | 3·1 | 3 | 3 | . | . | . | . |

* The figures for the years 1897–190
† Formerly desc

NTY-FIFTH WEEK ending Saturday, 22nd June, 1907, with the deaths from each cause in the corresponding
he average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday June 26, 1897. | June 25, 1898. | June 24, 1899. | June 23, 1900. | June 22, 1901. | June 21, 1902. | June 27, 1903. | June 25, 1904. | June 24, 1905. | June 23, 1906. | Averages in 25th Week of the 10 years 1897–1906. | In the Week ending Saturday, 22nd June, 1907. Deaths of Persons of the Ages of ALL AGES. | 0 to 5 Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 59·9 | ° 57·1 | ° 54·6 | ° 55·8 | ° 55·6 | ° 53·5 | ° 55·0 | ° 55·4 | ° 60·4 | ° 60·1 | ° 56·7 | Mean Temp. ° 52·7 | | | | | | | | |
| ningitis (not tuberc.) ... | | | | | | 2 | 4 | 3 | 2 | 2 | | 5 | . | 2 | 2 | 1 | . | 1 | . | 1 |
| anity, G. P. of Insane ... | | | | | | . | 4 | 1 | . | . | | 2 | . | . | . | . | . | . | . | . |
| lepsy .. ... | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | 4 | 7 | 5 | 3 | 1 | | 3 | . | 2 | 1 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | . | 2 | . | 1 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| vous System (other is.) | 27 | 30 | 34 | 25 | 38 | 3 | 4 | 3 | 5 | 5 | 34·2 | 2 | . | . | . | . | . | . | 2 | . |
| v. Dis., Endocarditis | | | | | | 1 | 2 | 9 | 2 | 9 | | 5 | . | . | 1 | 1 | 1 | . | 2 | . |
| ebr. Hæm. Thromb. | | | | | | 1 | 9 | . | . | 1 | | 3 | . | . | . | . | 1 | . | 1 | 1 |
| *plexy, Hemiplegia* ... | | | | | | 5 | 3 | 8 | 2 | . | | 1 | . | . | . | . | . | 1 | . | . |
| eurysm ... ... | | | | | | 1 | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not erebral) | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| art and Blood Vessel Dis. | | | | | | 14 | 14 | 11 | 19 | 11 | | 12 | . | . | . | . | . | 5 | 4 | 3 |
| *oup* (not Spasm. nor Memb.) | 1 | 1 | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| onchitis ... ... | 12 | 16 | 7 | 16 | 12 | 4 | 16 | 13 | 12 | 17 | 12·5 | 13 | . | 2 | 1 | . | . | 1 | 8 | 1 |
| thma, Emphysema ... | | | | | | . | 1 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| urisy ... ... | 6 | . | 3 | . | . | . | . | . | 1 | . | 1·7 | . | . | . | . | . | . | . | . | . |
| spiratory Dis. (other) ... | | | | | | 2 | 2 | 2 | . | . | | 2 | . | 1 | . | . | 1 | . | . | . |
| nsillitis, Quinsy ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | | | | | | 1 | . | . | 2 | 1 | | 2 | . | 2 | . | . | . | . | . | . |
| *stro Enteritis* ... ... | 1 | . | . | 1 | 2 | . | 2 | 1 | . | 2 | 1·3 | 1 | . | 1 | . | . | . | . | . | . |
| *itonitis* (not Puerp.) ... | . | . | . | . | . | 1 | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| rhosis of Liver ... | | | | | | . | . | 1 | 4 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| ver Dis. (other) ... | 1 | 2 | 1 | 1 | 2 | 3 | . | 1 | . | . | 1·7 | . | . | . | . | . | . | . | . | . |
| gestive Dis. (other) ... | 7 | 8 | 7 | 2 | 4 | 9 | 4 | 3 | 13 | 9 | 6·6 | 2 | . | . | 1 | . | 1 | . | . | . |
| phritis, Acute ... | | | | | | 3 | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| ight's Dis., Albuminuria | 2 | 6 | 3 | 5 | 3 | . | 1 | 5 | 1 | 3 | 3·7 | 7 | . | . | . | . | 2 | 3 | 2 | . |
| inary Sys. (Other Dis.) | | | | | | 1 | 1 | 1 | . | 1 | | . | . | . | . | . | . | . | . | . |
| nerative Organs Dis. ... | . | . | . | . | 1 | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| ildbirth (Accid. of) ... | 1 | 1 | . | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| *d Age* ... ... | 11 | 11 | 11 | 7 | 7 | 8 | 3 | 2 | . | 2 | 6·2 | 3 | . | . | . | . | . | . | 2 | 1 |
| her Diseases ... ... | 8 | 13 | 11 | 8 | 8 | 8 | 18 | 6 | 9 | 9 | 9·8 | 8 | 2 | 1 | 1 | 2 | 1 | . | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | 2 | . | . | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 2 | 1 | 2 | . | . | . | . | . | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| Drowning ... ... | 3 | 2 | . | 1 | 2 | 1 | . | . | 1 | . | 1·0 | 1 | . | 1 | . | . | . | . | . | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous Vapours | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| her Deaths by Accident | 2 | 1 | 3 | . | 2 | 2 | . | 1 | 2 | 3 | 1·6 | . | . | . | . | . | . | . | . | . |
| IOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| omicide ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| icide ... ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 29. | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. |
| No. of weeks in Annual Series. | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| Births registered, | 224 | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 |
| *Average Births in corresponding week of previous 10 years,** | 191 | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 |
| Deaths registered, | 170 | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 |
| Annual Death-rate per 1,000, | 23·4 | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 |
| *Average Deaths in corresponding week of previous 10 years,** | 197 | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 |
| Ages, Under 5 years, | 50 | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 63 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 61 | 59 | 52 | 52 | 55 |
| 5—20 ,, | 15 | 18 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 |
| 20—40 ,, | 30 | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 |
| 40—60 ,, | 36 | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 |
| 60—80 ,, | 35 | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 |
| 80 years and upwards, | 4 | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 |
| Scarlet Fever | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Typhus, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Whooping-cough, | 3 | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 |
| Diphtheria, | 1 | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 |
| *Pyrexia* † (origin uncertain), | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . |
| Diarrhœal Diseases, | 2 | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 |
| Pneumonia, | 12 | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 |
| Tuberculous Disease. Phthisis, | 20 | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 23 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 |
| Tuberculous Disease. Other Forms, | 12 | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 |
| Cancer, Malignant Disease, | 10 | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 |
| Diseases of Heart and Blood Vessels, | 20 | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 |
| Diseases of Respiratory System, | 20 | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 |
| Violent Deaths, | 5 | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 |
| Number of Uncertified Deaths, | 12 | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 31·8 | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 41·5 | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 |
| Rainfall in inches, | ·352 | ·423 | ·026 | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·92 | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND JUNE, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 23·8 | 171 | 55 | 15 | 31 | 27 | 35 | 8 | . | 9 | 1 | 1 | 5 | 1 | . | . | 3 | 20 | 15 | 29 | 14 | 10 | 3 | 16 | 1 | 63 | 3 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,486 | 17·9 | 6 | . | . | . | . | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 5 | . |
| II. | Middle Class, | 87,188 | 10·8 | 18 | . | 1 | 7 | 3 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | 1 | . | 2 | . | 7 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 16·1 | 34 | 9 | 4 | 11 | 5 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | 1 | 6 | 8 | 2 | 2 | . | 1 | 1 | 13 | 1 |
| IV. | General Service Class, | 154,279 | 36·8 | 84 | 42 | 8 | 9 | 12 | 12 | 1 | . | 9 | . | 1 | 5 | 1 | . | . | 2 | 18 | 5 | 11 | 8 | 3 | 2 | 8 | . | 29 | 1 |
| V. | Inmates of Workhouses, | 6,024 | | 29 | 4 | 2 | 4 | 7 | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 8 | 2 | 3 | 1 | 5 | . | 9 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 40·1 | 6 | . | . | . | . | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 5 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 11·8 | 5 | . | . | 2 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 8·6 | 5 | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 3 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 13·5 | 7 | . | . | 1 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . | 2 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 28·0 | 16 | 3 | 3 | 6 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 2 | . | 1 | . | 6 | . |
| | 10. Clothing Trades, | 28,260 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 11. Food Supply Trades, | 9,242 | 18·2 | 5 | 3 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | 2 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 15·5 | 9 | 2 | 1 | 3 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | . | . | 3 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 42·7 | 11 | 3 | . | 2 | 2 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | . | . | 6 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 2 | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 4 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 29·0 | 8 | 5 | . | 2 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . | 1 | . | . | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 34·2 | 59 | 32 | 8 | 4 | 9 | 6 | . | . | 6 | . | 1 | 5 | 1 | . | . | 2 | 15 | 4 | 6 | 5 | 2 | 1 | 7 | . | 19 | 1 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 29 | 4 | 2 | 4 | 7 | 12 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 8 | 2 | 3 | 1 | 5 | . | 9 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | May 4, | 10·8 | 1·8 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | „ 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . | 2 |
| | „ 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| | „ 8, | 32·8 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . | 1 |
| | „ 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | May 4, | 36·0 | 4·0 | 27 | . | 1 | . | . | 2 | . | . | . | . | 2 | 6 | 1 | . | 1 | . | 1 |
| | „ 11, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . | . |
| | „ 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 3 | 2 | 1 | 4 | 1 | . |
| | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 | 1 |
| | „ 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | . |
| | „ 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | May 4, | 40·2 | 3·5 | 22 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 3 | . | 2 | . | 1 |
| | „ 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . | . |
| | „ 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . | . |
| | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 | 1 |
| | „ 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . |
| | „ 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 |
| | „ 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | May 4, | 41·8 | 4·8 | 26 | . | 1 | . | . | 2 | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 1 | . |
| | „ 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . | 1 |
| | „ 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 | 1 |
| | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . | . |
| | „ 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . | . |
| | „ 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . | . |
| | „ 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | May 4, | 23·5 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 6 | . | . | 2 | . | 1 |
| | „ 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| | „ 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . | 1 |
| | „ 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 3 | 1 | 2 | 1 | . |
| | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | 1 | 6 | . | 1 |
| | „ 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . | . |
| | „ 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . | 2 |
| | „ 22, | 33·9 | 2·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,689. | May 4, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . |
| | „ 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| | „ 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . | . |
| | June 1, | 12·7 | 2·5 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| | „ 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . |
| | „ 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | May 4, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | . | 4 | 1 | . |
| | „ 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| | „ 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | 1 |
| | „ 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . | . |
| | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . | . |
| | „ 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 | . |
| | „ 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . | 1 |
| | „ 22, | 17·3 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | May 4, | 28·2 | 1·5 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | . |
| | „ 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 | . |
| | „ 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . | . |
| | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 | . |
| | „ 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 | . |
| | „ 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . | 1 |
| | „ 22, | 43·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | 2 | 3 | . | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Unclassified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | May 4, | 19·0 | 2·9 | 13 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | . | . | 2 | 1 | . |
| | „ 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 18, | 22·9 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | 1 |
| | „ 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| | June 1, | 19·0 | 2·9 | 13 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| | „ 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| | „ 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| | „ 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | May 4, | 24·3 | 1·9 | 13 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . |
| | „ 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| | „ 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| | „ 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | „ 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . |
| | „ 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | 1 | 2 | . | 2 |
| | „ 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | May 4, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . |
| | „ 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| | „ 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| | June 1, | 14·3 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| | „ 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| | „ 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | „ 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | May 4, | 23·8 | 0·8 | 169 | . | 1 | . | . | 1 | . | . | 2 | 2 | 15 | 19 | 13 | 2 | 26 | 1 | 1 |
| | „ 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 4 |
| | „ 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 3 |
| | „ 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| | „ 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| | „ 15, | 19·7 | 1·3 | 140 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| | „ 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | May 4, | 21·2 | . | 31 | . | . | . | . | . | . | . | . | . | 2 | 7 | 2 | 2 | 2 | . | 2 |
| | „ 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | . |
| | „ 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 2 |
| | „ 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | 1 |
| | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| | „ 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| | „ 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| | „ 22, | 18·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | May 4, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | . |
| | „ 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| | „ 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| | „ 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 8, | 23·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| | „ 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 22, | 8·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | May 4, | 27·3 | 1·4 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 8 | . | . | . | . | 3 |
| | „ 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| | „ 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| | „ 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| | „ 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| | „ 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | May 4, | 27·3 | 5·8 | 14 | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | 1 | . | 2 | 1 | . |
| | „ 11, | 25·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |
| | „ 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |
| | „ 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | „ 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |
| | „ 22, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 22nd June, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 6 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | 3 | . | 2 | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | 2 | . |
| Do. 2 ,, | 47,959 | 28 | | | 12 | 1 | 1 | 2 | . | 5 | 3 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 2 | 2 | . | . | 3 | . |
| Do. 3 ,, | 47,214 | 32 | | | 17 | 7 | 4 | 3 | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | 3 | 1 | 2 | 1 | 2 | . | . | 8 | 1 |
| Do. 4 ,, | 40,911 | 40 | | | 11 | 2 | 2 | . | 2 | 1 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | 1 | . | . | 3 | 1 |
| Do. 5 ,, | 17,387 | 11 | | | 10 | . | 5 | 1 | 3 | . | 1 | . | 3 | . | . | . | . | . | . | . | 1 | 3 | . | . | 2 | . | . | 1 | . |
| Do 6 ,, | 48,122 | 26 | | | 23 | 4 | 6 | 6 | 3 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | 2 | 1 | 1 | 7 | . |
| Do. 7 ,, | 1,524 | 3 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | . | | | 2 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 9 ,, | 19,569 | 28 | | | 8 | 1 | 1 | . | 1 | 2 | 3 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 1 | . | . | 3 | . |
| Do. 10 ,, | 23,064 | 27 | | | 12 | 1 | 5 | . | 1 | 2 | 3 | . | 2 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . | . | 3 | . |
| Do. 11 ,, | 34,802 | 16 | | | 9 | 3 | 2 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | 1 | 1 |
| Do. 12 ,, | 33,588 | 33 | | | 14 | 6 | 2 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | . | . | 1 | 1 | . | . |
| Do. 13 ,, | 15,006 | 10 | | | 5 | . | . | 1 | 1 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 260 | | | 131† | 28 | 29 | 18 | 17 | 14 | 25 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 | 32 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 3 | 12·2 | . | 3 | . | 1 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Do. 2 ,, | 10,701 | 8 | 9·7 | 4·9 | 2 | 2 | . | . | | | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 3 ,, | 9,978 | 7 | 10·5 | 5·2 | 2 | 1 | . | 1 | | | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 1 | 1 |
| Do. 4 ,, | 8,666 | . | 6·0 | . | 1 | . | . | . | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Do. 5 ,, | 6,592 | 3 | 31·6 | . | 4 | 1 | . | 2 | | | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 2 | . |
| Do. 6 ,, | 10,702 | 5 | 19·5 | . | 4 | 1 | . | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 7 ,, | 16,616 | 3 | 12·6 | . | 4 | . | 1 | 2 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 3 | . |
| Total, | 76,122 | 29 | 13·7 | 1·4 | 20 | 5 | 2 | 8 | | | 5 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | . | 9 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1906–7—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 29. | Jan 5. | Jan. 12. | Jan. 19 | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 12. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. |
| No. of weeks in Annual Series, | 52 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| BIRTHS registered, | 155 | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 |
| DEATHS registered, | 130 | 173 | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131† |
| Annual Death-rate per 1,000 of estimated Population, | 18·5 | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 |
| AGES: Under 1 year | 19 | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 |
| AGES: 1–5 years, | 14 | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 |
| AGES: 5–20 years, | 8 | 13 | 16 | 16 | 19 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 |
| AGES: 20–40 years, | 20 | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 |
| AGES: 40–60 years, | 33 | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 |
| AGES: 60 years and upwards, | 36 | 44 | 49 | 40 | 39 | 24 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 20 | 33 | 38 | 30 | 15 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 |
| Scarlet Fever, | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . |
| Typhus, | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 |
| Diphtheria, | 1 | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 |
| Diarrhœal Diseases, | 2 | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 |
| Pneumonia, | 16 | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 |
| Tuberculous Disease, Phthisis, | 9 | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 |
| Tuberculous Disease, Other Forms, | 3 | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 |
| Cancer, Malignant Disease, | 9 | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 |
| Diseases of Respiratory System, | 30 | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 |
| Violent Deaths, | . | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | 2 |
| Number of Uncertified Deaths, | 1 | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 |

*Formerly described as "Simple Continued Fever."

† Including 20 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | June 22, | 2,506 | 1,161 | 12·7 | . | 48 | 10 | 10 | 36 | 1 | 13 |
| EDINBURGH, | 345,747 | „ 22, | 161 | 103*a* | 15·5 | . | 2 | . | 1 | 4 | . | 3 |
| GLASGOW, | 847,584 | „ 22, | 509 | 289*a* | 17·8 | . | 4 | . | 1 | 19 | 2 | 12 |
| CALCUTTA, | 847,796 | May 4, | . | 735 | 45·0 | 47 | 4 | . | . | 2 | 44‡ | 87* |
| BOMBAY, | 977,822 | „ 21, | 324 | 681 | 36·2 | 1 | 2 | . | . | . | 66‡ | 50 |
| MADRAS, | 509,346 | „ 3, | 328 | 329 | 33·5 | 1 | 2 | ? | ? | ? | 106 | 55 |
| PARIS, | 2,750,000 | June 8, | 933 | 925 | 17·6 | 4 | 16 | 10 | 8† | 7 | 3 | 28 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 1, | 192 | 140 | 11·7 | . | . | 2 | . | . | 3 | 5 |
| ANTWERP, | 304,032 | „ 1, | 137 | 71 | 12·2 | . | 1 | . | 1† | . | . | 7 |
| AMSTERDAM, | 565,163 | „ 8, | 262 | 120 | 11·1 | . | 3 | 1 | . | . | . | 8 |
| COPENHAGEN, | 427,000 | „ 1, | 205 | 140 | 17·1 | . | 2 | . | 1† | 4 | . | 5 |
| STOCKHOLM, | 324,488 | „ 1, | 168 | 107 | 16·7 | . | . | 1 | . | 2 | . | 1 |
| CHRISTIANIA, | 226,774 | „ 8, | 146 | 60 | 13·8 | . | 1 | . | 2† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 8, | . | 707 | 24·9 | 1 | 25 | 11 | 19 | 5 | 20 | 62 |
| MOSCOW, | 1,172,421 | May 4, | . | 652 | 29·0 | 4 | 26 | 7 | 10† | 5 | 6 | 84 |
| BERLIN, | 2,092,473 | „ 25, | 921 | 624 | 15·5 | . | 8 | 3 | 4† | 3 | 2 | 62 |
| HAMBURG, | 824,792 | June 1, | . | 210 | 13·2 | . | . | 1 | 1† | 1 | . | 14 |
| BRESLAU, | 485,278 | „ 8, | . | 178 | 19·1 | . | 1 | . | . | 2 | 1 | 13 |
| MUNICH, | 548,000 | „ 8, | . | 188 | 17·8 | . | 5 | 1 | 3† | 1 | 1 | 32 |
| VIENNA (with suburbs). | 1,979,003 | „ 8, | 856 | 646 | 17·0 | . | 31 | 2 | 12† | 3 | . | 47 |
| BUDA-PESTH, | 802,235 | May 18, | 457 | 334 | 21·6 | . | 9 | 7 | 5† | 1 | 2 | 15 |
| PRAGUE and Faubourgs. | 470,906 | „ 18, | 219 | 223 | 25·7 | . | 2 | . | 3† | 1 | 1 | 31 |
| TRIESTE, | 200,962 | „ 25, | 145 | 85 | 22·1 | 1 | 3 | . | 1† | 1 | . | 3 |
| ROME, | 540,150 | Apr. 20, | 257 | 170 | 16·4 | . | . | . | . | 2 | 2 | 4 |
| VENICE, | 174,398 | May 4, | 77 | 70 | 20·9 | . | . | . | . | . | 1 | 2 |
| NEW YORK, | 4,285,435 | „ 25, | 1,988 | 1,447 | 17·6 | . | 19 | 15 | 27† | 14 | 10 | 61 |
| PHILADELPHIA, | 1,500,595 | „ 18, | . | 485 | 16·8 | . | 1 | 2 | 12† | 2 | 18 | 21 |
| BOSTON, | 602,526 | „ 25, | . | 208 | 18·0 | . | 2 | . | 5 | 2 | 1 | 1 |

*a*. Including 5 deaths from cerebro spinal meningitis in Edinburgh, and 5 in Glasgow.
* Including 35 deaths from cholera in Calcutta.
† Including deaths from croup.
‡ Exclusive of 344 deaths from plague in Calcutta, and 124 in Bombay

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd June, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 1, West, | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| " " 2, | . | . | . | . | . | . | 2 | 3 | 2 | . | . | . | 7 |
| " " 3, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Clontarf and Howth No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of). | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 |
| Finglas and Glasnevin (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | . | . | 3 | . | . | . | 3 |
| " " 2, | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | 4 |
| " " 3, | . | 8 | 1 | . | . | . | . | 1 | . | . | 1 | . | 11 |
| " " 4, | . | . | . | . | 2 | . | . | 2 | . | . | . | . | 4 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 8 | 3 | . | 3 | . | 3 | 7 | 8 | . | 1 | . | 33 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd June, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 22nd June. | | | |
|---|---|---|---|---|---|---|---|
| | June 1. | June 8. | June 15. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox. | . | . | . | . | . | . | . |
| Measles, | 96 | 101 | 91 | 25 | 50 | 1 | 65 |
| Scarlet Fever | 48 | 47 | 48 | 13 | 16 | . | 45* |
| Typhus, | 2 | 1 | 2 | 2 | . | 1 | 3 |
| Diphtheria, | 19 | 23 | 18 | 7 | 7 | 1 | 17 |
| Enteric Fever, | 19 | 19 | 23 | 4 | 1 | . | 26 |
| Pneumonia, | 45 | 39 | 33 | 15 | 11 | 5 | 32 |

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 22nd June, 1907 :—

"Clouds, showers, and high winds from westerly points made up the weather which was experienced in Dublin during this week—Sunday was the only rainless day, but the thermometer had been down to 45·1° in the screen in the course of the previous night and it fell to the same low level in the city early on Monday. On the morning of that day Birr Castle reported a minimum of 39°, and even at the Valentia Observatory, near Cahirciveen, 41° was recorded. Throughout the week, atmospheric pressure was in very unstable equilibrium over the British Isles and the Ocean as far as Iceland. It is interesting to note that the long winter in that island drew to a close in the course of this week, for at Grimstadir (an inland Icelandic station) the thermometer read 61° at 8 a.m. of Wednesday. In the Baltic the week opened with fine hot weather, Haparanda reporting 70° at 8 a.m. of Sunday and 66° at 8 a.m. of Monday. The maximum at that place (65° 52′ N. Lat.) on Saturday, June 15, was 84°. The strong winds of the period were connected with the presence of an area of relatively high barometer over the Bay of Biscay and France, while depressions chased each other in an easterly or northerly direction across Ireland, Scotland and the adjoining seas. On Thursday the baric gradients became so steep that the wind blew a fresh gale for several hours. This 'summer gale' was preceded by high, followed by low, temperatures. Heavy showers and squalls prevailed on Saturday, and so the summer solstice passed. A large sun-spot was seen at 8.15 p.m. In Dublin the mean height of the barometer was 29·878 inches, pressure varying from 30·232 inches at 9 p.m. of Sunday (wind, W.N.W.) to 29·548 inches at 6 p.m. of Sunday (wind, W.S.W.). The corrected mean temperature was 55·1°, the mean dry bulb reading at 9 a.m and 9 p.m. was 55·0°. The screened thermometers fell to 45·1° on Sunday and again on Monday. On Wednesday they rose to 64·9°. The wind blew from westerly points (between S.W. and N.W.) throughout. Rain fell on six days to the amount of ·511 inch, ·320 inch being measured on Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·880 inches. The highest reading (30·243) was on Sunday at 9 p.m., air calm, and the lowest (29·617) on Thursday at 9 a.m., wind S.S.E.

The mean temperature for the week was 52·7°, being 4·0° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 63·2°, and was lowest on Monday, the mercury having fallen to 39·4°. The mean of the Dry Bulb for the week was 53·4°, and of the Wet Bulb 49·6°. The mean humidity of the air was ·77, complete saturation being represented by 1·0. The rainfall during the week measured 0·536 inch.

At Greenwich the mean temperature for the week was 56·7°, the maximum 70·3°, and the minimum 43·1°; and at Glasgow the maximum was 63·2°, the minimum 43·2°, and the mean 52·7°. The rainfall at Greenwich measured 0·01 in.; and at Glasgow, 0·66 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, June 16, | 30·190 | 59·6 | 41·9 | 50·8 | 51·9 | 45·0 | ·60 | ·5 | 10·4 | ·000 | S.W. | Calm. |
| Monday, „ 17, | 30·111 | 62·8 | 39·4 | 51·1 | 54·8 | 49·2 | ·67 | ·6 | 8·3 | ·012 | S.W. | S.S.E. |
| Tuesday, „ 18, | 29·812 | 60·3 | 50·3 | 55·3 | 54·6 | 51·4 | ·80 | ·5 | 2·4 | ·006 | S. | S.W. |
| Wednesday, „ 19, | 29·881 | 63·2 | 48·4 | 55·8 | 55·2 | 52·4 | ·83 | ·6 | 4·1 | ·100 | S.S.W. | S. |
| Thursday, „ 20, | 29·664 | 61·4 | 47·4 | 54·4 | 54·7 | 53·3 | ·91 | ·6 | 2·6 | ·050 | S.S.E. | S.W. |
| Friday, „ 21, | 29·806 | 56·8 | 46·9 | 51·9 | 53·5 | 50·3 | ·80 | ·7 | 0·0 | ·018 | S.W. | S. |
| Saturday, „ 22, | 29·695 | 57·5 | 41·9 | 49·7 | 49·4 | 45·9 | ·78 | ·6 | 8·0 | ·350 | S.S.W. | S.W. |
| Mean, . . | 29·880 | 60·2 | 45·2 | 52·7 | 53·4 | 49·6 | ·77 | ·6 | Total 35·8 | Total ·536 | Prevailing Wind, S.W. | |

*Sunday*—Fine bright day; night clear. *Monday*—Bright a.m., cloudy p.m.; night overcast, light rain 12.20 to 1.30 a.m. *Tuesday*—Cloudy day, light showers a.m.; night cloudy. *Wednesday*—Cloudy day, light showers p.m.; night overcast, light showers at intervals. *Thursday*—Overcast, light showers a.m., cloudy, light showers p.m.: night cloudy. *Friday*—Day overcast, light showers 8.45 to 11.30 p.m.; night cloudy. *Saturday*—Cloudy day, light showers a.m., light showers, heavy hail shower p.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 22nd, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, June 16, | 55·0 | 56·0 | 53·2 | 60·3 | 44·3 | 52·3 | 10·7 | ·000 |
| Monday, „ 17, | 57·5 | 56·0 | 53·3 | 63·1 | 40·0 | 51·6 | 8·5 | ·017 |
| Tuesday, „ 18, | 60·4 | 56·9 | 53·4 | 61·6 | 51·4 | 56·5 | 2·4 | ·003 |
| Wednesday, „ 19, | 56·0 | 56·5 | 53·5 | 64·4 | 51·0 | 57·7 | 3·6 | ·024 |
| Thursday, „ 20, | 62·2 | 57·4 | 53·4 | 63·4 | 48·6 | 56·0 | 2·7 | ·080 |
| Friday, „ 21, | 55·2 | 56·7 | 53·7 | 58·7 | 48·0 | 53·4 | 0·2 | ·026 |
| Saturday, „ 22, | 56·0 | 55·9 | 53·9 | 59·5 | 45·0 | 52·3 | 8·0 | ·320 |
| Weekly Mean, . | 57·5 | 56·5 | 53·5 | 61·6 | 46·9 | 54·3 | Total 36·1 | Total ·470 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89 Abbey-street.

375. Wt. 4. 4. 1907.—17899.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 29TH JUNE, 1907. [No. 26.

*General Register Office, Charlemont House, Dublin, 1st July,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending June 8. | Week ending June 15. | Week ending June 22. | Week ending June 29. | Average Rate for 4 weeks. | Towns, &c. | Week ending June 8. | Week ending June 15. | Week ending June 22. | Week ending June 29. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 21·7 | 20·8 | 17·7 | 17·8 | 19·5 | Lisburn, | 9·1 | 4·5 | 18·2 | 9·1 | 10·2 |
| Armagh, | . | 20·6 | 6·9 | 13·7 | 10·3 | Londonderry, | 23·3 | 13·5 | 8·6 | 11·0 | 14·1 |
| Ballymena, | 14·4 | 19·2 | 14·4 | 23·9 | 18·0 | Lurgan, | 8·9 | 17·7 | . | 4·4 | 7·8 |
| Belfast, | 22·7 | 19·7 | 18·5 | 19·0 | 20·0 | Newry, | 4·2 | 8·4 | . | 8·4 | 5·3 |
| Clonmel, | 10·3 | 15·4 | 15·4 | 10·3 | 12·9 | Newtownards, | 45·8 | 22·9 | 17·2 | 28·6 | 28·6 |
| Cork, | 17·1 | 18·5 | 13·7 | 17·1 | 16·6 | Portadown, | 15·5 | 31·0 | 15·5 | 20·7 | 20·7 |
| Drogheda, | 20·4 | 8·2 | 16·3 | 4·1 | 12·3 | Queenstown | . | 33·0 | 13·2 | 19·8 | 16·5 |
| Dublin Reg. Area, | 23·9 | 24·3 | 20·8 | 19·5 | 22·1 | Sligo, | 4·8 | 62·4 | 33·6 | 4·8 | 26·4 |
| Dundalk, | 8·0 | 27·9 | 16·0 | 8·0 | 15·0 | Tralee, | 10·6 | 15·9 | 21·1 | 15·9 | 15·9 |
| Galway, | 23·3 | 3·9 | 31·1 | 31·1 | 22·3 | Waterford, | 39·0 | 21·4 | 13·6 | 13·6 | 21·9 |
| Kilkenny, | 34·3 | 14·7 | 9·8 | 19·7 | 19·6 | Wexford, | 23·3 | 23·3 | 9·3 | 4·7 | 15·2 |
| Limerick, | 16·4 | 10·9 | 10·9 | 17·8 | 14·0 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 0·8 per 1,000, the rates varying from 0·0 in eighteen of the districts to 4·2 in Newry, one of the 2 deaths registered in that district being from typhus. Among the 135 deaths from all causes registered in Belfast are one from scarlet fever, one from diphtheria, 3 from diarrhœal diseases, 4 from cerebro-spinal fever, and 2 returned as from *cerebro-spinal meningitis;* and one of the 13 deaths from all causes registered in Limerick is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 279—141 boys and 138 girls; and the deaths to 152—83 males and 69 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 20·3 in every 1,000 of the population; omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 19·5 per 1,000. During the twenty-six weeks ending with Saturday last the death-rate averaged 27·4, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The total number of deaths (152) registered included one from measles, 8 from whooping-cough, and 2 deaths from diarrhœal diseases. In each of the 3 preceding weeks,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10-18 of Table II.

deaths from measles were 6, 3, and 9; deaths from whooping-cough were 4, 8, and 5; and deaths from diarrhœal diseases were 0, one, and 3. There were also 2 deaths from cerebro-spinal fever and 2 deaths from influenza, such deaths being, respectively, 0, 5, and 2 and 6, 3, and 0 in each of the 3 preceding weeks.

There were 12 deaths from pneumonia, namely:—3 from lobar pneumonia, 4 from broncho-pneumonia, and 5 returned as from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease numbered 36, as against 32, 38, and 43 in each of the 3 weeks preceding. The 36 deaths included 17 from tuberculous phthisis, 8 returned as from *phthisis*, 5 from tuberculous meningitis, and 6 deaths from other forms of the disease.

There were 4 deaths from cancer (undefined).

Prematurity caused the deaths of 4 infants.

Of 15 deaths from diseases of the brain and nervous system 4 were from meningitis and 5 (infants under one year of age) were from *convulsions*.

Diseases of the heart and blood vessels accounted for 24 of the deaths registered, and 7 deaths were due to bronchitis.

Of 5 deaths attributed to accidental causes, one was on a railway, 2 were by vehicles and horses, and one (of a child under 5 years of age) was caused by scalds.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year of age and the death of a person aged 70 years.

Forty-seven of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 10 were under one month old), and 31 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 6 were octogenarians.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the N. Dublin Union Workhouse, 19 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·5 per 1,000; the rate in the City was 21·1 (North City Districts, 17·6; South, 24·9), and in the Suburbs, 13·9 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·6 (0·7 in the North City Districts, and 2·5 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·4 per 1,000. The deaths included one from tuberculous phthisis, one from respiratory disease, and 2 accidental deaths.

*No. 1 North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000, and include one death from *diarrhœa*, one death from lobar pneumonia, and 5 deaths from tuberculous disease.

*No. 2 North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. Among the deaths there was one from broncho-pneumonia, there were 4 from tuberculous disease, and one death from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·9 per 1,000. Lobar pneumonia and *pneumonia* (not defined) each caused one death, there was one death from tuberculous disease, there was one death from bronchitis, and there was also one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 23·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. The 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from influenza, one from epidemic diarrhœa, and one from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (20) represent an annual rate of 26·1 per 1,000. There was one death from lobar pneumonia, *pneumonia* (not defined) caused 2 deaths, *phthisis* caused one death, and there were 2 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 27·9 per 1,000. Whooping-cough caused 3 deaths; there was one death from tuberculous phthisis, and one death from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·5 per 1,000. There were 2 deaths from cerebro-spinal fever, whooping-cough caused 3 deaths, broncho-pneumonia and *pneumonia* (not defined) each caused one death, tuberculous disease caused 4 deaths, respiratory disease caused one death, and one death was due to an accident.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. The deaths include one from whooping-cough, 5 from tuberculous disease of the lungs, one death from bronchitis, and one death from an accident.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of the 3 deaths registered one was from tuberculous phthisis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·7; Pembroke, 20·6; Blackrock, 11·9; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and one from whooping-cough for Pembroke. The 8 deaths from all causes for Rathmines and Rathgar include 3 from tuberculous disease and one from bronchitis. Amongst the 11 deaths from all causes for Pembroke are 3 from all forms of pneumonia and 3 from tuberculous phthisis. Of the 2 deaths from all causes for Blackrock one was from influenza and one from tuberculous phthisis, and the 3 deaths from all causes for Kingstown included 2 from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 29th June, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | June 8, | . | — | — | 4 | . | . | 7 | . | 1 | 5 | 17 | . | — | — | 1 | — | — | 35 |
| | June 15, | . | — | — | 5 | 1 | . | 4 | . | 1 | 4 | 10 | . | — | — | 2 | — | — | 27 |
| | June 22, | . | — | — | 8 | 3 | . | 3 | . | 3 | 7 | 8 | . | — | — | 1 | — | — | 33 |
| | June 29, | . | — | — | 8 | 1 | . | 6 | . | 1 | 9 | 13 | . | — | — | . | — | — | 38 |
| Rathmines and Rathgar Urban District. | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| | June 15, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | 2 | — | — | 3 |
| | June 22, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| Pembroke Urban District. | June 8, | . | 44 | . | 2 | . | . | 3 | . | . | . | . | . | — | 13 | . | — | — | 62 |
| | June 15, | . | 54 | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 58 |
| | June 22, | . | 47 | . | . | . | . | . | . | . | 1 | . | . | — | 8 | . | — | — | 56 |
| | June 29, | . | 23 | . | . | . | . | . | . | . | . | 2 | . | — | 15 | . | — | — | 40 |
| Blackrock Urban District. | June 8, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | June 15, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | June 22, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 1 |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | June 8, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 15, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 22, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | June 8, | . | — | — | 12 | . | . | 2 | 1 | 6 | 11 | 10 | . | — | — | 13 | — | — | 55 |
| | June 15, | . | — | — | 9 | . | . | . | . | 6 | 5 | 2 | 1 | — | — | 17 | — | — | 40 |
| | June 22, | . | — | — | 9 | . | . | 3 | 1 | 11 | 8 | 6 | 1 | — | — | 16 | — | — | 55 |
| | June 29, | . | — | — | 9 | . | . | 1 | . | 2 | 1 | 10 | . | — | — | 11 | — | — | 34 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ıblin Hospitals during the week ended 29th June, 1907.

From this it appears that :—

Eighteen cases of measles were admitted into hospital during the week, 20 were discharged, ere was one death, and 62 cases remained under treatment at its close. At the close of ch of the three preceding weeks the cases of measles under treatment numbered 101, and 65.

Twelve cases of scarlet fever were admitted to hospital, 6 were discharged, and 51* cases nained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, one was discharged, and ases remained under treatment at the close of the week.

Six cases of diphtheria were admitted to hospital, 4 were discharged, and 19 patients nained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital during the week, 4 were discharged, d 30 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, vere discharged, there were 2 deaths, and 33 cases remained under treatment at the end he week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 12·5), was equal to an average annual death-rate of 12·5 per 1,000 persons living, average rate for 8 principal towns of Scotland was 15·0 per 1,000, the rate for Glasgow ng 15·9 and for Edinburgh 14·3.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th e. From this Report it appears that of a total of 61 cases notified 22 were diphtheria, 16 scarlet fever, teric fever, and 4 erysipelas. Among the 404 cases of infectious diseases in hospital at the close of week were 124 cases of scarlet fever, 85 of measles, 55 of whooping-cough, 47 of diphtheria, 2 of nbranous croup, 13 of enteric fever, and 12 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 29th June, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 29th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 22nd June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 15th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 32·4 | 17·8 | 0·8 | 695 | 381 | 75 | 88 | . | 1 | 1 | 1 | 9 | 1 | . | . | 5 | 38 | 63 | 22 | 16 | 29 | 6 | 11 | 116 | 20 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 37·2 | 19·5 | 1·5 | 279 | 146 | 24 | 30 | . | 1 | . | . | 8 | . | . | . | 2 | 12 | 24 | 9 | 3 | 9 | 5 | 5 | 59 | 5 | f63·1 | 40·4 | 51·8 | 0·52 | f63·2 | 39·4 | 52·7 | 0·54 | f64·0 | 44·9 | 54·6 | 0·83 |
| City of Dublin, | 290,850 | 38·0 | 45·1 | 21·1 | 1·6 | 260 | 122 | 23 | 23 | | | | | 7 | | | | 2 | 9 | 17 | 7 | 2 | 8 | 5 | 5 | 54 | 5 | g65·1<br>h63·8 | 43·0<br>40·6 | 53·5<br>52·2 | 0·53<br>0·57 | g61·9<br>h63·8 | 43·1<br>40·0 | 55·1<br>53·3 | 0·51<br>0·62 | g65·2<br>h64·0 | 50·2<br>46·0 | 56·7<br>55·9 | 0·51<br>0·47 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 10·3 | 11·7 | . | 7 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 9·4 | 20·6 | 3·7 | 5 | 11 | 1 | 3 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 6·0 | 11·9 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 8·9 | . | 6 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . | 66 | 46·5 | 54·3 | 0·02 | 64 | 46·5 | 55·4 | 0·33 | 65 | 46·5 | 57·0 | 0·52 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 29·3 | 19·0 | 0·7 | 208 | 135 | 26 | 28 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 4 | 31 | 2 | 60·5 | 42·0 | 52·3 | 1·26 | 63·5 | 42·5 | 53·6 | 1·22 | 63·0 | 45·0 | 54·8 | 0·74 |
| Cork, | 76,122 | 33·6 | 32·9 | 17·1 | . | 48 | 25 | 7 | 7 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 1 | 8 | 3 | 61 | 42 | 52·4 | 0·57 | 60 | 43 | 53·3 | 0·46 | 59 | 50 | 54·6 | 1·03 |
| Londonderry, | 42,475 | 19·6 | 24·6 | 11·0 | . | 20 | 9 | 2 | 3 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 50·6 | 17·8 | 1·4 | 37 | 13 | 7 | 2 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 23·4 | 13·6 | . | 12 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 19·4 | 31·1 | . | 5 | 8 | 2 | 3 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 | . | . | . | 3 | 1 | 61 | 42 | 53 | 1·22 | 62 | 43 | 51·3 | 0·79 | 63 | 43 | 57 | 0·98 |
| Dundalk, | 18,076 | 3·4 | 47·9 | 8·0 | . | 12 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | . | 4·1 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 25·2 | 8·4 | 4·2 | 6 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 |
| Lurgan, | 11,782 | 13·8 | 13·3 | 4·4 | . | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 |
| Lisburn, | 11,461 | 10·1 | 31·8 | 9·1 | . | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 |
| Wexford, | 11,168 | 23·2 | 28·0 | 4·7 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 43·1 | 23·9 | . | 9 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 24·0 | 4·8 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 60·5 | 40·0 | 51·0 | 1·18 | 63·5 | 37·0 | 52·0 | 1·42 | 64·5 | 46·5 | 55·3 | 1·73 |
| Kilkenny, | 10,609 | 11·5 | 29·5 | 19·7 | . | 6 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 64 | 37 | 52 | 0·67 | 65 | 39 | 54·3 | 0·50 | 64 | 49 | 55·1 | 1·19 |
| Clonmel, | 10,167 | 7·8 | 36·8 | 13·3 | . | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 36·2 | 20·7 | . | 7 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 |
| Tralee, | 9,867 | 16·6 | 68·4 | 15·9 | . | 12 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 5·7 | 28·6 | . | 1 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | 2 | 63 | 41 | 51·1 | 1·00 | 63 | 43 | 51·9 | 1·12 | 64 | 44 | 53·5 | 0·62 |
| Queenstown, | 7,909 | 14·4 | 13·2 | 19·8 | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 61 | 41 | 52·4 | 0·57 | 60 | 42 | 53·8 | 0·46 | 59 | 50 | 54·6 | 1·03 |
| Armagh, | 7,588 | 22·2 | 27·5 | 13·7 | . | 4 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 | 64·2 | 47·4 | 55·4 | 1·36 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 6 deaths of persons (including one at 60 years) admitted to hospital from localities outside the area [illegible] Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 29th June, 1907, with the number of uncertified deaths: also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN (part of). | GLASNEVIN (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| A. GENERAL DISEASES: | | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | . | 1 | . | . | 8 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Pneumonia, | . | 1 | 1 | 2 | . | . | . | . | 3 | . | 2 | . | . | . | 3 | . | . | 12 | . |
| Tuberculous Disease. { Phthisis, | 1 | 3 | 1 | . | . | 1 | . | . | 1 | 1 | 3 | 5 | 1 | 1 | 3 | 1 | 2 | 24 | 1 |
| Tuberculous Disease. { Other Forms. | . | 2 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 9 | 2 |
| Cancer, Malignant Disease. | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 3 | 1 |
| Other General Diseases | . | 2 | 1 | 1 | . | 2 | . | . | 1 | . | 3 | 2 | . | . | . | 1 | . | 13 | . |
| Total, | 1 | 9 | 6 | 5 | . | 4 | . | . | 5 | 4 | 13 | 8 | 1 | 3 | 9 | 2 | 2 | 72 | 4 |
| B. LOCAL DISEASES: | | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | 2 | . | 1 | 3 | . | 1 | . | . | 3 | 1 | 1 | . | . | 1 | . | . | 1 | 14 | 1 |
| Diseases of { Organs of Special Sense. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Heart and Blood Vessels | 2 | 2 | 2 | 1 | . | . | . | . | 4 | 1 | 3 | 5 | . | 2 | 2 | . | . | 24 | . |
| Diseases of { Respiratory System, | 1 | . | 1 | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 | . | . | . | 9 | . |
| Diseases of { Digestive System, | . | 1 | 1 | 2 | . | . | . | . | 3 | . | . | . | 1 | . | . | . | . | 9 | . |
| Diseases of { Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Urinary System, | . | 1 | 2 | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . | . | . | 7 | 1 |
| Diseases of { Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 4 | 7 | 7 | . | 1 | . | . | 13 | 5 | 5 | 7 | 1 | 5 | 2 | . | 1 | 63 | 2 |
| C. OTHER SPECIFIED DISEASES | . | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. CAUSES ILL-DEFINED AND NOT SPECIFIED, | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 1 | . | . | . | . | 6 | . |
| E. VIOLENT DEATHS, | 2 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 5 | . |
| **Deaths from all Causes,** | 8 | 13 | 13 | 13 | . | 5 | . | . | 20 | 11 | 19 | 17 | 3 | 8 | 11 | 2 | 3 | 146 | 6 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 14·4 | 17·3 | 22·5 | 20·9 | . | 23·7 | . | . | 26·1 | 27·9 | 23·5 | 25·2 | 17·6 | 11·7 | 20·6 | 11·9 | 8·9 | 19·5 | . |
| | 17·6 | | | | | | | | 24·9 | | | | | 13·9 | | | | | |
| | 21·1 | | | | | | | | | | | | | | | | | | |
| Ages at Death. { Under 1 year, | 1 | 2 | 2 | 2 | . | 3 | . | . | 3 | 5 | 2 | 2 | 1 | . | 1 | . | . | 24 | . |
| Ages at Death. { 1 and under 5 years, | 1 | 2 | 4 | 1 | . | . | . | . | 1 | 2 | 7 | 2 | . | . | 3 | . | . | 23 | . |
| Ages at Death. { 5 ,, 20 ,, | . | 1 | 1 | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 | . | 10 | 1 |
| Ages at Death. { 20 ,, 40 ,, | 3 | 2 | 2 | . | . | 1 | . | . | 3 | 2 | 2 | 5 | 1 | 2 | 1 | . | 2 | 26 | 2 |
| Ages at Death. { 40 ,, 60 ,, | 2 | 4 | 2 | 4 | . | 1 | . | . | 5 | 1 | 6 | 4 | . | 2 | 1 | . | 1 | 33 | 2 |
| Ages at Death. { 60 and upwards, | 1 | 2 | 2 | 4 | . | . | . | . | 8 | 1 | 1 | 3 | 1 | 3 | 3 | 1 | . | 30 | 1 |
| Number of Uncertified Deaths, | 1 | . | . | . | . | . | . | . | . | 3 | . | 1 | . | . | . | . | . | 5 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 2 | 3 | 3 | . | . | . | . | 3 | 1 | 5 | 4 | . | 1 | 2 | . | . | 27 | 6 |
| Workhouse Hospitals, | 2 | 4 | 4 | 2 | . | . | . | . | 7 | 2 | 3 | 5 | 1 | . | 1 | . | 1 | 32 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 26th Week of the 10 years 1897-1906. | In the Week ending Satur 29th June, 1907. Deaths of Persons of the Ag | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 3, 1897. | July 2, 1898. | July 1, 1899. | June 30, 1900. | June 29, 1901. | June 28, 1902. | July 4, 1903. | July 2, 1904. | July 1, 1905. | June 30, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 60·6 | ° 56·5 | ° 59·2 | ° 55·7 | ° 56·1 | ° 60·6 | ° 59·2 | ° 54·8 | ° 60·1 | ° 56·6 | ° 57·9 | ° 51·8 | | | | | |
| **ALL CAUSES.** | 136 | 146 | 154 | 144 | 135 | 149 | 127 | 126 | 116 | 125 | 135·8 | 152 | 10 | 14 | 23 | 11 | 28 |
| Small-pox, ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . |
| Cowpox, ... . ... | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 2 | . | . | . | . | 3 | 3 | 2 | 2 | . | 1·2 | 1 | . | 1 | . | . | . |
| Scarlet Fever, ... ... | 2 | 2 | 1 | . | 1 | 2 | . | 2 | . | . | 1·0 | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 2 | 3 | 2 | 1 | 1 | . | . | 1 | 3 | 1·4 | 2 | . | . | . | . | . |
| Whooping-cough, ... ... | 1 | 1 | 5 | 2 | 3 | . | . | 1 | 1 | 1 | 1·5 | 8 | . | 2 | 6 | . | . |
| Diphtheria, ... ... | 4 | 1 | 1 | . | 1 | . | . | 1 | 1 | . | ·9 | . | . | . | . | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | . | 4 | 1 | . | 1 | 4 | . | . | 1 | 2 | 1·3 | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 3 | 3 | 1 | . | . | . | . | 1 | 1 | 1·6 | 1 | 1 | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | . | 1 | 1 | 1 | 1 | | 1 | . | . | . | . | 1 |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | 1 | . | 1 | . | . | . | 1 | . | ·3 | 1 | . | 1 | . | . | . |
| Puerperal Septicæmia, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . |
| Puerperal Pyæmia, | . | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | 1 | . | . | . | 1 | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | | | | | | 2 | . | . | 1 | . | | 3 | . | . | . | 1 | 2 |
| Pneumonia, Broncho- | 6 | 11 | 13 | 13 | 6 | 3 | 5 | 4 | 2 | 1 | 9·2 | 4 | . | . | 3 | . | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 6 | 4 | 3 | 9 | 3 | | 5 | . | . | 1 | . | 1 |
| Erysipelas, ... ... | 1 | . | 2 | . | 2 | 2 | . | 1 | . | . | ·8 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | 1 | 1 | 2 | 1 | . | . | . | ·6 | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | 1 | . | 1 | . | . | . |
| Tuberculous Phthisis, | 15 | 34 | 23 | 21 | 17 | 2 | 4 | 3 | 6 | 7 | 19·3 | 17 | . | . | 2 | 3 | 7 |
| "*Phthisis*," ... | | | | | | 13 | 13 | 11 | 10 | 14 | | 8 | . | . | 1 | 1 | 3 |
| Tuberculous Meningitis, ... | 6 | 7 | 4 | 7 | 4 | 5 | 4 | 2 | 3 | 4 | 4·6 | 5 | . | . | 1 | 2 | 2 |
| Tuberculous Peritonitis, | 4 | 4 | 4 | 1 | 6 | . | . | . | 1 | 1 | 2·4 | . | . | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | 2 | . | 1 | . | | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 1 | 7 | . | 4 | 1 | 6 | 3 | 10 | 3 | 4 | 4·0 | 6 | . | . | 3 | 1 | 1 |
| *Scrofula*, ... ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . |
| Alcoholism, ... ... | . | 1 | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | . | 1 | . | . | . | . | . | 2 | . | . | ·3 | . | . | . | . | . | . |
| Gout, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | | | | | | 1 | 3 | . | 2 | 5 | | . | . | . | . | . | . |
| Sarcoma, ... ... | 5 | 7 | 5 | 8 | 6 | 1 | . | . | . | . | 6·2 | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 1 | 6 | 2 | 3 | 7 | | 4 | . | . | . | . | 2 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . |
| Premature Birth, ... | 4 | 6 | . | 2 | 2 | 8 | 2 | 6 | 2 | 1 | 3·3 | 4 | 4 | . | . | . | . |

* The figures for the years 1897-1900 a
† Formerly describ

r-SIXTH WEEK ending Saturday, 29th June, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: July 3, 1897. | July 2, 1898. | July 1, 1899. | June 30, 1900. | June 29, 1901. | June 28, 1902. | July 4, 1903. | July 2, 1904. | July 1, 1905. | June 30, 1906. | Averages in 26th Week of the 10 years 1897-1906. | In the Week ending Saturday, 29th June, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5: Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ean Temperature. | ° 60·6 | ° 56·5 | ° 59·2 | ° 55·7 | ° 56·1 | ° 60·6 | ° 59·2 | ° 54·8 | ° 60·1 | ° 56·6 | ° 57·9 | ° Mean Temp. 51·8 | | | | | | | | |
| gitis (not tuberc.) ... | | | | | | 5 | 2 | 6 | 1 | 3 | | 4 | . | 1 | 1 | 2 | . | . | . | . |
| ity, G. P. of Insane ... | | | | | | 1 | 1 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| psy ... | | | | | | 1 | 1 | 1 | 4 | . | | . | . | . | . | . | . | . | . | . |
| *lsions* ... | | | | | | 5 | 7 | 3 | 4 | 3 | | 5 | 1 | 4 | . | . | . | . | . | . |
| notor Ataxy ... | | | | | | . | . | . | 1 | . | | 1 | . | . | . | . | 1 | . | . | . |
| legia Dis. of Cord ... | | | | | | . | 3 | . | 3 | 1 | | 2 | . | . | . | . | 1 | . | 1 | . |
| us System (other | | | | | | 1 | 1 | 2 | 4 | 3 | | 2 | . | . | . | . | . | 1 | 1 | . |
| ) | 29 | 19 | 37 | 34 | 30 | | | | | | 31·3 | | | | | | | | | |
| Dis., Endocarditis | | | | | | 1 | 6 | 4 | 3 | 3 | | 8 | . | . | . | 1 | 1 | 2 | 4 | . |
| r. Hæm. Thromb. | | | | | | 3 | 2 | 1 | 1 | 2 | | 1 | . | . | . | . | . | . | 1 | . |
| *xy, Hemiplegia* ... | | | | | | 2 | 5 | 6 | 4 | 5 | | 3 | . | . | . | . | . | 1 | 1 | 1 |
| ysm ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| lism, Thromb. (not | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| bral) | | | | | | | | | | | | | | | | | | | | |
| and Blood Vessel Dis. | | | | | | 15 | 13 | 10 | 7 | 3 | | 12 | . | . | . | . | 1 | 4 | 5 | 2 |
| (not Spasm. nor | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| nb.) | | | | | | | | | | | | | | | | | | | | |
| hitis ... | 12 | 10 | 10 | 13 | 15 | 12 | 12 | 13 | 5 | 3 | 10·5 | 7 | . | . | 2 | . | . | 2 | 2 | 1 |
| na, Emphysema ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| sy ... | 5 | . | 2 | 3 | 1 | . | 1 | . | . | . | 2·1 | 1 | . | . | . | . | 1 | . | . | . |
| ratory Dis. (other) ... | | | | | | 2 | 3 | . | 2 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| litis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| tis (not Epid.) ... | | 1 | . | 2 | . | . | 1 | 1 | . | 1 | ·9 | 2 | . | 1 | . | . | 1 | . | . | . |
| *Enteritis* ... | . | | | | | . | . | 1 | . | 2 | | . | . | . | . | . | . | . | . | . |
| *itis* (not Puerp.) ... | 2 | . | 1 | . | . | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . | . | . |
| sis of Liver ... | | | | | | 2 | . | 2 | 1 | . | | . | . | . | . | . | . | . | . | . |
| Dis. (other) ... | 3 | . | 4 | 2 | 3 | . | . | . | . | 3 | 2·0 | 1 | . | . | . | . | 1 | . | . | . |
| ive Dis. (other) ... | 5 | 1 | 2 | 4 | 4 | 5 | . | 4 | 7 | 6 | 3·8 | 6 | . | 1 | . | 1 | 1 | 1 | 2 | . |
| itis, Acute ... | | | | | | 2 | 1 | 1 | . | 5 | | 3 | . | . | 1 | . | 1 | 1 | . | . |
| 's Dis., Albuminuria | 2 | 2 | 5 | 5 | 4 | 1 | 1 | 6 | 1 | 5 | 4·4 | 3 | . | . | . | . | 2 | 1 | . | . |
| ry Sys. (Other Dis.) | | | | | | . | . | 1 | . | 2 | | 2 | . | . | . | . | . | . | 2 | . |
| ative Organs Dis. ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| *ge* ... | 4 | 6 | 11 | 3 | 8 | 7 | 4 | 1 | 6 | 4 | 5·4 | 2 | . | . | . | . | . | . | 1 | 1 |
| Diseases ... | 14 | 13 | 13 | 10 | 14 | 15 | 6 | 7 | 7 | 6 | 10·5 | 6 | 4 | 1 | . | . | . | . | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ilways ... | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | . | . | 1 | . |
| hicles and Horses ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | 2 | . | . | . | . | . | 2 | . | . |
| ps, Boats, Docks (ex- | | | | | | | | | | | | | | | | | | | | |
| ive of Drowning) ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| lding Operations ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | . | . | . | 1 | . | 1 | . | 3 | 1 | . | ·6 | 1 | . | . | 1 | . | . | . | . | . |
| owning ... | . | . | . | 2 | . | 1 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| ffocation in Bed ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| oison or Poisonous | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ours | | | | | | | | | | | | | | | | | | | | |
| Deaths by Accident | 4 | 2 | 2 | 1 | 2 | 1 | 2 | . | 1 | . | 1·5 | 1 | . | . | . | . | 1 | . | . | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| cide ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| e ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| tion ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

stration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. |
| No. of weeks in Annual Series. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| BIRTHS registered, | 226 | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 210 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 |
| *Average Births in corresponding week of previous 10 years,** | 213 | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 |
| DEATHS registered, | 246 | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 |
| Annual Death-rate per 1,000, | 32·8 | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 |
| *Average Deaths in corresponding week of previous 10 years,** | 216 | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 |
| AGES, Under 5 years, | 68 | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 50 | 62 | 70 | 74 | 71 | 90 | 73 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 |
| 5—20 ,, | 13 | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 |
| 20—40 ,, | 26 | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 |
| 40—60 ,, | 59 | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 41 | 27 | 35 |
| 60—80 ,, | 65 | 57 | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 |
| 80 years and upwards, | 15 | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 |
| Scarlet Fever | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Typhus, | . | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough, | 7 | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 |
| Diphtheria, | . | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . |
| Diarrhœal Diseases, | 9 | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 |
| Pneumonia, | 23 | 20 | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 |
| Tuberculous Phthisis, | 24 | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 31 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 |
| Disease. Other Forms, | 6 | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 13 | 14 | 11 |
| Cancer, Malignant Disease, | 8 | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 |
| Diseases of Heart and Blood Vessels, | 33 | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 32 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 |
| Diseases of Respiratory System, | 38 | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 31 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 |
| Violent Deaths, | 7 | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 |
| Number of Uncertified Deaths, | 16 | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 |
| Mean Temperature of the Air (Phœnix Park), | 39·4 | 43·7 | 43·0 | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 4[illegible]·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 53·9 | 52·7 | 54·6 | 52·7 | 51·8 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 42·1 | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 |
| Rainfall in inches, | ·423 | ·026 | ·000 | ·083 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·773 | ·035 | ·187 | ·488 | 1·585 | ·825 | ·536 | ·515 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·88 | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·74 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·88 | ·77 | ·83 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES AND EIGHTEEN GROUPS THE OCCUPATIONS OR SOCIAL POSITION OF THE PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th June, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 29TH JUNE, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (18) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 21·1 | 152 | 47 | 11 | 28 | 35 | 15 | 6 | . | 1 | . | . | 8 | . | . | . | 2 | 11 | 12 | 25 | 11 | 4 | 5 | 9 | 5 | 70 | 5 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 9·0 | 3 | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| II. | MIDDLE CLASS, | 87,188 | 12·6 | 21 | 2 | 3 | 6 | 3 | 4 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 6 | 1 | 1 | . | 2 | . | 9 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 13·2 | 28 | 10 | 1 | 10 | 4 | 2 | 1 | . | . | . | . | 3 | . | . | . | . | 3 | 2 | 4 | 3 | 2 | 1 | . | 2 | 11 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 32·5 | 68 | 31 | 6 | 7 | 18 | 6 | . | . | 1 | . | . | 5 | . | . | . | 1 | 7 | 8 | 7 | 6 | . | 4 | 5 | 3 | 28 | 5 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 32 | 4 | 1 | 5 | 9 | 12 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 7 | 1 | 1 | . | 2 | . | 20 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 13·4 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,366 | 6·2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 9·5 | 4 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 6·9 | 4 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 1 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | 1 | . | 1 | 2 | 4 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 | . | 1 | . | 5 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 21·1 | 4 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 8·7 | 5 | 3 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | 1 | . | . | . | 1 | 1 | . |
| | 10. Clothing Trades, | 23,260 | 6·7 | 3 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 20·6 | 12 | 2 | 1 | 6 | 3 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 3 | . | 2 | . | . | 1 | 4 | . |
| | 13. Petty Shopkeepers, | 7,894 | 19·8 | 3 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 11·7 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| | 15. Domestic Servants, | 36,603 | 2·8 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 1 | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 33·7 | 58 | 28 | 6 | 5 | 13 | 6 | . | . | 1 | . | . | 5 | . | . | . | 1 | 7 | 7 | 6 | 6 | . | 4 | 4 | 1 | 23 | 5 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 32 | 4 | 1 | 5 | 9 | 12 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 7 | 1 | 1 | . | 2 | . | 20 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | May 11, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 |
| | „ 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . | 2 |
| | „ 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| | „ 8, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | 1 |
| | „ 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . | 1 |
| | „ 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | May 11, | 25·3 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 4 | 2 | 1 |
| | „ 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . | . |
| | „ 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 3 | 2 | 1 | 4 | 1 | . |
| | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 | 1 |
| | „ 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | . |
| | „ 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . |
| **North City, No. 2.** (*Offices, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | May 11, | 32·9 | 1·7 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | 1 |
| | „ 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . | . |
| | „ 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . | . |
| | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 | 1 |
| | „ 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . |
| | „ 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 |
| | „ 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | May 11, | 19·3 | 4·8 | 12 | . | 2 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . | 1 |
| | „ 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 | 1 |
| | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . | . |
| | „ 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . | . |
| | „ 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . | . |
| | „ 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . | . |
| | „ 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | May 11, | 37·8 | 1·3 | 29 | . | . | . | . | 1 | . | . | . | . | 2 | 4 | 3 | 1 | 6 | 1 | . |
| | „ 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . | 1 |
| | „ 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | 1 | . | . | 1 | 3 | 3 | 1 | 2 | 1 | . |
| | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | 1 | . | . | . | 4 | 2 | 1 | 6 | . | 1 |
| | „ 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . | . |
| | „ 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . | 2 |
| | „ 22, | 33·9 | 2·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . | . |
| | „ 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . | . |
| **South City, No. 2.** (*Offices, Castle-street.*) Pop. in 1907 (Est.) 20,589. | May 11, | 35·5 | 7·6 | 14 | . | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | . | 2 |
| | „ 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . | . |
| | June 1, | 12·7 | 2·5 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| | „ 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . |
| | „ 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . | 3 |
| **South City, No. 3.** (*Offices, Peter-street.*) Pop. in 1907 (Est.) 42,209. | May 11, | 23·5 | 1·2 | 19 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | 5 | . | 2 |
| | „ 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | 1 |
| | „ 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . | . |
| | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . | . |
| | „ 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 | . |
| | „ 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . | 1 |
| | „ 22, | 17·3 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . | . |
| | „ 29, | 23·5 | 3·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 | . |
| **South City, No. 4.** (*Offices, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | May 11, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 | . |
| | „ 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . | . |
| | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 | . |
| | „ 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 | . |
| | „ 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . | 1 |
| | „ 22, | 43·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | 2 | 3 | . | . |
| | „ 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 | 1 |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | May 11, | 16·1 | 1·5 | 11 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 18, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| | „ 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| | June 1, | 19·0 | 2·9 | 13 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| | „ 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| | „ 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| | „ 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| | „ 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | May 11, | 20·6 | 5·6 | 11 | . | . | . | . | 3 | . | . | . | . | 2 | . | . | . | . | 1 | . |
| | „ 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| | „ 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | „ 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| | „ 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 29, | 20·6 | 3·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | May 11, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| | „ 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| | June 1, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| | „ 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| | „ 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | „ 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | May 11, | 24·5 | 0·7 | 174 | . | 2 | . | . | . | . | . | 2 | 1 | 16 | 26 | 11 | 4 | 14 | 3 | 4 |
| | „ 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 3 |
| | „ 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| | „ 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| | „ 15, | 19·7 | 1·3 | 140 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| | „ 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| | „ 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 2 |
| **Cork.** Pop. (in 1901) 76,122. | May 11, | 19·9 | 1·4 | 29 | . | . | . | . | 2 | . | . | . | . | 1 | 9 | . | . | 2 | . | . |
| | „ 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 5 | . | 2 |
| | „ 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 5 | . | 1 |
| | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| | „ 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| | „ 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| | „ 22, | 13·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | . |
| | „ 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | May 11, | 16·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 3 | . | . |
| | „ 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| | „ 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 8, | 23·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| | „ 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 22, | 8·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | May 11, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 2 |
| | „ 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| | „ 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| | „ 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| | „ 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| | „ 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | May 11, | 25·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 1 | 1 |
| | „ 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |
| | „ 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | „ 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |
| | „ 22, | 13·6 | 1·9 | 7 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 29th June, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 2 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 5 | 1 | 1 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 1 | . | 1 |
| Do. 2 ,, | 47,959 | 26 | | | 18 | 1 | 1 | 1 | 2 | 9 | 4 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | 2 | 2 | . | . | 5 | . |
| Do. 3 ,, | 47,214 | 17 | | | 15 | 4 | 2 | 1 | 3 | 2 | 3 | . | . | . | . | . | . | . | . | 1 | 4 | 2 | . | 1 | 2 | . | . | 2 | . |
| Do. 4 ,, | 40,911 | 26 | | | 10 | 4 | 1 | 1 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | 1 | 6 | 1 |
| Do. 5 ,, | 17,887 | 14 | | | 9 | 2 | 3 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | 1 | . | . | . | . |
| Do 6 ,, | 48,122 | 18 | | | 18 | 3 | 2 | 2 | 4 | 3 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | . | 1 | . | . | 8 | . |
| Do. 7 ,, | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 11 | | | 7 | 3 | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 1 | 2 | . |
| Do. 10 ,, | 28,064 | 22 | | | 19 | 3 | 6 | 1 | 3 | 3 | 3 | . | . | . | . | . | 1 | . | . | . | 5 | 6 | 1 | 1 | 1 | . | 1 | 3 | . |
| Do. 11 ,, | 34,802 | 27 | | | 12 | 1 | 2 | 1 | 2 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | 3 | . |
| Do. 12 ,, | 33,588 | 23 | | | 15 | 4 | 3 | 4 | 1 | 1 | 2 | . | . | 1 | . | . | . | . | . | . | 3 | 2 | 1 | . | 1 | . | . | 2 | . |
| Do. 13 ,, | 15,006 | 20 | | | 7 | . | . | 2 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 208 | | | 135† | 26 | 21 | 17 | 18 | 25 | 28 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 13 | 9 | 7 | 13 | . | 4 | 31 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT | 12,867 | 9 | 16·2 | . | 4 | 1 | . | | . | | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Do. 2 ,, | 10,701 | 6 | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 3 ,, | 9,978 | 9 | 10·5 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 4 ,, | 8,666 | 8 | 24·1 | . | 4 | 1 | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Do. 5 ,, | 6,592 | 6 | 7·9 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 6 ,, | 10,702 | 2 | 29·2 | . | 6 | 3 | . | | 1 | | 2 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | | . | 1 | 1 | . | 3 |
| Do. 7 ,, | 16,616 | 8 | 25·1 | . | 8 | 2 | . | | 6 | | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | 4 | . |
| Total, | 76,122 | 48 | 17·1 | . | 25 | 7 | . | | 11 | | 7 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 1 | 8 | 3 |

* Formerly described as "Simple Continued Fever."

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan 5. | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13 | Apr. 20. | Apr. 27. | May 4. | May. 11. | May. 18. | May. 25 | June 1. | June 8. | June 15. | June 22. | June 29. |
| No. of weeks in Annual Series, | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| BIRTHS registered, | 263 | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 161 | 207 | 200 | 276 | 248 | 272 | 239 | 198 | 256 | 218 | 260 | 208 |
| DEATHS registered, | 173 | 166 | 168 | 163 | 147 | 198 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135† |
| Annual Death-rate per 1,000 of estimated Population, | 24·4 | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 |
| AGES — Under 1 year | 34 | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 |
| 1–5 years, | 15 | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 |
| 5–20 years, | 13 | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 23 | 27 | 24 | 15 | 17 | 14 | 18 | 17 |
| 20–40 years, | 32 | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 |
| 40–60 years, | 35 | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 |
| 60 years and upwards, | 44 | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 18 | 35 | 41 | 26 | 33 | 38 | 30 | 15 | 28 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . |
| Scarlet Fever, | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| Typhus, | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 4 | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . |
| Diphtheria, | 3 | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| *Pyrexia** origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . |
| Diarrhœal Diseases, | . | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 |
| Pneumonia, | 14 | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 |
| Tuberculous Disease, Phthisis, | 22 | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 3 | 21 | 22 | 15 | 17 | 23 |
| Tuberculous Disease, Other Forms, | 4 | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 |
| Cancer, Malignant Disease, | 6 | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 |
| Diseases of Respiratory System, | 30 | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 |
| Violent Deaths, | 5 | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . |
| Number of Uncertified Deaths, | 3 | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 |

*Formerly described as "Simple Continued Fever."
† Including 6 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Exclusive of St Illborn. | | | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
| LONDON, | 4,758,218 | June 29, | 2,251 | 1,138 | 12·5 | . | 66 | 13 | 13 | 45 | 2 | 15 |
| EDINBURGH, | 345,747 | „ 29, | 158 | 95*a* | 14·3 | . | 2 | . | . | 3 | . | 2 |
| GLASGOW, | 847,584 | „ 29, | 468 | 259*a* | 15·9 | . | 2 | . | 2 | 20 | 1 | 5 |
| CALCUTTA, | 847,796 | May 11, | . | 749 | 45·9 | 44 | 1 | . | 1 | 1 | 75‡ | 100* |
| BOMBAY, | 977,822 | „ 28, | 321 | 609 | 32·4 | 1 | 2 | . | . | 1 | 71‡ | 39* |
| MADRAS, | 509,346 | „ 10, | 378 | 318 | 32·4 | 1 | 4 | ? | ? | ? | 82 | 50* |
| PARIS, | 2,750,000 | June 15, | 1,001 | 887 | 16·9 | 1 | 16 | 6 | 3† | 8 | 7 | 19 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 8, | 195 | 164 | 13·7 | . | . | 1 | 3† | . | 1 | 12 |
| ANTWERP, | 304,032 | „ 8, | 125 | 81 | 13·9 | . | . | 1 | . | 2 | 1 | 11 |
| AMSTERDAM, | 564,537 | „ 15, | 268 | 136 | 12·6 | . | 3 | 1 | 1† | 2 | 2 | 9 |
| COPENHAGEN, | 427,000 | „ 8, | 262 | 136 | 16·6 | . | . | . | . | 5 | . | 8 |
| STOCKHOLM, | 324,488 | „ 8, | 158 | 93 | 14·5 | . | 1 | . | 2† | 1 | . | 2 |
| CHRISTIANIA, | 226,774 | „ 15, | 98 | 58 | 13·3 | . | . | . | 2† | 1 | . | . |
| ST. PETERSBURG, | 1,482,769 | „ 15. | . | . | . | . | . | . | . | . | . | . |
| MOSCOW, | 1,172,421 | May 11, | . | 778 | 34·6 | 3 | 43 | 5 | 10† | 3 | 11 | 114 |
| BERLIN, | 2,092,236 | June 1, | 916 | 564 | 14·1 | . | 10 | 2 | 6† | 3 | 1 | 50 |
| HAMBURG, | 824,792 | „ 8, | . | 211 | 13·3 | . | . | . | 1† | 2 | . | 13 |
| BRESLAU, | 485,333 | „ 15, | . | 207 | 22·2 | . | 2 | 2 | . | 1 | . | 26 |
| MUNICH, | 548,000 | „ 15, | . | 193 | 18·3 | . | 10 | 1 | 3† | 2 | . | 24 |
| VIENNA (with suburbs). | 1,979,003 | „ 15, | 940 | 653 | 17·2 | . | 20 | 4 | 5† | 2 | . | 52 |
| BUDA-PESTH, | 802,235 | May 25, | 446 | 331 | 21·5 | . | 4 | 2 | 1† | 2 | 1 | 14 |
| PRAGUE and Faubourgs. | 470,906 | „ 25, | 208 | 210 | 23·2 | . | 3 | . | 1† | 1 | . | 23 |
| TRIESTE, | 200,962 | June 1, | 124 | 92 | 23·9 | . | . | . | . | 3 | 1 | 2 |
| ROME, | 540,150 | Apr. 27, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | May 11, | 75 | 78 | 23·3 | . | . | . | . | . | . | 5 |
| NEW YORK, | 4,285,435 | June 1, | 2,087 | 1,344 | 16·4 | . | 21 | 29 | 31† | 9 | 5 | 55 |
| PHILADELPHIA, | 1,500,595 | May 25, | . | 499 | 17·2 | . | 2 | . | 10† | 1 | 9 | 7 |
| BOSTON, | 602,526 | June 1, | . | 246 | 21·3 | . | 2 | 1 | 3 | 1 | 2 | 3 |

*a.* Including 3 deaths from cerebro spinal meningitis in Edinburgh, and 16 in Glasgow.
* Including 55 deaths from cholera in Calcutta, one in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 294 deaths from plague in Calcutta, and 95 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th June, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 1 | . | . | 1 | . | . | 2 | . | . | . | . | 4 |
| " " 1, West, | . | . | 1 | . | . | . | . | . | 1 | . | . | . | 2 |
| " " 2, | | 1 | . | . | . | . | 1 | 1 | . | . | . | . | 3 |
| " " 3, | . | 2 | . | . | 2 | . | . | 2 | 2 | . | . | . | 8 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| South City No. 1, | . | 1 | . | . | 2 | . | . | . | 8 | . | . | . | 11 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 1 | . | . | 1 | . | . | 2 | 1 | . | . | . | 5 |
| " " 4, | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 8 | 1 | . | 6 | . | 1 | 9 | 13 | . | . | . | 38 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th June, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 29th June. | | | |
|---|---|---|---|---|---|---|---|
| | June 8. | June 15. | June 22. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 101 | 91 | 65 | 18 | 20 | 1 | 62 |
| Scarlet Fever | 47 | 48 | 45 | 12 | 6 | . | 51* |
| Typhus, | 1 | 2 | 3 | 1 | 1 | . | 3 |
| Diphtheria, | 23 | 18 | 17 | 6 | 4 | . | 19 |
| Enteric Fever, | 19 | 23 | 26 | 8 | 4 | . | 30 |
| Pneumonia, | 39 | 33 | 32 | 11 | 8 | 2 | 33 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 29th June, 1907:—

"In keeping with many previous weeks, this period was one of very unsettled and unseasonable weather. Clouds, wind, showers, hail, thunder and lightning, and low temperature—all were in evidence, and it was like March or April rather than the end of June after the summer solstice. On Sunday morning the barometer ranged from 29·45 inches at Sumburgh Head in the Shetlands to 30·31 inches at Biarritz. Squally westerly winds and passing showers prevailed in Dublin, where the temperature extremes were—highest, 61·9°; lowest, 45·0°. On Monday morning a new depression was found off the N. of Ireland. This system led to very inclement weather—at 2.45 p.m. a brief thunderstorm passed over the northern districts of Dublin and at 3.35 p.m. a heavy fall of hail whitened the ground in the streets of the City. In the evening the wind rose to a fresh gale from W. Hardly had the disturbance travelled away to the north-eastward when another depression arrived off the N.W. of Ireland. It caused fresh S.W. to W. winds and a continuance of showery weather. It was in turn quickly followed by a deeper disturbance travelling north-eastwards along the coasts of Ireland and Scotland—in its centre the barometer fell to 29·20 inches in the Shetlands on Thursday morning. It was not until Friday that atmospheric equilibrium showed signs of becoming established over North-western Europe. But though the wind fell light and became variable, temperature still ruled low at night and heavy evaporation showers fell at times by day—hail being observed in many places. In Dublin the mean height of the barometer was 29·782 inches, the range being from 29·492 inches at 9 p.m. of Monday (wind, W., a gale) to 29·991 inches at 9 p.m. of Friday (wind, W.). The mean temperature was 53·5°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 53·2°. The thermometers in the screen fell to 43·0° on Tuesday and rose to 65·1° on Wednesday. The prevailing winds were W. and W.S.W. Rain fell daily, the measurement being ·529 inch, of which ·184 inch fell on Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·778 inches. The highest reading (29·995) was on Friday at 9 p.m., air calm, and the lowest (29·505) on Monday at 9 p.m., wind S.S.W.

The mean temperature for the week was 51·8°, being 6·1° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 63·1°, and was lowest on Tuesday, the mercury having fallen to 40·4°. The mean of the Dry Bulb for the week was 51·5°, and of the Wet Bulb 48·8°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·515 inch.

At Greenwich the mean temperature for the week was 56·4°. the maximum 71·0°, and the minimum 44·3°; and at Glasgow the maximum was 65·0°, the minimum 40·8°, and the mean 52·2°. The rainfall at Greenwich measured 1·30 ins.; and at Glasgow, 0·51 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, June 23, | 29·862 | 60·0 | 41·9 | 51·0 | 52·3 | 50·3 | ·87 | ·7 | 4·0 | ·075 | S.W. | S. |
| Monday, ,, 24. | 29·557 | 54·0 | 43·7 | 48·9 | 48·3 | 45·5 | ·81 | ·8 | 0·8 | ·220 | S.W. | S.S.W. |
| Tuesday, ,, 25. | 29·661 | 57·1 | 40·4 | 48·8 | 52·3 | 50·6 | ·89 | ·7 | 0·8 | ·070 | S.S.W. | S.W. |
| Wednesday, ,, 26. | 29·660 | 63·1 | 50·3 | 56·7 | 53·5 | 51·4 | ·86 | ·8 | 1·6 | ·015 | S.S.W. | S.S.W. |
| Thursday, ,, 27. | 29·785 | 60·1 | 45·9 | 53·0 | 52·2 | 47·8 | ·73 | ·8 | 5·4 | ·045 | S.S.W. | S.W. |
| Friday, ,, 28. | 29·961 | 59·6 | 46·9 | 53·3 | 50·5 | 47·9 | ·83 | ·6 | 6·5 | ·065 | S.W. | Calm. |
| Saturday, ,, 29. | 29·963 | 59·8 | 42·1 | 51·0 | 51·3 | 48·2 | ·80 | ·3 | 10·6 | ·025 | S.W. | Calm. |
| Mean, . . | 29·778 | 59·1 | 44·5 | 51·8 | 51·5 | 48·8 | ·83 | ·7 | Total 29·7 | Total ·515 | Prevailing Wind, S.W. | |

*Sunday*—Cloudy, light rain 7 a.m to 7.15 a.m., overcast, light at intervals p.m.; night overcast, light rain m.n. to 1.45 a.m. *Monday*—Day overcast, light and heavy rain showers a.m. and p.m., heavy hail shower 2.30 p.m.; night cloudy. *Tuesday*—Day overcast, light rain showers a.m. and p.m.: night overcast, light rain m.n. to 2.0 a.m. *Wednesday*—Day cloudy, light rain showers p.m.; night clear. *Thursday*—Cloudy day, light and heavy rain showers a.m. and p.m.; night cloudy. *Friday*—Cloudy day, light showers from 10.45 a.m. at intervals; night clear. *Saturday*—Day cloudy, fine, light showers p.m.; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, June 29th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, June 23, | 55·0 | 55·1 | 53·9 | 61·0 | 44·5 | 52·8 | 4·9 | ·085 |
| Monday, ,, 24, | 52·3 | 56·0 | 53·8 | 56·0 | 44·5 | 50·3 | 2·5 | ·220 |
| Tuesday, ,, 25, | 53·3 | 54·8 | 53·9 | 58·9 | 42·0 | 50·5 | — | ·050 |
| Wednesday, ,, 26, | 58·6 | 55·0 | 53·8 | 65·1 | 51·4 | 58·3 | 3·5 | ·004 |
| Thursday, ,, 27, | 56·5 | 55·6 | 53·8 | 62·0 | 47·6 | 54·8 | 6·0 | ·034 |
| Friday, ,, 28, | 55·0 | 55·9 | 53·8 | 61·7 | 47·5 | 54·6 | 7·5 | ·030 |
| Saturday, ,, 29, | 54·6 | 56·0 | 53·9 | 57·8 | 44·6 | 51·2 | 8·9 | ·084 |
| Weekly Mean, . | 55·0 | 55·5 | 53·8 | 60·4 | 46·0 | 53·2 | Total 33·3 | Total ·507 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. 4. 4. 1907.—17952.

*OFFICIAL.*

# QUARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN THE

# DUBLIN REGISTRATION AREA,

## AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

*Containing Special Tables relating to Cerebro-spinal Fever in Belfast.*

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] QUARTER ENDING SATURDAY, 29TH JUNE, 1907. [No. 26A.

**DUBLIN REGISTRATION AREA.—Births.**—In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,757 statute acres, and the population estimated to the middle of 1907, 390,691, there were registered during the thirteen weeks ended on Saturday, 29th June, 1907, 2,802 births—1,428 boys and 1,374 girls—being equal to an annual ratio of 1 in 34·9, or 28·7 in every 1,000 of the population.

The number of births registered in the city was 2,408, equivalent to an annual rate of 32·0 in every 1,000 of the population; and in the urban districts named above, 394, equal to an annual rate of 17·5 in every 1,000 of the population.

There were registered in London during the same period 31,645 births—being equal to an annual birth-rate of 26·6 in every 1,000 of the estimated population; in Glasgow there were registered 6,480, being equal to 30·6 per 1,000; and in Edinburgh, 1,983—a number affording an annual birth-rate of 22·9 in every 1,000 of the estimated population.

**Deaths.**—The number of deaths registered in the Dublin Registration Area during the quarter was 2,589—1,282 males and 1,307 females—affording an annual ratio of 1 in 37·7, or 26·5 in every 1,000 of the estimated population; omitting the deaths (117) of persons admitted into Public Institutions from localities outside the Area, the rate was 25·3 per 1,000. The annual mortality represented by the deaths registered during the second quarter of the ten years, 1897–1906, in the Dublin Registration Area as then constituted, was 23·6 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 1,025, representing an annual mortality of 26·6 in every 1,000 of the population; and the number in the South City districts was 1,027, equivalent to a rate of 28·0 per 1,000. In the urban districts the number of deaths registered was 420, being equal to an annual death-rate of 18·7 in every 1,000.

The number of deaths registered in London during the same period was 17,378—a number equal to an annual rate of mortality of 14·6 in every 1,000 of the inhabitants; in Glasgow the number was 4,252, equal to 20·1 in every 1,000; and in Edinburgh, 1,477, affording an annual death-rate of 17·1 in every 1,000 of the estimated population.

**Diseases.**—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 204, being 61 above the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·1, being 0·6 above the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from the diseases which occurred in the corresponding period of the 10 years, 1897–1906:—

| Names of Diseases. | No. of Deaths in June Quarter, 1907. | Average No. of Deaths in June Quarters, 1897–1906. |
|---|---|---|
| Small-pox, | — | 3 |
| Measles, | 70 | 26 |
| Scarlet Fever, | 1 | 10 |
| Typhus, | 2 | 1 |
| Whooping-cough, | 102 | 43 |
| Diphtheria, | 10 | 12 |
| *Pyrexia* (origin uncertain), | 1 | 1 |
| Enteric Fever, | 5 | 21 |
| Diarrhœal Diseases, | 13 | 20 |

*Small-pox.*—During the period under notice there was no record of death from small-pox, neither was there any report of the existence of the disease in the Dublin Registration Area.

*Measles.*—The mortality from measles amounted to 70 deaths, which figure represents an annual death rate of 0·72 per 1,000 of the estimated population of the area. In each of the three preceding quarterly periods deaths from measles numbered 9, 38, and 28. The deaths are considerably in excess of the average for the corresponding quarter of the decade 1897–1906, namely, 26 deaths. On Table I. it may be seen that 66 cases of measles were under treatment in the Dublin Hospitals at the close of the March quarter, that 390 cases were admitted during the period under notice, that 368 patients were discharged, that 26 deaths occurred, and that 62 patients remained under treatment at the close of the period. Of the 70 deaths 31 appertained to the City Districts of North Dublin Union, 29 to the City Districts of South Dublin Union, and 7 to Pembroke Urban District.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*), page 430.

*Scarlet Fever.*—There was only one death from scarlet fever registered for the area luring the June quarter of the year 1907, in the three preceding quarters such leaths were 4, 4, and 3 respectively, the average for the June quarter of the pre-eding 10 years being 10. From table I. it would appear that of a total number of 169 patients treated in Hospitals, there was but one death during the period now inder notice.

*Typhus.*—Two deaths occurred in Hospitals from typhus, the average number for his disease in the June quarter of the preceding ten years being 1 death. During the uarter 15 cases were admitted for treatment, and 12 cases were under treatment at he close of the March quarter of 1907.

*Influenza.*—The returns state that 43 deaths were directly attributed to influenza, his figure equals an annual death-rate of 0·44 per 1,000 of the estimated population f the Area; in each of the three preceding quarters deaths from influenza were 5, 28, nd 56.

*Whooping-cough.*—A considerable mortality was due to whooping-cough which aused the deaths of 102 persons, representing an annual death-rate of 1·04 per ,000 of the estimated population of the Area. Deaths from this disease, which had een 29 in the September quarter of 1906, rose to 32 in the December quarter of hat year, and again rose to 65 in the March quarter of the present year. Of the eaths, 34 appertained to the City Districts of North Dublin Union, and 45 to the ity Districts of South Dublin Union (of the latter figure, 22 appertained to the City istrict No. 4 South Dublin), and 23 deaths were of residents in the Urban Districts. f the latter figure 16 appertained to the Urban District of Pembroke.

*Diphtheria.*—Of 10 deaths from diphtheria, 5 belonged to the City Districts of orth Dublin Union, 4 to the City Districts of South Dublin Union, and one death as registered in the Urban District of Blackrock. In the three preceding quarters eaths from diphtheria were 4, 16, and 8 respectively, the average number of eaths from this disease in the corresponding quarter of the past ten years being 12. rom the hospital table it appears that 11 cases of diphtheria were under treatment t the close of the March quarter, that 84 cases were admitted for treatment in the eriod under review, that 70 were discharged, that 6 deaths took place, and that 9 patients remained under treatment in hospitals at the close of the quarter.

*Enteric Fever.*—In the September and December quarterly periods in 1906, the eaths from enteric fever registered were 11 and 20 respectively. Such deaths eclined to 8 in the March quarter of the present year, and further declined to 5 eaths registered in the period under notice, which is considerably below the verage, 21 deaths. Of the deaths, three belonged to South City District No 1, one South City District No. 4, and one to Pembroke Urban District.

*Diarrhœal Diseases.*—There were 13 deaths from diarrhœal diseases registered uring the period under notice, the deaths classified under this heading in the ree preceding quarters were respectively 275, 95, and 23, and the average for the une quarter of the decade 1897–1906 was 20. Of the 13 deaths, 6 were of ildren under the age of 5 years.

*Cerebro-spinal Fever.*—In the course of the period now under review 22 deaths om cerebro-spinal fever were registered in the Dublin Registration Area. In the eceding quarter of the year 13 deaths were registered.

*Pneumonia.*—Of 231 deaths from pneumonia (all forms), there were 32 from bar pneumonia, 100 from broncho-pneumonia, and 99 deaths were returned as om *pneumonia* (not defined). The deaths (231) correspond to an annual death-te of 2·37 per 1,000 of the estimated population of the Area.

*Tuberculous Disease.*—The death roll from all forms of tuberculous disease included 529 victims. This figure represents an annual rate of 5·42 per 1,000 of the estimated population of the Area, the rates in the preceding three quarters being 4·2, 4·2, and 5·0 per 1,000 respectively. The total, 529, includes 157 deaths from tuberculous phthisis, 179 deaths returned as from *phthisis*, 58 deaths from tuberculous meningitis, 19 deaths from tuberculous peritonitis, 8 deaths from *tabes mesenterica*, and 108 deaths from other forms of the disease. In the City Districts of North Dublin Union the rate for all forms of tuberculous disease was 5·6 per 1,000 ; in the City Districts of South Dublin Union the rate was 5·8 per 1,000, and the rate for the Urban Districts was 2·8 per 1,000 The death rates for tuberculous phthisis (*phthisis*) for each of the above-mentioned divisions of the Dublin Registration Area were 3·7, 3·4, and2·0 per 1,000 of their respective estimated populations.

*Malignant Diseases.*—The total deaths, 104, include 34 deaths from carcinoma, 5 from sarcoma, and 65 deaths returned as from cancer (undefined).

*Premature Birth.*—The deaths of 51 infants who were prematurely born were registered.

*Diseases of the Brain and Nervous System.*—In the aggregate, deaths under this heading numbered 185, and include 46 deaths from meningitis and 68 deaths from *convulsions* ; of the latter figure 65 were deaths of children under 5 years of age.

*Diseases of the Heart and Blood Vessels.*—The total number of deaths classified to diseases of the heart, or to diseases of blood vessels was 382 ; included in this figure there were 2 deaths from aneurysm.

*Diseases of the Respiratory System.*—The deaths in number, 304 include 272 deaths from bronchitis, the latter figure represents an annual death rate of 2·78 per 1,000.

*Accidental Deaths.*—The fatalities which were attributed to accidental circumstances numbered 52. The total includes 2 deaths by railway accidents, 7 deaths by vehicles or horses, 9 deaths by burns, scalds, or explosions, of the latter figure, 6 were deaths of children under 5 years of age, 12 deaths by drowning, 5 deaths of infants under one year of age by suffocation in bed, and one death by poison.

*Homicide.*—There was one death by homicide.

*Suicide.*—Two deaths by suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 29th June, 1907.**

| DISEASES. | No. of Cases in Hospital at close of previous quarter. | No. admitted during quarter. | Discharged. | Died. | No. under treatment on above date. |
|---|---|---|---|---|---|
| Small-pox, . . | . | . | . | . | . |
| Measles, . . . | 66 | 390 | 368 | 26 | 62 |
| Scarlet Fever, . . | 59 | 110 | 117 | 1 | 51* |
| Typhus . . | 12 | 15 | 22 | 2 | 3 |
| Diphtheria, . . | 11 | 84 | 70 | 6 | 19 |
| Enteric Fever, . . | 21 | 58 | 44 | 5 | 30 |
| Pneumonia, . . | 29 | 176 | 152 | 20 | 33 |

In 70 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 70 cases, 37 (or 52·9 per cent.) were deaths of children under 5 years of age : these 37 deaths form 4·5 per cent. of the total number of deaths of children of that age. Of the deaths of 125 infants under one month old registered, there were 19 (or 15·2 per cent.) regarding which the cause was uncertified.

* Exclusive of 13 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

From Table II., on pages 428*b* and 428*c*, it will be seen that, excluding 117 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,472, equal to an annual rate of 25·3 per 1,000 of the estimated population, and that 202 of these deaths, representing an annual rate of 2·1 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 27·3 per 1,000, and for the urban districts 18·7 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·2, and in the urban districts 1·6, the rates for the several districts varying from 0·0 in New Kilmainham District, to 4·0 in South City No. 4, the 263 deaths from all causes in that district including 11 from measles, 22 from whooping-cough, one from enteric fever, and one from diarrhœa.

**Occupations.**—Table III., on pages 428*d* and 429, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 16·5 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 17·5 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 19·0; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 40·2.

**Ages.**—Of the 2,589 persons whose deaths were registered in the Dublin Registration Area during the quarter, 819 were under 5 years of age, including 434 infants under one year of age, representing a rate of 154·9 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 85·9 in every 1,000 children at that age (according to the Census of 1901); 191 were between the ages of 5 and 20, representing an annual rate of 7·2 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 27·9 per 1,000 of the population at that age (according to the Census of 1901); 398, or 11·7 per 1,000 persons, were between 20 and 40; 522, or 30·4 per 1,000, between 40 and 60; 557, or 91·8 per 1,000, between 60 and 80; 102, or 214·3 per 1,000, were aged 80 and upwards, including 1 persons aged 90 and upwards.

*Public Institutions.*—Of the 2,589 deaths recorded during the quarter, 1,122, or 43·3 per cent., occurred in public institutions, viz., 588 in the various hospitals, prisons, and lunatic asylums; 224 in the North Dublin Union Workhouse; 302 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

**Weather.**—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 48·3°. At Greenwich for the quarter, it was 51·8°; and at Glasgow, 49·0°.

The rainfall at Dublin during the thirteen weeks measured 8·165 inches; at Greenwich, 7·58 inches; and at Glasgow, 10·45 inches.

* See note (*), page 430.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 29th June, 1907,** the number
AREA, the annual Rate per 1,000 of the Population of the respective Districts represented
the principal causes; also the Deaths by certain age-periods, and the number of Uncertified
*were admitted.*

| REGISTRARS' DISTRICTS, &c. | POPULATION, ESTIMATED TO MIDDLE OF 1907.* | QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES. | FROM DISEASES IN COLS. 11–19. | TOTAL DEATHS. | DEATHS. Infants under 1 year of Age. | 1 and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | Persons aged 60 years and upwards. | CAUSED BY Small-pox. | Measles. | Scarlet Fever. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) |
| **North City.** | | | | | | | | | | | | | |
| NORTH CITY, No. 1, E., . . | 29,016 | 22·6 | 1·0 | 164 | 27 | 28 | 11 | 29 | 31 | 38 | . | 2 | . |
| ,, 1, W. . . | 39,146 | 27·7 | 1·8 | 271 | 45 | 44 | 18 | 41 | 63 | 60 | . | 4 | . |
| ,, 2, . . | 30,107 | 32·0 | 3·2 | 241 | 47 | 50 | 15 | 34 | 45 | 50 | . | 11 | . |
| ,, 3, . . | 32,422 | 30·3 | 2·8 | 246 | 41 | 41 | 22 | 37 | 42 | 63 | . | 11 | . |
| CLONTARF AND HOWTH, No. 1, part of, . . . . | 5,116 | 9·4 | 0·8 | 12 | . | 3 | 1 | 1 | 4 | 3 | . | . | . |
| COOLOCK AND DRUMCONDRA, No. 1, part of, . . . . | 10,991 | 24·7 | 1·5 | 68 | 9 | 7 | 6 | 11 | 14 | 21 | . | 1 | . |
| FINGLAS AND GLASNEVIN, part of, | 7,223 | 12·7 | 2·2 | 23 | 2 | 2 | 2 | 6 | 3 | 8 | . | 2 | . |
| **South City.** | | | | | | | | | | | | | |
| SOUTH CITY, No. 1, . . | 40,002 | 31·8 | 1·7 | 318 | 64 | 40 | 15 | 45 | 68 | 86 | . | 6 | . |
| ,, 2, . . | 20,589 | 27·2 | 3·1 | 140 | 29 | 26 | 8 | 18 | 29 | 30 | . | 4 | . |
| ,, 3, . . | 42,209 | 26·2 | 1·7 | 276 | 49 | 47 | 22 | 39 | 67 | 52 | . | 8 | 1 |
| ,, 4, . . | 35,138 | 29·9 | 4·0 | 263 | 45 | 41 | 19 | 39 | 50 | 69 | . | 11 | . |
| NEW KILMAINHAM, . . | 8,891 | 13·5 | . | 30 | 6 | 3 | 3 | 7 | 6 | 5 | . | . | . |
| **Urban Districts.** | | | | | | | | | | | | | |
| RATHMINES AND RATHGAR, . | 35,606 | 17·6 | 0·8 | 157 | 17 | 13 | 14 | 20 | 29 | 64 | . | 1 | . |
| PEMBROKE, . . . . | 27,854 | 21·7 | 3·4 | 151 | 28 | 28 | 9 | 20 | 20 | 46 | . | 7 | . |
| BLACKROCK, . . . | 8,759 | 12·3 | 0·9 | 27 | 5 | 1 | 1 | 4 | 5 | 11 | . | . | . |
| KINGSTOWN, . . . | 17,622 | 19·3 | 0·5 | 85 | 9 | 6 | 7 | 13 | 14 | 36 | . | 1 | . |
| **Total City,** North, . . | 154,021 | 26·6 | 2·1 | 1,025 | 171 | 175 | 75 | 159 | 202 | 243 | . | 31 | . |
| **Total City,** South, . . | 146,829 | 28.0 | 2·3 | 1,027 | 193 | 157 | 67 | 148 | 220 | 242 | . | 29 | 1 |
| **Total City,** North & South, | 300,850 | 27·3 | 2·2 | 2,052 | 364 | 332 | 142 | 307 | 422 | 485 | . | 60 | 1 |
| **Total Urban Districts,** . | 89.841 | 18·7 | 1·6 | 420 | 59 | 48 | 31 | 57 | 68 | 157 | . | 9 | . |
| **Total Registration Area,** | 390,691 | 25·3 | 2·1 | 2,472 | 423 | 380 | 173 | 364 | 490 | 642 | . | 69 | 1 |
| Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . . . . | | | | 117 | 11 | 5 | 18 | 34 | 32 | 17 | . | 1 | . |

* See note (*) on page 431.

of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION thereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ENDED 29TH JUNE, 1907.

| DEATHS. Caused by | | | | | | | | | | | | | REGISTRARS' DISTRICTS, &c. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia* † (origin uncertain) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Number of Uncertified Deaths. | |
| (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | |
| | | | | | | | | | | | | | **North City.** |
| . | 4 | 1 | . | . | . | 13 | 20 | 12 | 5 | 23 | 6 | 9 | NORTH CITY, No. 1, E. |
| 1 | 7 | 3 | . | . | 3 | 25 | 43 | 21 | 5 | 32 | 6 | 4 | " 1, W. |
| 1 | 10 | . | 1 | . | 1 | 24 | 26 | 21 | 6 | 18 | 4 | 8 | " 2. |
| . | 11 | . | . | . | 1 | 26 | 35 | 16 | 9 | 25 | 4 | 6 | " 3. |
| . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . | 1 | 1 | CLONTARF AND HOWTH, No. 1, part of. |
| . | 2 | . | . | . | 1 | 5 | 15 | 2 | 2 | 5 | 1 | 1 | COOLOCK AND DRUMCONDRA, No. 1, part of. |
| . | . | 1 | . | . | 1 | 5 | 3 | . | 1 | 3 | 1 | 1 | FINGLAS AND GLASNEVIN, part of. |
| | | | | | | | | | | | | | **South City.** |
| . | 6 | 2 | . | 3 | . | 26 | 38 | 24 | 5 | 52 | 5 | 8 | SOUTH CITY, No. 1. |
| . | 9 | 1 | . | . | 2 | 10 | 17 | 15 | 5 | 21 | 1 | 7 | " 2 |
| . | 8 | 1 | . | . | . | 29 | 26 | 31 | 9 | 45 | 6 | 7 | " 3. |
| . | 22 | . | . | 1 | 1 | 20 | 37 | 16 | 20 | 39 | 4 | 4 | " 4. |
| . | . | . | . | . | . | 4 | 7 | 3 | 1 | 2 | 1 | . | NEW KILMAINHAM. |
| | | | | | | | | | | | | | **Urban Districts.** |
| . | 5 | . | . | . | 1 | 10 | 18 | 7 | 9 | 15 | 3 | 5 | RATHMINES AND RATHGAR. |
| . | 16 | . | . | 1 | . | 13 | 14 | 7 | 6 | 12 | 5 | 4 | PEMBROKE. |
| . | 1 | 1 | . | . | . | 2 | 5 | . | 2 | . | . | 1 | BLACKROCK. |
| . | 1 | . | . | . | . | 11 | 9 | 3 | 5 | 8 | 2 | 4 | KINGSTOWN. |
| 2 | 34 | 5 | 1 | . | 8 | 99 | 143 | 73 | 29 | 106 | 23 | 30 | **North.** } **Total City.** |
| . | 45 | 4 | . | 4 | 3 | 89 | 125 | 89 | 40 | 159 | 17 | 26 | **South.** } **Total City.** |
| 2 | 79 | 9 | 1 | 4 | 11 | 188 | 268 | 162 | 69 | 265 | 40 | 56 | **North & South.** } **Total City.** |
| . | 23 | 1 | . | 1 | 1 | 36 | 46 | 17 | 22 | 35 | 10 | 14 | **Total Urban Districts.** |
| 2 | 102 | 10 | 1 | 5 | 12 | 224 | 314 | 179 | 91 | 300 | 50 | 70 | **Total Registration Area.** |
| . | . | . | . | . | 1 | 7 | 22 | 14 | 13 | 4 | 5 | . | |

* See note (*) on page 430. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS OF SOCIAL **Quarter** (13 weeks) **ending Saturday, 29th June, 1907**; the Annual Death-rate the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

| CLASS. | OCCUPATION OR SOCIAL POSITION. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | REGISTRATION OF DEATHS, QUARTER | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | AGES. | | | | | | |
| | | | | | Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| | **ALL PERSONS,** | 375,350 | 27·6 | 2,589 | 819 | 191 | 398 | 522 | 557 | 102 |
| | CLASSES. | | | | | | | | | |
| | Deaths in Families of the— | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 16·5 | 72 | 2 | 1 | 3 | 15 | 36 | 15 |
| II. | MIDDLE CLASS, | 87,188 | 17·5 | 382 | 65 | 39 | 64 | 70 | 110 | 34 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 19·0 | 524 | 170 | 47 | 107 | 109 | 81 | 10 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 40·2 | 1,077 | 493 | 87 | 150 | 164 | 157 | 26 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 534 | 89 | 17 | 74 | 164 | 173 | 17 |
| I. | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | |
| | 1. Clerical, Medical, Legal, and other Professions: Naval and Military Officers, and Heads of Public Departments, | 7,799 | 30·3 | 59 | 2 | 1 | 3 | 12 | 32 | 9 |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 3·1 | 1 | . | . | . | 1 | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 5·7 | 12 | . | . | . | 2 | 4 | 6 |
| II. | MIDDLE CLASS. | | | | | | | | | |
| | 4. General Body of Officials—Civil Service, Banking, &c. | 7,712 | 15·0 | 29 | 1 | 1 | 5 | 11 | 10 | 1 |
| | 5. Traders (except Petty Shopkeepers), Business Managers, &c., | 22,016 | 18·9 | 104 | 19 | 10 | 13 | 15 | 35 | 12 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·1 | 115 | 30 | 16 | 34 | 18 | 14 | 3 |
| | 7. Miscellaneous—including all Householders in Second Class Localities, not included in above, | 27,028 | 19·8 | 134 | 15 | 12 | 12 | 26 | 51 | 18 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | |
| | 8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers, | 9,874 | 23·9 | 59 | 23 | 2 | 17 | 8 | 8 | 1 |
| | 9. Building and Furnishing Trades, | 29,801 | 19·7 | 147 | 55 | 13 | 28 | 31 | 14 | 6 |
| | 10. Clothing Trades, | 23,260 | 11·2 | 65 | 17 | 11 | 13 | 13 | 11 | . |
| | 11. Food Supply Trades, | 9,242 | 15·6 | 36 | 14 | 2 | 4 | 7 | 8 | 1 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 23·7 | 180 | 49 | 16 | 37 | 46 | 31 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 18·7 | 37 | 12 | 3 | 8 | 4 | 9 | 1 |
| IV. | GENERAL SERVICE CLASS. | | | | | | | | | |
| | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 26·2 | 88 | 31 | 6 | 11 | 14 | 22 | 4 |
| | 15. Domestic Servants, | 36,603 | 8·9 | 81 | 17 | 2 | 25 | 15 | 14 | 8 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 27·5 | 99 | 47 | 5 | 19 | 12 | 13 | 3 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 36·0 | 809 | 398 | 74 | 95 | 123 | 108 | 11 |
| V. | INMATES OF WORKHOUSES. | | | | | | | | | |
| | 18. Workhouse Inmates, | 6,024 | . | 534 | 89 | 17 | 74 | 164 | 173 | 17 |

POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the
represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 29TH JUNE, 1907.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Total. Cols. 10-18. | Pneumonia. | TUBERCULOUS DISEASE. Phthisis. | TUBERCULOUS DISEASE. Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Other Causes. | Number of Uncertified Deaths. | CLASS AND ORDER. |
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | |
| . | 70 | 1 | 2 | 102 | 10 | 1 | 5 | 13 | 204 | 231 | 336 | 193 | 104 | 68 | 304 | 55 | 1,094 | 70 | |
| . | . | . | . | . | 1 | . | . | . | 1 | 6 | 3 | . | 6 | . | 2 | 1 | 53 | . | I. |
| . | 5 | . | . | 10 | 1 | . | 1 | 4 | 21 | 38 | 56 | 17 | 21 | 6 | 31 | 4 | 188 | 9 | II. |
| . | 16 | 1 | . | 22 | 4 | . | 2 | . | 45 | 57 | 69 | 40 | 24 | 15 | 46 | 13 | 215 | 13 | III. |
| . | 49 | . | 2 | 70 | 4 | . | 2 | 7 | 134 | 101 | 109 | 92 | 27 | 43 | 113 | 36 | 422 | 48 | IV. |
| . | . | . | . | . | . | 1 | . | 2 | 3 | 29 | 99 | 44 | 26 | 4 | 112 | 1 | 216 | . | V. |
| | | | | | | | | | | | | | | | | | | | I. |
| . | . | . | . | . | 1 | . | . | . | 1 | 6 | 2 | . | 4 | . | 2 | 1 | 43 | . | 1 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 |
| . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | 9 | . | 3 |
| | | | | | | | | | | | | | | | | | | | II. |
| . | . | . | . | . | . | . | . | . | . | 3 | 6 | . | 3 | . | 1 | 1 | 15 | 1 | 4 |
| . | 1 | . | . | 1 | . | . | . | . | 2 | 8 | 14 | 2 | 6 | 1 | 7 | . | 64 | 1 | 5 |
| . | 3 | . | . | 7 | 1 | . | 1 | . | 12 | 14 | 19 | 6 | 4 | 4 | 7 | 1 | 48 | 6 | 6 |
| . | 1 | . | . | 2 | . | . | . | 4 | 7 | 13 | 17 | 9 | 8 | 1 | 16 | 2 | 61 | 1 | 7 |
| | | | | | | | | | | | | | | | | | | | III. |
| . | 1 | . | . | 3 | . | . | . | . | 4 | 4 | 12 | 4 | 1 | 5 | 4 | 1 | 24 | 1 | 8 |
| . | 5 | . | . | 7 | 1 | . | 2 | . | 15 | 19 | 17 | 12 | 8 | 3 | 17 | 6 | 50 | 3 | 9 |
| . | 3 | . | . | . | 1 | . | . | . | 4 | 9 | 11 | 6 | 2 | 1 | 8 | . | 24 | 2 | 10 |
| . | . | . | . | 4 | . | . | . | . | 4 | 4 | 5 | 3 | 5 | . | 2 | 3 | 10 | . | 11 |
| . | 6 | 1 | . | 7 | 1 | . | . | . | 15 | 17 | 22 | 10 | 8 | 6 | 14 | 3 | 85 | 5 | 12 |
| . | 1 | . | . | 1 | 1 | . | . | . | 3 | 4 | 2 | 5 | . | . | 1 | . | 22 | 2 | 13 |
| | | | | | | | | | | | | | | | | | | | IV. |
| . | 5 | . | . | 3 | . | . | . | . | 8 | 4 | 6 | 4 | 5 | 3 | 5 | 3 | 50 | 4 | 14 |
| . | . | . | . | 2 | . | . | . | . | 2 | 4 | 19 | 4 | 4 | 3 | 6 | 3 | 36 | 3 | 15 |
| . | 4 | . | . | 8 | . | . | . | . | 12 | 13 | 10 | 5 | 3 | 5 | 6 | 4 | 41 | 1 | 16 |
| . | 40 | . | 2 | 57 | 4 | . | 2 | 7 | 112 | 80 | 74 | 79 | 15 | 32 | 96 | 26 | 295 | 40 | 17 |
| . | . | . | . | . | . | 1 | . | 2 | 3 | 29 | 99 | 44 | 26 | 4 | 112 | 1 | 216 | . | V. 18 |

* Formerly described as "Simple Continued Fever."

**Twenty-two Principal Town Districts of Ireland.**—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 22·2 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Armagh, 10·5 ; Dundalk, 13·2 ; Queenstown, 14·6 ; Portadown, 14·7 ; Lisburn, 15·0 ; Drogheda, 15·7 ; Tralee, 15·8 ; Londonderry, 16·1 ; Wexford, 16·8 ; Limerick, 17·3 ; Newry, 17·4 ; Ballymena, 18·0 ; Lurgan, 18·7 ; Cork, 19·9 ; Clonmel, 20·5 ; Galway, 20·6 ; Waterford, 21·5 ; Belfast, 22·5 ; Sligo, 22·8 ; Dublin Registration Area, 25·3 ; Kilkenny, 26·4 ; and Newtownards, 28·5.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in seven of the districts to 2·3 in Kilkenny ; the 70 deaths from all causes registered in that district including 2 from whooping-cough and 4 from diarrhœal diseases. The 2,079 deaths from all causes in Belfast include 36 from measles, 4 from scarlet fever, 14 from whooping-cough, 4 from diphtheria, 15 from enteric fever, and 28 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

*Small-pox.*—There was no record of mortality from small-pox in the principal Town Districts of Ireland during the quarter.

*Measles.*—Thirty-six deaths were registered in Belfast, 2 in Waterford, and 1 in Lurgan.

*Scarlet Fever.*—There were 4 deaths registered in Belfast, and 2 in Waterford.

*Typhus.*—Four deaths from typhus were registered in Newry, 2 in Sligo, and one death in each of Cork and Galway.

*Whooping-cough.*—Of 37 deaths from whooping-cough, 18 were registered in Cork, 14 in Belfast, 2 in each of Limerick and Kilkenny, and one in Newtownards.

*Diphtheria.*—In Belfast, 4 deaths ; in Galway, 2 deaths ; and in each of Cork and Queenstown one death were registered.

*Enteric Fever.*—The deaths from enteric fever, 20 in number, include 15 registered in Belfast, 2 in Limerick, and one death in each of Cork, Waterford, and Galway. *In the latter district one death was returned as from pyrexia (origin uncertain).*

*Diarrhœal Diseases.*—Of the total deaths (52), there were 28 registered in Belfast, 10 in Waterford, and 4 in Kilkenny.

---

*Cerebro-spinal Fever.*—Four Tables, giving detailed information concerning the mortality from the epidemic of cerebro-spinal fever in Belfast for the quarter (13 weeks) ending 29th June, 1907, are appended to this report, and commence at page 432A. Table A gives the total number of deaths registered weekly in each district of Belfast, also the total number of cases notified for the whole of Belfast. Table B gives the ages and sexes of the decadents for each district of Belfast. Table C gives the occupation or social position, also by ages and sexes ; and Table D gives information regarding the duration of the illness of those persons who died, also by ages and by sexes.

The revision of the mortality returns of Belfast shows that 242 deaths from cerebro-spinal fever were registered during the period under notice. From returns supplied by Dr. Bailie it appears that 291 cases of the disease were notified to the Public Health Committee of the Corporation of Belfast during the above period.

---

*Phthisis.*—The death-rate from phthisis for the 22 towns in the aggregate, was 3·2 per 1,000 of the population ; for the Dublin Registration Area it was 3·2 per 1,000, for Belfast County Borough 3·1 per 1,000, and for the Urban Districts, collectively, (exclusive of Belfast and Dublin Registration Area) it was 3·2 per 1,000.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain), enteric fever, and diarrhœal diseases.

TABLE IV.—BIRTHS and DEATHS Registered during the QUARTER (13 WEEKS) ENDING SATURDAY, 29TH JUNE, 1907, in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

| TOWNS AND DISTRICTS. | Census Statistics of Districts.* Population. Total | Population. Per sons to an Acre. | Annual Rate per 1,000 persons represented by: Births. | Deaths. From all Causes. | Deaths. From Diseases in cols. 10–18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia† (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | REGISTRATION—QUARTER (13 WEEKS) ENDING SATURDAY, 29TH JUNE, 1907 — NUMBERS REGISTERED. | | | | | | DEATHS. Caused by | | | | | | | | | | | | | | | | | | | | |
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 30·0 | 22·2 | 1·3 | 8,381 | 6,193 | 1,083 | 1,633 | . | 108 | 7 | 10 | 139 | 18 | 2 | 25 | 64 | 473 | 888 | 425 | 227 | 729 | 110 | 191 | 1,964 | 251 |
| DUBLIN REGISTRATION AREA: TOTAL, | 390,691 | 28·4 | 28·7 | 25·3 | 2·1 | 2,802 | 2,472 | 423 | 642 | . | 69 | 1 | 2 | 102 | 10 | 1 | 5 | 12 | 224 | 314 | 179 | 91 | 300 | 50 | 68 | 1,005 | 70 |
| CITY OF DUBLIN, | 300,850 | 38·0 | 32·0 | 27·3 | 2·2 | 2,408 | 2,052 | 364 | 485 | . | 60 | 1 | 2 | 79 | 9 | 1 | 4 | 11 | 188 | 268 | 162 | 69 | 265 | 40 | 56 | 891 | 56 |
| Urban Districts. RATHMINES & RATHGAR, | 35,606 | 20·8 | 16·3 | 17·6 | 0·8 | 145 | 157 | 17 | 64 | . | 1 | . | . | 5 | . | . | . | 1 | 10 | 18 | 7 | 9 | 15 | 3 | 2 | 44 | 3 |
| PEMBROKE, | 27,854 | 17·5 | 20·0 | 21·7 | 3·4 | 139 | 151 | 28 | 46 | . | 7 | . | . | 16 | . | . | 1 | . | 13 | 14 | 7 | 6 | 12 | 5 | 8 | 41 | 4 |
| BLACKROCK, | 8,759 | 8·1 | 15·1 | 12·3 | 0·9 | 33 | 27 | 5 | 11 | . | . | . | . | 1 | 1 | . | . | . | 2 | 5 | . | 2 | . | . | . | 9 | 1 |
| KINGSTOWN, | 17,622 | 12·1 | 17·5 | 19·3 | 0·5 | 77 | 85 | 9 | 36 | . | 1 | . | . | 1 | . | . | . | . | 11 | 9 | 3 | 5 | 8 | 2 | 2 | 20 | 6 |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST, | 370,163 | 25·2 | 33·2 | 22·5 | 1·1 | 3,072 | 2079‡ | 404 | 395 | . | 36 | 4 | . | 14 | 4 | . | 15 | 28 | 185 | 289 | 138 | 66 | 246 | 37 | 71 | 496 | 44 |
| CORK, | 76,122 | 33·6 | 27·7 | 19·9 | 1·3 | 527 | 378 | 64 | 101 | . | . | . | 1 | 18 | 1 | . | 1 | 3 | 23 | 72 | 19 | 14 | 36 | 3 | 15 | 142 | 21 |
| LONDONDERRY, | 42,475 | 19·6 | 26·5 | 16·1 | 0·2 | 281 | 171 | 22 | 47 | . | . | . | . | . | . | . | . | 2 | 2 | 29 | 12 | 10 | 23 | 2 | 8 | 26 | 3 |
| LIMERICK, | 38,151 | 18·1 | 28·2 | 17·3 | 0·4 | 269 | 165 | 26 | 39 | . | . | . | . | 2 | . | . | 2 | . | 10 | 37 | 9 | 6 | 15 | . | 3 | 70 | 25 |
| WATERFORD, | 26,769 | 18·7 | 26·7 | 21·5 | 2·2 | 179 | 144 | 21 | 53 | . | 2 | 2 | . | . | . | . | 1 | 10 | 2 | 26 | 7 | 3 | 15 | 3 | 7 | 53 | 10 |
| GALWAY, | 13,426 | 2·5 | 27·4 | 20·6 | 1·8 | 92 | 69 | 13 | 22 | . | . | . | 1 | . | 2 | 1 | 1 | 1 | 5 | 5 | 4 | 7 | 6 | 1 | 1 | 16 | 16 |
| DUNDALK, | 13,076 | 9·4 | 29·1 | 13·2 | . | 95 | 43 | 5 | 14 | . | . | . | . | . | . | . | . | . | 2 | 10 | 1 | 1 | 4 | 1 | . | 8 | 1 |
| DROGHEDA, | 12,760 | 8·6 | 20·4 | 15·7 | . | 65 | 50 | 4 | 25 | . | . | . | . | . | . | . | . | . | 2 | 6 | 4 | . | 6 | 1 | 1 | 8 | 3 |
| NEWRY, | 12,405 | 17·8 | 23·9 | 17·4 | 1·3 | 74 | 54 | 1 | 20 | . | . | . | 4 | . | . | . | . | . | 2 | 6 | 2 | 3 | 4 | 3 | 3 | 16 | 2 |
| LURGAN | 11,782 | 13·8 | 29·5 | 18·7 | 0·3 | 87 | 55 | 10 | 13 | . | 1 | . | . | . | . | . | . | . | 2 | 14 | 2 | 2 | 6 | 3 | 3 | 16 | 2 |
| LISBURN, | 11,461 | 10·1 | 30·7 | 15·0 | 0·3 | 88 | 43 | 8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 5 | 7 | 2 | 9 | . | . | 7 | 2 |
| WEXFORD, | 11,168 | 23·2 | 35·5 | 16·8 | . | 99 | 47 | 6 | 15 | . | . | . | . | . | . | . | . | . | . | 6 | 8 | 2 | 4 | 3 | 3 | 4 | 4 |
| BALLYMENA, | 10,886 | 8·9 | 30·9 | 18·0 | . | 84 | 49 | 9 | 10 | . | . | . | . | . | . | . | . | . | 4 | 9 | 3 | . | 3 | . | 1 | 3 | 6 |
| SLIGO, | 10,870 | 3·7 | 23·9 | 22·8 | 0·7 | 65 | 62 | 13 | 20 | . | . | . | 2 | . | . | . | . | . | 1 | 10 | 3 | 3 | 3 | 1 | 1 | 21 | 16 |
| KILKENNY, | 10,609 | 11·5 | 27·1 | 26·4 | 2·3 | 72 | 70 | 10 | 22 | . | . | . | . | 2 | . | . | . | 4 | 1 | 13 | . | 3 | 17 | . | . | 17 | 4 |
| CLONMEL. | 10,167 | 7·8 | 24·8 | 20·5 | 0·4 | 63 | 52 | 8 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 10 | . | 8 | . | . | 24 | 6 |
| PORTADOWN, | 10,092 | 13·2 | 43·6 | 14·7 | . | 110 | 37 | 8 | 10 | . | . | . | . | . | . | . | . | . | 1 | 5 | 4 | 3 | 5 | 1 | 2 | . | 1 |
| TRALEE, | 9,867 | 16·6 | 30·8 | 15·8 | . | 76 | 39 | 6 | 17 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | 3 | 3 | 1 | 2 | 18 | 2 |
| NEWTOWNARDS, | 9,110 | 18·9 | 31·2 | 28·5 | 0·9 | 71 | 65 | 14 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 18 | 2 | 4 | 9 | . | 2 | 9 | 13 |
| QUEENSTOWN, | 7,909 | 14·4 | 28·3 | 14·6 | 1·0 | 56 | 29 | 5 | 11 | . | . | . | . | . | 1 | . | . | 1 | 1 | 2 | 2 | 2 | 5 | . | . | . | . |
| ARMAGH, | 7,588 | 22·2 | 28·5 | 10·5 | . | 54 | 20 | 3 | 10 | . | . | . | . | . | . | . | . | . | 2 | 2 | 6 | 2 | 2 | . | . | 5 | . |

* The population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1907; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

‡ Including 242 deaths from Cerebro-spinal Fever (revised number). See text on page 430.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 29th June, 1907,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS. | DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1.) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN, No. 1 DISTRICT, | 14,731 | 84 | The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 115 | 21 | 16 | 16 | 16 | 26 | 20 | . | . | 1 | . | . | . | . | . | 5 | 7 | 17 | 2 | 3 | 14 | 3 | 11 | 35 | 3 |
| ,, 2 ,, | 47,959 | 391 | | | 272 | 40 | 42 | 42 | 42 | 45 | 61 | . | 1 | 1 | . | 2 | 1 | . | 5 | 4 | 26 | 41 | 16 | 16 | 31 | 1 | 5 | 64 | 3 |
| ,, 3 ,, | 47,214 | 415 | | | 249 | 49 | 47 | 30 | 40 | 37 | 46 | . | 9 | . | . | 2 | . | . | 1 | 7 | 22 | 35 | 16 | 4 | 33 | 6 | 9 | 63 | 5 |
| ,, 4 ,, | 40,911 | 424 | | | 254 | 56 | 32 | 22 | 59 | 41 | 44 | . | . | . | . | 2 | . | . | 2 | 2 | 21 | 44 | 12 | 1 | 34 | 5 | 9 | 85 | 6 |
| ,, 5 ,, | 17,387 | 136 | | | 143 | 28 | 30 | 10 | 29 | 20 | 26 | . | 7 | . | . | . | 1 | . | 1 | . | 18 | 16 | 12 | 6 | 19 | 2 | 4 | 44 | 6 |
| ,, 6 ,, | 48,122 | 263 | | | 224 | 27 | 27 | 27 | 42 | 41 | 60 | . | . | . | . | 1 | . | . | . | 3 | 16 | 25 | 16 | 10 | 26 | 5 | 9 | 62 | 4 |
| ,, 7 ,, | 1,524 | 13 | | | 9 | 3 | 2 | 1 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 3 | . |
| ,, 8 ,, | 5,060 | 37 | | | 19 | 3 | 3 | 2 | 3 | 4 | 4 | . | 1 | . | . | 1 | . | . | 1 | 1 | 1 | 4 | . | 1 | 3 | . | . | 3 | 1 |
| ,, 9 ,, | 19,569 | 206 | | | 131 | 25 | 9 | 18 | 25 | 26 | 28 | . | . | 1 | . | 1 | . | . | 2 | 1 | 14 | 20 | 8 | 2 | 20 | . | 2 | 31 | 6 |
| ,, 10 ,, | 23,064 | 276 | | | 182 | 48 | 43 | 15 | 20 | 27 | 29 | . | 17 | . | . | 1 | 1 | . | . | 1 | 26 | 19 | 10 | 4 | 15 | . | 4 | 25 | 6 |
| ,, 11 ,, | 34,802 | 295 | | | 187 | 33 | 25 | 24 | 39 | 38 | 28 | . | . | . | . | 2 | . | . | 2 | . | 15 | 33 | 5 | 7 | 17 | 4 | 5 | 33 | 2 |
| ,, 12 ,, | 33,588 | 360 | | | 212 | 59 | 27 | 43 | 37 | 18 | 28 | . | . | 1 | . | 2 | 1 | . | 1 | 1 | 12 | 21 | 33 | 6 | 22 | 10 | 11 | 39 | 2 |
| ,, 13 ,, | 15,006 | 170 | | | 80 | 12 | 12 | 13 | 14 | 9 | 20 | . | . | . | . | . | . | . | . | 3 | 7 | 13 | 8 | 4 | 10 | . | 1 | 8 | . |
| ,, 14 ,, | 240 | 2 | | | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . |
| Total, . . | 349,180 | 3,072 | | | 2,079† | 404 | 315 | 268 | 367 | 335 | 395 | . | 36 | 4 | . | 14 | 4 | . | 15 | 28 | 185 | 289 | 138 | 66 | 246 | 37 | 71 | 496 | 44 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN, No. 1 DISTRICT, | 12,867 | 77 | 23·0 | 0·9 | 74 | 10 | 7 | 34 | | | 23 | . | . | . | . | 1 | . | . | 1 | 1 | 8 | 16 | 3 | 3 | 6 | . | 1 | 39 | 2 |
| ,, 2 ,, | 10,701 | 97 | 17·6 | 2·6 | 47 | 8 | 8 | 25 | | | 6 | . | . | . | . | 7 | . | . | . | . | 2 | 9 | 1 | . | 4 | . | 2 | 9 | 3 |
| ,, 3 ,, | 9,978 | 81 | 15·6 | 1·6 | 39 | 8 | 7 | 17 | | | 7 | . | . | . | . | 3 | . | . | . | 1 | 1 | 4 | 4 | 3 | 6 | . | 1 | 10 | 2 |
| ,, 4 ,, | 8,666 | 62 | 24·0 | 0·9 | 52 | 6 | 7 | 20 | | | 19 | . | . | . | . | 1 | . | . | . | 1 | 2 | 6 | 1 | 2 | 8 | 1 | 4 | 23 | 2 |
| ,, 5 ,, | 6,592 | 33 | 22·5 | 1·2 | 37 | 6 | 2 | 17 | | | 12 | . | . | . | . | 2 | . | . | . | . | 3 | 9 | . | 3 | 3 | . | 2 | 13 | 1 |
| ,, 6 ,, | 10,702 | 72 | 15·7 | 0·7 | 42 | 12 | 2 | 17 | | | 11 | . | . | . | . | 2 | . | . | . | . | 2 | 7 | 5 | 2 | 1 | 1 | 1 | 4 | 7 |
| ,, 7 ,, | 16,616 | 105 | 20·9 | 1·0 | 87 | 14 | 9 | 41 | | | 23 | . | . | . | 1 | 2 | 1 | . | . | . | 5 | 21 | 5 | 1 | 8 | 1 | 4 | 44 | 4 |
| Total, . . | 76,122 | 527 | 19·9 | 1·3 | 378 | 64 | 42 | 171 | | | 101 | . | . | . | 1 | 18 | 1 | . | 1 | 3 | 23 | 72 | 19 | 14 | 36 | 3 | 15 | 142 | 21 |

* Formerly described as "Simple Continued Fever."

† See note (‡) on page 431.

# SPECIAL TABLES.

## Cerebro-spinal Fever *

The following tables contain information with reference to the epidemic of Cerebro-spinal Fever in the County Borough of Belfast.

Table A.—Showing for each of the 13 weeks of the Quarter ended 29th June, 1907, the Number of Deaths from Cerebro-spinal Fever for each Registrar's District of the County Borough of Belfast (Deaths in Institutions being assigned to the Districts from which the deceased were admitted, and deaths of persons admitted from without the County Borough being excluded); also the total number of cases notified during each week.

| Registrars' Districts. | Mortality. Week ending— | | | | | | | | | | | | | Total (13 weeks ending 29th June, 1907). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6th Apr. | 13th Apr. | 20th Apr. | 27th Apr. | 4th May. | 11th May. | 18th May. | 25th May. | 1st June. | 8th June. | 15th June. | 22nd June. | 29th June. | |
| Belfast Urban, No. 1, | . | 4 | 5 | 1 | 2 | . | 1 | 2 | . | 3 | 1 | 2 | 1 | 22 |
| " " 2, | 3 | 4 | 5 | . | 2 | 2 | 2 | 4 | 1 | . | 1 | 1 | . | 25 |
| " " 3, | 3 | 3 | 4 | 4 | 1 | 1 | 4 | 1 | . | . | 4 | 4 | 1 | 30 |
| " " 4, | 1 | 1 | 1 | 2 | . | 1 | 2 | 1 | . | 1 | . | . | . | 10 |
| " " 5, | . | 1 | 2 | . | 1 | . | . | 3 | . | 2 | 2 | . | 1 | 12 |
| " " 6, | 2 | . | 3 | 2 | 8 | 3 | 2 | . | . | . | 1 | 5 | . | 26 |
| " " 7, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 8, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 9, | 1 | 1 | 1 | 4 | . | . | . | 1 | 1 | 2 | . | . | . | 11 |
| " " 10, | 1 | 1 | 1 | 3 | 3 | 2 | 1 | 1 | . | . | 4 | 1 | . | 18 |
| " " 11, | 4 | 4 | 1 | 5 | 4 | 3 | 1 | 3 | 4 | . | 2 | 2 | 1 | 34 |
| " " 12, | 4 | 3 | 4 | 6 | 3 | 3 | 6 | 3 | 5 | 1 | 2 | 4 | 2 | 46 |
| " " 13, | 1 | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 1 | . | 8 |
| " " 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total Deaths, | 20 | 22 | 27 | 27 | 24 | 16 | 19 | 20 | 14 | 10 | 17 | 20 | 6 | 242 |
| Notifications as returned. | | | | | | | | | | | | | | |
| Total Notifications, Belfast, | 27 | 24 | 36 | 20 | 30 | 29 | 24 | 22 | 22 | 13 | 17 | 16 | 11 | 291 |

* Including 4 deaths from *Cerebro-spinal Meningitis*, concerning which no further information was available.

TABLE B.—Showing, by Age periods and Sexes, the Number of Deaths registered from Cerebro-spinal Fever in the County Borough of Belfast, by Registrars' Districts, during the Quarter (13 weeks) ended 29th June, 1907—Deaths in Institutions being assigned to the Districts from which the deceased were admitted, and deaths of persons admitted from without the County Borough being excluded.

| Registrars' Districts. | Age Periods. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Belfast Urban, No. 1, | 7 | 1 | 3 | 3 | 2 | 3 | 1 | . | 1 | 1 | 14 | 8 | 22 |
| ,, No. 2, | 2 | 2 | 3 | 3 | 6 | 4 | 2 | 2 | 1 | . | 14 | 11 | 25 |
| ,, No. 3, | 3 | 3 | 9 | 3 | 6 | 3 | 2 | 1 | . | . | 20 | 10 | 30 |
| ,, No. 4, | 1 | . | 1 | 2 | . | 2 | 1 | 3 | . | . | 3 | 7 | 10 |
| ,, No. 5, | . | 1 | 4 | 4 | . | 1 | 1 | 1 | . | . | 5 | 7 | 12 |
| ,, No. 6, | 3 | 2 | 4 | 4 | 4 | 7 | 1 | 1 | . | . | 12 | 14 | 26 |
| ,, No. 7, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, No. 8, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, No. 9, | . | . | . | . | 4 | 6 | 1 | . | . | . | 5 | 6 | 11 |
| ,, No. 10, | . | 1 | 8 | . | 4 | 1 | 2 | 1 | . | 1 | 14 | 4 | 18 |
| ,, No. 11, | 4 | 2 | 3 | 9 | 8 | 3 | 4 | 1 | . | . | 19 | 15 | 34 |
| ,, No. 12, | 5 | 3 | 9 | 5 | 12 | 9 | 2 | 1 | . | . | 28 | 18 | 46 |
| ,, No. 13, | 1 | . | 1 | 3 | 2 | 1 | . | . | . | . | 4 | 4 | 8 |
| ,, No. 14, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . | 26 | 15 | 45 | 36 | 48 | 40 | 17 | 11 | 2 | 2 | 138 | 104 | 242 |

TABLE C.—Showing the Occupation or Social Condition, by Age Periods and Sexes, of the Persons whose deaths were registered as having been caused by Cerebro-spinal Fever in the County Borough of Belfast, during the Quarter (13 weeks), ended 29th June, 1907, excluding deaths in Institutions of persons admitted from without the County Borough of Belfast.

| Occupation or Social Condition. | Age Periods. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Baker, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Balling Master, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Boilermaker, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Boilermaker, children of, | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 2 |
| Bookbinder, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Book-keeper, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Boxmaker, | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | 2 |
| Boxmaker, children of, | . | 1 | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 3 |
| Breadserver, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Breadserver, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Bricklayer, children of, | . | . | 1 | . | 1 | . | . | . | . | . | 2 | . | 2 |
| Bricklayer, wife of, | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 |
| Butcher, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Cabinetmaker, children of, | 1 | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | 3 |
| Cardcutter, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Cardriver, children of, | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | 2 |
| Carpenter and Joiner, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Carpenter and Joiner, children of, | 3 | . | . | . | . | 1 | . | . | . | . | 3 | 1 | 4 |
| Carrier, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Carter, | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 |
| " children of, | 1 | . | 1 | . | . | . | . | . | . | . | 2 | . | 2 |
| Caterer, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Caulker, children of, | . | . | 1 | . | 1 | . | . | . | . | . | 2 | . | 2 |
| Charwoman, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Checker, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Clerk, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| " children of, | . | . | 2 | . | 1 | . | . | . | . | . | 3 | . | 3 |
| Clerk (mercantile), | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Clothier's salesman, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Coaldealer, children of, | . | . | 1 | . | 1 | . | . | . | . | . | 2 | . | 2 |
| Coal merchant, children of, | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 | 2 |
| Commissionaire, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Confectioner's assistant, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Constable, R.I.C., | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Cooper, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Corkcutter, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Dealer, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Director, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Distiller's foreman, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Dressmaker, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Driller, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Engineer, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Fireman, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Fitter, children of, | 2 | . | . | . | 2 | 1 | . | . | . | . | 4 | 1 | 5 |
| Flaxdresser, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Galvaniser, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Gardener, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Grocer, children of, | . | 1 | 2 | . | . | . | . | . | . | . | 2 | 1 | 3 |
| Grocer's Assistant, | . | . | . | . | 2 | . | . | . | . | . | 2 | . | 2 |
| Hackle Maker, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Horseshoer, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Housewife, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Housekeeper, | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 |
| Iron-moulder, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Iron-plater, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Labourer, | . | . | . | . | 1 | . | 6 | . | 1 | . | 8 | . | 8 |
| " children of, | 10 | 8 | 21 | 19 | 14 | 17 | . | . | . | . | 45 | 44 | 89 |

[*continued on next page.*

TABLE C.—*continued.*—Showing the Occupation or Social Condition, by Age Periods and Sexes, of the Persons whose deaths were registered as having been caused by Cerebro-spinal Fever in the County Borough of Belfast during the Quarter (13 weeks) ended 29th June, 1907, excluding deaths in Institutions of persons admitted from without the County Borough of Belfast.

| Occupation or Social Condition. | Age Periods. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years. and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Labourer, wife of, | . | . | . | . | . | . | . | 3 | . | . | . | 3 | 3 |
| Leather Merchant, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Linen-lapper, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Linen-lapper, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Lithographer, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Machinist, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Marble Mason, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Mechanic, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Messenger, | . | . | . | . | 2 | . | . | . | . | . | 2 | . | 2 |
| Millworker, | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | 2 |
| Motor Inspector, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Motorman, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Moulder, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Packer, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Packing-case Maker, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Painter, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Pavior, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Plasterer, children of, | . | . | 1 | 1 | 1 | . | . | . | . | . | 2 | 1 | 3 |
| Plater's Helper, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Plumber, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Polisher, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Pork Cutter, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Porter, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Poulterer, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Prison Warder, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Provision Merchant, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Publican, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Railway Porter, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Range-setter, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Rivetter, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Sailor, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Sample Maker, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Servant (domestic), | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Sewer, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Ship Carpenter, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Ship-rigger, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Shipwright, children of, | 1 | . | . | 1 | . | 1 | . | . | . | . | 1 | 2 | 3 |
| Smith's Helper, children of, | . | 1 | 1 | . | . | . | . | . | . | . | 1 | 1 | 2 |
| Smoother, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Soldier, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Spirit Merchant's Washer, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Stone-cutter, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Storeman, child of, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Street Inspector, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Tailor, children of, | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 | 2 |
| Tailoress, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Tinsmith, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Unknown, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Vandriver, children of, | 1 | . | . | 2 | 1 | . | . | . | . | . | 2 | 2 | 4 |
| Waiter, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Warehouse worker, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Water Inspector, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Yarn-bundler, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| TOTAL, | 26 | 15 | 45 | 36 | 48 | 40 | 17 | 11 | 2 | 2 | 138 | 104 | 242 |

TABLE D.—Showing, by sexes, for the County Borough of Belfast, the duration of illness of the persons whose deaths from Cerebro-spinal Fever were registered during the Quarter (13 weeks) ended 29th June, 1907.

[The deaths are exclusive of those in Institutions of persons admitted from without the County Borough of Belfast.]

| SEXES. | DURATION OF ILLNESS. | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 24 Hours. | Days. | | | | | | | | | | | | | | | | | | | | Months. | | | Unspecified. | Total. |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 days to one month. | 1. | 2. | 3 Months and upwards. | | |
| Males, . . . | 14 | 22 | 11 | 14 | 15 | 8 | 2 | 3 | 3 | 4 | 3 | 1 | 1 | 2 | 3 | - | - | - | 1 | 1 | 5 (*a*) | 13 (*b*) | 10 (*c*) | 1 (*d*) | 1 | 138 |
| Females, . . | 20 | 20 | 17 | 9 | 5 | 4 | 6 | 2 | 2 | - | - | - | 1 | - | 3 | 1 | - | - | - | 2 | 2 (*e*) | 5 (*f*) | 5 (*g*) | — | — | 104 |
| Total, . . | 34 | 42 | 23 | 23 | 20 | 12 | 8 | 5 | 5 | 4 | 3 | 1 | 2 | 2 | 6 | 1 | - | - | 1 | 3 | 7 | 18 | 15 | 1 | 1 | 242 |

(*a*) Including one 22 days, one 24 days, two 27 days, and one 28 days.
(*b*) Including one 1 month, one 30 days, one 31 days, one 1 month and 6 days, one 5 weeks, one 36 days, one 41 days, three 1 month and a half, one 49 days, and two 52 days.
(*c*) Including one 2 months, one 66 days, one 68 days, one 70 days, one 74 days, one 77 days, one 78 days, one 81 days, and two 82 days.
(*d*) 3½ months.
(*e*) Including one 22 days and one 23 days.
(*f*) Including one 4 weeks, one 29 days, one 1 month 7 days, one 1 month 8 days, and one 38 days.
(*g*) Including one 2 months, one 57 days, one 60 days, one 64 days, and one 79 days.

ROBERT E. MATHESON,
*Registrar-General.*

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, 15th August,* 1907.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
375. Wt. P. 4. 4. 1907—18218.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 6TH JULY, 1907. [No. 27.

*General Register Office, Charlemont House, Dublin, 8th July,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending June 15. | June 22. | June 29. | July 6. | Average Rate for 4 weeks. | Towns, &c. | Week ending June 15. | June 22. | June 29. | July 6. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 20·8 | 17·7 | 17·8 | 18·2 | 18·6 | Lisburn, | 4·5 | 18·2 | 9·1 | 4·5 | 9·1 |
| Armagh, | 20·6 | 6·9 | 13·7 | 6·9 | 12·0 | Londonderry, | 13·5 | 8·6 | 11·0 | 13·5 | 11·7 |
| Ballymena, | 19·2 | 14·4 | 23·9 | 9·6 | 16·8 | Lurgan, | 17·7 | . | 4·4 | 26·6 | 12·2 |
| Belfast, | 19·7 | 18·5 | 19·0 | 20·3 | 19·4 | Newry, | 8·4 | . | 8·4 | 21·0 | 9·5 |
| Clonmel, | 15·4 | 15·4 | 10·3 | 25·6 | 16·7 | Newtownards, | 22·9 | 17·2 | 28·6 | 28·6 | 24·3 |
| Cork, | 18·5 | 13·7 | 17·1 | 18·5 | 17·0 | Portadown, | 31·0 | 15·5 | 20·7 | 36·2 | 25·8 |
| Drogheda, | 8·2 | 16·3 | 4·1 | 8·2 | 9·2 | Queenstown | 33·0 | 13·2 | 19·8 | 33·0 | 24·7 |
| Dublin Reg. Area, | 24·3 | 20·8 | 19·5 | 18·3 | 20·7 | Sligo, | 62·4 | 33·6 | 4·8 | 9·6 | 27·6 |
| Dundalk, | 27·9 | 16·0 | 8·0 | 12·0 | 16·0 | Tralee, | 15·9 | 21·1 | 15·9 | 10·6 | 15·9 |
| Galway, | 3·9 | 31·1 | 31·1 | 19·4 | 21·4 | Waterford, | 21·4 | 13·6 | 13·6 | 9·7 | 14·6 |
| Kilkenny, | 14·7 | 9·8 | 19·7 | 9·8 | 13·5 | Wexford, | 23·3 | 9·3 | 4·7 | 23·3 | 15·2 |
| Limerick, | 10·9 | 10·9 | 17·8 | 10·9 | 12·6 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in sixteen of the districts to 6·6 in Queenstown, the 5 deaths from all causes registered in that district including one from whooping-cough. Among the 144 deaths from all causes registered in Belfast are 5 from measles, 2 from whooping-cough, one from enteric fever, 4 from cerebro-spinal fever, and one returned as from *cerebro-spinal meningitis.* Of the 8 deaths registered in Limerick one is from whooping-cough; one of the 5 deaths from all causes in Galway is from *pyrexia* (origin uncertain); and one of the 6 deaths from all causes in Lurgan is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 195—96 boys and 99 girls; and the deaths to 146—72 males and 74 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 19·5 in every 1,000 of the population; omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, the rate was 18·3 per 1,000. During the twenty-seven weeks ending with Saturday last the death-rate averaged 27·2, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (146) included 6 from measles, 3 from scarlet fever, 9 from whooping-cough, one from diphtheria, and one from enteric fever. In each of the 3 preceding weeks, deaths from measles were 3, 9, and one; deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were 8, 5, and 8; deaths from diphtheria were 0, one, and 0; and deaths from enteric fever were 0, 0, and 0. There was one death from influenza, which, in the 3 preceding weeks, caused, respectively, 3, 0, and 2 deaths. There were 2 deaths from tetanus, and one death from anthrax was returned.

The deaths from pneumonia comprise 2 deaths from lobar pneumonia, 5 from broncho-pneumonia, and 3 deaths from *pneumonia* (not defined).

The deaths from all forms of tuberculous disease numbered 29, and include 10 from tuberculous phthisis, 11 from *phthisis*, one death from tuberculous meningitis, and 7 deaths from other forms of the disease. In each of the 3 weeks preceding, deaths from all forms of tuberculous disease were 38, 43, and 36.

There was one death from carcinoma and 4 deaths from cancer (undefined).

The deaths of 2 infants prematurely born were registered.

Of 16 deaths from diseases of the brain and nervous system, there were 6 from meningitis, and 5 were those of infants under one year of age from *convulsions*.

Diseases of the heart and blood vessels and bronchitis each accounted for 15 deaths.

Of 3 accidental deaths one was by drowning, and one was by suffocation (of an infant under two months old) in bed. There was one death by suicide.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of a child under 5 years of age.

Forty-eight of the persons whose deaths were registered during the week were under 5 years of age (25 being infants under one year, of whom 3 were under one month old), and 32 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a woman) was stated to have been aged 95 years.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the N. Dublin Union Workhouse and 10 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·3 per 1,000; the rate in the City was 19·8 (North City Districts, 21·0; South, 18·5), and in the Suburbs, 13·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·4 (3·0 in the North City Districts, and 1·8 in the South) and for the Suburbs, 2·9 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·6 per 1,000, and include 6 deaths from tuberculous disease and 3 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000. The total includes 2 deaths from measles, one from scarlet fever, one death from whooping-cough, one death from enteric fever, 2 deaths from *pneumonia* (not defined), 6 deaths from tuberculous disease, one from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. There was one death from diphtheria, *phthisis* caused one death, and there were 3 deaths from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (12) represent an annual rate of 19·3 per 1,000. Of the deaths one was from measles, 2 were from whooping-cough, 2 were caused by tuberculous disease, one death was from bronchitis, and one death was by drowning.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 23·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·2. The 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from broncho-pneumonia.

*No. 1 South City District* (South Earl-street).—The deaths (10) represent an annual rate of 13·0 per 1,000. Measles and whooping-cough each caused one death, there was one death from *pneumonia* (not defined), and there was one death from *phthisis*.

*No. 2 South City District* (Castle-street).—It appears from the Return of the Registrar that not one death was registered during the week.

*No. 3 South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·6 per 1,000. Among the deaths there was one from scarlet fever, one from influenza, one from lobar pneumonia, 3 from broncho-pneumonia, and 5 deaths from tuberculous disease.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Whooping-cough caused 2 deaths, there was one death from broncho-pneumonia, there were 3 deaths from tuberculous disease of the lungs, 5 deaths from bronchitis, and one death from accidental suffocation of an infant in bed.

*New Kilmainham District.*—There was but one death (equal to an annual rate of 5·9 per 1,000) registered for this district during the week.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·2; Pembroke, 13·1; Blackrock, 23·8; and Kingstown, 8·9. The deaths from the principal epidemic diseases tabulated for these districts include one from measles for each of Pembroke and Kingstown, and 3 deaths from whooping-cough for Pembroke. The 9 deaths from all causes for Rathmines and Rathgar include one from tuberculous phthisis, 2 from bronchitis, and one suicidal death. Of the 7 deaths from all causes for Pembroke one was from lobar pneumonia. The 4 deaths from all causes for Blackrock include one from tuberculous phthisis, and amongst the 3 deaths from all causes for Kingstown there were 2 from tuberculous disease of the lungs.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban strict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 6th July, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| ITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain). | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | June 15, | . | — | — | 5 | 1 | . | 4 | . | 1 | 4 | 10 | . | — | — | 2 | — | — | 27 |
| | June 22, | . | — | — | 8 | 3 | . | 3 | . | 3 | 7 | 8 | . | — | — | 1 | — | — | 33 |
| | June 29, | . | — | — | 8 | 1 | . | 6 | . | 1 | 9 | 13 | . | — | — | . | — | — | 38 |
| | July 6, | . | — | — | 5 | . | . | 7 | . | 2 | 4 | 15 | . | — | — | . | — | — | 33 |
| thmines Rathgar Urban District. | June 15, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | 2 | — | — | 3 |
| | June 22, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| | July 6, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| mbroke Urban District. | June 15, | . | 54 | . | . | . | . | . | . | . | . | . | . | — | 4 | . | — | — | 58 |
| | June 22, | . | 47 | . | . | . | . | . | . | . | 1 | . | . | — | 8 | . | — | — | 56 |
| | June 29, | . | 23 | . | . | . | . | . | . | . | . | 2 | . | — | 15 | . | — | — | 40 |
| | July 6, | . | 18 | . | . | . | . | . | . | 1 | . | . | . | — | 5 | . | — | — | 24 |
| ackrock Urban District. | June 15, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | June 22, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 1 |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ngstown Urban District. | June 15, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 22, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ity of elfast. | June 15, | . | — | — | 9 | . | . | . | . | 6 | 5 | 2 | 1 | — | — | 17 | — | — | 40 |
| | June 22, | . | — | — | 9 | . | . | 3 | 1 | 11 | 8 | 6 | 1 | — | — | 16 | — | — | 55 |
| | June 29, | . | — | — | 9 | . | . | 1 | . | 2 | 1 | 10 | . | — | — | 11 | — | — | 34 |
| | July 6, | . | — | — | 8 | . | . | 3 | . | 2 | 6 | 3 | . | — | — | 6 | — | — | 28 |

E.—The Registrar of Belfast Urban No. 8 reports as follows:—"Measles and whooping-cough are nic."

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ble XII. exhibits the number of cases of certain infectious diseases treated in the n Hospitals during the week ended 6th July, 1907.

om this it appears that:—

enty-three cases of measles were admitted into hospital during the week, 24 were dis-ed, there was one death, and 60 cases remained under treatment at its close. At the of each of the three preceding weeks the cases of measles under treatment numbered , and 62.

ir cases of scarlet fever were admitted to hospital, 8 were discharged, there were 2 s, and 45* cases remained under treatment at the close of the week.

ree cases of typhus remained under treatment in hospital at the close of the week.

ir cases of diphtheria were admitted to hospital, 8 were discharged, there was one , and 14 patients remained under treatment at the close of the week.

ir cases of enteric fever were admitted to hospital during the week, 9 were discharged, 5 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, e discharged, there was one death, and 33 cases remained under treatment at the end week.

## ENGLAND AND SCOTLAND.

mortality last week in 76 large English towns, including London (in which the as 11·9), was equal to an average annual death-rate of 12·5 per 1,000 persons living, verage rate for 8 principal towns of Scotland was 14·5 per 1,000, the rate for Glasgow 15·3 and for Edinburgh 13·7.

INFECTIOUS DISEASE IN EDINBURGH.

e Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health nburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th From this Report it appears that of a total of 75 cases notified 44 were diphtheria, 13 scarlet fever pelas, and 2 enteric fever. Among the 422 cases of infectious diseases in hospital at the close ek were 114 cases of scarlet fever, 85 of measles, 77 of diphtheria, one of membranous croup, hooping-cough, 13 of erysipelas, and 12 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 6th July, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by. Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-18. | Registration—Week ending Saturday, 6th July, 1907. Numbers Registered. Births. Total Number. | Deaths. Under 1 year of Age. | Deaths. At 60 years & upwards. | Caused by. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 6th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 29th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 22nd June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 27·1 | 18·2 | 1·4 | 580 | 390 | 70 | 92 | . | 11 | 2 | . | 14 | 1 | 1 | 2 | . | 26 | 56 | 30 | 16 | 43 | 6 | 11 | 105 | 13 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 26·0 | 18·3 | 2·5 | 195 | 137 | 24 | 32 | . | 6 | 2 | . | 9 | 1 | . | 1 | . | 10 | 20 | 8 | 5 | 16 | 4 | 4 | 59 | 1 | 61·1 | 39·7 | 51·6 | 1·07 | 63·1 | 40·4 | 51·8 | 0·52 | 63·2 | 39·4 | 52·7 | 0·54 |
| City of Dublin. | 300,850 | 38·0 | 29·1 | 19·8 | 2·4 | 168 | 114 | 22 | 24 | . | 4 | 2 | . | 6 | 1 | . | 1 | . | 9 | 16 | 8 | 4 | 14 | 3 | 3 | 51 | 1 | 61·2 / 60·8 | 44·3 / 41·0 | 53·7 / 52·2 | 1·23 / 0·66 | 65·1 / 63·8 | 43·0 / 40·6 | 53·5 / 52·2 | 0·53 / 0·57 | 64·9 / 63·8 | 43·1 / 40·0 | 55·1 / 53·3 | 0·51 / 0·62 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 10·3 | 13·2 | . | 7 | 9 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,874 | 17·5 | 20·6 | 13·1 | 7·5 | 11 | 7 | 1 | 1 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 23·8 | . | 3 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 8·9 | 3·0 | 6 | 3 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . | 60 | 46 | 53·3 | 0·99 | 63 | 46·5 | 54·3 | 0·02 | 64 | 46·5 | 55·4 | 0·38 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (f), | 370,168 | 25·2 | 30·7 | 20·3 | 1·1 | 218 | 144 | 31 | 30 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 2 | 26 | 3 | 61·8 | 44·0 | 53·0 | 0·64 | 63·5 | 42·0 | 52·3 | 1·26 | 63·5 | 42·5 | 53·0 | 1·22 |
| Cork, | 76,122 | 33·6 | 17·8 | 18·5 | . | 26 | 27 | 4 | 4 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 1 | 8 | 3 | 64 | 43 | 52·8 | 0·44 | 61 | 42 | 52·4 | 0·57 | 60 | 42 | 53·3 | 0·46 |
| Londonderry, | 42,475 | 19·6 | 23·3 | 13·5 | . | 19 | 11 | . | 3 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 17·8 | 10·9 | 1·4 | 13 | 8 | 1 | 3 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 31·2 | 9·7 | . | 16 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 31·1 | 19·4 | 3·9 | 8 | 5 | 1 | 4 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 67 | 42 | 54 | 0·98 | 61 | 42 | 53 | 1·22 | 62 | 43 | 54·3 | 0·79 |
| Dundalk, | 13,076 | 9·4 | 12·0 | 12·0 | . | 3 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 36·8 | 8·2 | . | 9 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 8·4 | 21·0 | . | 2 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 |
| Lurgan, | 11,782 | 13·8 | 39·8 | 26·6 | 4·4 | 9 | 6 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 4·5 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 |
| Wexford, | 11,168 | 23·2 | 18·7 | 28·3 | . | 4 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 19·2 | 9·6 | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 14·4 | 9·6 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 63·3 | 44·0 | 53·0 | 1·73 | 60·5 | 40·0 | 51·0 | 1·18 | 63·5 | 37·0 | 52·0 | 1·42 |
| Kilkenny, | 10,609 | 11·5 | 44·2 | 9·8 | . | 9 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 64 | 38 | 51·7 | 1·64 | 64 | 37 | 52 | 0·67 | 65 | 39 | 54·3 | 0·50 |
| Clonmel, | 10,167 | 7·8 | 35·9 | 25·6 | . | 7 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 31·0 | 36·2 | . | 6 | 7 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | 1 | . | . | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 |
| Tralee, | 9,867 | 16·6 | 42·3 | 10·6 | . | 8 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 74·4 | 28·6 | . | 13 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 1 | 59 | 44 | 51·3 | 0·80 | 63 | 41 | 51·1 | 1·00 | 63 | 43 | 51·9 | 1·12 |
| Queenstown, | 7,909 | 14·4 | 18·2 | 38·0 | 6·6 | 2 | 5 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 64 | 43 | 52·8 | 0·44 | 61 | 43 | 52·4 | 0·57 | 60 | 42 | 53·3 | 0·46 |
| Armagh, | 7,688 | 22·2 | 6·9 | 6·9 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 | 62·8 | 42·0 | 52·6 | 1·32 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 9 deaths of persons (including one under 1 year old), admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 6th July, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1 E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Glasnevin & Howth No. 1 (part of). | Cloontarf and Drumcondra, No. 1 (part of). | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 2 | . | 1 | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | 6 | . |
| Scarlet Fever, | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 1 | . | 2 | . | . | . | 1 | . | . | 2 | . | . | 3 | . | . | 9 | . |
| Diphtheria, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, | . | 2 | . | . | . | 1 | . | 1 | . | 4 | 1 | . | . | 1 | . | . | 10 | . |
| Tuberculous Disease. Phthisis, | 4 | 4 | 1 | 1 | . | . | . | 1 | . | 2 | 3 | . | 1 | . | 1 | 2 | 20 | 1 |
| Tuberculous Disease. Other Forms. | 2 | 2 | . | 1 | . | . | . | . | . | 3 | . | . | . | . | . | . | 8 | . |
| Cancer, Malignant Disease, | 1 | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | 1 | . | 5 | . |
| Other General Diseases | . | 2 | 2 | . | . | . | . | 1 | . | 4 | 1 | 1 | . | . | 1 | . | 12 | 2 |
| Total, | 7 | 15 | 4 | 5 | . | 1 | . | 7 | . | 14 | 8 | 1 | 1 | 5 | 3 | 3 | 74 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | . | 4 | 2 | . | 2 | 1 | . | . | 3 | 1 | . | 1 | . | . | . | 14 | 2 |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of: Heart and Blood Vessels, | 2 | 1 | 2 | 2 | . | . | . | 1 | . | 3 | . | . | 1 | 1 | 1 | . | 14 | 1 |
| Diseases of: Respiratory System, | 3 | 1 | 3 | 1 | . | . | . | . | . | 1 | 5 | . | 2 | . | . | . | 16 | . |
| Diseases of: Digestive System, | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | 3 | 1 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Diseases of: Urinary System, | . | . | . | . | . | 2 | . | . | . | 2 | 1 | . | . | . | . | . | 5 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 3 | 9 | 5 | . | 4 | 1 | 2 | . | 10 | 8 | . | 6 | 1 | 1 | . | 55 | 5 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 1 | 1 | . | . | 4 | . |
| **E. VIOLENT DEATHS,** | . | 1 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 4 | . |
| **Deaths from all Causes,** | 12 | 19 | 13 | 12 | . | 5 | 1 | 10 | . | 24 | 17 | 1 | 9 | 7 | 4 | 3 | 137 | 9 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 25·3 | 22·5 | 19·3 | . | 23·7 | 7·2 | 13·0 | . | 29·6 | 25·2 | 5·9 | 13·2 | 13·1 | 23·8 | 8·9 | 18·3 | . |
| | 21·0 | | | | | | | 18·5 | | | | | 13·3 | | | | | |
| | 19·8 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | . | 1 | 4 | 5 | . | 1 | . | 5 | . | 2 | 3 | 1 | 1 | 1 | . | . | 24 | 1 |
| 1 and under 5 years, | 1 | 2 | . | 1 | . | 2 | . | . | . | 6 | 2 | . | 1 | 5 | . | 1 | 21 | 2 |
| 5 ,, 20 ,, | 3 | 3 | 1 | 1 | . | . | 1 | 1 | . | 5 | 2 | . | . | . | . | 1 | 18 | 4 |
| 20 ,, 40 ,, | 2 | 3 | 2 | . | . | . | . | 1 | . | 3 | 2 | . | 1 | . | 1 | . | 15 | 1 |
| 40 ,, 60 ,, | 4 | 3 | 2 | 2 | . | 2 | . | 2 | . | 2 | 2 | . | 1 | . | 2 | . | 27 | 1 |
| 60 and upwards, | 2 | 2 | 4 | 3 | . | . | . | 1 | . | 6 | 6 | . | 5 | 1 | 1 | 1 | 32 | . |
| Number of Uncertified Deaths, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 3 | 3 | 3 | . | 1 | . | 3 | . | 6 | 4 | . | 3 | 2 | 2 | 1 | 38 | 8 |
| Workhouse Hospitals, | 1 | 3 | 6 | 1 | . | . | . | 3 | . | 5 | 2 | . | . | . | . | . | 21 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i he week of the ten years, 1897-06

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 27th Week of the 10 years 1897-1906. | In the Week ending Saturd 6th July, 1907. Deaths of Persons of the Age f | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 10, 1897. | July 9, 1898. | July 8, 1899. | July 7, 1900. | July 6, 1901. | July 5, 1902. | July 11, 1903. | July 9, 1904. | July 8, 1905. | July 7, 1906. | | ALL AGES. | 0 to 5. | | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards. |
| Mean Temperature. | 56·5 | 57·0 | 60·6 | 56·2 | 58·9 | 58·9 | 60·4 | 57·2 | 59·1 | 55·8 | 58·1 | 51·6 | | | | | | | |
| **ALL CAUSES.** | 145 | 136 | 156 | 124 | 153 | 149 | 138 | 138 | 140 | 130 | 140·9 | 146 | 3 | 22 | 23 | 22 | 16 | 28 | 4 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | . | 5 | . | . | 6 | . | 2 | 1 | . | 1·4 | 6 | . | 2 | 4 | . | . | . | . |
| Scarlet Fever, | 1 | 2 | . | . | . | 1 | . | . | 1 | . | ·5 | 3 | . | 1 | . | 2 | . | . | . |
| Typhus, | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 3 | 1 | 3 | 1 | 6 | . | 1 | 1 | 1 | . | 1·7 | 1 | . | . | . | . | 1 | . | . |
| Whooping-cough, | 2 | 3 | 1 | 3 | 2 | . | 1 | 3 | . | 4 | 1·9 | 9 | . | 5 | 4 | . | . | . | . |
| Diphtheria, | 2 | . | 1 | . | 3 | . | . | . | . | . | ·6 | 1 | . | 1 | . | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | 1 | 2 | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | 3 | 2 | 2 | 2 | . | . | 2 | . | 1·2 | 1 | . | . | . | . | 1 | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 2 | . | 3 | 2 | 1 | 1 | . | . | 3 | . | 2·2 | . | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | 1 | 5 | 3 | . | | . | . | . | . | . | . | . | . |
| Tetanus, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | 2 | . | . | 1 | . | . | . | 1 |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | 1‡ | . | . | . | . | . | . | 1 |
| Venereal Disease, | 1 | . | 1 | . | . | . | 1 | . | 2 | . | ·5 | . | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | 1 | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| Pneumonia, Lobar, | 7 | 6 | 11 | 5 | 5 | . | 1 | . | . | . | 8·5 | 2 | . | . | 2 | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 3 | 6 | . | 1 | 3 | | 5 | . | . | 3 | 1 | . | . | 1 |
| Pneumonia, Epidemic, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 14 | 8 | 5 | 8 | 1 | | 3 | . | 1 | . | . | . | 1 | 1 |
| Erysipelas, | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 1 | 1 | . | 3 | . | . | 2 | . | 1 | ·8 | 1 | . | . | . | . | 1 | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 3 | . | . | . | 1 | . | 2 | . |
| Tuberculous Phthisis, | 24 | 18 | 26 | 26 | 19 | 2 | 2 | 6 | 8 | 8 | 23·4 | 10 | . | . | . | 2 | 1 | 6 | 1 |
| "*Phthisis*," | | | | | | 16 | 24 | 22 | 15 | 18 | | 11 | . | . | . | 4 | 6 | 1 | . |
| Tuberculous Meningitis, | 4 | 3 | 8 | 3 | 3 | 4 | 1 | 3 | 1 | 3 | 3·3 | 1 | . | . | . | 1 | . | . | . |
| Tuberculous Peritonitis, | 2 | 5 | 2 | 2 | 6 | 2 | . | 1 | 1 | . | 2·4 | . | . | . | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | 2 | 1 | . | . | . | | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 4 | 3 | 3 | 6 | 5 | 4 | 3 | 5 | 5 | 8 | 4·6 | 7 | . | . | 1 | 3 | 2 | . | 1 |
| *Scrofula*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Alcoholism, | 2 | 1 | . | . | 1 | . | 1 | 1 | . | . | ·6 | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | 1 | 1 | 1 | . | . | . | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . |
| Gout, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Carcinoma, | 7 | 6 | 5 | 3 | 7 | . | 3 | 3 | 4 | 3 | 6·0 | 1 | . | . | . | . | . | 1 | . |
| Sarcoma, | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 2 | 4 | 5 | 3 | 4 | | 4 | . | . | . | . | . | 2 | 2 |
| Diabetes Mellitus, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| Premature Birth, | 3 | 4 | 5 | 3 | 4 | 3 | 2 | 4 | 1 | 5 | 3·4 | 2 | 1 | 1 | . | . | . | . | . |

* The figures for the years 1897-1900 are f
† Formerly described
‡ Returned as anthra

TWENTY-SEVENTH WEEK ending Saturday, 6th July, 1907, with the deaths from each cause in the corresponding and the average for those weeks.*

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: July 10, 1897. | July 9, 1898. | July 8, 1899. | July 7, 1900. | July 6, 1901. | July 5, 1902. | July 11, 1903. | July 9, 1904. | July 8, 1905. | July 7, 1906. | Averages in 27th Week of the 10 years 1897–1906. | In the Week ending Saturday, 6th July, 1907. Deaths of Persons of the Ages of: ALL AGES. | Under 1 month. | 0 to 5. 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 56·5 | ° 57·0 | ° 60·6 | ° 55·2 | ° 58·9 | ° 58·9 | ° 60·4 | ° 57·2 | ° 59·1 | ° 55·8 | ° 58·1 | ° 51·6 | | | | | | | | |
| Meningitis (not tuberc.) ... | | | | | | 4 | 1 | 3 | 4 | 1 | | 6 | . | 1 | 3 | 2 | . | . | . | . |
| Insanity, G. P. of Insane ... | | | | | | 1 | . | 2 | 1 | . | | 1 | . | . | . | . | . | . | 1 | . |
| Epilepsy ... | | | | | | . | 1 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| *Convulsions* ... | | | | | | 5 | 4 | 4 | 4 | 3 | | 5 | 1 | 4 | . | . | . | . | . | . |
| Locomotor Ataxy ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| Paraplegia Dis. of Cord ... | | | | | | 2 | 3 | . | 3 | 3 | | 3 | . | . | . | . | . | . | 3 | . |
| Nervous System (other Dis.) | 30 | 32 | 34 | 22 | 33 | 2 | 2 | 2 | 2 | 3 | 30·6 | 1 | . | . | . | . | . | . | 1 | . |
| Valv. Dis., Endocarditis | | | | | | 4 | 6 | 7 | 5 | 1 | | 5 | . | . | . | . | . | 2 | 3 | . |
| Cerebr. Hæm. Thromb. | | | | | | . | 2 | 2 | 1 | . | | 1 | . | . | . | . | . | . | 1 | . |
| *Apoplexy, Hemiplegia* ... | | | | | | 3 | 2 | 2 | . | 2 | | 1 | . | . | . | . | . | . | 1 | . |
| Aneurysm ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| Embolism, Thromb. (not cerebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessel Dis. | | | | | | 10 | 10 | 13 | 10 | 12 | | 8 | . | . | . | . | 1 | 2 | 3 | 2 |
| *Croup* (not Spasm. nor Memb.) | . | 1 | . | 2 | . | . | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| Bronchitis ... | 4 | 10 | 12 | 8 | 8 | 11 | 6 | 10 | 11 | 17 | 9·7 | 15 | . | . | 2 | 2 | 1 | 4 | 5 | 1 |
| Asthma, Emphysema ... | | | | | | . | . | 1 | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| Pleurisy ... | 7 | 1 | 1 | . | 2 | 1 | 1 | . | . | . | 2·3 | . | . | . | . | . | . | . | . | . |
| Respiratory Dis. (other) ... | | | | | | 1 | 3 | . | 1 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| Tonsillitis, Quinsy ... | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Enteritis (not Epid.) ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| *Gastro Enteritis* ... | . | 1 | . | . | 1 | 1 | . | 1 | . | 1 | ·6 | 1 | . | 1 | . | . | . | . | . | . |
| *Peritonitis* (not Puerp.) ... | 1 | . | 1 | . | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| Cirrhosis of Liver ... | | | | | | . | . | 2 | 2 | . | | . | . | . | . | . | . | . | . | . |
| Liver Dis. (other) ... | 1 | . | . | 1 | 2 | 1 | 1 | 1 | 2 | 1 | 1·4 | . | . | . | . | . | . | . | . | . |
| Digestive Dis. (other) ... | 6 | 6 | 2 | 2 | 7 | 1 | 2 | 2 | 4 | 3 | 3·5 | 3 | . | 1 | . | 1 | 1 | . | . | . |
| Nephritis, Acute ... | | | | | | 1 | 3 | . | 2 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| Bright's Dis., Albuminuria | 7 | 3 | 3 | 3 | 6 | . | 5 | 1 | 2 | 3 | 4·4 | 2 | . | . | . | . | . | 1 | 1 | . |
| Urinary Sys. (Other Dis.) | | | | | | . | . | 1 | 2 | . | | 2 | . | . | . | 1 | . | 1 | . | . |
| Generative Organs Dis. ... | . | . | . | . | 1 | 1 | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| Childbirth (Accid. of) ... | . | . | . | . | 1 | 3 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| *Old Age* ... | 7 | 10 | 9 | 10 | 7 | 12 | 2 | 2 | 1 | 3 | 6·3 | 1 | . | . | . | . | . | . | . | 1 |
| Other Diseases ... | 12 | 14 | 10 | 11 | 11 | 12 | 14 | 9 | 12 | 8 | 11·3 | 10 | . | 3 | 3 | 2 | . | 2 | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| By Railways ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| By Vehicles and Horses ... | 1 | . | . | . | 2 | 3 | . | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| In Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| In Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| In Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| By Burns, Scalds, Explosions | 1 | 2 | . | 2 | . | . | 1 | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| By Drowning ... | . | . | . | . | 2 | 2 | 2 | . | . | 1 | ·7 | 1 | 1 | . | . | . | . | . | . | . |
| By Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . |
| By Poison or Poisonous Vapours | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Other Deaths by Accident | . | 1 | 2 | 3 | 2 | 2 | 2 | 1 | . | 3 | 1·6 | 1 | . | . | . | . | . | 1 | . | . |
| VIOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| Homicide ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Suicide ... | 1 | . | . | 1 | . | . | . | . | 1 | . | ·3 | 1 | . | . | . | . | . | . | 1 | . |
| Execution ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

e Registration Area as then constituted.
imple Continued Fever.'

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 |
| No. of weeks in Annual Series. | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| Births registered, | 227 | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 230 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 |
| *Average Births in corresponding week of previous 10 years,** | 205 | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 |
| Deaths registered, | 219 | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 |
| Annual Death-rate per 1,000, | 29·2 | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 |
| *Average Deaths in corresponding week of previous 10 years,** | 212 | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 |
| Ages, Under 5 years, | 63 | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 73 | 59 | 55 | 61 | 59 | 52 | 52 | 53 | 47 | 48 |
| 5—20 ,, | 14 | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 |
| 20—40 ,, | 32 | 28 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 |
| 40—60 ,, | 40 | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 |
| 60—80 ,, | 57 | 46 | 45 | 38 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 23 |
| 80 years and upwards, | 13 | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 |
| Scarlet Fever | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 |
| Typhus, | . | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Whooping-cough, | 2 | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 |
| Diphtheria, | . | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 |
| Diarrhœal Diseases, | 2 | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . |
| Influenza, | 3 | 4 | 5 | 6 | 4 | 9 | 4 | 5 | . | . | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 |
| Pneumonia, | 20 | 19 | 22 | 13 | 16 | 19 | 28 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 |
| Tuberculous Phthisis, | 25 | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 |
| Disease. Other Forms, | 13 | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 |
| Cancer, Malignant Disease, | 5 | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 |
| Diseases of Heart and Blood Vessels, | 41 | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 |
| Diseases of Respiratory System, | 32 | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 |
| Violent Deaths, | 1 | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 |
| Number of Uncertified Deaths, | 7 | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 |
| Mean Temperature of the Air (Phœnix Park), | 48·7 | 48·0 | 34·3 | 37·7 | 34·0 | | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 40·1 | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 |
| Rainfall in inches, | ·026 | ·000 | ·083 | ·168 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·863 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·85 | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·88 | ·77 | ·83 | ·81 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

in the Dublin Registration Area during the week ending Saturday, 6th July, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 6TH JULY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 20·3 | 146 | 48 | 22 | 16 | 28 | 28 | 4 | . | 6 | 3 | . | 9 | 1 | . | 1 | . | 20 | 10 | 21 | 8 | 5 | 5 | 16 | 4 | 57 | 1 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 6·0 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| II. | MIDDLE CLASS, | 87,188 | 10·2 | 17 | 3 | 3 | 1 | 5 | 4 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 | 1 | 2 | 1 | 2 | 7 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 16·5 | 35 | 11 | 5 | 5 | 6 | 7 | 1 | . | . | 1 | . | 1 | 1 | . | . | . | 6 | 3 | 5 | 3 | 1 | 1 | 5 | . | 11 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 29·9 | 70 | 30 | 13 | 7 | 12 | 6 | 2 | . | 2 | 2 | . | 8 | . | . | . | . | 13 | 6 | 9 | 3 | 2 | 2 | 7 | 2 | 26 | 1 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 22 | 4 | 1 | 2 | 4 | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | 1 | . | 3 | . | 12 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 6·7 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 20·3 | 3 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 9·5 | 4 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | 1 | . | . | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 8·6 | 5 | 1 | 1 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 9·6 | 5 | . | 1 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 2 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 2 | 1 | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . | . | 1 | . | . | . | . | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 12·2 | 7 | 4 | 1 | 1 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . | . | 2 | . |
| | 10. Clothing Trades, | 23,260 | 13·5 | 6 | 1 | 2 | 2 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,852 | 24·1 | 14 | 2 | 1 | 1 | 4 | 5 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 1 | 4 | . | 5 | . |
| | 13. Petty Shopkeepers, | 7,894 | 13·2 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 2 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 1 | 1 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 1 | 1 | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,990 | 39·9 | 11 | 6 | 1 | 1 | 2 | 1 | . | . | . | . | . | 2 | . | . | . | . | 2 | 3 | 1 | . | . | 1 | 1 | . | 3 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 27·9 | 48 | 21 | 11 | 3 | 8 | 4 | 1 | . | 3 | 2 | . | 6 | . | . | . | . | 11 | 2 | 7 | 2 | 2 | 1 | 3 | 1 | 19 | . |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 22 | 4 | 1 | 2 | 4 | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | 1 | . | 3 | . | 12 | . |

* Formerly described as "Simple Continued Fever"

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Death* similar Statistics for each of

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | May 18, | 28·8 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 2 | 4 | 1 | 2 | . |
| | „ 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . |
| | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 |
| | „ 8, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . |
| | „ 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . |
| | „ 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . |
| | „ 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 |
| | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | May 18, | 28·0 | . | 21 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 3 | . |
| | „ 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 3 | 2 | 1 | 4 | 1 |
| | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 |
| | „ 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . |
| | „ 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . |
| | „ 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 |
| | „ 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . |
| | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | May 18, | 29·4 | 3·5 | 17 | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | . | 1 | . |
| | „ 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . |
| | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 |
| | „ 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . |
| | „ 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 |
| | „ 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . |
| | „ 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . |
| | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | May 18, | 35·4 | 3·2 | 22 | . | . | . | . | 1 | . | . | . | 1 | 4 | 6 | . | 1 | 2 | . |
| | „ 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 |
| | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . |
| | „ 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . |
| | „ 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . |
| | „ 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . |
| | „ 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 |
| | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | May 18, | 27·4 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 3 | . | . | . |
| | „ 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 3 | 1 | 2 | 1 |
| | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | 1 | 6 | . |
| | „ 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . |
| | „ 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . |
| | „ 22, | 33·9 | 2·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . |
| | „ 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . |
| | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | May 18, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . |
| | „ 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . |
| | June 1, | 12·7 | 2·5 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . |
| | „ 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . |
| | „ 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . |
| | „ 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . |
| | „ 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . |
| | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | May 18, | 30·9 | 1·2 | 25 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 |
| | „ 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . |
| | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . |
| | „ 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 |
| | „ 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . |
| | „ 22, | 17·8 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . |
| | „ 29, | 28·5 | 3·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 |
| | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 3 | . | 1 | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | May 18, | 34·1 | . | 23 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 6 | 2 | 1 |
| | „ 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . |
| | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 |
| | „ 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 |
| | „ 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . |
| | „ 22, | 43·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 1 | 2 | 1 | 2 | 3 | . |
| | „ 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 |
| | July 6, | 25·2 | 5·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Irel and.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | May 18, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | . |
| | „ 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| | June 1, | 19·0 | 2·9 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| | „ 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| | „ 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| | „ 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| | „ 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | July 6, | 13·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | May 18, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . |
| | „ 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | „ 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| | „ 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 29, | 20·6 | 3·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . |
| | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | May 18, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 |
| | „ 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| | June 1, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| | „ 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| | „ 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | „ 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | May 18, | 22·3 | 0·7 | 158 | . | 2 | . | . | 1 | . | . | . | 2 | 6 | 19 | 12 | 5 | 21 | 8 | 3 |
| | „ 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| | „ 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| | „ 15, | 19·7 | 1·3 | 140 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| | „ 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| | „ 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 2 |
| | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 8 |
| **Cork.** Pop. (in 1901) 76,122. | May 18, | 21·9 | 0·7 | 32 | . | . | . | . | 1 | . | . | . | . | 1 | 10 | 2 | 1 | 3 | . | 2 |
| | „ 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | 1 |
| | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| | „ 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| | „ 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| | „ 22, | 18·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | 4 |
| | „ 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 3 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | May 18, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 3 | . | . |
| | „ 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 8, | 23·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| | „ 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 22, | 8·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | May 18, | 13·7 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 |
| | „ 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| | „ 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| | „ 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| | „ 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| | „ 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| | July 6, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | May 18, | 19·5 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 1 | . | . |
| | „ 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | „ 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |
| | „ 22, | 13·6 | 1·9 | 7 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th July, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 4 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 9 | 4 | 2 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 2 | . |
| Do. 2 „ | 47,959 | 30 | | | 18 | 3 | 3 | 1 | 5 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 2 | . | 2 | 3 | . |
| Do. 3 „ | 47,214 | 25 | | | 11 | 3 | 3 | . | 1 | 1 | 3 | . | 2 | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | . | . | . | . | 1 |
| Do. 4 „ | 40,911 | 46 | | | 28 | 9 | 7 | 2 | 4 | 2 | 4 | . | 1 | . | . | 2 | . | . | . | . | 2 | 3 | 4 | . | 7 | . | . | 5 | 1 |
| Do. 5 „ | 17,387 | 10 | | | 10 | 2 | 4 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | 2 | 1 | . | . | 5 | . |
| Do 6 „ | 48,122 | 23 | | | 20 | . | 1 | 2 | 1 | 5 | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 5 | . | . | 2 | . |
| Do. 7 „ | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ | 5,060 | 6 | | | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 9 „ | 19,569 | 10 | | | 8 | 2 | 1 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . | . | 2 | 1 |
| Do. 10 „ | 28,064 | 12 | | | 8 | 2 | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 | . | . | 2 | . |
| Do. 11 „ | 34,802 | 20 | | | 19 | 4 | . | 2 | 6 | 3 | 4 | . | 1 | . | . | . | . | . | . | . | 2 | 3 | . | 3 | 2 | . | . | 4 | . |
| Do. 12 „ | 33,588 | 22 | | | 10 | 2 | 3 | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 2 | . | . | 1 | . |
| Do. 13 „ | 15,006 | 10 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 14 „ | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 218 | | | 144† | 31 | 28 | 11 | 23 | 21 | 30 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 2 | 26 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 2 | 20·3 | . | 5 | . | . | | 4 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 3 | . |
| Do. 2 „ | 10,701 | 3 | 34·1 | . | 7 | . | 1 | | 6 | | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | . | 2 | . |
| Do. 3 „ | 9,978 | 4 | 20·9 | . | 4 | 2 | . | | 2 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 |
| Do. 4 „ | 8,666 | 4 | 6·0 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 5 „ | 6,592 | 2 | 15·8 | . | 2 | 1 | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Do. 6 „ | 10,702 | 1 | 9·7 | . | 2 | . | . | | 2 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 7 „ | 16,616 | 10 | 18·8 | . | 6 | 1 | . | | 2 | | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Total, | 76,122 | 26 | 18·5 | . | 27 | 4 | 1 | | 18 | | 4 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 1 | 8 | 3 |

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 12. | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. |
| No. of weeks in Annual Series, | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| Births registered, | 232 | 207 | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 289 | 198 | 256 | 218 | 260 | 208 | 218 |
| Deaths registered, | 166 | 168 | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144† |
| Annual Death-rate per 1,000 of estimated Population, | 23·4 | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 |
| Ages: Under 1 year | 30 | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 |
| 1–5 years, | 16 | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 23 |
| 5–20 years, | 16 | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 23 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 |
| 20–40 years, | 28 | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 |
| 40–60 years, | 27 | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 |
| 60 years and upwards, | 49 | 40 | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 |
| Scarlet Fever, | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . |
| Typhus, | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 4 | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 |
| Diphtheria, | 1 | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| *Pyrexia** origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 |
| Diarrhœal Diseases, | 4 | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . |
| Pneumonia, | 12 | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 13 |
| Tuberculous Disease: Phthisis, | 20 | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | | 21 | 18 |
| Tuberculous Disease: Other Forms, | 8 | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 |
| Cancer, Malignant Disease, | 4 | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 |
| Diseases of Respiratory System, | 32 | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 |
| Violent Deaths, | 5 | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | 2 | . | . |
| Number of Uncertified Deaths, | 4 | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 |

*Formerly described as "Simple Continued Fever."
† Including 5 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or mated). | Date of Return. — Week ending | Births. Exclusive of St llborn. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | July 6, | 2,309 | 1,089 | 11·9 | . | 41 | 13 | 8 | 32 | 1 | 8 |
| EDINBURGH, | 345,747 | ,, 6, | 141 | 91*a* | 13·7 | . | . | . | . | 3 | . | . |
| GLASGOW, | 847,584 | ,, 6, | 465 | 249*a* | 15·3 | . | 5 | 1 | 4 | 10 | 2 | 6 |
| CALCUTTA, | 847,796 | May 18, | . | 621 | 38·0 | 34 | 4 | . | . | . | 66‡ | 105* |
| BOMBAY, | 977,822 | June 4, | 313 | 569 | 30·2 | 1 | 1 | . | . | . | 54‡ | 47* |
| MADRAS, | 509,346 | May 17, | 365 | 304 | 31·0 | 1 | 5 | ? | ? | ? | 77 | 51 |
| PARIS, | 2,750,000 | June 22, | 982 | 888 | 16·9 | 1 | 15 | 9 | 11† | 7 | 2 | 23 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | ,, 15, | 207 | 155 | 12·8 | . | . | . | . | 1 | . | 8 |
| ANTWERP, | 304,032 | ,, 15, | 113 | 69 | 11·8 | . | . | . | . | 2 | 1 | 7 |
| AMSTERDAM, | 564,537 | ,, 22, | 227 | 113 | 10·4 | . | 1 | . | . | 4 | 1 | 4 |
| COPENHAGEN, | 427,000 | ,, 15, | 250 | 130 | 15·9 | . | . | . | . | 3 | . | 3 |
| STOCKHOLM, | 324,488 | ,, 15, | 173 | 76 | 11·9 | . | . | . | . | . | . | 1 |
| CHRISTIANIA, | 226,774 | ,, 22, | 106 | 54 | 12·4 | . | . | . | 4† | 1 | . | 1 |
| ST. PETERSBURG, | 1,482,769 | ,, 22. | . | 649 | . | . | 51 | 18 | 9 | 4 | 19 | 101 |
| MOSCOW, | 1,172,421 | May 18, | . | 757 | 33·7 | 2 | 28 | 7 | 7† | 6 | 9 | 102 |
| BERLIN, | 2,091,383 | June 8, | 903 | 587 | 14·6 | . | 7 | 5 | 9† | 5 | 2 | 45 |
| HAMBURG, | 824,792 | ,, 15, | . | 202 | 12·7 | . | . | 2 | 3† | 1 | . | 6 |
| BRESLAU, | 485,333 | ,, 22, | . | 202 | 21·7 | . | . | . | 1† | 9 | . | 16 |
| MUNICH, | 548,000 | ,, 22, | . | . | . | . | . | . | . | . | . | . |
| VIENNA (with suburbs). | 1,979,003 | ,, 22, | 916 | 616 | 16·2 | . | 18 | 5 | 6† | 3 | 2 | 47 |
| BUDA-PESTH, | 802,235 | ,, 1, | 403 | 298 | 19·3 | . | 11 | 5 | 2† | 1 | 1 | 10 |
| PRAGUE and Faubourgs. | 470,906 | ,, 1, | 214 | 222 | 24·5 | . | 1 | . | 1† | . | 2 | 15 |
| TRIESTE, | 200,962 | ,, 8, | 138 | 69 | 17·9 | . | 3 | . | 1† | 1 | 1 | 2 |
| ROME, | 540,150 | Apr. 27, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | May 18, | 68 | 41 | 12·3 | . | . | . | . | . | . | 4 |
| NEW YORK, | 4,285,435 | June 8, | 2,402 | 1,434 | 17·5 | 1 | 21 | 24 | 37† | 12 | 7 | 58 |
| PHILADELPHIA, | 1,500,595 | ,, 1, | . | 470 | 16·2 | . | 1 | . | 9† | 2 | 9 | 27 |
| BOSTON, | 602,526 | ,, 8, | . | 197 | 17·1 | . | . | 3 | 2 | . | 1 | 1 |

*a.* Including 3 deaths from cerebro spinal meningitis in Edinburgh, and 10 in Glasgow.
* Including 56 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 203 deaths from plague in Calcutta, and 49 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th July, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 1, West, | . | 1 | . | . | . | . | . | 1 | 1 | . | . | . | 3 |
| " " 2, | . | . | . | . | 1 | . | 1 | . | 2 | . | . | . | 4 |
| " " 3, | . | 3 | . | . | . | . | . | . | . | . | . | . | 3 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | 1 | 6 | . | . | . | 8 |
| " " 2, | . | . | . | . | 1 | . | . | . | 2 | . | . | . | 3 |
| " " 3, | . | 1 | . | . | 1 | . | . | 1 | 2 | . | . | . | 5 |
| " " 4, | . | . | . | . | 3 | . | . | . | 1 | . | . | . | 4 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 5 | . | . | 7 | . | 2 | 4 | 15 | . | . | . | 33 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th July, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 6th July. | | | |
|---|---|---|---|---|---|---|---|
| | June 15. | June 22. | June 29. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox. | . | . | . | . | . | . | . |
| Measles, | 91 | 65 | 62 | 23 | 24 | 1 | 60 |
| Scarlet Fever | 48 | 45 | 51 | 4 | 8 | 2 | 45* |
| Typhus, | 2 | 3 | 3 | . | . | . | 3 |
| Diphtheria, | 18 | 17 | 19 | 4 | 8 | 1 | 14 |
| Enteric Fever, | 23 | 26 | 30 | 4 | 9 | . | 25 |
| Pneumonia, | 33 | 32 | 33 | 9 | 8 | 1 | 33 |

* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 6th July, 1907:—

"The record is again one of unsettled weather—cold, cloudy, and showery to an extreme. Only on Sunday was it fine and bright in Dublin, and even on that day clouds formed inland, and thunder, lightning and heavy hail occurred in West Cork towards evening—a hailstorm at 5 p.m., in which the hailstones were as large as small marbles, being reported from Dunmanway Rectory. On Sunday a vast region of high atmospheric pressure—30·3 inches and upwards—stretched over the Atlantic from Greenland and Iceland to the Azores and to the southward of those islands. Low-pressure areas at the same time were found over Denmark, France, and the extreme N.W. of Spain. Consequently, N. and N.E. winds prevailed in the British Isles on this and the following day, while thunderstorms were felt in many parts of England and Wales, 1·18 inches of rain being measured at Liverpool on Monday morning. The anticyclone drifted eastwards, and by 8 a.m. of Wednesday the centre of a depression had reached Achill Island, while an independent and equally energetic disturbance was advancing in a north-westerly direction across the south of Sweden. The Irish depression spread eastward and travelled slowly towards N.N.E., finally coalescing with the Scandinavian system. During the period of its presence, inclement weather prevailed. In Dublin there were thunderstorms at 1 p.m. of Wednesday and 11.30 a.m. of Friday, rain falling in torrents on both occasions. With a steady increase of pressure, the weather moderated on Saturday, though the sky remained cloudy till evening and temperature continued several degrees below normal. In Dublin the mean height of the barometer was 29·809 inches, the range being from 30·048 inches at 9 p.m. of Monday (wind, N.W.) to 29·450 inches at 9 p.m. of Wednesday (wind, S.). The corrected mean temperature was 53·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 53·5°. The screened thermometers rose to 61·2° on Sunday and fell to 44·3° on Monday. N.W. and W. winds prevailed. Rain fell on 6 days to the amount of 1·228 inches, the largest fall in 24 hours being ·460 inch on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·804 inches. The highest reading (30·039) was on Monday at 9 p.m., air calm, and the lowest (29·444) on Wednesday at 9 p.m., wind S.E.

The mean temperature for the week was 51·6°, being 6·5° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 61·1°, and was lowest on Monday, the mercury having fallen to 39·7°. The mean of the Dry Bulb for the week was 52·4°, and of the Wet Bulb 49·5°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. The rainfall during the week measured 1·070 inches.

At Greenwich the mean temperature for the week was 54·7°, the maximum 68·4°, and the minimum 43·6°; at Glasgow the maximum was 62·2°, the minimum 45·0°, and the mean 52·5°; and at Edinburgh the maximum was 58·4°, the minimum 43·1°, and the mean 50·5°. The rainfall at Greenwich measured 0·16 in.; at Glasgow, 1·11 ins.; and at Edinburgh 1·17 ins.* *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, June 30, | 30·013 | 60·0 | 40·7 | 50·4 | 53·1 | 50·0 | ·80 | ·5 | 9·7 | ·000 | N.W. | N.W. |
| Monday, July 1, | 30·039 | 60·0 | 39·7 | 49·9 | 52·0 | 48·7 | ·78 | ·5 | 6·5 | ·090 | W.N.W. | Calm. |
| Tuesday, „ 2, | 29·921 | 59·0 | 45·9 | 52·5 | 53·1 | 49·4 | ·77 | ·9 | 1·9 | ·300 | W.S.W. | S. |
| Wednesday, „ 3, | 29·497 | 61·1 | 48·1 | 54·6 | 53·9 | 51·6 | ·85 | ·5 | 3·0 | ·370 | S. | S.E. |
| Thursday, „ 4, | 29·472 | 58·0 | 43·2 | 50·6 | 52·8 | 50·2 | ·84 | ·7 | 2·9 | ·205 | Calm. | Calm. |
| Friday, „ 5, | 29·740 | 59·1 | 46·4 | 52·8 | 51·2 | 49·0 | ·85 | ·6 | 3·6 | ·105 | S.W. | S.W. |
| Saturday, „ 6, | 29·949 | 57·5 | 42·9 | 50·2 | 50·7 | 47·3 | ·78 | ·6 | 2·0 | ·000 | S.W. | Calm. |
| Mean, . . | 29·804 | 59·2 | 43·8 | 51·6 | 52·4 | 49·5 | ·81 | ·6 | Total 29·6 | Total 1·070 | — | |

*Sunday*—Fine bright day; night clear. *Monday*—Cloudy day, light showers a.m. and p.m.; night cloudy. *Tuesday*—Cloudy day, light showers p.m.; night cloudy, light and heavy rain m.n. to 5.30 a.m. *Wednesday*—Cloudy day, light showers, a thunderstorm, heavy rain and heavy hail 1.0 p.m. to 1.20 p.m., light showers after; night cloudy and showery. *Thursday*—Cloudy and showery day; night cloudy. *Friday*—Cloudy day, light and heavy showers a.m. and p.m.; night cloudy. *Saturday*—Cloudy day, fine; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 6th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, June 30, | 54·3 | 56·9 | 53·7 | 60·8 | 45·2 | 53·0 | 10·4 | — |
| Monday, July 1, | 53·9 | 56·7 | 53·9 | 60·8 | 48·0 | 54·4 | 6·1 | ·095 |
| Tuesday, „ 2, | 52·8 | 56·7 | 54·0 | 59·6 | 47·4 | 53·5 | 1·8 | ·385 |
| Wednesday, „ 3, | 59·0 | 56·3 | 54·0 | 60·2 | 49·0 | 54·6 | 3·1 | ·337 |
| Thursday, „ 4, | 53·9 | 56·7 | 54·0 | 58·8 | 47·0 | 52·9 | 4·2 | ·070 |
| Friday, „ 5, | 54·9 | 56·6 | 54·1 | 60·0 | 49·3 | 54·7 | 3·4 | ·064 |
| Saturday, „ 6, | 53·9 | 56·0 | 54·2 | 59·1 | 45·1 | 52·1 | 2·2 | — |
| Weekly Mean, . | 54·7 | 56·6 | 54·0 | 59·9 | 47·3 | 53·6 | Total 31·2 | Total ·951 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. 4. 4. 1907.—18034.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 13TH JULY, 1907. [No. 28.

*General Register Office, Charlemont House,*
*Dublin,* 15*th July,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending June 22. | Week ending June 29. | Week ending July 6. | Week ending July 13. | Average Rate for 4 weeks. | Towns, &c. | Week ending June 22. | Week ending June 29. | Week ending July 6. | Week ending July 13. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 17·7 | 17·8 | 18·2 | 17·1 | 17·7 | Lisburn, . | 18·2 | 9·1 | 4·5 | 9·1 | 10·2 |
| Armagh, . . | 6·9 | 13·7 | 6·9 | 13·7 | 10·3 | Londonderry, . | 8·6 | 11·0 | 13·5 | 17·2 | 12·6 |
| Ballymena, . | 14·4 | 23·9 | 9·6 | 23·9 | 17·9 | Lurgan, . . | . | 4·4 | 26·6 | 17·7 | 12·2 |
| Belfast, . . | 18·5 | 19·0 | 20·3 | 14·6 | 18·1 | Newry, . . | . | 8·4 | 21·0 | 8·4 | 9·5 |
| Clonmel. . | 15·4 | 10·3 | 25·6 | 41·0 | 23·1 | Newtownards, . | 17·2 | 28·6 | 28·6 | 17·2 | 22·9 |
| Cork, . . . | 13·7 | 17·1 | 18·5 | 16·4 | 16·4 | Portadown, . | 15·5 | 20·7 | 36·2 | 10·3 | 20·7 |
| Drogheda, . . | 16·3 | 4·1 | 8·2 | 24·5 | 13·3 | Queenstown . | 13·2 | 19·8 | 33·0 | 6·6 | 18·1 |
| Dublin Reg. Area, | 20·8 | 19·5 | 18·3 | 21·0 | 19·9 | Sligo, . . . | 33·6 | 4·8 | 9·6 | . | 12·0 |
| Dundalk, . . | 16·0 | 8·0 | 12·0 | 12·0 | 12·0 | Tralee, . | 21·1 | 15·9 | 10·6 | . | 11·9 |
| Galway, . . | 31·1 | 31·1 | 19·4 | 15·5 | 24·3 | Waterford, . | 13·6 | 13·6 | 9·7 | 15·6 | 13·1 |
| Kilkenny, . . | 9·8 | 19·7 | 9·8 | 24·6 | 16·0 | Wexford, . . | 9·3 | 4·7 | 23·3 | 4·7 | 10·5 |
| Limerick, . . | 10·9 | 17·8 | 10·9 | 15·0 | 13·7 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·0 per 1,000, the rates varying from 0·0 in seventeen of the districts to 4·4 in Lurgan. Among the 104 deaths from all causes registered in Belfast are 4 from measles, 8 from cerebro-spinal fever, and 2 returned as from *cerebro-spinal meningitis*, and the 8 deaths from all causes in Waterford include one from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 193—87 boys and 106 girls; and the deaths to 161—75 males and 86 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 21·5 in every 1,000 of the population; omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 21·0 per 1,000. During the twenty-eight weeks ending with Saturday last the death-rate averaged 27·0, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The total deaths (161) included 2 from measles, 7 from whooping-cough, and 5 deaths

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

from diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 9, one, and 6; the deaths from whooping-cough were 5, 8, and 9; and the deaths from diarrhœal diseases were 3, 2, and 0. There was one death from influenza, which, in each of the 3 preceding weeks, caused 0, 2, and one deaths. There was also one death from cerebro-spinal fever, which caused 2, 2, and 0 deaths, respectively, in the 3 preceding weeks.

There were 8 deaths from broncho-pneumonia, and 6 deaths from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease, 26 in number, included 9 deaths from tuberculous phthisis, 9 deaths returned as from *phthisis*, 2 deaths from tuberculous meningitis, and 6 deaths from other forms of the disease. In each of the 3 preceding weeks, deaths from all forms of tuberculous disease were 43, 36, and 29.

Carcinoma caused 6 deaths, and 4 deaths were attributed to cancer (undefined).

The deaths of 5 infants prematurely born were registered.

Of 14 deaths from diseases of the brain and nervous system, 4 were from meningitis, and 8, of infants under one year of age, were from *convulsions*.

There were 29 deaths attributed to diseases of the heart and blood vessels, and bronchitis caused 14 deaths.

Of 3 deaths from accidental causes, one was by drowning.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under one year of age and the deaths of 2 persons aged 60 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 11 were under one month old), and 42 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a female) was stated to have been aged 94 years.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the N. Dublin Union Workhouse and 18 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·0 per 1,000; the rate in the City was 23·4 (North City Districts, 21·3; South, 25·6), and in the Suburbs, 12·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·1 (2·0 in the North City Districts, and 2·1 in the South) and for the Suburbs, 1·2 per 1,000.

*No.* 1 *North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·0 per 1,000. The 15 deaths included 2 from whooping-cough, one from dysentery, one from broncho-pneumonia, and 2 deaths from tuberculous disease.

*No.* 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000. Measles caused one death; there was one death from broncho-pneumonia, there were 3 deaths from tuberculous disease of the lungs, and 4 deaths from bronchitis.

*No.* 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000, and include one death from whooping-cough, 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), and 3 deaths from tuberculous disease of the lungs.

*No.* 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 19·3 per 1,000. There were 2 deaths from tuberculous disease, one death from bronchitis, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 19·0 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. Of the 2 deaths from all causes for Finglas and Glasnevin, part of, one was from *diarrhœa*.

*No.* 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·9 per 1,000. Of the 13 deaths 5 were due to tuberculous disease, and there was one death from bronchitis.

*No.* 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 32·9 per 1,000. There was one death from broncho-pneumonia, there were 4 deaths from tuberculous disease of the lungs, and bronchitis caused one death.

*No.* 3 *South City District* (Peter-street).—The deaths (29) are equal to an annual rate of 35·8 per 1,000. Whooping-cough and epidemic enteritis each caused 2 deaths, there were 2 deaths from broncho-pneumonia, also 2 deaths from *pneumonia* (not defined), there were 4 deaths from tuberculous disease, and 2 deaths from diseases of the respiratory system.

*No.* 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. The deaths included one from whooping-cough, one from *diarrhœa*, one death each from broncho-pneumonia and from *pneumonia* (not defined), 3 deaths from tuberculous disease, and 2 deaths from bronchitis.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths one was from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·7; Pembroke, 15·0; Blackrock, 11·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts include one from measles and one from whooping-cough for Pembroke. The 8 deaths from all causes for Rathmines and Rathgar include one from influenza, 2 from diseases of the respiratory system, and one accidental death. The 8 deaths from all causes for Pembroke include one each from *pneumonia* (not defined) and bronchitis; and one of the 2 deaths from all causes for Blackrock was from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 13th July 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | June 22, | . | — | — | 8 | 3 | . | 3 | . | 3 | 7 | 8 | . | — | — | 1 | — | — | 33 |
| | June 29, | . | — | — | 8 | 1 | . | 6 | . | 1 | 9 | 13 | . | — | — | . | — | — | 38 |
| | July 6, | . | — | — | 5 | . | . | 7 | . | 2 | 4 | 15 | . | — | — | . | — | — | 33 |
| | July 13, | . | — | — | 8 | 1 | . | 7 | . | 4 | 8 | 12 | . | — | — | 1 | — | — | 41 |
| Rathmines and Rathgar Urban District. | June 22, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 2 |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| | July 6, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | July 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Pembroke Urban District. | June 22, | . | 47 | . | . | . | . | . | . | . | 1 | . | . | — | 8 | . | — | — | 55 |
| | June 29, | . | 23 | . | . | . | . | . | . | . | . | 2 | . | — | 15 | . | — | — | 40 |
| | July 6, | . | 18 | . | . | . | . | . | . | 1 | . | . | . | — | 5 | . | — | — | 24 |
| | July 13, | . | 21 | . | 1 | . | . | 1 | . | 1 | . | . | . | — | 9 | . | — | — | 33 |
| Blackrock Urban District. | June 22, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | . | — | — | 1 |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | June 22, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | June 22, | . | — | — | 9 | . | . | 3 | 1 | 11 | 8 | 6 | 1 | — | — | 16 | — | — | 55 |
| | June 29, | . | — | — | 9 | . | . | 1 | . | 2 | 1 | 10 | . | — | — | 11 | — | — | 34 |
| | July 6, | . | — | — | 8 | . | . | 3 | . | 2 | 6 | 3 | . | — | — | 6 | — | — | 28 |
| | July 13, | . | — | — | 6 | . | . | 4 | . | 1 | 5 | 3 | 2 | — | — | 8 | — | — | 29 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th July, 1907.

From this it appears that :—

Eight cases of measles were admitted into hospital during the week, 16 were discharged, there were 2 deaths, and 50 cases remained under treatment at its close. At the close of each of the three preceding weeks the cases of measles under treatment numbered 65, 62, and 60.

Nine cases of scarlet fever were admitted to hospital, 3 were discharged, and 51* cases remained under treatment at the close of the week.

One case of typhus was admitted into hospital, and 4 cases remained under treatment at the close of the week.

Nine cases of diphtheria were admitted to hospital, 4 were discharged, and 19 patients remained under treatment at the close of the week.

Four cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 10 were discharged, there were 2 deaths, and 33 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·2), was equal to an average annual death-rate of 12·3 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·7 per 1,000, the rate for Glasgow being 14·2 and for Edinburgh 13·7.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th July. From this Report it appears that of a total of 55 cases notified 17 were scarlet fever, 15 diphtheria, 5 erysipelas, and one enteric fever. Among the 398 cases of infectious diseases in hospital at the close of the week were 114 cases of scarlet fever, 79 of diphtheria, one of membranous croup, 66 of measles, 18 of whooping-cough, 13 of enteric fever, and 10 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 13th July, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-18. | Registration—Week ending Saturday, 13th July, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 13th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 6th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 29th June, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 22·9 | 17·1 | 1·0 | 490 | 366 | 59 | 101 | . | 7 | . | . | 7 | . | . | . | 7 | 28 | 40 | 25 | 19 | 39 | 8 | 11 | 111 | 18 | ° | ° | ° | | ° | ° | ° | | ° | ° | ° | |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 25·8 | 21·0 | 1·9 | 193 | 157 | 30 | 42 | . | 2 | . | . | 7 | . | . | . | 5 | 14 | 18 | 8 | 9 | 16 | 3 | 4 | 58 | 8 | f65·7 | 36·9 | 54·0 | 0·55 | f61·1 | 39·7 | 51·6 | 1·07 | f63·1 | 40·4 | 51·8 | 0·52 |
| City of Dublin, | 300,850 | 38·0 | 28·4 | 23·4 | 2·1 | 164 | 135 | 29 | 35 | . | 1 | . | . | 6 | . | . | . | 5 | 12 | 18 | 8 | 6 | 13 | 1 | 2 | 51 | 7 | g66·8<br>h66·5 | 43·8<br>39·0 | 55·8<br>55·0 | 0·30<br>0·21 | g61·2<br>h60·8 | 44·3<br>41·0 | 53·7<br>52·2 | 1·23<br>0·66 | g65·1<br>h63·8 | 43·0<br>40·6 | 53·5<br>52·2 | 0·53<br>0·57 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 17·6 | 11·7 | . | 12 | 8 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 22·5 | 15·0 | 3·7 | 12 | 8 | . | 2 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | . | 11·9 | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 14·8 | 11·8 | . | 5 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . | 67 | 48 | 55·9 | 0·31 | 60 | 46 | 53·3 | 0·99 | 66 | 46·5 | 54·3 | 0·02 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 20·3 | 14·6 | 0·6 | 144 | 104 | 18 | 24 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 5 | 24 | 1 | 63·0 | 41·5 | 53·4 | 0·94 | 61·8 | 44·0 | 53·0 | 0·64 | 60·5 | 42·0 | 52·3 | 1·26 |
| Cork, | 76,122 | 33·6 | 18·5 | 16·4 | 0·7 | 27 | 24 | 2 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 | 12 | 1 | 63 | 48 | 54·8 | 0·23 | 64 | 43 | 52·8 | 0·44 | 61 | 42 | 52·4 | 0·57 |
| Londonderry, | 42,475 | 19·6 | 23·3 | 17·2 | .. | 19 | 14 | 5 | 4 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 24·6 | 15·0 | . | 18 | 11 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 29·2 | 15·6 | 1·9 | 15 | 8 | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 31·1 | 15·5 | . | 8 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 64 | 43 | 54·7 | 0·66 | 67 | 42 | 54 | 0·93 | 61 | 42 | 53 | 1·22 |
| Dundalk, | 13,076 | 3·4 | 19·9 | 12·0 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 32·7 | 24·5 | . | 8 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 12·6 | 8·4 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 |
| Lurgan, | 11,782 | 13·8 | 26·6 | 17·7 | 4·4 | 6 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 |
| Lisburn, | 11,461 | 10·1 | 40·9 | 9·1 | . | 9 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 |
| Wexford, | 11,168 | 23·2 | 42·0 | 4·7 | . | 9 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 9·6 | 23·9 | . | 2 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 9·6 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 62·5 | 37·4 | 53·1 | 0·56 | 62·3 | 44·0 | 53·0 | 1·73 | 60·5 | 40·0 | 51·0 | 1·18 |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 24·6 | . | 3 | 5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 4 | . | 65 | 43 | 56·1 | 0·42 | 64 | 38 | 51·7 | 1·64 | 64 | 37 | 52 | 0·67 |
| Clonmel, | 10,167 | 7·8 | 5·1 | 41·0 | . | 1 | 8 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 15·5 | 10·3 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 |
| Tralee, | 9,867 | 16·6 | 10·6 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 45·8 | 17·2 | . | 8 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 64 | 43 | 53·2 | 1·41 | 59 | 44 | 51·3 | 0·80 | 63 | 41 | 51·1 | 1·00 |
| Queenstown, | 7,909 | 14·4 | 18·2 | 6·6 | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 63 | 48 | 54·8 | 0·23 | 64 | 43 | 52·8 | 0·44 | 61 | 42 | 52·4 | 0·57 |
| Armagh, | 7,586 | 22·2 | 20·6 | 13·7 | .. | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 63·1 | 40·9 | 54·4 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 | 61·6 | 38·3 | 51·5 | 0·86 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 4 deaths of persons admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 13th July, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| Names of Diseases, &c. | Deaths in Dublin Registration Area. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1 E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Clontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | 2 | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . | 7 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases | 1 | . | . | . | . | . | 1 | . | . | 2 | 1 | . | . | . | . | . | 5 | . |
| Pneumonia | 1 | 1 | 3 | . | . | . | . | . | 1 | 4 | 2 | . | . | 1 | 1 | . | 14 | . |
| Tuberculous Disease. Phthisis | 1 | 3 | 3 | 1 | . | . | . | 3 | 4 | 1 | 2 | . | . | . | . | . | 18 | . |
| Tuberculous Disease. Other Forms | 1 | . | . | 1 | . | . | . | 2 | . | 3 | 1 | . | . | . | . | . | 8 | . |
| Cancer, Malignant Disease | 1 | . | 1 | 1 | . | 1 | 1 | . | 1 | . | . | . | 1 | . | . | 2 | 9 | 1 |
| Other General Diseases | 4 | 1 | 2 | 1 | . | 1 | . | 1 | 1 | 4 | 1 | . | 2 | 1 | . | . | 19 | 2 |
| Total, | 11 | 6 | 10 | 4 | . | 2 | 2 | 6 | 7 | 16 | 8 | . | 3 | 4 | 1 | 2 | 82 | 3 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | 2 | 3 | . | 2 | . | . | . | . | 2 | 1 | 1 | . | 1 | . | 1 | 1 | 14 | . |
| Diseases of Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels | 1 | 1 | 3 | 4 | . | . | . | 4 | 2 | 5 | 4 | 1 | 1 | 2 | . | . | 28 | 1 |
| Diseases of Respiratory System | . | 4 | . | 1 | . | 1 | . | 1 | 1 | 2 | 2 | 1 | 2 | 1 | . | . | 16 | . |
| Diseases of Digestive System | . | . | 2 | . | . | 1 | . | 1 | . | 1 | . | . | . | 1 | . | . | 6 | . |
| Diseases of Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 3 | 8 | 5 | 7 | . | 2 | . | 6 | 6 | 10 | 7 | 2 | 4 | 4 | 1 | 1 | 66 | 1 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | 1 | 1 | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | 6 | . |
| **E. Violent Deaths,** | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 3 | . |
| **Deaths from all Causes,** | 15 | 15 | 15 | 12 | . | 4 | 2 | 13 | 13 | 29 | 15 | 2 | 8 | 8 | 2 | 4 | 157 | 4 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 27·0 | 20·0 | 26·0 | 19·3 | . | 19·0 | 14·4 | 16·9 | 32·9 | 35·8 | 22·3 | 11·7 | 11·7 | 15·0 | 11·9 | 11·8 | 21·0 | . |
| | 21·3 | | | | | | | 25·6 | | | | | 12·8 | | | | | |
| | 23·4 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year | 3 | 5 | 2 | 4 | . | . | 1 | . | 2 | 8 | 4 | . | 1 | . | . | . | 30 | . |
| 1 and under 5 years | 3 | 2 | 1 | . | . | 1 | . | 1 | . | 6 | 1 | . | . | 3 | . | 1 | 19 | . |
| 5 " 20 " | . | 2 | 3 | 1 | . | . | . | 2 | 2 | 1 | 1 | . | . | . | . | . | 12 | . |
| 20 " 40 " | 3 | 3 | 3 | 1 | . | . | . | 3 | 4 | 2 | 3 | . | 1 | 1 | . | . | 24 | 1 |
| 40 " 60 " | 4 | 2 | 2 | 1 | . | 1 | . | 3 | 2 | 7 | . | . | 3 | 2 | 1 | 2 | 30 | 3 |
| 60 and upwards | 2 | 1 | 4 | 5 | . | 2 | 1 | 4 | 3 | 5 | 6 | 2 | 3 | 2 | 1 | 1 | 42 | . |
| Number of Uncertified Deaths | . | 1 | 1 | . | . | 1 | . | . | . | 2 | 2 | . | 1 | . | . | . | 8 | . |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | . | 3 | 5 | 2 | . | 1 | . | 3 | 4 | 3 | 2 | . | 1 | 3 | 1 | 1 | 29 | 4 |
| Workhouse Hospitals | 3 | . | 6 | 2 | . | . | . | 6 | 4 | 4 | 3 | . | 1 | . | . | . | 29 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in e
week of the ten years, 1897–1

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 28th Week of the 10 years 1897–1906. | In the Week ending Saturda 13th July, 1907. Deaths of Persons of the Ages | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 17, 1897. | July 16, 1898. | July 15, 1899. | July 14, 1900. | July 13, 1901. | July 12, 1902. | July 18, 1903. | July 16, 1904. | July 15, 1905. | July 14, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. |
| Mean Temperature. | ° 59·8 | ° 60·7 | ° 59·0 | ° 60·8 | ° 59·8 | ° 58·2 | ° 56·9 | ° 58·8 | ° 64·6 | ° 57·5 | ° 59·6 | Mean Temp. ° 54·0 | | | | | | |
| **ALL CAUSES.** | 162 | 124 | 173 | 127 | 157 | 129 | 124 | 146 | 145 | 140 | 142·7 | 161 | 11 | 19 | 19 | 12 | 25 | 33 | 3 |
| Small-pox, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Cowpox, | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | 1 | . | 7 | . | . | 6 | . | 10 | 1 | 1 | 2·6 | 2 | . | . | 2 | . | . | . | . |
| Scarlet Fever, | 1 | 1 | . | . | 1 | . | 3 | . | . | . | ·6 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 1 | . | . | 1 | 1 | . | . | 1 | . | 1 | ·5 | 1 | . | . | . | . | . | . | 1 |
| Whooping-cough, | 3 | 1 | 4 | 4 | 4 | 2 | 1 | 3 | 2 | 6 | 3·0 | 7 | . | 3 | 4 | . | . | . | . |
| Diphtheria, | . | . | 3 | . | 1 | 1 | 1 | 1 | . | . | ·7 | . | . | . | . | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Enteric Fever, | 4 | . | 1 | 2 | . | 4 | . | 2 | . | 1 | 1·4 | . | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 2 | 1 | 6 | 1 | 4 | 1 | . | . | 7 | . | 3·8 | 2 | . | 2 | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 3 | 1 | 2 | 7 | 3 | | 3 | . | 1 | . | . | . | 1 | 1 |
| Tetanus, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | . | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | 1·0 | 3 | . | 2 | 1 | . | . | . | . |
| Puerperal Septicæmia, | . | 1 | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 11 | 8 | 7 | 7 | 8 | . | . | . | 3 | 1 | 7·7 | . | . | . | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 3 | 1 | 2 | 3 | 2 | | 8 | . | 1 | 3 | . | 1 | . | 3 |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 3 | 2 | 6 | 4 | 6 | | 6 | . | . | . | 1 | 1 | 1 | 2 |
| Erysipelas, | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 1 | 1 | . | . | . | 1 | . | 1 | . | ·4 | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | 1 | . | . | . | . | . | 1 | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 21 | 23 | 33 | 31 | 25 | 1 | 4 | 6 | 2 | 8 | 22·7 | 9 | . | . | . | 2 | 5 | 2 | . |
| "*Phthisis*," | | | | | | 13 | 22 | 15 | 10 | 13 | | 9 | . | . | . | 2 | 5 | 2 | . |
| Tuberculous Meningitis, | 5 | 4 | 6 | 5 | 4 | 1 | 1 | 2 | 2 | 1 | 3·1 | 2 | . | . | 1 | 1 | . | . | . |
| Tuberculous Peritonitis, | 1 | 3 | 7 | 1 | 4 | 3 | 1 | 1 | . | 1 | 2·6 | . | . | . | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | . | 4 | . | . | . | | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 7 | 5 | 4 | 1 | 5 | 2 | 6 | 3 | 9 | 5 | 4·7 | 6 | . | . | 2 | 2 | 1 | 1 | . |
| *Scrofula*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Alcoholism, | 2 | . | 1 | 2 | 2 | . | 1 | 1 | 1 | . | 1·0 | 1 | . | . | . | . | . | 1 | . |
| Rheumatic Fever, | . | 2 | . | . | 1 | . | 2 | 1 | . | . | ·6 | 2 | . | . | . | . | 1 | 1 | . |
| Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, | 6 | 5 | 11 | 5 | 4 | 3 | 2 | 2 | 4 | 2 | 5·7 | 6 | . | . | . | . | . | 3 | 2 |
| Sarcoma, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 3 | 1 | 3 | 4 | 2 | | 4 | . | . | . | . | . | 3 | 1 |
| Diabetes Mellitus, | . | . | . | . | . | . | 1 | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| Premature Birth, | 3 | 4 | 4 | 2 | 4 | 2 | 3 | 3 | 7 | 4 | 3·6 | 5 | 4 | 1 | . | . | . | . | . |

* The figures for the years 1897–1900 are f
† Formerly described

TY-EIGHTH WEEK ending Saturday, 13th July, 1907, with the deaths from each cause in the corresponding e average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: July 17, 1897. | July 16, 1898. | July 15, 1899. | July 14, 1900. | July 13, 1901. | July 12, 1902. | July 18, 1903. | July 16, 1904. | July 15, 1905. | July 14, 1906. | Averages in 28th Week of the 10 years 1897–1906. | In the Week ending Saturday, 13th July, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| lean Temperature. | ° 59·8 | ° 60·7 | ° 59·0 | ° 60·8 | ° 59·8 | ° 58·2 | ° 56·9 | ° 58·8 | ° 64·6 | ° 57·5 | ° 59·6 | ° 54·0 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 3 | 2 | 1 | 2 | 1 | | 4 | . | . | 2 | 1 | 1 | . | . | . |
| ity, G. P. of Insane ... | | | | | | 1 | 2 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| psy .. ... | | | | | | . | . | 2 | . | . | | . | . | . | . | . | . | . | . | . |
| ulsions ... .. | | | | | | 3 | 7 | 10 | 7 | 4 | | 8 | 3 | 5 | . | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | . | . | . | 2 | | . | . | . | . | . | . | . | . | . |
| ous System (other .) | 44 | 30 | 23 | 20 | 35 | . | 1 | . | 4 | 4 | 30·4 | 1 | . | . | . | 1 | . | . | . | . |
| Dis., Endocarditis | | | | | | 2 | 1 | 5 | 3 | 3 | | 5 | . | . | . | 1 | 1 | 1 | . | 2 |
| or. Hæm. Thromb. | | | | | | 1 | 2 | . | 1 | 4 | | 3 | . | . | . | . | 1 | 1 | 1 | . |
| lexy, *Hemiplegia* ... | | | | | | 3 | 3 | 6 | 1 | 7 | | 5 | . | . | . | . | . | 2 | 3 | . |
| rysm ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | 1 | . | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| t and Blood Vessel Dis. | | | | | | 12 | 10 | 6 | 12 | 11 | | 15 | . | . | . | . | 1 | 4 | 7 | 3 |
| (not Spasm. nor mb.) | 1 | . | 1 | . | 1 | 1 | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 12 | 10 | 12 | 11 | 10 | 13 | 7 | 17 | 6 | 9 | 10·7 | 14 | . | 1 | . | 1 | 3 | 4 | 5 | . |
| na, Emphysema ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| isy ... ... | 3 | 3 | . | 2 | 2 | . | 1 | . | 1 | . | 2·2 | 1 | . | . | . | . | . | 1 | . | . |
| iratory Dis. (other) ... | | | | | | 4 | 3 | 1 | 1 | 1 | | 1 | . | . | 1 | . | . | . | . | . |
| llitis, Quinsy ... | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | 1 | . | 2 | 1 | . | . | 1 | . | 3 | . | 1·0 | . | . | . | . | . | . | . | . | . |
| o *Enteritis* ... ... | | | | | | 1 | 1 | . | . | . | | 2 | . | . | 1 | . | . | . | 1 | . |
| *nitis* (not Puerp.) ... | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
|osis of Liver ... | 1 | 1 | . | 1 | 5 | . | . | 2 | 1 | 2 | 2·1 | 1 | . | . | . | . | . | . | 1 | . |
| Dis. (other) ... | | | | | | 2 | 1 | 2 | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 3 | 1 | 7 | 2 | 2 | 3 | 3 | 1 | 6 | 2 | 3·0 | 3 | . | . | . | . | . | . | 3 | . |
| ritis, Acute ... | | | | | | 4 | 1 | 1 | 3 | 4 | | . | . | . | . | . | . | . | . | . |
| t's Dis., Albuminuria | 4 | 2 | 6 | 3 | 7 | 2 | 1 | 3 | 3 | 4 | 5·2 | 1 | . | . | . | . | . | 1 | . | . |
| ary Sys. (Other Dis.) | | | | | | 1 | . | 2 | . | 1 | | . | . | . | . | . | . | . | . | . |
| rative Organs Dis. ... | . | . | . | . | . | 1 | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | 1 | . | 1 | . | . | . | . | 1 | ·3 | 1 | . | . | . | . | 1 | . | . | . |
| *Age* ... ... | 6 | 6 | 9 | 7 | 6 | 4 | 3 | 3 | . | 2 | 4·6 | 2 | . | . | . | . | . | . | 2 | . |
| r Diseases ... ... | 14 | 8 | 10 | 9 | 15 | 10 | 9 | 11 | 11 | 11 | 10·8 | 11 | 3 | 3 | 2 | 1 | 1 | . | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ehicles and Horses ... | 1 | . | . | . | . | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . | . | . |
| ips, Boats, Docks (exsive of Drowning) ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | . | . | 1 | . | . | 2 | . | . | 2 | . | ·5 | . | . | . | . | . | . | . | . | . |
| rowning ... ... | . | 1 | . | . | . | 1 | 1 | 1 | 2 | . | ·6 | 1 | . | . | . | . | . | 1 | . | . |
| uffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous ours | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| r Deaths by Accident | 2 | 2 | 3 | 4 | 1 | . | 1 | 1 | 2 | . | 1·6 | 2 | 1 | . | . | . | . | . | 1 | . |
| LENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| de ... ... | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

ristration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. |
| No. of weeks in Annual Series. | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| BIRTHS registered, | 233 | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 201 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 |
| *Average Births in corresponding week of previous 10 years,** | 197 | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 |
| DEATHS registered, | 214 | 225 | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 |
| Annual Death-rate per 1,000, | 28·6 | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 |
| *Average Deaths in corresponding week of previous 10 years,** | 211 | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 |
| AGES,— Under 5 years, | 66 | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 73 | 59 | 55 | 61 | 59 | 52 | 52 | 53 | 47 | 48 | 49 |
| 5—20 " | 15 | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 |
| 20—40 " | 48 | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 |
| 40—60 " | 38 | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 41 | 27 | 35 | 28 | 33 |
| 60—80 " | 46 | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 23 | 28 | 35 |
| 80 years and upwards, | 21 | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 |
| Scarlet Fever | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . |
| Typhus, | 1 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Whooping-cough, | 5 | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 |
| Diphtheria, | 2 | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | 1 | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 |
| Influenza, | 4 | 5 | 6 | 4 | 9 | 4 | 5 | . | . | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 |
| Pneumonia, | 19 | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 |
| Tuberculous Disease. Phthisis, | 22 | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 |
| Tuberculous Disease. Other Forms, | 15 | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 |
| Cancer, Malignant Disease, | 8 | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 |
| Diseases of Heart and Blood Vessels, | 32 | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 |
| Diseases of Respiratory System, | 33 | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 |
| Violent Deaths, | 8 | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 |
| Number of Uncertified Deaths, | 10 | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 |
| Mean Temperature of the Air (Phœnix Park), | 48·0 | 34·8 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 5[illegible]·6 | 54·0 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 41·2 | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 |
| Rainfall in inches, | ·000 | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·869 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·85 | ·92 | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th July, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH JULY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 22·4 | 161 | 49 | 12 | 25 | 33 | 35 | 7 | . | 2 | . | . | 7 | . | . | . | 5 | 14 | 14 | 18 | 8 | 10 | 8 | 16 | 3 | 70 | 8 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 17·9 | 6 | 3 | . | 1 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 4 | . |
| II. | MIDDLE CLASS, | 87,188 | 13·2 | 22 | 4 | 1 | 3 | 4 | 7 | 3 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 3 | 1 | 1 | . | 3 | . | 10 | 2 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 18·9 | 40 | 13 | 4 | 6 | 10 | 6 | 1 | . | . | . | . | 2 | . | . | . | 1 | 3 | 6 | 5 | 3 | 4 | 2 | 2 | . | 15 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 30·8 | 64 | 25 | 4 | 13 | 11 | 10 | 1 | . | 2 | . | . | 3 | . | . | . | 2 | 7 | 5 | 5 | 3 | 2 | 6 | 7 | 3 | 26 | 5 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 29 | 4 | 3 | 2 | 7 | 11 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | 2 | . | 4 | . | 15 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 33·4 | 5 | 3 | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 33·8 | 5 | 2 | . | . | 1 | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 4 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 14·2 | 6 | . | . | 1 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 1 | . | 2 | 1 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 10·3 | 6 | . | 1 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | 3 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 9·6 | 5 | 2 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . | 1 | . | 1 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 26·2 | 15 | 9 | . | 3 | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 4 | 2 | . | . | 2 | 1 | . | 5 | 1 |
| | 10. Clothing Trades, | 23,260 | 11·2 | 5 | 1 | 1 | . | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | 1 | . | 1 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,852 | 24·1 | 14 | 1 | 2 | 3 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | . | 6 | . |
| | 13. Petty Shopkeepers, | 7,894 | 19·8 | 3 | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 11·7 | 3 | . | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . |
| | 15. Domestic Servants, | 36,603 | 11·4 | 8 | 1 | . | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 5 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 32·6 | 9 | 3 | 1 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | . | 1 | . | . | 4 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 39,861 | 25·5 | 41 | 21 | 3 | 9 | 5 | 6 | . | . | 2 | . | . | 3 | . | . | . | 1 | 6 | 3 | 4 | 2 | 1 | 4 | 7 | 2 | 15 | 4 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 29 | 4 | 3 | 2 | 7 | 11 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | 2 | . | 4 | . | 15 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | May 25, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| | „ 8, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . | 1 |
| | „ 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . | . |
| | „ 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 89,146. | May 25, | 34·6 | 4·0 | 26 | . | 2 | . | . | 1 | . | . | . | . | 5 | 3 | 2 | 1 | 4 | 1 | . |
| | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 | 1 |
| | „ 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | . |
| | „ 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . |
| | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 | . |
| | „ 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | May 25, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | 1 | . | . |
| | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 | 1 |
| | „ 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . |
| | „ 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 |
| | „ 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . |
| | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . | . |
| | „ 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | May 25, | 28·9 | . | 18 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | . | 4 | 1 | 1 |
| | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . | . |
| | „ 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . | . |
| | „ 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . | . |
| | „ 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . | . |
| | „ 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | . |
| | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | May 25, | 26·1 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 3 | 1 | 2 | 1 | . |
| | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | 1 | 6 | . | 1 |
| | „ 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . | . |
| | „ 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . | 2 |
| | „ 22, | 33·9 | 1·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . | . |
| | „ 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . | . |
| | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | May 25, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 3 | . | . |
| | June 1, | 12·7 | 2·5 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| | „ 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . |
| | „ 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . | 3 |
| | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | May 25, | 28·4 | 2·5 | 23 | . | . | . | . | 2 | . | . | . | . | 3 | 4 | 2 | . | 3 | . | . |
| | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . | . |
| | „ 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 | . |
| | „ 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . | 1 |
| | „ 22, | 17·3 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . | . |
| | „ 29, | 23·5 | 3·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 | . |
| | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 3 | . | 1 | . | . |
| | „ 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | 2 | 4 | 1 | 3 | . | 2 | . | 2 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | May 25, | 37·1 | 10·4 | 25 | . | 2 | . | . | 5 | . | . | . | . | 2 | . | 3 | 2 | 4 | . | . |
| | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 | . |
| | „ 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 | . |
| | „ 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . | 1 |
| | „ 22, | 48·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | 2 | 3 | . | . |
| | „ 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 | 1 |
| | July 6, | 25·2 | 3·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 | 1 |
| | „ 13, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | May 25, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . |
| | June 1, | 19·0 | 2·9 | 13 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| | „ 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| | „ 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| | „ 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| | „ 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | July 6, | 13·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | May 25, | 22·5 | 3·7 | 12 | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . |
| | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | „ 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| | „ 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 29, | 20·6 | 3·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . |
| | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | May 25, | 23·7 | 3·0 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 |
| | June 1, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| | „ 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| | „ 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | „ 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | May 25, | 23·1 | 1·3 | 164 | . | 2 | . | . | 2 | . | . | 2 | 3 | 6 | 32 | 9 | 5 | 17 | 5 | 5 |
| | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| | „ 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| | „ 15, | 19·7 | 1·3 | 140 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| | „ 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| | „ 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 2 |
| | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 3 |
| | „ 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | May 25, | 16·4 | 1·4 | 24 | . | . | . | . | 1 | . | . | . | 1 | 4 | 4 | 2 | 1 | 3 | . | 1 |
| | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| | „ 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| | „ 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| | „ 22, | 18·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | 1 |
| | „ 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 3 |
| | „ 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | May 25, | 11·0 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 8, | 23·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| | „ 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 22, | 8·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | May 25, | 12·3 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . | 2 |
| | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| | „ 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| | „ 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| | „ 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| | „ 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| | July 6, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | May 25, | 7·8 | 3·9 | 4 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | „ 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |
| | „ 22, | 13·6 | 1·9 | 7 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th July, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12 20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 3 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 3 | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Do. 2 ,, | 47,959 | 11 | | | 15 | 4 | 1 | 4 | 2 | 1 | 3 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . | . | 2 | . |
| Do. 3 ,, | 47,214 | 20 | | | 8 | 2 | 1 | . | 1 | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . |
| Do. 4 ,, | 40,911 | 33 | | | 11 | 2 | 2 | 1 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 2 | 2 | 4 | . |
| Do. 5 ,, | 17,887 | 4 | | | 9 | 1 | 1 | 1 | 3 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 1 | 1 | 3 | . |
| Do. 6 ,, | 48,122 | 12 | | | 12 | 1 | 2 | 1 | 2 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 3 | . |
| Do. 7 ,, | 1,524 | 2 | | | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 8 ,, | 5,060 | 2 | | | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 9 ,, | 19,569 | 10 | | | 3 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . |
| Do. 10 ,, | 28,064 | 12 | | | 8 | 2 | 2 | 1 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 1 | . |
| Do. 11 ,, | 34,802 | 15 | | | 17 | 3 | 1 | 2 | 3 | 3 | 5 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 1 | 1 | 5 | . |
| Do. 12 ,, | 33,588 | 10 | | | 11 | 2 | 3 | 3 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 1 |
| Do. 13 ,, | 15,006 | 10 | | | 5 | 1 | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 144 | | | 104† | 18 | 14 | 14 | 17 | 17 | 24 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 5 | 24 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 2 | 32·4 | . | 8 | . | . | | 5 | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 6 | 1 |
| Do. 2 ,, . . | 10,701 | 4 | 29·2 | . | 6 | 1 | . | | 4 | | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | 1 | 1 | . |
| Do. 3 ,, . . | 9,978 | 3 | 5·2 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 4 ,, . . | 8,666 | 5 | 24·1 | . | 4 | . | 1 | | . | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| Do. 5 ,, . . | 6,592 | 7 | 7·9 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Do. 6 ,, . . | 10,702 | 2 | 4·9 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 4 | 9·4 | 3·1 | 3 | 1 | . | | 2 | | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| Total, . . . . | 76,122 | 27 | 16·4 | 0·7 | 24 | 2 | 1 | | 13 | | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 | 12 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 19. | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May. 11. | May. 18. | May. 25 | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. |
| Number of weeks in Annual Series, | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| Births registered, | 207 | 203 | 197 | 253 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 161 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 |
| Deaths registered, | 168 | 163 | 147 | 193 | 209 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104† |
| Annual Death-rate per 1,000 of estimated Population, | 23·7 | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 |
| Ages — Under 1 year | 31 | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 |
| 1–5 years, | 21 | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 |
| 5–20 years, | 16 | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 |
| 20–40 years, | 29 | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 |
| 40–60 years, | 31 | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 15 | 21 | 14 | 25 | 21 | 17 |
| 60 years and upwards, | 40 | 39 | 24 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 |
| Scarlet Fever, | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| Typhus, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | . | . | 2 | . |
| Diphtheria, | 1 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . |
| *Pyrexia** origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . |
| Diarrhœal Diseases, | 3 | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . |
| Pneumonia, | 15 | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 16 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 |
| Tuberculous Disease, Phthisis, | 19 | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 |
| Tuberculous Disease, Other Forms, | 13 | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 |
| Cancer, Malignant Disease, | 5 | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 |
| Diseases of Respiratory System, | 26 | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 |
| Violent Deaths, | 3 | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 |
| Number of Uncertified Deaths, | 4 | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 |

*Formerly described as "Simple Continued Fever."

† Including 10 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or mated). | Date of Return. — Week ending | Births. Exclusive of St llborn. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | July 13, | 2,292 | 1,115 | 12·2 | . | 46 | 11 | 8 | 29 | 1 | 8 |
| EDINBURGH, | 345,747 | „ 13. | 126 | 91*a* | 13·7 | . | 1 | . | 1 | 5 | . | 3 |
| GLASGOW, | 847,584 | „ 13, | 457 | 230*a* | 14·2 | . | 7 | 1 | . | 12 | . | 3 |
| CALCUTTA, | 847,796 | May 25, | . | 559 | 34·2 | 32 | 4 | . | 1 | 2 | 86‡ | 80* |
| BOMBAY, | 977,822 | June 11, | 339 | 616 | 32·8 | 2 | 4 | . | . | . | 76‡ | 60* |
| MADRAS, | 509,346 | May 24, | 379 | 353 | 36·0 | 1 | 5 | † | † | † | 87 | 69 |
| PARIS, | 2,750,000 | June 29, | 1,005 | 868 | 16·5 | . | 19 | 12 | 4† | 10 | 2 | 30 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 22, | 202 | 152 | 12·7 | . | 1 | . | . | . | 2 | 7 |
| ANTWERP, | 304,032 | „ 22, | 133 | 69 | 11·8 | . | . | . | . | 2 | . | 10 |
| AMSTERDAM, | 564,537 | „ 29, | 281 | 135 | 12·5 | . | 3 | . | 1† | . | 1 | 8 |
| COPENHAGEN, | 427,000 | „ 22, | 201 | 121 | 14·8 | . | . | 1 | . | 4 | . | 3 |
| STOCKHOLM, | 324,488 | „ 22, | . | . | . | . | . | . | . | . | . | . |
| CHRISTIANIA, | 226,774 | „ 29, | 145 | 38 | 8·7 | . | 1 | . | 2† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 29. | . | 737 | . | 2 | 46 | 13 | 17 | 5 | 20 | 129 |
| MOSCOW, | 1,172,421 | May 25. | . | 602 | 26·8 | 3 | 15 | 7 | 5† | 4 | 7 | 88 |
| BERLIN, | 2,091,118 | June 15, | 927 | 594 | 14·8 | . | 11 | 5 | 3† | 9 | 1 | 51 |
| HAMBURG, | 824,792 | „ 22, | . | 222 | 14·0 | . | . | 1 | 2† | 2 | . | 9 |
| BRESLAU, | 485,333 | „ 29, | . | 210 | 22·6 | . | . | . | 2† | 4 | . | 30 |
| MUNICH, | 548,000 | „ 29, | . | 197 | 18·7 | . | 8 | . | 2† | 3 | . | 37 |
| VIENNA (with suburbs). | 1,979,003 | „ 29. | 1,040 | 621 | 16·3 | . | 12 | 3 | 5† | 6 | 3 | 57 |
| BUDA-PESTH, | 802,235 | „ 8, | 367 | 310 | 20·1 | . | 9 | 5 | . | 2 | 1 | 13 |
| PRAGUE and Faubourgs. | 470,906 | „ 8, | 214 | 188 | 20·8 | . | . | . | . | 2 | 1 | 20 |
| TRIESTE, | 200,962 | „ 15, | 154 | 74 | 19·2 | 1 | 1 | . | 1† | . | 2 | 1 |
| ROME, | 540,150 | Apr. 27, | 230 | 190 | 18·3 | . | 4 | . | 1 | 3 | . | 4 |
| | | May 4, | 244 | 189 | 18·2 | . | 1 | . | . | 4 | 2 | 7 |
| VENICE, | 174,398 | „ 25, | 60 | 61 | 18·2 | . | . | . | 2† | . | . | 9 |
| NEW YORK, | 4,285,435 | June 15, | 2,126 | 1,343 | 16·4 | 1 | 26 | 28 | 48† | 12 | 11 | 55 |
| PHILADELPHIA, | 1,500,595 | „ 8, | . | 482 | 16·1 | . | . | 3 | 10† | 4 | 14 | 14 |
| BOSTON, | 602,526 | „ 15, | . | 210 | 18·2 | . | 1 | . | 4 | 1 | 1 | 3 |

*a.* Including 4 deaths from cerebro spinal meningitis in Edinburgh, and 6 in Glasgow
* Including 46 deaths from cholera in Calcutta, and 3 in Bombay.
† Including deaths from croup.
‡ Exclusive of 131 deaths from plague in Calcutta, and 39 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th July, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 2 | . | . | . | . | . | 2 | . | . | . | . | 4 |
| " " 1, West, | . | 1 | 1 | . | 2 | . | . | . | 1 | . | . | . | 5 |
| " " 2, | . | 1 | . | . | . | . | 1 | 1 | 3 | . | . | . | 6 |
| " " 3, | . | 1 | . | . | 1 | . | 1 | 1 | 1 | . | . | . | 5 |
| Clontarf and Howth No. 1 (part of), | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| South City No. 1, | . | . | . | . | 1 | . | 1 | 1 | 6 | . | . | . | 9 |
| " " 2, | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 |
| " " 3, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| " " 4, | . | 1 | . | . | 2 | . | . | 1 | . | . | . | . | 4 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Total, | . | 8 | 1 | . | 7 | . | 4 | 8 | 12 | . | 1 | . | 41 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th July, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 13th July. | | | |
|---|---|---|---|---|---|---|---|
| | June 22. | June 29. | July 6. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 65 | 62 | 60 | 8 | 16 | 2 | 50 |
| Scarlet Fever | 45 | 51 | 45 | 9 | 3 | . | 51* |
| Typhus, | 3 | 3 | 3 | 1 | . | . | 4 |
| Diphtheria, | 17 | 19 | 14 | 9 | 4 | . | 19 |
| Enteric Fever, | 26 | 30 | 25 | 4 | 5 | . | 24 |
| Pneumonia, | 32 | 33 | 33 | 12 | 10 | 2 | 33 |

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 13th July, 1907:—

"Although unsettled and showery or rainy at the beginning and end, this week showed a marked improvement on its predecessors. Temperature still ruled low until Friday, the mean being at least 5° below the average for the time of year; but on the day named the thermometer rose to 66·8° in the screen, and Saturday's mean was 61·6°, or corrected, 61·2°. A timely anticyclone, which surged in from the Atlantic on Tuesday night, brought three days of fine and bright weather, the aggregate duration of sunshine being about 33 hours. On Sunday a shallow barometric depression lay off the west coast of Norway, and cool N.W. winds prevailed over the British Isles. Next morning a new and deeper depression was central in Scotland and the North of Ireland. As it passed on to Norway, the wind veered to N.W. and N., the barometer rose rapidly, and heavy showers fell at frequent intervals in Ireland on Tuesday. The weather now took up in this country, but on Wednesday thunderstorms occurred in many parts of England, accompanied in some places by heavy falls of rain and hail. The anticyclone attained its greatest intensity on Thursday morning, when the barometer exceeded 30·5 inches over Ireland with the exception of Ulster, the South of Wales, and the S.W. of England. Already atmospheric pressure was giving way in the North, and a shallow depression spreading out southwards brought clouds and rain but a high temperature to the Irish coasts on Saturday. In Dublin the mean atmospheric pressure was 30·132 inches, the barometer falling to 29·647 inches at 9 a.m. of Monday (wind, W.S.W.), and rising to 30·507 inches at 9 a.m. of Thursday (wind, W.N.W.). The corrected mean temperature was 55·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·7°. On Thursday the screened thermometers fell to 43·8°, and a reading of 39·7° was recorded on the grass. On Friday the maximum was 66·8°, the highest reading in Dublin since May 27. S.W. and N.W. winds prevailed. Rain fell on 5 days, the total measurement being ·297 inch, of which ·166 inch was recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·131 inches. The highest reading (30·497) was on Thursday at 9 a.m., wind S.S.W., and the lowest (29·643) on Monday at 9 a.m., wind S.S.W.

The mean temperature for the week was 54·0°, being 5·6° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Friday, on which day the thermometer registered 65·7°, and was lowest on Thursday, the mercury having fallen to 36·9°. The mean of the Dry Bulb for the week was 54·1°, and of the Wet Bulb 51·6°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured ·545 inch.

At Greenwich the mean temperature for the week was 56·3°, the maximum 72·6°, and the minimum 42·8°; at Glasgow the maximum was 61·6°, the minimum 42·5°, and the mean 54·2°; and at Edinburgh the maximum was 60·3°, the minimum 42·8°, and the mean 52·5°. The rainfall at Greenwich measured 0·22 in.; at Glasgow, 1·33 ins.; and at Edinburgh 0·70 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, July 7, | 29·946 | 59·6 | 45·9 | 52·8 | 52·7 | 49·3 | ·79 | ·7 | 3·4 | ·015 | W.S.W. | S.W. |
| Monday, „ 8, | 29·709 | 61·7 | 50·1 | 55·9 | 53·7 | 51·6 | ·86 | ·8 | 3·7 | ·018 | S.S.W. | S.W. |
| Tuesday, „ 9, | 29·973 | 60·3 | 46·8 | 53·6 | 51·1 | 50·1 | ·93 | ·8 | 1·8 | ·415 | S.S.W. | Calm. |
| Wednesday, „ 10, | 30·349 | 61·3 | 43·9 | 52·6 | 51·2 | 47·9 | ·79 | ·5 | 9·7 | ·000 | W. | Calm. |
| Thursday, „ 11, | 30·471 | 63·8 | 36·9 | 50·4 | 53·1 | 50·4 | ·82 | ·5 | 11·2 | ·000 | S.S.W. | Calm. |
| Friday, „ 12, | 30·311 | 65·7 | 43·2 | 54·5 | 56·3 | 52·6 | ·78 | ·6 | 10·8 | ·012 | Calm. | Calm. |
| Saturday, „ 13, | 30·155 | 64·1 | 52·4 | 58·3 | 60·9 | 59·0 | ·89 | ·4 | 0·0 | ·085 | S. | S.W. |
| Mean, . . | 30·131 | 62·4 | 45·6 | 54·0 | 54·1 | 51·6 | ·84 | ·6 | Total 40·6 | Total ·545 | — | |

*Sunday*—Cloudy day, fine; night cloudy, light rain 5 a.m to 7 a.m. *Monday*—Cloudy day, light shower a.m; night cloudy. *Tuesday*—Overcast, light showers a.m., cloudy, light and heavy rain p.m.; night cloudy. *Wednesday*—Cloudy day, fine; night clear. *Thursday*—Fine bright day, light clouds; night clear. *Friday*—Fine bright day; night cloudy and showery. *Saturday*—Day overcast, light and heavy showers a.m. and p.m.; night overcast.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 13th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, July 7, | 54·0 | 55·7 | 54·4 | 60·8 | 47·0 | 53·9 | 3·7 | ·025 |
| Monday, „ 8, | 57·1 | 56·2 | 54·2 | 61·3 | 51·0 | 56·2 | 2·5 | ·012 |
| Tuesday, „ 9, | 54·3 | 56·0 | 54·2 | 60·5 | 48·3 | 54·4 | 1·0 | ·154 |
| Wednesday, „ 10, | 53·6 | 56·1 | 54·4 | 62·1 | 46·0 | 54·1 | 10·2 | — |
| Thursday, „ 11, | 54·8 | 56·0 | 54·5 | 64·0 | 43·0 | 53·5 | 10·9 | — |
| Friday, „ 12, | 60·0 | 56·9 | 54·5 | 66·7 | 47·6 | 57·2 | 11·0 | ·014 |
| Saturday, „ 13, | 63·5 | 58·5 | 54·4 | 66·0 | 56·4 | 56·2 | — | ·065 |
| Weekly Mean, . | 56·8 | 56·5 | 54·4 | 63·1 | 48·5 | 55·1 | Total 39·3 | Total ·270 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 118. 7. 1907.—18099.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 20TH JULY, 1907. [No. 29.

*General Register Office, Charlemont House, Dublin,* 22*nd July,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending June 29. | Week ending July 6. | Week ending July 13. | Week ending July 20. | Average Rate for 4 weeks. | Towns, &c. | Week ending June 29. | Week ending July 6. | Week ending July 13. | Week ending July 20. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 17·8 | 18·2 | 17·1 | 18·4 | 17·9 | Lisburn, . | 9·1 | 4·5 | 9·1 | 18·2 | 10·2 |
| Armagh, . . | 13·7 | 6·9 | 13·7 | 6·9 | 10·3 | Londonderry, . | 11·0 | 13·5 | 17·2 | 7·4 | 12·3 |
| Ballymena, . | 23·9 | 9·6 | 23·9 | 9·6 | 16·8 | Lurgan, . . | 4·4 | 26·6 | 17·7 | 13·3 | 15·5 |
| Belfast, . . | 19·0 | 20·3 | 14·6 | 19·2 | 18·3 | Newry, . . | 8·4 | 21·0 | 8·4 | 25·2 | 15·8 |
| Clonmel, . | 10·3 | 25·6 | 41·0 | . | 19·2 | Newtownards, . | 28·6 | 28·6 | 17·2 | 28·6 | 25·7 |
| Cork, . . . | 17·1 | 18·5 | 16·4 | 9·6 | 15·4 | Portadown, . | 20·7 | 36·2 | 10·3 | 10·3 | 19·4 |
| Drogheda, . . | 4·1 | 8·2 | 24·5 | 8·2 | 11·3 | Queenstown . | 19·8 | 33·0 | 6·6 | 33·0 | 23·1 |
| Dublin Reg. Area, | 19·5 | 18·3 | 21·0 | 21·5 | 20·1 | Sligo, . . . | 4·8 | 9·6 | . | 24·0 | 9·6 |
| Dundalk, . . | 8·0 | 12·0 | 12·0 | 16·0 | 12·0 | Tralee, . | 15·9 | 10·6 | . | 5·3 | 8·0 |
| Galway, . . | 31·1 | 19·4 | 15·5 | . | 16·5 | Waterford, . | 13·6 | 9·7 | 15·6 | 25·3 | 16·1 |
| Kilkenny, . . | 19·7 | 9·8 | 24·6 | 29·5 | 20·9 | Wexford, . . | 4·7 | 23·3 | 4·7 | 14·0 | 11·7 |
| Limerick, . . | 17·8 | 10·9 | 15·0 | 20·5 | 16·1 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 0·9 per 1,000, the rates varying from 0·0 in fifteen of the districts to 4·7 in Wexford, in which district the 3 deaths from all causes included one from diphtheria. Among the 136 deaths from all causes registered in Belfast are 4 from measles, one each from scarlet fever, whooping-cough, and diphtheria, 3 from diarrhœal diseases, and 2 from cerebro-spinal fever. The 6 deaths from all causes for Londonderry include one from enteric fever; of the 15 deaths from all causes for Limerick one was from whooping-cough. The 13 deaths from all causes for Waterford include one from scarlet fever, and one of the 2 deaths from all causes in Drogheda was also from scarlet fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—116 boys and 92 girls; and the deaths to 168—76 males and 92 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 22·4 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 21·5 per 1,000. During the twenty-nine weeks ending with Saturday last the death-rate averaged 26·8, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths registered, 168 in number, include one from typhus and 4 from whooping-cough; the last fatality from typhus was registered during the week ended 22nd June of this year. In each of the 3 preceding weeks, deaths from whooping-cough were 8, 9, and 7.

There was one death from lobar pneumonia, 7 deaths were due to broncho-pneumonia and 4 to *pneumonia* (not defined).

Of a total of 33 deaths from tuberculous disease, 11 were from tuberculous phthisis, 10 were returned as from *phthisis*, there were 4 deaths from tuberculous meningitis, 1 from tuberculous peritonitis, and 6 deaths from other forms of the disease. During the 3 preceding weeks, deaths from tuberculous disease were 36, 29, and 26, respectively.

There were 4 deaths from carcinoma and one death from cancer (undefined).

One infant which was prematurely born succumbed.

Diseases of the brain and nervous system caused 16 deaths, including 4 deaths from meningitis and the deaths of 5 children from *convulsions*, 4 of the latter being infants under one year of age.

The deaths of 29 persons were attributed to diseases of the heart and blood vessels and there were 19 deaths caused by bronchitis.

There were 7 deaths from accident or negligence; of these one was by burns, one was by drowning, and 2 deaths (of infants under one year) were caused by suffocation in bed.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Forty-nine of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 3 were under one month old), and 50 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 3 were octogenarians.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the N. Dublin Union Workhouse and 20 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·5 per 1,000; the rate in the City was 23·7 (North City Districts, 23·7; South, 23·8), and in the Suburbs, 13·9 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·3 (0·0 in the North City Districts, and 0·7 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·6 per 1,000. There were 2 deaths from tuberculous disease, bronchitis caused one death, and there were 2 accidental deaths.

*No. 1 North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000, and include one death from *pneumonia* (not defined), 4 deaths from tuberculous disease, 4 deaths from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. Among the deaths there was one from broncho-pneumonia, there were 5 deaths from tuberculous disease, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (15) represent an annual rate of 24·1 per 1,000. There were 3 deaths from pneumonia (all forms) and 2 deaths from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 9·5; and Finglas and Glasnevin, part of, 36·1. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from tuberculous phthisis, and the 5 deaths from all causes for Finglas and Glasnevin, part of, include 2 from tuberculous disease and one from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·5 per 1,000. Typhus caused one death, there was one death from broncho-pneumonia, there were 4 deaths from tuberculous disease, and one death from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000, and include one death from whooping-cough, 2 deaths from tuberculous disease of the lungs, and 3 deaths from diseases of the respiratory system.

*No. 3 South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 24·7 per 1,000. Broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 2 deaths from tuberculous disease, and 3 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000, and include one from broncho-pneumonia, 4 from tuberculous disease, 4 from bronchitis, and one accidental death.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. Of the 2 deaths one was due to tuberculous phthisis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·2; Pembroke, 15·0; Blackrock, 17·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough in each of Rathmines and Rathgar, Pembroke, and Kingstown. The 9 deaths from all causes for Rathmines and Rathgar include one from *pneumonia* (not defined) and one accidental death. The 8 deaths from all causes for Pembroke include 2 from broncho-pneumonia and 2 from tuberculous disease; and of the 3 deaths from all causes for Blackrock 2 were from tuberculous phthisis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 20th July 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | June 29, | . | — | — | 8 | 1 | . | 6 | . | 1 | 9 | 13 | . | — | — | . | — | — | 38 |
| | July 6, | . | — | — | 5 | . | . | 7 | . | 2 | 4 | 15 | . | — | — | . | — | — | 33 |
| | July 13, | . | — | — | 8 | 1 | . | 7 | . | 4 | 8 | 12 | . | — | — | 1 | — | — | 41 |
| | July 20, | . | — | — | . | . | . | 2 | . | 4 | 4 | 13 | . | — | — | . | — | — | 23 |
| Rathmines and Rathgar Urban District. | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | 1 | — | — | 1 |
| | July 6, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | July 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | July 20, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | . | — | — | 2 |
| Pembroke Urban District. | June 29, | . | 23 | . | . | . | . | . | . | . | . | 2 | . | — | 15 | . | — | — | 40 |
| | July 6, | . | 18 | . | . | . | . | . | . | 1 | . | . | . | — | 5 | . | — | — | 24 |
| | July 13, | . | 21 | . | 1 | . | . | 1 | . | 1 | . | . | . | — | 9 | . | — | — | 33 |
| | July 20, | . | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | — | 2 | . | — | — | 12 |
| Blackrock Urban District. | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | June 29, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | June 29, | . | — | — | 9 | . | . | 1 | . | 2 | 1 | 10 | . | — | — | 11 | — | — | 34 |
| | July 6, | . | — | — | 8 | . | . | 3 | . | 2 | 6 | 3 | . | — | — | 6 | — | — | 28 |
| | July 13, | . | — | — | 6 | . | . | 4 | . | 1 | 5 | 3 | 2 | — | — | 8 | — | — | 29 |
| | July 20, | . | — | — | 12 | . | . | 4 | . | 6 | 4 | 3 | . | — | — | 7 | — | — | 36 |

The Registrar of Dundalk District reports as follows:—"Summer diarrhœa has been very evalent during the past week, but no deaths from it."

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ıblin Hospitals during the week ended 20th July, 1907.

From this it appears that:—

Seven cases of measles were admitted into hospital during the week, 26 were discharged, d 31 cases remained under treatment at its close. At the close of each of the three eceding weeks the cases of measles under treatment numbered 62, 60, and 50.

Three cases of scarlet fever were admitted to hospital, 14 were discharged, and 40* cases mained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, 2 were discharged, there ıs one death, and 2 cases remained under treatment at the close of the week.

Three cases of diphtheria were admitted to hospital, and 22 patients remained under eatment at the close of the week.

Four cases of enteric fever were admitted to hospital during the week, 5 were discharged, d 23 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, were discharged, there was one death, and 25 cases remained under treatment at the end the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 11·8), was equal to an average annual death-rate of 12·4 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 14·9 per 1,000, the rate for Glasgow ing 16·1 and for Edinburgh 14·8.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th y. From this Report it appears that of a total of 48 cases notified 11 were scarlet fever, 10 diphtheria, e membranous croup, and 4 erysipelas. Among the 369 cases of infectious diseases in hospital at the se of the week were 101 cases of scarlet fever, 70 of measles, 67 of diphtheria, 2 of membranous up, 42 of whooping-cough, 13 of enteric fever, and 8 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 20th July, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-19. | Registration—Week ending Saturday, 20th July, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 20th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 13th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 6th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 28·3 | 18·4 | 0·9 | 606 | 394 | 66 | 123 | . | 4 | 3 | 1 | 6 | 2 | . | 1 | 3 | 21 | 46 | 29 | 14 | 57 | 10 | 17 | 114 | 14 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 27·8 | 21·5 | 0·7 | 208 | 161 | 32 | 49 | . | . | . | 1 | 4 | . | . | . | . | 12 | 20 | 11 | 5 | 22 | 7 | 8 | 59 | 7 | f79·5 | 50·1 | 63·8 | 0·00 | f65·7 | 36·9 | 54·0 | 0·55 | f61·1 | 39·7 | 51·6 | 1·07 |
| City of Dublin, | 300,850 | 38·0 | 31·2 | 23·7 | 0·3 | 180 | 137 | 28 | 41 | . | . | . | 1 | 1 | . | . | . | . | 9 | 17 | 10 | 3 | 22 | 5 | 7 | 55 | 5 | g77·3<br>h79·9 | 56·2<br>52·0 | 65·3<br>64·5 | 0·00<br>0·00 | g66·8<br>h66·5 | 43·8<br>39·0 | 55·8<br>55·0 | 0·30<br>0·21 | g61·2<br>h60·8 | 44·3<br>41·0 | 53·7<br>52·2 | 1·23<br>0·66 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 13·2 | 13·2 | 1·5 | 9 | 9 | 3 | 4 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 22·5 | 15·0 | 1·9 | 12 | 8 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 17·9 | . | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 11·8 | 11·8 | 3·0 | 4 | 4 | . | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 75 | 55 | 64·3 | 0·00 | 67 | 48 | 55·9 | 0·31 | 60 | 46 | 53·3 | 0·99 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 34·8 | 19·2 | 1·4 | 247 | 136 | 22 | 39 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 2 | 6 | 30 | 1 | 78·8 | 50·5 | 63·3 | 0·20 | 63·0 | 41·5 | 53·4 | 0·94 | 61·8 | 44·0 | 53·0 | 0·64 |
| Cork, | 76,122 | 33·6 | 24·7 | 9·6 | . | 26 | 14 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . | 4 | . | 74 | 53 | 63·5 | 0·00 | 63 | 48 | 54·8 | 0·23 | 64 | 43 | 52·8 | 0·44 |
| Londonderry, | 42,475 | 19·6 | 31·9 | 7·4 | 1·2 | 26 | 6 | 1 | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 19·1 | 20·5 | 1·4 | 14 | 15 | 2 | 6 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 7·8 | 25·3 | 1·9 | 4 | 13 | 1 | 4 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 19·4 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 84 | 54 | 67 | 0·15 | 64 | 43 | 54·7 | 0·66 | 67 | 42 | 54 | 0·93 |
| Dundalk, | 13,076 | 9·4 | 23·9 | 16·0 | . | 6 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 12·3 | 8·2 | 4·1 | 3 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | . | 25·2 | . | . | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 |
| Lurgan, | 11,782 | 13·8 | 31·0 | 13·3 | . | 7 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 |
| Lisburn, | 11,461 | 10·1 | 18·6 | 18·2 | . | 3 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 |
| Wexford, | 11,168 | 23·2 | 37·4 | 14·0 | 4·7 | 8 | 3 | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 23·9 | 9·6 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 5·7 | 4·8 | 24·0 | . | 1 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 81·4 | 51·4 | 65·0 | 0·00 | 62·5 | 37·4 | 53·1 | 0·56 | 62·3 | 44·0 | 53·0 | 1·73 |
| Kilkenny, | 10,609 | 11·5 | 9·8 | 29·5 | . | 2 | 6 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 2 | . | 81 | 53 | 68·4 | 0·00 | 65 | 43 | 56·1 | 0·42 | 64 | 38 | 51·7 | 1·64 |
| Clonmel, | 10,167 | 7·8 | 35·9 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 36·2 | 10·3 | . | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 |
| Tralee, | 9,867 | 16·6 | 31·7 | 5·3 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 17·2 | 28·6 | . | 3 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | 1 | 69 | 53 | 59·1 | 0·02 | 64 | 43 | 53·2 | 1·41 | 59 | 44 | 51·3 | 0·80 |
| Queenstown, | 7,909 | 14·4 | 19·8 | 38·0 | . | 3 | 5 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 74 | 55 | 63·5 | 0·00 | 63 | 48 | 54·8 | 0·23 | 64 | 43 | 52·8 | 0·44 |
| Armagh,* | 7,588 | 22·2 | 34·4 | 6·9 | . | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 | 62·2 | 39·8 | 52·4 | 0·99 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one at 78 years), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 20th July, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | GOOLOCK and DRUMGONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 4 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia | . | 1 | 1 | 3 | . | . | . | 1 | . | 2 | 1 | . | 1 | 2 | . | . | 12 | . |
| Tuberculous Disease: Phthisis | 1 | 3 | 3 | . | 1 | . | 1 | 3 | 2 | . | 2 | 1 | . | 1 | 2 | . | 20 | 1 |
| Tuberculous Disease: Other Forms | 1 | 1 | 2 | . | . | . | 1 | 1 | . | 2 | 2 | . | . | 1 | . | . | 11 | 1 |
| Cancer, Malignant Disease | . | . | 1 | 1 | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | 5 | . |
| Other General Diseases | 2 | 1 | . | 1 | . | . | . | 1 | . | 2 | . | . | 3 | 1 | 1 | . | 12 | 1 |
| Total, | 4 | 6 | 7 | 5 | 1 | . | 2 | 8 | 3 | 6 | 5 | 1 | 5 | 7 | 3 | 2 | 65 | 3 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 2 | 2 | 1 | . | 1 | . | 2 | . | 2 | 3 | . | 1 | . | . | . | 15 | 1 |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 1 | 2 | 2 | 4 | . | . | 1 | 6 | 3 | 5 | 4 | . | 1 | . | . | . | 29 | . |
| Diseases of: Respiratory System | 1 | 4 | 1 | 2 | 1 | 1 | 1 | 1 | 3 | 3 | 4 | . | . | . | . | . | 22 | . |
| Diseases of: Digestive System | 1 | . | 1 | 2 | . | . | 1 | 1 | . | 1 | . | . | 1 | . | . | . | 8 | 1 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . | 4 | 2 |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 8 | 6 | 9 | 1 | 2 | 3 | 10 | 6 | 14 | 11 | . | 3 | 1 | . | . | 78 | 4 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED** | 2 | 1 | 4 | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | 11 | . |
| **E. VIOLENT DEATHS** | 2 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 7 | . |
| **Deaths from all Causes** | 12 | 16 | 18 | 15 | 2 | 2 | 5 | 13 | 10 | 20 | 17 | 2 | 9 | 8 | 3 | 4 | 161 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 21·2 | 31·2 | 24·1 | 20·4 | 9·5 | 36·1 | 28·5 | 25·3 | 24·7 | 25·2 | 11·7 | 13·2 | 15·0 | 17·9 | 11·8 | 21·5 | . |
| | 23·7 | | | | | | | 23·8 | | | | | 13·9 | | | | | |
| | 23·7 | | | | | | | | | | | | | | | | | |
| **Ages at Death:** Under 1 year | 7 | 2 | 4 | 1 | . | 1 | 1 | 2 | 3 | 4 | 2 | 1 | 3 | 1 | . | . | 32 | . |
| 1 and under 5 years | . | 3 | 4 | 2 | 1 | . | . | . | . | . | 2 | . | 1 | 3 | . | 1 | 17 | . |
| 5 ,, 20 ,, | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 2 | . | . | 1 | . | 1 | 10 | 3 |
| 20 ,, 40 ,, | 1 | 1 | 2 | 1 | . | 1 | 1 | 3 | 1 | 2 | . | . | . | . | 1 | . | 14 | 1 |
| 40 ,, 60 ,, | 1 | 6 | 1 | 5 | 1 | . | . | 6 | 2 | 8 | 5 | . | 1 | 2 | 1 | . | 39 | 2 |
| 60 and upwards | 2 | 4 | 7 | 4 | . | . | 3 | 7 | 3 | 4 | 6 | 1 | 4 | 1 | 1 | 2 | 49 | 1 |
| Number of Uncertified Deaths | 1 | 1 | . | . | . | . | . | . | 3 | . | . | . | . | . | . | 2 | 7 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | . | 4 | 1 | 2 | . | . | 1 | 1 | 1 | 4 | 3 | . | . | 3 | . | . | 20 | 6 |
| Workhouse Hospitals | 3 | 3 | 6 | 7 | . | . | . | 10 | 1 | 5 | 3 | . | . | 1 | . | . | 39 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 29th Week of the 10 years 1897-1906. | In the Week ending Saturd 20th July, 1907. Deaths of Persons of the Ag | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 24, 1897. | July 23, 1898. | July 22, 1899. | July 21, 1900. | July 20, 1901. | July 19, 1902. | July 25, 1903. | July 23, 1904. | July 22, 1905. | July 21, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | |
| Mean Temperature. | 60·1 | 61·1 | 61·9 | 64·3 | 64·6 | 58·6 | 57·4 | 59·3 | 61·9 | 59·0 | 60·8 | 63·8 | | | | | | |
| **ALL CAUSES.** | 156 | 152 | 147 | 165 | 138 | 155 | 131 | 131 | 153 | 156 | 148·4 | 168 | 3 | 29 | 17 | 13 | 15 | 41 |
| Small-pox, ... ... | . | . | . | . | . | . | 2 | . | . | . | ·2 | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 3 | . | 4 | . | . | 8 | 1 | 5 | . | 2 | 2·3 | . | . | . | . | . | . | . |
| Scarlet Fever, ... ... | 2 | 1 | 2 | 1 | 1 | . | 1 | . | . | . | ·8 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 1 | . | . | 1 | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . |
| Whooping-cough, ... ... | 4 | 5 | 2 | 5 | . | 1 | 3 | 3 | 1 | 3 | 2·7 | 4 | . | 2 | 2 | . | . | . |
| Diphtheria, ... ... | 3 | 1 | 2 | 2 | 1 | 1 | . | . | . | 1 | 1·1 | . | . | . | . | . | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | . | 1 | 1 | 2 | 2 | 3 | 1 | 2 | 2 | 1 | 1·5 | . | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 7 | 5 | 10 | 4 | 14 | 1 | 1 | 4 | 10 | 1 | 6·8 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | . | . | 1 | 8 | 2 | | . | . | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 2 | . | . | . | . | . | . | 1 | 1 | ·4 | 2 | . | 1 | . | . | . | 1 |
| Puerperal Septicæmia, | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 5 | 18 | 18 | 11 | 8 | . | 1 | . | . | . | 10·4 | 1 | . | . | 1 | . | . | . |
| Pneumonia, Broncho- | | | | | | 3 | 2 | 3 | 5 | 4 | | 7 | . | 2 | 4 | . | 1 | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 6 | 4 | 5 | 3 | 8 | | 4 | . | . | . | . | 3 | 1 |
| Erysipelas, ... ... | 1 | . | . | 1 | . | 3 | 1 | . | 1 | 1 | ·8 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | 1 | . | 1 | 1 | . | . | . | . | ·4 | 1 | . | 1 | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Tuberculous Phthisis, | 18 | 21 | 17 | 28 | 22 | . | 1 | 4 | 3 | 8 | 19·9 | 11 | . | . | 2 | . | 3 | 5 |
| "*Phthisis*," ... | | | | | | 25 | 16 | 10 | 11 | 15 | | 10 | . | . | . | 2 | 4 | 3 |
| Tuberculous Meningitis, ... | 6 | 4 | 3 | 4 | . | . | 3 | 3 | 4 | 3 | 3·0 | 4 | . | . | 2 | 2 | . | . |
| Tuberculous Peritonitis, | 3 | 4 | 7 | 7 | 5 | 1 | . | 2 | 1 | 1 | 3·8 | 2 | . | 1 | . | 1 | . | . |
| *Tabes Mesenterica*, ... | | | | | | 2 | 1 | 1 | 2 | 1 | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 5 | 4 | 2 | 5 | 1 | 3 | 7 | 3 | 8 | 6 | 4·5 | 6 | . | 3 | . | 1 | . | 2 |
| *Scrofula*, ... ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . |
| Alcoholism, ... ... | 2 | 1 | 2 | 1 | 1 | 1 | . | . | . | . | ·8 | . | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | . | 1 | . | 2 | 1 | . | . | 1 | . | 1 | ·6 | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 8 | 6 | 2 | 6 | 4 | . | 4 | . | 1 | . | 6·1 | 4 | . | . | . | . | . | 2 |
| Sarcoma, ... ... | | | | | | . | 2 | . | 1 | 1 | | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 5 | 2 | 2 | 4 | 13 | | 1 | . | . | . | . | 1 | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Premature Birth, ... | 5 | 1 | 1 | 3 | 3 | 3 | 3 | 3 | 6 | 6 | 3·4 | 1 | 1 | . | . | . | . | . |

* The figures for the years 1897–1900 are
† Formerly described

-NINTH WEEK ending Saturday, 20th July, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| SES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: July 24, 1897. | July 23, 1898. | July 22, 1899. | July 21, 1900. | July 20, 1901. | July 19, 1902. | July 25, 1903. | July 23, 1904. | July 22, 1905. | July 21, 1906. | Averages in 29th Week of the 10 years 1897–1906. | In the Week ending Saturday, 20th July, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| an Temperature. | ° 60·1 | ° 61·1 | ° 61·9 | ° 64·3 | ° 64·6 | ° 58·6 | ° 57·4 | ° 59·3 | ° 61·9 | ° 59·0 | ° 60·8 | Mean Temp. ° 63·8 | | | | | | | | |
| itis (not tuberc.) ... | | | | | | 1 | 2 | 1 | 1 | . | | 4 | . | 1 | . | 2 | 1 | . | . | . |
| y, G. P. of Insane ... | | | | | | 2 | 1 | . | 2 | . | | 4 | . | . | . | . | 1 | . | 3 | . |
| sy ... | | | | | | 1 | 1 | 1 | 2 | . | | 1 | . | . | . | . | 1 | . | . | . |
| sions ... | | | | | | 3 | . | 8 | 6 | 7 | | 5 | . | 4 | 1 | . | . | . | . | . |
| otor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| egia Dis. of Cord ... | | | | | | 1 | 2 | . | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| is System (other | | | | | | . | 1 | . | . | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| | 24 | 39 | 25 | 35 | 31 | | | | | | 32·6 | | | | | | | | | |
| is., Endocarditis ... | | | | | | 2 | 4 | 3 | 4 | 7 | | 10 | . | . | . | . | 1 | 2 | 6 | 1 |
| . Hæm. Thromb. ... | | | | | | 2 | 1 | 5 | . | 3 | | 2 | . | . | . | . | . | . | 2 | . |
| y, *Hemiplegia* ... | | | | | | 6 | 6 | 5 | 5 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| sm ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| sm, Thromb. (not ral) | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| nd Blood Vessel Dis. | | | | | | 15 | 18 | 12 | 10 | 16 | | 15 | . | . | . | 1 | . | 6 | 7 | 1 |
| (not Spasm. nor b.) | 1 | 1 | . | . | . | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . | . |
| itis ... | 9 | 10 | 11 | 10 | 6 | 10 | 9 | 8 | 6 | 9 | 8·8 | 19 | . | 4 | 2 | . | 1 | 5 | 7 | . |
| a, Emphysema ... | | | | | | . | . | . | . | . | | 2 | . | . | . | . | . | . | 2 | . |
| y ... | 2 | 2 | 1 | 2 | . | 1 | . | . | 2 | . | 1·5 | 1 | . | . | . | 1 | . | . | . | . |
| atory Dis. (other) ... | | | | | | 3 | . | 1 | . | 1 | | . | . | . | . | . | . | . | . | . |
| itis, Quinsy ... | . | . | 2 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| is (not Epid.) ... | | | | | 1 | 4 | . | 1 | 3 | 1 | 1·6 | 2 | . | 1 | 1 | . | . | . | . | . |
| *Enteritis* ... | . | . | . | . | | . | 1 | 1 | 1 | 3 | | . | . | . | . | . | . | . | . | . |
| *itis* (not Puerp.) ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| is of Liver ... | 4 | 1 | . | 2 | 5 | 1 | 2 | 2 | . | . | 2·8 | 1 | . | . | . | . | . | 1 | . | . |
| Dis. (other) ... | | | | | | 2 | 3 | 2 | 2 | 2 | | . | . | . | . | . | . | . | . | . |
| ve Dis. (other) ... | 2 | . | 2 | 3 | 3 | 6 | 2 | 5 | 9 | 2 | 3·4 | 6 | . | 1 | 1 | . | . | 1 | 3 | . |
| tis, Acute ... | | | | | | 3 | 2 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| s Dis., Albuminuria | 5 | 3 | 5 | 3 | 3 | 3 | 4 | 2 | . | 5 | 4·4 | 4 | . | . | . | . | . | 3 | 1 | . |
| y Sys. (Other Dis.) | | | | | | . | . | 2 | 3 | . | | 2 | . | . | . | . | . | . | 2 | . |
| tive Organs Dis. ... | . | . | . | . | . | . | . | 1 | 1 | 1 | ·3 | . | . | . | . | . | . | . | . | . |
| irth (Accid. of) ... | 1 | . | 1 | 2 | . | 1 | . | 1 | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| e ... | 9 | 4 | 9 | 7 | 7 | 6 | 3 | 3 | 4 | 3 | 5·5 | 4 | . | . | . | . | . | . | 4 | . |
| Diseases ... | 22 | 14 | 12 | 14 | 10 | 9 | 8 | 6 | 10 | 8 | 11·3 | 14 | 2 | 6 | 1 | 1 | . | 2 | 2 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| lways ... | 1 | . | . | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| icles and Horses ... | . | . | 1 | . | . | 1 | 1 | . | 2 | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| s, Boats, Docks (ex- ve of Drowning) ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ding Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| flagrations ... | . | . | . | . | . | . | . | . | 3 | . | ·3 | . | . | . | . | . | . | . | . | . |
| ns, Scalds, Explosions | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | 1 | . | . | . | . | 1 | . | . | . |
| wning ... | . | 1 | . | 2 | 2 | . | . | . | 1 | . | ·6 | 1 | . | . | . | 1 | . | . | . | . |
| focation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . | . |
| ison or Poisonous urs | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Deaths by Accident | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 4 | 2 | 1 | 1·7 | 3 | . | . | 1 | . | 1 | . | . | 1 |
| NCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| ide ... | . | . | . | . | 1 | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| e ... | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| tion ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

stration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. |
| No. of weeks in Annual Series. | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| BIRTHS registered, | 185 | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 201 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 |
| *Average Births in corresponding week of previous 10 years,** | 202 | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 |
| DEATHS registered, | 225 | 193 | 225 | 289 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 |
| Annual Death-rate per 1,000, | 30·0 | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 199 | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 |
| AGES, Under 5 years, | 46 | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 |
| 5—20 ,, | 12 | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 |
| 20—40 ,, | 45 | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 28 | 25 | 30 | 31 | 28 | 16 | 25 | 15 |
| 40—60 ,, | 63 | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 |
| 60—80 ,, | 45 | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 23 | 35 | 47 |
| 80 years and upwards, | 14 | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . |
| Scarlet Fever | 1 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Whooping-cough, | 6 | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 |
| Diphtheria, | . | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . |
| Diarrhœal Diseases, | . | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . |
| Influenza, | 5 | 6 | 4 | 9 | 4 | 5 | . | . | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . |
| Pneumonia, | 22 | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 |
| Tuberculous Disease. Phthisis, | 33 | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 |
| Tuberculous Disease. Other Forms, | 8 | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 |
| Cancer, Malignant Disease, | 7 | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 |
| Diseases of Heart and Blood Vessels, | 33 | 32 | 33 | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 |
| Diseases of Respiratory System, | 45 | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 |
| Violent Deaths, | 7 | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 8 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 |
| Number of Uncertified Deaths, | 4 | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 |
| Mean Temperature of the Air (Phœnix Park), | 34·3 | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 43·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 42·0 | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 |
| Rainfall in inches, | ·082 | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·92 | ·89 | ·88 | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·72 | ·81 | ·88 | ·86 | ·83 | ·77 | ·88 | ·81 | ·84 | ·81 |

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th July, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH JULY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 23·3 | 168 | 49 | 13 | 15 | 41 | 47 | 3 | . | . | . | 1 | 4 | . | . | . | . | 5 | 12 | 21 | 12 | 5 | 5 | 22 | 7 | 79 | 7 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 17·9 | 6 | 1 | . | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . |
| II. | MIDDLE CLASS, | 87,188 | 16·1 | 27 | 5 | 2 | 3 | 8 | 8 | 1 | . | . | . | . | 2 | . | . | . | . | 2 | 2 | 4 | 2 | 1 | 1 | . | 1 | 14 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 16·1 | 34 | 4 | 5 | 6 | 11 | 8 | . | . | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 1 | 3 | . | 19 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 32·9 | 61 | 35 | 4 | 3 | 7 | 12 | . | . | . | . | 1 | 2 | . | . | . | . | 3 | 6 | 2 | 6 | 1 | 3 | 12 | 5 | 23 | 7 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 40 | 4 | 2 | 3 | 13 | 17 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 9 | 2 | 2 | . | 7 | . | 19 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 40·1 | 6 | 1 | . | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 20·3 | 3 | 1 | 1 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 25·7 | 10 | 2 | . | 1 | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 7 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 12·0 | 7 | 1 | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 1 | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 18·5 | 7 | 1 | 1 | . | 2 | 3 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | . | 3 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 26·2 | 15 | 2 | 2 | 2 | 6 | 3 | . | . | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | . | 1 | . | 7 | . |
| | 10. Clothing Trades, | 23,260 | 15·7 | 7 | . | 2 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | 4 | . |
| | 11. Food Supply Trades, | 9,242 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 15·5 | 9 | 1 | 1 | 3 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | 6 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, | 13,425 | 15·5 | 4 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . |
| | 15. Domestic Servants, | 36,603 | 11·4 | 8 | 3 | 2 | 1 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | 5 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 3 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 | 2 | . | . | . | . | 1 | 1 | 1 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 25·0 | 43 | 27 | 1 | 1 | 5 | 9 | . | . | . | . | . | 1 | . | . | . | . | 1 | 4 | 2 | 5 | 1 | 2 | 10 | 3 | 15 | 5 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 40 | 4 | 2 | 3 | 13 | 17 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 9 | 2 | 2 | . | 7 | . | 19 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | June 1, | 21·6 | 3·6 | 12 | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 2 | 1 | . |
| | „ 8, | 32·8 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . | 1 |
| | „ 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . | . |
| | „ 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | „ 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| **North City, No. 1 (W.)** (Office, Summer-hill.) Pop. in 1907 (Est.) 39,146. | June 1, | 30·6 | . | 23 | . | . | . | . | . | . | . | . | . | 4 | . | 3 | 1 | 3 | 1 | 1 |
| | „ 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | . |
| | „ 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . |
| | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 | . |
| | „ 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| | „ 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| **North City, No. 2.** (Office, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | June 1, | 29·4 | 1·7 | 17 | . | . | . | . | 1 | . | . | . | . | 3 | 2 | . | . | 1 | 1 | 1 |
| | „ 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . |
| | „ 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 |
| | „ 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . |
| | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . | . |
| | „ 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| | „ 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | 1 | . |
| **North City, No. 3.** (Office, Benburb-street.) Pop. in 1907 (Est.) 32,422. | June 1, | 25·7 | 3·2 | 16 | . | 1 | . | . | 1 | . | . | . | . | 2 | . | . | 1 | 2 | . | . |
| | „ 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . | . |
| | „ 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . | . |
| | „ 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . | . |
| | „ 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | . |
| | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| | „ 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| **South City, No. 1.** (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | June 1, | 39·1 | 1·3 | 30 | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 | 1 | 6 | . | 1 |
| | „ 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . | . |
| | „ 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . | 2 |
| | „ 22, | 33·9 | 2·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . | . |
| | „ 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . | . |
| | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| | „ 20, | 23·5 | 1·3 | 18 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| **South City, No. 2.** (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | June 1, | 12·7 | 2·5 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| | „ 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . |
| | „ 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . | 3 |
| | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| | „ 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . | 3 |
| **South City, No. 3.** (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | June 1, | 17·3 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 | . | . |
| | „ 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 | . |
| | „ 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . | 1 |
| | „ 22, | 17·3 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . | . |
| | „ 29, | 23·5 | 3·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 | . |
| | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 3 | . | 1 | . | . |
| | „ 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | 2 | 4 | 1 | 3 | . | 2 | . | 2 |
| | „ 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| **South City, No. 4.** (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,188. | June 1, | 32·6 | 3·0 | 22 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | 1 | 2 | 4 | 1 | . |
| | „ 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 | . |
| | „ 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . | 1 |
| | „ 22, | 43·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | 2 | 3 | . | . |
| | „ 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 | 1 |
| | July 6, | 25·2 | 3·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 | 1 |
| | „ 13, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |
| | „ 20, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | 1 | . |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | June 1, | 19·0 | 2·9 | 13 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| | „ 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| | „ 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| | „ 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| | „ 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | July 6, | 13·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| | „ 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | June 1, | 16·8 | 1·9 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | „ 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| | „ 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 29, | 20·6 | 3·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . |
| | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | June 1, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | . | . |
| | „ 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| | „ 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | „ 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | „ 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | June 1, | 22·0 | 0·7 | 156 | . | 2 | . | . | 3 | . | . | . | . | 15 | 21 | 9 | 2 | 21 | 3 | 4 |
| | „ 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| | „ 15, | 19·7 | 1·3 | 140 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| | „ 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| | „ 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 2 |
| | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 3 |
| | „ 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| | „ 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | June 1, | 21·9 | 2·1 | 32 | . | . | . | 1 | . | 1 | . | 1 | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 |
| | „ 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| | „ 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| | „ 22, | 13·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | 1 |
| | „ 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 3 |
| | „ 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| | „ 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | June 1, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 8, | 23·3 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| | „ 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 22, | 8·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| | „ 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | June 1, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | . | . |
| | „ 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| | „ 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| | „ 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| | „ 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| | July 6, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| | „ 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | June 1, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . |
| | „ 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | „ 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |
| | „ 22, | 13·6 | 1·9 | 7 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |
| | „ 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |

* Formerly described as "Simple Continued Fever

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th July, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 11 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 4 | . | 1 | . | 1 | 1 | 1 | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 | . |
| Do. 2 ,, . | 47,959 | 37 | | | 25 | 3 | 3 | 1 | 6 | 5 | 7 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 2 | 4 | . | . | 5 | . |
| Do. 3 ,, . | 47,214 | 28 | | | 19 | 2 | 6 | 2 | . | 1 | 8 | . | 3 | 1 | . | . | . | . | . | . | 3 | 1 | 1 | 1 | 2 | . | 1 | 2 | . |
| Do. 4 ,, . | 40,911 | 41 | | | 12 | 2 | 2 | . | 3 | . | 5 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 5 | 1 |
| Do. 5 ,, . | 17,887 | 18 | | | 12 | 2 | 1 | . | 3 | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | 1 | 5 | . |
| Do 6 ,, . | 48,122 | 22 | | | 16 | 2 | 1 | . | 5 | 2 | 6 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | 2 | . | . | 3 | . |
| Do. 7 ,, . | 1,524 | 2 | | | 4 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . |
| Do. 8 ,, . | 5,060 | 2 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 9 ,, . | 19,569 | 11 | | | 6 | . | 1 | . | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . |
| Do. 10 ,, . | 28,064 | 22 | | | 12 | 4 | 2 | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | 2 | . | 3 | . | 1 | . | . | 2 | . |
| Do. 11 ,, . | 34,802 | 26 | | | 11 | 3 | 2 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 | 2 | . |
| Do. 12 ,, . | 33,588 | 15 | | | 11 | 1 | 2 | 1 | 2 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 2 | 1 | 1 | 2 | . |
| Do. 13 ,, . | 15,006 | 12 | | | 3 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . |
| Do. 14 ,, . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 247 | | | 136† | 22 | 23 | 4 | 28 | 20 | 39 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 6 | 30 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 8 | 4·1 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 2 ,, . . | 10,701 | 2 | 4·9 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 3 ,, . . | 9,978 | 5 | 5·2 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Do. 4 ,, . . | 8,666 | 4 | 30·1 | . | 5 | 1 | . | | 3 | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | 2 | . |
| Do. 5 ,, . . | 6,592 | 4 | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. ,, . . | 10,702 | 5 | 9·7 | . | 2 | 1 | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 8 | 12·6 | . | 4 | 2 | . | | . | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Total, . . . . | 76,122 | 36 | 9·6 | . | 14 | 4 | . | | 6 | | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . | 4 | . |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 26. | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. |
| Number of weeks in Annual Series, | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |
| Births registered, | 203 | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 |
| Deaths registered, | 163 | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136† |
| Annual Death-rate per 1,000 of estimated Population, | 23·0 | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·8 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 |
| Ages: Under 1 year | 31 | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 |
| 1-5 years, | 19 | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 |
| 5-20 years, | 12 | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 23 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 |
| 20-40 years, | 25 | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 |
| 40-60 years, | 30 | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 15 | 21 | 14 | 25 | 21 | 17 | 20 |
| 60 years and upwards, | 39 | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 15 | 28 | 30 | 24 | 39 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 3 | 6 | 6 | . | 5 | 4 | 4 |
| Scarlet Fever, | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 |
| Typhus, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 |
| Diphtheria, | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 |
| *Pyrexia** origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . |
| Diarrhœal Diseases, | 5 | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 |
| Pneumonia, | 11 | 11 | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 |
| Tuberculous Disease, Phthisis, | 19 | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 |
| Tuberculous Disease, Other Forms, | 13 | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 4 | 13 | 8 | 14 |
| Cancer, Malignant Disease, | 5 | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 |
| Diseases of Respiratory System, | 34 | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 |
| Violent Deaths, | 3 | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | 1 | . | . | 4 | 3 |
| Number of Uncertified Deaths, | 1 | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 |

*Formerly described as "Simple Continued Fever."
† Including 2 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or mated). | Date of Return. — Week ending | Births. Exclusive of St llborn. | Deaths. Exclusive of St llborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | July 20, | 2,266 | 1,077 | 11·8 | . | 46 | 15 | 12 | 44 | 2 | 19 |
| EDINBURGH, | 345,747 | „ 20, | 190 | 98*a* | 14·8 | . | 1 | . | . | 5 | 1 | 4 |
| GLASGOW, | 847,584 | „ 20, | 466 | 261*a* | 16·1 | . | 6 | . | . | 9 | 2 | 7 |
| CALCUTTA, | 847,796 | June 1, | . | 465 | 28·5 | 26 | 2 | . | 1 | 2 | 63‡ | 66* |
| BOMBAY, | 977,822 | „ 18, | 311 | 509 | 27·1 | 2 | 1 | . | . | . | 60‡ | 60* |
| MADRAS, | 509,346 | May 31, | 385 | 313 | 31·9 | . | 4 | ? | ? | ? | 79 | 54 |
| PARIS, | 2,750,000 | July 6, | 913 | 814 | 15·5 | 3 | 14 | 6 | 2† | 3 | 2 | 19 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | June 29, | 217 | 130 | 10·8 | . | 1 | 2 | . | . | 2 | 2 |
| ANTWERP, | 304,032 | „ 29, | 140 | 65 | 11·1 | . | . | . | . | 4 | . | 6 |
| AMSTERDAM, | 564,342 | July 6, | 277 | 121 | 11·2 | . | 1 | 2 | . | 2 | . | 5 |
| COPENHAGEN, | 427,000 | June 29, | 232 | 113 | 13·8 | . | 2 | . | 1† | 5 | . | 3 |
| STOCKHOLM, | 324,488 | „ 29, | 143 | 90 | 14·1 | . | . | 3 | . | 1 | 1 | 4 |
| CHRISTIANIA, | 226,774 | July 6, | 83 | 78 | 17·9 | . | . | . | 1† | . | . | 4 |
| ST. PETERSBURG, | 1,482,769 | „ 6, | . | 731 | 25·7 | . | 33 | 9 | 11 | 3 | 22 | 172 |
| MOSCOW, | 1,172,421 | June 1, | . | 673 | 29·9 | 1 | 25 | 6 | 12† | 2 | 7 | 124 |
| BERLIN, | 2,090,930 | „ 22, | 889 | 540 | 13·5 | . | 7 | . | 7† | 10 | 2 | 55 |
| HAMBURG, | 824,792 | „ 29, | . | 198 | 12·5 | . | . | 2 | 2† | . | . | 13 |
| BRESLAU, | 485,333 | July 6, | . | 209 | 22·5 | . | 1 | . | . | 1 | . | 42 |
| MUNICH, | 548,000 | „ 6, | . | 181 | 17·2 | . | 2 | . | 1† | 2 | . | 28 |
| VIENNA (with suburbs). | 1,979,003 | „ 6, | 755 | 619 | 16·3 | . | 22 | 4 | 4† | 1 | . | 70 |
| BUDA-PESTH, | 802,235 | June 15, | 437 | 311 | 20·2 | . | 2 | 6 | 1† | 4 | 1 | 18 |
| PRAGUE and Faubourgs. | 470,906 | „ 15, | 241 | 202 | 22·3 | . | . | 1 | 1† | 1 | 2 | 17 |
| TRIESTE, | 200,962 | „ 22, | 126 | 84 | 21·8 | . | 2 | . | . | 4 | . | 5 |
| ROME, | 540,150 | May 11, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | June 1, | 87 | 46 | 13·8 | . | . | 1 | . | . | 1 | 5 |
| NEW YORK, | 4,285,435 | „ 22, | 2,169 | 1,426 | 17·4 | . | 33 | 26 | 29† | 3 | 15 | 70 |
| PHILADELPHIA, | 1,500,595 | „ 15, | . | 438 | 15·1 | . | 1 | 2 | 4† | 3 | 10 | 11 |
| BOSTON, | 602,526 | „ 22, | . | 204 | 17·7 | . | 3 | 3 | 2 | . | . | 2 |

*a*. Including 3 deaths from cerebro-spinal meningitis in Edinburgh, and 7 in Glasgow.
* Including 32 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Exclusive of 100 deaths from plague in Calcutta, and 20 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th July, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 2, | . | . | . | . | . | . | 1 | . | 3 | . | . | . | 4 |
| " " 3, | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | 1 | . | 8 | . | . | . | 9 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 4, | . | . | . | . | . | . | . | 2 | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | . | . | . | 2 | . | 4 | 4 | 13 | . | . | . | 23 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th July, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 20th July. | | | |
|---|---|---|---|---|---|---|---|
| | June 29. | July 6. | July 13. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 62 | 60 | 50 | 7 | 26 | . | 31 |
| Scarlet Fever, | 51 | 45 | 51 | 3 | 14 | . | 40* |
| Typhus, | 3 | 3 | 4 | 1 | 2 | 1 | 2 |
| Diphtheria, | 19 | 14 | 19 | 3 | . | . | 22 |
| Enteric Fever, | 30 | 25 | 24 | 4 | 5 | . | 23 |
| Pneumonia, | 33 | 33 | 33 | 5 | 12 | 1 | 25 |

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 20th July, 1907:—

"At last high summer has taken the place of the cold, windy, dull, and rainy weather which had hitherto characterised the season. Temperature was throughout high, but the change to brighter weather came very slowly, for Sunday was damp, close and gloomy all day, much haze and fog hanging about the hills and on the sea. Monday was also cloudy and hazy till the afternoon, when the sky cleared for a while. Tuesday broke dull and hazy, but the clouds dispersed in the forenoon, giving place to many hours of sunshine. From that time to the end of the week, the weather was splendid—warm and bright, with calms or light N.W. and W. land-breezes by night, and easterly (between N.E. and S.E.) sea-breezes by day. All Ireland was not so fortunate as the Capital and its neighbourhood, for on and after Thursday, local thunderstorms accompanied by heavy falls of rain and hail were experienced—on Thursday in the S.W., on Friday in the midland counties, and on Saturday in Wicklow and Kildare. The fine weather was connected with an anticyclone, which reached its fullest development on Tuesday, when the isobar of 30·5 inches embraced the western half of Scotland, Antrim, and Cumberland. Between Wednesday and Friday a large depression spread southwards from Lapland to Central Europe, bringing northerly winds, cooler and cloudy weather to Great Britain. In Dublin the mean height of the barometer was 30·268 inches, the range being from 30·481 inches at 9 a.m. of Tuesday (wind, E.) to 30·098 inches at 9 p.m. of Friday (wind, E.N.E.). The corrected mean temperature was 65·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 64·7°. The screened thermometers rose to 77·3° on Wednesday, having fallen to 56·2° during the previous night. The prevalent wind was E.N.E. There was no rainfall. Lightning was seen on Friday night, and thunder was heard on Saturday afternoon."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·264 inches. The highest reading (30·477) was on Tuesday at 9 a.m., wind N.E., and the lowest (30·089) on Friday at 9 p.m., air calm.

The mean temperature for the week was 63·8°, being 3·0° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 79·5°, and was lowest on Saturday, the mercury having fallen to 50·1°. The mean of the Dry Bulb for the week was 64·4°, and of the Wet Bulb 60·9°. The mean humidity of the air was ·81, complete saturation being represented by 1·0. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 62·7°, the maximum 79·0°, and the minimum 48·7°; at Glasgow the maximum was 84·2°, the minimum 50·8°, and the mean 65·7°; and at Edinburgh the maximum was 77·1°, the minimum 50·0°, and the mean 60·0°. There was no rainfall recorded at Greenwich, Glasgow, or Edinburgh. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, July 14, | 30·295 | 69·6 | 59·2 | 64·4 | 63·3 | 62·3 | ·94 | ·1 | 0·2 | ·000 | S.W. | Calm. |
| Monday, „ 15, | 30·436 | 69·9 | 58·4 | 64·2 | 62·0 | 60·4 | ·90 | ·1 | 2·4 | ·000 | N.E. | N.N.E. |
| Tuesday, „ 16, | 30·447 | 70·4 | 57·4 | 63·9 | 60·0 | 57·8 | ·87 | ·0 | 8·2 | ·000 | N.E. | Calm. |
| Wednesday, „ 17, | 30·327 | 79·5 | 50·2 | 64·9 | 68·0 | 64·1 | ·80 | ·0 | 13·3 | ·000 | Calm. | Calm. |
| Thursday, „ 18, | 30·144 | 78·1 | 52·7 | 65·4 | 69·3 | 63·9 | ·74 | ·0 | 13·0 | ·000 | Calm. | Calm. |
| Friday, „ 19, | 30·098 | 71·6 | 52·8 | 62·2 | 62·1 | 56·1 | ·70 | ·0 | 10·5 | ·000 | N.E. | Calm. |
| Saturday, „ 20, | 30·099 | 73·3 | 50·1 | 61·7 | 66·1 | 61·4 | ·75 | ·2 | 11·4 | ·000 | Calm. | Calm. |
| Mean, . . | 30·264 | 73·2 | 54·4 | 63·8 | 64·4 | 60·9 | ·81 | ·1 | Total 59·0 | Total ·000 | — | |

*Sunday*—Day overcast, fine; night overcast. *Monday*—Overcast a.m. overcast and cloudy p.m.; night cloudy. *Tuesday*—Overcast and bright a.m., bright, fine p.m.; night clear. *Wednesday*—Beautiful bright day; night clear. *Thursday*—Beautiful day, light clouds; night clear. *Friday*—Beautiful day, light clouds, lightning from N.E.; night clear. *Saturday*—Beautiful day, light clouds p.m.; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 20th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, July 14, | 64·7 | 59·1 | 54·6 | 70·0 | 59·8 | 64·9 | — | — |
| Monday, „ 15, | 62·2 | 60·0 | 54·9 | 68·0 | 57·6 | 62·8 | 1·7 | — |
| Tuesday, „ 16, | 61·4 | 60·9 | 55·0 | 69·2 | 57·9 | 63·6 | 7·3 | — |
| Wednesday, „ 17, | 72·2 | 61·7 | 55·4 | 79·5 | 55·5 | 67·5 | 13·0 | — |
| Thursday, „ 18, | 68·7 | 63·3 | 55·9 | 78·0 | 59·0 | 68·5 | 13·2 | — |
| Friday, „ 19, | 66·7 | 63·9 | 56·0 | 69·8 | 56·5 | 63·2 | 11·5 | — |
| Saturday, „ 20, | 70·0 | 63·8 | 56·7 | 70·4 | 55·2 | 62·8 | 11·3 | — |
| Weekly Mean, . | 66·6 | 61·8 | 55·5 | 72·1 | 57·4 | 64·8 | Total 58·0 | Total — |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18167.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 27TH JULY, 1907. [No. 30.

*General Register Office, Charlemont House,*
*Dublin, 29th July,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending July 6. | Week ending July 13. | Week ending July 20. | Week ending July 29. | Average Rate for 4 weeks. | Towns, &c. | Week ending July 6. | Week ending July 13. | Week ending July 20. | Week ending July 29. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 18·2 | 17·1 | 18·4 | 18·0 | 17·9 | Lisburn, | 4·5 | 9·1 | 18·2 | 36·4 | 17·1 |
| Armagh, | 6·9 | 13·7 | 6·9 | 13·7 | 10·3 | Londonderry, | 13·5 | 17·2 | 7·4 | 17·2 | 13·8 |
| Ballymena, | 9·6 | 23·9 | 9·6 | 23·9 | 16·8 | Lurgan, | 26·6 | 17·7 | 13·3 | 17·7 | 18·8 |
| Belfast, | 20·3 | 14·6 | 19·2 | 16·5 | 17·7 | Newry, | 21·0 | 8·4 | 25·2 | 12·6 | 16·8 |
| Clonmel, | 25·6 | 41·0 | . | 5 1 | 17·9 | Newtownards, | 28·6 | 17·2 | 28·6 | 5·7 | 20·0 |
| Cork, | 18·5 | 16·4 | 9·6 | 16·4 | 15·2 | Portadown, | 36·2 | 10·3 | 10·3 | 25·8 | 20·6 |
| Drogheda, | 8·2 | 24·5 | 8·2 | 16·3 | 14·3 | Queenstown | 33·0 | 6·6 | 33·0 | 6·6 | 19·8 |
| Dublin Reg. Area, | 18·3 | 21·0 | 21·5 | 21·2 | 20·5 | Sligo, | 9·6 | . | 24·0 | 9·6 | 10·8 |
| Dundalk, | 12·0 | 12·0 | 16·0 | 8·0 | 12·0 | Tralee, | 10·6 | . | 5·3 | . | 4·0 |
| Galway, | 19·4 | 15·5 | . | 19·4 | 13·6 | Waterford, | 9·7 | 15·6 | 25·3 | 23·4 | 18·5 |
| Kilkenny, | 9·8 | 24·6 | 29·5 | 4·9 | 17·2 | Wexford, | 23·3 | 4·7 | 14·0 | 23·3 | 16·3 |
| Limerick, | 10·9 | 15·0 | 20·5 | 15·0 | 15·4 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 3·9 in Galway, the 5 deaths from all causes registered in that district including one from diphtheria. Among the 117 deaths from all causes in Belfast are 5 from measles, one from enteric fever, 2 from diarrhœal diseases, 9 from cerebro-spinal fever, and 3 returned as from *cerebro-spinal meningitis.* Included in the 14 deaths from all causes in Londonderry are one from scarlet fever and one from whooping-cough, and the 11 deaths registered in Limerick include 2 from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 209—101 boys and 108 girls; and the deaths to 166—87 males and 79 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 22·2 in every 1,000 of the population; omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 21·2 per 1,000. During the thirty weeks ending with Saturday last the death-rate averaged 26·6, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The total deaths (166) included 3 from measles, 4 from whooping-cough, one from enteric fever, and 4 from diarrhœal diseases. In each of the 3 preceding

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

weeks, deaths from measles were 6, 2, and 0; deaths from whooping-cough were 9, 7, and 4; deaths from enteric fever were one, 0, and 0; and deaths from diarrhœal diseases were 0, 5, and 0. There was one death from cerebro-spinal fever, which, in the 3 weeks preceding caused 0, one, and 0 deaths, respectively. Influenza caused 2 deaths; in each of the 3 preceding weeks one, one, and 0 deaths from this disease were registered.

There were 2 deaths from broncho-pneumonia and 6 deaths from *pneumonia* (not defined).

Of the total (35) deaths from tuberculous disease (all forms), there were 8 from tuberculous phthisis, 13 returned as from *phthisis*, 5 from tuberculous meningitis, 2 from tuberculous peritonitis, 2 from *tabes mesenterica*, and 5 deaths from other forms of the disease. The respective totals for deaths from all forms of tuberculous disease in the 3 preceding weeks were 29, 26, and 33.

The deaths from malignant diseases, 8 in number, included 4 deaths from carcinoma and 4 deaths from cancer, malignant disease (undefined).

The deaths of 6 infants were caused by premature birth.

Diseases of the brain and nervous system caused 13 deaths. The deaths from convulsions of 3 infants under one year of age and one child between the ages of one year and 5 years are included in this figure, also the deaths of 2 persons from meningitis.

Twenty-three deaths were due to diseases of the heart and blood vessels, and there were 16 deaths from bronchitis.

The deaths from accident or negligence, 5 in number, include one on a railway, one by a vehicle, one of a child under 5 years by burns, and one by sunstroke of a man suffering from fatty disease of the heart.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these include the deaths of 3 children under one year of age.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 14 were under one month old), and 37 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 5 were octogenarians, and one (a female) was stated to have been aged 95 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the N. Dublin Union Workhouse, 10 in the S. Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·2 per 1,000; the rate in the City was 22·0 (North City Districts, 20·3; South, 23·8), and in the Suburbs, 18·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 1·7 (1·7 in the North City Districts, and 1·8 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·8 per 1,000, and include one death from influenza and one death from tuberculous phthisis.

*No. 1 North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000. Among the deaths there were 3 from tuberculous disease, one from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 41·6 per 1,000. Of the 24 deaths there were 2 from measles, one from whooping-cough, 3 from *pneumonia* (not defined), 2 from tuberculous disease, 2 from bronchitis, and one death by burns.

*No. 3 North City District* (Benburb-street).—The deaths (9) represent an annual rate of 14·5 per 1,000. The deaths include one from enteric fever and one from epidemic diarrhœa.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 23·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 21·7. Among the 5 deaths from all causes for Coolock and Drumcondra No. 1, part of, there was one from *phthisis*, and the 3 deaths from all causes for Finglas and Glasnevin, part of, include one from *pneumonia* (not defined).

*No. 1 South City District* (South Earl-street).—The deaths (10) represent an annual rate of 13·0 per 1,000. There was one death from whooping-cough, also one death from *phthisis*. Bronchitis caused one death.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000. Tuberculous disease caused 5 deaths and bronchitis caused 2 deaths.

*No. 3 South City District* (Peter-street).—The deaths (24) are equal to an annual rate of 29·6 per 1,000. The deaths include one from cerebro-spinal fever, one from *diarrhœa*, one from *pneumonia* (not defined), 7 from tuberculous disease, and 4 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Diarrhœal diseases caused 2 deaths, there was one death from broncho-pneumonia, tuberculous disease caused 5 deaths, and bronchitis caused 5 deaths.

*New Kilmainham District.*—The deaths (5) are equal to an annual rate of 29·3 per 1,000. Of the deaths one was due to whooping-cough and 2 to tuberculous disease.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·6; Pembroke, 13·1; Blackrock, 11·9; and Kingstown, 32·5. The deaths from the principal epidemic diseases tabulated for these districts include one from measles for Kingstown and one from whooping-cough for Pembroke. The 12 deaths from all causes for Rathmines and Rathgar include one from broncho-pneumonia and 2 from tuberculous disease of the lungs. Among the 7 deaths from all causes for Pembroke were 2 from tuberculous disease, and the 11 deaths from all causes for Kingstown include one from influenza, one from *pneumonia* (not defined) and 2 from tuberculous disease of the lungs.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 27th July 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | July 6, | . | — | — | 5 | . | . | 7 | . | 2 | 4 | 15 | . | — | — | . | — | — | 33 |
| | July 13, | . | — | — | 8 | 1 | . | 7 | . | 4 | 8 | 12 | . | — | — | 1 | — | — | 41 |
| | July 20, | . | — | — | . | . | . | 2 | . | 4 | 4 | 13 | . | — | — | . | — | — | 23 |
| | July 27, | . | — | — | 4 | . | . | 1 | . | 6 | 4 | 5 | . | — | — | 2 | — | — | 22 |
| Rathmines and Rathgar Urban District. | July 6, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | | — | — | 1 |
| | July 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | July 20, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | . | — | — | 2 |
| | July 27, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| Pembroke Urban District. | July 6, | . | 18 | . | . | . | . | . | . | 1 | . | . | . | — | 5 | . | — | — | 24 |
| | July 13, | . | 21 | . | 1 | . | . | 1 | . | 1 | . | . | . | — | 9 | . | — | — | 33 |
| | July 20, | . | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | — | 2 | . | — | — | 12 |
| | July 27, | . | 10 | . | 1 | . | . | . | . | . | . | 1 | . | — | 7 | . | — | — | 19 |
| Blackrock Urban District. | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | July 6, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | July 6, | . | — | — | 8 | . | . | 3 | . | 2 | 6 | 3 | . | — | — | 6 | — | — | 28 |
| | July 13, | . | — | — | 6 | . | . | 4 | . | 1 | 5 | 3 | 2 | — | — | 8 | — | — | 29 |
| | July 20, | . | — | — | 12 | . | . | 4 | . | 6 | 4 | 3 | . | — | — | 7 | — | — | 36 |
| | July 27, | . | — | — | 2 | . | . | 3 | . | 2 | 4 | 6 | 2 | — | — | 2 | — | — | 21 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th July, 1907.

From this it appears that :—

Eight cases of measles were admitted into hospital during the week, 15 were discharged, and 24 cases remained under treatment at its close. At the close of each of the three preceding weeks the cases of measles under treatment numbered 60, 50, and 31.

Seven cases of scarlet fever were admitted to hospital, 5 were discharged, and 42* cases remained under treatment at the close of the week.

Two cases of typhus remained under treatment in hospital at the close of the week.

Three cases of diphtheria were admitted to hospital, 3 were discharged, and 22 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 29 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·1), was equal to an average annual death-rate of 11·9 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow being 14·5 and for Edinburgh 15·8.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th July. From this Report it appears that of a total of 43 cases notified 17 were scarlet fever, 10 diphtheria, 6 erysipelas, and 3 enteric fever. Among the 333 cases of infectious diseases in hospital at the close of the week were 95 cases of scarlet fever, 66 of measles, 50 of diphtheria, 2 of membranous croup, 38 of whooping-cough, 13 of enteric fever, and 9 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 27th July, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented by Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 27th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 20th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 13th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 28·4 | 18·0 | 1·2 | 608 | 386 | 72 | 88 | . | 8 | 1 | . | 7 | 1 | . | 2 | 7 | 22 | 66 | 17 | 16 | 36 | 10 | 11 | 126 | 9 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 27·9 | 21·2 | 1·6 | 209 | 159 | 35 | 35 | . | 3 | . | . | 4 | . | . | 1 | 4 | 8 | 21 | 12 | 7 | 16 | 5 | 5 | 54 | 5 | 74·6 | 49·9 | 59·4 | 0·29 | 79·5 | 50·1 | 62·8 | 0·00 | 65·7 | 36·9 | 54·0 | 0·55 |
| City of Dublin, | 300,850 | 38·0 | 32·6 | 22·0 | 1·7 | 188 | 127 | 33 | 22 | . | 2 | . | . | 3 | . | . | 1 | 4 | 6 | 17 | 10 | 5 | 16 | 3 | 4 | 46 | 5 | 71·5 / 72·9 | 54·1 / 51·4 | 60·8 / 59·9 | 0·33 / 0·39 | 77·3 / 79·9 | 56·2 / 52·0 | 65·3 / 64·5 | 0·00 / 0·00 | 66·8 / 66·5 | 43·8 / 39·0 | 55·8 / 55·0 | 0·30 / 0·21 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 11·7 | 17·6 | . | 8 | 12 | 1 | 6 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 18·1 | 18·1 | 1·9 | 7 | 7 | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | . | 11·9 | . | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 32·5 | 3·0 | 6 | 11 | . | 5 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . | 4 | . | 69 | 53 | 59·9 | 0·24 | 75 | 55 | 64·3 | 0·00 | 67 | 48 | 55·9 | 0·31 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 30·4 | 16·5 | 1·1 | 216 | 117 | 22 | 18 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 18 | 2 | 2 | 35 | . | 70·6 | 49·0 | 59·1 | 0·29 | 78·8 | 50·5 | 63·3 | 0·20 | 63·0 | 41·5 | 53·4 | 0·94 |
| Cork, | 76,122 | 38·6 | 19·2 | 16·4 | 0·7 | 28 | 24 | 3 | 7 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | 3 | 12 | . | 70 | 57 | 61·5 | 1·86 | 74 | 55 | 63·5 | 0·00 | 63 | 48 | 54·8 | 0·23 |
| Londonderry, | 42,475 | 19·6 | 25·6 | 17·2 | 2·5 | 29 | 14 | 2 | 4 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 26·0 | 15·0 | 2·7 | 19 | 11 | 1 | 4 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 28·4 | 23·4 | . | 12 | 12 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 42·7 | 19·4 | 3·9 | 11 | 5 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | . | . | . | 5 | . | 77 | 50 | 66 | 0·28 | 84 | 54 | 67 | 0·15 | 64 | 43 | 54·7 | 0·66 |
| Dundalk, | 18,076 | 9·4 | 19·9 | 6·0 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 32·7 | 16·3 | . | 8 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 21·0 | 12·6 | . | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 |
| Lurgan, | 11,782 | 13·8 | 57·5 | 17·7 | . | 13 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 |
| Lisburn, | 11,461 | 10·1 | 18·2 | 36·4 | . | 4 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 | . | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 |
| Wexford, | 11,168 | 23·2 | 4·7 | 23·3 | . | 1 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 19·2 | 23·9 | . | 4 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 33·6 | 9·6 | . | 7 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 77·5 | 50·4 | 62·4 | 0·24 | 81·4 | 51·4 | 65·0 | 0·00 | 63·5 | 37·4 | 53·1 | 0·56 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 4·9 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 75 | 54 | 63·9 | 0·86 | 81 | 58 | 68·4 | 0·00 | 65 | 48 | 56·1 | 0·42 |
| Clonmel, | 10,167 | 7·8 | 20·5 | 5·1 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 31·0 | 25·8 | . | 6 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 |
| Tralee, | 9,867 | 16·6 | 21·1 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 34·3 | 5·7 | . | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 68 | 48 | 55·5 | 0·16 | 69 | 53 | 59·1 | 0·02 | 64 | 43 | 53·2 | 1·41 |
| Queenstown, | 7,909 | 14·4 | 39·6 | 6·6 | . | 6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 70 | 57 | 61·5 | 1·86 | 74 | 55 | 63·5 | 0·00 | 63 | 48 | 54·8 | 0·23 |
| Armagh, | 7,588 | 22·2 | 41·2 | 18·7 | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 | 63·1 | 40·9 | 54·2 | 0·79 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Markree for Sligo and those at Rochfort Bridge for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 27th July, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1 E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (part of). | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| A. GENERAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | 4 | . |
| Diphtheria | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases | . | . | . | 1 | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 4 | . |
| Pneumonia | . | . | 3 | . | . | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 1 | 8 | . |
| Tuberculous Disease: Phthisis | 1 | 2 | 1 | . | . | 1 | . | 1 | 3 | 5 | 2 | 1 | 2 | . | . | 2 | 21 | . |
| Tuberculous Disease: Other Forms | . | 1 | 1 | . | . | . | . | . | 2 | 2 | 3 | 1 | . | 2 | . | . | 12 | 2 |
| Cancer, Malignant Disease | . | . | 1 | 1 | . | 1 | . | . | . | 2 | . | . | . | . | . | 2 | 7 | 1 |
| Other General Diseases | 1 | 3 | 4 | 1 | . | . | 1 | . | 1 | 1 | 1 | . | . | 1 | . | 2 | 16 | . |
| Total, | 2 | 6 | 13 | 4 | . | 2 | 2 | 2 | 6 | 12 | 9 | 3 | 3 | 4 | . | 8 | 76 | 3 |
| B. LOCAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | . | 2 | 2 | . | . | . | 1 | . | 1 | 1 | 2 | 1 | 1 | . | . | 12 | 1 |
| Diseases of: Organs of Special Sense | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels | 3 | 1 | 3 | 1 | . | 3 | . | . | 2 | 2 | 1 | . | 4 | . | 1 | 2 | 23 | . |
| Diseases of: Respiratory System | . | 1 | 2 | . | . | . | . | 1 | 2 | 5 | 5 | . | . | . | . | . | 16 | 1 |
| Diseases of: Digestive System | . | 2 | 2 | 1 | . | . | . | 2 | . | 1 | . | . | 2 | . | . | . | 10 | 1 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | 2 | . | 1 | 6 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 5 | 9 | 4 | . | 3 | 1 | 4 | 4 | 10 | 7 | 2 | 7 | 3 | 1 | 3 | 67 | 3 |
| C. OTHER SPECIFIED DISEASES | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. CAUSES ILL-DEFINED AND NOT SPECIFIED | . | 1 | 1 | 1 | . | . | . | 4 | . | 2 | 1 | . | 1 | . | . | . | 11 | 1 |
| E. VIOLENT DEATHS | . | 1 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 5 | . |
| **Deaths from all Causes** | 6 | 13 | 24 | 9 | . | 5 | 3 | 10 | 10 | 24 | 18 | 5 | 12 | 7 | 2 | 11 | 159 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 10·8 | 17·2 | 41·6 | 14·5 | . | 23·7 | 21·7 | 13·0 | 25·3 | 29·6 | 26·7 | 29·3 | 17·6 | 13·1 | 11·9 | 32·5 | 21·2 | . |
| | 20·3 | | | | | | | 23·8 | | | | | 18·6 | | | | | |
| | 22·0 | | | | | | | | | | | | | | | | | |
| Ages at Death: Under 1 year | . | 3 | 8 | 5 | . | . | 1 | 4 | . | 4 | 7 | 1 | 1 | . | 1 | . | 35 | . |
| 1 and under 5 years | . | . | 4 | 1 | . | . | . | 1 | 2 | 4 | . | 1 | . | 2 | . | 1 | 16 | . |
| 5 " 20 " | . | 3 | . | 1 | . | . | 1 | . | 1 | . | 2 | 1 | 2 | 1 | . | 1 | 13 | 1 |
| 20 " 40 " | 1 | 2 | 1 | . | . | 1 | . | 2 | 3 | 4 | 2 | 2 | 1 | 1 | . | 1 | 21 | 2 |
| 40 " 60 " | 3 | 4 | 6 | 2 | . | 1 | . | 1 | 2 | 7 | 6 | . | 2 | 2 | . | 3 | 39 | 2 |
| 60 and upwards | 2 | 1 | 5 | . | . | 3 | 1 | 2 | 2 | 5 | 1 | . | 6 | 1 | 1 | 5 | 35 | 2 |
| Number of Uncertified Deaths | . | 1 | 1 | . | . | 1 | . | . | . | . | 2 | . | . | . | . | . | 5 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums | 1 | 3 | 3 | 1 | . | . | . | . | 3 | 10 | 4 | 2 | 2 | 1 | . | 2 | 32 | 7 |
| Workhouse Hospitals | 1 | 2 | 6 | 1 | . | . | . | 1 | 3 | 4 | 1 | . | 1 | . | . | 2 | 22 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i
week of the ten years, 1897

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 30th Week of the 10 years 1897-1906. | In the Week ending Saturd 27th July, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 31, 1897. | July 30, 1898. | July 29, 1899. | July 28, 1900. | July 27, 1901. | July 26, 1902. | Aug. 1, 1903. | July 30, 1904. | July 29, 1905. | July 28, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under 6 year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 61·6° | 57·1° | 60·0° | 63·8° | 59·2° | 54·0° | 55·4° | 60·2° | 60·2° | 60·6° | 59·2° | 59·4° | | | | | | |
| **ALL CAUSES.** | 153 | 160 | 191 | 129 | 155 | 150 | 141 | 136 | 157 | 149 | 152·1 | 166 | 14 | 21 | 16 | 14 | 23 | 41 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 13 | . | . | 8 | 1 | 4 | 1 | 2 | 2·9 | 3 | . | 1 | 2 | . | . | . |
| Scarlet Fever, ... ... | 1 | 1 | 3 | . | . | 1 | . | . | . | 2 | ·8 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | . | 1 | . | 3 | . | . | . | . | . | ·5 | 2 | . | . | . | . | . | . |
| Whooping-cough, ... ... | 1 | . | 3 | . | 4 | 1 | . | 2 | . | 2 | 1·3 | 4 | . | 3 | 1 | . | . | . |
| Diphtheria, ... ... | 3 | 1 | . | 1 | 1 | 1 | . | 1 | . | . | ·8 | . | . | . | . | . | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 1 | 3 | 1 | . | . | 1 | 1 | 1 | 1 | . | ·9 | 1 | . | . | . | 1 | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 9 | 10 | 19 | 4 | 21 | . | 1 | 1 | 7 | 4 | 10·5 | 2 | . | 2 | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 3 | 3 | 4 | 13 | 6 | | 2 | . | . | 1 | 1 | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | 2 | 2 | . | . | . | . | 1 | 2 | . | ·8 | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | 1 | . | . | . | . | 2 | . | . | ·3 | 1 | . | . | . | 1 | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 6 | 9 | 9 | 8 | 8 | . | . | 1 | 1 | 1 | 8·5 | . | . | . | . | . | . | . |
| Pneumonia, Broncho-Epidemic, | | | | | | 4 | 3 | 4 | . | 7 | | 2 | . | 2 | . | . | . | . |
| Pneumonia, Not defined, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| | | | | | | 2 | 6 | 8 | 3 | 5 | | 6 | . | . | . | 1 | 2 | 2 1 |
| Erysipelas, ... ... | . | 1 | . | 1 | 1 | . | 1 | . | . | 1 | ·5 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | 1 | . | 1 | . | . | 1 | ·3 | 1 | . | . | . | 1 | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 21 | 21 | 16 | 19 | 26 | . | 6 | 2 | 8 | 9 | 19·6 | 8 | . | . | . | . | 4 | 3 1 |
| "*Phthisis*," ... | | | | | | 18 | 17 | 13 | 10 | 10 | | 13 | . | . | . | 1 | 6 | 5 1 |
| Tuberculous Meningitis, ... | 3 | 6 | 5 | 2 | 2 | . | 3 | 5 | . | 6 | 3·2 | 5 | . | 3 | 2 | . | . | . |
| Tuberculous Peritonitis, | 6 | 1 | 7 | 3 | 3 | . | 2 | . | . | 2 | 2·6 | 2 | . | . | 1 | 1 | . | . |
| *Tabes Mesenterica*, ... | | | | | | 2 | . | . | . | . | | 2 | . | . | 2 | . | . | . |
| Tuberculous Dis. (other), | 5 | 4 | 3 | 1 | 1 | 2 | 3 | 4 | 2 | 5 | 3·0 | 5 | . | . | 1 | 2 | . | 2 . |
| *Scrofula*, ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | 1 | . | 1 | 2 | . | . | 2 | 2 | ·9 | 2 | . | . | . | . | 1 | 1 . |
| Rheumatic Fever, ... ... | 1 | . | . | 2 | . | 3 | . | . | . | . | ·6 | 1 | . | . | . | 1 | . | . . |
| Gout, ... ... ... | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Carcinoma, ... | 9 | 5 | 6 | 7 | 5 | . | 3 | 1 | 3 | 3 | 7·2 | 4 | . | . | . | . | 2 | 2 |
| Sarcoma, ... ... | | | | | | . | . | . | 2 | 1 | | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 5 | 9 | 2 | 5 | | 4 | . | . | . | . | 1 | 1 2 |
| Diabetes Mellitus, ... | . | . | . | . | . | 1 | 1 | 2 | . | . | ·5 | . | . | . | . | . | . | . |
| Premature Birth, ... | 5 | 2 | 2 | 1 | 1 | 3 | 10 | 3 | 4 | 2 | 3·3 | 6 | 6 | . | . | . | . | . |

* The figures for the years 1897–1900 are
† Formerly described

ITETH WEEK ending Saturday, 27th July, 1907, with the deaths from each cause in the corresponding
ne average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 30th Week of the 10 years 1897–1906. | In the Week ending Saturday, 27th July, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 31, 1897. | July 30, 1898. | July 29, 1899. | July 28, 1900. | July 27, 1901. | July 26, 1902. | Aug. 1, 1903. | July 30, 1904. | July 29, 1905. | July 28, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 61·6 | ° 57·1 | ° 60·0 | ° 63·8 | ° 59·2 | ° 54·0 | ° 55·4 | ° 60·2 | ° 60·2 | ° 60·6 | ° 59·2 | ° 59·4 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 4 | 3 | 3 | 5 | 5 | | 2 | . | . | 1 | . | 1 | . | . | . |
| nity, G. P. of Insane ... | | | | | | 2 | 1 | . | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| epsy .. ... | | | | | | . | . | . | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| ulsions ... .. | | | | | | 4 | 9 | 6 | 10 | 2 | | 4 | 1 | 2 | 1 | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| plegia Dis. of Cord ... | | | | | | 1 | 1 | . | 1 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| vous System (other s.) | 31 | 34 | 43 | 30 | 35 | 4 | . | 3 | 3 | 1 | 34·7 | 4 | . | . | 1 | 1 | 1 | . | 1 | . |
| . Dis., Endocarditis ... | | | | | | 2 | 3 | 5 | 5 | 9 | | 5 | . | . | . | . | . | 3 | 2 | . |
| br. Hæm. Thromb. ... | | | | | | 1 | . | 1 | 1 | . | | 2 | . | . | . | . | . | . | 1 | 1 |
| plexy, *Hemiplegia* ... | | | | | | 4 | 3 | 2 | 5 | 2 | | 4 | . | . | . | . | 1 | 2 | 1 | . |
| urysm ... ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 11 | 12 | 11 | 14 | 8 | | 12 | . | . | . | . | 2 | 4 | 5 | 1 |
| p (not Spasm. nor mb.) | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 9 | 16 | 13 | 15 | 10 | 9 | 6 | 10 | 11 | 13 | 11·2 | 16 | 1 | 2 | 1 | . | . | 6 | 6 | . |
| ma, Emphysema ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| risy ... ... | 4 | 1 | 2 | . | 1 | . | . | . | . | . | 1·2 | 1 | . | . | . | . | . | 1 | . | . |
| iratory Dis. (other) ... | | | | | | 2 | . | 1 | 1 | . | | . | . | . | . | . | . | . | . | . |
| illitis, Quinsy ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | 1 | . | 2 | 1 | . | 1 | 1 | 1 | 5 | 1 | 2·1 | . | . | . | . | . | . | . | . | . |
| ro *Enteritis* ... ... | | | | | | . | 1 | 4 | 3 | . | | . | . | . | . | . | . | . | . | . |
| *onitis* (not Puerp.) ... | . | . | 1 | 2 | 1 | . | . | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| nosis of Liver ... | 1 | 3 | 1 | 2 | 1 | 3 | . | 1 | . | 1 | 1·7 | 3 | . | . | . | . | . | 2 | 1 | . |
| r Dis. (other) ... | | | | | | 2 | . | 1 | . | 1 | | . | . | . | . | . | . | . | . | . |
| stive Dis. (other) ... | 2 | 8 | 6 | 2 | 2 | 8 | 6 | 2 | 7 | 2 | 4·5 | 8 | . | 2 | . | 2 | 1 | 2 | 1 | . |
| nritis, Acute ... | | | | | | 4 | 4 | 1 | 2 | . | | 2 | . | . | . | 1 | . | . | . | 1 |
| ht's Dis., Albuminuria | 4 | 5 | 3 | 1 | 4 | 3 | 1 | 1 | 1 | 2 | 4·0 | 3 | . | . | . | . | 1 | 2 | . | . |
| ary Sys. (Other Dis.) | | | | | | 1 | . | 3 | . | . | | 1 | . | . | . | . | . | . | . | 1 |
| erative Organs Dis. ... | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| dbirth (Accid. of) ... | . | . | . | . | . | 1 | . | . | 1 | 1 | ·3 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 6 | 12 | 10 | 9 | 5 | 10 | 2 | . | 5 | 6 | 6·5 | 1 | . | . | . | . | . | . | . | 1 |
| r Diseases ... ... | 17 | 11 | 14 | 13 | 12 | 13 | 15 | 6 | 8 | 10 | 11·9 | 13 | 5 | 4 | . | . | 1 | 1 | 2 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| ehicles and Horses ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . | . | 1 | . |
| ips, Boats, Docks (exsive of Drowning) ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | . | . | 1 | . | . | 1 | . | . | . | 1 | ·3 | 1 | . | . | 1 | . | . | . | . | . |
| rowning ... ... | 1 | . | . | 1 | . | 1 | 4 | 2 | 1 | 2 | 1·2 | . | . | . | . | . | . | . | . | . |
| uffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous pours | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| er Deaths by Accident | 1 | 2 | 2 | 2 | 3 | . | 1 | 1 | 2 | 1 | 1·5 | 2 | 1 | . | . | . | . | . | 1 | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | 1 | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ide ... ... | . | . | 1 | . | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| cution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted.
ole Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. |
| No. of weeks in Annual Series. | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| BIRTHS registered, | 258 | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 |
| *Average Births in corresponding week of previous 10 years,** | 232 | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 |
| DEATHS registered, | 193 | 225 | 239 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 |
| Annual Death-rate per 1,000, | 25·8 | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 |
| *Average Deaths in corresponding week of previous 10 years,** | 213 | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 |
| AGES,— Under 5 years, | 46 | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 | 51 |
| 5—20 ,, | 7 | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 |
| 20—40 ,, | 28 | 31 | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 |
| 40—60 ,, | 45 | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 |
| 60—80 ,, | 58 | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 |
| 80 years and upwards, | 9 | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 |
| Scarlet Fever | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Whooping-cough, | 2 | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 |
| Diphtheria, | . | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 |
| Diarrhœal Diseases, | 2 | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 |
| Influenza, | 6 | 4 | 9 | 4 | 5 | . | . | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 |
| Pneumonia, | 13 | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 |
| Tuberculous Disease. Phthisis, | 24 | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 |
| Tuberculous Disease. Other Forms, | 12 | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 |
| Cancer, Malignant Disease, | 10 | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 |
| Diseases of Heart and Blood Vessels, | 32 | 33 | 42 | 24 | 28 | 32 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 |
| Diseases of Respiratory System, | 44 | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 |
| Violent Deaths, | 5 | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 |
| Number of Uncertified Deaths, | 8 | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 3 | 7 | 5 |
| Mean Temperature of the Air (Phœnix Park), | 37·7 | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 39·5 | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 |
| Rainfall in inches, | ·163 | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·863 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·89 | ·83 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·78 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·89 |

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 27th July, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 27TH JULY, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrheal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 23·1 | 166 | 51 | 14 | 23 | 41 | 31 | 6 | . | 3 | . | . | 4 | . | . | 1 | 4 | 12 | 8 | 21 | 14 | 8 | 4 | 17 | 5 | 77 | 5 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 23·9 | 8 | 1 | . | . | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 6 | . |
| II. | MIDDLE CLASS, | 87,188 | 16·7 | 28 | 6 | 5 | 4 | 6 | 4 | 3 | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 3 | . | . | 1 | . | 18 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 23·6 | 50 | 13 | 5 | 6 | 13 | 10 | 3 | . | . | . | . | 2 | . | . | . | 1 | 3 | 2 | 8 | 1 | 4 | 1 | 2 | 3 | 26 | 3 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 26·0 | 58 | 19 | 4 | 10 | 11 | 4 | . | . | 3 | . | . | 1 | . | . | . | 3 | 7 | 2 | 7 | 9 | 2 | 3 | 7 | 2 | 19 | 2 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 22 | 2 | . | 3 | 9 | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 1 | . | 6 | . | 8 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 53·5 | 8 | 1 | . | . | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 6 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 27·0 | 4 | 1 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 9·5 | 4 | 2 | 1 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 3 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 15·4 | 9 | 3 | . | 3 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | 5 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | . | 3 | 1 | 1 | 4 | 2 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 8 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 43·7 | 25 | 7 | 3 | 5 | 6 | 3 | 1 | . | . | . | . | 2 | . | . | . | 1 | 3 | . | 5 | . | 2 | . | 1 | 2 | 12 | 3 |
| | 10. Clothing Trades, | 23,260 | 15·7 | 7 | 1 | 1 | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 4 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 22·3 | 13 | 5 | 1 | . | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 | . | 8 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 7·8 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | . | 1 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 25·4 | 7 | 3 | . | 2 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | 1 | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 25·0 | 43 | 25 | 3 | 5 | 7 | 3 | . | . | 2 | . | . | 1 | . | . | . | 3 | 6 | 1 | 5 | 7 | 1 | 3 | 7 | 1 | 12 | 2 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 22 | 2 | . | 3 | 9 | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 1 | . | 6 | . | 8 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | June 8, | 32·3 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . | 1 |
| | „ 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . | . |
| | „ 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | „ 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| | „ 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | June 8, | 24·0 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | . |
| | „ 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . |
| | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 | . |
| | „ 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| | „ 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| | „ 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | June 8, | 19·1 | 1·7 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | 3 | 1 | . | . | . |
| | „ 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 |
| | „ 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . |
| | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . | . |
| | „ 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| | „ 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | June 8, | 22·5 | 1·6 | 14 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | . | . | . |
| | „ 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . | . |
| | „ 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . | . |
| | „ 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | . |
| | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| | „ 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| | „ 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | June 8, | 24·8 | 1·3 | 19 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | . | 5 | . | . |
| | „ 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . | 2 |
| | „ 22, | 33·9 | 2·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . | . |
| | „ 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . | . |
| | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| | „ 20, | 23·5 | 1·3 | 18 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| | „ 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | June 8, | 22·8 | 2·5 | 9 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . |
| | „ 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . |
| | „ 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . | 3 |
| | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| | „ 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . | 3 |
| | „ 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | June 8, | 29·6 | 2·5 | 24 | . | 1 | . | . | . | 1 | . | . | . | 3 | 1 | 3 | 3 | . | 1 | . |
| | „ 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . | 1 |
| | „ 22, | 17·3 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . | . |
| | „ 29, | 23·5 | 3·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | . | 1 | . |
| | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 3 | . | 1 | . | . |
| | „ 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | 2 | 4 | 1 | 3 | . | 2 | . | 2 |
| | „ 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| | „ 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 2 | 2 | 5 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | June 8, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | 1 | 3 | 2 | 2 | 2 | 1 | . |
| | „ 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . | 1 |
| | „ 22, | 43·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | 2 | 3 | . | . |
| | „ 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 | 1 |
| | July 6, | 25·2 | 3·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 | 1 |
| | „ 13, | 22·8 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |
| | „ 20, | 15·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | 1 | . |
| | „ 27, | 26·7 | 3·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | June 8, | 20·5 | . | 14 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | 2 |
| | „ 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| | „ 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| | „ 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | July 6, | 15·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| | „ 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | „ 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | June 8, | 18·7 | 5·6 | 10 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| | „ 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 29, | 20·6 | 3·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . |
| | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| | „ 27, | 13·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | June 8, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . | . |
| | „ 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | „ 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | „ 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| | „ 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | June 8, | 22·7 | 2·3 | 161 | . | 8 | 1 | . | . | 1 | . | 2 | 4 | 22 | 22 | 12 | 5 | 16 | 1 | 3 |
| | „ 15, | 19·7 | 1·3 | 140 | . | 6 | 2 | . | . | . | . | | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| | „ 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| | „ 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 2 |
| | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 3 |
| | „ 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| | „ 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| | „ 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| **Cork.** Pop. (in 1901) 76,122. | June 8, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 1 | 8 | . | 1 | 1 | 1 | 2 |
| | „ 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| | „ 22, | 13·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | . |
| | „ 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 3 |
| | „ 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| | „ 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | June 8, | 23·8 | . | 19 | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 1 | 1 | . | 1 |
| | „ 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 22, | 8·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| | „ 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| | „ 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | June 8, | 16·4 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | 2 |
| | „ 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| | „ 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| | „ 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| | July 6, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| | „ 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | 2 |
| | „ 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | June 8, | 39·0 | 1·9 | 20 | . | 1 | . | . | . | . | . | . | . | . | 4 | 2 | . | 3 | . | 2 |
| | „ 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |
| | „ 22, | 13·6 | 1·9 | 7 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |
| | „ 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th July, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12 20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Malignant Disease. Cancer. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | 2 | . | 1 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | . | 1 | . | . | 4 | . |
| Do. 2 ,, . | 47,959 | 36 | | | 10 | 2 | . | 1 | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | 1 | . |
| Do. 3 ,, . | 47,214 | 22 | | | 12 | 2 | 3 | 1 | 3 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | 1 | 1 | 2 | . |
| Do. 4 ,, . | 40,911 | 32 | | | 21 | 3 | 1 | 2 | 7 | 5 | 3 | . | 1 | . | . | . | . | . | 1 | . | 1 | 4 | . | . | 3 | . | . | 12 | . |
| Do. 5 ,, . | 17,887 | 8 | | | 13 | 5 | 1 | . | 5 | . | 2 | . | 1 | . | . | . | . | . | . | 1 | 1 | 3 | . | . | 3 | . | . | 5 | . |
| Do 6 ,, . | 48,122 | 15 | | | 13 | 1 | 1 | 1 | 3 | 2 | 5 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 2 | 1 | . | . | 3 | . |
| Do. 7 ,, . | 1,524 | 3 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, . | 5,060 | 3 | | | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 9 ,, . | 19,569 | 11 | | | 3 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . |
| Do. 10 ,, . | 28,064 | 24 | | | 13 | 2 | 4 | 2 | 1 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | 4 | 2 | . | . | . | . | . | 1 | . |
| Do. 11 ,, . | 34,802 | 21 | | | 11 | 2 | 1 | 1 | 2 | 3 | 2 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | 1 | 1 | 2 | . |
| Do. 12 ,, . | 33,588 | 21 | | | 12 | 2 | 2 | 2 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 4 | . |
| Do. 13 ,, . | 15,006 | 17 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 14 ,, . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 216 | | | 117† | 22 | 13 | 12 | 33 | 19 | 18 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | 2 | 35 | . |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 4 | 20·3 | . | 5 | . | 1 | | 3 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 4 | . |
| Do. 2 ,, . . | 10,701 | 11 | 24·4 | . | 5 | 2 | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | 2 | . |
| Do. 3 ,, . . | 9,978 | 2 | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 4 ,, . . | 8,666 | 3 | 30·1 | . | 5 | . | 1 | | 2 | | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | 1 | 2 | 3 | . |
| Do. 5 ,, . . | 6,592 | 4 | 23·7 | . | 3 | . | . | | 1 | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 6 ,, . . | 10,702 | 1 | 14·6 | 4·9 | 3 | 1 | 2 | | . | | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 3 | 9·4 | . | 3 | . | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 2 | . |
| Total, . . . . | 76,122 | 28 | 16·4 | 0·7 | 24 | 3 | 4 | | 10 | | 7 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | 3 | 12 | . |

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 2. | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May. 11. | May. 18. | May. 25 | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. |
| No. of weeks in Annual Series, | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| Births registered, | 197 | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 |
| Deaths registered, | 147 | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117† |
| Annual Death-rate per 1,000 of estimated Population, | 20·7 | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 |
| Ages: Under 1 year | 22 | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 |
| 1–5 years, | 22 | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 |
| 5–20 years, | 9 | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 23 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 |
| 20–40 years, | 26 | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 24 | 17 | 28 | 33 |
| 40–60 years, | 34 | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 15 | 21 | 14 | 25 | 21 | 17 | 20 | 12 |
| 60 years and upwards, | 34 | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 |
| Scarlet Fever, | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . |
| Typhus, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . |
| Diphtheria, | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 |
| Diarrhœal Diseases, | 2 | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 |
| Pneumonia, | 11 | 15 | 18 | 12 | 23 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 9 | 12 | 8 | 6 | 11 |
| Tuberculous Disease, Phthisis, | 18 | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 8 | 9 | 13 | 22 |
| Tuberculous Disease, Other Forms, | 8 | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 |
| Cancer, Malignant Disease, | 4 | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 |
| Diseases of Respiratory System, | 26 | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 |
| Violent Deaths, | 3 | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | 1 | . | . | 4 | 3 | 2 |
| Number of Uncertified Deaths, | 2 | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . |

*Formerly described as "Simple Continued Fever."
† Including 12 deaths from cerebro-spinal fever or from *cerebro-spinal meningitis*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or mated). | Date of Return. — Week ending | Births. Exclusive of St llborn. | Deaths. Exclusive of St llborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | July 27, | 2,273 | 1,101 | 12·1 | . | 40 | 19 | 10 | 35 | 2 | 23 |
| EDINBURGH, | 345,747 | „ 27, | 157 | 105*a* | 15·8 | . | 1 | . | . | 8 | 1 | 2 |
| GLASGOW, | 847,584 | „ 27, | 462 | 235*a* | 14·5 | . | 4 | 2 | 2 | 13 | 1 | 4 |
| CALCUTTA, | 847,796 | June 8, | . | 441 | 27·0 | 22 | . | . | . | 1 | 94‡ | 63* |
| BOMBAY, | 977,822 | „ 27, | 312 | 531 | 28·2 | 2 | 2 | . | . | . | 46‡ | 50* |
| MADRAS, | 509,346 | „ 7, | 370 | 358 | 36·5 | 2 | 2 | ? | ? | ? | 105 | 55 |
| PARIS, | 2,750,000 | July 13, | 963 | 797 | 15·2 | . | 10 | 10 | 7† | 5 | 4 | 30 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 6, | 199 | 109 | 9·1 | . | . | 1 | . | 1 | 3 | 6 |
| ANTWERP, | 304,032 | „ 6, | 145 | 56 | 9·6 | . | 1 | . | . | 2 | . | 4 |
| AMSTERDAM, | 564,342 | „ 13, | 271 | 132 | 12·2 | . | 4 | 3 | 1† | . | 3 | 5 |
| COPENHAGEN, | 427,000 | „ 6, | 237 | 110 | 13·4 | . | 1 | . | . | 4 | 1 | 9 |
| STOCKHOLM, | 324,488 | „ 6, | 171 | 78 | 12·2 | . | 1 | . | 1† | . | . | 3 |
| CHRISTIANIA, | 226,774 | „ 13, | 118 | 56 | 12·8 | . | 1 | . | 2† | 2 | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 13, | . | 739 | 26·0 | . | 41 | 12 | 11 | 4 | 22 | 214 |
| MOSCOW, | 1,172,421 | June 8, | . | 697 | 31·0 | 3 | 28 | 6 | 12† | 2 | 9 | 115 |
| BERLIN, | 2,091,027 | „ 29, | 927 | 563 | 14·0 | . | 9 | 2 | 3† | 11 | 2 | 53 |
| HAMBURG, | 824,792 | July 6, | . | 206 | 13·0 | . | . | . | . | 1 | . | 11 |
| BRESLAU, | 485,225 | „ 13, | . | 192 | 20·6 | . | . | 1 | 2† | 1 | . | 36 |
| MUNICH, | 548,000 | „ 13, | . | 175 | 16·6 | . | 2 | . | 4† | . | . | 36 |
| VIENNA (with suburbs). | 1,979,003 | „ 13, | 793 | 639 | 16·8 | . | 11 | 3 | 6† | 1 | . | 81 |
| BUDA-PESTH, | 802,235 | June 22, | 421 | 268 | 17·4 | . | 7 | 5 | 1† | 3 | 4 | 16 |
| PRAGUE and Faubourgs. | 470,906 | „ 22, | 207 | 166 | 18·3 | . | 1 | 1 | . | . | . | 17 |
| TRIESTE, | 200,962 | „ 29, | 141 | 98 | 25·4 | . | . | . | . | 3 | . | 9 |
| ROME, | 540,150 | May 11, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | June 8, | 74 | 40 | 12·0 | . | . | 2 | . | . | . | 4 |
| NEW YORK, | 4,285,435 | „ 29, | 2,125 | 1,364 | 16·6 | 1 | 34 | 29 | 41† | 12 | 6 | 86 |
| PHILADELPHIA, | 1,500,595 | „ 22, | . | 463 | 16·0 | . | 2 | 2 | 9† | 5 | 7 | 26 |
| BOSTON, | 602,526 | „ 29, | . | 214 | 18·5 | . | 6 | 2 | 2 | 2 | 1 | 5 |

*a.* Including 3 deaths from cerebro-spinal meningitis in Edinburgh, and 7 in Glasgow.
* Including 40 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 68 deaths from plague in Calcutta, and 16 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th July, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 2 | 1 | . | . | . | . | 3 |
| " " 1, West, | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 |
| " " 2, | . | 1 | . | . | . | . | 2 | 1 | . | . | . | . | 4 |
| " " 3, | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 5 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No 1, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 2 |
| " " 2, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| " " 3, | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 2 |
| " " 4, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | . | . | 1 | . | 6 | 4 | 5 | . | 2 | . | 22 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th July, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 27th July. | | | |
|---|---|---|---|---|---|---|---|
| | July 6. | July 13. | July 20. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 60 | 50 | 31 | 8 | 15 | . | 24 |
| Scarlet Fever | 45 | 51 | 40 | 7 | 5 | . | 42* |
| Typhus, | 3 | 4 | 2 | . | . | . | 2 |
| Diphtheria, | 14 | 19 | 22 | 3 | 3 | . | 22 |
| Enteric Fever, | 25 | 24 | 23 | 5 | 4 | . | 24 |
| Pneumonia, | 33 | 33 | 25 | 9 | 4 | 1 | 29 |

* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 27th July, 1907 :—

"This week witnessed a return to the unsettled, cloudy and rainy conditions which had characterised the spring and earlier summer. Temperature, however, was maintained at a reasonable level for the time of year, although the absence of bright sunshine caused low readings by day. The week opened with very thundery weather. On Sunday a shallow thunderstorm-depression formed over Ireland, subsequently spreading eastwards across England and Wales. In Dublin the morning of this day was cloudless, but hazy: during the forenoon electrical cumuli formed over the mountains to the south of the City, and in this direction thunder was constantly heard from noon to 6 p.m At 4.30 p.m. the play of forked lightning on the clouds was very fine, showing even while the sun was shining. The rainfall accompanying the storm was very partial, but in the mountain valleys it was torrential, judging by a 'fresh' which came down the Glencullen River into the Bray Water between 5 and 6·30 p.m. At 2 a.m. of Monday thunder and lightning accompanied a heavy shower in Dublin, and frequent peals of thunder were heard to N. and N.W. of the City at and after 12.40 p.m. A period of overcast, gloomy, damp and hazy weather followed these electrical disturbances, lasting till Thursday, which was fine and bright. On Friday a well-defined depression passed along our N.W. coasts, causing S.W. winds and warm but unsettled weather, showers falling at frequent intervals. In Dublin the mean height of the barometer was 29·908 inches, pressure ranging from 30·055 inches at 9 a.m. of Sunday (wind, E.N.E.) to 29·790 inches at 9 p.m. of Friday (wind, S.S.W.). The corrected mean temperature was 60·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 60·3°. The screened thermometers rose to 71·5° on Sunday and fell to 54·1° on Thursday. The prevalent winds were E. and E.N.E. Rain fell to the amount of ·332 inch on 4 days, ·220 inch being measured on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·901 inches. The highest reading (30·047) was on Sunday at 9 a.m., air calm, and the lowest (29·774) on Friday at 9 p.m., wind S.W.

The mean temperature for the week was 59·4°, being 0·2° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 74·6°, and was also lowest on that day, the mercury having fallen to 49·9°. The mean of the Dry Bulb for the week was 59·1°, and of the Wet Bulb 57·1°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·288 inch.

At Greenwich the mean temperature for the week was 59·5°, the maximum 76·0°, and the minimum 44·5°; at Glasgow the maximum was 68·2°, the minimum 47·2°, and the mean 57·4°; and at Edinburgh the maximum was 68·1°, the minimum 46·5°, and the mean 54·2°. The rainfall at Greenwich measured 0·51 in.; at Glasgow 0·16 in.; and at Edinburgh 0·10. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, July 21, | 30·015 | 74·6 | 49·9 | 62·3 | 65·4 | 61·9 | ·81 | ·6 | 10·8 | ·008 | Calm. | Calm. |
| Monday, „ 22, | 29·895 | 62·0 | 53·9 | 58·0 | 58·3 | 57·2 | ·93 | ·0 | 0·0 | ·000 | W. | N.E. |
| Tuesday, „ 23, | 29·877 | 61·9 | 53·9 | 57·9 | 56·3 | 55·9 | ·97 | ·0 | 0·0 | ·000 | N.N.E. | N.N.E. |
| Wednesday, „ 24, | 29·935 | 59·2 | 52·8 | 56·0 | 55·7 | 54·6 | ·93 | ·3 | 0·0 | ·200 | N.N.E. | Calm. |
| Thursday, „ 25, | 29·899 | 66·3 | 51·9 | 59·1 | 57·1 | 55·0 | ·87 | ·4 | 9·8 | ·055 | N.E. | Calm. |
| Friday, „ 26, | 29·781 | 71·1 | 52·1 | 61·6 | 61·9 | 59·2 | ·85 | ·3 | 3·3 | ·025 | Calm. | S.W. |
| Saturday, „ 27, | 29·906 | 68·0 | 53·1 | 60·6 | 59·3 | 56·0 | ·79 | ·3 | 5·0 | ·000 | S.W. | Calm. |
| Mean, . . | 29·901 | 66·2 | 52·5 | 59·4 | 59·1 | 57·1 | ·88 | ·3 | Total 28·9 | Total ·288 | — | |

*Sunday*—Fine bright day, light clouds; night cloudy, thunder, lightning, fog, light rain 1.30 to 1.45 a.m. *Monday*—Day overcast, thunder a.m. and p.m.; night overcast, fog. *Tuesday*—Day overcast, fine; night overcast. *Wednesday*—Day overcast, light rain and heavy p.m.; night overcast, light rain 12.0 to 12.30 a.m. *Thursday*—Cloudy day, light showers a.m. and p.m.; night overcast, light rain 1.45 to 5.0 a.m. *Friday*—Overcast, light showers a.m., overcast, cloudy, light showers p.m.; night clear. *Saturday*—Day cloudy, fine; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, July 27th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, July 21, | 68·8 | 63·7 | 56·9 | 71·7 | 53·6 | 62·7 | 11·4 | ·079 |
| Monday, „ 22, | 59·9 | 63·8 | 57·1 | 62·1 | 56·0 | 59·1 | — | ·002 |
| Tuesday, „ 23, | 56·0 | 61·9 | 57·3 | 60·8 | 55·0 | 57·9 | — | ·001 |
| Wednesday, „ 24, | 58·1 | 61·0 | 57·9 | 59·5 | 53·5 | 56·5 | — | ·223 |
| Thursday, „ 25, | 59·0 | 60·2 | 57·6 | 64·8 | 53·0 | 58·9 | 2·8 | ·072 |
| Friday, „ 26, | 64·2 | 61·2 | 57·6 | 71·6 | 55·9 | 63·8 | 8·9 | ·012 |
| Saturday, „ 27, | 62·1 | 61·1 | 57·4 | 69·1 | 55·6 | 62·4 | 6·3 | — |
| Weekly Mean, . | 61·2 | 61·8 | 57·4 | 65·7 | 54·7 | 60·2 | Total 29·4 | Total ·389 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18231.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 3RD AUGUST, 1907. [No. 31.

*General Register Office, Charlemont House, Dublin, 6th August,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending July 13. | Week ending July 20. | Week ending July 27. | Week ending Aug. 3. | Average Rate for 4 weeks. | Towns, &c. | Week ending July 13. | Week ending July 20. | Week ending July 27. | Week ending Aug. 3. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 17·1 | 18·4 | 18·0 | 16·5 | 17·5 | Lisburn, | 9·1 | 18·2 | 36·4 | 9·1 | 18·2 |
| Armagh, | 13·7 | 6·9 | 13·7 | . | 8·6 | Londonderry, | 17·2 | 7·4 | 17·2 | 14·7 | 14·1 |
| Ballymena, | 23·9 | 9·6 | 23·9 | 14·4 | 17·9 | Lurgan, | 17·7 | 13·3 | 17·7 | 13·3 | 15·5 |
| Belfast, | 14·6 | 19·2 | 16·5 | 16·2 | 16·6 | Newry, | 8·4 | 25·2 | 12·6 | 8·4 | 13·7 |
| Clonmel, | 41·0 | . | 5·1 | 20·5 | 16·7 | Newtownards, | 17·2 | 28·6 | 5·7 | 5·7 | 14·3 |
| Cork, | 16·4 | 9·6 | 16·4 | 18·5 | 15·2 | Portadown, | 10·3 | 10·3 | 25·8 | 10·3 | 14·2 |
| Drogheda, | 24·5 | 8·2 | 16·3 | 12·3 | 15·3 | Queenstown | 6·6 | 33·0 | 6·6 | 6·6 | 13·2 |
| Dublin Reg. Area, | 21·0 | 21·5 | 21·2 | 18·0 | 20·4 | Sligo, | . | 24·0 | 9·6 | 4·8 | 9·6 |
| Dundalk, | 12·0 | 16·0 | 8·0 | 12·0 | 12·0 | Tralee, | . | 5·3 | . | 15·9 | 5·3 |
| Galway, | 15·5 | . | 19·4 | 15·5 | 12·6 | Waterford, | 15·6 | 25·3 | 23·4 | 23·4 | 21·9 |
| Kilkenny, | 24·6 | 29·5 | 4·9 | 9·8 | 17·2 | Wexford, | 4·7 | 14·0 | 23·3 | 23·3 | 16·3 |
| Limerick, | 15·0 | 20·5 | 15·0 | 19·1 | 17·4 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 1·4 in each of Cork and Limerick, the 27 deaths from all causes in the former district including one from whooping-cough and one from *diarrhœa*. Among the 115 deaths from all causes for Belfast were 4 from measles, one from enteric fever, one from *diarrhœa*, and 7 from cerebro-spinal fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 254—129 boys and 125 girls; and the deaths to 138—70 males and 68 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 18·4 in every 1,000 of the population; omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 18·0 per 1,000. During the thirty-one weeks ending with Saturday last the death-rate averaged 26·4, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths, in number 138, included 6 from measles, 4 from whooping-cough, 2 from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

diphtheria, and 3 from diarrhœal diseases. In each of the 3 preceding weeks, deaths from measles were 2, 0, and 3; deaths from whooping-cough were 7, 4, and 4; deaths from diphtheria were 0, 0, and 0; and deaths from diarrhœal diseases were 5, 0, and 4.

There was one death from lobar pneumonia, broncho-pneumonia caused 7 deaths, and *pneumonia* (not defined) 11 deaths.

Deaths from all forms of tuberculous disease, which in the 3 preceding weeks, had been 26, 33, and 35, respectively, in the period under notice numbered 28, namely—7 deaths from tuberculous phthisis, 10 deaths returned as from *phthisis*, 4 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, and 5 deaths from other forms of the disease.

Of 11 deaths from malignant diseases there were 3 from carcinoma, and 8 were returned as from cancer, malignant disease (undefined).

The deaths of 2 infants prematurely born were registered.

Diseases of the brain or nervous system caused the deaths of 9 persons; of the latter 3 were deaths of infants under one year of age from *convulsions* and 4 from meningitis.

There were 18 deaths from diseases of the heart or blood vessels and 12 deaths from bronchitis.

Of 2 accidental deaths, one was by drowning. One death was due to homicide, and one death by suicide was registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old and one death of a person aged 85 years.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (17 being infants under one year, of whom 4 were under one month old), and 27 were aged 60 years and upwards, including 14 persons aged 70 and upwards, of whom 5 were octogenarians.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the N. Dublin Union Workhouse, 16 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·0 per 1,000; the rate in the City was 19·2 (North City Districts, 17·9; South, 20·6), and in the Suburbs, 13·9 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 1·7 (0·7 in the North City Districts, and 2·8 in the South) and for the Suburbs, 2·9 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·4 per 1,000. Of the 8 deaths one was due to broncho-pneumonia, 2 to *pneumonia* (not defined), and 3 to *phthisis*.

*No. 1 North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 20·0 per 1,000, and included one death from diphtheria, 3 from *pneumonia* (not defined), 2 from tuberculous lung disease, and 4 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Among the deaths there was one from lobar pneumonia, there were 3 from *pneumonia* (not defined), 3 from tuberculous disease, 2 from bronchitis, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·9 per 1,000. The deaths include one from broncho-pneumonia and 6 deaths from tuberculous disease.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 4·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·2. The only death registered for Finglas and Glasnevin, part of, was from measles.

*No. 1 South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·6 per 1,000. Of the 15 deaths registered one was due to broncho-pneumonia, 4 were from tuberculous disease, and there was one death from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 17·7 per 1,000, and include one death from epidemic enteritis, one death from *pneumonia* (not defined), and 3 deaths from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·5 per 1,000. There were 2 deaths from measles, 4 from whooping-cough, 3 from broncho-pneumonia, and 3 from tuberculous disease.

*No. 4 South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. Diphtheria caused one death, there were 4 deaths from tuberculous disease of the lungs, and one death from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000. Of the 4 deaths one was from *pneumonia* (not defined), and one death was caused by bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 7·5; Blackrock, 6·0; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include one from *diarrhœa* for Rathmines and Rathgar, one from measles for Pembroke, and 2 from measles and one from *diarrhœa* for Kingstown. The 11 deaths from all causes for Rathmines and Rathgar include one from *pneumonia* (not defined), 2 from tuberculous disease, and one suicidal death; and the only death registered in Blackrock was from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 3rd August, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | July 13, | . | — | — | 8 | 1 | . | 7 | . | 4 | 8 | 12 | . | — | — | 1 | — | — | 41 |
| | July 20, | . | — | — | . | . | . | 2 | . | 4 | 4 | 13 | . | — | — | . | — | — | 23 |
| | July 27, | . | — | — | 4 | . | . | 1 | . | 6 | 4 | 5 | . | — | — | 2 | — | — | 22 |
| | Aug. 3, | . | — | — | 1 | . | . | 4 | . | 2 | 5 | 16 | . | — | — | . | — | — | 28 |
| Rathmines and Rathgar Urban District. | July 13, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | | — | — | 1 |
| | July 20, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | . | — | — | 2 |
| | July 27, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Aug. 3, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| Pembroke Urban District. | July 13, | . | 21 | . | 1 | . | . | 1 | . | 1 | . | . | . | — | 9 | . | — | — | 33 |
| | July 20, | . | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | — | 2 | . | — | — | 12 |
| | July 27, | . | 10 | . | 1 | . | . | . | . | . | . | 1 | . | — | 7 | . | — | — | 19 |
| | Aug. 3, | . | 5 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 5 |
| Blackrock Urban District. | July 13, | . | — | — | . | . | . | . | | . | . | . | . | — | — | . | — | — | . |
| | July 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 3, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | July 13, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 3, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| City of Belfast. | July 13, | . | — | — | 6 | . | . | 4 | . | 1 | 5 | 3 | 2 | — | — | 8 | — | — | 29 |
| | July 20, | . | — | — | 12 | . | . | 4 | . | 6 | 4 | 3 | . | — | — | 7 | — | — | 36 |
| | July 27, | . | — | — | 2 | . | . | 3 | . | 2 | 4 | 6 | 2 | — | — | 2 | — | — | 21 |
| | Aug. 3, | . | — | — | 5 | . | . | 4 | 1 | 11 | 2 | 1 | . | — | — | 3 | — | — | 27 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 3rd August, 1907.

From this it appears that:—

Ten cases of measles were admitted into hospital during the week, 11 were discharged, d 23 cases remained under treatment at its close. At the close of each of the three eceding weeks the cases of measles under treatment numbered 50, 31, and 24.

Five cases of scarlet fever were admitted to hospital, 9 were discharged, and 38* cases nained under treatment at the close of the week.

One case of typhus was discharged from hospital during the week, and one case remained der treatment at its close.

Four cases of diphtheria were admitted to hospital, 7 were discharged, there was one ath, and 18 patients remained under treatment at the close of the week.

Two cases of enteric fever were admitted to hospital during the week, 3 were discharged, d 23 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, were discharged, there were 3 deaths, and 21 cases remained under treatment at the end the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 11·5), was equal to an average annual death-rate of 11·7 per 1,000 persons living, average rate for 8 principal towns of Scotland was 12·8 per 1,000, the rate for Glasgow ng 12·8 and for Edinburgh 11·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd ust. From this Report it appears that of a total of 38 cases notified 11 were diphtheria, 8 scarlet fever, nteric fever, and one erysipelas. Among the 292 cases of infectious diseases in hospital at the close of week were 83 cases of scarlet fever, 56 of measles, 41 of whooping-cough, 30 of diphtheria, 2 of nbranous croup, 12 of enteric fever, and 6 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 3rd August, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 3rd August, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 3rd August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 27th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 20th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 32·7 | 16·5 | 1·2 | 701 | 354 | 48 | 78 | . | 10 | . | . | 5 | 2 | . | 1 | 7 | 32 | 48 | 27 | 24 | 35 | 5 | 8 | 131 | 19 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area: Total, d. | 390,691 | 28·4 | 38·9 | 18·0 | 2·0 | 254 | 135 | 17 | 27 | . | 6 | . | . | 4 | 2 | . | . | 3 | 19 | 16 | 11 | 11 | 12 | 3 | 5 | 57 | 5 | f68·6 | 42·9 | 57·7 | 0·52 | f74·6 | 49·9 | 59·4 | 0·29 | f79·5 | 50·1 | 63·8 | 0·00 |
| City of Dublin, | 300,850 | 38·0 | 36·9 | 19·2 | 1·7 | 218 | 111 | 14 | 22 | . | 3 | . | . | 4 | 2 | . | . | 1 | 17 | 16 | 9 | 9 | 12 | 1 | 2 | 52 | 4 | g67·6<br>h67·9 | 47·1<br>44·0 | 59·1<br>58·0 | 0·26<br>0·56 | g71·5<br>h72·9 | 54·1<br>51·4 | 60·8<br>59·9 | 0·33<br>0·32 | g77·3<br>h79·9 | 56·2<br>52·0 | 65·3<br>64·5 | 0·00<br>0·00 |
| Urban Districts. Rathmines and Rathgar. | 35,606 | 20·8 | 22·0 | 16·1 | 1·5 | 15 | 11 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 30·0 | 7·5 | 1·9 | 16 | 4 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 6·0 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 23·7 | 28·7 | 8·9 | 8 | 8 | 1 | 2 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 | . | 67 | 48 | 58·9 | 0·52 | 69 | 53 | 59·9 | 0·24 | 75 | 55 | 64·3 | 0·00 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 32·8 | 16·2 | 0·8 | 233 | 115 | 17 | 23 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 | 43 | 3 | 66·0 | 49·5 | 56·3 | 0·61 | 70·6 | 49·0 | 59·1 | 0·29 | 78·8 | 50·5 | 63·3 | 0·20 |
| Cork, | 76,122 | 33·6 | 27·4 | 18·5 | 1·4 | 40 | 27 | 2 | 4 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . | 14 | . | 67 | 48 | 58·2 | 1·82 | 70 | 57 | 61·5 | 1·86 | 74 | 55 | 63·5 | 0·00 |
| Londonderry, | 42,475 | 19·6 | 27·0 | 14·7 | 1·2 | 22 | 12 | 1 | 4 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 64·2 | 19·1 | 1·4 | 47 | 14 | 4 | . | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | 1 | . | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 17·5 | 23·4 | . | 9 | 12 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 38·8 | 15·5 | . | 10 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | 71 | 45 | 60 | 0·75 | 77 | 50 | 66 | 0·28 | 84 | 54 | 67 | 0·15 |
| Dundalk, | 18,076 | 9·4 | 39·9 | 12·0 | . | 10 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 4·1 | 12·3 | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 21·0 | 8·4 | . | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 |
| Lurgan, | 11,792 | 13·8 | 39·8 | 18·3 | . | 9 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 |
| Lisburn, | 11,461 | 10·1 | 40·9 | 9·1 | . | 9 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 |
| Wexford, | 11,168 | 23·2 | 37·4 | 23·3 | . | 8 | 5 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 71·8 | 14·4 | . | 15 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 4·8 | 4·8 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 68·3 | 37·0 | 55·8 | 1·09 | 77·5 | 50·4 | 62·4 | 0·24 | 81·4 | 51·4 | 65·0 | 0·00 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 9·8 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 68 | 48 | 58·0 | 0·97 | 75 | 54 | 63·9 | 0·86 | 81 | 53 | 68·4 | 0·00 |
| Clonmel, | 10,167 | 7·8 | 30·8 | 20·5 | . | 6 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 36·2 | 10·3 | . | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 |
| Tralee, | 9,867 | 16·6 | 10·6 | 15·9 | . | 2 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 5·7 | 5·7 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 68 | 46 | 55·5 | 0·43 | 63 | 48 | 55·5 | 0·16 | 69 | 53 | 59·1 | 0·02 |
| Queenstown, | 7,909 | 14·4 | 13·2 | 6·6 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 67 | 48 | 58·2 | 1·82 | 70 | 57 | 61·5 | 1·86 | 74 | 55 | 63·5 | 0·00 |
| Armagh, | 7,588 | 22·2 | 34·4 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 | 81·3 | 51·9 | 65·9 | 0·02 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the mid-[illegible] described as "Sixty-[illegible]" [illegible] as the nearest census from which Returns are received have been adopted.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 3rd August, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No 2. | NORTH CITY No 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 1 | . | 2 | 6 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | 4 | . | . | . | . | . | . | 4 | . |
| Diphtheria, | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | 3 | . |
| Pneumonia, | 3 | 3 | 4 | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | 1 | . | 19 | . |
| Tuberculous Disease. Phthisis, | 3 | 2 | 1 | 3 | . | . | . | 2 | . | 1 | 4 | . | . | . | . | . | 16 | 1 |
| Tuberculous Disease. Other Forms. | . | . | 2 | 3 | . | . | . | 2 | . | 2 | . | . | 2 | . | . | . | 11 | . |
| Cancer, Malignant Disease, | . | 1 | 1 | 2 | . | . | . | 1 | . | 2 | 2 | . | . | 1 | . | 1 | 11 | . |
| Other General Diseases | . | . | 1 | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | 5 | . |
| Total, | 6 | 7 | 9 | 10 | . | . | 1 | 6 | 3 | 14 | 7 | 1 | 5 | 2 | 1 | 5 | 77 | 1 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 1 | 1 | . | . | 1 | . | 2 | . | 1 | . | 1 | 1 | . | . | 1 | 9 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 2 | 2 | 1 | 2 | . | . | . | 2 | 1 | 2 | 1 | . | 3 | . | . | 2 | 18 | . |
| Diseases of: Respiratory System, | . | 4 | 2 | . | . | . | . | 1 | 3 | . | 1 | 1 | . | . | . | . | 13 | . |
| Diseases of: Digestive System, | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | 3 | . |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | . | . | 1 | . | . | . | 1 | . | 1 | 2 | . | . | 1 | . | . | 6 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 2 | 8 | 4 | 3 | . | 1 | . | 7 | 4 | 4 | 6 | 2 | 5 | 1 | . | 3 | 50 | . |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | . | 1 | . | . | . | . | 2 | . | 1 | . | 1 | . | . | . | . | 5 | 1 |
| **E. VIOLENT DEATHS,** | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 3 | 1 |
| **Deaths from all Causes,** | 8 | 15 | 15 | 13 | . | 1 | 1 | 15 | 7 | 19 | 13 | 4 | 11 | 4 | 1 | 8 | 135 | 3 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 14·4 | 20·0 | 26·0 | 20·9 | . | 4·7 | 7·2 | 19·6 | 17·7 | 23·5 | 19·3 | 23·5 | 16·1 | 7·5 | 6·0 | 23·7 | 18·0 | . |
| | 17·9 | | | | | | | 20·6 | | | | | 13·9 | | | | | |
| | 19·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | . | . | 4 | 1 | . | . | . | 4 | . | 4 | 1 | . | 1 | 1 | . | 1 | 17 | . |
| 1 and under 5 years, | . | 2 | . | 1 | . | 1 | . | 1 | 2 | 4 | 1 | 1 | 3 | . | 1 | 2 | 19 | . |
| 5 ,, 20 ,, | 1 | . | . | 2 | . | . | 1 | 1 | . | 1 | 3 | . | . | . | . | 1 | 10 | . |
| 20 ,, 40 ,, | 3 | 3 | 4 | 3 | . | . | . | 1 | 3 | 3 | 3 | 1 | 1 | 2 | . | . | 27 | 1 |
| 40 ,, 60 ,, | 2 | 6 | 4 | 5 | . | . | . | 3 | 1 | 4 | 4 | . | 4 | . | . | 2 | 35 | 2 |
| 60 and upwards, | 2 | 4 | 3 | 1 | . | . | . | 5 | 1 | 3 | 1 | 2 | 2 | 1 | . | 2 | 27 | . |
| Number of Uncertified Deaths, | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | 5 | . |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 4 | 5 | 4 | . | . | . | . | 1 | 3 | 3 | 2 | 2 | 1 | . | 1 | 27 | 2 |
| Workhouse Hospitals, | 1 | 5 | 5 | 3 | . | . | . | 7 | 2 | 4 | 2 | . | . | . | . | 1 | 30 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 18-1

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 31st Week of the 10 years 1897–1906. | In the Week ending Saturday 3rd August, 1907. Deaths of Persons of the A | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 7, 1897. | Aug. 6, 1898. | Aug. 5, 1899. | Aug. 4, 1900. | Aug. 3, 1901. | Aug. 2, 1902. | Aug. 8, 1903. | Aug. 6, 1904. | Aug. 5, 1905. | Aug. 4, 1906. | | ALL AGES. | 0 to 5. | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 80. |
| Mean Temperature. | 62·9 | 60·6 | 62·1 | 58·7 | 61·1 | 55·4 | 56·5 | 61·5 | 57·7 | 60·5 | 59·7 | 57·7 | | | | | | |
| **ALL CAUSES.** | 150 | 160 | 223 | 159 | 158 | 165 | 137 | 161 | 161 | 125 | 159·9 | 138 | 4 | 13 | 19 | 10 | 28 | 2 |
| Small-pox, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | . | 18 | . | . | 18 | 1 | 3 | . | . | 4·0 | 6 | . | 2 | 3 | 1 | . | . |
| Scarlet Fever, | 4 | 1 | . | . | . | 2 | . | 1 | . | . | ·8 | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | . | . | 1 | 1 | . | 2 | 1 | . | . | . | ·5 | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 2 | 4 | 3 | 4 | 2 | 1 | 4 | 2 | 2 | 2·5 | 4 | . | 2 | 2 | . | . | . |
| Diphtheria, | 1 | 1 | . | . | . | 2 | . | 2 | 2 | . | ·8 | 2 | . | . | 2 | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 5 | 3 | 2 | 1 | 2 | . | . | . | 1 | 1·5 | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 20 | 18 | 43 | 9 | 27 | 1 | 2 | 4 | 10 | 5 | 17·8 | 1 | . | . | 1 | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 4 | 3 | 11 | 15 | 6 | | 2 | . | 1 | . | . | 1 | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 1 | . | . | 1 | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 5 | 4 | 10 | 3 | 10 | . | . | . | 1 | . | 6·5 | 1 | . | . | . | . | 1 | . |
| Pneumonia, Broncho-Epidemic, | | | | | | 3 | 4 | 5 | 2 | 2 | | 7 | . | 2 | 2 | 1 | . | . |
| Pneumonia, Not defined, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| | | | | | | 6 | 4 | 4 | . | 2 | | 11 | . | . | . | 1 | 5 | 4 |
| Erysipelas, | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 1 | . | 1 | . | . | 1 | 2 | . | . | . | ·6 | 1 | . | . | . | . | . | . |
| | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 14 | 21 | 24 | 24 | 15 | 3 | 2 | . | 5 | 10 | 17·8 | 7 | . | . | . | 1 | 4 | 2 |
| "*Phthisis*," | | | | | | 16 | 12 | 10 | 11 | 11 | | 10 | . | . | . | 1 | 5 | 4 |
| Tuberculous Meningitis, | 6 | 7 | 5 | 4 | . | 1 | 2 | 1 | 2 | 2 | 3·0 | 4 | . | 2 | 1 | 1 | . | . |
| Tuberculous Peritonitis, | 4 | 4 | 9 | 5 | 9 | 1 | 1 | 2 | 1 | . | 4·0 | 2 | . | . | 2 | . | . | . |
| *Tabes Mesenterica*, | | | | | | . | 1 | 2 | . | 1 | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 4 | 6 | 3 | 4 | 1 | 2 | 3 | 7 | 9 | 1 | 4·0 | 5 | . | 1 | 1 | . | 2 | 1 |
| *Scrofula*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . |
| Gout, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Carcinoma, | 7 | 8 | 6 | 9 | 7 | 2 | 2 | 2 | 3 | 2 | 7·6 | 3 | . | . | . | . | 1 | 2 |
| Sarcoma, | | | | | | 1 | . | 1 | 1 | . | | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 5 | 4 | 4 | 6 | 6 | | 8 | . | . | . | . | 2 | 4 |
| Diabetes Mellitus, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . |
| Premature Birth, | 3 | 4 | 3 | 2 | 4 | 2 | 3 | 2 | 3 | 2 | 2·8 | 2 | 1 | 1 | . | . | . | . |

* The figures for the years 1897–1900 ar
† Formerly describe

TY-FIRST WEEK ending Saturday, 3rd August, 1907, with the deaths from each cause in the corresponding he average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 31st Week of the 10 years 1897–1906. | In the Week ending Saturday, 3rd August, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 7, 1897. | Aug. 6, 1898. | Aug. 5, 1899. | Aug. 4, 1900. | Aug. 3, 1901. | Aug. 2, 1902. | Aug. 8, 1903. | Aug. 6, 1904. | Aug. 5, 1905. | Aug. 4, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 0 to 5. 1 month and under a year. | 0 to 5. 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
| Mean Temperature. | ° 62·9 | ° 60·6 | ° 62·1 | ° 58·7 | ° 61·1 | ° 55·4 | ° 56·5 | ° 61·5 | ° 57·7 | ° 60·5 | ° 59·7 | ° 57·7 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 4 | 5 | 1 | 2 | 3 | | 4 | . | . | 2 | 1 | 1 | . | . | . |
| nity, G. P. of Insane ... | | | | | | 1 | 1 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| lepsy .. ... | | | | | | . | . | . | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | 6 | 7 | 8 | 6 | 5 | | 3 | 1 | 2 | . | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | . | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| aplegia Dis. of Cord ... | | | | | | . | 2 | 4 | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| vous System (other is.) | | | | | | 5 | 1 | 2 | 2 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| | 30 | 23 | 40 | 36 | 26 | | | | | | 33·1 | | | | | | | | | |
| v. Dis., Endocarditis .. | | | | | | 2 | 6 | 4 | 2 | 4 | | 5 | . | . | . | . | . | 3 | 2 | . |
| ebr. Hæm. Thromb. .. | | | | | | . | . | 3 | 2 | . | | 2 | . | . | . | . | . | 1 | 1 | . |
| *plexy, Hemiplegia* ... | | | | | | 2 | 7 | 4 | 4 | 4 | | 2 | . | . | . | . | . | 1 | 1 | . |
| urysm ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 5 | 13 | 14 | 16 | 11 | | 9 | . | . | . | . | 2 | 4 | 2 | 1 |
| *up* (not Spasm. nor emb.) | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 11 | 15 | 6 | 9 | 6 | 18 | 6 | 14 | 7 | 13 | 10·5 | 12 | . | . | 2 | 1 | 1 | 3 | 4 | 1 |
| ma, Emphysema ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| irisy ... ... | 3 | 1 | 2 | 2 | 1 | 1 | 1 | . | . | 1 | 1·6 | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | 2 | 1 | 1 | 1 | . | | . | . | . | . | . | . | . | . | . |
| sillitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| eritis (not Epid.) ... | | | | | | 1 | 1 | 3 | 4 | 1 | | . | . | . | . | . | . | . | . | . |
| *tro Enteritis* ... ... | . | 2 | 3 | 1 | 1 | 1 | 1 | 4 | 3 | 2 | 2·8 | . | . | . | . | . | . | . | . | . |
| *tonitis* (not Puerp.) ... | . | . | 3 | 1 | 1 | 1 | . | 1 | . | . | ·7 | 1 | . | . | . | . | 1 | . | . | . |
| hosis of Liver ... | | | | | | 2 | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| er Dis. (other) ... | 2 | 1 | 3 | 2 | 4 | 1 | 3 | 1 | 1 | . | 2·1 | . | . | . | . | . | . | . | . | . |
| estive Dis. (other) ... | 5 | 6 | 6 | 8 | 7 | 5 | 3 | 5 | 6 | 4 | 5·5 | 2 | . | . | . | 1 | . | 1 | . | . |
| hritis, Acute ... | | | | | | . | 2 | 2 | . | . | | 2 | . | . | . | 1 | . | . | 1 | . |
| ght's Dis., Albuminuria | 3 | 2 | 4 | 8 | 7 | 1 | 2 | 3 | 3 | 2 | 4·1 | 2 | . | . | . | . | . | 2 | . | . |
| nary Sys. (Other Dis.) | | | | | | . | . | . | 2 | . | | 2 | . | . | . | . | . | . | 2 | . |
| erative Organs Dis. ... | . | 2 | 1 | . | 1 | 2 | 2 | . | . | . | ·8 | . | . | . | . | . | . | . | . | . |
| ldbirth (Accid. of) ... | 1 | . | . | . | . | . | 3 | . | 1 | . | ·5 | 1 | . | . | . | . | 1 | . | . | . |
| *Age* ... ... | 5 | 9 | 9 | 8 | 5 | 5 | 5 | 5 | 6 | 3 | 6·0 | 4 | . | . | . | . | . | . | 1 | 3 |
| er Diseases ... ... | 13 | 15 | 12 | 11 | 11 | 14 | 7 | 11 | 10 | 12 | 11·6 | 5 | 2 | . | 1 | . | . | 1 | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | 1 | . | . | . | 1 | . | 2 | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| hips, Boats, Docks (exusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | . | . | . | . | . | . | 1 | 1 | 2 | . | ·4 | . | . | . | . | . | . | . | . | . |
| Drowning ... ... | 1 | 1 | 2 | 1 | 1 | . | . | 1 | 1 | . | ·8 | 1 | . | . | . | . | . | . | 1 | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| er Deaths by Accident | 3 | 1 | . | 3 | 3 | 7 | 3 | . | . | . | 2·0 | 1 | . | . | . | . | . | 1 | . | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| nicide ... ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| cide ... ... | . | . | . | . | 1 | . | . | . | . | 1 | ·2 | 1 | . | . | . | . | . | 1 | . | . |
| cution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted
ple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 9. | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. |
| No. of weeks in Annual Series. | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |
| Births registered, | 208 | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 203 | 209 | 254 |
| *Average Births in corresponding week of previous 10 years,** | 213 | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 |
| Deaths registered, | 225 | 289 | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 |
| Annual Death-rate per 1,000, | 30·0 | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 28·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·8 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 208 | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 |
| Ages, Under 5 years, | 65 | 61 | 68 | 68 | 59 | 71 | 59 | 63 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 63 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 |
| 5—20 " | 21 | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 18 | 14 | 10 |
| 20—40 " | 31 | 39 | 37 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 18 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 |
| 40—60 " | 40 | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 48 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 38 | 41 | 41 | 37 |
| 60—80 " | 52 | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 51 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 |
| 80 years and upwards, | 16 | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 4 | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 |
| Scarlet Fever | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| Whooping-cough, | 6 | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 |
| Diphtheria, | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . |
| Diarrhœal Diseases, | 2 | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 |
| Influenza, | 4 | 9 | 4 | 5 | . | . | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . |
| Pneumonia, | 16 | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 |
| Tuberculous Disease. Phthisis, | 25 | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 |
| Tuberculous Disease. Other Forms, | 15 | 10 | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 |
| Cancer, Malignant Disease, | 9 | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 |
| Diseases of Heart and Blood Vessels, | 33 | 43 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 |
| Diseases of Respiratory System, | 43 | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 |
| Violent Deaths, | 5 | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 |
| Number of Uncertified Deaths, | 9 | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 |
| Mean Temperature of the Air (Phœnix Park), | 34·0 | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 43·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 68·8 | 59·4 | 57·7 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 40·5 | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 |
| Rainfall in inches, | ·357 | ·595 | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·773 | ·035 | ·187 | ·488 | 1·585 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·88 | ·86 | ·83 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·88 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

In the Dublin Registration Area during the week ending Saturday, 3rd August, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 3RD AUGUST, 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 19·2 | 138 | 36 | 10 | 28 | 37 | 22 | 5 | . | 6 | . | . | 4 | 2 | . | . | 3 | 15 | 19 | 17 | 11 | 11 | 3 | 12 | 4 | 46 | 5 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,486 | 8·0 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| II. | Middle Class, | 87,188 | 10·8 | 18 | 2 | 3 | 4 | 5 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | 2 | 9 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 13·7 | 29 | 9 | 3 | 5 | 7 | 5 | . | . | 3 | . | . | 2 | . | . | . | 1 | 6 | 3 | 3 | 3 | 2 | . | . | 1 | 11 | 2 |
| IV. | General Service Class, | 154,279 | 29·3 | 59 | 21 | 4 | 11 | 15 | 4 | 4 | . | 2 | . | . | 2 | 2 | . | . | 2 | 8 | 11 | 6 | 6 | 6 | 2 | 5 | 1 | 14 | 3 |
| V. | Inmates of Workhouses, | 6,024 | | 31 | 4 | . | 8 | 10 | 9 | . | . | . | . | . | . | . | . | . | . | . | 3 | 7 | 1 | 2 | 1 | 6 | . | 11 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 6·7 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 9·5 | 4 | 1 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 13·7 | 8 | 1 | 2 | 3 | 2 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 2 | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 11·6 | 6 | . | 1 | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 4 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 5·3 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 19·2 | 11 | 3 | 1 | 1 | 3 | 3 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | . | 1 | 3 | 1 |
| | 10. Clothing Trades, | 23,260 | 6·7 | 3 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | 2 | . | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | 1 | 1 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 15·5 | 9 | 2 | 1 | 3 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | . | . | . | 5 | . |
| | 1 , Petty Shopkeepers, | 7,894 | 18·2 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 27·2 | 7 | 1 | . | 1 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | 1 | 2 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 1 | . | 3 | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . | 1 | 2 | . | 1 | . | . | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 3 | . | 1 | 1 | . | 1 | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | . | . | . | . | . | 2 | 2 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 23·2 | 40 | 16 | 4 | 6 | 10 | 3 | 1 | . | 2 | . | . | 1 | 1 | . | . | 1 | 5 | 9 | 4 | 4 | 3 | 2 | 3 | . | 10 | 1 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 31 | 4 | . | 8 | 10 | 9 | . | . | . | . | . | . | . | . | . | . | . | 3 | 7 | 1 | 2 | 1 | 6 | . | 11 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | June 15, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 4 | 1 | . | 2 | . | 1 |
| | „ 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . | . |
| | „ 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | „ 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| | „ 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | June 15, | 26·6 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 2 | . | . |
| | „ 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . |
| | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 | 1 |
| | „ 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| | „ 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| | „ 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | June 15, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 |
| | „ 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . |
| | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . | . |
| | „ 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| | „ 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | June 15, | 14·5 | 1·6 | 9 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | . | . | 1 | . | . |
| | „ 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . | . |
| | „ 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | . |
| | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| | „ 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| | „ 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | June 15, | 27·4 | . | 21 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 1 | 4 | . | 2 |
| | „ 22, | 33·9 | 2·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . | . |
| | „ 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . | . |
| | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| | „ 20, | 23·5 | 1·3 | 18 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| | „ 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | June 15, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | . | . |
| | „ 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . | 3 |
| | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| | „ 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . | 3 |
| | „ 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | June 15, | 22·2 | 2·5 | 18 | . | 1 | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 4 | . | 1 |
| | „ 22, | 17·3 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . | . |
| | „ 29, | 23·5 | 3·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 | . |
| | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 3 | . | 1 | . | . |
| | „ 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | 2 | 4 | 1 | 3 | . | 2 | . | 2 |
| | „ 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| | „ 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 2 | 2 | 5 | . | . |
| | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | . | 3 | 1 | 2 | 2 | . | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | June 15, | 31·2 | 4·5 | 21 | . | 1 | . | . | 2 | . | . | . | . | 1 | 2 | 1 | 2 | 3 | . | 1 |
| | „ 22, | 43·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | 2 | 3 | . | . |
| | „ 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 | 1 |
| | July 6, | 25·2 | 3·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 | 1 |
| | „ 13, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |
| | „ 20, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | 1 | . |
| | „ 27, | 26·7 | 3·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |
| | Aug. 3, | 19·3 | 1·5 | 18 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | . | 1 |

* Formerly described as "Simple Continued Fever"

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | June 15, | 27·8 | 1·5 | 19 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 3 | . | . | 1 |
| | „ 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| | „ 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | July 6, | 13·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| | „ 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | „ 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | June 15, | 26·2 | 5·6 | 14 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| | „ 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 29, | 20·6 | 8·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . |
| | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| | „ 27, | 13·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | June 15, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| | „ 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | „ 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| | „ 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | June 15, | 19·7 | 1·8 | 140 | . | 6 | 2 | . | . | . | . | . | 1 | 12 | 15 | 9 | 4 | 13 | 2 | . |
| | „ 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| | „ 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 2 |
| | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 3 |
| | „ 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| | „ 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| | „ 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | June 15, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | 2 | . | 2 |
| | „ 22, | 13·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | 1 |
| | „ 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 3 |
| | „ 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| | „ 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | June 15, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 22, | 8·0 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| | „ 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| | „ 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | June 15, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 3 |
| | „ 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| | „ 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| | July 6, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| | „ 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | 2 |
| | „ 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | 1 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | June 15, | 21·4 | 1·9 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . |
| | „ 22, | 13·6 | 1·9 | 7 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |
| | „ 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd August, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 4 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 5 | 2 | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | 1 |
| Do. 2 „ . | 47,959 | 30 | | | 14 | 2 | 1 | 2 | 2 | 5 | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | 3 | . | . | . | . | 3 | . |
| Do 3 „ . | 47,214 | 30 | | | 18 | 2 | 3 | 2 | 3 | 4 | 4 | . | 3 | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 3 | . | . | 5 | . |
| Do. 4 „ . | 40,911 | 37 | | | 13 | 4 | 2 | . | 3 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . | . | 10 | . |
| Do. 5 „ . | 17,387 | 15 | | | 11 | 3 | . | 2 | 2 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 3 | . | 1 | 4 | . |
| Do „ . | 48,122 | 25 | | | 15 | . | 2 | . | 3 | 6 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 3 | 1 | 1 | 5 | 2 |
| Do. 7 „ . | 1,524 | . | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Do. 8 „ . | 5,060 | 1 | | | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 9 „ . | 19,569 | 10 | | | 5 | . | 1 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . |
| Do. 10 „ . | 28,064 | 12 | | | 8 | 1 | 2 | . | . | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 3 | . |
| Do. 11 „ . | 34,802 | 28 | | | 5 | . | 1 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . | 1 | . |
| Do. 12 „ . | 33,588 | 32 | | | 16 | 3 | 2 | 1 | 2 | 5 | 3 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 | 2 | 1 | 1 | 5 | . |
| Do. 13 „ . | 15,006 | 7 | | | 3 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Do. 14 „ . | 240 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 233 | | | 115† | 17 | 14 | 9 | 19 | 33 | 23 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 | 43 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 10 | 16·2 | . | 4 | . | . | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 3 | . |
| Do. 2 „ . . | 10,701 | 6 | 24·4 | 4·9 | 5 | 1 | 1 | 3 | | | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | 1 | . |
| Do. 3 „ . . | 9,978 | 5 | 31·4 | . | 6 | 1 | 2 | 2 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | 3 | . |
| Do. 4 „ . . | 8,666 | 3 | 12·0 | . | 2 | . | 1 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . |
| Do. 5 „ . . | 6,592 | 5 | 47·5 | 7·9 | 6 | . | 1 | 3 | | | 2 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | . | . | . | 2 | . |
| Do. 6 „ . . | 10,702 | 7 | 9·7 | . | 2 | . | 1 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 7 „ . . | 16,616 | 4 | 6·3 | . | 2 | . | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Total . . . . | 76,122 | 40 | 18·5 | 1·4 | 27 | 2 | 6 | 15 | | | 4 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . | 14 | . |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 9. | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 12 | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13 | July 20. | July 27. | Aug. 3. |
| No of weeks in Annual Series, | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |
| BIRTHS registered, | 255 | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 |
| DEATHS registered. | 193 | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115† |
| Annual Death-rate per 1,000 of estimated Population. | 27·2 | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 |
| AGES — Under 1 year | 33 | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 |
| 1-5 years, | 19 | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 |
| 5-20 years, | 11 | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 |
| 20-40 years, | 26 | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 |
| 40-60 years, | 46 | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 |
| 60 years and upwards, | 58 | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 |
| Scarlet Fever, | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . |
| Typhus, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . |
| Diphtheria, | 1 | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 |
| Diarrhœal Diseases, | 1 | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 |
| Pneumonia, | 15 | 18 | 12 | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 |
| Tuberculous Disease, Phthisis, | 18 | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 |
| Tuberculous Disease, Other Forms, | 6 | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 4 | 13 | 8 | 14 | 2 | 9 |
| Cancer, Malignant Disease, | 8 | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 |
| Diseases of Respiratory System, | 33 | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 23 | 22 | 5 | 18 | 16 | 15 |
| Violent Deaths, | 3 | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 4 | . | . | 4 | 3 | 2 | 2 |
| Number of Uncertified Deaths, | 5 | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 |

* Formerly described as "Simple Continued Fever."
† Including 7 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. Week ending | Births. Exclusive of Illborn. | Deaths. Exclusive of Illborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Aug. 3, | 2,500 | 1,052 | 11·5 | . | 46 | 13 | 11 | 27 | 3 | 18 |
| EDINBURGH, | 345,747 | „ 3, | 149 | 74*a* | 11·2 | . | 2 | 1 | 1 | 2 | . | 3 |
| GLASGOW, | 847,584 | „ 3, | 489 | 208*a* | 12·8 | . | 4 | 1 | 1 | 8 | 1 | 7 |
| CALCUTTA, | 847,796 | June 15, | . | 423 | 25·9 | 20 | 3 | . | . | 1 | 66‡ | 73* |
| BOMBAY, | 977,822 | July 2, | 388 | 496 | 26·4 | . | 7 | . | . | . | 48‡ | 39* |
| MADRAS, | 509,346 | June 14, | 327 | 294 | 30·0 | . | 3 | ? | ? | ? | 80‡ | 57 |
| PARIS, | 2,750,000 | July 20, | 1,027 | 771 | 15·5 | 2 | 7 | 7 | 1† | 3 | 2 | 23 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 13, | 238 | 112 | 9·3 | . | . | . | . | . | 2 | 6 |
| ANTWERP, | 304,032 | „ 13, | 136 | 66 | 11·3 | . | 1 | . | 1† | 2 | 1 | 5 |
| AMSTERDAM, | 564,342 | „ 20, | 272 | 117 | 10·8 | . | 5 | . | 1† | 1 | . | 4 |
| COPENHAGEN, | 427,000 | „ 13, | 214 | 111 | 13·6 | . | . | . | 1† | 2 | . | 8 |
| STOCKHOLM, | 332,738 | „ 13, | 155 | 89 | 13·9 | . | 3 | 1 | 1† | . | . | 2 |
| CHRISTIANIA, | 226,774 | „ 20, | 125 | 54 | 12·4 | . | 2 | . | 2† | 2 | . | 1 |
| ST. PETERSBURG, | 1,482,799 | „ 20, | . | 772 | 27·1 | . | 27 | 12 | 12 | 6 | 24 | 222 |
| MOSCOW, | 1,172,421 | June 15, | . | 712 | 31·7 | 2 | 23 | 5 | 10† | 2 | 9 | 140 |
| BERLIN, | 2,090,704 | July 6, | 942 | 526 | 13·1 | . | 12 | . | 5† | 10 | . | 41 |
| HAMBURG, | 824,792 | „ 13, | . | 177 | 11·0 | . | . | . | . | . | 1 | 9 |
| BRESLAU, | 485,225 | „ 20, | . | 184 | 19·8 | . | 2 | . | 2† | 3 | . | 35 |
| MUNICH, | 548,000 | „ 20, | . | 199 | 18·9 | . | 1 | . | 2† | 2 | . | 44 |
| VIENNA (with suburbs). | 1,979,003 | „ 20, | 954 | 562 | 14·8 | 1 | 9 | 1 | 4† | 1 | . | 52 |
| BUDA-PESTH, | 802,235 | June 29, | 388 | 248 | 15·6 | . | . | 8 | 1† | 2 | 2 | 25 |
| PRAGUE and Faubourgs. | 470,906 | „ 29, | 185 | 163 | 18·0 | . | 3 | . | . | . | 2 | 12 |
| TRIESTE, | 200,962 | July 6, | 118 | 65 | 16·9 | . | 2 | . | . | . | . | 5 |
| ROME, | 542,760 | May 11, | 214 | 168 | 16·1 | . | . | . | 1† | 1 | 2 | 7 |
| | | „ 18, | 221 | 146 | 14·0 | . | 3 | . | . | 1 | 1 | 8 |
| VENICE, | 174,398 | June 15, | 80 | 55 | 16·4 | . | . | . | . | . | 2 | 5 |
| NEW YORK, | 1,285,435 | July 6, | 2,641 | 1,325 | 16·1 | . | 34 | 28 | 39† | 8 | 9 | 124 |
| PHILADELPHIA, | 1,500,595 | June 29, | . | 444 | 15·3 | . | 5 | 1 | 6† | 2 | 14 | 26 |
| BOSTON, | 609,757 | July 6, | . | 160 | 13·7 | . | 3 | 3 | 3 | . | 3 | 6 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 9 deaths in Glasgow.
* Including 57 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 62 deaths from plague in Calcutta, and one in Madras, 27 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd August, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | 4 |
| " " 1, West, | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 3 |
| " " 2, | . | . | . | . | . | . | . | 3 | 1 | . | . | . | 4 |
| " " 3, | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | . | 6 | . | . | . | 7 |
| " " 2, | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| " " 3, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 4, | . | . | . | . | 1 | . | . | . | 3 | . | . | . | 4 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 1 | . | . | 4 | . | 2 | 5 | 16 | . | . | . | 28 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd August, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 3rd August. | | | |
|---|---|---|---|---|---|---|---|
| | July 13. | July 20. | July 27. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 50 | 31 | 24 | 10 | 11 | . | 23 |
| Scarlet Fever | 51 | 40 | 42 | 5 | 9 | . | 38* |
| Typhus, | 4 | 2 | 2 | . | 1 | . | 1 |
| Diphtheria, | 19 | 22 | 22 | 4 | 7 | 1 | 18 |
| Enteric Fever, | 24 | 23 | 24 | 2 | 3 | . | 23 |
| Pneumonia, | 33 | 25 | 29 | 5 | 10 | 3 | 21 |

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 3rd August, 1907:—

"Changeable and showery, but not on the whole unfavourable, weather prevailed. Once more in the present year the barometer has been singularly steady and high in Iceland, in which country N.E. winds and low temperatures held. Twice in the week—on Monday and again on Friday—a barometric depression passed eastwards or north-eastwards across Ireland and Scotland towards Scandinavia. These disturbances were accompanied by unsettled weather, S.W. winds and showers or continuous rainfalls heralding their approach. As Monday's system travelled eastwards, a cool, dry N.W. wind sprang up, depressing temperature considerably by night, when the sky was clear. Early on Wednesday morning the thermometer fell in the screen to points between 44° and 49° in all divisions of the United Kingdom. So far as Dublin was concerned, the cold by night was followed by the formation of cumulus clouds by day, and these precipitated themselves in the form of afternoon showers. So slowly did Monday's depression travel that it did not reach the neighbourhood of Stockholm till Thursday morning, when pressure fell below 29·30 inches in the centre of the system. Friday's depression was less deep, but its rainfall was much greater, measurements considerably over an inch being reported from Valentia (1·11 inches) and Cork Harbour (1·12 inches) on Saturday morning. A warm, damp, foggy atmosphere hung round the coasts on this day, especially in the south-west of England. In Dublin the mean height of the barometer was 29·907 inches, pressure falling to 29·685 inches at 9 p.m. of Monday (wind, S.W.), and rising to 30·053 inches at 9 a.m. of Wednesday (wind, W.). The corrected mean temperature was 59·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 58·7°. The screened thermometers rose to 67·6° on Sunday and fell to 47·1° on Wednesday. The prevalent winds were W. and W.N.W. The rainfall was ·257 inch on 6 days, ·071 inch being recorded on Sunday and ·067 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·901 inches. The highest reading (30·046) was on Wednesday at 9 a.m., wind W.S.W., and the lowest (29·674) on Monday at 9 p.m., wind S.W.

The mean temperature for the week was 57·7°, being 2·0° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 68·6°, and was lowest on Wednesday, the mercury having fallen to 42·9°. The mean of the Dry Bulb for the week was 58·2°, and of the Wet Bulb 54·5°. The mean humidity of the air was ·82, complete saturation being represented by 1·0. The rainfall during the week measured 0·523 inch.

At Greenwich the mean temperature for the week was 59·7°, the maximum 76·5°, and the minimum 44·1°; at Glasgow the maximum was 70·8°, the minimum 39·8°, and the mean 56·1°; and at Edinburgh the maximum was 66·9°, the minimum 42·6°, and the mean 54·3°. The rainfall at Greenwich measured 0·40 in.; at Glasgow 0·60 in.; and at Edinburgh 0·70 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

### Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, July 28, | 29·922 | 68·6 | 51·9 | 60·3 | 59·5 | 56·8 | ·84 | ·6 | 1·5 | ·135 | Calm. | Calm. |
| Monday, „ 29, | 29·690 | 68·5 | 54·5 | 61·5 | 59·3 | 56·3 | ·82 | ·9 | 7·0 | ·095 | S. | S.W. |
| Tuesday, „ 30, | 29·960 | 63·1 | 50·0 | 56·6 | 58·1 | 50·4 | ·83 | ·7 | 7·0 | ·008 | N.W. | N.W. |
| Wednesday, „ 31, | 30·035 | 62·1 | 42·9 | 52·5 | 53·4 | 50·2 | ·80 | ·3 | 11·0 | ·010 | W.S.W. | Calm. |
| Thursday, Aug. 1, | 30·034 | 63·0 | 45·0 | 54·0 | 56·6 | 53·6 | ·82 | ·4 | 3·9 | ·015 | S.W. | Calm. |
| Friday, „ 2, | 29·854 | 62·3 | 52·9 | 57·6 | 60·1 | 56·3 | ·79 | ·7 | 2·0 | ·245 | S.W. | S.E. |
| Saturday, „ 3, | 29·811 | 66·5 | 56·0 | 61·3 | 60·2 | 57·6 | ·86 | ·4 | 0·8 | ·015 | W.S.W. | Calm. |
| Mean, . . | 29·901 | 64·9 | 50·5 | 57·7 | 58·2 | 54·5 | ·82 | ·6 | Total 33·2 | Total ·523 | — | |

*Sunday*—Day overcast and cloudy, light rain 10.20 a.m. to 1.15 p.m.; night cloudy and showery. *Monday*—Cloudy day, light showers a.m. and p.m.; night cloudy. *Tuesday*—Cloudy day, light showers a.m. and p.m.; night clear. *Wednesday*—Cloudy day, light showers a.m.; night cloudy. *Thursday*—Cloudy day, light showers a.m. and p.m.; night cloudy. *Friday*—Cloudy, light showers a.m., overcast, light rain 1.0 p.m. to 6.40 p.m.; night cloudy. *Saturday*—Cloudy day, light showers p.m.; night cloudy and showery from 3 a.m. to 3.20 a.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

### Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 3rd, 1907.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, July 28, | 64·0 | 61·7 | 57·6 | 68·3 | 58·8 | 63·6 | 1·2 | ·078 |
| Monday, „ 29, | 61·9 | 61·9 | 57·8 | 68·0 | 57·0 | 62·5 | 8·4 | ·053 |
| Tuesday, „ 30, | 56·9 | 61·7 | 57·8 | 64·1 | 52·3 | 58·2 | 5·7 | ·028 |
| Wednesday, „ 31, | 57·3 | 59·9 | 57·9 | 63·8 | 45·6 | 54·7 | 10·1 | ·008 |
| Thursday, Aug. 1, | 58·8 | 59·5 | 57·9 | 63·7 | 50·0 | 56·9 | 2·5 | ·001 |
| Friday, „ 2, | 63·8 | 60·0 | 57·8 | 64·8 | 54·2 | 59·5 | 2·3 | ·069 |
| Saturday, „ 3, | 62·2 | 59·8 | 57·7 | 67·4 | 56·0 | 61·7 | 0·5 | ·013 |
| Weekly Mean, . | 60·7 | 60·6 | 57·8 | 65·7 | 53·4 | 59·6 | Total 30·7 | Total ·250 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18298.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 10TH AUGUST, 1907. [No. 32.

*General Register Office, Charlemont House,*
*Dublin, 12th August,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending | | | | Average Rate for 4 weeks. | Towns, &c. | Week ending | | | | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 20. | July 27. | Aug. 3. | Aug. 10. | | | July 20. | July 27. | Aug. 3. | Aug. 10. | |
| 22 Town Dists. | 18·4 | 18·0 | 16·5 | 15·5 | 17·1 | Lisburn, | 18·2 | 36·4 | 9·1 | 9·1 | 18·2 |
| Armagh, | 6·9 | 13·7 | . | 13·7 | 8·6 | Londonderry, | 7·4 | 17·2 | 14·7 | 19·6 | 14·7 |
| Ballymena, | 9·6 | 23·9 | 14·4 | 14·4 | 15·6 | Lurgan, | 13·3 | 17·7 | 13·3 | 22·1 | 16·6 |
| Belfast, | 19·2 | 16·5 | 16·2 | 14·6 | 16·6 | Newry, | 25·2 | 12·6 | 8·4 | 8·4 | 13·7 |
| Clonmel | . | 5·1 | 20·5 | 5·1 | 7·7 | Newtownards, | 28·6 | 5·7 | 5·7 | 34·3 | 18·6 |
| Cork, | 9·6 | 16·4 | 18·5 | 19·2 | 15·9 | Portadown, | 10·3 | 25·8 | 10·3 | 10·3 | 14·2 |
| Drogheda, | 8·2 | 16·3 | 12·3 | 24·5 | 15·3 | Queenstown | 33·0 | 6·6 | 6·6 | 6·6 | 13·2 |
| Dublin Reg. Area, | 21·5 | 21·2 | 18·0 | 15·7 | 19·1 | Sligo, | 24·0 | 9·6 | 4·8 | 9·6 | 12·0 |
| Dundalk, | 16·0 | 8·0 | 12·0 | 8·0 | 11·0 | Tralee, | 5·3 | . | 15·9 | 31·7 | 13·2 |
| Galway, | . | 19·4 | 15·5 | 11·7 | 11·7 | Waterford, | 25·3 | 23·4 | 23·4 | 17·5 | 22·4 |
| Kilkenny, | 29·5 | 4·9 | 9·8 | 9·8 | 13·5 | Wexford, | 14·0 | 23·3 | 23·3 | 23·3 | 21·0 |
| Limerick, | 20·5 | 15·0 | 19·1 | 10·9 | 16·4 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·7 in Newtownards, in which district there was one death from diarrhœa. Among the 104 deaths from all causes registered in Belfast are 4 from measles, one from diphtheria, 2 from diarrhœal disease, and 3 from cerebro-spinal fever; and the 8 deaths from all causes in Limerick include one from whooping-cough. In each of the districts of Londonderry, Drogheda, and Tralee there was one death from diarrhœa.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 170—85 boys and 85 girls; and the deaths to 118—50 males and 68 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 15·7 in every 1,000 of the population. There were no deaths registered of persons admitted into public institutions from localities outside the Area. During the thirty-two weeks ending with Saturday last the death-rate averaged 26·0, and was 0·3 above the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths registered (118) included 5 from measles, one from whooping-cough, one

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

from diphtheria, one from enteric fever, and 5 from diarrhœal diseases. In each of the 3 weeks preceding, deaths from measles were 0, 3, and 6; deaths from whooping-cough were 4, 4, and 4; deaths from diphtheria were 0, 0, and 2; deaths from enteric fever were 0, one, and 0; and deaths from diarrhœal diseases were 0, 4, and 3.

There were 3 deaths from broncho-pneumonia and 5 deaths from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease was 30, and included 4 deaths from tuberculous phthisis, 11 deaths returned as from *phthisis*, 6 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, one death from *tabes mesenterica*, and 6 deaths from other forms of the disease. In the 3 preceding weeks, the total deaths from all forms of tuberculous disease were 33, 35, and 28, respectively.

Two deaths were due to carcinoma and one to sarcoma.

There were 3 deaths of infants prematurely born.

Of 5 deaths from diseases of the brain and nervous system, 3 were from *convulsions*. Of the latter, 2 were deaths of infants under one year of age, and one was of a child between the ages of one year and 5 years.

There were 13 deaths caused by diseases of the heart and blood vessels, and bronchitis caused 16 deaths.

Of 2 accidental deaths, one was on a railway and one was in a conflagration.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under 5 years of age (including 5 infants under one year old) and the deaths of 2 persons aged 60 years and upwards.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old), and 27 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (a male and a female) were stated to have been aged 98 and 94 years, respectively.

Forty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the N. Dublin Union Workhouse, 9 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·7 per 1,000; the rate in the City was 15·9 (North City Districts, 17·3; South, 14·6), and in the Suburbs, 15·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·2 (1·0 in the North City Districts, and 1·4 in the South) and for the Suburbs, 3·5 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·6 per 1,000. The deaths included one from *diarrhœa*, one from each of broncho-pneumonia and *pneumonia* (not defined), one from tuberculous disease, one from bronchitis, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000. Tuberculous disease caused 3 deaths, and there were 3 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. Among the deaths was one from enteric fever, also one death from *pneumonia* (not defined), there were 4 deaths from tuberculous disease, and 2 deaths from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (11) represent an annual rate of 17·7 per 1,000. Included in the deaths registered were one from *diarrhœa*, 5 from tuberculous disease, and 2 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 4·7; and Finglas and Glasnevin, part of, 14·4. One of the 2 deaths from all causes for Finglas and Glasnevin, part of, was due to tuberculous phthisis.

*No. 1 South City District* (South Earl-street).—The deaths (11) represent an annual rate of 14·3 per 1,000. Measles and diphtheria each caused one death, there were 3 deaths from tuberculous disease of the lungs, and one death from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 10·1 per 1,000. Of the 4 deaths registered 2 were due to tuberculous meningitis.

*No. 3 South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 27·2 per 1,000. There were 2 deaths from epidemic diarrhœa, one from broncho-pneumonia, 3 from *pneumonia* (not defined), 5 from tuberculous disease, and 5 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (4) are equivalent to an annual rate of 5·9 per 1,000. Of 4 deaths one was from *phthisis*, one was from tuberculous peritonitis, one was from bronchitis, and there was one accidental death.

*New Kilmainham District.*—There were no deaths registered for this district during the week.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·7; Pembroke, 15·0; Blackrock, 11·9; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include one from *diarrhœa* for Rathmines and Rathgar, one from measles and one from whooping-cough for Pembroke, and 3 deaths from measles for Kingstown. Of the 8 deaths from all causes for Rathmines and Rathgar one was from *phthisis*; the 8 deaths from all causes for Pembroke include 3 from tuberculous disease; and one of the 2 deaths from all causes for Blackrock was from broncho-pneumonia.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Swcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 10th August, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | July 20, | . | — | — | . | . | . | 2 | . | 4 | 4 | 13 | . | — | — | . | — | — | 23 |
| | July 27, | . | — | — | 4 | . | . | 1 | . | 6 | 4 | 5 | . | — | — | 2 | — | — | 22 |
| | Aug. 3, | . | — | — | 1 | . | . | 4 | . | 2 | 5 | 16 | . | — | — | . | — | — | 28 |
| | Aug. 10, | . | — | — | 2 | 1 | . | 5 | . | 2 | 5 | 13 | . | — | — | . | — | — | 28 |
| Rathmines and Rathgar Urban District. | July 20, | . | — | — | . | . | . | . | . | . | 1 | 1 | . | — | — | | — | — | 2 |
| | July 27, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Aug. 3, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Pembroke Urban District. | July 20, | . | 7 | . | . | . | . | 1 | . | . | . | 1 | 1 | — | 2 | . | — | — | 12 |
| | July 27, | . | 10 | . | 1 | . | . | . | . | . | . | 1 | . | — | 7 | . | — | — | 19 |
| | Aug. 3, | . | 5 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 5 |
| | Aug. 10, | . | 39 | . | . | . | . | 1 | . | 1 | . | . | . | — | 2 | . | — | — | 43 |
| Blackrock Urban District. | July 20, | . | — | — | . | . | . | . | | . | . | . | . | — | — | . | — | — | . |
| | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 3, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | July 20, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 3, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| City of Belfast. | July 20, | . | — | — | 12 | . | . | 4 | . | 6 | 4 | 3 | . | — | — | 7 | — | — | 36 |
| | July 27, | . | — | — | 2 | . | . | 3 | . | 2 | 4 | 6 | 2 | — | — | 2 | — | — | 21 |
| | Aug. 3, | . | — | — | 5 | . | . | 4 | 1 | 11 | 2 | 1 | . | — | — | 3 | — | — | 27 |
| | Aug. 10, | . | — | — | 2 | . | . | 1 | . | 4 | 4 | 4 | . | — | — | 5 | — | — | 20 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th August, 1907.

From this it appears that:—

Eight cases of measles were admitted into hospital during the week, 3 were discharged, there was one death, and 27 cases remained under treatment at its close. At the close of each of the three preceding weeks the cases of measles under treatment numbered 31, 24, and 23.

Ten cases of scarlet fever were admitted to hospital, 8 were discharged, and 40* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, and 2 cases remained under treatment at its close.

Four cases of diphtheria were admitted to hospital, 2 were discharged, there was one death, and 19 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death, and 24 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 3 were discharged, and 19 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 12·0), was equal to an average annual death-rate of 11·8 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow was 14·4 and for Edinburgh 13·9.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th August. From this Report it appears that of a total of 29 cases notified 13 were scarlet fever, 6 diphtheria, 2 erysipelas, and one enteric fever. Among the 277 cases of infectious diseases in hospital at the close of the week were 81 cases of scarlet fever, 46 of measles, 45 of whooping-cough, 25 of diphtheria, 2 of membranous croup, 10 of erysipelas, and 8 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 10th August, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 10th August, 1907. Numbers Registered. Births. Total Number. | Deaths. Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 10th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 3rd August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 27th July, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·6 | 15·5 | 1·2 | 571 | 333 | 64 | 76 | . | 9 | . | . | 2 | 2 | . | 1 | 11 | 26 | 47 | 28 | 16 | 34 | 8 | 10 | 88 | 12 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 22·7 | 15·7 | 1·7 | 170 | 118 | 31 | 27 | . | 5 | . | . | 1 | 1 | . | 1 | 5 | 8 | 15 | 15 | 3 | 16 | 2 | 3 | 42 | 8 | f67·8 | 48·9 | 58·3 | 0·75 | f68·6 | 42·9 | 57·7 | 0·52 | f71·6 | 49·9 | 59·4 | 0·29 |
| City of Dublin, | 300,850 | 38·0 | 24·6 | 15·9 | 1·2 | 142 | 92 | 28 | 17 | . | 1 | . | . | . | 1 | . | 1 | 4 | 7 | 12 | 14 | 1 | 16 | 2 | 3 | 39 | 5 | g68·5<br>h69·9 | 51·8<br>50·0 | 59·9<br>59·4 | 0·56<br>0·85 | g67·6<br>h67·9 | 47·1<br>44·0 | 59·1<br>58·0 | 0·26<br>0·56 | g71·5<br>h72·9 | 51·1<br>51·4 | 60·8<br>59·9 | 0·33<br>0·39 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 22·0 | 11·7 | 1·5 | 15 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 15·0 | 15·0 | 3·7 | 8 | 8 | 1 | 3 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | . | 11·9 | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 14·8 | 23·7 | 8·9 | 5 | 8 | . | 2 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | 67 | 51 | 59·6 | 0·37 | 67 | 48 | 58·0 | 0·52 | 69 | 53 | 59·9 | 0·24 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 30·4 | 14·6 | 1·0 | 216 | 104 | 20 | 22 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | 5 | 22 | . | 66·0 | 49·5 | 57·6 | 0·86 | 66·0 | 49·5 | 56·3 | 0·61 | 70·6 | 49·0 | 59·1 | 0·29 |
| Cork, | 76,122 | 33·6 | 28·3 | 19·2 | . | 34 | 28 | 2 | 6 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | . | 12 | 1 | 66 | 51 | 57·7 | 0·12 | 67 | 48 | 58·2 | 1·82 | 70 | 57 | 61·5 | 1·86 |
| Londonderry, | 42,475 | 19·6 | 29·5 | 19·6 | 1·2 | 24 | 16 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 10·9 | 10·9 | 1·4 | 8 | 8 | 2 | 1 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 28·4 | 17·5 | . | 12 | 9 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 58·3 | 11·7 | . | 15 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 65 | 52 | 59 | 1·30 | 71 | 45 | 60 | 0·75 | 77 | 50 | 66 | 0·28 |
| Dundalk, | 18,076 | 3·4 | 27·9 | 8·0 | . | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 16·8 | 24·5 | 4·1 | 4 | 6 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 50·4 | 8·4 | . | 12 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 |
| Lurgan, | 11,782 | 13·8 | 39·8 | 22·1 | . | 9 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 1 | . | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 |
| Lisburn, | 11,461 | 10·1 | 27·3 | 9·1 | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 |
| Wexford, | 11,168 | 28·2 | 28·0 | 23·3 | . | 6 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,686 | 8·9 | 14·4 | 14·4 | . | 3 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 24·0 | 9·6 | . | 5 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 65·2 | 46·8 | 56·7 | 0·92 | 68·3 | 37·0 | 55·8 | 1·09 | 77·5 | 50·4 | 62·4 | 0·24 |
| Kilkenny, | 10,609 | 11·5 | 59·0 | 9·8 | . | 12 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 68 | 45 | 57·4 | 0·45 | 68 | 43 | 58·0 | 0·97 | 75 | 54 | 63·9 | 0·86 |
| Clonmel, | 10,167 | 7·8 | 10·8 | 5·1 | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 20·7 | 10·3 | . | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 |
| Tralee, | 9,867 | 16·6 | 68·4 | 31·7 | 5·3 | 12 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 22·9 | 34·3 | 5·7 | 4 | 6 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | 1 | . | 66 | 50 | 57·3 | 0·75 | 68 | 46 | 55·5 | 0·43 | 63 | 48 | 55·5 | 0·16 |
| Queenstown, | 7,909 | 14·4 | 26·4 | 6·6 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 66 | 51 | 57·7 | 0·12 | 67 | 48 | 58·2 | 1·82 | 70 | 57 | 61·5 | 1·86 |
| Armagh, | 7,588 | 22·2 | 13·7 | 18·7 | . | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 | 77·1 | 45·8 | 60·2 | 0·16 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d There were no deaths of persons admitted to hospital from localities outside the Area registered during the week. e Having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 10th August, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | GOODGE and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 3 | 5 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Diphtheria, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | 1 | . | . | 1 | . | . | . | . | . | 2 | . | . | 1 | . | . | . | 5 | . |
| Pneumonia, | 2 | . | 1 | . | . | . | . | . | . | 4 | . | . | . | . | 1 | . | 8 | . |
| Tuberculous Disease. Phthisis, | . | . | 3 | 3 | . | . | 1 | 3 | . | 1 | 1 | . | 1 | 2 | . | . | 15 | . |
| Tuberculous Disease. Other Forms. | 1 | 3 | 1 | 2 | . | . | . | . | 2 | 4 | 1 | . | . | 1 | . | . | 15 | . |
| Cancer, Malignant Disease, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 3 | . |
| Other General Diseases, | 2 | 1 | 2 | 1 | 1 | 1 | . | . | . | 1 | . | . | 3 | . | . | 1 | 13 | . |
| Total, | 7 | 4 | 8 | 7 | 1 | 1 | 1 | 5 | 2 | 12 | 2 | . | 5 | 6 | 1 | 5 | 67 | . |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 2 | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 5 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | . | 1 | . | . | . | . | . | . | 2 | 3 | . | . | 3 | 2 | 1 | 1 | 13 | . |
| Diseases of: Respiratory System, | 1 | 3 | 2 | 2 | 1 | . | . | 1 | . | 5 | 1 | . | . | . | . | . | 16 | . |
| Diseases of: Digestive System, | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | . | 1 | 4 | . |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 3 | 6 | 2 | 3 | 1 | . | . | 3 | 2 | 10 | 1 | . | 3 | 2 | 1 | 3 | 40 | . |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 2 | 1 | 1 | . | . | 1 | 3 | . | . | . | . | . | . | . | . | 9 | . |
| **E. VIOLENT DEATHS,** | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| **Deaths from all Causes,** | 12 | 12 | 11 | 11 | 2 | 1 | 2 | 11 | 4 | 22 | 4 | . | 8 | 8 | 2 | 8 | 118 | . |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 16·0 | 19·1 | 17·7 | 20·4 | 4·7 | 14·4 | 11·3 | 10·1 | 27·2 | 5·9 | . | 11·7 | 15·0 | 11·9 | 23·7 | 15·7 | . |
| | 17·3 | | | | | | | 14·6 | | | | | 15·1 | | | | | |
| | 15·9 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 5 | 3 | 4 | 4 | 1 | . | . | 4 | 1 | 6 | . | . | 2 | 1 | . | . | 31 | . |
| 1 and under 5 years, | 2 | 5 | 1 | 1 | . | . | . | 1 | 1 | 3 | . | . | . | 1 | . | 4 | 19 | . |
| 5 " 20 " | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | 4 | . |
| 20 " 40 " | 1 | 1 | 1 | 2 | 1 | . | 1 | 3 | . | 2 | 2 | . | 1 | 1 | . | 1 | 17 | . |
| 40 " 60 " | 1 | 3 | 3 | 3 | . | . | . | 2 | 1 | 4 | . | . | 1 | . | 1 | 1 | 20 | . |
| 60 and upwards, | 3 | . | 2 | 1 | . | 1 | 1 | 1 | 1 | 6 | 1 | . | 4 | 5 | 1 | 2 | 27 | . |
| Number of Uncertified Deaths, | 1 | 1 | 1 | 1 | . | . | . | 1 | . | . | . | . | 1 | . | 1 | 1 | 8 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 1 | 3 | 3 | . | . | . | 5 | . | 4 | 2 | . | . | 1 | . | 1 | 20 | . |
| Workhouse Hospitals, | 2 | 3 | 3 | 3 | . | . | . | 2 | 1 | 6 | 1 | . | . | . | . | 1 | 22 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register
week of the ten years,

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 32nd Week of the 10 years 1897-1906. | In the Week ending Sat 10th August, 1907. Deaths of Persons of the | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 14, 1897. | Aug. 13, 1898. | Aug. 12, 1899. | Aug. 11, 1900. | Aug. 10, 1901. | Aug. 9, 1902. | Aug. 15, 1903. | Aug. 13, 1904. | Aug. 12, 1905. | Aug. 11, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. |
| Mean Temperature. | ° 59·0 | ° 58·6 | ° 57·6 | ° 55·5 | ° 61·2 | ° 54·4 | ° 54·7 | ° 57·1 | ° 57·3 | ° 61·3 | ° 57·7 | ° 58·3 | | | | |
| **ALL CAUSES.** | 178 | 171 | 214 | 161 | 166 | 154 | 136 | 199 | 151 | 130 | 166·0 | 118 | 8 | 23 | 19 | 4 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 9 | . | . | 20 | 1 | 5 | . | 2 | 3·7 | 5 | . | 1 | 4 | . |
| Scarlet Fever, ... ... | 3 | 3 | . | . | . | 1 | . | 1 | . | . | ·8 | . | . | . | . | . |
| Typhus, ... ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 2 | . | . | . | 1 | 1 | . | . | 1 | ·6 | . | . | . | . | . |
| Whooping-cough, ... ... | 5 | 5 | 3 | 1 | . | 1 | 1 | 4 | . | 3 | 2·3 | 1 | . | 1 | . | . |
| Diphtheria, ... ... | . | 1 | 2 | 3 | 2 | 2 | 1 | 2 | 1 | 2 | 1·6 | 1 | . | 1 | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . |
| Enteric Fever, ... ... | 4 | 3 | 4 | . | 1 | 4 | 2 | 1 | . | 1 | 2·0 | 1 | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 39 | 19 | 49 | 19 | 33 | . | . | 10 | 14 | 4 | 23·1 | 2 | . | 1 | 1 | . |
| *Diarrhœa*, Dysentery, | | | | | | 3 | 2 | 23 | 10 | 6 | | 3 | 1 | 2 | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 2 | 1 | . | . | . | . | 2 | 1 | 2 | ·8 | 1 | 1 | . | . | . |
| Puerperal Septicæmia, | . | . | . | 1 | 1 | . | . | 1 | . | . | ·3 | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . |
| Pneumonia, Lobar, | 6 | 8 | 7 | 3 | 5 | . | 1 | . | . | 1 | 6·1 | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 2 | 2 | 3 | . | . | | 3 | . | 2 | . | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 6 | 3 | 6 | 4 | 4 | | 5 | . | . | 1 | . |
| Erysipelas, ... ... | . | 1 | 1 | 1 | . | 1 | . | . | 1 | . | ·5 | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | 2 | . | . | 1 | . | . | ·3 | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | . | 1 | . | . | ·2 | 1 | . | . | . | . |
| Tuberculous Phthisis, | 22 | 17 | 24 | 24 | 20 | 1 | 9 | 1 | 8 | 11 | 21·0 | 4 | . | . | . | 1 |
| "*Phthisis*," ... | | | | | | 14 | 14 | 24 | 14 | 7 | | 11 | . | . | . | 1 |
| Tuberculous Meningitis, ... | 4 | 3 | 4 | 5 | 3 | 9 | 3 | 2 | 3 | . | 3·6 | 6 | . | 4 | 2 | . |
| Tuberculous Peritonitis, | 3 | 3 | 4 | 6 | 4 | . | 1 | . | . | . | 2·5 | 2 | . | . | 1 | 1 |
| *Tabes Mesenterica*, ... | | | | | | 1 | 2 | 1 | . | . | | 1 | . | . | . | 1 |
| Tuberculous Dis. (other), | 5 | 7 | 2 | 1 | 4 | 4 | 1 | 9 | 6 | 7 | 4·6 | 6 | . | 1 | 3 | . |
| *Scrofula*, ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | . | 3 | 1 | 1 | . | . | . | 1 | ·7 | 1 | . | . | . | . |
| Rheumatic Fever, ... ... | 2 | . | . | 1 | 1 | . | 1 | . | . | . | ·5 | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 4 | 6 | 8 | 11 | 8 | 2 | 5 | . | 1 | . | 6·6 | 2 | . | . | . | . |
| Sarcoma, ... ... | | | | | | . | . | . | . | . | | 1 | . | . | . | . |
| Cancer (undefined), | | | | | | 3 | 2 | 5 | 7 | 4 | | . | . | . | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | 2 | . | . | . | . |
| Premature Birth, ... | 3 | 4 | 4 | 1 | 4 | 2 | 6 | 2 | 2 | 2 | 3·0 | 3 | 3 | . | . | . |

The figures for the years 1897-190
† Formerly desc

'Y-SECOND WEEK ending Saturday, 10th August, 1907, with the deaths from each cause in the corresponding .e average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 32nd Week of the 10 years 1897-1906. | In the Week ending Saturday, 10th August, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 14, 1897. | Aug. 13, 1898. | Aug. 12, 1899. | Aug. 11, 1900. | Aug. 10, 1901. | Aug. 9, 1902. | Aug. 15, 1903. | Aug. 13, 1904. | Aug. 12, 1905. | Aug. 11, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| ean Temperature. | ° 59·0 | ° 58·3 | ° 57·6 | ° 55·5 | ° 61·2 | ° 54·4 | ° 54·7 | ° 57·1 | ° 57·3 | ° 61·3 | ° 57·7 | ° 58·3 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 1 | 3 | 6 | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| ility, G. P. of Insane ... | | | | | | 2 | 2 | 1 | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| epsy .. ... | | | | | | 1 | . | 1 | 1 | . | | . | . | . | . | . | . | . | . | . |
| *ulsions* ... .. | | | | | | 9 | 7 | 11 | 6 | 9 | | 3 | . | 2 | 1 | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | 2 | 1 | 2 | . | | . | . | . | . | . | . | . | . | . |
| ous System (other .) | | | | | | . | 3 | 1 | . | 5 | | 2 | . | . | . | . | 1 | 1 | . | . |
| | 33 | 26 | 40 | 31 | 37 | | | | | | 33·7 | | | | | | | | | |
| . Dis., Endocarditis ... | | | | | | 4 | 1 | 1 | 4 | 3 | | 2 | . | . | . | . | . | 2 | . | . |
| or. Hæm. Thromb. ... | | | | | | 1 | 1 | 2 | 2 | 2 | | . | . | . | . | . | . | . | . | . |
| *lexy, Hemiplegia* ... | | | | | | 5 | 4 | 3 | 2 | 3 | | 2 | . | . | . | . | 1 | 1 | . | . |
| ryam ... ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| t and Blood Vessel Dis. | | | | | | 8 | 12 | 12 | 11 | 8 | | 9 | . | . | . | 1 | 1 | 4 | 3 | |
| (not Spasm. nor mb.) | 1 | . | . | . | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 8 | 15 | 12 | 9 | 5 | 16 | 12 | 8 | 5 | 8 | 9·8 | 16 | . | 1 | 3 | . | 1 | 3 | 7 | 1 |
| na, Emphysema ... | | | | | | 1 | 1 | . | . | 2 | | . | . | . | . | . | . | . | . | . |
| isy ... ... | 2 | . | . | 3 | 1 | 1 | . | 1 | . | . | 1·8 | . | . | . | . | . | . | . | . | . |
| iratory Dis. (other) ... | | | | | | 2 | 1 | 2 | 1 | . | | . | . | . | . | . | . | . | . | . |
| llitis, Quinsy ... | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | | | | | | . | 1 | 6 | 6 | . | | 2 | . | 1 | 1 | . | . | . | . | . |
| o *Enteritis* ... ... | 1 | 1 | 3 | . | 4 | . | 1 | 4 | 3 | 5 | 3·5 | . | . | . | . | . | . | . | . | . |
| *ntis* (not Puerp.) ... | 1 | . | . | 1 | . | 1 | 1 | . | 2 | . | ·6 | . | . | . | . | . | . | . | . | . |
|osis of Liver ... | | | | | | 1 | 2 | . | . | 2 | | 2 | . | . | . | . | 2 | . | . | . |
| Dis. (other) ... | 2 | 3 | . | 2 | 1 | 1 | 1 | 1 | . | . | 1·6 | . | . | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 6 | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 10 | 5·1 | . | . | . | . | . | . | . | . | . |
| ritis, Acute ... | | | | | | 2 | 1 | 2 | 1 | . | | . | . | . | . | . | . | . | . | . |
| t's Dis., Albuminuria | 3 | 3 | 1 | 3 | . | . | 1 | 4 | . | . | 2·9 | 1 | . | . | . | . | . | . | . | . |
| ry Sys. (Other Dis.) | | | | | | . | 2 | . | 6 | . | | 1 | . | . | 1 | . | . | . | . | . |
| rative Organs Dis. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| ge ... ... | 4 | 16 | 14 | 10 | 2 | 4 | 6 | 6 | 3 | . | 6·5 | 2 | . | . | . | . | . | . | 1 | 1 |
| Diseases ... ... | 9 | 14 | 13 | 11 | 15 | 9 | 5 | 11 | 12 | 5 | 10·4 | 12 | 3 | 6 | 1 | . | . | 1 | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ilways ... ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| hicles and Horses ... | . | . | 1 | 2 | 1 | . | . | . | 1 | 2 | ·7 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (exive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| lding Operations ... | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . |
| rns, Scalds, Explosions | 1 | 2 | 1 | 2 | 1 | . | . | 1 | . | . | ·8 | . | . | . | . | . | . | . | . | . |
| owning ... ... | 4 | 2 | 1 | . | 3 | . | . | 1 | . | 1 | 1·2 | . | . | . | . | . | . | . | . | . |
| ffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| oison or Poisonous ours | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Deaths by Accident | . | 1 | . | 1 | 2 | 1 | . | 1 | 1 | . | ·7 | . | . | . | . | . | . | . | . | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| ide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| e ... ... | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| tion ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

istration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 16. | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug 10. |
| No. of weeks in Annual Series. | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 |
| BIRTHS registered, | 181 | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 308 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 274 | 170 |
| *Average Births in corresponding week of previous 10 years,** | 207 | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 |
| DEATHS registered, | 239 | 209 | 228 | 194 | 208 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 208 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 163 | 166 | 138 | 118 |
| Annual Death-rate per 1,000, | 31·9 | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 |
| *Average Deaths in corresponding week of previous 10 years,** | 209 | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 |
| AGES, Under 5 years, | 61 | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 | 51 | 33 | 50 |
| 5—20 " | 11 | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 |
| 20—40 " | 39 | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 23 | 16 | 25 | 15 | 23 | 28 | 17 |
| 40—60 " | 50 | 48 | 39 | 39 | 37 | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 |
| 60—80 " | 65 | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 21 | 23 | 35 | 47 | 31 | 22 | 22 |
| 80 years and upwards, | 13 | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 |
| Scarlet Fever | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| Whooping-cough, | 4 | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 |
| Diphtheria, | 1 | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 |
| Diarrhœal Diseases, | 1 | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 |
| Influenza, | 9 | 4 | 5 | . | . | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . |
| Pneumonia, | 19 | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 |
| Tuberculous Disease. Phthisis, | 27 | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 |
| Tuberculous Disease. Other Forms, | 10 | 16 | 18 | 14 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 |
| Cancer, Malignant Disease, | 6 | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 |
| Diseases of Heart and Blood Vessels, | 42 | 24 | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 |
| Diseases of Respiratory System, | 40 | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 6 | 16 | 22 | 17 | 12 | 16 |
| Violent Deaths, | 5 | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 |
| Number of Uncertified Deaths, | 14 | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 |
| Mean Temperature of the Air (Phœnix Park), | 40·4 | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 43·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 51·0 | 62·8 | 59·4 | 57·7 | 58·3 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 39·6 | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 |
| Rainfall in inches, | ·595 | ·385 | ·000 | ·428 | 1·005 | ·863 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·86 | ·88 | ·89 | ·81 | ·87 | ·88 | ·73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | 81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 |

in the Dublin Registration Area during the Week ending Saturday, 10th August, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH AUGUST 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 16·4 | 118 | 50 | 4 | 17 | 20 | 22 | 5 | . | 5 | . | . | 1 | 1 | . | 1 | 5 | 13 | 8 | 15 | 15 | 3 | 3 | 16 | 2 | 43 | 8 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,486 | 15·0 | 5 | . | . | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 3 | 1 |
| II. | Middle Class, | 87,188 | 10·8 | 18 | 5 | 1 | 3 | 3 | 4 | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | 2 | 1 | . | 3 | . | 8 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 9·4 | 20 | 7 | 1 | 4 | 3 | 5 | . | . | 1 | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 2 | 1 | . | 1 | 1 | 8 | 1 |
| IV. | General Service Class, | 154,279 | 24·4 | 53 | 35 | 2 | 6 | 7 | 2 | 1 | . | 4 | . | . | 1 | 1 | . | 1 | 2 | 9 | 4 | 7 | 9 | . | 2 | 5 | 1 | 16 | 5 |
| V. | Inmates of Workhouses, | 6,024 | | 22 | 3 | . | 4 | 6 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | . | . | 7 | . | 8 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 26·7 | 4 | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 7·1 | 3 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 10·3 | 6 | 2 | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 15·4 | 8 | 2 | . | . | 2 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 1 | . | 2 | . | 3 | 1 |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 8·7 | 5 | 4 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | 1 | 2 | . | . | 1 | 1 | . | . | . | 1 | . |
| | 10. Clothing Trades, | 28,260 | 6·7 | 3 | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,852 | 13·7 | 8 | 1 | 1 | 1 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 1 | 1 | 3 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 7·8 | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 15. Domestic Servants, | 36,603 | 4·3 | 3 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 10·9 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 26·1 | 45 | 31 | 2 | 4 | 7 | . | 1 | . | 4 | . | . | . | 1 | . | 1 | 2 | 8 | 4 | 6 | 9 | . | 2 | 4 | . | 12 | 3 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 22 | 3 | . | 4 | 6 | 8 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | 2 | . | . | 7 | . | 8 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **City of Dublin (part of).** | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | June 22, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . | . |
| | „ 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | „ 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| | „ 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| | „ 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | June 22, | 16·0 | 2·7 | 12 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . |
| | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 | . |
| | „ 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| | „ 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| | „ 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| | „ 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | June 22, | 26·0 | 3·5 | 15 | . | 1 | . | . | 1 | . | . | . | . | 1 | 4 | 1 | . | 2 | . | 1 |
| | „ 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . |
| | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . | . |
| | „ 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| | „ 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| | „ 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | . | 2 | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | June 22, | 22·5 | 3·2 | 14 | . | 1 | . | . | 1 | . | . | . | . | . | 5 | 3 | . | 1 | . | . |
| | „ 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | . |
| | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| | „ 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| | „ 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| | „ 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | June 22, | 33·9 | 2·6 | 26 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | 2 | 1 | 4 | . | . |
| | „ 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . | . |
| | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| | „ 20, | 23·5 | 1·3 | 18 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| | „ 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| | „ 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | June 22, | 20·3 | 2·5 | 8 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . | 3 |
| | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| | „ 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | . | . | 3 | . | 3 |
| | „ 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| | „ 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,269. | June 22, | 17·3 | 2·5 | 14 | . | 1 | 1 | . | . | . | . | . | . | 6 | 1 | . | 1 | . | . | . |
| | „ 29, | 23·5 | 5·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 | . |
| | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 5 | . | 1 | . | . |
| | „ 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | 2 | 4 | 1 | 3 | . | 2 | . | 2 |
| | „ 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| | „ 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 2 | 2 | 5 | . | 1 |
| | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | . | 3 | 1 | . | 2 | . | . | . |
| | „ 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 4 | . | 5 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | June 22, | 43·0 | 7·4 | 29 | . | 3 | . | . | 1 | . | . | . | 1 | 4 | 2 | 1 | 2 | 3 | . | . |
| | „ 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 | . |
| | July 6, | 25·2 | 3·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 | 1 |
| | „ 13, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |
| | „ 20, | 15·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | 1 | . |
| | „ 27, | 26·7 | 3·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |
| | Aug. 3, | 19·3 | 1·5 | 13 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | . | 1 |
| | „ 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 55,606. | June 22, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . |
| | „ 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | July 6, | 13·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| | „ 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | „ 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| | „ 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | June 22, | 16·8 | 3·7 | 9 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 2 | . | . |
| | „ 29, | 20·6 | 3·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | . |
| | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| | „ 27, | 13·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | June 22, | 17·8 | . | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | „ 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| | „ 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | June 22, | 18·5 | 1·5 | 131 | . | 6 | . | . | 1 | . | . | 1 | 3 | 16 | 17 | 7 | 6 | 13 | 2 | 3 |
| | „ 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 19 | 23 | 9 | 7 | 13 | . | 2 |
| | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 3 |
| | „ 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| | „ 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| | „ 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| | „ 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| **Cork.** Pop. (in 1901) 76,122. | June 22, | 13·7 | 1·4 | 20 | . | . | . | . | 1 | . | . | . | 1 | 2 | 4 | . | 1 | 1 | . | 1 |
| | „ 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 3 |
| | „ 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| | „ 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . |
| | „ 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | June 22, | 8·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | „ 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| | „ 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| | „ 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| | „ 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | June 22, | 10·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 2 |
| | „ 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| | July 6, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| | „ 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | 2 |
| | „ 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | 1 | . | 2 |
| | „ 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | June 22, | 13·6 | 1·9 | 7 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |
| | „ 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |
| | „ 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th August, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12 20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 13 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 7 | 1 | . | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 2 | 1 | 1 | 3 | . |
| Do. 2 „ . | 47,959 | 25 | | | 12 | 2 | . | 1 | 3 | 4 | 2 | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | . | 1 | . | 1 | 4 | . |
| Do. 3 „ . | 47,214 | 27 | | | 19 | 4 | 4 | 4 | 2 | 3 | 2 | . | 1 | . | . | . | 1 | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | . |
| Do. 4 „ . | 40,911 | 35 | | | 10 | 3 | 1 | 1 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | . | . | 3 | . |
| Do. 5 „ . | 17,387 | 8 | | | 4 | 1 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . | . |
| Do 6 „ . | 48,122 | 24 | | | 10 | 6 | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | . | . |
| Do, 7 „ . | 1,524 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 1 | | | 4 | . | 1 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 9 „ . | 19,569 | 15 | | | 6 | 1 | . | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 2 | . |
| Do. 10 „ . | 23,064 | 15 | | | 9 | . | 2 | 2 | 1 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | . | 2 | . |
| Do. 11 „ . | 34,802 | 24 | | | 15 | 2 | 2 | 2 | . | 3 | 6 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . | 4 | . |
| Do. 12 „ . | 33,588 | 21 | | | 5 | . | 1 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 3 | . |
| Do. 13 „ . | 15,006 | 7 | | | 3 | . | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 216 | | | 104† | 20 | 13 | 11 | 15 | 23 | 22 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | 5 | 22 | . |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 8 | 20·3 | . | 5 | . | 1 | 2 | | | 2 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 5 | . |
| Do. 2 „ . . | 10,701 | 5 | 9·7 | . | 2 | . | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 3 „ . . | 9,978 | 4 | 26·1 | . | 5 | . | 1 | 4 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| Do. 4 „ . . | 8,666 | 7 | 12·0 | . | 2 | . | 1 | 1 | | | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Do. 5 „ . . | 6,592 | 1 | 15·8 | . | 2 | . | . | 2 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Do. 6 „ . . | 10,702 | 3 | 9·7 | . | 2 | . | . | . | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Do. 7 „ . . | 16,616 | 6 | 31·4 | . | 10 | 2 | 2 | 4 | | | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | . | . | 2 | . |
| Total, . . . . | 76,122 | 34 | 19·2 | . | 28 | 2 | 5 | 15 | | | 6 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | . | 12 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 16. | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. |
| No. of weeks in Annual Series, | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 |
| Births registered, | 216 | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 |
| Deaths registered, | 203 | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104† |
| Annual Death-rate per 1,000 of estimated Population, | 28·6 | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 |
| Ages: Under 1 year | 30 | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 |
| 1–5 years, | 15 | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 |
| 5–20 years, | 23 | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 |
| 20–40 years, | 39 | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 |
| 40–60 years, | 41 | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 |
| 60 years and upwards, | 55 | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 |
| Scarlet Fever, | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . |
| Diphtheria, | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . |
| Diarrhœal Diseases, | . | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 |
| Pneumonia, | 18 | 12 | 25 | 12 | 16 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 |
| Tuberculous Disease, Phthisis, | 22 | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 |
| Tuberculous Disease, Other Forms, | 8 | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 |
| Cancer, Malignant Disease, | 7 | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 |
| Diseases of Respiratory System, | 43 | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 |
| Violent Deaths, | 5 | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | 4 | . | . | 4 | 3 | 2 | 2 | 4 |
| Number of Uncertified Deaths, | 2 | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . |

* Formerly described as "Simple Continued Fever."
† Including 3 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Ilborn. | Deaths. Exclusive of Ilborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Aug. 10, | 2,055 | 1,097 | 12·0 | . | 36 | 16 | 11 | 24 | 1 | 24 |
| EDINBURGH, | 345,747 | „ 10. | 151 | 92*a* | 13·9 | . | 2 | . | . | 6 | . | 1 |
| GLASGOW, | 847,584 | „ 10, | 426 | 234*a* | 14·4 | . | 4 | . | 1 | 15 | 2 | 10 |
| CALCUTTA, | 847,796 | June 22, | . | 359 | 22·0 | 12 | . | . | . | . | 61‡ | 77* |
| BOMBAY, | 977,822 | July 9, | 375 | 487 | 25·9 | . | 2 | . | . | 2 | 51‡ | 54* |
| MADRAS, | 509,346 | June 21, | 388 | 303 | 31·4 | . | 5 | ? | ? | ? | 79 | 34 |
| PARIS, | 2,750,000 | July 27, | 960 | 866 | 16·5 | 4 | 14 | 6 | 3† | 8 | 9 | 42 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 20, | 223 | 137 | 11·4 | . | . | 1 | 1† | . | 1 | 9 |
| ANTWERP, | 304,032 | „ 20, | 129 | 55 | 9·4 | . | . | . | . | . | 1 | 13 |
| AMSTERDAM, | 564,342 | „ 27, | 287 | 122 | 11·3 | . | 2 | . | . | 2 | 1 | 11 |
| COPENHAGEN, | 432,000 | „ 20, | 197 | 124 | 15·0 | . | 1 | . | . | 6 | . | 6 |
| STOCKHOLM, | 332,738 | „ 20, | 166 | 74 | 11·6 | . | 2 | 4 | . | 1 | . | 3 |
| CHRISTIANIA, | 226,774 | „ 27, | 96 | 51 | 11·7 | . | 1 | . | 2† | 1 | . | 2 |
| ST. PETERSBURG, | 1,482,799 | „ 27. | . | 654 | 23·0 | . | 22 | 8 | 14 | 3 | 10 | 191 |
| MOSCOW, | 1,172,421 | June 22, | . | 771 | 34·3 | . | 25 | 7 | 4† | 5 | 6 | 277 |
| BERLIN, | 2,088,784 | July 13, | 981 | 528 | 13·2 | . | 11 | 6 | 4† | 18 | 1 | 56 |
| HAMBURG, | 824,792 | „ 20, | . | 191 | 12·0 | . | 1 | 1 | 1† | 1 | 1 | 23 |
| BRESLAU, | 485,225 | „ 27, | . | . | . | . | . | . | . | . | . | . |
| MUNICH, | 548,000 | „ 27, | . | 163 | 15·5 | . | 2 | 2 | . | . | . | 31 |
| VIENNA (with suburbs). | 1,979,003 | „ 27, | 911 | 545 | 14·3 | . | 8 | 4 | 3† | 3 | . | 52 |
| BUDA-PESTH, | 802,235 | „ 6, | 365 | 278 | 18·0 | . | 4 | 5 | 1† | 4 | 2 | 21 |
| PRAGUE and Faubourgs. | 470,906 | „ 6, | 181 | 199 | 21·9 | . | 2 | 1 | 1† | . | 1 | 15 |
| TRIESTE, | 200,962 | „ 13, | 113 | 79 | 20·5 | . | . | . | . | 1 | . | 10 |
| ROME, | 542,760 | May 25, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | June 22, | 85 | 60 | 17·9 | . | . | 1 | . | 1 | . | 7 |
| NEW YORK, | 4,285,435 | July 13, | 2,347 | 1,456 | 17·7 | . | 29 | 15 | 31† | 5 | 12 | 219 |
| PHILADELPHIA, | 1,500,595 | „ 6, | . | 406 | 14·0 | . | 3 | . | 6† | 2 | 12 | 37 |
| BOSTON, | 609,757 | „ 13, | . | 184 | 15·7 | . | 3 | 3 | 5 | 1 | 3 | 4 |

*a.* Including 2 deaths from cerebro-spinal meningitis in Edinburgh, and 4 deaths in Glasgow.
* Including 44 deaths from cholera in Calcutta, and 2 in Bombay.
† Including deaths from croup.
‡ Exclusive of 25 deaths from plague in Calcutta, and 18 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th August, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 1 | . | . | . | . | 1 | 2 | 1 | . | . | . | 5 |
| " " 1, West, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 2, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 3, | . | . | . | . | . | . | . | . | 7 | . | . | . | 7 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No 1, | . | . | . | . | 3 | . | . | 2 | 5 | . | . | . | 10 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 |
| " " 4, | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 2 | 1 | . | 5 | . | 2 | 5 | 13 | . | . | . | 28 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th August, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 10th August. | | | |
|---|---|---|---|---|---|---|---|
| | July 20. | July 27. | Aug. 3. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 31 | 24 | 23 | 8 | 3 | 1 | 27 |
| Scarlet Fever, | 40 | 42 | 38 | 10 | 8 | . | 40* |
| Typhus, | 2 | 2 | 1 | 1 | . | . | 2 |
| Diphtheria, | 22 | 22 | 18 | 4 | 2 | 1 | 19 |
| Enteric Fever, | 23 | 24 | 23 | 5 | 3 | 1 | 24 |
| Pneumonia, | 25 | 29 | 21 | 6 | 8 | . | 19 |

* Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 10th August, 1907 :—

"Throughout this week, which was changeable and showery, a succession of atmospheric depressions of moderate depth passed in a northeasterly direction across Ireland and Scotland to Scandinavia. At the same time the barometer remained relatively high and steady over Iceland, and on Sunday and after Tuesday over the Iberian Peninsula and France also. As a consequence of this distribution of atmospheric pressure fresh to strong S.W. and W. winds swept over the British Isles, and showers fell at frequent intervals in most districts, the S.E. of England, however, and in particular the London area, escaping the bad weather to a large extent. Sunday was generally fine and warm, the thermometer rising to 75° in London and to 72° or 73° at many English stations—Margate reported 78°. Monday—'Bank Holiday'—was generally favourable, though showers fell in the evening. At 8 a.m. of Tuesday a shallow depression lay over North Germany. This system quickly increased in depth and passed northwards to Sweden, where it caused a severe gale and rainstorm during the following night. Even at Malin Head in Donegal the wind blew a strong gale from W. for some hours during Tuesday night and the rainfall was ·62 inch. By Thursday morning another depression had arrived off the N. of Scotland from S.W. It travelled slowly, not reaching the Shetlands till Friday morning, when the barometer was down to 29·25 inches at Sumburgh Head. In the afternoon of the last named day another depression came in over the N.W. of Ireland, and this kept the weather broken, squally and showery to the end of the week. In Dublin the mean height of the barometer was 29·766 inches, the range of pressure being between 29·517 inches at 9 a.m. of Sunday (wind, S.W.) and 29·997 inches at 9 a.m. of Wednesday (wind, W.). The corrected mean temperature was 59·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·0°. The screened thermometers rose to 68·5° on Thursday, having fallen to 51·8° on Wednesday. The prevalent winds were S.W. and W. Rain fell daily on the last six days to the amount of ·555 inch, ·210 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·762 inches. The highest reading (29·986) was on Wednesday at 9 a.m., wind W.S.W., and the lowest (29·488) on Sunday at 9 a.m., wind S.S.W.

The mean temperature for the week was 58·3°, being 0·6° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Thursday, on which day the thermometer registered 67·8°, and was lowest on Monday and Tuesday, the mercury having fallen to 48·9°. The mean of the Dry Bulb for the week was 57·8°, and of the Wet Bulb 54·9°. The mean humidity of the air was ·83, complete saturation being represented by 1·0. The rainfall during the week measured 0·745 inch.

At Greenwich the mean temperature for the week was 62·3°, the maximum 79·0°, and the minimum 49·9°; at Glasgow the maximum was 66·8°, the minimum 52·0°, and the mean 58·0°; and at Edinburgh the maximum was 66·1°, the minimum 50·7°, and the mean 57·5°. The rainfall at Greenwich measured 0·18 in.; at Glasgow 0·97 in.; and at Edinburgh 0·12 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

### Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Aug. 4, | 29·638 | 65·5 | 51·7 | 58·6 | 61·0 | 58·0 | ·83 | ·6 | 4·0 | ·000 | S.S.W. | Calm. |
| Monday, „ 5, | 29·759 | 66·8 | 48·9 | 57·9 | 56·3 | 53·1 | ·81 | ·5 | 8·2 | ·055 | S.S.W. | S.W. |
| Tuesday, „ 6, | 29·754 | 61·2 | 48·9 | 55·1 | 55·1 | 52·3 | ·83 | ·9 | 8·5 | ·150 | S.W. | S.W. |
| Wednesday, „ 7, | 29·900 | 63·6 | 50·0 | 56·8 | 57·6 | 53·7 | ·77 | ·8 | 5·0 | ·115 | W.S.W. | S.W. |
| Thursday, „ 8, | 29·856 | 67·8 | 56·7 | 62·3 | 59·4 | 57·2 | ·87 | ·7 | 6·7 | ·185 | W.S.W. | W. |
| Friday, „ 9, | 29·740 | 65·3 | 50·9 | 58·1 | 58·5 | 55·9 | ·84 | ·8 | 4·5 | ·205 | S.W. | S.S.W. |
| Saturday, „ 10, | 29·687 | 65·6 | 52·9 | 59·3 | 56·7 | 54·1 | ·84 | ·6 | 10·8 | ·035 | S.W. | S.W. |
| Mean, . . | 29·762 | 65·1 | 51·4 | 58·3 | 57·8 | 54·9 | ·83 | ·7 | Total 47·7 | Total ·745 | Prevailing Wind, S.W. | |

*Sunday*—Day cloudy, fine; night clear. *Monday*—Cloudy day, light showers p.m.; night clear. *Tuesday*—Day cloudy and showery; night cloudy. *Wednesday*—Cloudy day, light showers 4 p.m. to 7.30 p.m., at intervals; night cloudy, showers at intervals. *Thursday*—Cloudy day, light and heavy showers 3.45 p.m. to 5.0 p.m.; night clear. *Friday*—Day cloudy, fine, heavy rain 9.10 p.m. to 10.40 p.m.; night clear. *Saturday*—Cloudy day, light showers a.m.; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

### Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 10th, 1907.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Aug. 4, | 65·4 | 60·5 | 57·6 | 67·1 | 57·0 | 62·1 | 4·2 | — |
| Monday, „ 5, | 62·6 | 59·9 | 57·8 | 68·7 | 52·0 | 60·4 | 8·2 | ·045 |
| Tuesday, „ 6, | 59·9 | 59·9 | 57·6 | 63·5 | 61·2 | 62·4 | 9·7 | ·128 |
| Wednesday, „ 7, | 59·0 | 59·0 | 57·8 | 64·7 | 50·7 | 57·7 | 4·2 | ·088 |
| Thursday, „ 8, | 62·0 | 59·6 | 57·4 | 69·6 | 58·1 | 63·9 | 6·2 | ·179 |
| Friday, „ 9, | 59·7 | 60·1 | 57·3 | 67·0 | 53·0 | 60·0 | 2·7 | ·107 |
| Saturday, „ 10, | 61·0 | 59·8 | 57·4 | 66·7 | 54·2 | 60·5 | 9·4 | ·059 |
| Weekly Mean, . | 61·4 | 59·8 | 57·6 | 66·8 | 55·2 | 61·0 | Total 44·6 | Total ·606 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18383.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 17TH AUGUST, 1907. [No. 33.

*General Register Office, Charlemont House,*
*Dublin, 19th August,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending | | | | Average Rate for 4 weeks. | Towns, &c. | Week ending | | | | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | | | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | |
| 22 Town Dists. | 18·0 | 16·5 | 15·5 | 15·3 | 16·3 | Lisburn, | 36·4 | 9·1 | 9·1 | 4·5 | 14·8 |
| Armagh, | 13·7 | . | 13·7 | 27·5 | 13·7 | Londonderry, | 17·2 | 14·7 | 19·6 | 25·8 | 19·3 |
| Ballymena, | 23·9 | 14·4 | 14·4 | 14·4 | 16·8 | Lurgan, | 17·7 | 13·3 | 22·1 | . | 13·3 |
| Belfast, | 16·5 | 16·2 | 14·6 | 14·2 | 15·4 | Newry, | 12·6 | 8·4 | 8·4 | 12·6 | 10·5 |
| Clonmel, | 5·1 | 20·5 | 5·1 | 20·5 | 12·8 | Newtownards, | 5·7 | 5·7 | 34·3 | 11·4 | 14·3 |
| Cork, | 16·4 | 18·5 | 19·2 | 13·7 | 16·9 | Portadown, | 25·8 | 10·3 | 10·3 | 10·3 | 14·2 |
| Drogheda, | 16·3 | 12·3 | 24·5 | 8·2 | 15·3 | Queenstown | 6·6 | 6·6 | 6·6 | 13·2 | 8·3 |
| Dublin Reg. Area, | 21·2 | 18·0 | 15·7 | 17·8 | 18·2 | Sligo, | 9·6 | 4·8 | 9·6 | . | 6·0 |
| Dundalk, | 8·0 | 12·0 | 8·0 | 8·0 | 9·0 | Tralee, | . | 15·9 | 31·7 | . | 11·9 |
| Galway, | 19·4 | 15·5 | 11·7 | 7·8 | 13·6 | Waterford, | 23·4 | 23·4 | 17·5 | 13·6 | 19·5 |
| Kilkenny, | 4·9 | 9·8 | 9·8 | 4·9 | 7·4 | Wexford, | 23·3 | 23·3 | 23·3 | 18·7 | 22·1 |
| Limerick, | 15·0 | 19·1 | 10·9 | 19·1 | 16·0 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·3 per 1,000, the rates varying from 0·0 in eighteen of the districts to 10·3 in Clonmel, the 4 deaths from all causes registered in that district including 2 from diarrhœal diseases. Among the 101 deaths from all causes registered in Belfast are 2 from measles, 2 from whooping-cough, one from enteric fever, 3 from diarrhœal diseases, and 6 from cerebro-spinal fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—110 boys and 100 girls; and the deaths to 145—73 males and 72 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 19·4 in every 1,000 of the population. Omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 17·8 per 1,000. During the thirty-three weeks ending with Saturday last the death-rate averaged 25·8, and was 0·2 above the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Of the 145 deaths registered, there were 7 from measles, 3 from whooping-cough, one from enteric fever, 6 from diarrhœal diseases, and one from cerebro-spinal fever. In each of the 3 preceding weeks, deaths from measles were 3, 6, and 5; deaths from whooping-cough were 4, 4, and one; deaths from enteric fever were one, 0, and one; deaths from diarrhœal diseases were 4, 3, and 5; and deaths from cerebro-spinal fever were one, 0, and 0.

Broncho-pneumonia caused 3 deaths and *pneumonia* (not defined) 4 deaths.

The deaths from all forms of tuberculous disease which, in the 3 preceding weeks, numbered 35, 28, and 30, respectively, fell to 26 last week. The latter included 5 deaths from tuberculous phthisis, 14 deaths returned as from *phthisis*, 2 deaths from tuberculous meningitis, one death each from tuberculous peritonitis and *tabes mesenterica*, 2 deaths from other forms of tuberculous disease, and one death from *scrofula*.

Two deaths were due to carcinoma and 4 to cancer (undefined).

The deaths of 3 infants prematurely born were registered.

Diseases of the brain and nervous system caused 9 deaths, including 2 (of infants under one year of age) from *convulsions*.

There were 15 deaths from diseases of the heart and blood vessels and 15 deaths from bronchitis.

Of the 2 deaths caused accidentally, one (that of an infant under one year of age) was caused by overlaying in bed.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise one death of an infant under one year of age and the death of a person aged 62 years.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 12 were under one month old), and 31 were aged 60 years and upwards, including 16 persons aged 70 and upwards, of whom 4 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the N. Dublin Union Workhouse and 17 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·8 per 1,000; the rate in the City was 19·2 (North City Districts, 19·6; South, 18·8), and in the Suburbs, 12·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·3 (1·7 in the North City Districts, and 2·8 in the South) and for the Suburbs, 2·3 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·4 per 1,000. There was one death each from enteric fever and *phthisis*, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000, and include 3 deaths from diarrhœal diseases, 2 from *pneumonia* (not defined), 4 from tuberculous disease, and 4 from diseases of the respiratory system.

*No. 2 North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. Among them are 4 from *phthisis* and one from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·9 per 1,000. Broncho-pneumonia caused one death, tuberculous disease of the lungs 5 deaths, and diseases of the respiratory system 2 deaths.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 14·2; and Finglas and Glasnevin, part of, 0·0. Of the 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from measles.

*No. 1 South City District* (South Earl-street).—The deaths (20) represent an annual rate of 26·1 per 1,000, and include one death each from measles and *pneumonia* (not defined), 5 deaths from tuberculous disease, and 4 from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 10·1 per 1,000.

*No. 3 South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·5 per 1,000. One of the deaths was from measles, 2 were from whooping-cough, 3 from diarrhœal diseases, and 2 from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. Whooping-cough caused one death, and there were 3 deaths from tuberculous disease and 2 from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000, and include 2 deaths from broncho-pneumonia.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·7; Pembroke, 13·1; Blackrock, 17·9; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts consist of one death from measles for Pembroke and 3 deaths from measles for Kingstown. Among the 8 deaths from all causes for Rathmines and Rathgar was one each from *pneumonia* (not defined), *phthisis*, and laryngitis; the 7 deaths from all causes for Pembroke include one death from tuberculous disease and one from bronchitis; and the 3 deaths from all causes for Blackrock include one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

:ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. rcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive itary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock an District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban rict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 17th August, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| TIES AND URBAN STRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ity of ublin. | July 27, | . | — | — | 4 | . | . | 1 | . | 6 | 4 | 5 | . | — | — | 2 | — | — | 22 |
| | Aug. 3, | . | — | — | 1 | . | . | 4 | . | 2 | 5 | 16 | . | — | — | . | — | — | 28 |
| | Aug. 10, | . | — | — | 2 | 1 | . | 5 | . | 2 | 5 | 13 | . | — | — | . | — | — | 28 |
| | Aug. 17, | . | — | — | 5 | 1 | . | 8 | . | 3 | 11 | 15 | 1 | — | — | . | — | — | 44 |
| hmines Rathgar rban strict. | July 27, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Aug. 3, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| nbroke rban strict. | July 27, | . | 10 | . | 1 | . | . | . | . | . | . | 1 | . | — | 7 | . | — | — | 19 |
| | Aug. 3, | . | 5 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 5 |
| | Aug. 10, | . | 39 | . | . | . | . | 1 | . | 1 | . | . | . | — | 2 | . | — | — | 43 |
| | Aug. 17, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 11 |
| ckrock rban strict. | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 3, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug 17, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| gstown rban strict. | July 27, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 3, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ty of lfast. | July 27, | . | — | — | 2 | . | . | 3 | . | 2 | 4 | 6 | 2 | — | — | 2 | — | — | 21 |
| | Aug. 3, | . | — | — | 5 | . | . | 4 | 1 | 11 | 2 | 1 | . | — | — | 3 | — | — | 27 |
| | Aug. 10, | . | — | — | 2 | . | . | 1 | . | 4 | 4 | 4 | . | — | — | 5 | — | — | 20 |
| | Aug. 17, | . | — | — | 9 | . | . | 6 | . | 5 | 6 | 6 | 2 | — | — | 3 | — | — | 37 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ble XII. exhibits the number of cases of certain infectious diseases treated in the in Hospitals during the week ended 17th August, 1907.

om this it appears that:—

e cases of measles were admitted into hospital during the week, 11 were discharged, was one death, and 20 cases remained under treatment at its close. At the close of each three preceding weeks the cases of measles under treatment numbered 24, 23, and 27.

ven cases of scarlet fever were admitted to hospital, 12 were discharged, and 35* cases ined under treatment at the close of the week.

e case of typhus was admitted to hospital during the week, one was discharged, cases remained under treatment at its close.

ght cases of diphtheria were admitted to hospital, 8 were discharged, there was one , and 18 patients remained under treatment at the close of the week.

ven cases of enteric fever were admitted to hospital during the week, 3 were discharged, were 2 deaths, and 30 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, e discharged, and 22 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the vas 12·0), was equal to an average annual death-rate of 11·8 per 1,000 persons living, verage rate for 8 principal towns of Scotland was 12·6 per 1,000, the rate for Glasgow 12·8 and for Edinburgh 11·6.

INFECTIOUS DISEASE IN EDINBURGH.

e Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health inburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th t. From this Report it appears that of a total of 40 cases notified 20 were scarlet fever, 10 diphtheria, ipelas, and 3 enteric fever. Among the 273 cases of infectious diseases in hospital at the close of eek were 89 cases of scarlet fever, 39 of measles, 37 of whooping-cough, 32 of diphtheria, 2 of ranous croup, 9 of enteric fever, and 9 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 17th August, 1907, in the DUBLIN REGISTRATION **AREA** and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. BIRTHS | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Numbers Registered. BIRTHS. | DEATHS. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 17th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 10th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 3rd August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | ° | ° | ° | | ° | ° | ° | | ° | ° | ° | |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 25·5 | 15·3 | 1·3 | 546 | 328 | 69 | 79 | . | 9 | . | . | 5 | . | . | 2 | 12 | 14 | 48 | 18 | 19 | 39 | 3 | 6 | 110 | 11 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| DUBLIN REGISTRATION AREA: TOTAL, d. | 890,691 | 28·4 | 28·0 | 17·8 | 2·3 | 210 | 133 | 36 | 28 | . | 7 | . | . | 3 | . | . | 1 | 6 | 7 | 18 | 6 | 6 | 18 | 1 | 2 | 52 | 2 | f72·3 | 43·9 | 58·9 | 0·61 | f67·6 | 48·9 | 58·2 | 0·75 | f68·6 | 42·9 | 57·7 | 0·52 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | 2 | g73·1 | 47·8 | 60·1 | 0·47 | g63·5 | 51·8 | 59·9 | 0·56 | g67·6 | 47·1 | 59·1 | 0·26 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | h73·3 | 44·0 | 58·6 | 0·76 | h69·9 | 50·0 | 59·4 | 0·85 | h67·9 | 44·0 | 58·0 | 0·56 |
| CITY OF DUBLIN, | 300,850 | 28·0 | 30·2 | 19·2 | 2·3 | 174 | 111 | 29 | 22 | . | 8 | . | . | 3 | . | . | 1 | 6 | 6 | 17 | 5 | 4 | 15 | 1 | 2 | 50 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. RATHMINES AND RATHGAR. | 35,606 | 20·8 | 19·0 | 11·7 | . | 13 | 8 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| PEMBROKE | 27,874 | 17·5 | 26·2 | 13·1 | 1·9 | 14 | 7 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BLACKROCK | 8,759 | 8·1 | 17·9 | 17·9 | . | 3 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| KINGSTOWN, | 17,622 | 12·1 | 17·8 | 11·8 | 8·9 | 6 | 4 | . | 1 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 73 | 53 | 60·5 | 0·67 | 67 | 51 | 59·6 | 0·37 | 67 | 48 | 58·9 | 0·52 |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST (i), | 370,163 | 25·2 | 23·7 | 14·2 | 1·1 | 168 | 101 | 19 | 19 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 | 28 | 2 | 69·0 | 45·0 | 57·6 | 1·39 | 66·0 | 49·5 | 57·6 | 0·86 | 66·0 | 49·5 | 56·3 | 0·61 |
| CORK, | 76,122 | 33·6 | 26·7 | 13·7 | . | 39 | 20 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 | 11 | 2 | 66 | 52 | 58·1 | 1·21 | 65 | 51 | 57·7 | 0·12 | 67 | 43 | 58·2 | 1·82 |
| LONDONDERRY, | 42,475 | 19·6 | 30·7 | 25·8 | . | 25 | 21 | 4 | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . | 12 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | 38,151 | 18·1 | 23·2 | 19·1 | . | 17 | 14 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | 26,769 | 18·7 | 15·6 | 13·6 | . | 8 | 7 | . | 4 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | 15,426 | 2·5 | 27·2 | 7·8 | . | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | 65 | 48 | 58·3 | 1·33 | 65 | 52 | 59 | 1·30 | 71 | 45 | 60 | 0·75 |
| DUNDALK, | 13,076 | 9·4 | 4·0 | 8·0 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| DROGHEDA, | 12,760 | 8·6 | 24·5 | 8·2 | 4·1 | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| NEWRY, | 12,405 | 17·8 | 37·8 | 14·6 | . | 9 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 67·9 | 48·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 |
| LURGAN, | 11,782 | 13·8 | 22·1 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 67·9 | 48·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 |
| LISBURN, | 11,461 | 10·1 | 31·8 | 4·5 | . | 7 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 67·9 | 48·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·2 | 0·64 |
| WEXFORD, | 11,168 | 23·2 | 14·0 | 18·7 | . | 3 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BALLYMENA, | 10,886 | 8·9 | 43·1 | 14·4 | . | 9 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | 10,870 | 3·7 | 28·8 | . | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 67·1 | 44·3 | 56·9 | 1·46 | 65·2 | 46·8 | 56·7 | 0·92 | 68·3 | 37·0 | 55·8 | 1·09 |
| KILKENNY, | 10,609 | 11·5 | 34·3 | 4·9 | . | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 72 | 49 | 58·5 | 0·97 | 68 | 45 | 57·4 | 0·45 | 68 | 43 | 58·0 | 0·97 |
| CLONMEL, | 10,167 | 7·8 | 30·8 | 20·5 | 10·3 | 6 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| PORTADOWN, | 10,092 | 13·2 | 10·7 | 10·3 | . | 4 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 67·9 | 48·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·41 | 68·0 | 44·0 | 57·2 | 0·64 |
| TRALEE, | 9,867 | 16·6 | 5·8 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| NEWTOWNARDS, | 9,110 | 18·9 | 17·2 | 11·4 | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | 70 | 45 | 57·0 | 1·28 | 66 | 50 | 57·3 | 0·75 | 68 | 46 | 55·5 | 0·43 |
| QUEENSTOWN, | 7,909 | 14·4 | 18·2 | 18·2 | . | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 66 | 52 | 58·1 | 1·21 | 66 | 51 | 57·7 | 0·12 | 67 | 48 | 58·2 | 1·33 |
| ARMAGH, | 7,588 | 22·2 | 20·6 | 27·5 | . | 3 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 67·9 | 48·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 | 68·0 | 44·0 | 57·4 | 0·64 |

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Ratnagar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 17th August, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLOCKLER & HOWTH No. 1 (part of). | GOODLOCK and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 1 | . | 3 | 7 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | 3 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | . | 3 | . | . | . | . | . | . | . | 3 | . | . | . | . | . | . | 6 | . |
| Pneumonia, | . | 2 | . | 1 | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | 7 | . |
| Tuberculous Phthisis, | 1 | 2 | 4 | 5 | . | . | . | 3 | . | . | 2 | . | 1 | . | . | . | 18 | 1 |
| Tuberculous Disease. Other Forms. | . | 2 | . | . | . | . | . | 2 | . | . | 1 | . | . | 1 | . | . | 6 | 1 |
| Cancer, Malignant Disease, | . | . | 1 | 2 | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 6 | . |
| Other General Diseases, | 2 | 1 | 2 | . | . | . | . | 4 | 1 | 3 | 2 | 1 | 1 | 1 | . | . | 18 | 2 |
| Total, | 4 | 10 | 7 | 8 | . | 1 | . | 11 | 1 | 10 | 6 | 3 | 5 | 3 | . | 3 | 72 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 2 | 1 | . | 1 | 2 | . | . | 1 | . | 1 | . | . | . | . | 1 | . | 9 | . |
| Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessels, | 1 | 2 | 1 | . | 1 | 1 | . | 1 | 1 | 1 | 1 | 1 | 1 | 1 | . | . | 13 | 2 |
| Respiratory System, | . | 4 | 1 | 2 | . | . | . | 4 | . | 2 | 2 | . | 1 | 1 | 1 | . | 18 | . |
| Digestive System, | . | 1 | 2 | 1 | . | 1 | . | . | 1 | 1 | . | . | . | . | . | 1 | 8 | 2 |
| Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 |
| Urinary System, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 |
| Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| " Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 3 | 8 | 4 | 4 | 3 | 2 | . | 8 | 2 | 5 | 3 | 1 | 2 | 2 | 2 | 1 | 50 | 7 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 2 | . | 1 | . | . | . | 1 | 1 | . | 1 | . | 1 | 2 | 1 | . | 10 | . |
| **E. VIOLENT DEATHS,** | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| **Deaths from all Causes,** | 8 | 20 | 11 | 13 | 3 | 3 | . | 20 | 4 | 15 | 10 | 4 | 8 | 7 | 3 | 4 | 133 | 12 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 14·4 | 26·6 | 19·1 | 20·9 | 30·6 | 14·2 | . | 26·1 | 10·1 | 18·5 | 14·8 | 23·5 | 11·7 | 13·1 | 17·9 | 11·8 | 17·8 | . |
| | 19·6 | | | | | | | 18·8 | | | | | 12·8 | | | | | |
| | 19·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 3 | 4 | 3 | 1 | . | . | . | 7 | 1 | 5 | 3 | 2 | 2 | 3 | 2 | . | 36 | . |
| 1 and under 5 years, | . | 5 | . | . | . | 1 | . | 2 | . | 1 | 2 | 1 | 1 | 1 | . | 3 | 17 | 2 |
| 5 " 20 " | . | . | 3 | 1 | 1 | . | . | 2 | . | 1 | . | . | . | . | . | . | 8 | 2 |
| 20 " 40 " | 1 | 4 | 2 | 4 | . | 1 | . | 1 | . | 2 | 2 | . | 1 | 1 | . | . | 19 | 3 |
| 40 " 60 " | 3 | 5 | 1 | 4 | . | 1 | . | 3 | 2 | 2 | 1 | 1 | 1 | 1 | . | . | 25 | 2 |
| 60 and upwards, | 1 | 2 | 2 | 3 | 2 | . | . | 5 | 1 | 4 | 2 | . | 3 | 1 | 1 | 1 | 28 | 3 |
| Number of Uncertified Deaths, | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 5 | 2 | 2 | . | 1 | . | 4 | . | 2 | 2 | . | 1 | 1 | . | . | 22 | 11 |
| Workhouse Hospitals, | 1 | 5 | 5 | 2 | . | . | . | 8 | 1 | 4 | 4 | . | . | . | . | . | 30 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 33rd Week of the 10 years 1897-1906. | In the Week ending Sa 17th August, 1907. Deaths of Persons of the | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 21, 1897. | Aug. 20, 1898. | Aug. 19, 1899. | Aug. 18, 1900. | Aug. 17, 1901. | Aug. 16, 1902. | Aug. 22, 1903. | Aug. 20, 1904. | Aug. 19, 1905. | Aug. 18, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. |
| Mean Temperature. | ° 58·8 | ° 59·5 | ° 61·0 | ° 60·2 | ° 58·9 | ° 57·0 | ° 53·3 | ° 55·8 | ° 58·2 | ° 58·9 | ° 58·2 | ° 58·9 | | | | |
| **ALL CAUSES.** | 163 | 146 | 234 | 147 | 148 | 145 | 169 | 183 | 151 | 151 | 163·7 | 145 | 12 | 24 | 19 | 10 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 1 | 1 | 10 | . | . | 20 | . | 4 | 1 | 1 | 3·8 | 7 | . | 2 | 5 | . |
| Scarlet Fever, ... ... | 3 | 1 | . | . | 1 | 1 | . | . | 1 | . | ·7 | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | 1 | . | 1 | . | 1 | . | . | ·3 | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | . | 4 | . | 1 | 2 | . | 1 | . | . | ·9 | . | . | . | . | . |
| Whooping-cough, ... ... | 2 | 1 | 7 | 1 | 3 | . | 1 | 3 | . | 1 | 1·9 | 3 | . | . | 3 | . |
| Diphtheria, ... ... | . | . | 1 | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| *Pyrexia*† (origin uncertain), | . | . | 1 | 1 | . | . | . | . | . | 1 | ·3 | . | . | . | . | . |
| Enteric Fever, ... ... | 2 | 3 | 1 | 1 | . | 1 | . | 1 | 1 | . | 1·0 | 1 | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 32 | 23 | 49 | 25 | 30 | . | 3 | 10 | 10 | 11 | 25·3 | 3 | . | 1 | 1 | . |
| | | | | | | 1 | 8 | 23 | 10 | 18 | | 3 | 1 | . | 2 | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 4 | . | . | . | 1 | . | . | . | 1 | ·6 | 2 | . | 2 | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . |
| | | | | | | . | . | . | . | . | | . | . | . | . | . |
| | | | | | | . | . | . | . | . | | 1 | . | . | . | 1 |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . |
| Pneumonia, Lobar, | | | | | | . | . | . | 1 | . | 5·3 | . | . | . | . | . |
| Pneumonia, Broncho-Epidemic, | | | | | | 6 | 1 | . | 1 | 2 | | 3 | 1 | 1 | 1 | . |
| Pneumonia, Not defined, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| | | | | | | 3 | 4 | 4 | . | 2 | | 4 | . | . | 2 | . |
| Erysipelas, ... ... | . | . | 1 | . | . | . | 2 | . | . | . | ·3 | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | . | . | 1 | . | 1 | . | 1 | . | . | . | ·4 | . | . | . | . | . |
| | | | | | | . | . | . | 1 | . | | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 2 | . | . | ·2 | 2 | . | . | . | 1 |
| Tuberculous Phthisis, "*Phthisis*," ... | 26 | 18 | 26 | 20 | 24 | 1 | 6 | 2 | 6 | 9 | 21·9 | 5 | . | . | . | 1 |
| | | | | | | 17 | 16 | 19 | 17 | 12 | | 14 | . | . | . | 4 |
| Tuberculous Meningitis, ... | 1 | 5 | 2 | 3 | 1 | 3 | 4 | 6 | 3 | 1 | 2·9 | 2 | . | 2 | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 9 | 5 | 9 | 3 | 4 | . | . | 3 | . | 2 | 3·9 | 1 | . | . | . | . |
| | | | | | | . | 1 | 1 | 2 | . | | 1 | . | . | . | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 2 | 6 | 4 | 5 | 6 | 2 | 8 | 8 | 10 | 6 | 5·7 | 2 | . | . | 1 | . |
| | | | | | | . | . | . | . | . | | 1 | . | . | 1 | . |
| Alcoholism, ... ... | 2 | 1 | . | 1 | . | 1 | 1 | . | . | 1 | ·7 | 4 | . | . | . | . |
| Rheumatic Fever, ... ... | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 1 | 5 | 8 | 6 | 3 | 2 | 6 | 2 | 1 | 4 | 6·3 | 2 | . | . | . | . |
| | | | | | | . | . | . | 1 | . | | . | . | . | . | . |
| | | | | | | 6 | 6 | 1 | 3 | 8 | | 4 | . | . | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | 1 | . | 3 | ·4 | 1 | . | . | . | . |
| Premature Birth, ... | 2 | . | . | 2 | 1 | 1 | 5 | 4 | 2 | 1 | 1·8 | 3 | 3 | . | . | . |

The figures for the years 1897-190
† Formerly desc

TY-THIRD WEEK ending Saturday, 17th August, 1907, with the deaths from each cause in the corresponding
ne average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 33rd Week of the 10 years 1897-1906. | In the Week ending Saturday, 17th August, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 21, 1897. | Aug. 20, 1898. | Aug. 19, 1899. | Aug. 18, 1900. | Aug. 17, 1901. | Aug. 16, 1902. | Aug. 22, 1903. | Aug. 20, 1904. | Aug. 19, 1905. | Aug. 18, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 58·8 | ° 59·5 | ° 61·0 | ° 60·2 | ° 58·9 | ° 57·0 | ° 53·3 | ° 55·8 | ° 58·2 | ° 58·9 | ° 58·2 | ° 58·9 | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 2 | 1 | 3 | 2 | 3 | | 1 | . | . | . | 1 | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | . | 1 | 1 | 1 | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| epsy .. ... | | | | | | . | . | 1 | . | . | | 1 | . | . | . | . | . | . | . | 1 |
| ulsions ... .. | | | | | | 13 | 2 | 9 | 4 | 3 | | 2 | . | 2 | . | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | 2 | 1 | 2 | 1 | 1 | | 3 | . | . | . | . | 2 | 1 | . | . |
| vous System (other s.) | 28 | 30 | 30 | 32 | 30 | 2 | . | 1 | 3 | 2 | 32·4 | 1 | 1 | . | . | . | . | . | . | . |
| r. Dis., Endocarditis ... | | | | | | 2 | 2 | 2 | 1 | 4 | | 3 | . | . | . | . | 2 | 1 | . | . |
| bbr. Hæm. Thromb. ... | | | | | | 1 | 1 | 4 | 2 | 1 | | 3 | . | . | . | . | . | 3 | . | . |
| plexy, *Hemiplegia* ... | | | | | | 4 | 6 | 7 | 5 | 1 | | 2 | . | . | . | . | 1 | . | 1 | . |
| urysm ... ... | | | | | | 1 | 2 | 1 | 1 | . | | 1 | . | . | . | . | 1 | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | . | 1 | . | . | . | | 1 | . | . | . | 1 | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 13 | 10 | 11 | 14 | 14 | | 5 | . | . | . | . | 2 | 1 | 2 | . |
| p (not Spasm. nor emb.) | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 11 | 12 | 15 | 9 | 9 | 8 | 13 | 3 | 9 | 11 | 10·0 | 15 | . | 4 | 1 | . | 1 | 1 | 6 | 2 |
| ma, Emphysema ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| risy ... ... | 1 | . | 2 | 1 | 1 | . | 1 | 1 | . | . | 1·2 | 1 | . | . | . | . | 1 | . | . | . |
| piratory Dis. (other) ... | | | | | | 1 | 3 | . | . | . | | 2 | . | . | 1 | . | 1 | . | . | . |
| illitis, Quinsy ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | 2 | 3 | 4 | 2 | 1 | . | 3 | 4 | 6 | 1 | 3·7 | . | . | . | . | . | . | . | . | . |
| ro *Enteritis* ... ... | | | | | | . | 3 | 6 | 1 | 1 | | 2 | . | 1 | . | . | 1 | . | . | . |
| *onitis* (not Puerp.) ... | . | . | 2 | 1 | 1 | . | 3 | 1 | . | 2 | 1·0 | . | . | . | . | . | . | . | . | . |
| nosis of Liver ... | 1 | 1 | 3 | 2 | 1 | 2 | 3 | 2 | 1 | 3 | 2·1 | 1 | . | . | . | . | 1 | . | . | . |
| r Dis. (other) ... | | | | | | 2 | . | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| stive Dis. (other) ... | 6 | 3 | 3 | 1 | 2 | 5 | 9 | 8 | 7 | 3 | 4·7 | 6 | . | . | 1 | . | 1 | . | 4 | . |
| uritis, Acute ... | | | | | | 2 | . | 1 | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| ht's Dis., Albuminuria | 3 | 2 | 6 | 4 | 3 | 1 | 6 | 3 | . | . | 3·5 | . | . | . | . | . | . | . | . | . |
| ary Sys. (Other Dis.) | | | | | | 1 | . | 1 | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| rative Organs Dis. ... | 1 | . | 2 | . | 1 | . | 1 | . | 1 | . | ·6 | . | . | . | . | . | . | . | . | . |
| dbirth (Accid. of) ... | . | . | . | . | 1 | 1 | 1 | . | 1 | 3 | ·7 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 5 | 3 | 9 | 7 | 6 | 3 | 3 | 2 | 4 | 2 | 4·4 | . | . | . | . | . | . | . | . | . |
| r Diseases ... ... | 14 | 10 | 17 | 10 | 6 | 6 | 14 | 6 | 11 | 6 | 10·0 | 19 | 6 | 7 | . | 1 | 2 | 1 | 2 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | 1 | 1 | . | . | 2 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| ehicles and Horses ... | 1 | . | 2 | 2 | 1 | . | . | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| ips, Boats, Docks (exsive of Drowning) ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | . | . | . | . | . | . | 1 | 1 | 2 | . | ·4 | . | . | . | . | . | . | . | . | . |
| rowning ... ... | 1 | 1 | . | 1 | . | . | 1 | 1 | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| uffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . |
| Poison or Poisonous pours | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| r Deaths by Accident | . | 1 | 2 | . | . | 3 | 1 | . | 1 | 1 | ·9 | 1 | . | . | . | 1 | . | . | . | . |
| LENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| de ... ... | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 23 | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. |
| No. of weeks in Annual Series. | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 |
| BIRTHS registered, | 195 | 236 | 254 | 194 | 180 | 259 | 168 | 201 | 220 | 214 | 308 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 274 | 170 | 210 |
| *Average Births in corresponding week of previous 10 years,** | 215 | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 |
| DEATHS registered, | 209 | 228 | 194 | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 |
| Annual Death-rate per 1,000, | 27·9 | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 5 5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 227 | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 185 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 |
| AGES, Under 5 years, | 68 | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 |
| 5—20 ,, | 12 | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 |
| 20—40 ,, | 27 | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 33 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 |
| 40—60 ,, | 48 | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 41 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 |
| 60—80 ,, | 47 | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 23 | 35 | 47 | 31 | 22 | 22 | 27 |
| 80 years and upwards, | 7 | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 |
| Deaths from †— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 |
| Scarlet Fever | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . |
| Whooping-cough, | 3 | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 |
| Diphtheria, | 1 | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 |
| Diarrhœal Diseases, | 3 | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 |
| Influenza, | 4 | 5 | . | . | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . |
| Pneumonia, | 23 | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 |
| Tuberculous Phthisis, | 18 | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 |
| Disease. Other Forms, | 16 | 18 | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 |
| Cancer, Malignant Disease, | 7 | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 |
| Diseases of Heart and Blood Vessels, | 24 | 28 | 31 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 |
| Diseases of Respiratory System, | 41 | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 13 |
| Violent Deaths, | 7 | 3 | 3 | 5 | 4 | 5 | 4 | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 |
| Number of Uncertified Deaths, | 5 | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 |
| Mean Temperature of the Air (Phœnix Park), | 39·0 | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 41·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 53·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 51·0 | 63·8 | 59·4 | 57·7 | 55·3 | 58·9 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 40·1 | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53 8 | 54 8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 |
| Rainfall in inches, | ·385 | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·83 | ·89 | ·81 | ·87 | ·88 | 73 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | 81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·83 | ·82 | ·83 | ·84 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH AUGUST 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 20·1 | 145 | 55 | 10 | 22 | 27 | 27 | 4 | . | 7 | . | . | 3 | . | . | 1 | 6 | 17 | 7 | 19 | 7 | 6 | 2 | 18 | 2 | 67 | 2 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 17·9 | 6 | 1 | . | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 5 | . |
| II. | MIDDLE CLASS, | 87,188 | 11·4 | 19 | 3 | 1 | 2 | 7 | 6 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | . | 1 | . | 10 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,428 | 18·7 | 29 | 10 | 2 | 5 | 5 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | . | 4 | 1 | 16 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 29·6 | 100 | 34 | 6 | 9 | 6 | 5 | . | . | 6 | . | . | 3 | . | . | 1 | 5 | 15 | 4 | 6 | 3 | . | 2 | 7 | 1 | 22 | 1 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 31 | 7 | 1 | 6 | 8 | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | 2 | 3 | . | 6 | . | 14 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | 1 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 18·7 | 3 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 11·8 | 5 | . | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 12·0 | 7 | 2 | 1 | 2 | . | 2 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 11·6 | 6 | . | . | . | 2 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 3 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 5·3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 14·0 | 8 | 4 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | 5 | 1 |
| | 10. Clothing Trades, | 28,260 | 22·4 | 10 | 3 | . | 2 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 2 | . | 4 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 15·5 | 9 | 2 | 1 | 2 | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 1 | 5 | . |
| | 13. Petty Shopkeepers, | 7,894 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 18,425 | 7·8 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | 15. Domestic Servants, | 36,603 | 7·1 | 5 | 2 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 3 | 1 | 1 | . | 1 | . | . | 1 | . | . | 1 | . | . | . | 1 | 3 | . | 1 | 1 | . | . | 1 | . | . | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 27·3 | 47 | 29 | 5 | 5 | 4 | 4 | . | . | 5 | . | . | 2 | . | . | 1 | 4 | 12 | 4 | 5 | 2 | . | 1 | 5 | 1 | 17 | 1 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 31 | 7 | 1 | 6 | 8 | 9 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | 2 | 3 | . | 6 | . | 14 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | 15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | June 29, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 |
| | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . | . |
| | „ 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | „ 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| | „ 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| | „ 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| | „ 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 29,146. | June 29, | 17·3 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . |
| | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 | . |
| | „ 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| | „ 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| | „ 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| | „ 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 |
| | „ 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | June 29, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . |
| | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . | . |
| | „ 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| | „ 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| | „ 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | „ 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | June 29, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | 1 | . |
| | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| | „ 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| | „ 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| | „ 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | June 29, | 26·1 | . | 20 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | 2 | . | . |
| | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| | „ 20, | 23·5 | 1·3 | 18 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| | „ 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| | „ 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | 1 |
| | „ 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | June 29, | 27·9 | 7·6 | 11 | . | . | . | . | 3 | . | . | . | . | . | 1 | . | . | 1 | . | 3 |
| | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| | „ 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . | 3 |
| | „ 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| | „ 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | „ 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | June 29, | 23·5 | 3·7 | 19 | . | . | . | . | 3 | . | . | . | . | 2 | 3 | 1 | 1 | 1 | 1 | . |
| | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 3 | . | 1 | . | . |
| | „ 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | . | 4 | 1 | 3 | . | 2 | . | 2 |
| | „ 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| | „ 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 2 | 5 | . | . |
| | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | 1 | 3 | 1 | . | 2 | . | . | 1 |
| | „ 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | . | 4 | 1 | 4 | . | 5 | . | . |
| | „ 17, | 18·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 2 | . | . | . | 1 | 2 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | June 29, | 25·2 | 1·5 | 17 | . | . | . | . | 1 | . | . | . | . | . | 5 | . | . | 1 | 1 | 1 |
| | July 6, | 25·2 | 3·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 | 1 |
| | „ 13, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |
| | „ 20, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | 1 | . |
| | „ 27, | 26·7 | 3·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |
| | Aug. 3, | 19·3 | 1·5 | 13 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | . | 1 |
| | „ 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 2 | . | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | June 29, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . |
| | July 6, | 13·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| | „ 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | „ 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| | „ 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| | „ 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | June 29, | 20·6 | 3·7 | 11 | . | 1 | . | . | 1 | . | . | . | . | 2 | 3 | . | 1 | . | . | . |
| | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| | „ 27, | 13·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| | „ 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | June 29, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | „ 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| | „ 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | „ 17, | 11·8 | 8·9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | June 29, | 19·0 | 0·7 | 135 | . | . | 1 | . | . | 1 | . | . | 3 | 12 | 23 | 9 | 7 | 13 | . | 2 |
| | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 3 |
| | „ 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| | „ 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| | „ 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| | „ 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| | „ 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| **Cork.** Pop. (in 1901) 76,122. | June 29, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 2 | 4 | 2 | . | 1 | 1 | 3 |
| | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 5 |
| | „ 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| | „ 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | 1 |
| | „ 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| | „ 17, | 13·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | June 29, | 11·0 | . | 9 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| | „ 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| | „ 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| | „ 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| | „ 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | June 29, | 17·8 | 1·4 | 13 | . | . | . | . | 1 | . | . | . | . | 2 | 3 | 1 | . | 1 | . | 2 |
| | July 6, | 16·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 |
| | „ 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | . | . | 2 |
| | „ 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | 1 | . | 2 |
| | „ 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| | „ 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | June 29, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 |
| | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |
| | „ 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |
| | „ 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| | „ 17, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th August, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12 20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 6 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 3 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Do. 2 ,, | 47,959 | 18 | | | 10 | 1 | 1 | 2 | 1 | 2 | 3 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | 3 | . |
| Do. 3 ,, | 47,214 | 23 | | | 16 | 4 | 1 | 1 | 5 | 1 | 4 | . | 1 | . | . | . | . | . | . | 2 | . | 2 | . | 1 | 3 | 1 | 1 | 5 | . |
| Do. 4 ,, | 40,911 | 25 | | | 15 | 3 | 1 | 2 | 4 | 2 | 3 | . | . | . | . | 1 | . | . | . | . | . | 3 | . | . | . | . | . | 6 | 1 |
| Do. 5 ,, | 17,887 | 6 | | | 7 | . | 2 | 1 | . | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | . | 2 | . |
| Do 6 ,, | 48,122 | 19 | | | 7 | 2 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | 1 | . |
| Do. 7 ,, | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 2 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 9 | | | 6 | 1 | . | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 2 | . |
| Do. 10 ,, | 28,064 | 16 | | | 11 | 2 | 2 | 3 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . | 3 | . |
| Do. 11 ,, | 34,802 | 15 | | | 13 | 1 | 1 | 2 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | . | . | . | . | . | 3 | . |
| Do. 12 ,, | 33,588 | 20 | | | 11 | 4 | 3 | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 1 | . | . | 3 | . |
| Do. 13 ,, | 15,006 | 9 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 168 | | | 101† | 19 | 13 | 12 | 21 | 17 | 19 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 | 28 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 4 | 12·2 | . | 3 | . | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Do. 2 ,, | 10,701 | 1 | 9·7 | . | 2 | . | . | | 2 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 3 ,, | 9,978 | 5 | 5·2 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 4 ,, | 8,666 | 7 | 36·1 | . | 6 | . | . | | 5 | | 1 | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 1 | . | 1 | 3 | . |
| Do. 5 ,, | 6,592 | 4 | 15·8 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Do. 6 ,, | 10,702 | 5 | 14·6 | . | 3 | 1 | . | | 2 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 1 |
| Do. 7 ,, | 16,616 | 13 | 9·4 | . | 3 | . | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | 1 |
| Total, | 76,122 | 39 | 13·7 | . | 20 | 1 | . | | 15 | | 4 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 | 11 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Feb. 23. | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13 | July 20 | July 27. | Aug. 3. | Aug. 10. | Aug. 17. |
| No. of weeks in Annual Series, | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 |
| BIRTHS registered, | 159 | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 |
| DEATHS registered, | 146 | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101† |
| Annual Death-rate per 1,000 of estimated Population, | 20·6 | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 |
| AGES: Under 1 year | 21 | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 |
| 1-5 years, | 13 | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 23 | 14 | 23 | 13 | 14 | 13 | 13 |
| 5-20 years, | 22 | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 |
| 20-40 years, | 17 | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 24 | 17 | 28 | 33 | 19 | 15 | 21 |
| 40-60 years, | 26 | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 19 | 33 | 23 | 17 |
| 60 years and upwards, | 47 | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 |
| Scarlet Fever, | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 |
| Diphtheria, | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 |
| Diarrhœal Diseases, | . | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 |
| Pneumonia, | 12 | 25 | 12 | 16 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 |
| Tuberculous Disease: Phthisis, | 20 | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 11 |
| Tuberculous Disease: Other Forms, | 7 | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 |
| Cancer Malignant Disease, | 6 | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 |
| Disease of Respiratory System, | 34 | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 18 | 22 | 5 | 18 | 16 | 15 | 9 | 11 |
| Violent Deaths, | 1 | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 |
| Number of Uncertified Deaths, | 1 | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 |

* Formerly described as "Simple Continued Fever."
† Including 6 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Aug. 17, | 2,507 | 1,093 | 12·0 | . | 43 | 8 | 19 | 29 | 6 | 23 |
| EDINBURGH, | 345,747 | „ 17, | 129 | 77*a* | 11·6 | . | 1 | . | 1 | 4 | . | . |
| GLASGOW, | 847,584 | „ 17, | 386 | 208*a* | 12·8 | . | 2 | . | . | 10 | 2 | 8 |
| CALCUTTA, | 847,796 | June 29, | . | 409 | 25·0 | 2 | 28 | . | 1 | . | 76‡ | 105* |
| BOMBAY, | 977,822 | July 16, | 335 | 560 | 29·8 | . | 3 | . | . | 1 | 44‡ | 55* |
| MADRAS, | 509,346 | June 28, | 380 | 326 | 33·2 | 1 | 1 | ? | ? | ? | 89 | 52 |
| PARIS, | 2,750,000 | Aug. 3, | 960 | 826 | 15·7 | 1 | 16 | 11 | 2† | 7 | 8 | 55 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | July 27, | 187 | 150 | 12·5 | . | . | . | . | 1 | 2 | 9 |
| ANTWERP, | 304,032 | „ 27, | 136 | 78 | 13·4 | 1 | 1 | . | . | 2 | 2 | 7 |
| AMSTERDAM, | 564,342 | Aug. 3, | 272 | 111 | 10·3 | . | 1 | 2 | . | 5 | 1 | 3 |
| COPENHAGEN, | 432,000 | July 27, | 228 | 100 | 12·1 | . | 2 | 1 | . | 2 | . | 8 |
| STOCKHOLM, | 332,738 | „ 27, | 131 | 64 | 10·0 | . | 2 | 1 | . | 1 | . | 3 |
| CHRISTIANIA, | 226,774 | Aug. 3, | 115 | 45 | 10·3 | . | . | . | 3† | . | . | 1 |
| ST. PETERSBURG, | 1,482,799 | „ 3, | . | 618 | 21·7 | . | 10 | 4 | 20 | 4 | 19 | 166 |
| MOSCOW, | 1,172,421 | June 29, | . | 751 | 33·4 | 2 | 24 | 9 | 13† | 2 | 6 | 298 |
| BERLIN, | 2,089,980 | July 20, | 978 | 570 | 14·2 | . | 21 | 2 | 9† | 8 | . | 70 |
| HAMBURG, | 824,792 | „ 27, | . | 184 | 11·6 | . | . | 1 | 2† | 1 | 1 | 13 |
| BRESLAU, | 485,225 | „ 27, | . | 181 | 19·5 | . | . | . | . | 4 | 1 | 20 |
| MUNICH, | 548,000 | Aug. 3, | . | 167 | 15·8 | . | 2 | . | 1† | . | . | 31 |
| VIENNA (with suburbs). | 1,979,003 | „ 3, | 896 | 548 | 14·4 | . | 5 | 3 | 2† | 1 | 4 | 94 |
| BUDA-PESTH, | 802,235 | July 13, | 399 | 274 | 17·8 | . | 7 | 6 | . | . | 1 | 29 |
| PRAGUE and Faubourgs. | 470,906 | „ 13, | 181 | 146 | 16·1 | . | 1 | . | . | . | 2 | 14 |
| TRIESTE, | 200,962 | „ 20, | 122 | 85 | 22·1 | . | . | 1 | . | 4 | . | 18 |
| ROME, | 542,760 | May 25, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | June 29, | 85 | 68 | 20·3 | . | . | . | 1† | . | 1 | 11 |
| NEW YORK, | 1,285,435 | July 20, | 2,213 | 1,555 | 18·9 | . | 24 | 14 | 29† | 6 | 12 | 386 |
| PHILADELPHIA, | 1,500,595 | „ 13, | . | 463 | 16·2 | . | 1 | 1 | 3† | 4 | 6 | 57 |
| BOSTON, | 609,757 | „ 20, | . | 158 | 13·5 | . | 1 | . | 2 | 1 | 2 | 7 |

*a.* Including 2 deaths from cerebro-spinal meningitis in Edinburgh, and 7 in Glasgow.
* Including 68 deaths from cholera in Calcutta, and one in Bombay.
† Including deaths from croup.
‡ Exclusive of 28 deaths from plague in Calcutta, and 18 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th August, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| " " 1, West, | . | . | . | . | 1 | . | 3 | . | 4 | . | . | . | 8 |
| " " 2, | . | 1 | . | . | . | . | . | 2 | 2 | . | . | . | 5 |
| " " 3, | . | . | 1 | . | 1 | . | . | 1 | 1 | . | . | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No 1, | . | . | . | . | 4 | . | . | 3 | 3 | . | . | . | 10 |
| " " 2, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| " " 3, | . | 3 | . | . | 2 | . | . | 1 | . | . | . | . | 6 |
| " " 4, | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Total, | . | 5 | 1 | . | 8 | . | 3 | 11 | 15 | 1 | . | . | 44 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th August, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 17th August. | | | |
|---|---|---|---|---|---|---|---|
| | July 27. | Aug. 3. | Aug. 10. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 24 | 23 | 27 | 5 | 11 | 1 | 20 |
| Scarlet Fever | 42 | 38 | 40 | 7 | 12 | . | 35* |
| Typhus, | 2 | 1 | 2 | 1 | 1 | . | 2 |
| Diphtheria, | 22 | 18 | 19 | 8 | 8 | 1 | 18 |
| Enteric Fever, | 24 | 23 | 24 | 11 | 3 | 2 | 30 |
| Pneumonia, | 29 | 21 | 19 | 9 | 6 | . | 22 |

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 17th August, 1907 :—

"Another week of broken, windy, showery weather has to be recorded. All through the seven days the barometer stood high—30·1 to 30·4 inches—over the North of Spain and the Bay of Biscay, and relatively high —29·7 inches or upwards—over Iceland. In the intervening space atmospheric depression after depression passed northeastwards across Ireland and Scotland to Scandinavia. On Tuesday and again on Thursday the depressions increased much in depth as they travelled, and the winds accordingly became very strong and squally. On Monday and Tuesday the strong S.W. winds were also very warm—on the latter day the thermometer rose to 76° at Lowestoft, 75° at Yarmouth, 74° at Clacton-on-Sea, and 73° in Dublin. Wednesday was again warm in the S.E. of England, but elsewhere temperature gave way, and with the veering of the wind to N.W. on Thursday the weather became positively cold, with thundershowers in many districts and hail in the afternoon in Dublin. During the following night the sheltered thermometer fell to 42° at Wick and Stornoway, 44° at Sumburgh Head, Nairn and Aberdeen, 45° at Donaghadee, 48° in Dublin and at Malin Head, as well as at several British stations. On Friday a depression, following hard upon the path of its predecessor, caused a considerable rainfall—first in Ireland, later in Great Britain. Saturday was at first fair, then cloudy. In Dublin the mean height of the barometer was 29·819 inches, the range of pressure being from 29·992 inches at 9 p.m. of Monday (wind, W.) to 29·574 inches at 1 p.m. of Friday (wind, S.W.). The corrected mean temperature was 60·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 59·7°. The screened thermometers rose to 73·1° on Tuesday and fell to 47·8° on Friday. S.W. and W.N.W. winds prevailed. Rain fell on 5 days to the amount of ·466 inch, ·220 inch being recorded on Wednesday. Hail fell on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·818 inches. The highest reading (29·991) was on Monday at 9 p.m., wind W.S.W., and the lowest (29·631) on Thursday at 9 a.m., wind W.S.W.

The mean temperature for the week was 58·9°, being 0·7° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Tuesday, on which day the thermometer registered 72·3°, and was lowest on Friday, the mercury having fallen to 43·9°. The mean of the Dry Bulb for the week was 58·3°, and of the Wet Bulb 55·7°. The mean humidity of the air was ·84, complete saturation being represented by 1·0. The rainfall during the week measured 0·622 inch.

At Greenwich the mean temperature for the week was 61·5°, the maximum 76·0°, and the minimum 50·9°; at Glasgow the maximum was 68·5°, the minimum 47·8°, and the mean 56·7°; and at Edinburgh the maximum was 65·6°, the minimum 45·8°, and the mean 54·7°. The rainfall at Greenwich measured 0·71 in.; at Glasgow 3·24 ins.; and at Edinburgh 2·60 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Aug. 11, | 29·864 | 64·4 | 51·0 | 57·7 | 59·0 | 55·6 | ·80 | ·8 | 4·5 | ·180 | S.W. | S.S.W. |
| Monday, „ 12, | 29·885 | 66·7 | 57·1 | 61·9 | 60·1 | 58·2 | ·89 | ·8 | 6·2 | ·020 | S.W. | W.S.W. |
| Tuesday, „ 13, | 29·899 | 72·3 | 51·6 | 62·0 | 62·1 | 58·8 | ·81 | ·6 | 5·0 | ·005 | S. | S.W. |
| Wednesday, „ 14, | 29·738 | 63·6 | 54·4 | 59·0 | 57·8 | 56·2 | ·90 | ·6 | 0·2 | ·230 | S.W. | Calm. |
| Thursday, „ 15, | 29·751 | 65·0 | 50·1 | 57·6 | 54·8 | 51·9 | ·81 | ·7 | 8·2 | ·115 | W.S.W. | W.N.W. |
| Friday, „ 16, | 29·765 | 62·3 | 43·9 | 53·1 | 56·0 | 52·7 | ·79 | ·9 | 0·7 | ·065 | S.S.W. | W.S.W. |
| Saturday, „ 17, | 29·821 | 67·8 | 53·7 | 60·8 | 58·6 | 56·3 | ·86 | ·4 | 7·4 | ·007 | S.S.W. | Calm. |
| Mean, . . | 29·818 | 66·0 | 51·7 | 58·9 | 58·3 | 55·7 | ·84 | ·7 | Total 32·2 | Total ·622 | Prevailing Wind, S.W. | |

*Sunday*—Cloudy day, light showers 12.45 p.m. at intervals; night cloudy, heavy showers 1.25 to 1.35 a.m. *Monday*—Cloudy day, light showers; light showers at intervals; night cloudy, light showers 4.30 to 5.0 a.m. *Tuesday*—Overcast a.m., cloudy p.m.; night overcast, light showers at intervals. *Wednesday*—Day overcast, light showers a.m., light showers 7.0 p.m. to 12.0 m.n.; night cloudy, light rain m.n. to 1.0 a.m. *Thursday*—Day cloudy, light and heavy showers p.m.; night clear. *Friday*—Day overcast, light showers a.m. and p.m.; night cloudy. *Saturday*—Day cloudy, fine; night cloudy, light rain 12.50 to 1.0 a.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 17th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Aug. 11, | 62·1 | 59·8 | 57·6 | 66·2 | 52·8 | 59·5 | 4·5 | ·055 |
| Monday, „ 12, | 66·5 | 59·9 | 57·5 | 69·3 | 59·0 | 64·2 | 6·0 | ·015 |
| Tuesday, „ 13, | 67·1 | 60·2 | 57·6 | 73·8 | 54·5 | 64·2 | 3·8 | ·001 |
| Wednesday, „ 14, | 62·2 | 60·7 | 57·3 | 64·1 | 56·0 | 60·1 | 0·0 | ·225 |
| Thursday, „ 15, | 58·0 | 59·9 | 57·6 | 65·6 | 52·5 | 59·1 | 7·4 | ·041 |
| Friday, „ 16, | 56·5 | 58·8 | 57·4 | 64·8 | 46·5 | 55·7 | 1·1 | ·080 |
| Saturday, „ 17, | 61·0 | 58·9 | 57·6 | 69·8 | 54·0 | 61·9 | 7·0 | ·000 |
| Weekly Mean, . | 61·9 | 59·7 | 57·5 | 67·7 | 53·6 | 60·7 | Total 29·8 | Total ·417 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18445.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 24TH AUGUST, 1907. [No. 34.

*General Register Office, Charlemont House,*
*Dublin, 26th August,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 15·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Aug. 3. | Week ending Aug. 10. | Week ending Aug. 17. | Week ending Aug. 24. | Average Rate for 4 weeks. | Towns, &c. | Week ending Aug. 3. | Week ending Aug. 10. | Week ending Aug. 17. | Week ending Aug. 24. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 16·5 | 15·5 | 15·3 | 15·6 | 15·7 | Lisburn, | 9·1 | 9·1 | 4·5 | 9·1 | 8·0 |
| Armagh, | . | 13·7 | 27·5 | 6·9 | 12·0 | Londonderry, | 14·7 | 19·6 | 25·8 | 14·7 | 18·7 |
| Ballymena, | 14·4 | 14·4 | 11·4 | 9·6 | 13·2 | Lurgan, | 13·3 | 22·1 | . | 26·6 | 15·5 |
| Belfast, | 16·2 | 14·6 | 14·2 | 15·1 | 15·0 | Newry, | 8·4 | 8·4 | 12·6 | 42·0 | 17·8 |
| Clonmel, | 20·5 | 5·1 | 20·5 | 15·4 | 15·4 | Newtownards, | 5·7 | 34·3 | 11·4 | 11·4 | 15·7 |
| Cork, | 18·5 | 19·2 | 13·7 | 16·4 | 16·9 | Portadown, | 10·3 | 10·3 | 10·3 | 5·2 | 9·0 |
| Drogheda, | 12·3 | 24·5 | 8·2 | 12·3 | 14·3 | Queenstown | 6·6 | 6·6 | 13·2 | 33·0 | 14·9 |
| Dublin Reg. Area, | 18·0 | 15·7 | 17·8 | 15·7 | 16·8 | Sligo, | 4·8 | 9·6 | . | 4·8 | 4·8 |
| Dundalk, | 12·0 | 8·0 | 8·0 | 16·0 | 11·0 | Tralee, | 15·9 | 31·7 | . | 21·1 | 17·2 |
| Galway, | 15·5 | 11·7 | 7·8 | 11·7 | 11·7 | Waterford, | 23·4 | 17·5 | 13·6 | 15·6 | 17·5 |
| Kilkenny, | 9·8 | 9·8 | 4·9 | 11·7 | 9·8 | Wexford, | 23·3 | 23·3 | 18·7 | 14·0 | 19·8 |
| Limerick, | 19·1 | 10·9 | 19·1 | 17·8 | 16·7 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in sixteen of the districts to 5·7 in Newtownards, one of the 2 deaths from all causes registered in that district being from whooping-cough. Among the 107 deaths from all causes registered in Belfast were 2 from whooping-cough, one from diphtheria, 4 from diarrhœal diseases, 4 from cerebro-spinal fever, and one returned as from *cerebro-spinal meningitis*. One of the 24 deaths from all causes in Cork was from scarlet fever; and one of the 6 deaths registered in Lurgan was from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 253—136 boys and 117 girls; and the deaths to 122—55 males and 67 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 16·3 in every 1,000 of the population. Omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 15·7 per 1,000. During the thirty-four weeks ending with Saturday last the death-rate averaged 25·6, and was 0·1 above the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Among the 122 deaths registered were 2 deaths from measles, 4 from whooping-cough, 2 each from diphtheria and enteric fever, 4 from diarrhœal diseases, one from influenza and one from cerebro-spinal fever. In each of the 3 preceding weeks, deaths from measles were 6, 5, and 7; deaths from whooping-cough were 4, one, and 3; deaths from diphtheria were 2, one, and 0; deaths from enteric fever were 0, one, and one; deaths from diarrhœal diseases were 3, 5, and 6; deaths from influenza were 0, 0, and 0; and deaths from cerebro-spinal fever were 0, 0, and one.

There were 3 deaths from broncho-pneumonia and 3 deaths from *pneumonia* (not defined).

The number of deaths from all forms of tuberculous disease was 26, including 8 deaths from tuberculous phthisis, 6 returned as from *phthisis*, 5 from tuberculous meningitis and 7 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 28, 30, and 26, respectively.

Carcinoma caused 4 deaths and cancer (undefined) 2 deaths.

The deaths of 3 infants were ascribed to prematurity.

Of 8 deaths from diseases of the brain and nervous system, 2 (of children under 5 years of age) were caused by meningitis and 2 (of infants under one year of age) were ascribed to *convulsions*.

There were 16 deaths from diseases of the heart and blood vessels and 8 from bronchitis.

The 3 accidental deaths include one caused by drowning.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of a person aged 66 years.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 10 were under one month old), and 29 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 2 were octogenarians.

Forty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the N. Dublin Union Workhouse, 13 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·7 per 1,000; the rate in the City was 17·2 (North City Districts, 14·6; South, 19·9), and in the Suburbs, 11·0 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·3 (2·0 in the North City Districts, and 2·5 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—There was only one death registered last week, representing an annual rate of 1·8 per 1,000.

*No. 1 North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 22·6 per 1,000, and include one death each from whooping-cough and *diarrhœa*, 3 deaths from tuberculous disease, and 2 deaths from diseases of the respiratory system.

*No. 2 North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. Among them are one each from measles and whooping-cough, one from *pneumonia* (not defined), 3 from tuberculous disease, 3 from bronchitis, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (7) represent an annual rate of 11·3 per 1,000. Of the deaths one was from whooping-cough, 2 were from tuberculous disease, and one was from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 14·2; and Finglas and Glasnevin, part of, 0·0. The only death for Clontarf and Howth, No. 1, part of, was from enteric fever, and of the 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from tuberculous disease.

*No. 1 South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·5 per 1,000, and include 2 deaths from diphtheria, one death from epidemic diarrhœa, 2 deaths from broncho-pneumonia, and 5 deaths from tuberculous disease.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000. There was one death each from enteric fever and broncho-pneumonia, and 3 deaths from tuberculous disease.

*No. 3 South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·8 per 1,000. Included in the 16 deaths are one death from cerebro-spinal fever, 4 deaths from tuberculous disease, 4 from diseases of the heart and blood vessels, and one death from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (9) are equivalent to an annual rate of 13·4 per 1,000. Among them are 2 from diarrhœal diseases, one from *pneumonia* (not defined), 2 deaths from tuberculous disease, and one death caused accidentally.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and comprise one death each from whooping-cough, tuberculous phthisis, and bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 5·6; Blackrock, 6·0; and Kingstown, 11·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Kingstown. Among the 11 deaths from all causes for Rathmines and Rathgar are one each from *pneumonia* (not defined) and *phthisis*, and 3 deaths from diseases of the heart and blood vessels; of the 3 deaths from all causes for Pembroke 2 were from diseases of the respiratory system; and of the 4 deaths from all causes for Kingstown one was from influenza and one from asthma.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; Dr. Byrne Power, Medical Superintendent Officer of Health for Kingstown Urban istrict; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 24th August, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Aug. 3, | . | — | — | 1 | . | . | 4 | . | 2 | 5 | 16 | . | — | — | . | — | — | 28 |
| | Aug. 10, | . | — | — | 2 | 1 | . | 5 | . | 2 | 5 | 13 | . | — | — | . | — | — | 28 |
| | Aug. 17, | . | — | — | 5 | 1 | . | 8 | . | 3 | 11 | 15 | 1 | — | — | . | — | — | 44 |
| | Aug. 24, | . | — | — | 3 | . | . | 8 | . | . | 13 | 15 | . | — | — | — | — | — | 39 |
| athmines d Rathgar Urban District. | Aug. 3, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | . | — | — | 2 |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| | Aug. 24, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| embroke Urban District. | Aug. 3, | . | 5 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 5 |
| | Aug. 10, | . | 39 | . | . | . | . | 1 | . | 1 | . | . | . | — | 2 | . | — | — | 43 |
| | Aug. 17, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 11 |
| | Aug. 24, | . | 12 | . | . | . | . | . | . | 1 | 1 | . | . | — | . | . | — | — | 14 |
| lackrock Urban District. | Aug. 3, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ngstown Urban District. | Aug. 3, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ity of elfast. | Aug. 3, | . | — | — | 5 | . | . | 4 | 1 | 11 | 2 | 1 | . | — | — | 3 | — | — | 27 |
| | Aug. 10, | . | — | — | 2 | . | . | 1 | . | 4 | 4 | 4 | . | — | — | 5 | — | — | 20 |
| | Aug. 17, | . | — | — | 9 | . | . | 6 | . | 5 | 6 | 6 | 2 | — | — | 3 | — | — | 37 |
| | Aug. 24, | . | — | — | 9 | . | . | 5 | . | 8 | 15 | 11 | 2 | — | — | 2 | — | — | 52 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

able XII. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 24th August, 1907.

rom this it appears that:—

our cases of measles were admitted into hospital during the week, 5 were discharged, e was one death, and 18 cases remained under treatment at its close.

x cases of scarlet fever were admitted to hospital, 4 were discharged, and 37* cases ained under treatment at the close of the week.

wo cases of typhus remained under treatment in hospital at the close of the week.

ght cases of diphtheria were admitted to hospital, one was discharged, there was one n, and 24 patients remained under treatment at the close of the week.

ve cases of enteric fever were admitted to hospital during the week, 2 were discharged, was one death, and 32 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, re discharged, and 20 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 11·6), was equal to an average annual death-rate of 11·5 per 1,000 persons living, verage rate for 8 principal towns of Scotland was 12·8 per 1,000, the rate for Glasgow 14·0 and for Edinburgh 10·1.

INFECTIOUS DISEASE IN EDINBURGH.

e Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health linburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th t. From this Report it appears that of a total of 46 cases notified 11 were scarlet fever, 8 diphtheria, embranous croup, 5 erysipelas, and 3 enteric fever. Among the 268 cases of infectious diseases in al at the close of the week were 80 cases of scarlet fever, 38 of whooping-cough, 36 of measles, diphtheria, one of membranous croup, 11 of enteric fever, and 5 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 24th August, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 24th August, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 24th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 17th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 10th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 31·4 | 15·6 | 1·2 | 672 | 335 | 61 | 80 | . | 2 | 1 | . | 8 | 3 | . | 2 | 9 | 12 | 43 | 28 | 14 | 26 | 9 | 9 | 108 | 13 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area: Total, d. | 390,691 | 28·4 | 33·8 | 15·7 | 1·9 | 253 | 118 | 33 | 26 | . | 2 | . | . | 4 | 2 | . | 2 | 4 | 6 | 14 | 11 | 6 | 11 | 3 | 4 | 45 | 1 | 65·3 | 39·0 | 55·0 | 0·29 | 72·3 | 48·9 | 58·9 | 0·62 | 67·8 | 48·9 | 58·3 | 0·75 |
| City of Dublin, | 300,850 | 38·0 | 37·6 | 17·2 | 2·3 | 217 | 99 | 28 | 16 | . | 1 | . | . | 4 | 2 | . | 2 | 4 | 5 | 13 | 11 | 4 | 8 | 3 | 4 | 39 | . | 66·3 / 63·8 | 45·8 / 42·0 | 56·5 / 55·7 | 0·26 / 0·33 | 78·1 / 73·3 | 47·8 / 44·0 | 60·1 / 58·6 | 0·47 / 0·76 | 68·5 / 69·9 | 51·8 / 50·0 | 59·9 / 59·4 | 0·56 / 0·85 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 29·3 | 16·1 | . | 20 | 11 | 3 | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 18·1 | 5·6 | . | 7 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 23·8 | 6·0 | . | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 14·8 | 11·8 | 3·9 | 5 | 4 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 66 | 44 | 57·0 | 0·30 | 73 | 52 | 60·5 | 0·67 | 67 | 51 | 59·6 | 0·37 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 31·6 | 15·1 | 1·0 | 224 | 107 | 17 | 26 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 | 30 | 4 | 65·6 | 46·8 | 56·1 | 0·55 | 69·0 | 45·0 | 57·6 | 1·39 | 66·0 | 49·5 | 57·6 | 0·86 |
| Cork, | 76,122 | 33·6 | 37·0 | 16·4 | 0·7 | 54 | 24 | 2 | 4 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . | 14 | . | 63 | 46 | 56·7 | 0·16 | 66 | 52 | 58·1 | 1·21 | 66 | 51 | 57·7 | 0·12 |
| Londonderry, | 42,475 | 19·6 | 27·0 | 14·7 | . | 22 | 12 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 23·2 | 17·8 | . | 17 | 13 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 3 | 5 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 40·9 | 15·6 | 1·9 | 21 | 8 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 15·5 | 11·7 | . | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 65 | 47 | 57 | 0·82 | 65 | 48 | 58·3 | 1·33 | 65 | 52 | 59 | 1·30 |
| Dundalk, | 13,076 | 9·4 | 39·9 | 16·0 | . | 10 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 12·3 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 12·6 | 42·0 | . | 3 | 10 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 5 | 1 | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 |
| Lurgan, | 11,782 | 13·8 | 35·4 | 26·6 | 4·4 | 8 | 6 | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 2 | . | . | 1 | . | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 |
| Lisburn, | 11,461 | 10·1 | 31·8 | 9·1 | . | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 |
| Wexford, | 11,168 | 28·2 | 23·3 | 14·0 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,686 | 8·9 | 28·7 | 9·6 | . | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 24·0 | 4·8 | . | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 64·5 | 36·2 | 52·7 | 0·90 | 67·1 | 44·3 | 56·9 | 1·46 | 65·2 | 46·8 | 56·7 | 0·92 |
| Kilkenny, | 10,609 | 11·5 | 34·3 | 14·7 | . | 7 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 66 | 45 | 56·4 | 0·17 | 72 | 49 | 58·5 | 0·97 | 68 | 45 | 57·4 | 0·45 |
| Clonmel, | 10,167 | 7·8 | 20·5 | 15·4 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 25·8 | 5·2 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 |
| Tralee, | 9,867 | 16·6 | 15·9 | 21·1 | . | 3 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 28·6 | 11·4 | 5·7 | 5 | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 65 | 48 | 54·5 | 0·22 | 70 | 45 | 57·0 | 1·28 | 66 | 50 | 57·3 | 0·75 |
| Queenstown, | 7,909 | 14·4 | 19·8 | 33·0 | . | 3 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | . | . | 63 | 46 | 56·7 | 0·16 | 66 | 52 | 58·1 | 1·21 | 66 | 51 | 57·7 | 0·12 |
| Armagh, | 7,588 | 22·2 | 6·9 | 6·9 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 | 67·0 | 49·8 | 57·8 | 0·44 |

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 24th August, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No 2. | NORTH CITY No 3. | GLONTARF & HOWTH No. 1 (part of). | GOODLOOK and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 1 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 4 | . |
| Diphtheria, | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| Diarrhœal Diseases, | . | 1 | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | 4 | . |
| Pneumonia, | . | . | 1 | . | . | . | . | 2 | 1 | . | 1 | . | 1 | . | . | . | 6 | . |
| Tuberculous Disease. { Phthisis, | . | 2 | 1 | . | . | . | . | 4 | 2 | 2 | 1 | 1 | 1 | . | . | . | 14 | . |
| Tuberculous Disease. { Other Forms. | . | 1 | 2 | 2 | . | 1 | . | 1 | 1 | 2 | 1 | . | . | . | . | . | 11 | 1 |
| Cancer, Malignant Disease, | . | 2 | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . | . | . | 6 | . |
| Other General Diseases, | . | 1 | 1 | . | . | . | . | 2 | . | 2 | . | . | . | . | . | 1 | 7 | . |
| Total, | . | 8 | 7 | 3 | 1 | 2 | . | 13 | 5 | 6 | 5 | 2 | 4 | . | . | 2 | 53 | 1 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | . | 1 | . | 2 | . | . | . | 1 | 2 | 1 | . | . | 1 | . | . | . | 8 | . |
| Diseases of { Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Heart and Blood Vessels, | . | 3 | 1 | 1 | . | . | . | . | 2 | 4 | 1 | . | 3 | . | . | 1 | 16 | . |
| Diseases of { Respiratory System, | . | 2 | 3 | 1 | . | . | . | . | . | 1 | . | 1 | . | 2 | . | 1 | 11 | . |
| Diseases of { Digestive System, | . | 1 | 1 | . | . | 1 | . | 3 | . | 2 | 1 | . | 2 | . | 1 | . | 12 | 3 |
| Diseases of { Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Urinary System, | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| Diseases of { Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| „ Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 8 | 6 | 4 | . | 1 | . | 5 | 4 | 8 | 2 | 1 | 6 | 2 | 1 | 2 | 50 | 3 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 1 | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | 1 | . | . | 7 | . |
| **E. VIOLENT DEATHS,** | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | . |
| **Deaths from all Causes,** | 1 | 17 | 14 | 7 | 1 | 3 | . | 18 | 10 | 16 | 9 | 3 | 11 | 3 | 1 | 4 | 118 | 4 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 1·8 | 22·6 | 24·2 | 11·3 | 10·2 | 14·2 | . | 23·5 | 25·3 | 19·8 | 13·4 | 17·3 | 16·1 | 5·6 | 6·0 | 11·8 | 15·7 | . |
| | 14·6 | | | | | | | 19·9 | | | | | 11·0 | | | | | |
| | 17·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | . | 5 | 3 | 2 | . | . | . | 7 | 2 | 4 | 5 | . | 3 | 1 | . | 1 | 33 | . |
| 1 and under 5 years, | . | 2 | 2 | . | . | . | . | 2 | 3 | 1 | . | 1 | 1 | . | . | . | 12 | . |
| 5 „ 20 „ | . | 1 | 2 | 1 | 1 | . | . | 1 | 1 | 1 | . | . | 1 | . | . | . | 10 | . |
| 20 „ 40 „ | . | 4 | 2 | . | . | . | . | 3 | 1 | 3 | 2 | . | 1 | 1 | . | . | 17 | 1 |
| 40 „ 60 „ | 1 | 2 | 2 | 2 | . | 1 | . | 4 | 3 | 3 | 1 | 1 | . | . | . | . | 20 | . |
| 60 and upwards, | . | 3 | 3 | 2 | . | 1 | . | 1 | . | 4 | 1 | 1 | 5 | 1 | 1 | 3 | 26 | 3 |
| Number of Uncertified Deaths, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 1 | 4 | 1 | . | . | . | 4 | 3 | 5 | 3 | . | 3 | 1 | . | . | 25 | 4 |
| Workhouse Hospitals, | . | 3 | 1 | 1 | . | 1 | . | 3 | 2 | 5 | 1 | 1 | 1 | . | . | 1 | 20 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 18

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 34th Week of the 10 years 1897-1906. | In the Week ending Satu 24th August, 1907. Deaths of Persons of the A | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 28, 1897. | Aug. 27, 1898. | Aug. 26, 1899. | Aug. 25, 1900. | Aug. 24, 1901. | Aug. 23, 1902. | Aug. 29, 1903. | Aug. 27, 1904. | Aug. 26, 1905. | Aug. 25, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 57·5 | ° 58·5 | ° 61·7 | ° 56·8 | ° 56·4 | ° 59·3 | ° 54·5 | ° 54·6 | ° 54·7 | ° 61·8 | ° 57·6 | ° 55·0 | | | | | |
| **ALL CAUSES.** | 154 | 150 | 207 | 185 | 179 | 146 | 176 | 178 | 153 | 167 | 169·5 | 122 | 10 | 23 | 12 | 10 | 18 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... . ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 18 | . | . | 16 | . | 7 | 1 | . | 4·2 | 2 | . | 2 | . | . | . |
| Scarlet Fever, ... ... | 2 | . | 2 | . | 1 | . | . | 1 | . | . | ·6 | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 1 | 3 | 1 | 1 | . | 1 | . | . | 1 | ·9 | 1 | . | . | . | . | . |
| Whooping-cough, ... ... | . | . | 1 | 5 | 1 | *2 | 3 | 4 | . | . | 1·6 | 4 | . | 2 | 2 | . | . |
| Diphtheria, ... ... | 2 | 2 | . | 1 | . | . | 2 | 1 | 1 | . | ·9 | 2 | . | 1 | 1 | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . |
| Enteric Fever, ... ... | 3 | 3 | 6 | 2 | . | 2 | 3 | 1 | 2 | . | 2·2 | 2 | . | . | . | 1 | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 35 | 26 | 42 | 25 | 33 | 1 | 3 | 21 | 10 | 11 | 26·0 | 2 | . | 2 | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 2 | 6 | 14 | 15 | 16 | | 2 | . | 1 | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 2 | 1 | 5 | 1 | 1 | 2 | 4 | . | 2 | 1·8 | . | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . |
| Pneumonia, Lobar, | 2 | 4 | 13 | 6 | 7 | . | . | . | . | 1 | 6·8 | . | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 2 | 3 | 1 | 3 | 3 | | 3 | . | 2 | . | . | . |
| Pneumonia, Epidemic, | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 8 | 2 | 2 | 6 | 4 | | 3 | . | 1 | 1 | . | 1 |
| Erysipelas, ... ... | . | . | . | . | 2 | 1 | . | . | . | . | ·3 | 1 | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 1 | . | 1 | . | 1 | . | . | 2 | . | . | ·5 | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 21 | 19 | 19 | 25 | 30 | 3 | 3 | 3 | 3 | 6 | 21·3 | 8 | . | . | . | 3 | 4 |
| | | | | | | 18 | 25 | 16 | 7 | 15 | | 6 | . | . | 1 | 5 | 4 |
| Tuberculous Meningitis, ... | 3 | 3 | 4 | 2 | . | 5 | 4 | 1 | 2 | 2 | 2·6 | 5 | . | 3 | 1 | 1 | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 6 | 8 | 3 | 9 | 6 | 1 | . | . | . | . | 3·5 | . | . | . | . | . | . |
| | | | | | | . | 1 | . | 1 | . | | . | . | . | . | . | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 5 | 4 | 1 | 7 | 5 | 4 | 7 | 7 | 7 | 6 | 5·3 | 7 | . | 2 | . | 2 | 1 |
| | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | 4 | 1 | 1 | . | . | . | . | 1 | . | ·8 | . | . | . | . | . | . |
| Rheumatic Fever, .. ... | . | . | . | . | 1 | . | . | 1 | 1 | . | ·3 | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 4 | 3 | 9 | 10 | 7 | 3 | . | 4 | 6 | 7 | 7·5 | 4 | . | . | . | . | 2 |
| Sarcoma, ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 2 | 5 | 6 | 5 | 4 | | 2 | . | . | . | . | 1 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . |
| Premature Birth, ... | 2 | 4 | 1 | 3 | 4 | 3 | 4 | 6 | 3 | 1 | 3·1 | 3 | 3 | . | . | . | . |

The figures for the years 1897-1900 e
† Formerly describ

-FOURTH WEEK ending Saturday, 24th August, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 34th Week of the 10 years 1897-1906. | In the Week ending Saturday, 24th August, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Aug. 28, 1897. | Aug. 27, 1898. | Aug. 26, 1899. | Aug. 25, 1900. | Aug. 24, 1901. | Aug. 23, 1902. | Aug. 29, 1903. | Aug. 27, 1904. | Aug. 26, 1905. | Aug. 25, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | | | | |
| ean Temperature. | ° 57·5 | ° 58·5 | ° 61·7 | ° 55·8 | ° 56·4 | ° 59·3 | ° 54·5 | ° 54·6 | ° 54·7 | ° 61·8 | ° 57·6 | ° 55·0 | | | | | | | | |
| gitis (not tuberc.) ... | | | | | | 3 | 1 | 4 | 2 | 3 | | 2 | . | 1 | 1 | . | . | . | . | . |
| ty, G. P. of Insane ... | | | | | | 1 | 2 | . | 2 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| psy ... | | | | | | . | 4 | . | . | 2 | | 1 | . | . | . | 1 | . | . | . | . |
| *lsions* ... | | | | | | 13 | 7 | 7 | 4 | 6 | | 2 | 1 | 1 | . | . | . | . | . | . |
| notor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| legia Dis. of Cord ... | | | | | | . | 1 | . | 2 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| us System (other | | | | | | 2 | 3 | . | 3 | 5 | | 1 | . | . | . | . | . | 1 | . | . |
| ) | 25 | 22 | 23 | 37 | 32 | | | | | | 30·6 | | | | | | | | | |
| Dis., Endocarditis | | | | | | 3 | 6 | 2 | 4 | 1 | | 4 | . | . | . | 1 | . | . | 3 | . |
| r. Hæm. Thromb. ... | | | | | | . | . | 2 | 2 | 3 | | 4 | . | . | . | . | 1 | 2 | 1 | . |
| xy, *Hemiplegia* ... | | | | | | 4 | 5 | 1 | 4 | 2 | | 3 | . | . | . | . | . | . | 3 | . |
| ysm ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| lism, Thromb. (not bral) | | | | | | . | . | . | 1 | . | | 1 | . | . | . | . | . | 1 | . | . |
| and Blood Vessel Dis. | | | | | | 10 | 6 | 14 | 11 | 6 | | 4 | . | . | . | 1 | . | . | 3 | . |
| (not Spasm. nor ab.) | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| hitis ... | 9 | 9 | 10 | 8 | 4 | 7 | 10 | 11 | 10 | 9 | 8·7 | 8 | . | . | 1 | 1 | . | 3 | 3 | . |
| a, Emphysema ... | | | | | | . | . | . | 2 | . | | 1 | . | . | . | . | . | . | 1 | . |
| sy ... | 2 | 1 | . | . | . | . | . | 2 | 1 | . | 1·5 | 2 | . | . | 1 | . | 1 | . | . | . |
| ratory Dis. (other) ... | | | | | | 1 | 2 | 3 | . | 1 | | . | . | . | . | . | . | . | . | . |
| litis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| tis (not Epid.) ... | 1 | 4 | 2 | 2 | 1 | . | 3 | 2 | 2 | 2 | 3·4 | 3 | . | 2 | . | . | 1 | . | . | . |
| *Enteritis* ... | | | | | | . | 3 | 3 | 1 | 8 | | 2 | . | . | . | . | . | . | 2 | . |
| *itis* (not Puerp.) ... | 1 | . | 1 | 1 | 1 | . | 2 | 2 | 1 | . | ·9 | . | . | . | . | . | . | . | . | . |
| sis of Liver ... | 2 | 3 | 1 | 4 | . | 2 | 1 | 1 | 1 | 1 | 2·3 | 1 | . | . | . | . | 1 | . | . | . |
| Dis. (other) ... | | | | | | 1 | 4 | . | 1 | 1 | | 2 | . | . | . | . | . | 1 | 1 | . |
| ive Dis. (other) ... | 5 | 2 | 2 | 2 | 6 | 2 | 6 | 7 | 5 | 8 | 4·5 | 7 | 1 | 2 | 1 | . | 1 | . | 2 | . |
| litis, Acute ... | | | | | | 3 | 1 | . | . | . | | 1 | . | . | . | 1 | . | . | . | . |
| 's Dis., Albuminuria | 4 | 2 | 5 | 4 | 7 | 3 | 3 | 2 | 3 | 3 | 4·3 | . | . | . | . | . | . | . | . | . |
| ry Sys. (Other Dis.) | | | | | | 2 | 1 | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| ative Organs Dis. ... | 1 | . | . | 2 | . | . | 1 | 1 | . | 2 | ·7 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | 1 | . | 1 | . | . | . | 1 | . | . | 1 | ·4 | 1 | . | . | . | . | 1 | . | . | . |
| ge ... | 3 | 5 | 12 | 3 | 9 | 3 | 4 | 1 | . | 4 | 4·4 | . | . | . | . | . | . | . | . | . |
| Diseases ... | 9 | 15 | 16 | 9 | 16 | 6 | 16 | 7 | 8 | 9 | 11·1 | 7 | 5 | 2 | . | . | . | . | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ilways ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | . | 1 | 4 | 1 | . | 1 | . | 1 | 2 | 1 | 1·1 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (ex-ve of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| lding Operations ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| flagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | 1 | . | . | . | . | 1 | 1 | . | 3 | . | ·6 | . | . | . | . | . | . | . | . | . |
| owning ... | 1 | . | 3 | 2 | 1 | 1 | . | . | . | . | ·8 | 1 | . | . | . | . | . | 1 | . | . |
| focation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| oison or Poisonous ours | . | . | . | 1 | . | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| Deaths by Accident | 1 | 2 | 1 | 5 | 2 | 1 | 4 | 1 | 1 | 6 | 2·4 | 2 | . | . | 1 | . | . | 1 | . | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| ide ... | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| e ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| tion ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

stration Area as then constituted.
Continued Fever."

TABLE 7.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 2. | Mar. 9 | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13 | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24 |
| No. of weeks in Annual Series. | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| Births registered, | 236 | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 |
| *Average Births in corresponding week of previous 10 years,** | 215 | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 |
| Deaths registered, | 228 | 194 | 208 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 208 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 |
| Annual Death-rate per 1,000, | 30·4 | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 |
| *Average Deaths in corresponding week of previous 10 years,** | 233 | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 |
| Ages, Under 5 years, | 68 | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 73 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 |
| 5—20 ,, | 12 | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 |
| 20—40 ,, | 31 | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 |
| 40—60 ,, | 39 | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 |
| 60—80 ,, | 62 | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 |
| 80 years and upwards, | 16 | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 |
| Scarlet Fever | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . |
| Whooping-cough, | 7 | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 |
| Diphtheria, | . | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 |
| Diarrhœal Diseases, | 1 | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 |
| Influenza, | 5 | . | 4 | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 |
| Pneumonia, | 20 | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 |
| Tuberculous Disease. Phthisis, | 30 | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 |
| Tuberculous Disease. Other Forms, | 18 | 13 | 14 | 18 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 |
| Cancer, Malignant Disease, | 8 | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 |
| Diseases of Heart and Blood Vessels, | 28 | 33 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 |
| Diseases of Respiratory System, | 43 | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 |
| Violent Deaths, | 3 | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 |
| Number of Uncertified Deaths, | 6 | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 |
| Mean Temperature of the Air (Phœnix Park), | 41·8 | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 62·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 40·5 | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 |
| Rainfall in inches, | ·000 | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·585 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·89 | ·81 | ·87 | ·88 | ·78 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·88 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·88 | ·84 | ·85 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever."

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 24TH AUGUST 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 16·9 | 122 | 45 | 10 | 18 | 20 | 27 | 2 | . | 2 | . | . | 4 | 2 | . | 2 | 4 | 14 | 6 | 14 | 12 | 6 | 2 | 11 | 3 | 54 | 1 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | Professional and Independent Class, | 17,436 | 9·0 | 3 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| II. | Middle Class, | 87,188 | 10·8 | 18 | 3 | 2 | 3 | 3 | 5 | 2 | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | . | . | 1 | . | 2 | 1 | 11 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 12·3 | 26 | 11 | 2 | 6 | 4 | 3 | . | . | . | . | . | 3 | . | . | . | 1 | 4 | 1 | 6 | 3 | 1 | . | . | . | 11 | . |
| IV. | General Service Class, | 154,279 | 24·4 | 55 | 26 | 4 | 3 | 9 | 13 | . | . | 1 | . | . | 1 | 2 | . | 1 | 2 | 7 | 4 | 2 | 7 | 2 | 2 | 7 | 2 | 22 | 1 |
| V. | Inmates of Workhouses, | 6,024 | | 20 | 4 | 2 | 6 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | 2 | . | 8 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 20·1 | 3 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 1 | 2 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | 1 | . | 2 | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 8·6 | 5 | 1 | . | 2 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 4 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 11·6 | 6 | 1 | . | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 8·7 | 5 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 3 | . |
| | 10. Clothing Trades, | 28,260 | 6·7 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . |
| | 11. Food Supply Trades, | 9,242 | 11·8 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | 4 | . | 3 | 3 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 3 | 1 | 1 | . | . | . | 4 | . |
| | 13. Petty Shopkeepers, | 7,894 | 19·8 | 3 | 1 | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 11·7 | 3 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . |
| | 15. Domestic Servants, | 36,603 | 1·4 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 7·2 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 28·4 | 49 | 24 | 3 | 3 | 8 | 11 | . | . | 1 | . | . | 1 | 2 | . | 1 | 2 | 7 | 4 | 2 | 4 | 2 | 2 | 5 | 2 | 21 | 1 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 20 | 4 | 2 | 6 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | 6 | 2 | 1 | . | 2 | . | 8 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | July 6, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 1 | 3 | . | . |
| | „ 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | „ 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| | „ 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| | „ 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| | „ 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| | „ 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | July 6, | 25·3 | 6·7 | 19 | . | 2 | 1 | . | 1 | . | . | 1 | . | 2 | 4 | 2 | . | 1 | 1 | . |
| | „ 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| | „ 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| | „ 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| | „ 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 |
| | „ 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| | „ 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | July 6, | 22·5 | 1·7 | 13 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 3 | . | . |
| | „ 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| | „ 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| | „ 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | „ 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| | „ 24, | 24·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | July 6, | 19·3 | 4·8 | 12 | . | 1 | . | . | 2 | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| | „ 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| | „ 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| | „ 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| | „ 24, | 11·3 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | July 6, | 13·0 | 2·6 | 10 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| | „ 20, | 23·5 | 1·3 | 18 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| | „ 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| | „ 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | 1 |
| | „ 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | . |
| | „ 24, | 23·5 | 3·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | 1 | . | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | July 6, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| | „ 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . | 3 |
| | „ 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| | „ 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | „ 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | July 6, | 29·6 | 1·2 | 24 | . | . | 1 | . | . | . | . | . | . | 4 | 2 | 3 | . | 1 | . | . |
| | „ 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | 2 | 4 | 1 | 3 | . | 2 | . | 2 |
| | „ 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| | „ 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 2 | 2 | 5 | . | . |
| | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | . | 3 | 1 | . | 2 | . | . | 1 |
| | „ 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 4 | . | 5 | . | . |
| | „ 17, | 18·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 3 | . | . | . | 1 | 2 | . | . |
| | „ 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,158. | July 6, | 25·2 | 3·0 | 17 | . | . | . | . | 2 | . | . | . | . | 1 | 3 | . | 1 | 5 | 1 | 1 |
| | „ 13, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |
| | „ 20, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | 1 | . |
| | „ 27, | 26·7 | 3·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |
| | Aug. 3, | 19·3 | 1·5 | 13 | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | „ 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 2 | . | . |
| | „ 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | July 6, | 13·2 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . |
| | „ 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| | „ 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | „ 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| | „ 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| | „ 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | „ 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | July 6, | 13·1 | 7·5 | 7 | . | 1 | . | . | 3 | . | . | . | . | 1 | . | . | . | . | . | . |
| | „ 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| | „ 27, | 13·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| | „ 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | July 6, | 8·9 | 3·0 | 3 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| | „ 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | „ 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| | „ 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | „ 17, | 11·8 | 8·9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 11·8 | 3·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | July 6, | 20·3 | 1·1 | 144 | . | 5 | . | . | 2 | . | . | 1 | . | 12 | 18 | 13 | 7 | 22 | . | 3 |
| | „ 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| | „ 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| | „ 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| | „ 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| | „ 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| | „ 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| **Cork.** Pop. (in 1901) 76,122. | July 6, | 18·5 | . | 27 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | . | . | 3 |
| | „ 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| | „ 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . |
| | „ 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| | „ 17, | 13·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| | „ 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | July 6, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| | „ 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| | „ 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| | „ 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| | „ 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| | „ 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | July 6, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| | „ 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| | „ 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | 2 |
| | „ 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | 1 | . | 2 |
| | „ 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| | „ 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | 2 |
| | „ 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| **Waterford.** Pop. (in 1901) 26,769. | July 6, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |
| | „ 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |
| | „ 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| | „ 17, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th August, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (29) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 5 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 4 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | . |
| Do. 2 ,, | 47,959 | 23 | | | 14 | . | 2 | . | 4 | 5 | 3 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | . | . | . | . | 4 | . |
| Do. 3 ,, | 47,214 | 28 | | | 15 | 3 | 2 | 2 | 3 | 1 | 4 | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 2 | . | 1 | 1 | 1 | 3 | . |
| Do. 4 ,, | 40,911 | 31 | | | 20 | 1 | 4 | 2 | 3 | 4 | 6 | . | . | . | . | 2 | . | . | . | 1 | 1 | 2 | . | . | 1 | . | . | 11 | 2 |
| Do. 5 ,, | 17,887 | 13 | | | 3 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | 1 |
| Do 6 ,, | 48,122 | 26 | | | 15 | 3 | 2 | 2 | 1 | 4 | 3 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | 1 | 1 | 1 | 3 | 1 |
| Do. 7 ,, | 1,524 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 6 | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 18 | | | 6 | 2 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | 1 | . |
| Do. 10 ,, | 28,064 | 12 | | | 6 | 2 | . | 1 | . | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 1 | . |
| Do. 11 ,, | 34,802 | 28 | | | 13 | 2 | . | 1 | 4 | 2 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | . | . | 1 | . |
| Do. 12 ,, | 33,588 | 23 | | | 6 | . | . | 1 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 4 | . |
| Do. 13 ,, | 15,006 | 8 | | | 4 | 1 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 14 ,, | 240 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 224 | | | 107† | 17 | 13 | 10 | 20 | 21 | 26 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 | 30 | 4 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT | 12,867 | 6 | 20·3 | . | 5 | . | 1 | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 5 | . |
| Do. 2 ,, | 10,701 | 9 | 9·7 | 4·9 | 2 | . | 1 | 1 | | | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Do. 3 ,, | 9,978 | 7 | 15·7 | . | 3 | . | . | 3 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . |
| Do. 4 ,, | 8,666 | 8 | 30·1 | . | 5 | 1 | 1 | 3 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 2 | . |
| Do. 5 ,, | 6,592 | 4 | 15·8 | . | 2 | | . | . | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 12 | 4·9 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 ,, | 16,616 | 8 | 18·8 | . | 6 | . | . | 5 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Total, | 76,122 | 54 | 16·4 | 0·7 | 24 | 2 | 3 | 15 | | | 4 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . | 14 | . |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 2. | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. |
| No. of weeks in Annual Series, | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| Births registered, | 230 | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 |
| Deaths registered, | 204 | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107† |
| Annual Death-rate per 1,000 of estimated Population, | 28·7 | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 |
| Ages: Under 1 year | 37 | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 |
| 1–5 years, | 23 | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 |
| 5–20 years, | 23 | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 |
| 20–40 years, | 39 | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 |
| 40–60 years, | 40 | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 19 | 33 | 23 | 17 | 21 |
| 60 years and upwards, | 42 | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | | . | . | | . | . | . | . | . | . |
| Measles, | 2 | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . |
| Scarlet Fever, | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . |
| Typhus, | . | | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | . | . | 2 | . | 1 | . | . | . | 2 | 2 |
| Diphtheria, | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . |
| Diarrhœal Diseases, | 1 | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 |
| Pneumonia, | 25 | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 |
| Tuberculous Disease, Phthisis, | 23 | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 |
| Tuberculous Disease, Other Forms, | 10 | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 |
| Cancer Malignant Disease, | 2 | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 |
| Diseases of Respiratory System, | 30 | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 |
| Violent Deaths, | . | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 4 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 |
| Number of Uncertified Deaths, | 2 | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 |

* Formerly described as "Simple Continued Fever."
† Including 5 deaths from cerebro-spinal fever or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Aug. 24, | 2,307 | 1,056 | 11·6 | . | 28 | 7 | 10 | 34 | 3 | 47 |
| EDINBURGH, | 345,747 | „ 24, | 140 | 67*a* | 10·1 | . | 2 | . | . | 4 | . | 1 |
| GLASGOW, | 847,584 | „ 24, | 433 | 228*a* | 14·0 | . | 3 | . | 4 | 11 | 2 | 12 |
| CALCUTTA, | 847,796 | July 6, | . | 407 | 24·9 | 9 | 2 | . | . | . | 115‡ | 72* |
| BOMBAY, | 977,822 | „ 23, | 327 | 513 | 27·3 | . | . | . | . | . | 43‡ | 74* |
| MADRAS, | 509,346 | „ 5, | 404 | 339 | 34·6 | 2 | 1 | ? | ? | ? | 92 | 35 |
| PARIS, | 2,750,000 | Aug. 10, | 973 | 873 | 16·6 | 5 | 12 | 5 | 3† | 4 | 2 | 92 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 3, | 223 | 125 | 10·4 | . | 1 | 1 | . | 2 | 2 | 15 |
| ANTWERP, | 304,032 | „ 3, | 130 | 72 | 12·3 | . | 1 | . | . | 3 | . | 7 |
| AMSTERDAM, | 564,284 | „ 10, | 227 | 122 | 11·3 | . | 5 | 1 | . | . | . | 10 |
| COPENHAGEN, | 432,000 | „ 3, | 268 | 87 | 10·5 | . | 1 | . | . | . | . | 8 |
| STOCKHOLM, | 332,738 | „ 3, | 157 | 86 | 13·4 | . | . | . | . | 1 | . | 2 |
| CHRISTIANIA, | 226,774 | „ 10, | 116 | 40 | 9·2 | . | . | . | . | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 10, | . | 618 | 21·7 | . | 17 | 15 | 15 | 6 | 28 | 152 |
| MOSCOW, | 1,296,000 | July 13, | . | 1,116 | 44·9 | 1 | 21 | 4 | 7† | 6 | 1 | 590 |
| BERLIN, | 2,090,743 | „ 27, | 961 | 531 | 13·2 | . | 19 | 4 | 1† | 8 | 3 | 65 |
| HAMBURG, | 824,792 | Aug. 3, | . | 171 | 10·8 | . | . | . | . | 2 | 1 | 12 |
| BRESLAU, | 485,225 | „ 3, | . | 192 | 20·6 | . | . | 1 | 1† | . | . | 28 |
| MUNICH, | 548,000 | „ 10, | . | 191 | 18·1 | . | 4 | . | . | . | 2 | 39 |
| VIENNA (with suburbs). | 1,979,003 | „ 10, | 984 | 592 | 15·6 | 1 | 4 | 2 | 3† | 1 | 3 | 75 |
| BUDA-PESTH, | 802,235 | July 20, | 408 | 254 | 16·3 | . | 2 | 5 | . | 3 | 2 | 26 |
| PRAGUE and Faubourgs. | 470,906 | „ 20, | 206 | 170 | 18·8 | . | 3 | . | . | 1 | 1 | 10 |
| TRIESTE, | 200,962 | „ 27, | 141 | 71 | 18·4 | . | . | . | . | . | . | 6 |
| ROME, | 542,760 | May 25, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | July 6, | 94 | 63 | 18·8 | 1 | . | . | . | . | . | 15 |
| NEW YORK, | 4,285,435 | „ 27, | 2,477 | 1,811 | 22·1 | 1 | 24 | 14 | 30† | 10 | 15 | 556 |
| PHILADELPHIA, | 1,500,595 | „ 20, | . | 499 | 17·2 | . | . | 2 | 3† | 4 | 9 | 94 |
| BOSTON, | 609,757 | „ 27, | . | 173 | 14·8 | . | 4 | 1 | 2 | . | 1 | 9 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 3 deaths in Glasgow.
* Including 44 deaths from cholera in Calcutta, and 3 in Bombay.
† Including deaths from croup.
‡ Exclusive of 18 deaths from plague in Calcutta, and 11 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th August, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 2 | . | . | . | . | . | 1 | . | . | . | . | 3 |
| " " 1, West, | . | . | . | . | 1 | . | . | 1 | 2 | . | . | . | 4 |
| " " 2, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 3 |
| " " 3, | . | . | . | . | 1 | . | . | 2 | 3 | . | . | . | 6 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| South City No. 1, | . | . | . | . | 2 | . | . | 2 | 5 | . | . | . | 9 |
| " " 2, | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 2 |
| " " 3, | . | 1 | . | . | 2 | . | . | 1 | 1 | . | . | . | 5 |
| " " 4, | . | . | . | . | 1 | . | . | 3 | 1 | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 3 | . | . | 8 | . | . | 13 | 15 | . | . | . | 39 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th August, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 24th August. | | | |
|---|---|---|---|---|---|---|---|
| | Aug. 3. | Aug. 10. | Aug. 17. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 23 | 27 | 20 | 4 | 5 | 1 | 18 |
| Scarlet Fever, | 38 | 40 | 35 | 6 | 4 | . | 37* |
| Typhus, | 1 | 2 | 2 | . | . | . | 2 |
| Diphtheria, | 18 | 19 | 18 | 8 | 1 | 1 | 24 |
| Enteric Fever, | 23 | 24 | 30 | 5 | 2 | 1 | 32 |
| Pneumonia, | 21 | 19 | 22 | 4 | 6 | . | 20 |

* Exclusive of 3 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 24th August, 1907:—

"Once more the record is of changeable, showery, cloudy weather. Temperature also showed a marked decrease, and conditions became strangely autumnal. Between Tuesday and Thursday, however, an anticyclone, in which the barometer rose to 30·4 inches and upwards, extended from the S. of Ireland and the Cornish Peninsula across the Bay of Biscay to the N. coast of Spain. This system caused a temporary improvement in the weather in Ireland and England; but conditions remained unsettled in Scotland, owing to the presence of large, if not deep, depressions in the far North. On Sunday afternoon heavy showers fell in and about Dublin, where the highest temperature was 66°—only in London was 70° reached. Monday was chiefly fine and bright, but a brisk N.W. wind kept the thermometer down—the maximum in Dublin being 61°. Rain at night was followed by clear cold weather on Tuesday. In the south-east of England thunderstorms occurred, accompanied by rain and, in places, hail. The weather now became fine for a time, but rain again fell heavily on Thursday afternoon, owing to the arrival of a small secondary depression off the N.W. quadrant of the anticyclone mentioned above. Friday was at first dull and drizzling rain fell at 10 a.m., but the after part of the day was fair and bright. A cold night followed, while Saturday was cool but fine. A solar halo was visible throughout the forenoon of this day in a stratum of cirrus cloud travelling from W. The evening was fair and warm, and the week closed with a promise of better weather. In Dublin the mean height of the barometer was 30·096 inches, the range being from 29·743 inches at 9 p.m. of Sunday (wind, W.N.W.) to 30·383 inches at 9 p.m. of Wednesday (wind, W.N.W.). The corrected mean temperature was 56·5°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 55·6°. The screened thermometers rose to 66·3° on Sunday and fell to 45·5° on Saturday. N.W. and W.S.W. were the dominant winds. The rainfall was ·260 inch on 3 days, ·097 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·095 inches. The highest reading (30·390) was on Wednesday at 9 p.m., air calm, and the lowest (29·743) on Sunday at 9 p.m., wind S.W.

The mean temperature for the week was 55·0°, being 2·6° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 65·3°, and was lowest on Saturday, the mercury having fallen to 39·0°. The mean of the Dry Bulb for the week was 54·4°, and of the Wet Bulb 52·1°. The mean humidity of the air was ·85, complete saturation being represented by 1·0. The rainfall during the week measured 0·285 inch.

At Greenwich the mean temperature for the week was 57·0°, the maximum 72·1°, and the minimum 46·1°; at Glasgow the maximum was 65·0°, the minimum 44·8° and the mean 54·6°; and at Edinburgh the maximum was 63·3°, the minimum 42·8°, and the mean 53·2°. The rainfall at Greenwich measured 0·96 in.; at Glasgow 0·33 in.; and at Edinburgh 0·28 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Aug. 18, | 29·761 | 65·3 | 53·2 | 59·3 | 56·6 | 53·9 | ·83 | ·6 | 8·1 | ·065 | S.W. | S.W. |
| Monday, „ 19, | 29·930 | 61·0 | 48·8 | 51·9 | 52·3 | 49·2 | ·80 | ·6 | 9·5 | ·110 | W. | W.S.W. |
| Tuesday, „ 20, | 30·199 | 60·0 | 44·2 | 52·1 | 51·6 | 48·6 | ·81 | ·6 | 5·6 | ·000 | W. | Calm. |
| Wednesday, „ 21, | 30·362 | 62·1 | 48·4 | 55·3 | 54·9 | 51·9 | ·82 | ·6 | 1·9 | ·000 | S.W. | Calm. |
| Thursday, „ 22, | 30·168 | 63·4 | 50·0 | 56·7 | 57·3 | 56·3 | ·91 | ·4 | 0·0 | ·105 | S.W. | W.S.W. |
| Friday, „ 23, | 30·109 | 61·5 | 48·9 | 55·2 | 51·8 | 50·9 | ·95 | ·4 | 3·8 | ·005 | W.S.W. | Calm. |
| Saturday, „ 24, | 30·137 | 63·7 | 39·0 | 51·4 | 56·1 | 53·7 | ·84 | ·5 | 7·0 | ·000 | Calm. | Calm. |
| Mean, . . | 30·095 | 62·4 | 47·5 | 55·0 | 54·4 | 52·1 | ·85 | ·5 | Total 35·9 | Total ·285 | — | |

*Sunday*—Cloudy day, light rain p.m.; night cloudy, light rain 12.50 a.m. to 1.10 a.m. *Monday*—Cloudy day, light rain, showers p.m.; night cloudy, showers at intervals a.m. *Tuesday*—Cloudy day, fine; night cloudy. *Wednesday*—Cloudy day, fine; night clear. *Thursday*—Day overcast, light showers p.m.; night cloudy. *Friday*—Cloudy day, light showers p.m.; night cloudy. *Saturday*—Cloudy day, fine; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 24th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Aug. 18, | 62·5 | 59·9 | 57·6 | 66·9 | 54·0 | 60·5 | 5·8 | ·080 |
| Monday, „ 19, | 56·8 | 59·2 | 57·4 | 61·9 | 50·9 | 56·4 | 8·6 | ·089 |
| Tuesday, „ 20, | 55·9 | 58·3 | 57·5 | 61·5 | 47·3 | 54·4 | 6·1 | — |
| Wednesday, „ 21, | 56·6 | 57·9 | 57·1 | 63·2 | 52·8 | 58·0 | 2·0 | — |
| Thursday, „ 22, | 59·3 | 57·8 | 57·1 | 64·8 | 53·5 | 59·2 | 0·2 | ·085 |
| Friday, „ 23, | 56·1 | 57·9 | 56·9 | 63·0 | 53·8 | 58·4 | 3·6 | — |
| Saturday, „ 24, | 55·8 | 57·5 | 56·9 | 61·9 | 45·0 | 53·5 | 5·4 | — |
| Weekly Mean, . | 57·6 | 58·4 | 57·2 | 63·3 | 51·0 | 57·2 | Total 31·7 | Total ·254 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18528.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 31ST AUGUST, 1907. [No. 35.

*General Register Office, Charlemont House,*
*Dublin, 2nd September,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Aug. 10. | Week ending Aug. 17. | Week ending Aug. 24. | Week ending Aug. 31. | Average Rate for 4 weeks. | Towns, &c. | Week ending Aug. 10. | Week ending Aug. 17. | Week ending Aug. 24. | Week ending Aug. 31. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 15·5 | 15·3 | 15·6 | 16·0 | 15·6 | Lisburn, . . | 9·1 | 4·5 | 9·1 | 13·6 | 9·1 |
| Armagh, . . | 13·7 | 27·5 | 6·9 | 13·7 | 15·5 | Londonderry, . | 19·6 | 25·8 | 14·7 | 17·2 | 19·3 |
| Ballymena, . | 14·4 | 14·4 | 9·6 | 9·6 | 12·0 | Lurgan, . . | 22·1 | . | 26·6 | 8·9 | 14·4 |
| Belfast, . . | 14·6 | 14·2 | 15·1 | 12·7 | 14·2 | Newry, . . | 8·4 | 12·6 | 42·0 | 21·0 | 21·0 |
| Clonmel, . . | 5·1 | 20·5 | 15·4 | 5·1 | 11·5 | Newtownards, . | 34·3 | 11·4 | 11·4 | 11·4 | 17·1 |
| Cork, . . . | 19·2 | 13·7 | 16·4 | 19·2 | 17·1 | Portadown, . | 10·3 | 10·3 | 5·2 | 31·0 | 14·2 |
| Drogheda, . . | 24·5 | 8·2 | 12·3 | 12·3 | 14·3 | Queenstown . | 6·6 | 13·2 | 33·0 | 26·4 | 19·8 |
| Dublin Reg. Area, | 15·7 | 17·8 | 15·7 | 18·6 | 16·9 | Sligo, . . . | 9·6 | . | 4·8 | 14·4 | 7·2 |
| Dundalk . . | 8·0 | 8·0 | 16·0 | 12·0 | 11·0 | Tralee, . . | 31·7 | . | 21·1 | 26·4 | 19·8 |
| Galway, . . | 11·7 | 7·8 | 11·7 | 27·2 | 14·6 | Waterford, . | 17·5 | 13·6 | 15·6 | 13·6 | 15·1 |
| Kilkenny, . . | 9·8 | 4·9 | 14·7 | 34·3 | 15·9 | Wexford, . . | 23·3 | 18·7 | 14·0 | 14·0 | 17·5 |
| Limerick, . . | 10·9 | 19·1 | 17·8 | 8·2 | 14·0 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·2 per 1,000, the rates varying from 0·0 in seventeen of the districts to 5·7 in Newtownards, one of the 2 deaths from all causes registered in that district being from diarrhœa. Among the 90 deaths from all causes registered in Belfast were 2 from measles, one from whooping-cough, 2 from diarrhœal diseases, 5 from cerebro-spinal fever, and 2 returned as from *cerebro-spinal meningitis;* and 2 of the 14 deaths from all causes in Londonderry were from diarrhœal diseases.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 197—105 boys and 92 girls; and the deaths to 149—70 males and 79 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 19·9 in every 1,000 of the population. Omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, the rate was 18·6 per 1,000. During the thirty-five weeks ending with Saturday last the death-rate averaged 25·4, and was 0·1 below the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The 149 deaths registered included 7 deaths from measles, 2 deaths from enteric fever, and 8 deaths from diarrhœal diseases; also one death from influenza. In each of the 3 preceding weeks, deaths from measles were 5, 7, and 2; deaths from enteric fever were one, one, and 2; deaths from diarrhœal diseases were 5, 6, and 4; and deaths from influenza were 0, 0, and one.

Three deaths were caused by broncho-pneumonia and 8 deaths by *pneumonia* (not defined).

Deaths from tuberculous disease, which, in the 3 preceding weeks, numbered 30, 26, and 26, respectively, fell to 22 for last week. The latter includes 8 deaths from tuberculous phthisis, 7 returned as from *phthisis*, 3 from tuberculous meningitis, and 4 from other forms of the disease.

There were 5 deaths from carcinoma and 5 deaths from cancer (undefined).

The deaths of 2 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 9 deaths, including 4 (of children under 5 years of age) from *convulsions*.

There were 26 deaths from diseases of the heart and blood vessels and 9 deaths from bronchitis.

Of 5 accidental deaths 2 were caused by drowning and one was caused by overlaying in bed; there was one case of manslaughter.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (24 being infants under one year, of whom 7 were under one month old), and 37 were aged 60 years and upwards, including 20 persons aged 70 and upwards, of whom 6 were octogenarians.

Sixty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the N. Dublin Union Workhouse, 10 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII]

As already stated, the death-rate for the entire Registration Area was 18·6 per 1,000; the rate in the City was 19·2 (North City Districts, 20·0; South, 18·5), and in the Suburbs, 16·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 1·9 (2·4 in the North City Districts, and 1·4 in the South) and for the Suburbs, 3·5 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·4 per 1,000. One of the deaths was from *diarrhœa*, and 3 were from tuberculous disease of the lungs.

*No. 1 North City District, West* (Summer-hill).—The deaths (22) are equal to an annual rate of 29·3 per 1,000, and include one each from measles, enteric fever, and broncho-pneumonia, 4 from diarrhœal diseases, 2 from tuberculous disease, 3 from diseases of the respiratory system, and one homicidal death.

*No. 2 North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·4 per 1,000. There was one death from *phthisis*, and there were 2 accidental deaths.

*No. 3 North City District* (Benburb-street).—The deaths (5) represent an annual rate of 8·0 per 1,000. Tuberculous disease caused 3 deaths, and bronchitis one death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 4·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 7·2. Tuberculous phthisis was the cause of the only death for Coolock and Drumcondra, No. 1, part of, as also for Finglas and Glasnevin, part of.

*No. 1 South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·9 per 1,000, and include one death each from broncho-pneumonia, *pneumonia* (not defined), tuberculous disease and bronchitis; there was also one accidental death.

*No. 2 South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 15·2 per 1,000. *Diarrhœa* and tuberculous disease each caused one death.

*No. 3 South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·8 per 1,000. Among them are one each from measles and epidemic enteritis, 4 deaths from tuberculous disease, and one death from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. Of the 14 deaths one was from epidemic enteritis, 4 were from pneumonia (all forms), one was from tuberculous phthisis, and 2 were from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Influenza caused one death.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·6; Pembroke, 5·6; Blackrock, 11·9; and Kingstown, 32·5. The deaths from the principal epidemic diseases tabulated for these districts consist of 5 from measles for Kingstown, and one from enteric fever for Rathmines and Rathgar. Among the 12 deaths from all causes for Rathmines and Rathgar was one each from *pneumonia* (not defined), *phthisis* and bronchitis; the 3 deaths from all causes for Pembroke include one each from *pneumonia* (not defined) and bronchitis; and the 11 deaths from all causes for Kingstown include one each from *pneumonia* (not defined) and tuberculous phthisis and 3 deaths from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; by the Medical Superintendent Officer of Health for Kingstown Urban District; l by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 31st August, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| ITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Aug. 10, | . | — | — | 2 | 1 | . | 5 | . | 2 | 5 | 13 | . | — | — | . | — | — | 28 |
| | Aug. 17, | . | — | — | 5 | 1 | . | 8 | . | 3 | 11 | 15 | 1 | — | — | . | — | — | 44 |
| | Aug. 24, | . | — | — | 3 | . | . | 8 | . | . | 13 | 15 | . | — | — | — | — | — | 39 |
| | Aug. 31, | . | — | — | 3 | . | . | 3 | . | 2 | 3 | 14 | . | — | — | — | — | — | 25 |
| thmines Rathgar Urban istrict. | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| | Aug. 24, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Aug. 31, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| mbroke Urban istrict. | Aug. 10, | . | 39 | . | . | . | . | 1 | . | 1 | . | . | . | — | 2 | . | — | — | 43 |
| | Aug. 17, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 11 |
| | Aug. 24, | . | 12 | . | . | . | . | . | . | 1 | 1 | . | . | — | . | . | — | — | 14 |
| | Aug. 31, | . | 5 | . | . | . | . | . | . | . | . | 2 | . | — | . | . | — | — | 7 |
| ackrock Urban istrict. | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ngstown Urban istrict. | Aug. 10, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 17, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| ity of elfast. | Aug. 10, | . | — | — | 2 | . | . | 1 | . | 4 | 4 | 4 | . | — | — | 5 | — | — | 20 |
| | Aug. 17, | . | — | — | 9 | . | . | 6 | . | 5 | 6 | 6 | 2 | — | — | 3 | — | — | 37 |
| | Aug. 24, | . | — | — | 9 | . | . | 5 | . | 8 | 15 | 11 | 2 | — | — | 2 | — | — | 52 |
| | Aug. 31, | . | — | — | 10 | . | . | 9 | 2 | 10 | 6 | 6 | . | — | — | 4 | — | — | 47 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

able XII. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 31st August, 1907.

rom this it appears that:—

hree cases of measles were admitted into hospital during the week, 10 were discharged, e was one death, and 10 cases remained under treatment at its close.

ive cases of scarlet fever were admitted to hospital, 9 were discharged, and 33* cases ained under treatment at the close of the week.

ne case of typhus was admitted to hospital, one was discharged, and two cases ained under treatment at the close of the week.

our cases of diphtheria were admitted to hospital, 5 were discharged, and 23 patients ained under treatment at the close of the week.

x cases of enteric fever were admitted to hospital during the week, 2 were discharged, 36 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, re discharged, there were 2 deaths, and 22 cases remained under treatment at the end of veek.

## ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 11·7), was equal to an average annual death-rate of 11·8 per 1,000 persons living, average rate for 8 principal towns of Scotland was 13·7 per 1,000, the rate for Glasgow 12·8 and for Edinburgh 15·4.

INFECTIOUS DISEASE IN EDINBURGH.

he Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st st. From this Report it appears that of a total of 49 cases notified 20 were scarlet fever, 4 diphtheria, eric fever, and 3 erysipelas. Among the 270 cases of infectious diseases in hospital at the close of week were 88 cases of scarlet fever, 39 of whooping-cough, 33 of diphtheria, one of membranous , 29 of measles, 11 of enteric fever, and 6 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 31st August, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases, in cols. 10-18. | Registration—Week ending Saturday, 31st August, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 31st August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 24th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 17th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 27·2 | 16·0 | 1·2 | 582 | 242 | 60 | 85 | . | 9 | . | . | 1 | . | . | 2 | 14 | 17 | 37 | 23 | 25 | 29 | 9 | 15 | 113 | 8 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 890,691 | 28·4 | 26·3 | 18·6 | 2·3 | 197 | 189 | 24 | 31 | . | 7 | . | . | . | . | . | 2 | 8 | 10 | 13 | 7 | 8 | 10 | 6 | 8 | 50 | 3 | 67·3 | 35·9 | 52·9 | 0·94 | 65·3 | 39·0 | 55·0 | 0·29 | 72·3 | 43·9 | 58·9 | 0·63 |
| City of Dublin, | 800,850 | 38·0 | 28·9 | 19·2 | 1·9 | 167 | 111 | 20 | 21 | . | 2 | . | . | . | . | . | 1 | 8 | 7 | 11 | 7 | 5 | 8 | 6 | 7 | 43 | 2 | g 69·1<br>h 68·9 | 44·1<br>38·8 | 57·0<br>55·8 | 0·86<br>0·84 | g 66·3<br>h 68·8 | 45·8<br>42·0 | 56·5<br>55·7 | 0·26<br>0·38 | g 73·1<br>h 73·3 | 47·8<br>44·0 | 60·1<br>58·6 | 0·47<br>0·76 |
| Urban Dists. Rathmines and Rathgar, | 85,606 | 20·8 | 17·6 | 17·6 | 1·5 | 12 | 12 | 2 | 5 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Pembroke, | 27,854 | 17·5 | 20·6 | 5·6 | . | 11 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Blackrock, | 8,759 | 8·1 | . | 11·9 | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Kingstown, | 17,622 | 12·1 | 20·7 | 32·5 | 14·8 | 7 | 11 | 1 | 3 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | 66 | 44 | 57·0 | 0·30 | 73 | 52 | 60·5 | 0·67 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 26·2 | 12·7 | 0·7 | 186 | 90 | 28 | 14 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | . | 24 | 1 | 65·0 | 38·0 | 55·2 | 0·16 | 65·6 | 46·8 | 56·1 | 0·55 | 69·0 | 45·0 | 57·6 | 1·89 |
| Cork, | 76,122 | 33·6 | 18·8 | 19·2 | 0·7 | 34 | 28 | 1 | 8 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 2 | 16 | 1 | 67 | 48 | 56·5 | 0·40 | 63 | 46 | 56·7 | 0·16 | 66 | 52 | 58·1 | 1·21 |
| Londonderry, | 42,475 | 19·6 | 27·0 | 17·2 | 2·5 | 22 | 14 | 1 | 3 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 60·1 | 8·2 | . | 44 | 6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 31·2 | 13·6 | . | 16 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 11·7 | 27·2 | . | 3 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 | 1 | . | . | 2 | 1 | 66 | 40 | 56 | 0·50 | 65 | 47 | 57 | 0·82 | 65 | 48 | 56·3 | 1·33 |
| Dundalk, | 18,076 | 3·4 | 18·9 | 12·0 | . | 5 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 24·5 | 12·8 | . | 6 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | 3 | . | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 |
| Newry, | 12,405 | 17·8 | 29·4 | 21·0 | . | 7 | 5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 |
| Lurgan, | 11,782 | 13·8 | 35·4 | 8·9 | . | 8 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 |
| Lisburn, | 11,461 | 10·1 | 18·2 | 13·6 | . | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Wexford, | 11,168 | 28·2 | 23·3 | 14·0 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 43·1 | 9·6 | . | 9 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 66·0 | 32·0 | 52·5 | 0·12 | 64·5 | 36·2 | 52·7 | 0·90 | 67·1 | 44·3 | 56·9 | 1·46 |
| Sligo, | 10,870 | 8·7 | 19·2 | 14·4 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 3 | 1 | 67 | 39 | 55 | 0·32 | 66 | 45 | 56·4 | 0·17 | 72 | 49 | 58·5 | 0·97 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 34·2 | . | 5 | 7 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Clonmel, | 10,167 | 7·9 | 20·5 | 5·1 | . | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 1 | . | . | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 |
| Tortadown, | 10,092 | 13·2 | 25·8 | 51·0 | . | 5 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tralee, | 9,867 | 16·6 | 21·1 | 26·4 | . | 4 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 66 | 41 | 53·9 | 0·16 | 65 | 43 | 54·5 | 0·22 | 70 | 45 | 57·0 | 1·28 |
| Newtownards, | 9,110 | 18·9 | 45·8 | 11·4 | 5·7 | 8 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 1 | 67 | 48 | 56·5 | 0·40 | 63 | 46 | 56·7 | 0·16 | 66 | 52 | 58·1 | 1·21 |
| Queenstown, | 7,909 | 14·4 | 18·2 | 26·4 | . | 2 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 | 67·9 | 43·0 | 57·4 | 1·16 |
| Armagh, | 7,688 | 22·2 | 27·5 | 13·7 | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly [illegible] in several cases; thus the readings at Dunshaughlin have been adopted for Newtownards, those at Athlone for Lisburn, [illegible] Clonmel, those at Sligo for [illegible]

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Ratngar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 31st August, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | GOODLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 5 | 7 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| Diarrhœal Diseases, | 1 | 4 | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | 8 | . |
| Pneumonia, | . | 1 | . | . | . | . | . | 2 | . | . | 4 | . | 1 | 1 | . | 1 | 10 | 1 |
| Tuberculous Disease. Phthisis, | 3 | 1 | 1 | 2 | . | 1 | 1 | . | . | 1 | 1 | . | 1 | . | . | 1 | 13 | 2 |
| Tuberculous Disease. Other Forms. | . | 1 | . | 1 | . | . | . | 1 | 1 | 3 | . | . | . | . | . | . | 7 | . |
| Cancer, Malignant Disease, | 1 | 1 | 2 | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | 8 | 2 |
| Other General Diseases, | . | . | 2 | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | . | 5 | . |
| Total, | 5 | 10 | 5 | 3 | . | 1 | 1 | 4 | 2 | 6 | 7 | 1 | 6 | 1 | 1 | 7 | 60 | 5 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 1 | 3 | 1 | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 8 | 1 |
| Diseases of: Organs of Special Sense, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of: Heart and Blood Vessels, | 1 | 2 | 1 | . | . | . | . | 4 | 3 | 5 | 2 | . | 3 | . | . | 3 | 24 | 2 |
| Diseases of: Respiratory System, | . | 3 | . | 1 | . | . | . | 1 | . | 1 | 2 | . | 1 | 1 | . | . | 10 | . |
| Diseases of: Digestive System, | 2 | 4 | 4 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 12 | 1 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | . | 1 | . | 7 | 1 |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Total, | 6 | 10 | 8 | 2 | . | . | . | 7 | 4 | 9 | 5 | 1 | 6 | 1 | 1 | 3 | 63 | 5 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 2 | 1 | 2 | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | 10 | . |
| **E. VIOLENT DEATHS,** | . | 1 | 2 | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | 6 | . |
| **Deaths from all Causes,** | 13 | 22 | 17 | 5 | . | 1 | 1 | 13 | 6 | 16 | 14 | 3 | 12 | 3 | 2 | 11 | 139 | 10 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 23·4 | 29·3 | 29·4 | 8·0 | . | 4·7 | 7·2 | 16·9 | 15·2 | 19·8 | 20·8 | 17·6 | 17·6 | 5·6 | 11·9 | 32·5 | 18·6 | . |
| | 20·0 | | | | | | | 18·5 | | | | | 16·3 | | | | | |
| | 19·2 | | | | | | | | | | | | | | | | | |
| Ages at Death. Under 1 year, | 2 | 6 | 7 | . | . | . | . | 3 | 1 | 1 | . | . | 2 | 1 | . | 1 | 24 | . |
| Ages at Death. 1 and under 5 years, | 2 | 1 | 2 | . | . | . | . | 3 | . | 4 | 3 | . | 2 | . | . | 4 | 21 | . |
| Ages at Death. 5 ,, 20 ,, | 2 | 2 | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | . | . | 1 | 10 | . |
| Ages at Death. 20 ,, 40 ,, | 1 | 3 | 2 | 4 | . | 1 | . | . | . | 2 | 3 | 1 | 1 | . | . | 1 | 19 | 4 |
| Ages at Death. 40 ,, 60 ,, | 2 | 6 | 4 | . | . | . | . | 3 | 3 | 5 | 5 | 2 | 1 | 1 | 1 | 1 | 34 | . |
| Ages at Death. 60 and upwards, | 4 | 4 | 1 | 1 | . | . | . | 4 | 1 | 4 | 2 | . | 5 | 1 | 1 | 3 | 31 | 6 |
| Number of Uncertified Deaths, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 2 | 3 | 2 | . | . | . | . | 1 | 5 | 6 | 1 | 5 | . | 1 | . | 27 | 8 |
| Workhouse Hospitals, | 4 | 1 | 5 | 2 | . | . | . | 3 | 1 | 5 | 1 | . | . | . | . | 1 | 23 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 1897-

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 35th Week of the 10 years 1897-1906. | In the Week ending Saturday 31st August, 1907. Deaths of Persons of the ages | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 4, 1897. | Sept. 3, 1898. | Sept. 2, 1899. | Sept. 1, 1900. | Aug. 31, 1901. | Aug. 30, 1902. | Sept. 5, 1903. | Sept. 3, 1904. | Sept. 2, 1905. | Sept. 1, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 53·8 | ° 58·3 | ° 59·1 | ° 55·9 | ° 54·8 | ° 53·5 | ° 54·9 | ° 58·8 | ° 55·7 | ° 62·6 | ° 56·7 | ° 53·9 | | | | | |
| **ALL CAUSES.** | 155 | 185 | 205 | 186 | 176 | 156 | 116 | 150 | 165 | 166 | 156·0 | 149 | 7 | 17 | 21 | 10 | 2 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | 1 | 14 | . | . | 11 | . | 1 | 2 | . | 2·9 | 7 | . | 1 | 5 | 1 | . |
| Scarlet Fever, | 1 | . | . | 1 | 2 | 2 | 1 | . | . | . | ·7 | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | . | . | 1 | 2 | 1 | 1 | 1 | . | . | . | ·6 | 1 | . | . | . | . | 1 |
| Whooping-cough, | 3 | 4 | 3 | 4 | 1 | . | 4 | 1 | . | . | 2·0 | . | . | . | . | . | . |
| Diphtheria, | 4 | . | 1 | 4 | 2 | 2 | . | . | 1 | . | 1·4 | . | . | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 1 | 4 | 2 | 2 | 2 | 1 | 1 | 2 | 2 | 1·7 | 2 | . | . | . | . | 2 |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 27 | 35 | 43 | 36 | 28 | 1 | 2 | 13 | 8 | 11 | 25·9 | 3 | . | 2 | 1 | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 6 | 8 | 13 | 11 | 17 | | 5 | . | 3 | 1 | . | 1 |
| Tetanus, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 1 | 1 | . | 1 | . | 1 | . | 1 | 2 | ·7 | 1 | . | 1 | . | . | . |
| Puerperal Septicæmia, | 1 | 1 | . | . | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 2 | 5 | 6 | 2 | 4 | . | 1 | . | . | 1 | 5·1 | . | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 2 | . | 3 | 2 | 2 | | 3 | . | . | 2 | . | . |
| Pneumonia, Epidemic, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 4 | 4 | 3 | 7 | 2 | | 8 | . | . | 2 | . | 3 |
| Erysipelas, | . | . | . | . | 2 | 3 | . | . | . | . | ·5 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 1 | 1 | . | 1 | . | . | 1 | 1 | 1 | ·6 | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 16 | 29 | 22 | 32 | 20 | 1 | 4 | 3 | 7 | 4 | 21·4 | 8 | . | . | 1 | 3 | 4 |
| "*Phthisis*," | | | | | | 18 | 12 | 18 | 14 | 14 | | 7 | . | . | . | 1 | 5 |
| Tuberculous Meningitis, | 3 | 4 | 6 | 2 | 2 | 2 | 3 | 2 | 1 | 5 | 3·0 | 3 | . | . | 2 | 1 | . |
| Tuberculous Peritonitis, | 7 | 2 | 10 | 5 | 10 | . | . | 3 | . | . | 3·9 | . | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | 1 | . | 1 | . | . | | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 2 | 3 | 2 | 2 | 3 | 2 | 3 | 3 | 5 | 4 | 3·0 | 4 | . | 1 | 1 | 1 | 1 |
| *Scrofula*, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . |
| Alcoholism, | . | 1 | 1 | 2 | . | 1 | 2 | 1 | 1 | . | ·9 | . | . | . | . | . | . |
| Rheumatic Fever, | 1 | . | 1 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . |
| Gout, | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| Carcinoma, | 7 | 4 | 6 | 7 | 7 | 3 | 1 | 2 | 4 | 3 | 6·6 | 5 | . | . | . | . | 1 |
| Sarcoma, | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 4 | 4 | 1 | 6 | 6 | | 5 | . | . | . | . | 1 |
| Diabetes Mellitus, | . | . | . | . | . | 1 | 1 | . | 1 | . | ·3 | . | . | . | . | . | . |
| Premature Birth, | 2 | 2 | 2 | 1 | . | 1 | 2 | 10 | 5 | 3 | 2·8 | 2 | 1 | 1 | . | . | . |

* The figures for the years 1897-1900
† Formerly descr

Y-FIFTH WEEK ending Saturday, 31st August, 1907, with the deaths from each cause in the corresponding e average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 35th Week of the 10 years 1897-1906. | In the Week ending Saturday, 31st August, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 4, 1897. | Sept. 3, 1898. | Sept. 2, 1899. | Sept. 1, 1900. | Aug. 31, 1901. | Aug. 30, 1902. | Sept. 5, 1903. | Sept. 3, 1904. | Sept. 2, 1905. | Sept. 1, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 53·8 | ° 58·3 | ° 59·1 | ° 55·9 | ° 54·8 | ° 53·5 | ° 54·9 | ° 58·8 | ° 55·7 | ° 62·6 | ° 56·7 | Mean Temp. ° 53·9 | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 3 | 1 | 1 | 1 | 5 | | 3 | . | . | . | 2 | 1 | . | . | . |
| dity, G. P. of Insane ... | | | | | | 2 | 4 | 1 | . | 1 | | . | . | . | . | . | . | . | . | . |
| psy .. ... | | | | | | 1 | 2 | 1 | . | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| *ulsions* ... .. | | | | | | 7 | 2 | 4 | 3 | 1 | | 4 | 1 | 1 | 2 | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | 1 | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| ous System (other .) | 30 | 32 | 32 | 35 | 40 | . | . | 1 | 1 | 3 | 33·0 | 1 | . | . | . | . | 1 | . | . |
| Dis., Endocarditis ... | | | | | | 5 | 9 | 3 | 5 | 4 | | 3 | . | . | . | . | 2 | 1 | . |
| or. Hæm. Thromb. ... | | | | | | 1 | 3 | . | 2 | . | | 3 | . | . | . | 1 | . | 1 | 1 |
| *lery, Hemiplegia* ... | | | | | | 2 | 3 | 4 | 8 | 4 | | 6 | . | . | . | . | 2 | 4 | . |
| rysm ... ... | | | | | | 1 | . | 1 | 1 | . | | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | 1 | 1 | . | . | . | | . | . | . | . | . | . | . | . |
| t and Blood Vessel Dis. | | | | | | 8 | 1 | 12 | 19 | 14 | | 14 | . | . | 1 | . | 5 | 6 | 2 |
| (not Spasm. nor mb.) | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| chitis ... ... | 6 | 13 | 7 | 3 | 7 | 9 | 10 | 7 | 13 | 2 | 7·7 | 9 | . | . | . | 1 | 5 | 3 | . |
| na, Emphysema ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| isy ... ... | 1 | . | . | 1 | . | . | 1 | . | . | . | ·8 | . | . | . | . | . | . | . | . |
| iratory Dis. (other) ... | | | | | | 1 | . | 1 | 1 | 2 | | 1 | . | . | . | . | 1 | . | . |
| llitis, Quinsy ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| itis (not Epid.) ... | | | | | | 3 | 1 | 2 | 1 | 4 | | 2 | . | 1 | 1 | . | . | . | . |
| *o Enteritis* ... ... | . | 3 | 1 | 3 | 3 | 3 | 2 | 2 | 5 | 3 | 3·6 | 2 | . | . | . | 1 | . | 1 | . |
| *nitis* (not Puerp.) ... | . | 2 | 1 | . | 1 | 2 | . | 3 | 1 | . | 1·0 | 1 | . | 1 | . | . | . | . | . |
| osis of Liver ... | | | | | | . | 1 | 1 | 1 | 2 | | 1 | . | . | . | . | . | 1 | . |
| Dis. (other) ... | 5 | . | 1 | 3 | . | 4 | 1 | 1 | 1 | 2 | 2·3 | 1 | 1 | . | . | . | . | . | . |
| tive Dis. (other) ... | 2 | 4 | 9 | 4 | 4 | 3 | 4 | 3 | 3 | 9 | 4·5 | 6 | 1 | 2 | . | . | 2 | 1 | . |
| ritis, Acute ... | | | | | | 1 | . | 2 | 2 | 3 | | 2 | . | . | . | . | 1 | 1 | . |
| it's Dis., Albuminuria | 5 | 5 | 1 | 5 | 4 | 1 | . | 4 | 1 | 3 | 4·3 | 4 | . | . | . | . | 4 | . | . |
| ary Sys. (Other Dis.) | | | | | | 1 | 2 | . | 3 | . | | 2 | . | . | . | . | . | 2 | . |
| rative Organs Dis. ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | 1 | . | 1 | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . | . |
| *ige* ... ... | 11 | 7 | 8 | 13 | 11 | 4 | 2 | 3 | 4 | 1 | 6·4 | 4 | . | . | . | . | . | 2 | 2 |
| r Diseases ... ... | 12 | 16 | 13 | 13 | 12 | 16 | 6 | 6 | 5 | 15 | 11·4 | 9 | 3 | 2 | 2 | . | 1 | 1 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ehicles and Horses ... | 2 | 2 | . | . | 2 | . | . | . | . | 1 | ·7 | 1 | . | . | . | . | 1 | . | . |
| ips, Boats, Docks (exive of Drowning) ... | . | . | . | . | 1 | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| arns, Scalds, Explosions | 1 | . | 1 | 1 | 2 | 2 | 1 | . | 1 | . | ·9 | . | . | . | . | . | . | . | . |
| rowning ... ... | 1 | . | 3 | 1 | . | 1 | 1 | 2 | . | 2 | 1·1 | 2 | . | . | . | 1 | 1 | . | . |
| affocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| oison or Poisonous ours | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Deaths by Accident | 2 | 4 | 1 | . | 1 | . | . | 2 | 2 | 4 | 1·6 | 1 | . | . | . | . | 1 | . | . |
| **ENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | 2 | . | . | 1 | . | . | . | . | . | ·3 | 1 | . | . | . | . | 1 | . | . |
| le ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| ation ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

istration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 9. | Mar. 16. | Mar. 23 | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. |
| No. of weeks in Annual Series. | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |
| Births registered, | 254 | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 |
| *Average Births in corresponding week of previous 10 years,** | 211 | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 |
| Deaths registered, | 194 | 208 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 |
| Annual Death-rate per 1,000, | 25·9 | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 |
| *Average Deaths in corresponding week of previous 10 years,** | 224 | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 |
| Ages, Under 5 years, | 59 | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 53 | 45 | 45 |
| 5—20 ,, | 17 | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 |
| 20—40 ,, | 27 | 29 | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 |
| 40—60 ,, | 39 | 37 | 32 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 |
| 60—80 ,, | 40 | 51 | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 23 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 |
| 80 years and upwards, | 12 | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 |
| Scarlet Fever | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . |
| Whooping-cough, | 7 | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 8 | 4 | . |
| Diphtheria, | 1 | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 |
| Diarrhœal Diseases, | 1 | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 |
| Influenza, | . | 4 | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 |
| Pneumonia, | 18 | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 |
| Tuberculous Disease. Phthisis, | 21 | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 |
| Tuberculous Disease. Other Forms, | 13 | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 |
| Cancer, Malignant Disease, | 7 | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 |
| Diseases of Heart and Blood Vessels, | 32 | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 |
| Diseases of Respiratory System, | 31 | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 13 | 11 | 10 |
| Violent Deaths, | 3 | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 |
| Number of Uncertified Deaths, | 4 | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 43·1 | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 51·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 41·6 | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 |
| Rainfall in inches, | ·428 | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 |
| Mean Humidity of the Air, complete Saturation, 1·0 | ·81 | ·87 | ·88 | ·78 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·88 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

in the Dublin Registration Area during the Week ending Saturday, 31st August, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST AUGUST 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 20·7 | 149 | 45 | 10 | 23 | 34 | 31 | 6 | . | 7 | . | . | . | . | . | 2 | 8 | 17 | 11 | 15 | 7 | 10 | 4 | 10 | 6 | 69 | 3 |
| | CLASSES. Deaths in Families of the— | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | Professional and Independent Class, | 17,436 | 23·9 | 8 | . | . | 2 | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 6 | . |
| II. | Middle Class, | 87,188 | 10·8 | 18 | 4 | 3 | 5 | 2 | 3 | 1 | . | 1 | . | . | . | . | . | 1 | . | 2 | 1 | 2 | 1 | 2 | . | . | 1 | 9 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 16·1 | 34 | 7 | 5 | 2 | 13 | 4 | 3 | . | 1 | . | . | . | . | . | 1 | 1 | 3 | 4 | 2 | 2 | 1 | 1 | 4 | 1 | 16 | 3 |
| IV. | General Service Class, | 154,279 | 28·9 | 64 | 29 | 2 | 9 | 10 | 13 | 1 | . | 5 | . | . | . | . | . | . | 7 | 12 | 6 | 6 | 2 | 5 | | 4 | 2 | 24 | . |
| V | Inmates of Workhouses, | 6,024 | | 25 | 5 | . | 5 | 7 | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | . | 2 | 1 | 14 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 33·4 | 5 | . | . | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 40·8 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 12·5 | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 7·1 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 8·6 | 5 | 1 | 1 | 1 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 15·4 | 8 | . | 2 | 3 | 1 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | 1 | . | . | . | . | 4 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 9. Building and Furnishing Trades, | 22,801 | 19·2 | 11 | 3 | . | 1 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 2 | . | 6 | 1 |
| | 10. Clothing Trades, | 23,260 | 13·5 | 6 | 2 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | . | . | 3 | . |
| | 11. Food Supply Trades, | 9,242 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | 1 | 3 | 1 | 4 | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 2 | . | 1 | . | 1 | . | 5 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 39·6 | 6 | 1 | . | . | 3 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | 2 | 1 |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 7·8 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 2 | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 1 | . | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,590 | 29·0 | 8 | 4 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | 1 | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 27·9 | 48 | 23 | 1 | 7 | 7 | 9 | 1 | . | 5 | . | . | . | . | . | . | 6 | 11 | 5 | 5 | 1 | 4 | 1 | 3 | 1 | 17 | . |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 25 | 5 | . | 5 | 7 | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 4 | 2 | 2 | . | 2 | 1 | 14 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **City of Dublin (part of).** | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | July 13, | 27·0 | 5·4 | 15 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . |
| | „ 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| | „ 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| | „ 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | . | 1 |
| | „ 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| | „ 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 31 | 23·4 | 1·8 | 13 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | . | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | July 13, | 20·0 | 1·3 | 15 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 4 | . | 1 |
| | „ 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| | „ 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| | „ 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 |
| | „ 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| | „ 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| | „ 31, | 29·3 | 3·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | July 13, | 26·0 | 1·7 | 15 | . | . | . | . | 1 | . | . | . | . | 3 | 3 | . | 1 | . | . | 1 |
| | „ 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| | „ 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | „ 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| | „ 24, | 24·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| | „ 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | July 13, | 19·3 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | . |
| | „ 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| | „ 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| | „ 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| | „ 24, | 11·3 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| | „ 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | July 13, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | . | . |
| | „ 20, | 23·5 | 1·3 | 18 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| | „ 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| | „ 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | 1 |
| | „ 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | . |
| | „ 24, | 23·5 | 3·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | 1 | . | . | . |
| | „ 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | July 13, | 32·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | 1 | . | . |
| | „ 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . | 3 |
| | „ 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| | „ 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | „ 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | . |
| | „ 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | July 13, | 35·8 | 4·9 | 29 | . | . | . | . | 2 | . | . | . | 2 | . | 1 | 3 | . | 2 | . | 2 |
| | „ 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| | „ 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 2 | 2 | 5 | . | . |
| | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | . | 3 | 1 | . | 2 | . | . | 1 |
| | „ 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 4 | . | 5 | . | . |
| | „ 17, | 18·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 3 | . | . | . | 1 | 2 | . | . |
| | „ 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | „ 31, | 19·8 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | July 13, | 22·3 | 3·0 | 15 | . | . | . | . | 1 | . | . | . | 1 | 2 | 2 | 1 | . | 2 | . | 2 |
| | „ 20, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | 1 | . |
| | „ 27, | 26·7 | 3·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |
| | Aug. 3, | 19·3 | 1·5 | 13 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | . | 1 |
| | „ 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 2 | . | . |
| | „ 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia*[4] (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Unverified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | July 13, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 |
| | „ 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | „ 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| | „ 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| | „ 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | „ 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | July 13, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | „ 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| | „ 27, | 18·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| | „ 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | July 13, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | „ 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| | „ 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | „ 17, | 11·8 | 8·9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 11·8 | 3·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | July 13, | 14·6 | 0·6 | 104 | . | 4 | . | . | . | . | . | . | . | 8 | 9 | 8 | 7 | 5 | 4 | 1 |
| | „ 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| | „ 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| | „ 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| | „ 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| | „ 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| | „ 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| **Cork.** Pop. (in 1901) 76,122. | July 13, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 4 | . | 1 |
| | „ 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . |
| | „ 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| | „ 17, | 13·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| | „ 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| | „ 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | July 13, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 |
| | „ 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| | „ 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| | „ 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| | „ 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| | „ 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| | „ 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | July 13, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 1 |
| | „ 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | 2 |
| | „ 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | 1 | . | 2 |
| | „ 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| | „ 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | 2 |
| | „ 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| | „ 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | July 13, | 15·6 | 1·9 | 8 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 1 |
| | „ 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |
| | „ 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| | „ 17, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 31, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st August, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Malignant Disease. Cancer, | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 4 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 4 | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | . | . | . | . |
| Do. 2 ,, | 47,959 | 21 | | | 5 | . | . | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | 3 | . |
| Do. 3 ,, | 47,214 | 32 | | | 9 | 3 | . | . | . | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| Do. 4 ,, | 40,911 | 20 | | | 18 | 4 | 6 | 2 | 1 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 4 | . |
| Do. 5 ,, | 17,887 | 8 | | | 8 | 1 | 1 | 1 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | 1 |
| Do ,, | 48,122 | 21 | | | 8 | 1 | 1 | 2 | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 2 | . |
| Do. ,, | 1,524 | 2 | | | 3 | 1 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Do. 8 ,, | 5,060 | 5 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. | 19,569 | 15 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Do. 10 ,, | 28,064 | 12 | | | 3 | 2 | . | 2 | . | 4 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | 1 | . |
| Do. 11 ,, | 34,802 | 18 | | | 13 | 2 | 2 | 2 | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | . | 5 | . |
| Do. 12 ,, | 33,588 | 19 | | | 11 | 6 | 2 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | . | . | 1 | . |
| Do. 13 ,, | 15,006 | 9 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 186 | | | 90† | 23 | 18 | 10 | 9 | 21 | 14 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | . | 24 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 8 | 24·3 | . | 6 | . | . | 4 | | | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . | 5 | . |
| Do. 2 ,, . . | 10,701 | 5 | 29·2 | 4·9 | 6 | 1 | 1 | 2 | | | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 | 2 | . |
| Do. 3 ,, . . | 9,978 | 3 | 15·7 | . | 3 | . | 1 | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| Do. 4 ,, . . | 8,666 | 3 | 12·0 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| Do. 5 ,, . . | 6,592 | 2 | 15·8 | . | 2 | . | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Do. 6 ,, . . | 10,702 | 5 | 19·5 | . | 4 | . | 1 | 3 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . | 2 | 1 |
| Do. 7 ,, . . | 16,616 | 8 | 15·7 | . | 5 | . | 1 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . | 4 | . |
| Total, . . . . | 76,122 | 34 | 19·2 | 0·7 | 28 | 1 | 4 | 15 | | | 8 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 2 | 16 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 9. | Mar. 16. | Mar. 23. | Mar. 30 | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. |
| No. of weeks in Annual Series, | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 |
| BIRTHS registered, | 206 | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 |
| DEATHS registered, | 167 | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90† |
| Annual Death-rate per 1,000 of estimated Population, | 23·5 | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 |
| AGES — Under 1 year | 25 | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 10 | 19 | 17 | 23 |
| 1–5 years, | 18 | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 18 | 13 | 13 | 13 |
| 5–20 years, | 28 | 13 | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 |
| 20–40 years, | 27 | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 |
| 40–60 years, | 40 | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 35 | 21 | 14 | 25 | 21 | 17 | 21 | 19 | 33 | 23 | 17 | 21 | 21 |
| 60 years and upwards, | 29 | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 |
| Scarlet Fever, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 |
| Diphtheria, | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . |
| Diarrhœal Diseases, | 4 | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 |
| Pneumonia, | 12 | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 9 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 |
| Tuberculous Disease, Phthisis, | 21 | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 8 | 9 | 13 | 22 | 12 | 15 | 11 | 12 | 8 |
| Tuberculous Disease, Other Forms, | 15 | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 4 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 |
| Cancer Malignant Disease, | 2 | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 |
| Diseases of Respiratory System, | 21 | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 |
| Violent Deaths, | 2 | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | . | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . |
| Number of Uncertified Deaths, | 1 | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 9 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 |

* Formerly described as "Simple Continued Fever."
† Including 7 deaths from cerebro-spinal fever or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Aug. 31, | 2,346 | 1,068 | 11·7 | . | 24 | 14 | 10 | 21 | 7 | 56 |
| EDINBURGH, | 345,747 | „ 31, | 120 | 102 | 15·4 | . | . | 1 | . | 5 | . | . |
| GLASGOW, | 847,584 | „ 31, | 429 | 208*a* | 12·8 | . | 1 | . | 5 | 7 | 2 | 7 |
| CALCUTTA, | 847,796 | July 13, | . | 370 | 22·6 | 2 | 1 | . | . | 1 | 106‡ | 51* |
| BOMBAY, | 977,822 | „ 30, | 315 | 618 | 32·9 | 1 | 1 | . | . | . | 51‡ | 82* |
| MADRAS, | 509,346 | „ 12, | 393 | 361 | 36·8 | . | 3 | ? | ? | ? | 85 | 55* |
| PARIS, | 2,750,000 | Aug. 17, | 1,024 | 778 | 14·8 | . | 6 | 7 | 4† | 6 | 3 | 85 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 10, | 212 | 124 | 10·3 | . | . | 1 | . | 1 | 1 | 14 |
| ANTWERP, | 304,032 | „ 10, | 156 | 85 | 14·6 | . | 1 | . | . | 2 | . | 19 |
| AMSTERDAM, | 564,284 | „ 17, | 298 | 103 | 9·5 | . | 3 | 2 | . | 2 | 1 | 4 |
| COPENHAGEN, | 432,000 | „ 10, | 215 | 103 | 12·4 | . | . | . | . | 1 | . | 3 |
| STOCKHOLM, | 332,738 | „ 10, | 134 | 69 | 10·8 | . | 3 | 1 | . | 1 | 1 | 2 |
| CHRISTIANIA, | 226,774 | „ 17, | 108 | 56 | 12·7 | . | . | . | . | 1 | . | 4 |
| ST. PETERSBURG, | 1,482,769 | „ 17, | . | 592 | 20·8 | 1 | 9 | 10 | 19 | 8 | 24 | 136 |
| MOSCOW, | 1,296,000 | July 20, | . | 1,134 | 45·6 | . | 12 | 2 | 7† | 5 | 3 | 696 |
| BERLIN, | 2,091,048 | Aug. 3, | 942 | 533 | 13·3 | . | 9 | 3 | 3† | 11 | . | 63 |
| HAMBURG, | 824,792 | „ 10, | . | 210 | 13·2 | . | . | . | 3† | 2 | 1 | 22 |
| BRESLAU, | 485,358 | „ 10, | . | 232 | 24·9 | . | 1 | 2 | . | 8 | 1 | 41 |
| MUNICH, | 548,000 | „ 17, | . | 167 | 15·8 | . | 1 | . | 2† | 1 | . | 38 |
| VIENNA (with suburbs). | 1,979,003 | „ 17, | 784 | 581 | 15·3 | . | 5 | 1 | 5† | 1 | 1 | 119 |
| BUDA-PESTH, | 802,235 | July 27, | 411 | 283 | 18·3 | . | 2 | 11 | . | . | . | 31 |
| PRAGUE and Faubourgs. | 470,906 | „ 27, | 172 | 159 | 17·6 | . | . | . | . | 3 | 2 | 11 |
| TRIESTE, | 200,962 | Aug. 3, | 125 | 82 | 21·3 | . | . | . | . | 4 | . | 14 |
| ROME, | 542,760 | May 25, | 214 | 145 | 13·9 | . | . | . | . | 3 | . | 7 |
| VENICE, | 174,398 | July 13, | 73 | 45 | 13·5 | . | . | . | 1† | . | . | 13 |
| NEW YORK, | 4,285,435 | Aug. 3, | 2,549 | 1,806 | 22·0 | . | 30 | 18 | 26† | 12 | 11 | 576 |
| PHILADELPHIA, | 1,500,595 | July 27, | . | 629 | 21·7 | . | 4 | . | 5† | 7 | 9 | 154 |
| BOSTON, | 609,757 | Aug. 3, | . | 224 | 19·2 | . | 1 | . | 3 | 5 | 2 | 38 |

*a.* Including 10 deaths from cerebro-spinal meningitis.
* Including 26 deaths from cholera in Calcutta, 26 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 18 deaths from plague in Calcutta, and 15 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st August, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 1, West, | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| " " 2, | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 3 |
| " " 3, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | . | 1 | 9 | . | . | . | 10 |
| " " 2, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| " " 3, | . | 1 | . | . | 3 | . | . | . | . | . | . | . | 4 |
| " " 4, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Total, | . | 3 | . | . | | . | 2 | 3 | 14 | . | . | . | 25 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st August, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 31st August. | | | |
|---|---|---|---|---|---|---|---|
| | Aug. 10. | Aug. 17. | Aug. 24. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 27 | 20 | 18 | 3 | 10 | 1 | 10 |
| Scarlet Fever. | 40 | 35 | 37 | 5 | 9 | . | 33* |
| Typhus, | 2 | 2 | 2 | 1 | 1 | . | 2 |
| Diphtheria, | 19 | 18 | 24 | 4 | 5 | . | 23 |
| Enteric Fever, | 24 | 30 | 32 | 6 | 2 | . | 36 |
| Pneumonia, | 19 | 22 | 20 | 9 | 5 | 2 | 22 |

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 31st August, 1907 :—

"Except on Thursday, when a rainstorm of considerable severity prevailed on the shores of the Irish Sea, the weather was generally favourable. On Sunday the baric gradient for westerly winds was steep over Ireland, so that for several hours the wind blew strongly from that point. Showers fell in the evening and the wind veered and moderated. The following three days were fine in Dublin, with alternate cloud and sunshine. On Wednesday, however, a depression approached the N.W. of Ireland and gradients for S.W. winds became steep over this country, with the result that the wind rose to a strong and squally breeze from S.W. During the following night the depression travelled away north-eastwards to the Norwegian Sea, but a shallow and deformed 'secondary' developed over Ireland, in which country the wind shifted to N. and fell light with the accompaniment of a downpour of rain—the measurements being ·56 inch at Birr Castle, ·83 inch in Dublin, and ·99 inch at Holyhead. On Thursday afternoon the sky cleared in Dublin, a sheet of cirrus cloud rolling off in an upper current from S.W. and causing a brilliant sunset. A calm, cold night followed and Friday broke with a dense vapourfog prevailing. At Birr Castle the thermometer fell to 37°, in Dublin to 44°. The sun, however, soon asserted itself and a brilliant day followed. Saturday also was fine, save for a few drops of rain at 1 p.m. and a shower at 5.25 p.m.—an aurora borealis was seen at 9 p.m. In Dublin the mean height of the barometer was 30·035 inches, pressure ranging between 29·834 inches at 9 p.m. of Wednesday (wind, W.S.W.) and 30·170 inches at 9 a.m. of Friday (wind, N.W.). The corrected mean temperature was 57·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 56·0°. N.W., W., and S.W. winds prevailed. Rain fell on 3 days to the amount of ·857 inch, ·332 inch being measured on Wednesday and ·498 inch on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·037 inches. The highest reading (30·163) was on Friday at 9 a.m., air calm, and the lowest (29·831) on Wednesday at 9 p.m., wind S.S.W.

The mean temperature for the week was 53·9°, being 2·8° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 67·3°, and was lowest on Friday, the mercury having fallen to 35·9°. The mean of the Dry Bulb for the week was 54·7°, and of the Wet Bulb 52·8°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·940 inch.

At Greenwich the mean temperature for the week was 61·1°, the maximum 77·5°, and the minimum 45·9°; at Glasgow the maximum was 62·4°, the minimum 42·6° and the mean 53·9°; and at Edinburgh the maximum was 61·1°, the minimum 43·7°, and the mean 53·5°. The rainfall at Greenwich measured 0·16 in.; at Glasgow 0·61 in.; and at Edinburgh 0·34 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Aug. 25, | 30·027 | 67·3 | 49·9 | 58·6 | 59·1 | 58·2 | ·94 | ·7 | 2·2 | ·015 | S.W. | Calm. |
| Monday, „ 26, | 30·103 | 59·8 | 42·4 | 51·1 | 54·6 | 51·9 | ·83 | ·6 | 5·3 | ·000 | W.S.W. | Calm. |
| Tuesday, „ 27, | 30·088 | 64·5 | 47·2 | 55·9 | 55·4 | 53·0 | ·85 | ·5 | 8·6 | ·000 | W.S.W. | Calm. |
| Wednesday, „ 28, | 29·882 | 65·5 | 47·4 | 55·6 | 60·4 | 55·9 | ·75 | ·8 | 6·0 | ·375 | S.S.W. | S.S.W. |
| Thursday, „ 29, | 30·011 | 61·6 | 45·1 | 53·4 | 49·5 | 49·4 | 1·00 | ·6 | 0·3 | ·550 | N.W. | Calm. |
| Friday, „ 30, | 30·109 | 61·1 | 35·9 | 48·5 | 51·1 | 50·4 | ·95 | ·5 | 9·8 | ·000 | Calm. | Calm. |
| Saturday, „ 31, | 30·011 | 61·1 | 47·7 | 54·4 | 53·0 | 50·7 | ·85 | ·5 | 6·0 | ·000 | Calm. | Calm. |
| Mean, . . | 30·037 | 63·0 | 45·1 | 53·9 | 54·7 | 52·8 | ·88 | ·6 | Total 38·2 | Total ·940 | — | |

*Sunday*—Cloudy day, light showers p.m.; night cloudy. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Fine day but cloudy; night cloudy. *Wednesday*—Cloudy day, light showers 9.10 to m.n.; night overcast, light rain m.n. to 1.45, heavy rain 5.20 to 7 a.m. *Thursday*—Day overcast, heavy rain 7 a.m. to 2 p.m.; night cloudy. *Friday*—Fine bright day; night cloudy. *Saturday*—Fine day, cloudy; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, August 31st, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Aug. 25, | 63·9 | 58·6 | 56·9 | 69·0 | 54·5 | 61·8 | 5·0 | ·030 |
| Monday, „ 26, | 55·8 | 58·9 | 56·9 | 61·6 | 48·9 | 55·3 | 5·7 | ·000 |
| Tuesday, „ 27, | 59·3 | 58·5 | 56·9 | 64·9 | 50·4 | 57·7 | 9·4 | ·000 |
| Wednesday, „ 28, | 63·8 | 58·9 | 56·9 | 68·7 | 53·0 | 60·9 | 5·7 | ·344 |
| Thursday, „ 29, | 53·3 | 59·0 | 56·9 | 63·2 | 49·2 | 56·2 | 0·2 | ·481 |
| Friday, „ 30, | 54·0 | 56·9 | 56·9 | 60·9 | 43·1 | 52·0 | 8·4 | ·000 |
| Saturday, „ 31, | 58·9 | 57·9 | 56·9 | 63·0 | 50·2 | 56·6 | 5·6 | ·006 |
| Weekly Mean, . | 58·4 | 58·4 | 56·9 | 64·5 | 49·9 | 57·2 | Total 40·0 | Total ·855 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18583

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 7TH SEPTEMBER, 1907. [No. 36.

*General Register Office, Charlemont House, Dublin, 9th September,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Aug. 17. | Week ending Aug. 24. | Week ending Aug. 31. | Week ending Sept. 7. | Average Rate for 4 weeks. | Towns, &c. | Week ending Aug. 17. | Week ending Aug. 24. | Week ending Aug. 31. | Week ending Sept. 7. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 15·3 | 15·6 | 16·0 | 16·8 | 15·9 | Lisburn, . . | 4·5 | 9·1 | 13·6 | 9·1 | 9·1 |
| Armagh, . . | 27·5 | 6·9 | 13·7 | 27·5 | 18·9 | Londonderry, . | 25·8 | 14·7 | 17·2 | 7·4 | 16·3 |
| Ballymena, . | 14·4 | 9·6 | 9·6 | 19·2 | 13·2 | Lurgan, . . | . | 26·6 | 8·9 | 22·1 | 14·4 |
| Belfast, . . | 14·2 | 15·1 | 12·7 | 14·8 | 14·2 | Newry, . . | 12·6 | 42·0 | 21·0 | 16·8 | 23·1 |
| Clonmel, . . | 20·5 | 15·4 | 5·1 | 20·5 | 15·4 | Newtownards, . | 11·4 | 11·4 | 11·4 | 11·4 | 11·4 |
| Cork, . . . | 13·7 | 16·4 | 19·2 | 16·4 | 16·4 | Portadown, . | 10·3 | 5·2 | 31·0 | 20·7 | 16·8 |
| Drogheda, . . | 8·2 | 12·3 | 12·3 | 20·4 | 13·3 | Queenstown . | 13·2 | 33·0 | 26·4 | 33·0 | 26·4 |
| Dublin Reg. Area, | 17·8 | 15·7 | 18·6 | 20·7 | 18·2 | Sligo, . . . | . | 4·8 | 14·4 | 9·6 | 7·2 |
| Dundalk . . | 8·0 | 16·0 | 12·0 | 16·0 | 13·0 | Tralee, . . | . | 21·1 | 26·4 | 5·3 | 13·2 |
| Galway, . . | 7·8 | 11·7 | 27·2 | 35·0 | 20·4 | Waterford, . | 13·6 | 15·6 | 13·6 | 3·9 | 11·7 |
| Kilkenny, . . | 4·9 | 14·7 | 34·3 | 9·8 | 15·9 | Wexford, . . | 18·7 | 14·0 | 14·0 | 14·0 | 15·2 |
| Limerick, . . | 19·1 | 17·8 | 8·2 | 12·3 | 14·4 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·7 per 1,000, the rates varying from 0·0 in twelve of the districts to 7·8 in Galway, the 9 deaths from all causes registered in that district including one each from diphtheria and *pyrexia* (origin uncertain). Among the 105 deaths from all causes registered in Belfast are 4 from diphtheria, 5 from enteric fever, 5 from diarrhœal diseases, 3 from cerebro-spinal fever, and 2 returned as from *cerebro-spinal meningitis.* The 24 deaths registered in Cork include one from scarlet fever and 2 from diarrhœal diseases; one of the 4 deaths registered in Dundalk is from diphtheria; and one of the 2 deaths from all causes in Lisburn is from enteric fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 247—126 boys and 121 girls; and the deaths to 159—81 males and 78 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 21·2 in every 1,000 of the population. Omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 20·7 per 1,000. During the thirty-six weeks ending with Saturday last the death-rate averaged 25·3, and was 0·1 below the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

Of the 159 deaths registered there were 3 from measles, one death each from scarlet fever and typhus, 2 from whooping-cough, 5 from diarrhœal diseases, 2 from influenza, and one death from cerebro-spinal fever. In each of the 3 preceding weeks, deaths from measles were 7, 2, and 7; deaths from scarlet fever were 0, 0, and 0; deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 3, 4, and 0; deaths from diarrhœal diseases were 6, 4, and 8; deaths from influenza were 0, one, and one; and deaths from cerebro-spinal fever were one, one, and 0.

There were 2 deaths from broncho-pneumonia and 4 from *pneumonia* (not defined).

All forms of tuberculous disease caused 35 deaths, including 12 deaths from tuberculous phthisis, 13 returned as from *phthisis*, 4 from tuberculous meningitis, and 6 from other forms of tuberculous disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 26, 26, and 22, respectively.

Carcinoma caused 4 deaths and cancer (undefined) 3 deaths.

The deaths of 5 infants were ascribed to prematurity.

Thirteen deaths were caused by diseases of the brain and nervous system, including 3 from meningitis (2 being those of children under 5 years of age) and 4 (all of children under 5 years of age) from *convulsions*.

Diseases of the heart and blood vessels caused 30 deaths and bronchitis caused 10 deaths.

There were 4 accidental deaths, including one, that of an infant under one year of age, from overlaying in bed.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age and the death of one person aged 68 years.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 11 were under one month old), and 51 were aged 60 years and upwards, including 27 persons aged 70 and upwards, of whom 9 were octogenarians.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the N. Dublin Union Workhouse and 17 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII]

As already stated, the death-rate for the entire Registration Area was 20·7 per 1,000; the rate in the City was 21·1 (North City Districts, 21·7; South, 17·4), and in the Suburbs, 19·2 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,000 inhabitants, the rate for the City being 1·6 (1·7 in the North City Districts, and 1·4 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·8 per 1,000, and include one each from influenza and *pneumonia* (not defined).

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Among them are one each from whooping-cough and broncho-pneumonia, 2 from *phthisis*, and 3 from diseases of the respiratory system.

*No. 2 North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. One of the deaths was from *diarrhœa* and 6 were from tuberculous disease.

*No. 3 North City District* (Benburb-street).—The deaths (15) represent an annual rate of 24·1 per 1,000. The 15 deaths include one each from whooping-cough and *diarrhœa*, and 3 from tuberculous disease of the lungs.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 28·5; and Finglas and Glasnevin, part of, 28·9. Among the 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, was one death each from *diarrhœa*, broncho-pneumonia, and tuberculous phthisis; and the 4 deaths from all causes for Finglas and Glasnevin, part of, include one death from cerebro-spinal fever, and 2 deaths from tuberculous disease of the lungs.

*No. 1 South City District* (South Earl-street).—The deaths (12) represent an annual rate of 15·6 per 1,000, and include one death from measles, 3 deaths from tuberculous disease, and 2 from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 12·7 per 1,000. There was one death each from *diarrhœa*, *pneumonia* (not defined), and *phthisis*.

*No. 3 South City District* (Peter-street).—The deaths (11) are equal to an annual rate of 13·6 per 1,000. Of the deaths, 5 were from tuberculous disease, 5 from diseases of the heart and blood vessels, and one death was from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Typhus and *diarrhœa* each caused one death; there were 5 deaths from tuberculous disease, 2 from bronchitis, and one accidental death.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000, and include one accidental death.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 26·4; Pembroke, 9·4; Blackrock, 17·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include one death from scarlet fever for Rathmines and Rathgar; and one death from measles for each of Pembroke and Kingstown. Among the 18 deaths from all causes for Rathmines and Rathgar are 4 from tuberculous disease of the lungs, 7 from diseases of the heart and blood vessels, and one from bronchitis; the 3 deaths from all causes for Blackrock include one from influenza and one from *pneumonia*; and the 7 deaths from all causes for Kingstown include one each from *phthisis* and bronchitis, and one accidental death.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; by the Medical Superintendent Officer of Health for Kingstown Urban District; by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 7th September, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| ITIES AND URBAN ISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ity of ublin. | Aug. 17, | . | — | — | 5 | 1 | . | 8 | . | 3 | 11 | 15 | 1 | — | — | . | — | — | 44 |
| | Aug. 24, | . | — | — | 3 | . | . | 8 | . | . | 13 | 15 | . | — | — | — | — | — | 39 |
| | Aug. 31, | . | — | — | 3 | . | . | 3 | . | 2 | 3 | 14 | . | — | — | — | — | — | 25 |
| | Sept. 7, | . | — | — | 5 | 1 | . | 1 | . | 3 | 3 | 13 | 1 | — | — | — | — | — | 27 |
| thmines Rathgar Urban istrict. | Aug. 17, | . | — | — | 4 | . | . | . | . | . | . | . | . | — | — | . | — | — | 4 |
| | Aug. 24, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Aug. 31, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | 2 | . | . | — | — | . | — | — | 2 |
| nbroke Urban strict. | Aug. 17, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 11 |
| | Aug. 24, | . | 12 | . | . | . | . | . | . | 1 | 1 | . | . | — | . | . | — | — | 14 |
| | Aug. 31, | . | 5 | . | . | . | . | . | . | . | . | 2 | . | — | . | . | — | — | 7 |
| | Sept. 7, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 9 |
| ackrock Urban strict. | Aug. 17, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| gstown Urban strict. | Aug. 17, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| ty of elfast. | Aug. 17, | . | — | — | 9 | . | . | 6 | . | 5 | 6 | 6 | 2 | — | — | 3 | — | — | 37 |
| | Aug. 24, | . | — | — | 9 | . | . | 5 | . | 8 | 15 | 11 | 2 | — | — | 2 | — | — | 52 |
| | Aug. 31, | . | — | — | 10 | . | . | 9 | 2 | 10 | 6 | 6 | . | — | — | 4 | — | — | 47 |
| | Sept. 7, | . | — | — | 6 | . | . | 4 | 2 | 8 | 14 | 4 | . | — | — | 5 | — | — | 43 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ble XII. exhibits the number of cases of certain infectious diseases treated in the in Hospitals during the week ended 7th September, 1907.

om this it appears that:—

vo cases of measles were admitted into hospital during the week, one was discharged, 1 cases remained under treatment at its close.

c cases of scarlet fever were admitted to hospital, 3 were discharged, there was one , and 35* cases remained under treatment at the close of the week.

e case of typhus was discharged from hospital, and there was one death; no case ned under treatment at the close of the week.

ur cases of diphtheria were admitted to hospital, 7 were discharged, and 20 patients ned under treatment at the close of the week.

ree cases of enteric fever were admitted to hospital during the week, 4 were discharged, was one death, and 34 cases remained under treatment in hospital at the close of the

addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, e discharged, and 23 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 11·8), was equal to an average annual death-rate of 12·3 per 1,000 persons living, verage rate for 8 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow 14·8 and for Edinburgh 13·0.

INFECTIOUS DISEASE IN EDINBURGH.

e Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health inburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th aber. From this Report it appears that of a total of 40 cases notified 17 were scarlet fever, 5 diph- 5 enteric fever, and 5 erysipelas. Among the 261 cases of infectious diseases in hospital at the the week were 85 cases of scarlet fever, 37 of whooping-cough, 31 of measles, 27 of diphtheria, nteric fever, and 8 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th September, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Births. | Total Number | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 7th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 31st August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 24th August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (8) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (2) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 30·1 | 16·8 | 1·7 | 646 | 361 | 71 | 103 | . | 3 | 2 | 1 | 2 | 6 | 1 | 6 | 16 | 14 | 47 | 25 | 17 | 23 | 10 | 12 | 121 | 15 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 33·0 | 20·7 | 1·6 | 247 | 155 | 29 | 50 | . | 3 | 1 | 1 | 2 | . | . | . | 5 | 6 | 23 | 10 | 7 | 10 | 3 | 4 | 61 | 7 | f68·3 | 33·4 | 52·9 | 0·42 | f67·3 | 35·9 | 53·9 | 0·94 | f65·3 | 39·0 | 55·0 | 0·29 |
| City of Dublin, | 300,850 | 38·0 | 35·0 | 21·1 | 1·6 | 219 | 122 | 28 | 33 | . | 1 | . | 1 | 2 | . | . | . | 5 | 4 | 18 | 10 | 6 | 8 | 2 | 4 | 52 | 7 | g68·4<br>h69·9 | 38·7<br>34·6 | 54·2<br>53·5 | 0·51<br>0·50 | g69·1<br>h68·9 | 44·1<br>38·3 | 57·0<br>55·3 | 0·86<br>0·84 | g66·3<br>h63·8 | 45·8<br>42·0 | 56·5<br>55·7 | 0·26<br>0·33 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 7·3 | 26·4 | 1·5 | 5 | 18 | . | 11 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 26·2 | 9·4 | 1·9 | 14 | 5 | . | 2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 6·0 | 17·9 | . | 1 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 28·7 | 20·7 | 3·0 | 8 | 7 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 66 | 44 | 57·0 | 0·30 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 33·4 | 14·8 | 2·0 | 237 | 105 | 26 | 25 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 5 | 25 | 1 | 66·0 | 37·3 | 52·0 | 1·05 | 65·0 | 38·0 | 55·2 | 0·16 | 65·6 | 46·8 | 56·1 | 0·55 |
| Cork, | 76,122 | 33·6 | 28·1 | 16·4 | 2·1 | 41 | 24 | 8 | 8 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | . | 11 | 1 | 64 | 42 | 55·1 | 0·57 | 67 | 48 | 56·5 | 0·40 | 63 | 46 | 56·7 | 0·16 |
| Londonderry, | 42,475 | 19·6 | 31·9 | 7·4 | . | 26 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 12·3 | 12·3 | 1·4 | 9 | 9 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 27·3 | 3·9 | 1·9 | 14 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 11·7 | 35·0 | 7·8 | 3 | 9 | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 2 | 1 | . | 3 | 2 | 64 | 40 | 53 | 1·18 | 66 | 40 | 56 | 0·50 | 65 | 47 | 57 | 0·82 |
| Dundalk, | 18,076 | 3·4 | 19·9 | 16·0 | 4·0 | 5 | 4 | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 16·3 | 20·4 | . | 4 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 33·6 | 16·8 | . | 8 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 |
| Lurgan, | 11,782 | 13·8 | 31·0 | 22·1 | . | 7 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | . | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 |
| Lisburn, | 11,461 | 10·1 | 27·3 | 9·1 | 4·5 | 6 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 |
| Wexford, | 11,168 | 23·2 | 32·7 | 14·0 | . | 7 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 9·3 | 19·2 | . | 2 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 33·6 | 9·6 | . | 7 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 68·5 | 34·5 | 51·5 | 1·27 | 66·0 | 32·0 | 52·5 | 0·12 | 64·5 | 36·2 | 52·7 | 0·90 |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 9·8 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 68 | 33 | 52·6 | 0·89 | 67 | 39 | 55 | 0·32 | 66 | 45 | 56·4 | 0·17 |
| Clonmel, | 10,167 | 7·8 | 30·8 | 20·5 | . | 6 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 25·8 | 20·7 | 5·2 | 5 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 |
| Tralee, | 9,867 | 16·6 | 15·9 | 5·3 | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 5·7 | 11·4 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 67 | 38 | 52·9 | 0·84 | 66 | 41 | 53·9 | 0·16 | 65 | 43 | 54·5 | 0·22 |
| Queenstown, | 7,909 | 14·4 | 19·8 | 33·0 | 6·6 | 3 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | . | 64 | 42 | 55·1 | 0·57 | 67 | 48 | 56·5 | 0·40 | 63 | 46 | 56·7 | 0·16 |
| Armagh, | 7,588 | 22·2 | 18·7 | 27·5 | . | 2 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 | 64·0 | 39·5 | 54·0 | 0·57 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 4 deaths of persons (including one at 71 years), admitted to hospital from localities outside the Area.
e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for [illegible] at Botanic Gardens, Glasnevin

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 7th September, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Clontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | 3 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Whooping-cough, | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | 1 | 1 | . | 1 | . | . | 1 | . | 1 | . | . | . | . | . | 5 | . |
| Pneumonia, | 1 | 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . | 6 | . |
| Tuberculous Disease. { Phthisis, | . | 2 | 5 | 3 | . | 1 | 2 | . | 1 | 1 | 3 | . | 4 | . | . | 1 | 23 | 2 |
| Tuberculous Disease. { Other Forms. | . | . | 1 | . | . | . | . | 3 | . | 4 | 2 | . | . | . | . | . | 10 | . |
| Cancer, Malignant Disease, | 1 | . | . | . | . | 2 | 1 | 2 | . | . | . | . | . | 1 | . | . | 7 | . |
| Other General Diseases, | 2 | 5 | 1 | . | . | . | 1 | 2 | . | . | 3 | 1 | . | . | 1 | . | 16 | . |
| Total, | 4 | 9 | 8 | 5 | . | 5 | 4 | 8 | 3 | 5 | 10 | 1 | 5 | 3 | 2 | 2 | 74 | 2 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | 2 | 1 | 2 | 3 | . | . | . | 1 | . | . | 1 | . | 2 | . | . | 1 | 13 | . |
| Diseases of { Organs of Special Sense, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of { Heart and Blood Vessels, | 2 | 4 | 3 | 2 | 1 | 1 | . | 1 | 1 | 5 | 1 | . | 7 | 2 | . | . | 30 | . |
| Diseases of { Respiratory System, | . | 3 | . | . | . | . | . | 2 | . | 1 | 2 | . | 1 | . | . | 1 | 10 | 1 |
| Diseases of { Digestive System, | . | 1 | 1 | 4 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 8 | . |
| Diseases of { Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Urinary System, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . |
| Diseases of { Generative System | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 10 | 6 | 10 | 1 | 1 | . | 4 | 1 | 6 | 5 | . | 10 | 2 | 1 | 3 | 65 | 1 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 2 | 1 | 2 | . | . | . | . | . | 1 | . | 1 | 2 | 3 | . | . | 1 | 13 | . |
| **E. VIOLENT DEATHS,** | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 3 | 1 |
| **Deaths from all Causes,** | 11 | 20 | 16 | 15 | 1 | 6 | 4 | 12 | 5 | 11 | 17 | 4 | 13 | 5 | 3 | 7 | 155 | 1 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 19·8 | 26·6 | 27·7 | 24·1 | 10·2 | 28·5 | 28·9 | 15·6 | 12·7 | 13·6 | 25·2 | 23·5 | 26·4 | 9·4 | 17·9 | 20·7 | 20·7 | . |
| | 24·7 | | | | | | | 17·4 | | | | | 19·2 | | | | | |
| | 21·1 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 1 | 6 | 3 | 6 | . | 1 | . | 3 | 3 | . | 2 | 3 | . | . | . | 1 | 29 | . |
| 1 and under 5 years, | 1 | 2 | 3 | 1 | . | . | 1 | 1 | . | . | 4 | . | . | 1 | . | 3 | 17 | . |
| 5 ,, 20 ,, | 1 | 1 | 2 | 1 | . | . | 1 | . | . | 3 | . | . | 1 | . | . | . | 10 | . |
| 20 ,, 40 ,, | 1 | 2 | 3 | 3 | . | . | 1 | 5 | 2 | 2 | 4 | . | 3 | . | 1 | 1 | 28 | 1 |
| 40 ,, 60 ,, | 1 | 4 | 2 | 2 | . | 3 | . | . | . | 1 | 3 | . | 3 | 2 | . | . | 21 | 2 |
| 60 and upwards, | 6 | 5 | 3 | 2 | 1 | 2 | 1 | 3 | . | 5 | 4 | 1 | 11 | 2 | 2 | 2 | 50 | 1 |
| Number of Uncertified Deaths, | . | 3 | . | 1 | . | . | . | . | 1 | . | . | 2 | . | . | . | . | 7 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 4 | 4 | 4 | . | . | . | 4 | 1 | . | 4 | . | 5 | . | . | . | 29 | 3 |
| Workhouse Hospitals, | 2 | 4 | 5 | 3 | . | . | 2 | 3 | . | 6 | 3 | . | 2 | 2 | . | . | 32 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 36th Week of the 10 years 1897–1906. | In the Week ending Sa 7th September, 1 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of th | | | | |
| | Sept. 11, 1897. | Sept. 10, 1898. | Sept. 9, 1899. | Sept. 8, 1900. | Sept. 7, 1901. | Sept. 6, 1902. | Sept. 12, 1903. | Sept. 10, 1904. | Sept. 9, 1905. | Sept. 8, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. |
| Mean Temperature. | ° 51·8 | ° 63·0 | ° 59·1 | ° 53·4 | ° 53·8 | ° 57·2 | ° 50·4 | ° 55·5 | ° 58·3 | ° 60·5 | ° 56·3 | ° 52·9 | | | | |
| **ALL CAUSES.** | 150 | 206 | 251 | 154 | 154 | 170 | 145 | 157 | 143 | 184 | 171·4 | 159 | 11 | 18 | 17 | 10 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | 1 | 17 | . | . | 11 | . | 1 | . | . | 3·0 | 3 | . | 1 | 2 | . |
| Scarlet Fever, ... ... | 2 | 2 | 2 | . | 2 | 3 | . | . | . | . | 1·1 | 1 | . | . | . | 1 |
| Typhus, ... ... ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 1 | 2 | . | 1 | . | . | 1 | . | 1 | ·6 | 2 | . | . | . | . |
| Whooping-cough, ... ... | 3 | 6 | 2 | 5 | 2 | . | 1 | 4 | . | 1 | 2·4 | 2 | . | 1 | . | 1 |
| Diphtheria, ... ... | 3 | 2 | 1 | . | 1 | 2 | 1 | . | 1 | . | 1·1 | . | . | . | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | 1 | . |
| *Pyrexia*† (origin uncertain), | . | . | 1 | . | . | . | . | 1 | 1 | . | ·3 | . | . | . | . | . |
| Enteric Fever, ... ... | 4 | 5 | 7 | 1 | . | 3 | 1 | . | 4 | 2 | 2·7 | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 17 | 39 | 47 | 21 | 30 | 1 | 4 | 13 | 8 | 24 | 25·8 | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 9 | 3 | 13 | 4 | 25 | | 5 | . | 2 | 1 | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | 1 | 2 | . | 1 | . | . | 2 | 1 | 1 | ·9 | . | . | . | . | . |
| Puerperal Septicæmia, | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . |
| Pneumonia, Lobar, | 8 | 9 | 13 | 4 | 5 | . | 1 | . | . | 1 | 5·8 | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 3 | . | 2 | 1 | 1 | | 2 | . | 2 | . | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 4 | 1 | 1 | 2 | 2 | | 4 | . | 1 | . | . |
| Erysipelas, ... ... | 1 | . | 1 | . | . | . | 2 | 1 | 1 | . | ·6 | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | . | . | 1 | . | 1 | 1 | ·3 | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | 1 | . | . | . | . |
| Tuberculous Phthisis, | 24 | 16 | 31 | 22 | 25 | . | 8 | 7 | 4 | 8 | 22·4 | 12 | . | . | 1 | 2 |
| "*Phthisis*," ... | | | | | | 24 | 21 | 13 | 8 | 13 | | 13 | . | . | . | 1 |
| Tuberculous Meningitis, ... | 1 | 4 | 6 | 1 | 3 | 3 | . | 2 | 5 | 5 | 3·0 | 4 | . | 1 | 2 | 1 |
| Tuberculous Peritonitis, | 4 | 8 | 7 | 7 | 4 | 2 | 1 | 1 | . | 1 | 3·8 | . | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | 1 | . | 1 | 1 | . | | . | . | . | . | . |
| Tuberculous Dis. (other), | 3 | 4 | 5 | 8 | 2 | 1 | 1 | 5 | 6 | 3 | 3·9 | 6 | . | 1 | 1 | 1 |
| *Scrofula*, ... ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . |
| Alcoholism, ... ... | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | ·5 | . | . | . | . | . |
| Rheumatic Fever, .. ... | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . |
| Gout, .. ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 10 | 6 | 12 | 1 | 6 | 3 | . | 3 | 3 | 5 | 6·5 | 4 | . | . | . | . |
| Sarcoma, ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 2 | 2 | 3 | 2 | | 3 | . | . | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | 1 | 2 | ·3 | 3 | . | . | . | . |
| Premature Birth, ... | 4 | 6 | 4 | 2 | 1 | 2 | 3 | 5 | 3 | 1 | 3·1 | 5 | 5 | . | . | . |

* The figures for the years 1897–190
† Formerly des

TY-SIXTH WEEK ending Saturday, 7th September, 1907, with the deaths from each cause in the corresponding
ne average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Sept. 11, 1897. | Sept. 10, 1898. | Sept. 9, 1899. | Sept. 8, 1900. | Sept. 7, 1901. | Sept. 6, 1902. | Sept. 12, 1903. | Sept. 10, 1904. | Sept. 9, 1905. | Sept. 8, 1906. | Averages in 36th Week of the 10 years 1897–1906. | In the Week ending Saturday, 7th September, 1907. Deaths of Persons of the Ages of: All Ages. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | 51·8° | 63·0° | 59·1° | 53·4° | 53·8° | 57·2° | 50·4° | 55·5° | 58·3° | 60·5° | 56·3° | 52·9° | | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 4 | 3 | . | 2 | . | | 3 | . | 1 | 1 | 1 | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | . | 2 | 1 | 2 | . | | 2 | . | . | . | 1 | . | 1 | . | . |
| lepsy ... | | | | | | 2 | 1 | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... | | | | | | 7 | 6 | 5 | 5 | 4 | | 4 | 3 | . | 1 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | . | 2 | . | 1 | 1 | | 2 | . | . | . | . | . | 2 | . | . |
| vous System (other is.) | 24 | 35 | 22 | 29 | 29 | . | 1 | 1 | . | 6 | 31·4 | 2 | . | 1 | . | . | . | 1 | . | . |
| v. Dis., Endocarditis | | | | | | 4 | 5 | 4 | 5 | 4 | | 6 | . | . | . | . | 1 | 1 | 4 | . |
| ebr. Hæm. Thromb. | | | | | | 2 | 2 | 1 | 2 | 2 | | 6 | . | . | . | . | . | 1 | 4 | 1 |
| *plexy, Hemiplegia* ... | | | | | | 4 | 4 | 7 | 3 | 2 | | 3 | . | . | . | . | . | 1 | 2 | . |
| urysm ... | | | | | | . | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not ebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 14 | 10 | 12 | 14 | 13 | | 15 | . | . | . | 2 | 1 | 5 | 5 | 2 |
| *up* (not Spasm. nor iemb.) | 1 | 1 | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| nchitis ... | 9 | 15 | 18 | 13 | 6 | 13 | 9 | 9 | 10 | 7 | 10·9 | 10 | . | 1 | 2 | . | . | 3 | 4 | . |
| hma, Emphysema ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| urisy ... | 2 | 2 | . | 1 | 1 | . | . | . | . | . | 1·0 | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | . | . | . | 2 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| isillitis, Quinsy ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| teritis (not Epid.) ... | 2 | 4 | 3 | . | 2 | 4 | . | 2 | 2 | 4 | 3·4 | 2 | . | . | 2 | . | . | . | . | . |
| *tro Enteritis* ... | | | | | | . | . | 2 | 1 | 8 | | . | . | . | . | . | . | . | . | . |
| *itonitis* (not Puerp.) ... | . | . | . | . | 1 | 2 | 1 | 2 | 1 | . | ·7 | . | . | . | . | . | . | . | . | . |
| rhosis of Liver ... | 5 | 1 | 4 | 2 | 1 | 1 | 2 | 3 | 1 | 3 | 3·1 | . | . | . | . | . | . | . | . | . |
| er Dis. (other) ... | | | | | | 1 | 1 | 3 | . | 3 | | 1 | . | . | . | . | . | 1 | . | . |
| estive Dis. (other) ... | 5 | 5 | 8 | 9 | 2 | 7 | 6 | 3 | 10 | 9 | 6·4 | 5 | . | 4 | 1 | . | . | . | . | . |
| phritis, Acute ... | | | | | | . | 1 | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| ght's Dis., Albuminuria | . | 1 | 3 | 5 | 4 | 3 | 6 | 1 | 2 | 3 | 3·6 | 1 | . | . | . | . | . | . | 1 | . |
| inary Sys. (Other Dis.) | | | | | | 1 | 1 | 2 | 1 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| nerative Organs Dis. ... | . | . | . | . | 1 | . | 1 | 1 | . | . | ·3 | 1 | . | . | . | . | . | . | 1 | . |
| ildbirth (Accid. of) ... | . | 1 | . | 1 | . | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| *l Age* ... | 5 | 8 | 13 | 9 | 7 | 6 | 2 | 7 | 5 | 1 | 6·3 | 8 | . | . | . | . | . | . | 5 | 3 |
| her Diseases ... | 8 | 15 | 14 | 6 | 13 | 11 | 18 | 7 | 9 | 5 | 10·6 | 9 | 3 | 1 | 2 | . | 1 | . | 1 | 1 |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | 1 | . | 2 | 1 | . | 2 | . | 1 | 1 | ·8 | 1 | . | . | . | . | . | 1 | . | . |
| Ships, Boats, Docks (exclusive of Drowning) ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | . | . | . | . | . | 2 | 1 | . | . | 2 | ·8 | . | . | . | . | . | . | . | . | . |
| Drowning ... | . | 1 | 2 | . | . | . | . | . | . | 1 | ·1 | 1 | . | 1 | . | . | . | . | . | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous Vapours | . | 1 | 2 | 1 | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| her Deaths by Accident | 2 | 2 | 2 | 2 | . | 1 | 2 | . | . | . | 1·1 | 2 | . | . | . | . | . | 1 | . | 1 |
| IOLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| omicide ... | . | 2 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| icide ... | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| ecution ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

Registration Area as then constituted.
nple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. |
| No. of weeks in Annual Series. | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| Births registered, | 194 | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 |
| *Average Births in corresponding week of previous 10 years,** | 216 | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 |
| Deaths registered, | 203 | 174 | 189 | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 208 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 | 159 |
| Annual Death-rate per 1,000, | 27·1 | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 |
| *Average Deaths in corresponding week of previous 10 years,** | 210 | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 176 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 |
| Ages, Under 5 years, | 71 | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 |
| 5—20 " | 11 | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 18 | 14 | 10 | 4 | 10 | 10 | 10 | 10 |
| 20—40 " | 29 | 28 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 |
| 40—60 " | 37 | 33 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 |
| 60—80 " | 51 | 28 | 38 | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 |
| 80 years and upwards, | 4 | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 8 | 6 | 5 | 5 | 4 | 2 | 6 | 9 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 5 | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 |
| Scarlet Fever | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 |
| Typhus, | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 |
| Whooping-cough, | 5 | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 |
| Diphtheria, | 1 | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . |
| Diarrhœal Diseases, | 4 | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 |
| Influenza, | 4 | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 |
| Pneumonia, | 11 | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 |
| Tuberculous Phthisis, | 28 | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 |
| Disease. Other Forms, | 14 | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 |
| Cancer, Malignant Disease, | 8 | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 8 | 6 | 6 | 10 | 7 |
| Diseases of Heart and Blood Vessels, | 19 | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 |
| Diseases of Respiratory System, | 33 | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 |
| Violent Deaths, | 5 | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 |
| Number of Uncertified Deaths, | 10 | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 |
| Mean Temperature of the Air (Phœnix Park), | 43·8 | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 44·0 | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 |
| Rainfall in inches, | 1·005 | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·528 | ·745 | ·622 | ·285 | ·940 | ·417 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·87 | ·88 | ·78 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·88 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

## Table of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH SEPTEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | Causes of Death. | | | | | | | | | | | | | | | | | | | | | | | | |
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 875,350 | 22·1 | 159 | 46 | 10 | 29 | 23 | 42 | 9 | . | 3 | 1 | 1 | 2 | . | . | . | 5 | 12 | 6 | 25 | 10 | 7 | 4 | 11 | 4 | 80 | 7 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 15·0 | 5 | . | . | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . |
| II. | Middle Class, | 87,188 | 14·4 | 24 | 5 | 1 | 5 | 6 | 5 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 6 | . | 2 | . | . | . | 14 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 17·0 | 36 | 10 | 4 | 7 | 5 | 10 | . | . | 1 | 1 | . | . | . | . | . | 1 | 3 | 1 | 6 | 3 | 3 | 1 | 1 | 2 | 16 | 1 |
| IV. | General Service Class, | 154,279 | 30·6 | 61 | 29 | 2 | 11 | 7 | 10 | 2 | . | 2 | . | 1 | 2 | . | . | . | 2 | 7 | 4 | 5 | 5 | 2 | 3 | 4 | 1 | 30 | 5 |
| V. | Inmates of Workhouses, | 6,024 | | 33 | 2 | 3 | 6 | 5 | 14 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | . | 8 | 2 | . | . | 6 | . | 16 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 6·7 | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 24·9 | 4 | . | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 20·3 | 3 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 4·7 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 18·8 | 11 | 1 | 1 | 4 | 5 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . | 1 | . | . | . | 4 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 15·4 | 8 | 1 | . | 1 | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | 5 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 17·5 | 10 | 5 | 1 | 1 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 2 | 5 | 1 |
| | 10. Clothing Trades, | 23,260 | 13·5 | 6 | . | . | 1 | 1 | 1 | . | . | 1 | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 11·3 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 24·1 | 14 | 1 | 1 | 4 | 2 | 6 | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . | . | 8 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 27·2 | 7 | 2 | 1 | . | 2 | 2 | . | . | . | . | . | 2 | . | . | . | . | 2 | . | 1 | . | . | . | . | . | 4 | . |
| | 15. Domestic Servants, | 36,608 | 5·7 | 4 | 1 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 2 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 4 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 26.1 | 45 | 22 | 1 | 10 | 3 | 7 | 2 | . | 2 | . | 1 | . | . | . | . | 2 | 5 | 1 | 4 | 5 | 2 | 2 | 4 | . | 22 | 5 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 33 | 2 | 3 | 6 | 5 | 14 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | . | 8 | 2 | . | . | 6 | . | 16 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

| | DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | Golf. | (1) | | | | | | | | | | | | | | | | | | | |
| | **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | July 20, | 21·6 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 1 |
| | | „ 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| | | „ 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| | | „ 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| | | „ 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | | „ 31, | 23·4 | 1·8 | 13 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | . | . | . |
| | | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | July 20, | 21·3 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 4 | 1 | 1 |
| | | „ 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| | | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| | | „ 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 5 | . | 1 |
| | | „ 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| | | „ 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| | | „ 31, | 29·3 | 8·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| | | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | July 20, | 31·2 | . | 18 | . | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 1 | 1 | . | . |
| | | „ 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| | | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| | | „ 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | | „ 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| | | „ 24, | 21·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| | | „ 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | July 20, | 24·1 | . | 15 | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | 2 | . | . |
| | | „ 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| | | „ 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| | | „ 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| | | „ 24, | 11·3 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| | | „ 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | July 20, | 28·5 | 1·3 | 13 | . | . | . | 1 | . | . | . | . | . | 1 | 3 | 1 | 1 | 1 | . | . |
| | | „ 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| | | „ 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | . |
| | | „ 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | 1 |
| | | „ 24, | 28·5 | 3·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | . | . | . | . |
| | | „ 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| | | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . |
| | **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | July 20, | 25·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | 3 | . | 3 |
| | | „ 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| | | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| | | „ 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | | „ 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | „ 24, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | 1 |
| | | „ 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| | | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | July 20, | 24·7 | . | 20 | . | . | . | . | . | . | . | . | . | 2 | . | 2 | . | 3 | . | . |
| | | „ 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 2 | 2 | 5 | . | . |
| | | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | . | 3 | 1 | . | 2 | . | . | 1 |
| | | „ 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 4 | . | 5 | . | . |
| | | „ 17, | 18·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 3 | . | . | . | 1 | 2 | . | . |
| | | „ 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | | „ 31, | 19·8 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| | | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | **South City, No. 4.** (*Office, Grand Canal-street.*) Pop. in 1907 (Est.) 35,188. | July 20, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 4 | 1 | . |
| | | „ 27, | 26·7 | 3·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |
| | | Aug. 3, | 19·3 | 1·5 | 13 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | . | 1 |
| | | „ 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | | „ 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 2 | . | . |
| | | „ 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |
| | | „ 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |
| | | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| Rathmines and Rathgar Urban District, Pop. in 1907 (Est.) 35,606. | July 20, | 13·2 | 1·5 | 9 | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | „ 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| | „ 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| | „ 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | „ 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| Pembroke Urban District, Pop. in 1907 (Est.) 27,854. | July 20, | 15·0 | 1·9 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . |
| | „ 27, | 13·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| | „ 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| Kingstown Urban District, Pop. in 1907 (Est.) 17,622. | July 20, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| | „ 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | „ 17, | 11·8 | 8·9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 11·8 | 3·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | Sept. 7, | 20·7 | 3·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| Belfast. Pop. in 1907 (Est.) 370,163. | July 20, | 19·2 | 1·4 | 136 | . | 4 | 1 | . | 1 | 1 | . | . | 3 | 6 | 13 | 14 | 5 | 18 | 3 | 1 |
| | „ 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| | „ 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| | „ 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| | „ 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| | „ 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| Cork. Pop. (in 1901) 76,122. | July 20, | 9·6 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | . |
| | „ 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . |
| | „ 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| | „ 17, | 18·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| | „ 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| | „ 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 1 |
| | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | 1 |
| Londonderry. Pop. in 1907 (Est.) 42,475. | July 20, | 7·4 | 1·2 | 6 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . |
| | „ 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| | „ 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| | „ 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| | „ 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| | „ 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| Limerick. Pop. (in 1901) 38,151. | July 20, | 20·5 | 1·4 | 15 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 1 | 1 | 5 | . | 2 |
| | „ 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | 1 | . | 2 |
| | „ 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| | „ 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | 2 |
| | „ 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| | „ 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | 1 |
| Waterford. Pop. (in 1901) 26,769. | July 20, | 25·3 | 1·9 | 13 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | . | 1 | . | . |
| | „ 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |
| | „ 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| | „ 17, | 18·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 31, | 18·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Sept. 7, | 3·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th September, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 11 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | . | 1 | . |
| Do. 2 „ . | 47,959 | 44 | | | 7 | 3 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | 1 | . |
| Do. 3 „ . | 47,214 | 38 | | | 20 | 2 | 5 | 3 | 1 | 3 | 6 | . | . | . | . | . | 2 | . | 1 | . | 2 | 2 | 3 | . | 1 | 1 | 1 | 8 | . |
| Do. 4 „ . | 40,911 | 35 | | | 10 | 2 | 2 | 2 | 2 | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . | . | 2 | 2 | . | . | . | . | 3 | . |
| Do. 5 „ . | 17,887 | 16 | | | 6 | 2 | . | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | 1 | 1 | . |
| Do 6 „ . | 48,122 | 12 | | | 12 | 2 | . | 2 | 2 | 1 | 5 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . | 2 | . |
| Do. 7 „ . | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 3 | | | 2 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 9 „ . | 19,569 | 10 | | | 9 | 1 | 1 | 1 | 1 | 3 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 1 | 4 | 1 |
| Do. 10 „ . | 28,064 | 16 | | | 7 | 3 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . | 1 | 1 | . |
| Do. 11 „ . | 34,802 | 17 | | | 12 | 4 | 1 | 2 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 12 „ . | 33,588 | 19 | | | 9 | 3 | 1 | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | 1 | . |
| Do. 13 „ . | 15,006 | 16 | | | 5 | 1 | . | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 237 | | | 105† | 26 | 15 | 12 | 14 | 13 | 25 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 5 | 25 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 4 | 32·4 | . | 8 | . | . | | 4 | | 4 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . | 4 | . |
| Do. 2 „ . . | 10,701 | 4 | 9·7 | . | 2 | 1 | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Do. 3 „ . . | 9,978 | 7 | 5·2 | . | 1 | . | 1 | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 4 „ . . | 8,666 | 4 | 6·0 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 5 „ . . | 6,592 | 8 | 15·8 | 7·9 | 2 | 1 | . | | . | | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . |
| Do. 6 „ . . | 10,702 | 4 | 14·6 | 4·9 | 3 | 1 | . | | 1 | | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | . |
| Do. 7 „ . . | 16,616 | 10 | 22·0 | 3·1 | 7 | . | 1 | | 4 | | 2 | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 4 | . |
| Total, . . . . | 76,122 | 41 | 16·4 | 2·1 | 24 | 3 | 2 | | 11 | | 8 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | . | 11 | 1 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 16. | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. |
| No. of weeks in Annual Series, | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| BIRTHS registered, | 216 | 210 | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 |
| DEATHS registered. | 156 | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105† |
| Annual Death-rate per 1,000 of estimated Population. | 22·0 | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 |
| AGES — Under 1 year | 25 | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 |
| 1–5 years, | 27 | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 26 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 |
| 5–20 years, | 13 | 23 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 13 |
| 20–40 years, | 21 | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 28 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 |
| 40–60 years, | 41 | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 |
| 60 years and upwards, | 29 | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . |
| Scarlet Fever, | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . |
| Diphtheria, | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 |
| Diarrhœal Diseases, | 5 | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 |
| Pneumonia, | 26 | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 |
| Tuberculous Disease, Phthisis, | 12 | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 |
| Tuberculous Disease, Other Forms, | 9 | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 |
| Cancer Malignant Disease, | 4 | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 |
| Diseases of Respiratory System, | 27 | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 13 | 16 | 15 | 9 | 11 | 7 | 6 | 7 |
| Violent Deaths, | 5 | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 |
| Number of Uncertified Deaths, | 1 | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 |

* Formerly described as "Simple Continued Fever."
† Including 5 deaths from cerebro-spinal fever or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Sept. 7, | 2,207 | 1,080 | 11·8 | . | 25 | 13 | 13 | 20 | 3 | 61 |
| EDINBURGH, | 345,747 | „ 7, | 127 | 86*a* | 13·0 | . | 1 | . | . | 5 | . | . |
| GLASGOW, | 847,584 | „ 7, | 456 | 240*a* | 14·8 | . | . | . | . | 10 | 2 | 15 |
| CALCUTTA, | 847,796 | July 20, | . | 395 | 24·2 | 4 | 1 | . | 2 | . | 98‡ | 73* |
| BOMBAY, | 977,822 | Aug. 6, | 336 | 685 | 36·4 | 2 | 2 | . | . | . | 63‡ | 140* |
| MADRAS, | 509,346 | July 19, | 382 | 391 | 39·9 | . | 2 | ? | ? | ? | 99 | 61* |
| PARIS, | 2,750,000 | Aug. 24, | 884 | 816 | 15·5 | 1 | 8 | 8 | 1† | 8 | 2 | 96 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 17, | 224 | 127 | 10·6 | . | . | 1 | . | 2 | . | 17 |
| ANTWERP, | 304,032 | „ 17, | 111 | 53 | 9·1 | . | . | . | . | 1 | . | 14 |
| AMSTERDAM, | 564,284 | „ 24, | 280 | 112 | 10·4 | . | 4 | . | . | 4 | 1 | 8 |
| COPENHAGEN, | 432,000 | „ 17, | 217 | 105 | 12·7 | . | 1 | . | . | 2 | . | 3 |
| STOCKHOLM, | 332,738 | „ 17, | 126 | 62 | 9·7 | . | . | . | . | . | . | 2 |
| CHRISTIANIA, | 229,324 | „ 24, | 116 | 40 | 9·1 | . | . | . | 2† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 24. | . | 572 | 20·1 | 1 | 15 | 7 | 15 | 5 | 19 | 135 |
| MOSCOW, | 1,296,000 | July 27, | . | 972 | 39·1 | . | 20 | 13 | 3† | 7 | 3 | 537 |
| BERLIN, | 2,090,313 | Aug. 10, | 1,017 | 616 | 15·4 | . | 9 | 3 | 4† | 7 | 2 | 87 |
| HAMBURG, | 824,792 | „ 17, | . | 166 | 10·5 | . | . | 1 | 1† | 3 | . | 17 |
| BRESLAU, | 485,358 | „ 17, | . | 240 | 25·8 | . | . | . | 2† | 1 | 1 | 52 |
| MUNICH, | 548,000 | „ 24, | . | 173 | 16·4 | . | . | . | 3† | 2 | 1 | 32 |
| VIENNA (with suburbs). | 1,979,003 | „ 24, | 838 | 534 | 14·0 | 2 | 3 | 4 | 7† | 1 | 1 | 106 |
| BUDA-PESTH, | 802,235 | „ 3, | 439 | 298 | 19·3 | . | 4 | . | . | . | 1 | 40 |
| PRAGUE and Faubourgs. | 470,906 | „ 3, | 185 | 151 | 16·7 | . | 1 | . | . | . | . | 7 |
| TRIESTE, | 200,962 | „ 10, | 123 | 92 | 23·8 | . | . | . | . | . | . | 20 |
| ROME, | 542,760 | June 1, | 203 | 163 | 15·7 | . | 1 | . | 2 | . | 3 | 11 |
| VENICE, | 174,398 | July 20, | 93 | 58 | 17·3 | . | . | . | . | . | 2 | 8 |
| NEW YORK, | 4,285,435 | Aug. 10, | 2,277 | 1,825 | 22·2 | . | 20 | 6 | 22† | 17 | 20 | 517 |
| PHILADELPHIA, | 1,500,595 | „ 3, | . | 606 | 20·9 | . | 1 | . | 6† | 9 | 9 | 158 |
| BOSTON, | 609,757 | „ 10, | . | 222 | 19·0 | . | 3 | . | 5 | 1 | . | 44 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 8 deaths in Glasgow.
* Including 38 deaths from cholera in Calcutta, 43 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 11 deaths from plague in Calcutta, and 9 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th September, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 1, West, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 |
| " " 2, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 3, | . | 1 | . | . | . | . | . | . | 2 | . | . | . | 3 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | . | . | 6 | 1 | . | . | 7 |
| " " 2, | . | 1 | . | . | 1 | . | . | 1 | 1 | . | . | . | 4 |
| " " 3, | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 |
| " " 4, | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 5 | 1 | . | 1 | . | 3 | 3 | 13 | 1 | . | . | 27 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th September, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 7th September. | | | |
|---|---|---|---|---|---|---|---|
| | Aug. 17. | Aug. 24. | Aug. 31. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 20 | 18 | 10 | 2 | 1 | . | 11 |
| Scarlet Fever | 35 | 37 | 33 | 6 | 3 | 1 | 35* |
| Typhus, | 2 | 2 | 2 | . | 1 | 1 | . |
| Diphtheria, | 18 | 24 | 23 | 4 | 7 | . | 20 |
| Enteric Fever, | 30 | 32 | 36 | 3 | 4 | 1 | 34 |
| Pneumonia, | 22 | 20 | 22 | 5 | 4 | . | 23 |

* Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 7th September, 1907:—

"September opened with as cold a spell as has been observed at this season for very many years. But on Thursday there was a sudden rise of temperature and the last three days of the week were summer-like in their mildness. The distribution of atmospheric pressure was generally cyclonic, but on Sunday and Wednesday areas of relatively high pressure were found over Ireland and England. Sunday was fine, though cool, till evening, when rain fell in connection with the arrival of a depression, which was central near Malin Head on Monday morning and which afterwards travelled north-eastwards to Norway. In its wake, fresh N.W. winds brought clouds, showers and low temperature. On Tuesday, the thermometer in Dublin ranged from 42·3° to 52·5° in the screen, and the mean was 47·4°. The range on September 3, 1906, had been from 58·0° to 67·1°, the mean being 62·6°. On Sunday, September 2, 1906, the thermometer rose to 77·8°, having fallen only to 58·9° in the course of the previous night. The mean of that hot September day was 68·4°, or 21·0° above that of the cold September 3 of 1907. On Thursday, the 4th inst., a brisk rise of temperature occurred in connection with a S.W. wind blowing from low latitudes into a low-pressure area between Scotland and Iceland. At first some rain or showers fell, but Friday and Saturday were fine, warm and summerlike. In Dublin the mean height of the barometer was 29·875 inches, the range of pressure being from 29·486 inches at 11.15 a.m. of Monday (wind, W.S.W.) to 30·297 inches at 9 p.m. of Saturday (wind, calm). The corrected mean temperature was 54·2°, the mean dry bulb reading at 9 a.m. and 9 p.m. being also 54·2°. The screened thermometers fell to 38·7° on Wednesday and rose to 68·4° on Thursday. The dominant wind was S.W. Rain fell on 5 days to the amount of ·514 inch, of which ·260 inch was measured on Tuesday. Some fog formed on the evenings of Tuesday and Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·872 inches. The highest reading (30·336) was on Saturday at 9 p.m., air calm, and the lowest (29·489) on Monday at 9 a.m., wind S.W.

The mean temperature for the week was 52·9°, being 3·4° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Thursday, on which day the thermometer registered 68·3°, and was lowest on Wednesday, the mercury having fallen to 33·4°. The mean of the Dry Bulb for the week was 53·9°, and of the Wet Bulb 52·3°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·417 inch.

At Greenwich the mean temperature for the week was 56·8°, the maximum 74·0°, and the minimum 44·1°; at Glasgow the maximum was 66·2°, the minimum 36·1°, and the mean 52·8°; and at Edinburgh the maximum was 64·6°, the minimum 36·7°, and the mean 51·9°. The rainfall at Greenwich measured 0·44 in.; at Glasgow 1·11 ins.; and at Edinburgh 1·05 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Sept. 1, | 29·980 | 59·7 | 37·4 | 48·6 | 51·5 | 49·7 | ·88 | ·6 | 2·6 | ·065 | Calm. | S. |
| Monday, „ 2, | 29·585 | 59·2 | 46·9 | 53·1 | 52·1 | 50·7 | ·91 | ·6 | 0·4 | ·052 | S.W. | W.N.W. |
| Tuesday, „ 3, | 29·799 | 52·5 | 38·5 | 45·5 | 44·2 | 42·2 | ·83 | ·3 | 3·2 | ·200 | Calm. | Calm. |
| Wednesday, „ 4, | 29·805 | 55·2 | 33·4 | 44·3 | 51·2 | 50·0 | ·92 | ·6 | 2·2 | ·100 | S.W. | S.E. |
| Thursday, „ 5, | 29·744 | 68·3 | 52·0 | 60·2 | 59·9 | 58·3 | ·90 | ·6 | 5·8 | ·000 | S.S.W. | S.S.W. |
| Friday, „ 6, | 29·946 | 67·2 | 51·4 | 59·3 | 59·9 | 57·9 | ·88 | ·6 | 6·1 | ·000 | S.S.W. | S.W. |
| Saturday, „ 7, | 30·244 | 68·0 | 50·9 | 59·5 | 58·8 | 57·5 | ·93 | ·3 | 8·2 | ·000 | S.W. | Calm. |
| Mean, . . | 29·872 | 61·4 | 44·4 | 52·9 | 53·9 | 52·3 | ·89 | ·5 | Total 28·5 | Total ·417 | Prevailing Wind. S.W. | |

*Sunday*—Day cloudy, light showers 7.15 to 7.30 p.m. and 9 p.m. to 10.30 p.m.; night cloudy. *Monday*—Day overcast, light showers a.m. and p.m.; night clear. *Tuesday*—Cloudy a.m. overcast p.m. heavy rain 2 p.m. to 6 p.m.; night clear. *Wednesday*—Cloudy a.m. overcast, light showers 5 p.m. to 9.5 p.m. at intervals; night cloudy. *Thursday*—Cloudy day, fine; night cloudy. *Friday*—Day cloudy, fine; night clear. *Saturday*—Fine day but cloudy; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 7th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Sept. 1, | 52·9 | 56·5 | 56·9 | 58·0 | 42·5 | 50·3 | 2·3 | ·068 |
| Monday, „ 2, | 58·2 | 56·9 | 56·7 | 59·8 | 49·2 | 54·5 | 0·0 | ·015 |
| Tuesday, „ 3, | 50·5 | 55·2 | 56·9 | 51·7 | 40·9 | 46·3 | 2·1 | ·223 |
| Wednesday, „ 4, | 52·0 | 53·6 | 56·4 | 56·1 | 39·1 | 47·6 | 1·7 | ·124 |
| Thursday, „ 5, | 61·6 | 54·9 | 56·2 | 70·3 | 53·9 | 62·1 | 6·5 | ·009 |
| Friday, „ 6, | 60·0 | 56·4 | 56·0 | 67·8 | 55·2 | 61·5 | 5·4 | — |
| Saturday, „ 7, | 63·0 | 57·0 | 56·9 | 67·6 | 55·1 | 61·4 | 7·9 | — |
| Weekly Mean, . | 56·9 | 55·8 | 56·6 | 61·6 | 48·0 | 54·8 | Total 25·9 | Total ·439 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street

375. Wt. P. 118. 7. 1907.—18653

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 14TH SEPTEMBER, 1907. [No. 37.

*General Register Office, Charlemont House,*
*Dublin, 16th September,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 17·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Aug. 24. | Week ending Aug. 31. | Week ending Sept. 7. | Week ending Sept. 14. | Average Rate for 4 weeks. | Towns, &c. | Week ending Aug. 24. | Week ending Aug. 31. | Week ending Sept. 7. | Week ending Sept. 14. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **22 Town Dists.** | 15·6 | 16·0 | 16·8 | 17·1 | 16·4 | Lisburn, . . | 9·1 | 13·6 | 9·1 | 9·1 | 10·2 |
| Armagh, . . | 6·9 | 13·7 | 27·5 | 13·7 | 15·5 | Londonderry, . | 14·7 | 17·2 | 7·4 | 17·2 | 14·1 |
| Ballymena, . | 9·6 | 9·6 | 19·2 | 19·2 | 14·4 | Lurgan, . . | 26·6 | 8·9 | 22·1 | 31·0 | 22·1 |
| Belfast, . . | 15·1 | 12·7 | 14·8 | 17·6 | 15·1 | Newry, . . | 42·0 | 21·0 | 16·8 | 4·2 | 21·0 |
| Clonmel, . . | 15·4 | 5·1 | 20·5 | 15·4 | 14·1 | Newtownards, . | 11·4 | 11·4 | 11·4 | 11·4 | 11·4 |
| Cork, . . . | 16·4 | 19·2 | 16·4 | 22·6 | 18·6 | Portadown, . | 5·2 | 31·0 | 20·7 | 5·2 | 15·5 |
| Drogheda, . . | 12·3 | 12·3 | 20·4 | 12·3 | 14·3 | Queenstown . | 33·0 | 26·4 | 33·0 | 19·8 | 28·0 |
| Dublin Reg. Area, | 15·7 | 18·6 | 20·7 | 17·6 | 18·1 | Sligo, . . . | 4·8 | 14·4 | 9·6 | 14·4 | 10·8 |
| Dundalk . . | 16·0 | 12·0 | 16·0 | 8·0 | 13·0 | Tralee, . . | 21·1 | 26·4 | 5·3 | 10·6 | 15·9 |
| Galway, . . | 11·7 | 27·2 | 35·0 | 15·5 | 22·3 | Waterford, . | 15·6 | 13·6 | 3·9 | 17·5 | 12·7 |
| Kilkenny, . . | 14·7 | 34·3 | 9·8 | 19·7 | 19·6 | Wexford, . . | 14·0 | 14·0 | 14·0 | 18·7 | 15·2 |
| Limerick, . . | 17·8 | 8·2 | 12·3 | 8·2 | 11·6 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in thirteen of the districts to 13·2 in Queenstown, the 3 deaths from all causes registered in that district including 2 from diarrhœal diseases. Among the 125 deaths from all causes registered in Belfast are one from measles, 2 from scarlet fever, one from whooping-cough, one from enteric fever, 4 from diarrhœal diseases, and 5 from cerebro-spinal fever. Of the 33 deaths from all causes in Cork 3 are from diarrhœal diseases; 2 of the 9 deaths registered in Waterford are from diarrhœal diseases; and one of the 7 deaths from all causes in Lurgan is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—89 boys and 107 girls; and the deaths to 137—69 males and 68 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 18·3 in every 1,000 of the population. Omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, the rate was 17·6 per 1,000. During the thirty-seven weeks ending with Saturday last the death-rate averaged 25·1, and was 0·3 below the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths registered (137) included one each from measles and whooping-cough, 2 each from diphtheria and enteric fever, 9 from diarrhœal diseases, and 2 from influenza. In each of the 3 preceding weeks, deaths from measles were 2, 7, and 3; deaths from whooping-cough were 4, 0, and 2; deaths from diphtheria were 2, 0, and 0; deaths from enteric fever were 2, 2, and 0; deaths from diarrhœal diseases were 4, 8, and 5; and deaths from influenza were one, one, and 2.

Two deaths were attributed to lobar pneumonia, 4 to broncho-pneumonia, and 2 to *pneumonia* (not defined).

Of 24 deaths from all forms of tuberculous disease, 6 were from tuberculous phthisis, 12 were returned as from *phthisis*, one was from tuberculous meningitis, one was from *scrofula*, and 4 were from other forms of tuberculous disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 26, 22, and 35, respectively.

Two deaths were caused by carcinoma and 7 by cancer (undefined).

The deaths of 3 infants prematurely born were registered.

Diseases of the brain and nervous system caused 9 deaths. These include 4 from meningitis (2 being of children under 5 years of age) and 3 from *convulsions* (all of the latter being deaths of infants under one year of age).

There were 25 deaths from diseases of the heart and blood vessels and 10 from bronchitis.

Of 2 accidental deaths one, that of a child under 5 years of age, was caused by burns. There was one case of suicide.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both these cases were of infants under one year old.

Thirty-seven of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 7 were under one month old), and 37 were aged 60 years and upwards, including 18 persons aged 70 and upwards, of whom 6 were octogenarians, and one (a female) was stated to have been aged 98 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the N. Dublin Union Workhouse, 23 in the S. Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17.6 per 1,000; the rate in the City was 18·4 (North City Districts, 15·2; South, 21·7), and in the Suburbs, 15·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 2·1 (1·7 in the North City Districts, and 2·5 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·4 per 1,000, and include one each from whooping-cough, epidemic diarrhœa, broncho-pneumonia, and tuberculous phthisis.

*No. 1 North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000. Among them are one death each from *diarrhœa* and lobar pneumonia, 2 deaths from tuberculous disease of the lungs, and one death from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000. There was one death each from diphtheria, lobar pneumonia, and broncho-pneumonia, and there were 3 deaths from tuberculous disease of the lungs, and 3 from diseases of the respiratory system.

*No. 3 North City District* (Benburb-street).—The deaths (6) represent an annual rate of 9·6 per 1,000. *Diarrhœa, pneumonia* (not defined), and bronchitis each caused one death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 4·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4.

*No. 1 South City District* (South Earl-street).—The deaths (20) represent an annual rate of 26·1 per 1,000, and include one each from enteric fever, epidemic diarrhœa, influenza, and *pneumonia* (not defined), and 6 deaths from tuberculous disease.

*No. 2 South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 17·7 per 1,000. Epidemic enteritis and tuberculous disease each caused one death, and bronchitis 2 deaths.

*No. 3 South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·5 per 1,000. Among them were 3 from tuberculous disease and 2 from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. One of the deaths was from enteric fever and one from influenza, 3 were from *diarrhœa*, one was from broncho-pneumonia, and 2 were from *phthisis*. There was one accidental death.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of the 2 deaths was from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 11·2; Blackrock, 6·0; and Kingstown, 26·6. The deaths from the principal epidemic diseases tabulated for these districts include one death each from measles and *diarrhœa* for Kingstown, and one from diphtheria for Rathmines and Rathgar. The 11 deaths from all causes for the latter district include one from broncho-pneumonia, 2 from tuberculous disease, and 4 from diseases of the heart and blood vessels; of the 6 deaths from all causes for Pembroke one was from *phthisis*; and the 9 deaths from all causes for Kingstown include 2 from tuberculous disease and 3 deaths from diseases of the heart and blood vessels.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the weekended 14th September, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Aug. 24, | . | — | — | 3 | . | . | 8 | . | . | 13 | 15 | . | — | — | — | — | — | 39 |
| | Aug. 31, | . | — | — | 3 | . | . | 3 | . | 2 | 3 | 14 | . | — | — | — | — | — | 25 |
| | Sept. 7, | . | — | — | 5 | 1 | . | 1 | . | 3 | 3 | 13 | 1 | — | — | — | — | — | 27 |
| | Sept. 14, | . | — | — | 6 | 1 | . | 7 | . | 4 | 6 | 5 | . | — | — | — | — | — | 29 |
| Rathmines and Rathgar Urban District. | Aug. 24, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Aug. 31, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | 2 | . | . | — | — | . | — | — | 2 |
| | Sept. 14, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Aug. 24, | . | 12 | . | . | . | . | . | . | 1 | 1 | . | . | — | . | . | — | — | 14 |
| | Aug. 31, | . | 5 | . | . | . | . | . | . | . | . | 2 | . | — | . | . | — | — | 7 |
| | Sept. 7, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 9 |
| | Sept. 14, | . | 7 | . | . | . | . | 1 | . | 1 | 2 | . | . | — | . | . | — | — | 11 |
| Blackrock Urban District. | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 14, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | Aug. 24, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 14, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Aug. 24, | . | — | — | 9 | . | . | 5 | . | 8 | 15 | 11 | 2 | — | — | 2 | — | — | 52 |
| | Aug. 31, | . | — | — | 10 | . | . | 9 | 2 | 10 | 6 | 6 | . | — | — | 4 | — | — | 47 |
| | Sept. 7, | . | — | — | 6 | . | . | 4 | 2 | 8 | 14 | 4 | . | — | — | 5 | — | — | 43 |
| | Sept. 14, | . | — | — | 3 | . | . | 5 | . | 11 | 8 | 6 | . | — | — | 3 | — | — | 36 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th September, 1907.

From this it appears that:—

Six cases of measles were admitted into hospital during the week, 5 were discharged, and 12 cases remained under treatment at its close.

Twelve cases of scarlet fever were admitted to hospital, 9 were discharged, and 38* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital during tho week.

Seven cases of diphtheria were admitted to hospital, 7 were discharged, there were 2 deaths, and 18 patients remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 36 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 8 were discharged, there was one death, and 26 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 11·9), was equal to an average annual death-rate of 12·3 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 15·3 per 1,000, the rate for Glasgow being 15·7 and for Edinburgh 14·6.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th September. From this Report it appears that of a total of 45 cases notified 24 were scarlet fever, 5 erysipelas, 3 diphtheria, and 3 enteric fever. Among the 263 cases of infectious diseases in hospital at the close of the week were 103 cases of scarlet fever, 29 of whooping-cough, 28 of measles, 19 of diphtheria, 15 of enteric fever, and 6 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th September, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Week ending 14th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 7th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 31st August, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (8) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 28·4 | 17·1 | 1·6 | 608 | 366 | 76 | 102 | . | 2 | 2 | . | 3 | 2 | . | 3 | 23 | 14 | 46 | 17 | 16 | 30 | 9 | 13 | 124 | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 26·2 | 17·6 | 2·0 | 196 | 132 | 28 | 36 | . | 1 | . | . | 1 | 2 | . | 2 | 9 | 8 | 17 | 6 | 9 | 10 | 1 | 3 | 62 | 2 | f74·1 | 46·0 | 57·5 | 0·02 | f68·3 | 33·4 | 52·9 | 0·42 | f67·3 | 35·9 | 53·9 | 0·94 |
| City of Dublin, | 300,850 | 38·0 | 27·6 | 18·4 | 2·1 | 159 | 106 | 26 | 24 | . | . | . | . | 1 | 1 | . | 2 | 8 | 7 | 14 | 4 | 6 | 10 | 1 | 3 | 51 | 2 | g71·2<br>h69·9 | 51·7<br>48·2 | 59·6<br>57·9 | 0·03<br>0·02 | g68·4<br>h69·9 | 38·7<br>34·6 | 54·2<br>53·5 | 0·51<br>0·50 | g69·1<br>h68·9 | 44·1<br>38·3 | 57·0<br>55·3 | 0·86<br>0·84 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 19·0 | 16·1 | 1·5 | 18 | 11 | . | 4 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 15·0 | 11·2 | . | 8 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 23·8 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 35·5 | 26·6 | 5·9 | 12 | 9 | . | 6 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 34·2 | 17·6 | 1·3 | 243 | 125 | 29 | 26 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 3 | 14 | 8 | 3 | 16 | 8 | 10 | 30 | . | 72·0 | 42·5 | 55·1 | 0·11 | 66·0 | 37·3 | 52·0 | 1·05 | 65·0 | 38·0 | 55·2 | 0·16 |
| Cork, | 76,122 | 33·6 | 26·7 | 22·6 | 2·1 | 39 | 33 | 6 | 12 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | . | 10 | 1 | 68 | 58 | 59·3 | 0·00 | 64 | 42 | 55·1 | 0·57 | 67 | 48 | 56·5 | 0·40 |
| Londonderry, | 42,475 | 19·6 | 22·1 | 17·2 | 1·2 | 18 | 14 | 5 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 15·0 | 8·2 | . | 11 | 6 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 19·5 | 17·5 | 3·9 | 10 | 9 | 1 | 3 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 54·4 | 15·5 | . | 14 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | . | 3 | . | 77 | 45 | 59 | 0·10 | 64 | 40 | 53 | 1·18 | 66 | 40 | 56 | 0·50 |
| Dundalk, | 18,076 | 9·4 | 12·0 | 8·0 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 49·0 | 12·3 | . | 12 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 16·8 | 4·2 | . | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 |
| Lurgan, | 11,782 | 13·8 | 26·6 | 31·0 | 4·4 | 6 | 7 | 1 | 3 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | 72·2 | 43·1 | 57·3 | 0·04 | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 9·1 | . | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 |
| Wexford, | 11,168 | 23·2 | 32·7 | 18·7 | . | 7 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena (j), | 10,886 | 8·9 | 14·4 | 19·2 | . | 3 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 24·0 | 14·4 | . | 5 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 73·5 | 40·3 | 56·6 | 0·29 | 68·5 | 34·5 | 51·5 | 1·27 | 66·0 | 32·0 | 52·5 | 0·12 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 19·7 | . | 5 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . | 72 | 50 | 59 | 0·05 | 68 | 33 | 52·6 | 0·89 | 67 | 39 | 55 | 0·32 |
| Clonmel, | 10,167 | 7·8 | 41·0 | 15·4 | . | 8 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 18·2 | 20·7 | 5·2 | . | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 |
| Tralee, | 9,867 | 16·6 | 26·4 | 10·6 | 5·3 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 45·8 | 11·4 | 5·7 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 65 | 46 | 55·3 | 0·04 | 67 | 38 | 52·9 | 0·84 | 66 | 41 | 53·9 | 0·16 |
| Queenstown, | 7,909 | 14·4 | 6·6 | 19·8 | 13·2 | 1 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | 68 | 58 | 59·3 | 0·00 | 64 | 42 | 55·1 | 0·57 | 67 | 48 | 56·5 | 0·40 |
| Armagh, | 7,588 | 22·2 | 13·7 | . | . | 1 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 | 65·1 | 38·0 | 53·5 | 0·20 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 5 deaths of persons (including one at 72 years), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Markree for Sligo, and those at Roche's Point for Cork and

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 14th September, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASTAR & HOWTH No. 1 (part of). | GOOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diphtheria, | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 2 | . |
| Diarrhœal Diseases, | 1 | 1 | . | 1 | . | . | . | 1 | 1 | . | 3 | . | . | . | . | 1 | 9 | . |
| Pneumonia, | 1 | 1 | 2 | 1 | . | . | . | 1 | . | . | 1 | . | 1 | . | . | . | 8 | . |
| Tuberculous Disease. } Phthisis, | 1 | 2 | 3 | . | . | . | . | 5 | . | 1 | 2 | . | 1 | 1 | . | 1 | 17 | 1 |
| Tuberculous Disease. } Other Forms. | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 1 | . | . | 1 | 6 | . |
| Cancer, Malignant Disease, | . | 1 | . | 2 | . | . | 1 | . | . | 2 | . | . | 1 | 1 | . | 1 | 9 | . |
| Other General Diseases, | . | . | . | . | . | . | . | 3 | . | 1 | 3 | . | 1 | 2 | . | . | 10 | 1 |
| Total, | 4 | 5 | 6 | 4 | . | . | 1 | 12 | 2 | 6 | 10 | . | 6 | 4 | . | 5 | 65 | 2 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | 1 | 1 | 1 | 1 | . | 1 | . | 1 | 1 | 1 | 1 | . | . | . | . | . | 9 | . |
| Diseases of Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels, | 2 | 1 | 4 | . | . | . | . | 2 | 2 | 4 | 1 | 1 | 4 | 1 | . | 3 | 25 | . |
| Diseases of Respiratory System, | . | 1 | 3 | 1 | . | . | . | . | 2 | 2 | . | 1 | . | . | . | . | 10 | 1 |
| Diseases of Digestive System, | 1 | 3 | . | . | . | . | 1 | 3 | . | 2 | . | . | . | 1 | . | 1 | 12 | . |
| Diseases of Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System, | . | 1 | 1 | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . | . | 7 | . |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Total, | 4 | 7 | 9 | 2 | . | 1 | 1 | 8 | 5 | 12 | 2 | 2 | 5 | 2 | . | 4 | 64 | 1 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| **E. VIOLENT DEATHS,** | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 2 |
| **Deaths from all Causes,** | 8 | 12 | 16 | 6 | . | 1 | 2 | 20 | 7 | 19 | 13 | 2 | 11 | 6 | . | 9 | 132 | 5 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 14·4 | 16·0 | 27·7 | 9·6 | . | 4·7 | 14·4 | 26·1 | 17·7 | 23·5 | 19·3 | 11·7 | 16·1 | 11·2 | . | 26·6 | 17·6 | . |
| | 15·2 | | | | | | | 21·7 | | | | | 15·1 | | | | | |
| | 18·4 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 3 | 5 | . | 2 | . | 1 | . | 4 | 1 | 4 | 6 | . | . | 2 | . | . | 28 | . |
| 1 and under 5 years, | 1 | 1 | 1 | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . | 1 | 9 | . |
| 5 ,, 20 ,, | . | . | 2 | . | . | . | . | 1 | 1 | 1 | . | . | 3 | . | . | . | 8 | . |
| 20 ,, 40 ,, | 2 | 2 | 3 | . | . | . | . | 5 | . | 2 | 2 | . | 2 | 1 | . | 2 | 21 | 2 |
| 40 ,, 60 ,, | 1 | 2 | 7 | 3 | . | . | . | 6 | 4 | 2 | 3 | . | 1 | 1 | . | . | 30 | 2 |
| 60 and upwards, | 1 | 2 | 3 | 1 | . | . | 2 | 3 | 1 | 8 | 1 | 2 | 4 | 2 | . | 6 | 35 | 1 |
| Number of Uncertified Deaths, | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | 2 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 1 | 6 | 1 | . | . | . | 5 | . | 3 | 5 | . | 4 | 2 | . | . | 27 | 5 |
| Workhouse Hospitals, | 2 | 1 | 4 | 2 | . | . | . | 7 | 4 | 7 | 1 | 2 | 1 | 1 | . | 3 | 35 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i
week of the ten years, 1897

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 37th Week of the 10 years 1897-1906. | In the Week ending Saturd 14th September, 1907. Deaths of Persons of the Age | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Sept. 18, 1897. | Sept. 17, 1898. | Sept. 16, 1899. | Sept. 15, 1900. | Sept. 14, 1901. | Sept. 13, 1902. | Sept. 19, 1903. | Sept. 17, 1904. | Sept. 16, 1905. | Sept. 15, 1906. | | ALL AGES. | 0 to 5. | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | ° 55·6 | ° 60·6 | ° 57·4 | ° 54·5 | ° 56·8 | ° 52·5 | ° 47·9 | ° 55·9 | ° 51·1 | ° 52·4 | ° 54·5 | ° 57·5 | | | | | | |
| **ALL CAUSES.** | 160 | 182 | 235 | 171 | 164 | 142 | 146 | 124 | 123 | 220 | 167·7 | 137 | 7 | 21 | 9 | 8 | 23 | 32 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | 1 | 23 | . | . | 6 | 1 | . | . | . | 3·1 | 1 | . | . | 1 | . | . | . |
| Scarlet Fever, ... ... | 1 | . | 1 | 1 | . | . | 1 | . | 1 | 1 | ·6 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | . | . | 2 | . | 1 | . | 1 | . | 1 | ·5 | 2 | . | . | . | . | 1 | . |
| Whooping-cough, ... ... | 5 | 4 | 1 | 7 | 1 | . | 6 | . | . | 1 | 2·5 | 1 | . | 1 | . | . | . | . |
| Diphtheria, ... ... | 3 | 1 | 1 | 2 | . | 2 | 1 | 2 | . | 1 | 1·3 | 2 | . | . | 1 | 1 | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 5 | 3 | 9 | 7 | 1 | 3 | 3 | 2 | 1 | . | 3·4 | 2 | . | . | . | . | . | 2 |
| Asiatic Cholera, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 14 | 28 | 50 | 27 | 22 | 5 | 2 | 6 | 4 | 19 | 22·9 | 3 | . | 3 | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 14 | 3 | 8 | 6 | 21 | | 6 | . | 5 | . | . | | . |
| Tetanus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | 2 | 2 | .. | 2 | 1 | . | 3 | 1 | 2 | 1·4 | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | 1 | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| Pneumonia, Lobar, | 5 | 7 | 10 | 7 | 11 | 1 | . | 1 | 2 | . | 7·2 | 2 | . | . | . | . | 2 | . |
| Pneumonia, Broncho- | | | | | | 3 | 3 | 3 | 2 | 2 | | 4 | . | 1 | 1 | . | 1 | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 2 | 1 | 5 | 2 | 5 | | 2 | . | . | . | . | . | 1 |
| Erysipelas, ... ... | . | . | . | . | 2 | . | . | 2 | 1 | . | ·5 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 1 | . | 1 | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | . | 1 | ·2 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 22 | 23 | 29 | 20 | 20 | 1 | 4 | 3 | 7 | 6 | 19·6 | 6 | . | . | . | . | 4 | 2 |
| "*Phthisis*," ... | | | | | | 13 | 18 | 8 | 8 | 14 | | 12 | . | . | 1 | . | 8 | 3 |
| Tuberculous Meningitis, ... | 2 | 3 | 6 | 4 | 3 | 4 | 3 | 5 | 3 | 4 | 3·7 | 1 | . | . | 1 | . | . | . |
| Tuberculous Peritonitis, | 2 | 6 | 6 | 8 | 6 | . | . | 4 | . | 1 | 3·8 | . | . | . | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | 2 | 2 | 1 | . | | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 2 | 7 | 6 | 4 | 4 | 5 | 6 | 7 | 8 | 6 | 5·5 | 4 | . | 1 | . | 2 | 1 | . |
| *Scrofula*, ... ... | | | | | | . | . | . | . | . | | 1 | . | 1 | . | . | . | . |
| Alcoholism, ... ... | . | . | . | 1 | . | .. | 1 | . | 1 | . | ·3 | 3 | . | . | . | . | 1 | 2 |
| Rheumatic Fever, ... ... | . | . | . | 1 | 2 | . | . | . | . | .. | ·3 | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Carcinoma, ... | 8 | 4 | 3 | 7 | 7 | . | 2 | 3 | 3 | 3 | 6·1 | 2 | . | . | . | . | . | 1 |
| Sarcoma, ... ... | | | | | | . | . | 1 | . | 1 | | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 4 | 3 | 4 | 1 | 7 | | 7 | . | . | . | . | 1 | 3 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | 1 | . | 1 | 1 | ·3 | . | . | . | . | . | . | . |
| Premature Birth, ... | 6 | 3 | 5 | . | 2 | 2 | 4 | 4 | 2 | 4 | 3·2 | 3 | 3 | . | . | . | . | . |

* The figures for the years 1897-1900 a
† Formerly describ

-SEVENTH WEEK ending Saturday, 14th September, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Sept. 18, 1897. | Sept. 17, 1898. | Sept. 16, 1899. | Sept. 15, 1900. | Sept. 14, 1901. | Sept. 13, 1902. | Sept. 19, 1903. | Sept. 17, 1904. | Sept. 16, 1905. | Sept. 15, 1906. | Averages in 37th Week of the 10 years 1897–1906. | In the Week ending Saturday, 14th September, 1907. Deaths of Persons of the Ages of: All Ages. | Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| an Temperature. | ° 55·6 | ° 60·6 | ° 57·4 | ° 51·5 | ° 56·8 | ° 52·5 | ° 47·9 | ° 55·9 | ° 51·1 | ° 52·4 | ° 54·5 | | ° 57·5 | | | | | | | | |
| gitis (not tuberc.) ... | | | | | | 6 | 1 | 3 | 4 | 2 | | 4 | | . | . | 2 | 1 | . | 1 | . | . |
| ty, G. P. of Insane ... | | | | | | . | 4 | 1 | 2 | . | | 2 | | . | . | . | . | . | 1 | 1 | . |
| osy .. ... | | | | | | 2 | . | 2 | 1 | . | | . | | . | . | . | . | . | . | . | . |
| *lsions* ... .. | | | | | | 3 | 6 | 4 | 5 | 6 | | 3 | | 1 | 2 | . | . | . | . | . | . |
| notor Ataxy ... | | | | | | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . |
| legia Dis. of Cord ... | | | | | | 1 | . | . | . | 2 | | . | | . | . | . | . | . | . | . | . |
| us System (other ) | | | | | | . | . | . | 2 | 5 | | . | | . | . | . | . | . | . | . | . |
| | 27 | 26 | 30 | 29 | 37 | | | | | | 30·3 | | | | | | | | | | |
| Dis., Endocarditis | | | | | | 2 | 4 | 1 | 5 | 7 | | 10 | | . | . | . | 1 | 1 | 2 | 5 | 1 |
| r. Hæm. Thromb. . | | | | | | . | 4 | 1 | . | 5 | | 4 | | . | . | . | . | 1 | 1 | 1 | 1 |
| *xy, Hemiplegia* ... | | | | | | 4 | 2 | 4 | 2 | 1 | | . | | . | . | . | . | . | . | . | . |
| ysm ... ... | | | | | | . | . | . | . | 1 | | . | | . | . | . | . | . | . | . | . |
| lism, Thromb. (not bral) | | | | | | . | . | . | . | 1 | | . | | . | . | . | . | . | . | . | . |
| and Blood Vessel Dis. | | | | | | 11 | 10 | 5 | 9 | 13 | | 11 | | . | . | . | . | . | 4 | 5 | 2 |
| (not Spasm. nor nb.) | 2 | . | . | . | . | . | . | . | . | 1 | ·3 | . | | . | . | . | . | . | . | . | . |
| hitis ... ... | 13 | 9 | 10 | 8 | 11 | 7 | 13 | 8 | 7 | 12 | 9·8 | 10 | | . | 1 | . | . | 1 | 3 | 4 | 1 |
| na, Emphysema ... | | | | | | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . |
| isy ... ... | 2 | 1 | 1 | 3 | 1 | . | . | . | . | . | 1·5 | . | | . | . | . | . | . | . | . | . |
| ratory Dis. (other) ... | | | | | | 1 | 2 | 1 | . | 3 | | 1 | | . | . | . | 1 | . | . | . | . |
| litis, Quinsy ... | . | . | 2 | . | . | . | 1 | . | . | . | ·3 | . | | . | . | . | . | . | . | . | . |
| itis (not Epid.) ... | 3 | 3 | 5 | 1 | 2 | . | 1 | 1 | 1 | 10 | 4·4 | 2 | | 1 | 1 | . | . | . | . | . | . |
| *Enteritis* ... ... | | | | | | 1 | 4 | 2 | 2 | 8 | | 4 | | 1 | 2 | 1 | . | . | . | . | . |
| *nitis* (not Puerp.) ... | . | 1 | . | 1 | 1 | 1 | . | . | . | . | ·4 | . | | . | . | . | . | . | . | . | . |
| osis of Liver ... | 2 | 5 | 3 | 1 | 1 | 2 | . | 1 | . | 2 | 2·0 | . | | . | . | . | . | . | . | . | . |
| Dis. (other) ... | | | | | | . | . | 2 | 1 | . | | . | | . | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 1 | 6 | 5 | 4 | . | 3 | 5 | 8 | 9 | 7 | 4·8 | 6 | | . | 2 | . | . | . | . | 3 | 1 |
| ritis, Acute ... | | | | | | . | 2 | 2 | 1 | 1 | | 3 | | . | . | . | 1 | . | 1 | 1 | . |
| t's Dis., Albuminuria | 2 | 5 | 4 | 3 | . | 1 | . | 5 | 3 | 3 | 3·4 | 4 | | . | . | . | . | 1 | 2 | 1 | . |
| ry Sys. (Other Dis.) | | | | | | . | 1 | . | 1 | . | | . | | . | . | . | . | . | . | . | . |
| rative Organs Dis. ... | 2 | . | . | . | . | . | . | . | . | 3 | ·5 | . | | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | 1 | 1 | . | . | 2 | 2 | . | 1 | . | 1 | ·8 | . | | . | . | . | . | . | . | . | . |
| *ge* ... ... | 6 | 8 | 9 | 10 | 2 | 8 | 5 | 1 | 3 | 3 | 5·5 | 1 | | . | . | . | . | . | . | 1 | . |
| Diseases ... ... | 14 | 16 | 8 | 7 | 17 | 16 | 12 | 6 | 7 | 17 | 12·0 | 3 | | 1 | 1 | . | . | . | . | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | | |
| ilways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| hicles and Horses ... | 1 | 1 | . | . | . | . | . | . | 1 | . | ·3 | 1 | | . | . | . | . | . | 1 | . | . |
| ps, Boats, Docks (exive of Drowning) ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | 4 | 1 | 1 | 1 | 1 | . | 1 | . | . | 1 | 1·0 | 1 | | . | . | 1 | . | . | . | . | . |
| owning ... ... | . | . | 1 | 1 | . | 1 | . | . | . | . | ·3 | . | | . | . | . | . | . | . | . | . |
| ffocation in Bed ... | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | | . | . | . | . | . | . | . | . |
| oison or Poisonous ours | . | 1 | . | . | . | . | . | . | . | 1 | ·2 | . | | . | . | . | . | . | . | . | . |
| Deaths by Accident | 2 | 1 | 3 | 3 | 3 | 2 | . | 1 | 3 | . | 1·8 | . | | . | . | . | . | . | . | . | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| ide ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | | . | . | . | . | . | . | . | . |
| e ... ... | . | 1 | . | . | 1 | . | 2 | . | . | . | ·4 | 1 | | . | . | . | . | 1 | . | . | . |
| tion ... ... | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |

istration Area as then constituted.
) Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. |
| No. of weeks in Annual Series. | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| BIRTHS registered, | 180 | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 |
| *Average Births in corresponding week of previous 10 years,** | 208 | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 |
| DEATHS registered, | 174 | 189 | 219 | 207 | 215 | 202 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 |
| Annual Death-rate per 1,000, | 23·2 | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 |
| *Average Deaths in corresponding week of previous 10 years,** | 213 | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 |
| AGES, Under 5 years, | 59 | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 |
| 5—20 ,, | 19 | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 |
| 20—40 ,, | 23 | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 |
| 40—60 ,, | 38 | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 |
| 60—80 ,, | 28 | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 |
| 80 years and upwards, | 7 | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . |
| Typhus, | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Whooping-cough, | 7 | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 |
| Diphtheria, | 1 | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 |
| Diarrhœal Diseases, | 1 | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 |
| Influenza, | 4 | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 |
| Pneumonia, | 22 | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 |
| Tuberculous Disease. Phthisis, | 24 | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 |
| Tuberculous Disease. Other Forms, | 13 | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 |
| Cancer, Malignant Disease, | 6 | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 |
| Diseases of Heart and Blood Vessels, | 20 | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 |
| Diseases of Respiratory System, | 30 | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 |
| Violent Deaths, | 4 | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 |
| Number of Uncertified Deaths, | 1 | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 |
| Mean Temperature of the Air (Phœnix Park), | 43·9 | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 42·0 | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 |
| Rainfall in inches, | ·868 | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·773 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·88 | ·78 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 |

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th September, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH SEPTEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 19·0 | 187 | 37 | 8 | 23 | 32 | 30 | 7 | . | 1 | . | . | 1 | 2 | . | 2 | 9 | 15 | 8 | 18 | 6 | 9 | 3 | 11 | 3 | 64 | 2 |
| | CLASSES. Deaths in Families of the— | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 17·9 | 6 | . | . | 1 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 6 | . |
| II. | MIDDLE CLASS, | 87,188 | 10·2 | 17 | 3 | 1 | 5 | 3 | 3 | 2 | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 4 | . | 2 | . | . | 1 | 7 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 11·8 | 25 | 6 | 1 | 3 | 8 | 6 | 1 | . | . | . | . | . | . | . | 2 | 4 | 6 | 2 | 3 | . | 2 | 1 | 2 | . | 9 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 28·9 | 54 | 22 | 5 | 10 | 10 | 7 | . | . | 1 | . | . | . | 2 | . | . | 4 | 7 | 3 | 6 | 3 | 2 | 2 | 5 | 2 | 24 | 2 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 35 | 6 | 1 | 4 | 11 | 11 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 5 | 3 | 3 | . | 4 | . | 18 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 40·8 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 12·5 | 2 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 7·1 | 3 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 12·0 | 7 | 3 | . | 3 | . | 1 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 3 | . | . | . | . | . | 1 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 11·6 | 6 | . | . | 2 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 4 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 21·1 | 4 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 10·5 | 6 | 2 | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | . | 1 | . | . | . | 2 | . |
| | 10. Clothing Trades, | 28,260 | 6·7 | 3 | . | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 17·2 | 10 | 2 | . | 1 | 4 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | 1 | . | . | . | 1 | . | 4 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | 1 | . |
| | 15. Domestic Servants, | 36,603 | 5·7 | 4 | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 29·0 | 8 | 4 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 4 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 21·5 | 37 | 15 | 5 | 7 | 7 | 3 | . | . | 1 | . | . | . | 2 | . | . | 4 | 7 | 3 | 6 | 2 | . | 1 | 3 | . | 15 | 1 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 35 | 6 | 1 | 4 | 11 | 11 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 5 | 3 | 3 | . | 4 | . | 18 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | July 27, | 10·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| | „ 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| | „ 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| | „ 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 31, | 25·4 | 1·8 | 13 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | . | . | . |
| | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 14·4 | 3·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | July 27, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | 1 |
| | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| | „ 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 |
| | „ 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| | „ 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| | „ 31, | 29·3 | 8·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | „ 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | July 27, | 41·6 | 5·2 | 24 | . | 2 | . | . | 1 | . | . | . | . | 3 | 1 | 1 | 1 | 2 | 1 | 1 |
| | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| | „ 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 3 | . | 1 |
| | „ 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| | „ 24, | 24·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| | „ 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | „ 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | July 27, | 14·5 | 3·2 | 9 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . |
| | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| | „ 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| | „ 24, | 11·3 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| | „ 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | „ 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | July 27, | 13·0 | 1·3 | 10 | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . |
| | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| | „ 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | . |
| | „ 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | 1 |
| | „ 24, | 23·5 | 3·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | 1 | . | . | . |
| | „ 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . |
| | „ 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | . | . | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | July 27, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 2 | . | . |
| | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| | „ 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | „ 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 25·3 | 1·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | . |
| | „ 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | „ 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | July 27, | 29·6 | 1·2 | 24 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 2 | 2 | 5 | . | . |
| | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | . | 3 | 1 | . | 2 | . | . | 1 |
| | „ 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 4 | . | 5 | . | . |
| | „ 17, | 18·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 3 | . | . | . | 1 | 2 | . | . |
| | „ 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | „ 31, | 19·8 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | „ 14, | 28·5 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | July 27, | 26·7 | 8·0 | 18 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 3 | . | 5 | 1 | 2 |
| | Aug. 3, | 19·3 | 1·5 | 13 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | . | 1 |
| | „ 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 3 | . | . |
| | „ 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |
| | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |
| | „ 14, | 19·3 | 5·9 | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 | . |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tubercular Disease: Phthisis. | Tubercular Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | July 27, | 17·6 | . | 12 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . |
| | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| | „ 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| | „ 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | „ 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| | „ 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | July 27, | 13·1 | 1·9 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . |
| | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| | „ 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | July 27, | 32·5 | 3·0 | 11 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 2 | . | . | . |
| | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | „ 17, | 11·8 | 5·9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 11·8 | 3·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | Sept. 7, | 20·7 | 3·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | July 27, | 16·5 | 1·1 | 117 | . | 5 | . | . | . | . | . | 1 | 2 | 11 | 22 | 2 | 3 | 16 | 2 | . |
| | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| | „ 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| | „ 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| | „ 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| | „ 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| | „ 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 3 | 14 | 8 | 3 | 16 | 8 | . |
| **Cork.** Pop. in 1901) 76,122. | July 27, | 16·4 | 0·7 | 24 | . | . | . | . | . | . | . | . | 1 | 2 | 7 | . | 1 | . | 2 | . |
| | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . |
| | „ 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| | „ 17, | 13·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| | „ 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| | „ 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | . | 1 | 9 | 3 | 4 | 4 | . | 1 |
| | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . |
| | „ 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | July 27, | 17·2 | 2·5 | 14 | . | . | 1 | . | 1 | . | . | . | . | . | 3 | . | 1 | 1 | . | 1 |
| | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| | „ 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| | „ 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| | „ 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| | „ 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| | „ 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | July 27, | 15·0 | 2·7 | 11 | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 1 | . | 1 |
| | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | . | . | 2 |
| | „ 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| | „ 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 5 | . | 3 | 1 | . | 2 |
| | „ 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| | „ 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | 1 |
| | „ 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | July 27, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |
| | „ 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| | „ 17, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 31, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Sept. 7, | 3·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th September, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 13 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | 1 | 1 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| Do. 2 ,, | 47,959 | 24 | | | 13 | 2 | 1 | 1 | 3 | 3 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | 4 | . |
| Do. 3 ,, | 47,214 | 27 | | | 10 | 2 | 1 | 3 | . | 2 | 2 | . | . | 1 | . | . | . | . | . | 1 | 1 | 4 | 1 | . | . | . | . | . | . |
| Do. 4 ,, | 40,911 | 38 | | | 20 | 8 | 1 | 2 | 3 | 1 | 5 | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | 5 | . | . | 7 | . |
| Do. 5 ,, | 17,887 | 15 | | | 15 | 3 | 2 | . | 3 | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 1 | 2 | 5 | . |
| Do 6 ,, | 48,122 | 24 | | | 15 | 1 | 2 | 2 | 1 | 4 | 5 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 2 | 2 | 2 | . |
| Do. 7 ,, | 1,524 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 4 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 6 | | | 4 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | 1 | 1 | . |
| Do. 10 ,, | 28,064 | 15 | | | 14 | 1 | 3 | 4 | 1 | 3 | 2 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | 1 | 4 | . | . | 3 | . |
| Do. 11 ,, | 34,802 | 21 | | | 9 | 3 | 2 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 3 | . |
| Do. 12 ,, | 33,588 | 45 | | | 15 | 6 | 1 | . | 1 | 2 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 3 | 2 | . |
| Do. 13 ,, | 15,006 | 9 | | | 3 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 243 | | | 125† | 29 | 16 | 16 | 15 | 23 | 26 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 3 | 14 | 8 | 3 | 16 | 8 | 10 | 30 | . |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 3 | 28·4 | . | 7 | . | . | 2 | | | 5 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . | 3 | . |
| Do. 2 ,, | 10,701 | 8 | 24·4 | . | 5 | . | 1 | 3 | | | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | 1 | 1 |
| Do. 3 ,, | 9,978 | 9 | 15·7 | . | 3 | 1 | . | . | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 4 ,, | 8,666 | 4 | 24·1 | . | 4 | 1 | . | 2 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| Do. 5 ,, | 6,592 | 2 | 31·6 | . | 4 | . | . | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 7 | 19·5 | . | 4 | 1 | . | 3 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 7 ,, | 16,616 | 6 | 18·8 | 9·4 | 6 | 3 | 1 | 1 | | | 1 | . | . | . | . | . | . | . | . | 3 | . | 1 | . | . | . | . | . | 1 | . |
| Total, | 76,122 | 39 | 22·6 | 2·1 | 33 | 6 | 2 | 13 | | | 12 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | . | 10 | 1 |

TABLE IX.—City of Belfast.—Comparative Table of Deaths in each of the last twenty-six weeks. Deaths in Public Institutions of people resident from *without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 23. | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. |
| No. of weeks in Annual Series, | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| Births registered, | 210 | 224 | 284 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 |
| Deaths registered, | 167 | 143 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 185 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125† |
| Annual Death-rate per 1,000 of estimated Population, | 23·5 | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 |
| Ages: Under 1 year | 30 | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 |
| 1–5 years, | 26 | 24 | 27 | 21 | 33 | 29 | 25 | 26 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 |
| 5–20 years, | 25 | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 |
| 20–40 years, | 30 | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 28 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 |
| 40–60 years, | 23 | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 |
| 60 years and upwards, | 33 | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 4 | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 |
| Scarlet Fever, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 |
| Diphtheria, | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 6 | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 |
| Diarrhœal Diseases, | 1 | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 |
| Pneumonia, | 14 | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 |
| Tuberculous Disease: Phthisis, | 15 | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 |
| Tuberculous Disease: Other Forms, | 19 | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 |
| Cancer Malignant Disease, | 3 | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 |
| Diseases of Respiratory System, | 19 | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 |
| Violent Deaths, | 1 | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 3 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 3 |
| Number of Uncertified Deaths, | 3 | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . |

* Formerly described as "Simple Continued Fever."
† Including 5 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, . | 4,758,218 | Sept. 14, | 2,333 | 1,083 | 11·9 | . | 10 | 12 | 11 | 25 | 3 | 66 |
| EDINBURGH, . | 345,747 | „ 14. | 125 | 97*a* | 14·6 | . | 1 | . | . | 6 | 2 | 1 |
| GLASGOW, . . | 847,584 | „ 14, | 470 | 255*a* | 15·7 | . | 2 | . | 5 | 8 | 1 | 13 |
| CALCUTTA, . | 847,796 | July 27, | . | 401 | 24·5 | 7 | 1 | . | . | . | 85‡ | 103* |
| BOMBAY, . | 977,822 | Aug. 13, | 349 | 659 | 35·0 | 1 | 4 | . | . | . | 56‡ | 128* |
| MADRAS, . . | 509,346 | July 26, | 414 | 372 | 37·9 | . | 2 | ? | ? | ? | 95 | 63* |
| PARIS, . . | 2,750,000 | Aug. 31, | 938 | 836 | 15·9 | 1 | 8 | 5 | 1† | 11 | 3 | 114 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 24, | 198 | 150 | 12·5 | . | . | . | 1† | . | 1 | 25 |
| ANTWERP, . . | 304,032 | „ 24, | 128 | 60 | 10·3 | . | 2 | . | 1† | . | 1 | 12 |
| AMSTERDAM, . | 564,284 | „ 31, | 266 | 94 | 8·7 | . | 2 | . | 2† | . | 1 | 3 |
| COPENHAGEN, . | 432,000 | „ 24, | 220 | 84 | 10·1 | . | . | . | . | 3 | . | 6 |
| STOCKHOLM, . | 332,738 | „ 24, | 146 | 82 | 12·8 | . | 2 | . | . | . | . | 4 |
| CHRISTIANIA, . | 229,324 | „ 31, | 92 | 58 | 13·2 | . | . | 1 | 2† | . | . | 6 |
| ST. PETERSBURG, | 1,482,769 | „ 31. | . | 576 | 20·3 | . | 9 | 16 | 15 | 6 | 25 | 130 |
| MOSCOW, . . | 1,296,000 | „ 3, | . | 840 | 33·8 | . | 6 | 2 | 7† | 8 | 5 | 389 |
| BERLIN, . . | 2,091,151 | „ 17, | 943 | 613 | 15·3 | . | 12 | 6 | 4† | 11 | 1 | 128 |
| HAMBURG, . . | 824,792 | „ 24, | . | 182 | 11·5 | . | . | . | 2† | 5 | 3 | 22 |
| BRESLAU, . . | 485,358 | „ 24, | . | 197 | 21·2 | . | . | 1 | . | 3 | . | 63 |
| MUNICH, . . | 548,000 | „ 31, | . | 165 | 15·7 | . | . | . | 1† | . | 2 | 42 |
| VIENNA (with suburbs). | 1,979,003 | „ 31. | 885 | 556 | 14·6 | 6 | 2 | 2 | 3† | . | 2 | 81 |
| BUDA-PESTH, . | 802,235 | „ 10, | 365 | 283 | 18·3 | . | 2 | 9 | . | 2 | 4 | 53 |
| PRAGUE and Faubourgs. | 470,906 | „ 10, | 181 | 145 | 16·0 | . | . | . | . | . | 3 | 16 |
| TRIESTE, . . | 200,962 | „ 17, | 124 | 100 | 25·9 | . | . | . | . | 1 | . | 28 |
| ROME, . . . | 542,760 | June 22, | 223 | 176 | 16·9 | . | 1 | . | . | 1 | 2 | 20 |
| | | „ 29, | 221 | 170 | 16·3 | . | 1 | . | . | 2 | 3 | 24 |
| VENICE, . . | 174,398 | July 27, | 83 | 61 | 18·2 | . | 1 | . | . | . | 1 | 7 |
| NEW YORK, . | 4,285,435 | Aug. 17, | 2,318 | 1,656 | 20·2 | . | 11 | 5 | 21† | 18 | 17 | 478 |
| PHILADELPHIA, | 1,500,595 | „ 10, | . | 537 | 18·6 | . | 1 | 1 | 8† | 3 | 9 | 119 |
| BOSTON, . . | 609,757 | „ 17, | . | 220 | 18·8 | . | 2 | . | 1 | 1 | 1 | 58 |

*a.* Including 6 deaths from cerebro-spinal meningitis in Edinburgh, and 10 in Glasgow.
* Including 65 deaths from cholera in Calcutta, 38 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 16 deaths from plague in Calcutta, and 13 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th September, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria | Membranous Croup. | Pyrexia (origin uncertain) Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 3 | . | . | . | . | . | 1 | 1 | . | . | . | 5 |
| " " 1, West, | . | 1 | . | . | . | . | 2 | 1 | . | . | . | . | 4 |
| " " 2, | . | . | 1 | . | 1 | . | 2 | 1 | . | . | . | . | 5 |
| " " 3, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of). | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 1 | . | . | 3 | 2 | . | . | . | 6 |
| " " 2, | . | . | . | . | 2 | . | . | . | 1 | . | . | . | 3 |
| " " 3, | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 |
| " " 4, | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 6 | 1 | . | 7 | . | 4 | 6 | 5 | . | . | . | 29 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th September, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 14th September. | | | |
|---|---|---|---|---|---|---|---|
| | Aug. 24. | Aug. 31. | Sept. 7. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 18 | 10 | 11 | 6 | 5 | . | 12 |
| Scarlet Fever, | 37 | 33 | 35 | 12 | 9 | . | 38* |
| Typhus, | 2 | 2 | . | 1 | . | . | 1 |
| Diphtheria, | 24 | 23 | 20 | 7 | 7 | 2 | 18 |
| Enteric Fever, | 32 | 36 | 34 | 8 | 6 | . | 36 |
| Pneumonia, | 20 | 22 | 23 | 12 | 8 | 1 | 26 |

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 14th September, 1907:—

"Fine, quiet, if at times cloudy, weather held throughout this week. The British Isles were within the sphere of influence of an anticyclone of moderate intensity but of much staying power. On the other hand, atmospheric depressions of considerable size and depth passed eastwards or north-eastwards from Iceland towards the Arctic Regions. On Sunday morning the barometer stood above 30·3 inches all over the British Isles, the Low Countries, Germany, Switzerland, and the north-eastern half of France. In Dublin there was a sea fog in the morning, but the day was fine though hazy. A solar halo formed in a lofty stratum of cirrus cloud travelling in an upper current from S.W. On Monday the centre of the anticyclone lay over the Netherlands, in which country the barometer stood at 30·5 inches or a little more. The weather was very fine and bright, with light to moderate easterly winds. On Tuesday the wind drew into S.E. and S., and temperature rose in Dublin to 71·2°. In the afternoon the clouds became threatening, and thunder and lightning occurred in Ulster and the Hebrides. In Dublin lightning was seen at 11 p.m. and an electrical shower fell yielding the only rainfall of the week properly speaking—·011 inch. A heavy pall of cloud caused gloomy weather on Wednesday, but for the rest of the period the weather conditions were more favourable, although temperature gave way in some measure on Friday. In Dublin the mean height of the barometer was 30·253 inches, the range being from 30·451 inches at 9 p.m. of Sunday (wind, E.) to 30·126 inches at 9 p.m. of Friday (wind, W.). The corrected mean temperature was 59·6°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·8°. The screened thermometers rose to 71·2° on Tuesday and fell to 51·7° on Saturday. The prevalent winds were W. and N.W. A solar halo appeared on Sunday and lightning was seen on Tuesday night. Rain fell on Tuesday and on the early morning of Sunday the 15th, the total amount being ·030 inch, of which ·019 inch was entered to Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·253 inches. The highest reading (30·447) was on Sunday at 9 a.m., wind N.E., and the lowest (30·136) on Friday at 9 p.m., wind W.S.W.

The mean temperature for the week was 57·5°, being 3·0° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Tuesday, on which day the thermometer registered 74·1°, and was lowest on Saturday, the mercury having fallen to 46·0°. The mean of the Dry Bulb for the week was 56·7°, and of the Wet Bulb 55·0°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·017 inch.

At Greenwich the mean temperature for the week was 58·6°, the maximum 76·6°, and the minimum 36·9°; at Glasgow the maximum was 77·2°, the minimum 42·5°, and the mean 56·9°; and at Edinburgh the maximum was 76·3°, the minimum 45·1°, and the mean 56·0°. The rainfall at Glasgow measured 0·16 in.; and at Edinburgh 0·15 in. There was no rainfall recorded at Greenwich. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Sept. 8, | 30·439 | 63·7 | 50·1 | 56·9 | 55·8 | 55·5 | ·98 | ·6 | 2·1 | ·000 | N.E. | E.N.E. |
| Monday, „ 9, | 30·363 | 71·3 | 50·7 | 61·0 | 59·1 | 57·7 | ·91 | ·0 | 7·8 | ·000 | E.N.E. | Calm. |
| Tuesday, „ 10, | 30·181 | 74·1 | 47·7 | 60·9 | 63·5 | 60·8 | ·85 | ·4 | 9·0 | ·012 | N.E. | Calm. |
| Wednesday, „ 11, | 30·175 | 62·8 | 51·9 | 57·4 | 54·4 | 54·2 | ·98 | ·0 | 0·0 | ·000 | Calm. | Calm. |
| Thursday, „ 12, | 30·183 | 66·6 | 49·9 | 58·2 | 58·0 | 56·5 | ·91 | ·5 | 2·0 | ·000 | W.S.W. | Calm. |
| Friday, „ 13, | 30·163 | 58·7 | 51·9 | 55·3 | 54·1 | 51·2 | ·81 | ·6 | 0·2 | ·000 | W. | W.S.W. |
| Saturday, „ 14, | 30·266 | 59·3 | 46·0 | 52·7 | 51·9 | 48·9 | ·82 | ·5 | 5·3 | ·005 | W. | Calm. |
| Mean, . . | 30·253 | 65·2 | 49·7 | 57·5 | 56·7 | 55·0 | ·89 | ·4 | Total 26·4 | Total ·017 | — | |

*Sunday*—Fine day, cloudy; night clear. *Monday*—Fine day, light clouds; night clear. *Tuesday*—Fine bright day, light clouds, light rain 9.45 to 10.30 p.m.; night overcast, light rain 1.40 to 2.30 a.m. *Wednesday*—Day overcast, fine; night overcast, ground fog. *Thursday*—Day cloudy, fine; night cloudy. *Friday*—Day overcast, fine; night cloudy. *Saturday*—Cloudy day, fine; night cloudy, light showers from 6 to 7.30 a.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 14th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Sept. 8, | 55·8 | 57·7 | 55·9 | 62·1 | 55·1 | 58·6 | 2·7 | — |
| Monday, „ 9, | 61·9 | 57·9 | 56·0 | 69·8 | 53·7 | 61·8 | 7·4 | — |
| Tuesday, „ 10, | 66·0 | 58·6 | 56·1 | 72·8 | 56·1 | 64·5 | 9·1 | ·001 |
| Wednesday, „ 11, | 56·8 | 59·4 | 56·0 | 62·0 | 56·0 | 59·0 | 0·0 | — |
| Thursday, „ 12, | 61·7 | 58·7 | 56·1 | 68·3 | 55·5 | 61·9 | 2·6 | — |
| Friday, „ 13, | 55·9 | 59·1 | 56·2 | 59·7 | 54·0 | 56·9 | 0·4 | — |
| Saturday, „ 14, | 55·9 | 57·9 | 56·5 | 60·5 | 51·5 | 56·0 | 4·4 | ·011 |
| Weekly Mean, . | 59·1 | 58·5 | 56·1 | 65·0 | 54·6 | 59·8 | Total 26·6 | Total ·012 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 113. 7. 1907.—18740.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 21ST SEPTEMBER, 1907. [No. 38.

*General Register Office, Charlemont House,*
*Dublin, 23rd September,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 16·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Aug. 31. | Week ending Sept. 7. | Week ending Sept. 14. | Week ending Sept. 21. | Average Rate for 4 weeks. | Towns, &c. | Week ending Aug. 31. | Week ending Sept. 7. | Week ending Sept. 14. | Week ending Sept. 21. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 16·0 | 16·8 | 17·1 | 16·1 | 16·5 | Lisburn, . . | 13·6 | 9·1 | 9·1 | 9·1 | 10·2 |
| Armagh, . . | 13·7 | 27·5 | 13·7 | . | 13·7 | Londonderry, . | 17·2 | 7·4 | 17·2 | 11·0 | 13·2 |
| Ballymena, . | 9·6 | 19·2 | 19·2 | 14·4 | 15·6 | Lurgan, . . | 8·9 | 22·1 | 31·0 | 22·1 | 21·0 |
| Belfast, . . | 12·7 | 14·8 | 17·6 | 15·6 | 15·2 | Newry, . . | 21·0 | 16·8 | 4·2 | 4·2 | 11·6 |
| Clonmel, . . | 5·1 | 20·5 | 15·4 | 15·4 | 14·1 | Newtownards, . | 11·4 | 11·4 | 11·4 | 17·2 | 12·9 |
| Cork, . . . | 19·2 | 16·4 | 22·6 | 17·1 | 18·8 | Portadown, . | 31·0 | 20·7 | 5·2 | 15·5 | 18·1 |
| Drogheda, . . | 12·3 | 20·4 | 12·3 | 4·1 | 12·3 | Queenstown . | 26·4 | 33·0 | 19·8 | 13·2 | 23·1 |
| Dublin Reg. Area, | 18·6 | 20·7 | 17·6 | 18·6 | 18·9 | Sligo, . . . | 14·4 | 9·6 | 14·4 | 19·2 | 14·4 |
| Dundalk . . | 12·0 | 16·0 | 8·0 | 19·9 | 14·0 | Tralee, . . | 26·4 | 5·3 | 10·6 | 31·7 | 18·5 |
| Galway, . . | 27·2 | 35·0 | 15·5 | 3·9 | 20·4 | Waterford, . | 13·6 | 3·9 | 17·5 | 11·7 | 11·7 |
| Kilkenny, . . | 34·3 | 9·8 | 19·7 | 19·7 | 20·9 | Wexford, . . | 14·0 | 14·0 | 18·7 | . | 11·7 |
| Limerick, . . | 8·2 | 12·3 | 8·2 | 16·4 | 11·3 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in fifteen of the districts to 5·3 in Tralee, in which district the 6 deaths from all causes include one from diarrhœa. The 111 deaths from all causes for Belfast include 2 from measles, 2 from enteric fever, 9 from diarrhœal diseases, and one from cerebro-spinal fever; among the 25 deaths from all causes for Cork are one from typhus and 2 from diarrhœal diseases; the 9 deaths from all causes for Londonderry include one from whooping-cough; there was one death from diphtheria included in the 12 deaths from all causes for Limerick; and the 6 deaths from all causes in Waterford include one from scarlet fever and one from diarrhœa.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 250—118 boys and 132 girls; and the deaths to 145—62 males and 83 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 19·4 in every 1,000 of the population. Omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 18·6 per 1,000. During

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

the thirty-eight weeks ending with Saturday last the death-rate averaged 24·9, and was 0·4 below the mean rate for the corresponding portions of the ten years, 1897–1906.

Among the 145 deaths registered are one from whooping-cough, 2 from diphtheria, and 10 deaths from diarrhœal diseases. In each of the 3 preceding weeks, deaths from whooping-cough were 0, 2, and one; deaths from diphtheria were 0, 0, and 2; and deaths from diarrhœal diseases were 8, 5, and 9.

There were 2 deaths from broncho-pneumonia and 4 from *pneumonia* (not defined).

All forms of tuberculous disease caused 33 deaths, including 8 from tuberculous phthisis, 13 returned as from *phthisis*, 6 from tuberculous meningitis, one death each from tuberculous peritonitis and *tabes mesenterica*, and 4 from other forms of tuberculous disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 22, 35, and 24, respectively.

Three deaths were attributed to carcinoma and 6 to cancer (undefined).

The deaths of 5 infants were ascribed to prematurity.

Diseases of the brain and nervous system caused 5 deaths, including 2 (infants under one year of age) from meningitis.

Twenty-three deaths were caused by diseases of the heart and blood vessels and 14 by bronchitis.

There were 4 accidental deaths, including one death caused by suffocation in bed, of an infant under one year of age.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old and the death of one person aged 70 years.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 9 were under one month old), and 38 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 5 were octogenarians.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the N. Dublin Union Workhouse, 22 in the S. Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·6 per 1,000; the rate in the City was 20·6 (North City Districts, 16·6; South, 24·9), and in the Suburbs, 11·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 2·3 (2·4 in the North City Districts, and 2·1 in the South) and for the Suburbs, 0·0

*No.* 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·0 per 1,000. Among them are one each from epidemic diarrhœa and *phthisis*, and 2 from bronchitis.

*No.* 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 17·3 per 1,000, and include one from whooping-cough, 2 from diarrhœal diseases, one from broncho-pneumonia, 2 from *phthisis*, and one accidental death.

*No.* 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 13·9 per 1,000. Of the 8 deaths one was from *diarrhœa*, one from *pneumonia* (not defined), 2 were from tuberculous disease, and one was caused accidentally.

*No.* 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 20·9 per 1,000. Among the 13 deaths are one from epidemic diarrhœa, 2 from *pneumonia* (not defined), 3 from tuberculous disease, 2 from bronchitis, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 40·8 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 4·7; and Finglas and Glasnevin, part of, 0·0. The 4 deaths from all causes for Clontarf and Howth, No. 1, part of, include one from diphtheria.

*No.* 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 22·2 per 1,000, and include one death from epidemic diarrhœa, 4 from tuberculous disease, 6 from diseases of the heart and blood vessels, and one from bronchitis.

*No.* 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 30·4 per 1,000. There were 2 deaths from diarrhœal diseases, one from *pneumonia* (not defined), 4 from tuberculous disease, and one from bronchitis.

*No.* 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 27·2 per 1,000. Of the 22 deaths one was from diphtheria, 2 were from diarrhœal diseases, one was from broncho-pneumonia, 7 were from tuberculous disease, and 2 were from bronchitis.

*No.* 4 *South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. They include 3 from tuberculous disease and 4 from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 23·5 per 1,000. There was one death each from *phthisis* and bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·3; Pembroke, 9·4; Blackrock, 29·8; and Kingstown, 8·9. There were no deaths from any of the principal epidemic diseases tabulated for these districts during last week. The 7 deaths from all causes for Rathmines and Rathgar include one from tuberculous phthisis and 3 from diseases of the heart and blood vessels; of the 5 deaths from all causes for Pembroke one was from bronchitis; the 5 deaths from all causes for Blackrock include 2 from *phthisis*, and there was one death from tuberculous disease amongst the 3 deaths from all causes for Kingstown.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by the Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the weekended 21st September, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Aug. 31, | . | — | — | 3 | . | . | 3 | . | 2 | 3 | 14 | . | — | — | — | — | — | 25 |
| | Sept. 7, | . | — | — | 5 | 1 | . | 1 | . | 3 | 3 | 13 | 1 | — | — | — | — | — | 27 |
| | Sept. 14, | . | — | — | 6 | 1 | . | 7 | . | 4 | 6 | 5 | . | — | — | — | — | — | 29 |
| | Sept. 21, | . | — | — | 2 | 3 | . | 5 | . | 2 | 12 | 13 | . | — | — | — | — | — | 37 |
| Rathmines and Rathgar Urban District. | Aug. 31, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | . | — | — | 2 |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | 2 | . | . | — | — | . | — | — | 2 |
| | Sept. 14, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Sept. 21, | . | — | — | . | . | . | 2 | . | . | . | 1 | . | — | — | — | — | — | 3 |
| Pembroke Urban District. | Aug. 31, | . | 5 | . | . | . | . | . | . | . | . | 2 | . | — | . | . | — | — | 7 |
| | Sept. 7, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 9 |
| | Sept. 14, | . | 7 | . | . | . | . | 1 | . | 1 | 2 | . | . | — | . | . | — | — | 11 |
| | Sept. 21, | . | 8 | . | 1 | . | . | . | . | . | 4 | . | . | — | 2 | . | — | — | 15 |
| Blackrock Urban District. | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 14, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Aug. 31, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 14, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Aug. 31, | . | — | — | 10 | . | . | 9 | 2 | 10 | 6 | 6 | . | — | — | 4 | — | — | 47 |
| | Sept. 7, | . | — | — | 6 | . | . | 4 | 2 | 8 | 14 | 4 | . | — | — | 5 | — | — | 43 |
| | Sept. 14, | . | — | — | 3 | . | . | 5 | . | 11 | 8 | 6 | . | — | — | 3 | — | — | 36 |
| | Sept. 21, | . | — | — | 10 | . | . | 4 | . | 7 | 2 | 9 | 2 | — | — | 4 | — | — | 38 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st September, 1907.

From this it appears that:—

Two cases of measles were admitted into hospital during the week, 3 were discharged, and 11 cases remained under treatment at its close.

Two cases of scarlet fever were admitted to hospital, 3 were discharged, and 37* cases remained under treatment at the close of the week.

Seven cases of typhus were admitted to hospital during the week, there was one death, and 7 cases remained under treatment at its close.

Seven cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 19 patients remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital during the week, 11 were discharged, and 34 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 11 were discharged, there were 3 deaths, and 24 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·0), was equal to an average annual death-rate of 13·5 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·3 per 1,000, the rate for Glasgow being 15·2 and for Edinburgh 12·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st September. From this Report it appears that of a total of 56 cases notified 25 were scarlet fever, 13 diphtheria, one membranous croup, and 2 erysipelas. Among the 277 cases of infectious diseases in hospital at the close of the week were 112 cases of scarlet fever, 36 of whooping-cough, 26 of measles, 22 of diphtheria, 14 of enteric fever, and 8 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st September, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Town and District | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 21st September, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 21st Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 14th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 7th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 28·8 | 16·1 | 1·6 | 607 | 345 | 70 | 89 | . | 2 | 1 | 1 | 2 | 3 | . | 2 | 23 | 17 | 36 | 21 | 17 | 29 | 6 | 9 | 120 | 13 | . | . | . | . | . | . | . | . | . | . | . | . |
| DUBLIN REGISTRATION AREA:—TOTAL, d. | 890,691 | 28·4 | 33·4 | 18·6 | 1·7 | 250 | 139 | 35 | 35 | . | . | . | . | 1 | 2 | . | . | 10 | 6 | 19 | 12 | 8 | 14 | 4 | 4 | 57 | 7 | f65·1 | 43·8 | 57·2 | 0·00 | f74·1 | 46·0 | 57·5 | 0·02 | f68·3 | 33·4 | 52·9 | 0·42 |
| CITY OF DUBLIN, | 300,850 | 38·0 | 38·1 | 20·6 | 2·3 | 220 | 119 | 31 | 29 | . | . | . | . | 1 | 2 | . | . | 10 | 6 | 16 | 11 | 5 | 13 | 4 | 8 | 52 | 5 | g65·4<br>h68·8 | 48·8<br>48·0 | 58·4<br>57·2 | 0·00<br>0·00 | g71·2<br>h69·9 | 51·7<br>48·2 | 59·6<br>57·9 | 0·03<br>0·02 | g68·4<br>h69·9 | 38·7<br>34·6 | 54·2<br>53·5 | 0·51<br>0·50 |
| Urban Dists. RATHMINES AND RATHGAR. | 35,606 | 20·8 | 20·5 | 10·3 | . | 14 | 7 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| PEMBROKE | 27,874 | 17·5 | 20·6 | 9·4 | . | 11 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BLACKROCK | 8,759 | 8·1 | 17·9 | 29·8 | . | 3 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| KINGSTOWN, | 17,622 | 12·1 | 5·9 | 8·9 | . | 2 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST (i), | 370,168 | 25·2 | 26·9 | 15·6 | 1·8 | 191 | 111 | 18 | 25 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 4 | 30 | 1 | 66·0 | 48·0 | 56·5 | 0·00 | 72·0 | 42·5 | 55·1 | 0·11 | 66·0 | 37·3 | 52·0 | 1·05 |
| CORK, | 76,122 | 33·6 | 28·3 | 17·1 | 2·1 | 34 | 25 | 2 | 7 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | . | 13 | 2 | 69 | 49 | 59·0 | 0·02 | 68 | 53 | 59·3 | 0·00 | 64 | 42 | 55·1 | 0·57 |
| LONDONDERRY, | 42,475 | 19·6 | 18·5 | 11·0 | 1·2 | 11 | 9 | 2 | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | 38,151 | 18·1 | 31·4 | 16·4 | 1·4 | 28 | 12 | 1 | 3 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | 26,769 | 18·7 | 33·1 | 11·7 | 3·9 | 17 | 6 | 1 | 2 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | 18,426 | 2·5 | 7·8 | 3·[illegible] | . | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 76 | 50 | 60·4 | 0·01 | 77 | 45 | 59 | 0·10 | 64 | 40 | 53 | 1·18 |
| DUNDALK, | 18,076 | 3·4 | 16·0 | 19·9 | . | 4 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| DROGHEDA, | 12,760 | 8·6 | 20·4 | 4·1 | . | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| NEWRY, | 12,405 | 17·8 | 25·2 | 4·2 | . | 6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 |
| LURGAN, | 11,782 | 13·8 | 22·1 | 22·1 | . | 5 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 |
| LISBURN, | 11,461 | 10·1 | 18·6 | 9·1 | . | 8 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 |
| WEXFORD, | 11,168 | 23·2 | 18·7 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BALLYMENA, | 10,886 | 8·9 | 23·9 | 14·4 | . | 5 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| SLIGO, | 10,870 | 3·7 | 33·6 | 19·2 | . | 7 | 4 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 71·5 | 44·9 | 58·3 | 0·11 | 73·5 | 40·3 | 56·6 | 0·29 | 68·5 | 34·5 | 51·5 | 1·27 |
| KILKENNY, | 10,609 | 11·5 | 9·8 | 19·7 | . | 2 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 72 | 44 | 58·7 | 0·00 | 72 | 50 | 59 | 0·05 | 68 | 33 | 52·6 | 0·89 |
| CLONMEL, | 10,167 | 7·8 | 20·5 | 15·4 | . | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| PORTADOWN, | 10,092 | 13·2 | 20·7 | 15·5 | . | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 |
| TRALEE, | 9,867 | 16·6 | 68·4 | 31·7 | 5·3 | 12 | 6 | 3 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| NEWTOWNARDS, | 9,110 | 18·9 | 17·2 | 17·2 | . | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 65 | 46 | 55·7 | 0·03 | 65 | 46 | 55·3 | 0·04 | 67 | 38 | 52·9 | 0·84 |
| QUEENSTOWN, | 7,909 | 14·4 | 33·0 | 13·2 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 69 | 49 | 59·0 | 0·02 | 68 | 53 | 59·3 | 0·00 | 64 | 42 | 55·1 | 0·57 |
| ARMAGH, | 7,588 | 22·2 | 68·7 | . | . | 10 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 | 67·8 | 36·3 | 51·6 | 0·89 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 6 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 21st September, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No 2. | NORTH CITY No 3. | CLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diphtheria, | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | 1 | 2 | 1 | 1 | . | . | . | 1 | 2 | 2 | . | . | . | . | . | . | 10 | . |
| Pneumonia, | . | 1 | 1 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 6 | . |
| Tuberculous Phthisis, | 1 | 2 | 1 | 2 | . | . | . | 3 | 2 | 2 | 2 | 1 | 1 | . | 2 | . | 19 | 2 |
| Tuberculous Other Forms, | . | . | 1 | 1 | . | . | . | 1 | 2 | 5 | 1 | . | . | . | . | 1 | 12 | . |
| Cancer, Malignant Disease, | . | . | . | 1 | 2 | . | . | . | . | 2 | . | . | 1 | . | 1 | 1 | 8 | 1 |
| Other General Diseases, | 2 | . | 1 | 1 | . | . | . | 2 | . | 2 | 2 | . | . | 1 | . | . | 11 | 1 |
| Total, | 4 | 6 | 5 | 8 | 3 | . | . | 7 | 7 | 15 | 5 | 1 | 2 | 1 | 3 | 2 | 69 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 1 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | . | 5 | . |
| Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessels, | 1 | 2 | . | 1 | 1 | . | . | 6 | 3 | 1 | 1 | . | 3 | 1 | . | 1 | 21 | 2 |
| Respiratory System, | 2 | . | . | 2 | . | . | . | 1 | 1 | 2 | 4 | 1 | . | 1 | . | . | 14 | . |
| Digestive System, | . | 1 | . | 1 | . | . | . | . | . | 3 | 2 | . | . | 2 | . | . | 9 | . |
| Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urinary System, | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 5 | . |
| Generative System | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Accidents of Childbirth, | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | . |
| Diseases of Locomotor System, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| " Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 6 | 6 | 1 | 4 | 1 | . | . | 8 | 5 | 6 | 8 | 2 | 5 | 4 | 2 | 1 | 59 | 2 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . | . | . | . | 7 | . |
| **E. VIOLENT DEATHS,** | . | 1 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | 4 | . |
| **Deaths from all Causes,** | 10 | 13 | 8 | 13 | 4 | 1 | . | 17 | 12 | 22 | 15 | 4 | 7 | 5 | 5 | 2 | 139 | 6 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 18·0 | 17·3 | 13·9 | 20·9 | 40·8 | 4·7 | . | 22·2 | 30·4 | 27·2 | 22·3 | 23·5 | 10·3 | 9·1 | 29·8 | 8·9 | 18·6 | . |
| | 16·6 | | | | | | | 24·9 | | | | | 11·6 | | | | | |
| | 20·6 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 4 | 4 | 1 | 4 | . | . | . | 4 | 2 | 7 | 4 | 1 | 1 | 3 | . | . | 35 | . |
| 1 and under 5 years, | 2 | 1 | 1 | . | 1 | . | . | . | . | 5 | 1 | . | . | . | . | . | 11 | . |
| 5 " 20 " | 1 | . | 2 | 1 | . | . | . | 1 | 1 | 1 | 1 | 1 | . | . | . | 2 | 11 | . |
| 20 " 40 " | . | 4 | 2 | 3 | 1 | . | . | 1 | 2 | 3 | 2 | . | 1 | . | 2 | . | 21 | 2 |
| 40 " 60 " | 1 | 2 | 1 | 3 | 2 | . | . | 5 | 1 | 4 | 2 | . | 2 | 2 | 1 | . | 26 | 1 |
| 60 and upwards, | 2 | 2 | 1 | 2 | . | 1 | . | 6 | 6 | 2 | 5 | 2 | 3 | . | 2 | 1 | 35 | 3 |
| Number of Uncertified Deaths, | . | . | . | . | . | . | . | 1 | . | . | 2 | 2 | 1 | 1 | . | . | 7 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 6 | 2 | 2 | . | . | . | 2 | 4 | 5 | 2 | . | 2 | 1 | . | . | 29 | 2 |
| Workhouse Hospitals, | 1 | . | 1 | 5 | . | 1 | . | 6 | 3 | 5 | 4 | . | . | . | 2 | . | 28 | 4 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 18

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 38th Week of the 10 years 1897-1906. | In the Week ending Satu 21st September, 1907 | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the A | | | | | |
| | Sept. 25, 1897. | Sept. 24, 1898. | Sept. 23, 1899. | Sept. 22, 1900. | Sept. 21, 1901. | Sept. 20, 1902. | Sept. 26, 1903. | Sept. 24, 1904. | Sept. 23, 1905. | Sept. 22, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 53·7 | ° 54·9 | ° 52·4 | ° 56·2 | ° 54·7 | ° 52·9 | — | ° 52·6 | ° 51·3 | ° 51·9 | ° 53·4‡ | ° 57·2 | | | | | |
| **ALL CAUSES.** | 199 | 181 | 200 | 167 | 180 | 168 | 165 | 194 | 137 | 201 | 178·3 | 145 | 9 | 26 | 11 | 11 | 23 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | 1 | 23 | . | . | 13 | . | 1 | . | 1 | 3·9 | . | . | . | . | . | . |
| Scarlet Fever, ... ... | 4 | 1 | 2 | . | 1 | 2 | . | . | . | 1 | 1·1 | . | . | . | . | . | . |
| Typhus, ... ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 2 | . | 1 | . | . | . | . | . | . | ·4 | . | . | . | . | . | . |
| Whooping-cough, ... ... | 4 | 4 | 1 | 3 | 4 | 1 | . | 4 | 1 | 1 | 2·3 | 1 | . | . | 1 | . | . |
| Diphtheria, ... ... | 1 | . | . | 1 | 2 | 4 | 1 | . | . | . | ·9 | 2 | . | 1 | 1 | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . |
| Enteric Fever, ... ... | 9 | 5 | 5 | 3 | 3 | 1 | 1 | 1 | 2 | 2 | 3·2 | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 21 | 27 | 24 | 26 | 20 | 9 | 4 | 17 | 4 | 23 | 22·4 | 6 | . | 3 | 1 | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 11 | 10 | 11 | 6 | 11 | | 4 | . | 3 | 1 | . | |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 1 | . | 2 | 3 | . | . | 1 | . | 2 | ·9 | 3 | . | 2 | 1 | . | . |
| Puerperal Septicæmia, | 1 | . | 1 | . | . | 1 | . | . | . | 2 | ·6 | 1 | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Pneumonia, Lobar, | 8 | 6 | 8 | 5 | 9 | . | . | . | . | . | 7·3 | . | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 5 | 3 | 1 | 4 | 3 | | 2 | . | 1 | . | . | 1 |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 2 | 9 | 5 | 1 | 4 | | 4 | . | . | . | . | 3 |
| Erysipelas, ... ... | 1 | 1 | . | 1 | 1 | . | . | 1 | . | 1 | ·6 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | 1 | . | 2 | . | ·1 | 1 | . | 2 | . | . | ·9 | 1 | . | 1 | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | 1 | 1 | . | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 29 | 23 | 18 | 13 | 27 | . | 8 | 8 | 5 | 6 | 22·8 | 8 | . | . | . | . | 4 |
| "*Phthisis*," ... | | | | | | 15 | 19 | 17 | 20 | 20 | | 13 | . | . | . | 4 | 3 |
| Tuberculous Meningitis, ... | 10 | 9 | 5 | . | 1 | 1 | 2 | 4 | 2 | 5 | 3·9 | 6 | . | 2 | 2 | 2 | . |
| Tuberculous Peritonitis, | 2 | 6 | 5 | 8 | 7 | 1 | 1 | 2 | 1 | . | 3·6 | 1 | . | . | . | 1 | . |
| *Tabes Mesenterica*, ... | | | | | | . | . | 1 | 2 | . | | 1 | . | . | 1 | . | . |
| Tuberculous Dis. (other), | 4 | 6 | 8 | 8 | 9 | ·4 | ·4 | 7 | 6 | 7 | 6·4 | 4 | . | 2 | 1 | 1 | . |
| *Scrofula*, ... ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . |
| Alcoholism, ... ... | . | . | 2 | . | 2 | 3 | 1 | . | . | 1 | ·9 | 1 | . | . | . | . | . |
| Rheumatic Fever, ... ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 6 | 8 | 6 | 7 | 10 | 2 | 3 | 1 | 2 | 3 | 7·1 | 3 | . | . | . | . | . |
| Sarcoma, ... ... | | | | | | . | 2 | . | . | . | | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 1 | 8 | 3 | 3 | | 6 | . | . | . | . | 3 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . |
| Premature Birth, ... | 3 | 4 | 5 | 4 | 5 | 2 | 8 | 6 | 6 | 5 | 4·8 | 5 | 5 | . | . | . | . |

‡ For nine years only.

* The figures for the years 1897-1900.
† Formerly descr

'Y-EIGHTH WEEK ending Saturday, 21st September, 1907, with the deaths from each cause in the corresponding
e average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Sept. 25, 1897. | Sept. 24, 1898. | Sept. 23, 1899. | Sept. 22, 1900. | Sept. 21, 1901. | Sept. 20, 1902. | Sept. 26, 1903. | Sept. 24, 1904. | Sept. 23, 1905. | Sept. 22, 1906. | Averages in 38th Week of the 10 years 1897–1906. | In the Week ending Saturday, 21st September, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| lean Temperature. | ° 53·7 | ° 54·9 | ° 52·4 | ° 56·2 | ° 54·7 | ° 52·9 | — | ° 52·6 | ° 51·3 | ° 51·9 | ° 53·4‡ | Mean Temp. ° 57·2 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 3 | . | 2 | 2 | 4 | | 2 | . | 2 | . | . | . | . | . | . |
| ity, G. P. of Insane ... | | | | | | 1 | 4 | 2 | 3 | . | | 2 | . | . | . | . | . | 1 | . | 1 |
| psy .. ... | | | | | | . | . | 1 | 2 | 2 | | . | . | . | . | . | . | . | . | . |
| *alsions* ... .. | | | | | | 10 | 7 | 2 | 2 | 9 | | 1 | 1 | . | . | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | 2 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| ous System (other .) | 31 | 25 | 25 | 38 | 29 | . | 1 | 4 | 2 | 4 | 32·9 | . | . | . | . | . | . | . | . | . |
| Dis., Endocarditis ... | | | | | | 2 | 4 | 4 | 6 | 6 | | 9 | . | . | . | 2 | 2 | 2 | 3 | . |
| or. Hæm. Thromb. ... | | | | | | 2 | 2 | 3 | 2 | 2 | | 3 | . | . | . | . | . | 2 | 1 | . |
| *exy, Hemiplegia* ... | | | | | | 5 | 5 | 7 | . | 4 | | 2 | . | . | . | . | . | . | 1 | 1 |
| rysm ... ... | | | | | | . | . | 2 | . | . | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| and Blood Vessel Dis. | | | | | | 8 | 13 | 11 | 10 | 13 | | 9 | . | . | . | . | 1 | 1 | 6 | 1 |
| (not Spasm. nor nb.) | 1 | . | 1 | 1 | 1 | 1 | 1 | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 10 | 9 | 14 | 9 | 9 | 8 | 10 | 18 | 6 | 10 | 10·3 | 14 | . | 1 | 1 | . | . | 4 | 7 | 1 |
| na, Emphysema ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| isy ... ... | 2 | 1 | 1 | . | 2 | . | . | . | . | . | 1·3 | . | . | . | . | . | . | . | . | . |
| ratory Dis. (other) ... | | | | | | 4 | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| ilitis, Quinsy ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| itis (not Epid.) ... | | | | | | 2 | 2 | 2 | 1 | 3 | | 3 | . | 3 | . | . | . | . | . | . |
| Enteritis ... ... | . | 3 | 2 | 1 | 1 | 3 | 2 | 2 | 3 | 6 | 3·3 | 3 | . | 3 | . | . | . | . | . | . |
| *itis* (not Puerp.) ... | . | 1 | 1 | . | 2 | . | . | . | . | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| osis of Liver ... | | | | | | 2 | 1 | 2 | 1 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| Dis. (other) ... | 3 | 2 | 1 | 5 | 2 | . | 1 | 2 | 1 | 1 | 2·6 | . | . | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 9 | 8 | 5 | 4 | 5 | 4 | 5 | 6 | 3 | 7 | 5·6 | 2 | . | . | . | . | . | 2 | . | . |
| itis, Acute ... | | | | | | . | . | 2 | . | 3 | | 2 | . | . | . | . | . | 1 | 1 | . |
| t's Dis., Albuminuria | 5 | 2 | 5 | 3 | 3 | 2 | 5 | 3 | 6 | 3 | 4·8 | 2 | . | . | . | . | 1 | . | . | 1 |
| ry Sys. (Other Dis.) | | | | | | . | 2 | 2 | 1 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| ative Organs Dis. ... | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | 1 | . | . | 1 | . | . | . | . | . |
| birth (Accid. of) ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | 3 | . | . | . | . | 3 | . | . | . |
| ge ... ... | 4 | 10 | 10 | 9 | 9 | 8 | 5 | 3 | 3 | 2 | 6·3 | 2 | . | . | . | . | . | . | 2 | . |
| Diseases ... ... | 10 | 14 | 15 | 10 | 9 | 16 | 11 | 8 | 9 | 12 | 11·4 | 6 | 2 | 1 | . | 1 | . | 1 | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ilways ... ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | 2 | . | . | . | . | . | . | 1 | . | 2 | ·5 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (exve of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| lding Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| flagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | 3 | . | 1 | 1 | . | . | . | . | 2 | 1 | ·8 | . | . | . | . | . | . | . | . | . |
| owning ... ... | . | 1 | . | . | 1 | . | . | . | 2 | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| focation in Bed ... | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | 1 | . | 1 | . | . | . | . | . | . |
| oison or Poisonous urs | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Deaths by Accident | 3 | . | 1 | 3 | . | 2 | 1 | 1 | . | . | 1·1 | 3 | 1 | . | . | . | 1 | 1 | . | . |
| CIDENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| ide ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ... ... | 1 | . | . | 1 | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| ion ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

stration Area as then constituted.

‡ For nine years only.

Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24 | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. |
| No. of weeks in Annual Series. | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| BIRTHS registered, | 259 | 168 | 204 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 186 | 250 |
| *Average Births in corresponding week of previous 10 years,** | 236 | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 |
| DEATHS registered, | 189 | 219 | 207 | 215 | 202 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 | 152 | 137 | 145 |
| Annual Death-rate per 1,000, | 25·2 | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 221 | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 |
| AGES, Under 5 years, | 62 | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 |
| 5—20 " | 12 | 17 | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 18 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 |
| 20—40 " | 35 | 30 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 25 | 29 | 23 | 28 |
| 40—60 " | 34 | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 |
| 60—80 " | 38 | 46 | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 |
| 80 years and upwards, | 8 | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 4 | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . |
| Typhus, | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . |
| Whooping-cough, | 4 | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 3 | 1 | 1 |
| Diphtheria, | 1 | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . |
| Diarrhœal Diseases, | 1 | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 |
| Influenza, | 2 | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . |
| Pneumonia, | 24 | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 |
| Tuberculous Disease. Phthisis, | 27 | 29 | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 |
| Tuberculous Disease. Other Forms, | 11 | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 |
| Cancer, Malignant Disease, | 8 | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 |
| Diseases of Heart and Blood Vessels, | 19 | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 |
| Diseases of Respiratory System, | 32 | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 |
| Violent Deaths, | 5 | 4 | 3 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 |
| Number of Uncertified Deaths, | 3 | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 3 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 |
| Mean Temperature of the Air (Phœnix Park), | 47·2 | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 41·7 | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4 |
| Rainfall in inches, | ·085 | ·725 | 1·087 | ·111 | ·289 | ·560 | 1·772 | ·085 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·78 | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·88 | ·77 | ·88 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 |

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 21st September, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21ST SEPTEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 20·1 | 145 | 46 | 11 | 23 | 27 | 33 | 5 | . | . | . | . | 1 | 2 | . | . | 10 | 13 | 6 | 21 | 12 | 9 | 1 | 14 | 4 | 65 | 7 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 6·0 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| II. | MIDDLE CLASS, | 87,188 | 10·8 | 18 | 2 | 1 | 4 | 3 | 5 | 3 | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | 4 | . | 2 | . | 9 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 18·4 | 39 | 15 | 3 | 7 | 7 | 6 | 1 | . | . | . | . | 1 | 1 | . | . | 2 | 4 | 3 | 9 | 3 | 1 | 1 | 3 | . | 15 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 28·0 | 54 | 23 | 6 | 5 | 7 | 13 | . | . | . | . | . | . | 1 | . | . | 4 | 5 | 2 | 3 | 8 | 1 | . | 4 | 4 | 27 | 5 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 32 | 6 | 1 | 6 | 10 | 8 | 1 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 7 | 1 | 3 | . | 5 | . | 13 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 13·4 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 14·2 | 6 | . | . | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 3 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 8·6 | 5 | 2 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 1 | . | . | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 13·5 | 7 | . | 1 | 1 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 4 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 5·3 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 21·0 | 12 | 4 | . | 1 | 2 | 5 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | 3 | . | . | . | 1 | . | 6 | . |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | . | 2 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 27·5 | 16 | 4 | 2 | 5 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 5 | 1 | 1 | . | . | . | 5 | 2 |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 1 | . | . | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 3 | 1 |
| | 15. Domestic Servants, | 36,603 | 4·3 | 3 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 4 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . | . | . | . | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 23·2 | 40 | 18 | 3 | 5 | 6 | 8 | . | . | . | . | . | . | . | . | . | 4 | 4 | 2 | 2 | 6 | 1 | . | 2 | 4 | 19 | 4 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 32 | 6 | 1 | 6 | 10 | 8 | 1 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 7 | 1 | 3 | . | 5 | . | 13 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| | DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | **North City, No. 1 (E.)** (*Offices, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Aug. 3, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . |
| | | „ 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| | | „ 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | | „ 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | | „ 31, | 23·4 | 1·8 | 13 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | . | . | . |
| | | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | | „ 14, | 14·4 | 3·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| | | „ 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | **North City, No. 1 (W.)** (*Offices, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Aug. 3, | 20·0 | 1·3 | 15 | . | . | . | . | . | 1 | . | . | . | 3 | 2 | . | 1 | 4 | . | 1 |
| | | „ 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 |
| | | „ 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| | | „ 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| | | „ 31, | 29·3 | 8·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| | | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | | „ 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| | | „ 21, | 17·3 | 4·0 | 13 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . |
| | **North City, No. 2.** (*Offices, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Aug. 3, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | 2 | 1 | . |
| | | „ 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | | „ 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| | | „ 24, | 24·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| | | „ 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | | „ 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . | . |
| | | „ 21, | 18·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . |
| | **North City, No. 3.** (*Offices, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Aug. 3, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | . | . | . |
| | | „ 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| | | „ 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| | | „ 24, | 11·8 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| | | „ 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | | „ 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . |
| | | „ 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 | . |
| | **South City, No. 1.** (*Offices, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Aug. 3, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . |
| | | „ 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | . |
| | | „ 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | 1 |
| | | „ 24, | 23·5 | 5·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | 1 | . | . | . |
| | | „ 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| | | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . |
| | | „ 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | . | . | . | . |
| | | „ 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | . | 1 |
| | **South City, No. 2.** (*Offices, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Aug. 3, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . | . |
| | | „ 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | | „ 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | | „ 24, | 15·3 | 2·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | . |
| | | „ 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| | | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | | „ 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | | „ 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . | . |
| | **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Aug. 3, | 23·5 | 7·4 | 19 | . | 2 | . | . | 4 | . | . | . | . | 3 | 1 | . | 2 | . | . | 1 |
| | | „ 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 4 | . | 5 | . | . |
| | | „ 17, | 16·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 3 | . | . | . | 1 | 2 | . | . |
| | | „ 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | | „ 31, | 19·8 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| | | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | | „ 14, | 23·5 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . | . |
| | | „ 21, | 27·2 | 3·7 | 22 | . | . | . | . | . | 1 | . | . | 2 | 1 | 2 | 5 | 2 | 2 | . | . |
| | **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | Aug. 3, | 19·3 | 1·5 | 13 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | . | 1 |
| | | „ 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | | „ 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 2 | . | . |
| | | „ 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |
| | | „ 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |
| | | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |
| | | „ 14, | 19·3 | 5·9 | 18 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 | . |
| | | „ 21, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 2 |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Aug. 3, | 16·1 | 1·5 | 11 | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | 1 | 1 |
| | „ 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| | „ 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | „ 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| | „ 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| | „ 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Aug. 3, | 7·5 | 1·9 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | „ 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| | „ 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Aug. 3, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| | „ 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | „ 17, | 11·8 | 5·9 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 11·8 | 3·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | Sept. 7, | 20·7 | 3·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ 21, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Aug. 3, | 16·2 | 0·8 | 115 | . | 4 | . | . | . | . | . | 1 | 1 | 8 | 12 | 9 | 7 | 15 | 2 | 3 |
| | „ 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| | „ 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| | „ 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| | „ 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| | „ 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 3 | 14 | 8 | 3 | 16 | 8 | . |
| | „ 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Aug. 3, | 18·5 | 1·4 | 27 | . | . | . | . | 1 | . | . | . | 1 | 2 | 8 | 2 | . | 2 | . | . |
| | „ 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| | „ 17, | 18·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| | „ 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| | „ 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 1 |
| | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | 1 |
| | „ 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | 1 |
| | „ 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Aug. 3, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 1 | . | . |
| | „ 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| | „ 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| | „ 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| | „ 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| | „ 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| | „ 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Aug. 3, | 19·1 | 1·4 | 14 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | 1 | | . | 2 |
| | „ 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| | „ 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | 2 |
| | „ 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| | „ 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | 1 |
| | „ 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | „ 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | Aug. 3, | 23·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | . |
| | „ 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| | „ 17, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 31, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Sept. 7, | 3·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |
| | „ 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st September, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Malignant Disease: Cancer. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 12 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 6 | 2 | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| Do. 2 ,, | 47,959 | 17 | | | 15 | 2 | . | . | 5 | 5 | 3 | . | . | . | . | . | . | . | . | 2 | . | 3 | 1 | . | . | . | 1 | 7 | . |
| Do. 3 ,, | 47,214 | 16 | | | 12 | 4 | 1 | 2 | 2 | 2 | 1 | . | 1 | . | . | . | . | . | . | 3 | 1 | . | 1 | . | 1 | . | 1 | 3 | . |
| Do. 4 ,, | 40,911 | 31 | | | 14 | 1 | . | 2 | 4 | 3 | 4 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | . | . | . | 7 | 1 |
| Do. 5 ,, | 17,387 | 8 | | | 5 | . | . | . | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . |
| Do 6 ,, | 48,122 | 27 | | | 10 | . | 1 | . | 1 | 3 | 5 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . |
| Do. 7 ,, | 1,524 | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | . | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 10 | | | 8 | 2 | 1 | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | 3 | 2 | . | . | . | 1 | . | . | 1 | . |
| Do. 10 ,, | 28,064 | 11 | | | 11 | 2 | 3 | 1 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . | . | . | . | . |
| Do. 11 ,, | 34,802 | 22 | | | 11 | 1 | . | 1 | 3 | 4 | 2 | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | . | . | 5 | . |
| Do. 12 ,, | 33,588 | 28 | | | 13 | 2 | 3 | 1 | 2 | 2 | 3 | . | 1 | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | . | 1 | . |
| Do. 13 ,, | 15,006 | 8 | | | 5 | 1 | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 191 | | | 111† | 13 | 10 | 7 | 22 | 29 | 25 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 4 | 30 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 4 | 4·1 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 2 ,, | 10,701 | 5 | 9·7 | . | 2 | . | . | | . | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Do. 3 ,, | 9,978 | 2 | 20·9 | . | 4 | . | 1 | | 3 | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . |
| Do. 4 ,, | 8,666 | 1 | 24·1 | . | 4 | . | . | | 3 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . |
| Do. 5 ,, | 6,592 | 3 | 39·6 | 15·8 | 5 | . | 2 | | 3 | | . | . | . | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 5 | 14·6 | . | 3 | 1 | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . |
| Do. 7 ,, | 16,616 | 14 | 18·8 | 3·1 | 6 | 1 | 1 | | 2 | | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | 2 |
| Total, | 76,122 | 34 | 17·1 | 2·1 | 25 | 2 | 4 | | 12 | | 7 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | . | 13 | 2 |

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions [illegible] *without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Mar. 30. | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. |
| No. of weeks in Annual Series, | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 |
| Births registered, | 224 | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 |
| Deaths registered, | 148 | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111† |
| Annual Death-rate per 1,000 of estimated Population, | 20·1 | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 |
| Ages: Under 1 year | 26 | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 18 |
| 1-5 years, | 24 | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 28 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 |
| 5-20 years, | 24 | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 |
| 20-40 years, | 24 | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 |
| 40-60 years, | 24 | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 |
| 60 years and upwards, | 21 | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 |
| Scarlet Fever, | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . |
| Diphtheria, | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 7 | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 |
| Diarrhœal Diseases, | 2 | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 |
| Pneumonia, | 8 | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 |
| Tuberculous Disease: Phthisis, | 20 | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 33 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 |
| Tuberculous Disease: Other Forms, | 15 | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 |
| Cancer Malignant Disease, | 4 | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 |
| Diseases of Respiratory System, | 17 | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 |
| Violent Deaths, | 3 | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 |
| Number of Uncertified Deaths, | 1 | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 |

* Formerly described as "Simple Continued Fever."
† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, . | 4,758,218 | Sept. 21, | 2,178 | 1,182 | 13·0 | . | 11 | 13 | 15 | 30 | 4 | 78 |
| EDINBURGH, . | 345,747 | „ 21, | 122 | 80 | 12·1 | . | 1 | 1 | 1 | 3 | . | 1 |
| GLASGOW, . . | 847,584 | „ 21, | 443 | 247*a* | 15·2 | . | 3 | . | . | 3 | . | 21 |
| CALCUTTA, . | 847,796 | Aug. 3, | . | 398 | 24·4 | 2 | 2 | . | . | . | 117‡ | 76* |
| BOMBAY, . | 977,822 | „ 20, | 386 | 706 | 37·5 | . | 4 | . | . | . | 52‡ | 139* |
| MADRAS, . . | 509,346 | „ 2, | 406 | 395 | 40·3 | 1 | 1 | ? | ? | ? | 103 | 66* |
| PARIS, . . | 2,722,731 | Sept. 7, | 1,047 | 788 | 15·0 | . | 3 | 6 | 1† | 3 | 3 | 90 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | Aug. 31, | 191 | 159 | 13·3 | . | 1 | . | 1† | . | 1 | 22 |
| ANTWERP, . . | 304,032 | „ 31, | 129 | 54 | 9·2 | . | 1 | . | . | . | . | 14 |
| AMSTERDAM, . | 564,284 | Sept. 7 | 237 | 118 | 10·9 | . | 6 | . | . | 3 | . | 5 |
| COPENHAGEN, . | 432,000 | Aug. 31, | 210 | 99 | 11·9 | . | . | 1 | . | 5 | . | 2 |
| STOCKHOLM, . | 332,738 | „ 31, | 162 | 67 | 10·5 | . | . | . | . | 1 | . | 4 |
| CHRISTIANIA, . | 229,324 | Sept. 7, | 115 | 52 | 11·8 | . | . | . | . | . | 1 | 6 |
| ST. PETERSBURG, | 1,482,769 | „ 7. | . | 586 | 20·6 | . | 11 | 5 | 16 | 3 | 14 | 102 |
| MOSCOW, . . | 1,296,000 | Aug. 10, | . | 746 | 30·0 | . | 6 | 3 | 2† | 4 | 2 | 374 |
| BERLIN, . . | 2,092,437 | „ 24, | 959 | 564 | 14·1 | . | 5 | 5 | 1† | 9 | 4 | 111 |
| HAMBURG, . . | 824,792 | „ 31, | . | 174 | 11·0 | . | . | . | . | 1 | . | 19 |
| BRESLAU, . . | 485,358 | „ 31, | . | 202 | 21·7 | . | . | 1 | 2† | 7 | . | 42 |
| MUNICH, . . | 548,000 | Sept. 7, | . | 148 | 14·0 | . | 1 | . | 4† | . | . | 30 |
| VIENNA (with suburbs). | 1,979,003 | „ 7, | 943 | 542 | 14·2 | 6 | 2 | 4 | 2† | 2 | . | 82 |
| BUDA-PESTH, . | 802,235 | Aug. 17, | 416 | 282 | 18·3 | . | 1 | 5 | 1† | 1 | 1 | 46 |
| PRAGUE and Faubourgs. | 470,906 | „ 17, | 180 | 156 | 17·2 | . | . | . | 2† | 1 | 1 | 11 |
| TRIESTE, . . | 200,962 | „ 24, | 127 | 82 | 21·3 | . | . | . | . | 1 | . | 14 |
| ROME, . . . | 542,700 | July 6, | . | . | . | . | . | . | . | . | . | . |
| VENICE, . . | 174,398 | Aug. 3, | 74 | 63 | 18·8 | . | 3 | 2 | . | . | . | 10 |
| NEW YORK, . | 4,285,435 | „ 24, | 2,633 | 1,600 | 19·5 | . | 14 | 2 | 22† | 14 | 19 | 422 |
| PHILADELPHIA, | 1,500,595 | „ 17, | . | 502 | 17·3 | . | 1 | 1 | 6† | 8 | 10 | 100 |
| BOSTON, . . | 609,757 | „ 24, | . | 243 | 20·8 | . | 1 | . | 1 | 2 | 2 | 43 |

*a*. Including 3 deaths from cerebro-spinal meningitis.
* Including 16 deaths from cholera in Calcutta, 52 in Bombay, and 5 in Madras.
† Including deaths from croup.
‡ Exclusive of 4 deaths from plague in Calcutta, and 17 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st September, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 1 | 3 | . | . | . | . | 4 |
| " " 1, West, | . | . | . | . | 1 | . | . | 2 | 1 | . | . | . | 4 |
| " " 2, | . | 1 | . | . | . | . | 1 | . | 2 | . | . | . | 4 |
| " " 3, | . | 1 | . | . | 1 | . | . | 3 | 2 | . | . | . | 7 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | 1 | . | 1 | . | . | . | 5 | . | . | . | 7 |
| " " 2, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 3 |
| " " 3, | . | . | . | . | 1 | . | . | 2 | 1 | . | . | . | 4 |
| " " 4, | . | . | 2 | . | . | . | . | . | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Total, | . | 2 | 3 | . | 5 | . | 2 | 12 | 13 | . | . | . | 37 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st September, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 21st September. | | | |
|---|---|---|---|---|---|---|---|
| | Aug. 31. | Sept. 7. | Sept. 14. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 10 | 11 | 12 | 2 | 3 | . | 11 |
| Scarlet Fever, | 33 | 35 | 38 | 2 | 3 | . | 37* |
| Typhus, | 2 | . | 1 | 7 | . | 1 | 7 |
| Diphtheria, | 23 | 20 | 18 | 7 | 5 | 1 | 19 |
| Enteric Fever, | 36 | 34 | 36 | 9 | 11 | . | 34 |
| Pneumonia, | 22 | 23 | 26 | 12 | 11 | 3 | 24 |

* Exclusive of 6 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 21st September, 1907:—

"A week of typical anticyclonic weather—rainless, but often cloudy or foggy, with light variable winds or calms, nights cool and dewy when the sky was clear, and warm days. It is a long time since an anticyclone of such staying power hovered over Western Europe. The immobility of the system is all the more remarkable from the fact that a series of large and deep atmospheric depressions swept in rapid succession across Iceland, the Norwegian Sea, and Finmark during the week. As a consequence, in those far northern regions the weather was in a very disturbed, changeable state, with high winds or gales, rain, and varying temperature. On Sunday the anticyclone was central off the S.W. of Ireland, the highest reading of the barometer at 8 a.m. being 30·43 inches at Valentia, Co. Kerry. In Dublin the morning was dull and drizzling, but the day proved fine. On Monday morning the barometer ranged from 29·08 inches at Seydisfjord in the S.E. of Iceland to 30·47 inches at Valentia, Brest, and Jersey. Fresh westerly winds and fine warm weather prevailed. On Tuesday the anticyclone was again central over the Ocean to the southward of Ireland, a wireless telegram from one of H.M. ships reporting 30·53 inches as the barometer reading, 50° 52′ N., 8° 20′ W. During the rest of the week the anticyclone stretched across Ireland, England, and the Netherlands, to Germany, and on Saturday its central area was in Iceland. A dense wet fog hung over the Irish Sea and the east coast of Ireland on Friday morning. A bright afternoon followed, and Saturday was brilliant throughout. In Dublin the mean height of the barometer was 30·424 inches, the range being only from 30·378 inches at 9 p.m. of Monday (wind, W.) to 30·472 inches at 9 a.m. of Wednesday (wind, E.S.E.). The corrected mean temperature was 58·4°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 57·4°. The screened thermometers fell to 48·8° on Sunday and rose to 65·4° on Monday. The prevalent winds were—W. at first, E. afterwards. There was no rain, but mist and dew deposited ·002 inch in the gauge on Tuesday and again on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·423 inches. The highest reading (30·464) was on Wednesday at 9 a.m., air calm, and the lowest (30·371) on Monday at 9 p.m., wind W.S.W.

The mean temperature for the week was 57·2°, being 3·8° above the average for the corresponding period of the 9 years, 1897–1902 and 1904–6. The temperature was highest on Monday and Saturday, on which days the thermometer registered 65·1°, and was lowest on Sunday, the mercury having fallen to 43·8°. The mean of the Dry Bulb for the week was 56·0°, and of the Wet Bulb 55·2°. The mean humidity of the air was ·95, complete saturation being represented by 1·0. There was no rainfall recorded during the week.

At Greenwich the mean temperature for the week was 56·8°, the maximum 72·0°, and the minimum 42·1°; at Glasgow the maximum was 69·0°, the minimum 40·8°, and the mean 56·3°; and at Edinburgh the maximum was 69·7°, the minimum 42·9°, and the mean 56·3°. The rainfall at Edinburgh measured 0·03 in. There was no rainfall recorded at Greenwich or at Glasgow. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Sept. 15, | 30·409 | 62·1 | 43·8 | 53·0 | 55·5 | 54·6 | ·94 | ·6 | 0·3 | ·000 | S.W. | Calm. |
| Monday, „ 16, | 30·378 | 65·1 | 50·2 | 57·7 | 58·2 | 55·9 | ·85 | ·4 | 5·2 | ·000 | W.S.W. | W.S.W. |
| Tuesday, „ 17, | 30·425 | 64·8 | 56·9 | 60·9 | 60·1 | 59·4 | ·96 | ·0 | 0·0 | ·000 | W.S.W. | Calm. |
| Wednesday, „ 18, | 30·450 | 65·0 | 55·9 | 60·5 | 58·0 | 57·5 | ·97 | ·0 | 2·0 | ·000 | Calm. | E. |
| Thursday, „ 19, | 30·444 | 60·4 | 52·4 | 56·4 | 54·5 | 54·3 | ·98 | ·0 | 0·0 | ·000 | E.N.E. | Calm. |
| Friday, „ 20, | 30·426 | 64·5 | 46·9 | 55·7 | 51·5 | 51·4 | ·99 | ·0 | 7·0 | ·000 | E.N.E. | Calm. |
| Saturday, „ 21, | 30·426 | 65·1 | 47·2 | 56·2 | 54·3 | 53·1 | ·93 | ·0 | 9·8 | ·000 | Calm. | Calm. |
| Mean, . . | 30·423 | 63·9 | 50·5 | 57·2 | 56·0 | 55·2 | ·95 | ·1 | Total 24·3 | Total ·000 | — | |

*Sunday*—Day overcast, fine; night cloudy. *Monday*—Cloudy day, fine; night overcast. *Tuesday*—Day overcast, fine; night overcast, ground fog. *Wednesday*—Day overcast and cloudy, fine; night overcast, ground fog. *Thursday*—Day overcast, fine; night clear. *Friday*—Overcast a.m., bright p.m.; night clear, ground fog. *Saturday*—Beautiful day; night clear, ground fog.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 21st, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Sept. 15, | 56·0 | 56·9 | 56·3 | 62·9 | 49·4 | 56·2 | 0·2 | ·000 |
| Monday, „ 16, | 58·7 | 57·4 | 56·4 | 66·0 | 52·3 | 59·2 | 5·7 | ·000 |
| Tuesday, „ 17, | 60·0 | 57·9 | 56·2 | 65·7 | 58·7 | 62·2 | 0·0 | ·000 |
| Wednesday, „ 18, | 58·5 | 58·3 | 56·2 | 63·9 | 56·9 | 60·4 | 1·6 | ·000 |
| Thursday, „ 19, | 56·9 | 58·6 | 56·2 | 60·7 | 54·1 | 57·4 | 0·0 | ·002 |
| Friday, „ 20, | 54·7 | 57·8 | 56·2 | 61·8 | 50·1 | 56·0 | 5·3 | ·000 |
| Saturday, „ 21, | 61·0 | 57·0 | 56·3 | 66·1 | 46·8 | 56·5 | 7·7 | ·000 |
| Weekly Mean, . | 58·0 | 57·7 | 56·3 | 63·9 | 52·6 | 58·3 | Total 20·5 | Total ·002 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 118. 7. 1907.—18804.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 28TH SEPTEMBER, 1907. [No. 39.

*General Register Office, Charlemont House,*
*Dublin, 30th September,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 18·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Sept. 7. | Week ending Sept. 14. | Week ending Sept. 21. | Week ending Sept. 28. | Average Rate for 4 weeks. | Towns, &c. | Week ending Sept. 7. | Week ending Sept. 14. | Week ending Sept. 21. | Week ending Sept. 28. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **22 Town Dists.** | **16·8** | **17·1** | **16·1** | **18·1** | **17·0** | Lisburn, . . | 9·1 | 9·1 | 9·1 | 9·1 | 9·1 |
| Armagh, . . | 27·5 | 13·7 | . | 34·4 | 18·9 | Londonderry, . | 7·4 | 17·2 | 11·0 | 17·2 | 13·2 |
| Ballymena, . | 19·2 | 19·2 | 14·4 | 19·2 | 18·0 | Lurgan, . . | 22·1 | 31·0 | 22·1 | 22·1 | 24·3 |
| Belfast, . . | 14·8 | 17·6 | 15·6 | 16·5 | 16·1 | Newry, . . | 16·8 | 4·2 | 4·2 | 33·6 | 14·7 |
| Clonmel, . . | 20·5 | 15·4 | 15·4 | 5·1 | 14·1 | Newtownards, . | 11·4 | 11·4 | 17·2 | 22·9 | 15·7 |
| Cork, . . . | 16·4 | 22·6 | 17·1 | 21·2 | 19·3 | Portadown, . | 20·7 | 5·2 | 15·5 | . | 10·4 |
| Drogheda, . . | 20·4 | 12·3 | 4·1 | 16·3 | 13·3 | Queenstown . | 33·0 | 19·8 | 13·2 | 33·0 | 24·7 |
| Dublin Reg. Area, | 20·7 | 17·6 | 18·6 | 18·6 | 18·9 | Sligo, . . . | 9·6 | 14·4 | 19·2 | 9·6 | 13·2 |
| Dundalk . . | 16·0 | 8·0 | 19·9 | 19·9 | 16·0 | Tralee, . . | 5·3 | 10·6 | 31·7 | 15·9 | 15·9 |
| Galway, . . | 35·0 | 15·5 | 3·9 | 23·3 | 19·4 | Waterford, . | 3·9 | 17·5 | 11·7 | 23·4 | 14·1 |
| Kilkenny, . . | 9·8 | 19·7 | 19·7 | 9·8 | 14·8 | Wexford, . . | 14·0 | 18·7 | . | 18·7 | 12·9 |
| Limerick, . . | 12·3 | 8·2 | 16·4 | 21·9 | 14·7 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·6 per 1,000, the rates varying from 0·0 in fourteen of the districts to 7·8 in Waterford, in which district the 12 deaths from all causes include 4 from diarrhœal diseases. The 117 deaths from all causes for Belfast include 5 from measles, one from diphtheria, one from enteric fever, 14 from diarrhœal diseases, and 3 from cerebro-spinal fever. Among the 31 deaths from all causes for Cork were 5 from diarrhœal diseases; and there was one death from whooping-cough included in the 5 deaths from all causes for Lurgan.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 230—99 boys and 131 girls; and the deaths to 143—70 males and 73 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 19·1 in every 1,000 of the population. Omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 18·6 per 1,000. During the thirty-nine weeks ending with Saturday last the death-rate averaged 24·8, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths registered (143) included one death each from measles, typhus, whooping-cough, diphtheria, and influenza, and 17 deaths from diarrhœal diseases, also one death from continued fever with cerebro-spinal symptoms, and one death from paratyphoid fever. In each of the 3 preceding weeks, deaths from measles were 3, one, and 0; deaths from typhus were one, 0, and 0; deaths from whooping-cough were 2, one, and one; deaths from diphtheria were 0, 2, and 2; deaths from diarrhœal diseases were 5, 9, and 10; and deaths from influenza were 2, 2, and 0.

Of 5 deaths from pneumonia (all forms), one was from broncho-pneumonia and 4 from *pneumonia* (not defined).

There were 33 deaths from all forms of tuberculous disease, including 6 from tuberculous phthisis, 13 deaths returned as from *phthisis*, 9 from tuberculous meningitis, one death each from tuberculous peritonitis and *tabes mesenterica*, and 3 deaths from other forms of the disease. In the 3 preceding weeks, deaths from all forms of the disease numbered 35, 24, and 33, respectively.

Three deaths were caused by carcinoma and 4 by cancer (undefined).

The death of one infant prematurely born was registered.

Of 9 deaths from diseases of the brain and nervous system, there were 3 (all of infants under one year of age) from *convulsions*.

Diseases of the heart and blood vessels caused 15 deaths, and there were 11 deaths from bronchitis.

Four deaths were attributed to accidental causes, including one caused by drowning and one (that of an infant under one year of age) caused by overlaying in bed.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; both of these deaths were of infants under one year old.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 10 were under one month old), and 25 were aged 60 years and upwards, including 8 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a male) was stated to have been aged 97 years.

Fifty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the N. Dublin Union Workhouse and 13 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·6 per 1,000; the rate in the City was 19·6 (North City Districts, 19·6; South, 19·5), and in the Suburbs, 15·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·9 per 1,000 inhabitants, the rate for the City being 2·9 (1·7 in the North City Districts, and 4·3 in the South) and for the Suburbs, 2·9.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·0 per 1,000, and include 4 deaths from tuberculous disease.

*No. 1 North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. There were 2 deaths from diarrhœal diseases, 3 from *phthisis*, 2 from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. Among them are 3 from tuberculous disease, one from bronchitis, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (15) represent an annual rate of 24·1 per 1,000. Three deaths were attributed to diarrhœal diseases and 4 to tuberculous disease.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 33·2 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 0·0. The 7 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from tuberculous disease and one from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·5 per 1,000. Of the deaths there was one from influenza and there were 4 from diarrhœal diseases, 2 from tuberculous disease, 2 from bronchitis, and one accidental death.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000, and include one each from *diarrhœa*, broncho-pneumonia and *pneumonia* (not defined), and 3 from tuberculous disease.

*No. 3 South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·8 per 1,000. Of the 12 deaths one was from diphtheria, 4 were from diarrhœal diseases, and 2 from tuberculous disease.

*No. 4 South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000, and include one death each from typhus, *pyrexia* (origin uncertain), and *pneumonia* (not defined), 3 from tuberculous disease of the lungs, 4 from bronchitis, and one accidental death.

*New Kilmainham District.*—There were no deaths registered for this district during last week.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 15·0; Blackrock, 6·0; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include one each from measles, whooping-cough, and *diarrhœa* for Kingstown, and 2 from *diarrhœa* for Pembroke. The 10 deaths from all causes for Rathmines and Rathgar include 2 from tuberculous disease. Of the 8 deaths from all causes for Pembroke 2 were due to *phthisis* and one to bronchitis; and the 7 deaths from all causes for Kingstown include 2 from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

Returns of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Swcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

Table I.—Showing the Number of Cases of Infectious Diseases notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 28th September, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| Cities and Urban Districts. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Sept. 7, | . | — | — | 5 | 1 | . | 1 | . | 3 | 3 | 13 | 1 | — | — | — | — | — | 27 |
| | Sept. 14, | . | — | — | 6 | 1 | . | 7 | . | 4 | 6 | 5 | . | — | — | — | — | — | 29 |
| | Sept. 21, | . | — | — | 2 | 3 | . | 5 | . | 2 | 12 | 13 | . | — | — | — | — | — | 37 |
| | Sept. 28, | . | — | — | 4 | 5 | . | 8 | . | 4 | 10 | 14 | . | — | — | — | — | — | 45 |
| Rathmines and Rathgar Urban District. | Sept. 7, | . | — | — | . | . | . | . | . | . | 2 | . | . | — | — | . | — | — | 2 |
| | Sept. 14, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Sept. 21, | . | — | — | . | . | . | 2 | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Sept. 28, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 1 |
| Pembroke Urban District. | Sept. 7, | . | 9 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 9 |
| | Sept. 14, | . | 7 | . | . | . | . | 1 | . | 1 | 2 | . | . | — | . | . | — | — | 11 |
| | Sept. 21, | . | 8 | . | 1 | . | . | . | . | . | 4 | . | . | — | 2 | . | — | — | 15 |
| | Sept. 28, | . | 3 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 3 |
| Blackrock Urban District. | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 14, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 28, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Sept. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 14, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 28, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1 |
| City of Belfast. | Sept. 7, | . | — | — | 6 | . | . | 4 | 2 | 8 | 14 | 4 | . | — | — | 5 | — | — | 43 |
| | Sept. 14, | . | — | — | 3 | . | . | 5 | . | 11 | 8 | 6 | . | — | — | 3 | — | — | 36 |
| | Sept. 21, | . | — | — | 10 | . | . | 4 | . | 7 | 2 | 9 | 2 | — | — | 4 | — | — | 38 |
| | Sept. 28, | . | — | — | 8 | . | . | 6 | 2 | 3 | 2 | 5 | . | — | — | 2 | — | — | 28 |

### Cases of Infectious Diseases Under Treatment in Dublin Hospitals.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th September, 1907.

From this it appears that:—

Seven cases of measles were admitted into hospital during the week, 5 were discharged, and 17 cases remained under treatment at its close.

Four cases of scarlet fever were admitted to hospital, 6 were discharged, and 35* cases remained under treatment at the close of the week.

One case of typhus was discharged from hospital during the week, and 6 cases remained under treatment at its close.

Five cases of diphtheria were admitted to hospital, 7 were discharged, there was one death, and 16 patients remained under treatment at the close of the week.

Three cases of enteric fever were admitted to hospital during the week, there was one death, and 36 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 14 cases of pneumonia were admitted to hospital, 12 were discharged, and 31 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 13·7), was equal to an average annual death-rate of 14·5 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·6 per 1,000, the rate for Glasgow was 14·9 and for Edinburgh 13·9.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th September. From this Report it appears that of a total of 54 cases notified 21 were scarlet fever, 16 diphtheria, one membranous croup, 4 erysipelas, and one enteric fever. Among the 282 cases of infectious diseases in hospital at the close of the week were 113 cases of scarlet fever, 33 of whooping-cough, 30 of diphtheria, one of membranous croup, 25 of measles, 13 of enteric fever, and 10 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th September, 1907, in the DUBLIN REGISTRATION **AREA** and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 28th September, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 28th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 21st Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 14th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 31·5 | 18·1 | 2·6 | 676 | 389 | 108 | 72 | . | 6 | . | 1 | 2 | 2 | 1 | 1 | 43 | 13 | 58 | 33 | 19 | 29 | 6 | 8 | 118 | 16 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area: Total, d. | 390,691 | 28·4 | 30·7 | 18·6 | 2·2 | 230 | 139 | 41 | 23 | . | 1 | . | 1 | 1 | 1 | 1 | . | 17 | 3 | 19 | 14 | 6 | 13 | 4 | 4 | 53 | 2 | f66·4 | 46·4 | 56·9 | 0·03 | f65·1 | 43·8 | 57·2 | 0·00 | f74·1 | 46·0 | 57·5 | 0·02 |
| City of Dublin, | 300,850 | 38·0 | 34·1 | 19·3 | 2·9 | 197 | 113 | 34 | 18 | . | . | . | 1 | . | 1 | 1 | . | 14 | 3 | 13 | 13 | 6 | 11 | 4 | 4 | 49 | . | g66·3<br>h66·9 | 52·3<br>47·0 | 59·4<br>57·4 | 0·00<br>0·00 | g65·4<br>h68·3 | 48·8<br>48·0 | 58·4<br>57·2 | 0·00<br>0·00 | g71·2<br>h69·9 | 51·7<br>48·2 | 59·6<br>57·9 | 0·03<br>0·02 |
| Urban Distts. Rathmines and Rathgar. | 35,606 | 20·8 | 20·5 | 14·6 | . | 14 | 10 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 16·8 | 15·0 | 3·7 | 9 | 8 | 2 | 2 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 3·1 | 11·9 | 6·0 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 23·7 | 20·7 | 8·9 | 8 | 7 | 1 | 1 | . | 1 | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . | 1 | . | 64 | 52·5 | 58·6 | 0·00 | 67 | 48·5 | 58·2 | 0·01 | 67·5 | 52 | 58·9 | 0·08 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 30·1 | 16·5 | 3·0 | 214 | 117 | 40 | 21 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 2 | 23 | 3 | 65·5 | 47·5 | 58·0 | 0·01 | 66·6 | 48·0 | 56·5 | 0·00 | 72·0 | 42·5 | 55·1 | 0·11 |
| Cork, | 76,122 | 33·6 | 26·0 | 21·2 | 3·4 | 38 | 31 | 10 | 7 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | . | 12 | 2 | 70 | 51 | 60·4 | 0·91 | 69 | 49 | 59·0 | 0·02 | 68 | 53 | 59·3 | 0·00 |
| Londonderry, | 42,475 | 19·6 | 41·7 | 17·2 | 1·2 | 34 | 14 | 2 | 3 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 30·6 | 21·9 | . | 59 | 16 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 1 | 7 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 17·5 | 23·4 | 7·8 | 9 | 12 | 2 | 1 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 27·2 | 28·3 | 3·9 | 7 | 6 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 2 | . | 73 | 50 | 60 | 0·73 | 76 | 50 | 60·4 | 0·01 | 77 | 45 | 59 | 0·10 |
| Dundalk, | 18,076 | 2·4 | 19·9 | 19·9 | . | 5 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 32·7 | 16·8 | . | 8 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 42·0 | 33·6 | . | 10 | 8 | . | 5 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 5 | . | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 |
| Lurgan, | 11,782 | 13·8 | 13·3 | 22·1 | 4·4 | 3 | 5 | 1 | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 |
| Lisburn, | 11,461 | 10·1 | 50·0 | 9·1 | . | 11 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Wexford, | 11,168 | 23·2 | 56·0 | 18·7 | . | 12 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 14·4 | 19·2 | . | 3 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 65·9 | 45·5 | 57·6 | 0·09 | 71·5 | 44·9 | 58·3 | 0·11 | 73·5 | 40·3 | 56·6 | 0·29 |
| Sligo, | 10,870 | 8·7 | 4·8 | 9·6 | 4·8 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 73 | 45 | 59·7 | 0·50 | 72 | 44 | 58·7 | 0·00 | 72 | 50 | 59 | 0·05 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 9·8 | . | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Clonmel, | 10,167 | 7·8 | 15·4 | 5·1 | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 |
| Portadown, | 10,092 | 13·2 | 20·7 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tralee, | 9,867 | 16·6 | 31·7 | 15·9 | . | 6 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | 63 | 51 | 56·8 | 0·00 | 65 | 46 | 55·7 | 0·03 | 65 | 46 | 55·3 | 0·04 |
| Newtownards, | 9,110 | 18·9 | 17·2 | 22·9 | . | 3 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 70 | 51 | 60·4 | 0·91 | 69 | 49 | 59·0 | 0·02 | 68 | 53 | 59·3 | 0·00 |
| Queenstown, | 7,909 | 14·4 | 39·6 | 33·0 | . | 6 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·8 | 0·04 | 72·2 | 43·1 | 57·3 | 0·02 |
| Armagh, | 7,588 | 22·2 | 34·4 | 34·4 | . | 5 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly

d Exclusive of 4 deaths of persons (including 2 at 60 years or upwards) admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 28th September, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No 2. | NORTH CITY No 3. | CLONTARF & HOWTH No. 1 (part of). | GOOLOCK and DRUMCONDRA, No. 1 (part of). | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | 2 | . | 3 | . | . | . | 4 | 1 | 4 | . | . | . | 3 | . | 1 | 17 | . |
| Pneumonia, | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . | 3 | 2 |
| Tuberculous Disease. Phthisis, | 2 | 3 | 1 | 1 | . | 1 | . | 1 | 1 | . | 3 | . | 1 | 2 | 1 | 2 | 19 | . |
| Tuberculous Disease. Other Forms. | 2 | . | 2 | 3 | . | 1 | . | 1 | 2 | 2 | . | . | 1 | . | . | . | 14 | . |
| Cancer, Malignant Disease, | . | . | 1 | 1 | . | 1 | . | . | 2 | 1 | . | . | . | . | . | . | 6 | 1 |
| Other General Diseases, | 2 | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | 5 | . |
| Total, | 6 | 6 | 4 | 8 | . | 3 | . | 8 | 8 | 8 | 6 | . | 2 | 4 | 1 | 5 | 69 | 3 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | 1 | 1 | 2 | . | . | . | . | 2 | . | . | . | 2 | 1 | . | . | 9 | . |
| Diseases of Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels, | 1 | 1 | 1 | 1 | . | 2 | . | 2 | . | 2 | 2 | . | 2 | . | . | . | 14 | 1 |
| Diseases of Respiratory System, | 1 | 2 | 1 | . | . | 1 | . | 2 | . | . | 4 | . | 1 | 1 | . | . | 13 | . |
| Diseases of Digestive System, | . | 2 | 2 | 4 | . | . | . | 3 | . | 2 | . | . | 3 | 2 | . | 1 | 19 | . |
| Diseases of Lymphatic System &c. | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Urinary System, | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| Diseases of Generative System | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 6 | 6 | 7 | . | 3 | . | 8 | 2 | 4 | 7 | . | 8 | 4 | . | 1 | 60 | 1 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 1 | 1 | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | 1 | 6 | . |
| **E. VIOLENT DEATHS,** | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 4 | . |
| **Deaths from all Causes,** | 10 | 14 | 12 | 15 | . | 7 | . | 18 | 10 | 12 | 15 | . | 10 | 8 | 1 | 7 | 189 | 4 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 18·0 | 18·6 | 20·8 | 24·1 | . | 33·2 | . | 23·5 | 25·3 | 14·8 | 22·3 | . | 14·6 | 15·0 | 6·0 | 20·7 | 18·6 | . |
| | 19·6 | | | | | | | 19·5 | | | | | 15·1 | | | | | |
| | 19·5 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | . | 6 | 2 | 9 | . | 1 | . | 8 | . | 5 | 3 | . | 4 | 2 | . | 1 | 41 | . |
| 1 and under 5 years, | . | 1 | 3 | 1 | . | 1 | . | 2 | 4 | . | . | . | . | . | . | 2 | 14 | . |
| 5 ,, 20 ,, | 1 | . | . | . | . | 1 | . | 1 | 1 | 2 | 1 | . | 1 | . | . | 1 | 9 | . |
| 20 ,, 40 ,, | 2 | 2 | 1 | 1 | . | . | . | 1 | 1 | 1 | 5 | . | 2 | 3 | 1 | 1 | 22 | 1 |
| 40 ,, 60 ,, | 5 | 1 | 5 | 3 | . | 3 | . | 3 | 4 | 1 | 2 | . | 1 | 1 | . | 1 | 30 | 1 |
| 60 and upwards, | 1 | 4 | 1 | 1 | . | 1 | . | 3 | . | 3 | 4 | . | 2 | 2 | . | 1 | 23 | 2 |
| Number of Uncertified Deaths, | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 6 | 1 | 5 | 2 | . | . | . | 2 | 2 | 2 | 4 | . | 2 | . | 1 | 1 | 28 | 3 |
| Workhouse Hospitals, | . | 4 | 2 | 4 | . | 2 | . | 3 | 2 | 2 | 6 | . | . | . | . | . | 25 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registere
week of the ten years, 1

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 39th Week of the 10 years 1897-1906. | In the Week ending Satu 28th September, 190 | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the A | | | | | |
| | Oct. 2, 1897. | Oct. 1, 1898. | Sept. 30, 1899. | Sept. 29, 1900. | Sept. 28, 1901. | Sept. 27, 1902. | Oct. 3, 1903. | Oct. 1, 1904. | Sept. 30, 1905. | Sept. 29, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 53·0 | ° 50·0 | ° 47·5 | ° 54·1 | ° 57·0 | ° 55·5 | ° 56·8 | ° 50·6 | ° 49·4 | ° 50·4 | ° 52·4 | ° 56·9 | | | | | |
| **ALL CAUSES.** | 178 | 165 | 223 | 167 | 133 | 213 | 139 | 146 | 168 | 184 | 171·6 | 143 | 10 | 31 | 14 | 9 | 23 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 28 | . | . | 10 | . | . | . | . | 3·8 | 1 | . | . | . | 1 | . |
| Scarlet Fever, ... ... | 2 | 1 | . | . | 1 | 3 | . | . | . | . | ·7 | . | . | . | . | . | . |
| Typhus, ... ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 1 | . | 2 | 3 | 2 | 1 | 1 | . | . | 1·0 | 1 | . | . | . | . | . |
| Whooping-cough, ... ... | 1 | 5 | 2 | 3 | 1 | 1 | . | 1 | . | 5 | 1·9 | 1 | . | . | 1 | . | . |
| Diphtheria, ... ... | 3 | . | 1 | . | . | 5 | . | . | . | . | ·9 | 1 | . | . | . | 1 | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | 2 | 1 | . | . | . | ·3 | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | 1 | . |
| Enteric Fever, ... ... | 6 | 4 | 11 | 4 | 3 | 8 | 2 | 2 | 2 | 1 | 4·3 | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 9 | 29 | 27 | 18 | 12 | 4 | 1 | 5 | 4 | 15 | 17·3 | 6 | . | 6 | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 15 | 2 | 11 | 5 | 16 | | 11 | 1 | 4 | 2 | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | . | . | 1 | . | . | . | 2 | 1 | 3 | ·8 | 1 | . | . | . | . | 1 |
| Puerperal Septicæmia, | . | . | 1 | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Pneumonia, Lobar, | 10 | 8 | 16 | 3 | 7 | . | . | . | 3 | 3 | 9·1 | . | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 2 | 3 | 1 | 5 | 3 | | 1 | . | . | 1 | . | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 5 | 3 | 4 | 9 | 6 | | 4 | . | . | . | 2 | 1 |
| Erysipelas, ... ... | . | 1 | 1 | 1 | . | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 2 | 2 | 1 | 3 | . | . | 1 | . | . | 1·0 | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 2 | 1 | 1 | ·4 | 1 | . | . | . | 1 | . |
| Tuberculous Phthisis, | 18 | 19 | 23 | 31 | 17 | 1 | 3 | 3 | 11 | 6 | 20·0 | 6 | . | . | . | . | 4 |
| "*Phthisis*," ... | | | | | | 19 | 16 | 8 | 12 | 13 | | 13 | . | . | 1 | . | 8 |
| Tuberculous Meningitis, ... | 5 | 3 | 3 | 2 | 3 | 4 | 2 | 4 | . | 4 | 3·0 | 9 | . | 2 | 4 | 2 | 1 |
| Tuberculous Peritonitis, | 6 | 10 | 8 | 6 | 11 | . | 1 | 1 | 1 | 2 | 4·9 | 1 | . | . | 1 | . | . |
| *Tabes Mesenterica*, ... | | | | | | 1 | 2 | . | . | . | | 1 | . | 1 | . | . | . |
| Tuberculous Dis. (other), | 4 | 2 | 6 | 4 | 2 | 7 | 10 | 6 | 9 | 7 | 5·9 | 3 | . | . | 1 | . | 1 |
| *Scrofula*, ... ... | | | | | | . | . | 1 | . | 1 | | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | . | 2 | . | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | 1 | 1 | . | . | 1 | . | 1 | . | . | . | ·4 | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... | 5 | 8 | 7 | 5 | 4 | 1 | . | 2 | 2 | 1 | 5·6 | 3 | . | . | . | . | 1 |
| Sarcoma, ... ... | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 3 | 4 | 6 | 3 | 4 | | 4 | . | . | . | 1 | 2 |
| Diabetes Mellitus, ... | . | . | . | . | . | 2 | 1 | . | . | . | ·3 | . | . | . | . | . | . |
| Premature Birth, ... | 1 | 1 | 3 | 4 | 2 | 3 | 3 | 3 | 3 | 4 | 2·7 | 1 | 1 | . | . | . | . |

* The figures for the years 1897-1900 a
† Formerly descri

Y-NINTH WEEK ending Saturday, 28th September, 1907, with the deaths from each cause in the corresponding e average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 39th Week of the 10 years 1897–1906. | In the Week ending Saturday, 28th September, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 2, 1897. | Oct. 1, 1898. | Sept. 30, 1899. | Sept. 29, 1900. | Sept. 28, 1901. | Sept. 27, 1902. | Oct. 3, 1903. | Oct. 1, 1904. | Sept. 30, 1905. | Sept. 29, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under 1 year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 53·0 | ° 50·0 | ° 47·5 | ° 54·1 | ° 57·0 | ° 55·5 | ° 56·8 | ° 50·6 | ° 49·4 | ° 50·4 | ° 52·4 | Mean Temp. ° 56·9 | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 7 | 1 | 3 | 1 | 3 | | 2 | . | 1 | 1 | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | 3 | . | 1 | . | 2 | | 2 | . | . | . | . | 1 | 1 | . |
| epsy .. ... | | | | | | . | 2 | 1 | 1 | . | | 1 | . | . | . | 1 | . | . | . |
| ulsions ... .. | | | | | | 9 | 7 | 2 | 6 | 3 | | 3 | . | 3 | . | . | . | . | . |
| motor Ataxy ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | 1 | 1 | 1 | . | | 1 | . | . | . | 1 | . | . | . |
| ous System (other .) | | | | | | 2 | . | 1 | 3 | 2 | | . | . | . | . | . | . | . | . |
| | 37 | 26 | 34 | 33 | 21 | | | | | | 31·8 | | | | | | | | |
| Dis., Endocarditis | | | | | | 3 | 5 | 3 | 5 | 3 | | 2 | . | . | . | . | 1 | 1 | . |
| or. Hæm. Thromb. | | | | | | 1 | 1 | 1 | 2 | 4 | | 1 | . | . | . | . | . | . | 1 |
| lexy, *Hemiplegia* ... | | | | | | 3 | 1 | 1 | 6 | . | | 5 | . | . | . | . | . | . | 5 |
| rysm ... ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| t and Blood Vessel Dis. | | | | | | 14 | 10 | 15 | 13 | 11 | | 7 | . | . | . | 1 | . | 3 | 3 |
| (not Spasm. nor mb.) | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . | . |
| chitis ... ... | 17 | 11 | 13 | 10 | 12 | 16 | 11 | 8 | 16 | 13 | 12·7 | 11 | . | 2 | . | . | . | 3 | 4 | 2 |
| na, Emphysema ... | | | | | | 1 | . | . | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| isy ... ... | 2 | 3 | 1 | 1 | 1 | . | 1 | . | . | . | 1·5 | . | . | . | . | . | . | . | . | . |
| iratory Dis. (other) ... | | | | | | 3 | . | . | 1 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| llitis, Quinsy ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | | | | | | 2 | . | 2 | 3 | 4 | | 7 | 2 | 4 | 1 | . | . | . | . | . |
| o *Enteritis* ... ... | 2 | . | 1 | . | 1 | 4 | 2 | 3 | . | 7 | 3·1 | 3 | 2 | . | . | . | . | 1 | . | . |
| *nitis* (not Puerp.) ... | 1 | . | 1 | 2 | . | 1 | . | 1 | 1 | . | ·7 | 1 | . | . | . | 1 | . | . | . | . |
| osis of Liver ... | | | | | | 1 | . | . | 1 | . | | 2 | . | . | . | . | 2 | . | . |
| Dis. (other) ... | . | . | 2 | 2 | 2 | 4 | 2 | 1 | 1 | 1 | 1·7 | . | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 4 | 2 | 5 | 10 | 4 | 8 | 5 | 6 | 7 | 9 | 6·0 | 6 | 1 | 4 | . | . | . | 1 | . | . |
| ritis, Acute ... | | | | | | . | 2 | 6 | 1 | . | | 1 | . | . | . | . | . | 1 | . | . |
| t's Dis., Albuminuria | 7 | 1 | 1 | 5 | 8 | 1 | 7 | 4 | 1 | 2 | 4·9 | . | . | . | . | . | . | . | . | . |
| ry Sys. (Other Dis.) | | | | | | . | 2 | 1 | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| rative Organs Dis. ... | 3 | . | . | . | 1 | 1 | . | 1 | . | 1 | ·7 | 1 | . | . | . | . | . | 1 | . | . |
| birth (Accid. of) ... | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . | . |
| *ge* ... ... | 10 | 11 | 8 | 5 | 4 | 2 | 3 | 3 | 5 | 6 | 5·7 | 1 | . | . | . | . | . | . | . | 1 |
| Diseases ... ... | 18 | 10 | 12 | 8 | 4 | 21 | 12 | 10 | 11 | 11 | 11·7 | 6 | 2 | 3 | . | . | . | 1 | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (ex- | | | | | | | | | | | | | | | | | | | | |
| ive of Drowning) ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | . | 2 | 1 | . | 1 | 2 | . | 1 | 1 | . | ·8 | . | . | . | . | . | . | . | . | . |
| owning ... ... | 1 | 1 | 2 | 1 | . | . | . | . | 2 | . | ·7 | 1 | . | . | . | . | 1 | . | . |
| ffocation in Bed ... | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | 1 | . | 1 | . | . | . | . | . |
| oison or Poisonous | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ours | | | | | | | | | | | | | | | | | | | | |
| Deaths by Accident | 2 | 2 | 2 | 1 | 1 | 3 | 5 | 4 | 2 | . | 2·2 | 2 | 1 | . | 1 | . | . | . | . | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| ide ... ... | . | . | . | 1 | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| e ... ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| tion ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

stration Area as then constituted.
"Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24 | Aug. 31. | Sept. 7 | Sept. 14. | Sept. 21. | Sept. 28. |
| No. of weeks in Annual Series. | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
| Births registered, | 168 | 204 | 220 | 214 | 308 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 203 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 |
| *Average Births in corresponding week of previous 10 years,** | 176 | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 |
| Deaths registered, | 219 | 207 | 215 | 262 | 205 | 195 | 208 | 208 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 148 |
| Annual Death-rate per 1,000, | 29·2 | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 |
| *Average Deaths in corresponding week of previous 10 years,** | 199 | 199 | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 |
| Ages, Under 5 years, | 70 | 74 | 71 | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 | 51 | 33 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 |
| 5—20 " | 17 | 14 | 18 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 |
| 20—40 " | 80 | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 31 | 31 | 23 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 28 | 23 |
| 40—60 " | 51 | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 41 | 37 | 35 | 28 | 33 | 41 | 41 | 17 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 |
| 60—80 " | 46 | 53 | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 23 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 |
| 80 years and upwards, | 5 | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Typhus, | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 |
| Whooping-cough, | 8 | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 |
| Diphtheria, | 3 | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Enteric Fever, | . | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . |
| Diarrhœal Diseases, | . | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 |
| Influenza, | 5 | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 |
| Pneumonia, | 17 | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 |
| Tuberculous Disease. Phthisis, | 29 | 21 | 30 | 34 | 39 | 19 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 |
| Tuberculous Disease. Other Forms, | 22 | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 |
| Cancer, Malignant Disease, | 5 | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 |
| Diseases of Heart and Blood Vessels, | 39 | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 18 | 15 | 16 | 26 | 30 | 25 | 23 | 15 |
| Diseases of Respiratory System, | 34 | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 15 | 11 | 10 | 11 | 11 | 14 | 14 |
| Violent Deaths, | 4 | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 |
| Number of Uncertified Deaths, | 5 | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 |
| Mean Temperature of the Air (Phœnix Park), | 42·1 | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 58·9 | 52·9 | 57·5 | 57·1 | 56·9 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 45·0 | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 |
| Rainfall in inches, | ·725 | 1·087 | ·111 | ·281 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·81 | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·88 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·88 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ Fourteen years only.

in the Dublin Registration Area during the Week ending Saturday, 28th September, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH SEPTEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 19·9 | 143 | 55 | 9 | 23 | 31 | 22 | 3 | . | 1 | . | 1 | 1 | 1 | 1 | . | 17 | 22 | 5 | 19 | 14 | 7 | 3 | 13 | 4 | 56 | 2 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 6·0 | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | 1 | . |
| II. | MIDDLE CLASS, | 87,188 | 12·0 | 20 | 5 | 3 | 2 | 5 | 5 | . | . | 1 | . | . | . | 1 | 1 | . | 2 | 5 | 2 | . | . | 2 | 1 | 2 | . | 8 | . |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 17·0 | 36 | 16 | 1 | 4 | 11 | 4 | . | . | . | . | . | . | . | . | . | 4 | 4 | . | 7 | 5 | 2 | 1 | 1 | 3 | 13 | . |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 27·6 | 59 | 29 | 5 | 12 | 9 | 2 | 2 | . | . | . | 1 | 1 | . | . | . | 8 | 10 | 2 | 5 | 7 | 3 | 1 | 5 | 1 | 25 | 2 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 26 | 5 | . | 5 | 6 | 9 | 1 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 7 | 2 | . | . | 5 | . | 9 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 13·4 | 2 | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 11·8 | 5 | 2 | 1 | . | 1 | 1 | . | . | 1 | . | . | . | . | . | . | 1 | 2 | . | . | . | 2 | 1 | . | . | . | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 8·6 | 5 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . | . | . | . | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 15·4 | 8 | 1 | . | . | 3 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . | 5 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 21·0 | 12 | 6 | 1 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 3 | . | 1 | . | 1 | 4 | . |
| | 10. Clothing Trades, | 23,260 | 4·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 2·6 | 4 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | 1 | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 20·6 | 12 | 6 | . | 1 | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 3 | 1 | . | . | . | 1 | 5 | . |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 1 | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 7·8 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | 15. Domestic Servants, | 36,603 | 7·1 | 5 | 1 | 1 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 3 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 3·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 29·6 | 51 | 25 | 4 | 10 | 9 | 2 | 1 | . | . | . | 1 | 1 | . | . | . | 7 | 9 | 2 | 4 | 7 | 3 | 1 | 4 | 1 | 20 | 2 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 26 | 5 | . | 5 | 6 | 9 | 1 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 7 | 2 | . | . | 5 | . | 9 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Aug. 10, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| | „ 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| | „ 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 31, | 28·4 | 1·8 | 13 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | . | . | . |
| | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 14·4 | 3·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| | „ 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Aug. 10, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | . | 1 |
| | „ 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| | „ 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| | „ 31, | 29·3 | 8·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | „ 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| | „ 21, | 17·3 | 4·0 | 13 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . |
| | „ 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Aug. 10, | 19·1 | 1·7 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | „ 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| | „ 24, | 24·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| | „ 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | „ 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . | . |
| | „ 21, | 13·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Aug. 10, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| | „ 24, | 11·3 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| | „ 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | „ 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . |
| | „ 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 | . |
| | „ 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Aug. 10, | 14·3 | 2·6 | 11 | . | 1 | . | . | . | 1 | . | . | . | . | 3 | . | . | 1 | . | . |
| | „ 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | 1 |
| | „ 24, | 23·3 | 3·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | 1 | . | . | . |
| | „ 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . |
| | „ 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | . | . | . | . |
| | „ 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | . | 1 |
| | „ 28, | 23·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | 2 | 1 | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Aug. 10, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| | „ 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | . |
| | „ 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | „ 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . | . |
| | „ 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Aug. 10, | 27·2 | 2·5 | 22 | . | . | . | . | . | . | . | . | 2 | 4 | 1 | 4 | . | 5 | . | . |
| | „ 17, | 18·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 3 | . | . | . | 1 | 2 | . | . |
| | „ 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | „ 31, | 19·8 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | „ 14, | 23·5 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . | . |
| | „ 21, | 27·2 | 3·7 | 22 | . | . | . | . | . | 1 | . | . | 2 | 1 | 2 | 5 | 2 | 2 | . | . |
| | „ 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Aug. 10, | 5·9 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . |
| | „ 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 2 | . | . |
| | „ 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |
| | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |
| | „ 14, | 19·3 | 5·9 | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 | . |
| | „ 21, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 2 |
| | „ 28, | 22·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 | . |

* Formerly described as "Simple Continued Fever."

certain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Aug. 10, | 11·7 | 1·5 | 8 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 |
| | „ 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | „ 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| | „ 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| | „ 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Aug. 10, | 15·0 | 3·7 | 8 | . | 1 | . | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | . |
| | „ 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Aug. 10, | 23·7 | 8·9 | 8 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| | „ 17, | 11·8 | 5·9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 11·8 | 5·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | Sept. 7, | 20·7 | 8·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ 21, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Aug. 10, | 14·6 | 1·0 | 104 | . | 4 | . | . | . | 1 | . | . | 2 | 11 | 15 | 5 | 6 | 9 | 4 | . |
| | „ 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| | „ 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| | „ 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| | „ 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 3 | 14 | 8 | 3 | 16 | 8 | . |
| | „ 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| | „ 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Aug. 10, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 3 | 5 | 2 | 1 | 2 | . | 1 |
| | „ 17, | 13·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| | „ 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| | „ 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 1 |
| | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | 1 |
| | „ 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | 1 |
| | „ 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| | „ 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Aug. 10, | 19·6 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 2 | 4 | . | 1 |
| | „ 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| | „ 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| | „ 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| | „ 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| | „ 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Aug. 10, | 10·9 | 1·4 | 8 | . | . | . | . | 1 | . | . | . | . | 2 | 2 | 1 | . | . | . | . |
| | „ 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | 2 |
| | „ 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| | „ 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | . | . | 4 | 1 | . | . | 1 | 1 |
| | „ 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | „ 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| **Waterford.** Pop. (in 1901) 26,769. | Aug. 10, | 17·5 | . | 9 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . |
| | „ 17, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 31, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Sept. 7, | 3·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |
| | „ 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 28, | 23·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th September, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 13 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | 3 | 2 | . | . | 2 | 1 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | . | . | . | . | . | 1 |
| Do. 2 „ . | 47,959 | 32 | | | 8 | . | 2 | . | 1 | 1 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 1 | . | . | 2 | . |
| Do. 3 „ . | 47,214 | 22 | | | 22 | 14 | . | 1 | 3 | 8 | 1 | . | 2 | . | . | . | . | . | . | 6 | 1 | 2 | . | . | . | . | . | 5 | 1 |
| Do. 4 „ . | 40,911 | 34 | | | 11 | 3 | 2 | 1 | 1 | 1 | 3 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 6 | . |
| Do. 5 „ . | 17,387 | 4 | | | 13 | 6 | 1 | . | 1 | 2 | 3 | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | 1 | . | . | 4 | . |
| Do 6 „ . | 48,122 | 20 | | | 17 | 2 | 1 | 2 | 4 | 4 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 6 | 1 | . | 2 | . | . | 2 | 1 |
| Do. 7 „ . | 1,524 | 2 | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 6 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 „ . | 19,569 | 16 | | | 6 | 2 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | . | 1 | . | . |
| Do. 10 „ . | 28,064 | 18 | | | 12 | 3 | 4 | 1 | 2 | 2 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 2 | 1 | . | 1 | . | 1 | . | . |
| Do. 11 „ . | 34,802 | 17 | | | 4 | . | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | . | . | . | . |
| Do. 12 „ . | 38,588 | 16 | | | 12 | 5 | . | 1 | 2 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | 3 | . |
| Do. 13 „ . | 15,006 | 14 | | | 3 | 1 | . | . | 1 | .. | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | 1 | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 214 | | | 117† | 40 | 12 | 7 | 19 | 18 | 21 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 2 | 23 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 6 | 20·3 | . | 5 | 2 | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 3 | 1 |
| Do. 2 „ . . | 10,701 | 8 | 19·5 | . | 4 | 1 | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Do. 3 „ . . | 9,978 | 3 | 41·8 | 20·9 | 8 | 4 | . | | 3 | | 1 | . | . | . | . | . | . | . | . | 4 | . | . | . | 1 | 1 | . | . | 3 | . |
| Do. 4 „ . . | 8,666 | 7 | 42·1 | 6·0 | 7 | 1 | . | | 4 | | 2 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 3 | . |
| Do. 5 „ . . | 6,592 | 1 | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 6 „ . . | 10,702 | 5 | 14·6 | . | 3 | 2 | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Do. 7 „ . . | 16,616 | 8 | 12·6 | . | 4 | . | . | | 2 | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | 1 | . |
| Total, . . . . | 76,122 | 38 | 21·2 | 3·4 | 31 | 10 | . | | 14 | | 7 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | . | 12 | 2 |

* Formerly described as "Simple Continued Fever."

† See note to Table IV.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 6. | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. |
| No. of weeks in Annual Series, | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 |
| BIRTHS registered, | 234 | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 |
| DEATHS registered, | 192 | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 181 | 185 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117† |
| Annual Death-rate per 1,000 of estimated Population, | 27·0 | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 |
| AGES — Under 1 year | 31 | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 13 | 40 |
| 1–5 years, | 27 | 21 | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 28 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 |
| 5–20 years, | 28 | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 13 | 16 | 7 | 7 |
| 20–40 years, | 43 | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 |
| 40–60 years, | 33 | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 |
| 60 years and upwards, | 30 | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 4 | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . |
| Diphtheria, | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 2 | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 |
| Diarrhœal Diseases, | 3 | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 |
| Pneumonia, | 17 | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 |
| Tuberculous Disease, Phthisis, | 27 | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 |
| Tuberculous Disease, Other Forms, | 14 | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 |
| Cancer Malignant Disease, | 11 | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 |
| Diseases of Respiratory System, | 27 | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 13 | 7 | 7 |
| Violent Deaths, | 4 | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 | . |
| Number of Uncertified Deaths, | 3 | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 |

* Formerly described as "Simple Continued Fever."
† Including 3 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, . | 4,758,218 | Sept. 28, | 2,341 | 1,251 | 13·7 | . | 9 | 14 | 25 | 20 | 6 | 118 |
| EDINBURGH, . | 345,747 | „ 28, | 129 | 92 | 13·9 | . | 1 | . | 1 | 5 | . | 6 |
| GLASGOW, . . | 847,584 | „ 28, | 462 | 242*a* | 14·9 | . | 4 | . | 1 | 7 | 1 | 18 |
| CALCUTTA, . | 847,796 | Aug. 10, | . | 395 | 24·2 | 3 | 3 | . | . | . | 127‡ | 57* |
| BOMBAY, . | 977,822 | „ 27, | 402 | 754 | 40·1 | . | 4 | . | . | . | 57‡ | 177* |
| MADRAS, . . | 509,346 | „ 9, | 463 | 379 | 38·6 | 1 | 2 | ? | ? | ? | 88 | 71* |
| PARIS, . . | 2,722,731 | Sept. 14, | 929 | 797 | 15·2 | 1 | 1 | 4 | 1† | 4 | 4 | 98 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 7, | 201 | 130 | 10·8 | . | . | . | . | 2 | 2 | 23 |
| ANTWERP, . . | 304,032 | „ 7, | 117 | 83 | 14·2 | . | . | . | . | 2 | . | 15 |
| AMSTERDAM, . | 564,474 | „ 14, | 300 | 102 | 9·4 | . | 1 | . | 3† | . | . | 4 |
| COPENHAGEN, . | 432,000 | „ 7, | 251 | 79 | 9·5 | . | 2 | . | . | 2 | . | 2 |
| STOCKHOLM, . | 332,738 | „ 7, | 178 | 86 | 13·4 | . | 1 | . | 1† | 1 | . | 5 |
| CHRISTIANIA, . | 229,324 | „ 14, | 105 | 50 | 11·3 | . | . | . | 1† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 14, | . | 536 | 18·8 | . | 6 | 7 | 20 | 3 | 20 | 92 |
| MOSCOW, . . | 1,296,000 | Aug. 17, | . | 837 | 33·7 | 2 | 6 | 7 | 7† | 7 | 4 | 338 |
| BERLIN, . . | 2,094,129 | „ 31, | 909 | 569 | 14·2 | . | 5 | 6 | 4† | 8 | 4 | 93 |
| HAMBURG, . . | 824,792 | Sept. 7, | . | 166 | 10·5 | . | . | 1 | . | 1 | . | 23 |
| BRESLAU, . . | 485,358 | „ 7, | . | 177 | 19·0 | . | 1 | . | . | 1 | 1 | 34 |
| MUNICH, . . | 548,000 | „ 14, | . | 173 | 16·4 | . | . | 1 | . | . | . | 38 |
| VIENNA (with suburbs). | 1,979,003 | „ 14, | 854 | 538 | 14·1 | 10 | 2 | 4 | 5† | 3 | . | 95 |
| BUDA-PESTH, . | 802,235 | Aug. 24, | 418 | 235 | 15·2 | . | 2 | 5 | 1† | 1 | 1 | 45 |
| PRAGUE and Faubourgs. | 470,906 | „ 24, | 176 | 151 | 16·7 | . | . | 1 | . | 1 | 1 | 13 |
| TRIESTE, . . | 200,962 | „ 31, | 132 | 79 | 20·5 | . | . | . | 1† | 1 | . | 16 |
| ROME, . . . | 542,760 | July 6, | . | . | . | . | . | . | . | . | . | . |
| VENICE, . . | 174,398 | Aug. 10, | 88 | 71. | 21·2 | . | 1 | 1 | . | . | . | 13 |
| NEW YORK, . | 4,285,420 | „ 31, | 2,511 | 1,472 | 17·9 | . | 9 | 10 | 28† | 14 | 21 | 346 |
| PHILADELPHIA, | 1,500,595 | „ 24, | . | 489 | 16·9 | . | . | 1 | 11† | 6 | 14 | 95 |
| BOSTON, . . | 609,757 | „ 31, | . | 231 | 19·8 | . | 2 | . | . | 1 | 1 | 63 |

*a*. Including 5 deaths from cerebro-spinal meningitis.
* Including 15 deaths from cholera in Calcutta, 52 in Bombay, and 6 in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 14 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th September, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 3 |
| " " 1, West, | . | . | 1 | . | 1 | . | . | . | . | . | . | . | 2 |
| " " 2, | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 5 |
| " " 3, | . | . | . | . | . | . | . | 3 | . | . | . | . | 3 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | 1 | 1 | 5 | . | . | . | 7 |
| " " 2, | . | . | 1 | . | 2 | . | . | 1 | 1 | . | . | . | 5 |
| " " 3, | . | 4 | . | . | 3 | . | . | 3 | 1 | . | . | . | 11 |
| " " 4, | . | . | 3 | . | 1 | . | . | 1 | 1 | . | . | . | 6 |
| New Kilmainham, | . | . | . | . | . | . | . | . | 3 | . | . | . | 3 |
| Total, | . | 4 | 5 | . | 8 | . | 4 | 10 | 14 | . | . | . | 45 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th September, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 28th September. | | | |
|---|---|---|---|---|---|---|---|
| | Sept. 7. | Sept. 14. | Sept. 21. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 11 | 12 | 11 | 11 | 5 | . | 17 |
| Scarlet Fever, | 35 | 38 | 37 | 4 | 6 | . | 35* |
| Typhus, | . | 1 | 7 | . | 1 | . | 6 |
| Diphtheria, | 20 | 18 | 19 | 5 | 7 | 1 | 16 |
| Enteric Fever, | 34 | 36 | 34 | 3 | . | 1 | 36 |
| Pneumonia, | 23 | 26 | 24 | 14 | 7 | . | 31 |

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 28th September, 1907:—

"Another week of singularly fine, quiet, genial weather has to be recorded. But a notable decrease of atmospheric pressure took place over Western Europe after Monday. The unsettled weather accompanying this change barely affected the neighbourhood of Dublin, in which the drought continued save for some slight showers on Thursday and Saturday. On Sunday morning the anticyclone, which has played so prominent a part in the meteorology of September, 1907, was central over the N.E. of England, in which district the barometer stood slightly above 30·5 inches (30·51 inches at North Shields). The isobar of 30·4 inches embraced nearly the whole of the British Isles, Belgium, and Holland. As baric gradients were very slight, calms or light variable airs and haze or fog were prevalent. On Monday a shallow depression was found over the Peninsula and a deeper one was passing eastwards across Iceland; the barometer was also falling decidedly in Ireland. In the course of the day a violent thunderstorm broke over Lisbon, with a rainfall of 2·01 inches. The decrease of pressure went on until Thursday, when a wide-stretching depression lay over the Eastern Atlantic. Rain fell heavily in Spain, parts of France and of the United Kingdom—Valentia in Kerry reported 1·06 inches on Thursday morning. A heat-wave passed over England on Wednesday, the thermometer rising to 80° in London, 79° at Cromer, 78° at Margate, and 77° at Oxford. On Friday a well-defined cyclonic centre lay off the coast of Brittany. Its light N.E. winds brought only fine weather to Ireland. In Dublin the mean height of the barometer was 29·902 inches, the range being from 30·442 inches at 9 a.m. of Sunday (wind, calm) to 29·575 inches at 9 a.m. of Thursday (wind, S.E.). The corrected mean temperature was 59·4°, the mean dry bulb readings at 9 a.m. and 9 p.m. being 58·1°. The screened thermometers rose to 66·3° on Tuesday and again on Wednesday, and fell to 52·3° on Sunday and again on Tuesday. The prevailing winds were at first S.E., afterwards N.E. The slight showers of Thursday and Saturday yielded only ·004 inch in the gauge."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·903 inches. The highest reading (30·453) was on Sunday at 9 a.m., air calm, and the lowest (29·582) on Thursday at 9 p.m., air calm.

The mean temperature for the week was 56·9°, being 4·5° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 66·4°, and was lowest on Sunday, the mercury having fallen to 46·4°. The mean of the Dry Bulb for the week was 56·6°, and of the Wet Bulb 55·1°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·025 inch.

At Greenwich the mean temperature for the week was 58·4°, the maximum 82·7°, and the minimum 34·5°; at Glasgow the maximum was 66·8°, the minimum 45·2°, and the mean 56·3°; and at Edinburgh the maximum was 61·9°, the minimum 43·4°, and the mean 53·9°. The rainfall at Greenwich measured 0·03 in.; and at Edinburgh 0·06 in. There was no rainfall recorded at Glasgow. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Sept. 22, | 30·397 | 65·1 | 46·4 | 55·8 | 54·9 | 54·0 | ·85 | ·6 | 4·2 | ·000 | Calm. | Calm. |
| Monday, „ 23, | 30·151 | 61·1 | 50·0 | 55·6 | 56·3 | 53·7 | ·83 | ·5 | 0·0 | ·000 | Calm. | S. |
| Tuesday, „ 24, | 29·870 | 64·8 | 48·9 | 56·9 | 54·4 | 51·8 | ·84 | ·6 | 5·8 | ·000 | Calm. | Calm. |
| Wednesday, „ 25, | 29·616 | 66·4 | 50·8 | 58·6 | 56·9 | 55·8 | ·94 | ·5 | 1·6 | ·000 | N.E. | E.N.E. |
| Thursday, „ 26, | 29·001 | 62·0 | 51·0 | 56·5 | 58·5 | 57·8 | ·93 | ·0 | 0·2 | ·025 | N.E. | Calm. |
| Friday, „ 27, | 29·801 | 65·6 | 50·0 | 57·5 | 57·3 | 55·9 | ·92 | ·2 | 4·7 | ·000 | N.E. | Calm. |
| Saturday, „ 28, | 29·884 | 66·1 | 48·9 | 57·5 | 57·7 | 56·5 | ·92 | ·5 | 4·5 | ·000 | N.N.E. | Calm. |
| Mean, . . | 29·903 | 64·4 | 49·4 | 56·9 | 56·6 | 55·1 | ·89 | ·4 | Total 21·0 | Total ·025 | — | |

*Sunday*—Day cloudy. fine; night cloudy, ground fog. *Monday*—Day overcast, fine; night cloudy. *Tuesday*—Day cloudy, fine; night clear. *Wednesday*—Overcast a.m., cloudy p.m.; night overcast. *Thursday*—Fine day but overcast; night cloudy. *Friday*—Cloudy day, fine; night clear. *Saturday*—Fine day, cloudy; night cloudy.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, September 28th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Sept. 22, | 60·0 | 57·4 | 56·5 | 66·0 | 52·2 | 59·1 | 4·0 | ·000 |
| Monday, „ 23, | 58·0 | 57·4 | 56·2 | 62·0 | 55·3 | 58·7 | 0·0 | ·000 |
| Tuesday, „ 24, | 60·1 | 56·9 | 56·4 | 67·3 | 51·4 | 59·4 | 4·0 | ·000 |
| Wednesday, „ 25, | 58·3 | 56·9 | 56·3 | 66·1 | 52·2 | 59·2 | 1·4 | ·000 |
| Thursday, „ 26, | 63·5 | 57·3 | 56·3 | 65·1 | 55·4 | 60·3 | 1·7 | ·000 |
| Friday, „ 27, | 61·4 | 57·7 | 56·1 | 65·5 | 56·8 | 61·2 | 4·0 | ·000 |
| Saturday, „ 28, | 60·8 | 57·6 | 56·1 | 66·7 | 54·9 | 60·8 | 5·4 | ·001 |
| Weekly Mean, . | 60·3 | 57·3 | 56·3 | 65·5 | 54·0 | 59·8 | Total 20·5 | Total ·001 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 118. 7. 1907.—18878.

*OFFICIAL.*

# UARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN THE

# DUBLIN REGISTRATION AREA,

## AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

*Containing Special Tables relating to Cerebro-spinal Fever in Belfast.*

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & Co. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

*Price* 1½*d.*

OL. XLIV.] QUARTER ENDING SATURDAY, 28TH SEPTEMBER, 1907. [No. 39A.

**DUBLIN REGISTRATION AREA.—Births.**—In the Dublin Registration Area, ıich consists of the city of Dublin and the urban districts of Rathmines and Rathgar, embroke, Blackrock, and Kingstown, the total area thereof being 13,757 atute acres, and the population estimated to the middle of 1907, 390,691, ere were registered during the thirteen weeks ended on Saturday, 28th ptember, 1907, 2,812 births—1,397 boys and 1,415 girls—being equal to an annual tio of 1 in 34·7, or 28·8 in every 1,000 of the population.

The number of births registered in the city was 2,408, equivalent to an annual te of 32·0 in every 1,000 of the population; and in the urban districts named ove, 404, equal to an annual rate of 18·0 in every 1,000 of the population.

There were registered in London during the same period 29,914 births—being equal an annual birth-rate of 25·1 in every 1,000 of the estimated population; in Glasgow ere were registered 5,844, being equal to 27·6 per 1,000; and in Edinburgh, 1,806 a number affording an annual birth-rate of 20·9 in every 1,000 of the estimated pulation.

**Deaths.**—The number of deaths registered in the Dublin Registration Area during e quarter was 1,897—910 males and 987 females—affording an annual ratio 1 in 51·5, or 19·4 in every 1,000 of the estimated population; omitting the deaths 5) of persons admitted into Public Institutions from localities outside the Area, e rate was 18·7 per 1,000. The annual mortality represented by the deaths gistered during the third quarter of the ten years, 1897–1906, in the Dublin gistration Area as then constituted, was 22·3 per 1,000 of the estimated mean pulation of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 744, representing an annual mortality of 19·3 in every 1,000 of the population; and the number in the South City districts was 753, equivalent to a rate of 20·5 per 1,000. In the urban districts the number of deaths registered was 325, being equal to an annual death-rate of 14·5 in every 1,000.

The number of deaths registered in London during the same period was 14,344—a number equal to an annual rate of mortality of 12·1 in every 1,000 of the inhabitants; in Glasgow the number was 3,045, equal to 14·4 in every 1,000; and in Edinburgh, 1,152, affording an annual death-rate of 13·3 in every 1,000 of the estimated population.

**Diseases.**—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 189, being 15 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·9, being 0·2 below the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from the diseases which occurred in the corresponding period of the 10 years, 1897–1906:—

| Names of Diseases. | No. of Deaths in September Quarter, 1907. | Average No. of Deaths in Sept. Quarters, 1897–1906. |
|---|---|---|
| Small-pox, | — | — |
| Measles, | 43 | 42 |
| Scarlet Fever, | 4 | 10 |
| Typhus, | 3 | 1 |
| Whooping-cough, | 41 | 28 |
| Diphtheria, | 11 | 12 |
| *Pyrexia* (origin uncertain), | 1 | 2 |
| Enteric Fever, | 10 | 27 |
| Diarrhœal Diseases, | 76 | 230 |

*Small-pox.*—During the period under notice there was no record of death from small-pox, neither was there any report of the existence of the disease in the Dublin Registration Area.

*Measles.*—The number of deaths from measles during the period under notice was 43, corresponding to an annual rate of 0·44 per 1,000 of the estimated population of the Area, and almost the same as the average (42) for the corresponding period of the 10 years 1897–1906. Of the deaths, 18 appertained to the city districts of Dublin and 25 to the urban districts; of the latter figure 19 were deaths of residents of Kingstown urban district. From Table I. it appears that 62 cases were under treatment in Dublin hospitals at the close of the preceding quarterly period, that 97 cases were admitted during the period under notice, that 7 deaths occurred in hospital, and that 17 cases of measles were under treatment at the close of the quarter.

*Scarlet Fever.*—Of 4 deaths which were registered from scarlet fever one was of a person admitted from without the Area to a hospital. The number of deaths is well below the average (10) for the corresponding period in the 10 years preceding. From the hospital statistics, as shown in Table I., it appears that of 131 cases treated during the quarter, 93 were discharged, 3 died, 35 remained under treatment in

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*), page 646.

hospitals, and 8 were in Beneavin (the convalescent home of Cork-street Fever Hospital) at the close of the quarter. The deaths from scarlet fever registered in each of the three preceding quarterly periods were 4, 3, and one.

*Typhus.*—There were 3 deaths from typhus; 16 patients were under treatment in Dublin hospitals during the quarter, 7 were discharged, and 6 remained under treatment on the 28th September—the close of the period.

*Whooping-cough.*—Deaths from whooping-cough, which in the December quarter of 1906 numbered 32, rose to 65 in the March quarter of the present year, and further increased to 102 in the succeeding period, but declined in the quarterly period under review to 41 deaths. The latter figure represents an annual death-rate from this disease of 0·42 per 1,000 of the population, and is in excess of the average (28) for the corresponding period of the preceding 10 years. Of the deaths, 31 appertained to the city districts of Dublin and 10 to the urban districts, 7 of the latter having been returned for Pembroke urban district.

*Diphtheria.*—It appears from the Registrars' returns that there were 11 deaths from diphtheria, as against 16, 8, and 10 in each of the three preceding quarterly periods, and an average of 12 deaths in the corresponding period in the 10 years preceding. From Table I. it may be gathered that 89 cases of this disease were treated in the Dublin hospitals, 64 were discharged, there were 9 deaths, and that 16 cases remained in hospitals at the end of the period. Of the 11 deaths, 4 appertained to the North City districts, 6 to the South City districts, and one to the urban district of Rathmines and Rathgar.

*Enteric Fever.*—As in the previous quarterly period, the deaths from enteric fever are below the average, being 10 in number, and the average for the corresponding quarter in the past 10 years, 27. Deaths from enteric fever in the three preceding quarters were 20, 8, and 5, respectively. A reference to the hospital table on page 644 shows that 99 cases of enteric fever were treated, 57 were discharged, there were 6 deaths, and that 36 persons were under treatment for this disease at the time the returns for the last week of the quarter were forwarded. Of the 10 deaths, 6 belonged to the North City districts, 3 to the South City districts, and one to the urban district of Rathmines and Rathgar.

*One death from pyrexia (origin uncertain) was returned.*

*Diarrhœal Diseases.*—The mortality from diarrhœal diseases shows a remarkable decline from the average, which has been remarked upon in the Quarterly Return for the whole of Ireland for the period under notice. The number of deaths registered in the area was 76, the average for the corresponding period of the past 10 years being 230. The 76 deaths represent an annual rate of 0·78 per 1,000, and the average is equal to a rate of 2·45 per 1,000 on the mean average population of the Dublin Registration Area for the previous 10 years. Of the 76 deaths, 69 appertained to the city districts; of these 15 were of South City No. 3 District, 13 were of North City No. 1, W., and 10 were of No. 4 South City District. Of the 7 deaths appertaining to the urban districts, 2 were of Rathmines and Rathgar, 2 of Pembroke urban district, and 3 of Kingstown. In Blackrock urban district not one death from diarrhœal disease was recorded.

*Influenza.*—There were 11 deaths directly attributed to influenza, the average for the corresponding quarter of the past 10 years being 9, and in each of the three quarterly periods preceding that under notice, 28, 56, and 43 deaths from this disease were registered in the Dublin Registration Area.

*Cerebro-spinal Fever.*—This disease, which has for some time been existing as an epidemic in Belfast, Edinburgh, and Glasgow, caused the deaths of five persons in the Area during the September quarter now under notice; in the three preceding quarters such deaths were 0, 13, and 22, respectively.

*Pneumonia.*—Under the general heading Pneumonia the deaths from lobar pneumonia, broncho-pneumonia, and *pneumonia* (not defined) are classified. In the aggregate these deaths amounted to 120, namely, from lobar pneumonia 6 deaths, from broncho-pneumonia 50 deaths, and from *pneumonia* (not defined) 64 deaths.

The total 120 is equal to an annual death-rate of 1·23 per 1,000 of the estimated population of the Area.

*Tuberculous Disease.*—It is worthy of observation that the mortality from the general diseases, which has been commented on in the previous paragraphs, and which includes the deaths from the principal epidemic diseases, amounts in the aggregate to 325 deaths; during the same period tuberculous disease in its various forms carried off 380 victims, or a number corresponding to an annual rate of 3·9 per 1,000 of the population of the Area. The above total comprises 102 deaths from tuberculous phthisis, 142 deaths returned as from *phthisis*, 52 deaths from tuberculous meningitis, 11 deaths from tuberculous peritonitis, 6 deaths from *tabes mesenterica*, 65 deaths from other forms of the disease, and 2 deaths from *scrofula*. In the portion of the county borough of Dublin situate in North Dublin Union, the death-rate for all forms of tuberculous disease was 3·9 per 1,000, and for tuberculous phthisis (*phthisis*) it was 2·7 per 1,000. In the portion of the county borough of Dublin situate in South Dublin Union the corresponding rates were 4·5 per 1,000 and 2·5 per 1,000, respectively, and in the urban district they were 2·0 per 1,000, and 1·6 per 1,000 of the aggregate population of the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown.

*Malignant Diseases.*—Under the general heading Malignant Diseases, there were 43 deaths assigned to carcinoma, 1 to sarcoma, and 52 to cancer, malignant disease (undefined).

*Premature Birth.*—The deaths of 41 infants prematurely born were registered.

*Diseases of the Brain and Nervous System.*—The deaths from this group of diseases numbered 135, and include 47 deaths from *convulsions* of children under 5 years of age.

*Diseases of the Heart and Blood Vessels.*—The deaths from diseases of the circulatory organs numbered 277.

*Diseases of the Respiratory System.*—Of 187 deaths from diseases of the respiratory system, 169 were due to bronchitis. The total (187) represents an annual death-rate of 1·91 per 1,000 of the estimated population of the Area.

*Accidental Deaths.*—There were 46 deaths attributed to accidental causes; of these 8 were due to drowning, and 8 to suffocation in bed of infants under one year of age, 4 deaths resulted from accidents with vehicles and horses, 3 were caused by burns (2 of this latter figure were deaths of children under 5 years of age), and 2 deaths by railway accidents.

*Homicide.*—During the period under notice 2 deaths were registered of a homicidal character.

*Suicide.*—In 3 instances life was terminated by suicide.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) **ended Saturday, 28th September, 1907.**

| DISEASES. | No. of Cases in Hospital at close of previous quarter. | No. admitted during quarter. | Dis-charged. | Died. | No. under treatment on above date. |
|---|---|---|---|---|---|
| Small-pox, | . | . | . | . | . |
| Measles, | 62 | 97 | 135 | 7 | 17 |
| Scarlet Fever, | 51 | 80 | 93 | 3 | 35* |
| Typhus, | 3 | 13 | 7 | 3 | 6 |
| Diphtheria, | 19 | 70 | 64 | 9 | 16 |
| Enteric Fever, | 30 | 69 | 57 | 6 | 36 |
| Pneumonia, | 33 | 111 | 99 | 14 | 31 |

In 58 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 58 cases, 36 (or 62·1 per cent.) were deaths

* Exclusive of 8 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

of children under 5 years of age: these 36 deaths form 5·9 per cent. of the total number of deaths of children of that age. Of the deaths of 109 infants under one month old registered, there were 19 (or 17·4 per cent.) regarding which the cause was uncertified.

From Table II., on pages 644*b* and 644*c*, it will be seen that, excluding 75 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,822, equal to an annual rate of 18·7 per 1,000 of the estimated population, and that 188 of these deaths, representing an annual rate of 1·9 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 19·9 per 1,000, and for the urban districts 14·5 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·9, and in the urban districts 2·0, the rates for the several districts varying from 0·0 in Blackrock District, to 5·4 in Kingstown, the 83 deaths from all causes in that district including 19 from measles, 2 from whooping-cough, and 3 from diarrhœal diseases.

**Occupations.**—Table III., on pages 644*d* and 645, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 13·8 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 12·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 15·7; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 28·4.

**Ages.**—Of the 1,897 persons whose deaths were registered in the Dublin Registration Area during the quarter, 612 were under 5 years of age, including 396 infants under one year of age, representing a rate of 140·8 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 64·2 in every 1,000 children at that age (according to the Census of 1901); 143 were between the ages of 5 and 20, representing an annual rate of 5·4 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 20·8 per 1,000 of the population at that age (according to the Census of 1901); 285, or 8·4 per 1,000 persons, were between 20 and 40; 394, or 23·0 per 1,000, between 40 and 60; 397, or 65·4 per 1,000, between 60 and 80; 66 or 138·7 per 1,000, were aged 80 and upwards, including 7 persons aged 90 and upwards.

*Public Institutions.*—Of the 1,897 deaths recorded during the quarter, 784, or 41·3 per cent., occurred in public institutions, viz., 416 in the various hospitals, prisons, and lunatic asylums; 159 in the North Dublin Union Workhouse; 198 in the South Dublin Union Workhouse; and 11 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

**Weather.**—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 56·7°. At Greenwich for the quarter, it was 58·9°; at Glasgow, 56·3°; and at Edinburgh, 54·5°.

The rainfall at Dublin during the thirteen weeks measured 5·477 inches; at Greenwich, 3·77 inches; at Glasgow, 9·62 inches; and at Edinburgh, 7·30 inches.

* See note (*), page 646.

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 28th September, 1907,** the number
AREA, the annual Rate per 1,000 of the Population of the respective Districts represented
the principal causes; also the Deaths by certain age-periods, and the number of Uncertified
*were admitted.*

| REGISTRARS' DISTRICTS, &c. | POPULATION, ESTIMATED TO MIDDLE OF 1907.* | QUARTER (13 WEEKS) ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS: FROM ALL CAUSES. | FROM DISEASES IN COLS. 11-13. | TOTAL DEATHS. | DEATHS: Infants under 1 year of Age. | 1 and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | Persons aged 60 years and upwards. | CAUSED BY: Small-pox. | Measles. | Scarlet Fever. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) |
| **North City.** | | | | | | | | | | | | | |
| NORTH CITY, No. 1, E., | 29,016 | 17·4 | 1·2 | 126 | 28 | 12 | 10 | 19 | 29 | 28 | . | . | . |
| ,, 1, W. | 39,146 | 21·3 | 2·6 | 208 | 50 | 27 | 12 | 34 | 51 | 34 | . | 4 | 1 |
| ,, 2, | 30,107 | 25·2 | 1·5 | 190 | 45 | 22 | 16 | 28 | 40 | 39 | . | 3 | . |
| ,, 3, | 32,422 | 18·0 | 1·7 | 146 | 44 | 8 | 11 | 22 | 35 | 26 | . | 1 | . |
| CLONTARF AND HOWTH, No. 1, part of, | 5,116 | 10·2 | 1·6 | 13 | 1 | 2 | 2 | 2 | 3 | 3 | . | . | . |
| COOLOCK AND DRUMCONDRA, No. 1, part of, | 10,991 | 14·6 | 0·7 | 40 | 5 | 6 | 2 | 4 | 12 | 11 | . | 1 | . |
| FINGLAS AND GLASNEVIN, part of, | 7,223 | 11·6 | 1·1 | 21 | 3 | 1 | 5 | 3 | . | 9 | . | 1 | . |
| **South City.** | | | | | | | | | | | | | |
| SOUTH CITY, No. 1, | 40,002 | 19·5 | 1·8 | 195 | 55 | 15 | 10 | 29 | 41 | 45 | . | 4 | . |
| ,, 2, | 20,589 | 19·0 | 1·7 | 98 | 16 | 12 | 9 | 17 | 25 | 19 | . | . | . |
| ,, 3, | 42,209 | 23·6 | 2·8 | 249 | 54 | 36 | 19 | 31 | 50 | 59 | . | 4 | 1 |
| ,, 4, | 35,138 | 20·1 | 2·2 | 177 | 40 | 17 | 14 | 32 | 34 | 40 | . | . | . |
| NEW KILMAINHAM, | 8,891 | 15·3 | 0·9 | 34 | 9 | 4 | 2 | 4 | 4 | 11 | . | . | . |
| **Urban Districts.** | | | | | | | | | | | | | |
| RATHMINES AND RATHGAR, | 35,606 | 15·1 | 0·7 | 134 | 21 | 10 | 9 | 16 | 21 | 57 | . | . | 1 |
| PEMBROKE, | 27,854 | 11·3 | 2·2 | 79 | 16 | 16 | 4 | 11 | 14 | 18 | . | 6 | . |
| BLACKROCK, | 8,759 | 13·2 | . | 29 | 3 | 1 | . | 6 | 7 | 12 | . | . | . |
| KINGSTOWN, | 17,622 | 18·8 | 5·4 | 83 | 5 | 23 | 8 | 7 | 10 | 30 | . | 19 | . |
| **Total City,** North, | 154,021 | 19·3 | 1·7 | 744 | 176 | 78 | 58 | 112 | 170 | 150 | . | 10 | 1 |
| **Total City,** South, | 146,829 | 20·5 | 2·1 | 753 | 174 | 84 | 54 | 113 | 154 | 174 | . | 8 | 1 |
| **Total City,** North & South, | 300,850 | 19·9 | 1·9 | 1,497 | 350 | 162 | 112 | 225 | 324 | 324 | . | 18 | 2 |
| **Total Urban Districts,** | 89,841 | 14·5 | 2·0 | 325 | 45 | 50 | 21 | 40 | 52 | 117 | . | 25 | 1 |
| **Total Registration Area,** | 390,691 | 18·7 | 1·9 | 1,822 | 395 | 212 | 133 | 265 | 376 | 441 | . | 43 | 3 |
| Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), | | | | 75 | 1 | 4 | 10 | 20 | 18 | 22 | . | . | 1 |

* See note (*) on page 647

of Deaths of Residents of the several Registrars' Districts in the Dublin Registration hereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

ended 28th September, 1907.

| Deaths. Caused by: Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia* † (origin uncertain) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Number of Unascertained Deaths. | Registrars' Districts, &c. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | |
| | | | | | | | | | | | | | **North City.** |
| . | 3 | . | . | 1 | 5 | 8 | 18 | 7 | 5 | 8 | 5 | 2 | North City, No. 1, E. |
| . | 4 | 1 | . | 2 | 13 | 13 | 28 | 11 | 5 | 32 | 6 | 10 | ,, 1, W. |
| . | 3 | 2 | . | 1 | 2 | 16 | 28 | 12 | 8 | 18 | 8 | 3 | ,, 2. |
| . | 4 | . | . | 1 | 8 | 8 | 21 | 14 | 11 | 13 | 3 | 3 | ,, 3. |
| . | . | 1 | . | 1 | . | . | 1 | . | 2 | 2 | . | . | Clontarf and Howth, No. 1, part of. |
| . | . | . | . | . | 1 | 2 | 4 | 2 | 6 | 3 | . | 3 | Coolock and Drumcondra, No. 1, part of. |
| . | . | . | . | . | 1 | 1 | 5 | 1 | 3 | 1 | . | . | Finglas and Glasnevin, part of. |
| | | | | | | | | | | | | | **South City.** |
| 1 | 2 | 3 | . | 1 | 7 | 9 | 29 | 15 | 7 | 15 | 2 | 2 | South City, No. 1. |
| . | 1 | . | . | 1 | 7 | 7 | 15 | 11 | 3 | 12 | . | 5 | ,, 2 |
| . | 8 | 2 | . | . | 15 | 19 | 17 | 34 | 10 | 25 | . | 3 | ,, 3. |
| 2 | 4 | 1 | 1 | 1 | 10 | 12 | 28 | 12 | 4 | 32 | 9 | 9 | ,, 4. |
| . | 2 | . | . | . | . | 3 | 4 | 1 | . | 5 | 3 | 5 | New Kilmainham. |
| | | | | | | | | | | | | | **Urban Districts.** |
| . | 1 | 1 | . | 1 | 2 | 7 | 14 | 4 | 9 | 8 | 5 | 7 | Rathmines and Rathgar. |
| | 7 | . | . | . | 2 | 6 | 6 | 5 | 5 | 7 | 1 | 1 | Pembroke. |
| . | . | . | . | . | . | 4 | 6 | . | 3 | 1 | 1 | 1 | Blackrock. |
| . | 2 | . | . | . | 3 | 2 | 9 | 2 | 9 | 2 | 3 | 4 | Kingstown. |
| . | 14 | 4 | . | 6 | 30 | 48 | 105 | 47 | 40 | 77 | 22 | 21 | **North.** } **Total City.** |
| 3 | 17 | 6 | 1 | 3 | 39 | 50 | 93 | 73 | 24 | 89 | 14 | 24 | **South.** } **Total City.** |
| 3 | 31 | 10 | 1 | 9 | 69 | 98 | 198 | 120 | 64 | 166 | 36 | 45 | **North & South.** } **Total City.** |
| . | 10 | 1 | . | 1 | 7 | 19 | 35 | 11 | 26 | 18 | 10 | 13 | **Total Urban Districts.** |
| 3 | 41 | 11 | 1 | 10 | 76 | 117 | 233 | 131 | 90 | 184 | 46 | 58 | **Total Registration Area.** |
| . | . | . | . | . | . | 3 | 11 | 5 | 6 | 3 | 5 | . | |

* See note (*) on page 646. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS OF SOCIAL **Quarter** (13 weeks) **ending Saturday, 28th September, 1907**; the Annual Rate the Number from some of the Principal Causes of Death; also the number of Uncertified Deaths.

| Class. | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Registration of Deaths, Quarter: Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) |
| | **ALL PERSONS,** | 375,350 | 20·2 | 1,897 | 612 | 143 | 285 | 394 | 397 | 66 |
| | CLASSES. | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 13·8 | 60 | 7 | . | 6 | 10 | 29 | 8 |
| II. | MIDDLE CLASS, | 87,188 | 12·1 | 264 | 50 | 27 | 44 | 60 | 62 | 21 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 15·7 | 433 | 132 | 41 | 66 | 103 | 78 | 13 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 28·4 | 772 | 367 | 61 | 109 | 121 | 101 | 13 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 368 | 56 | 14 | 60 | 100 | 127 | 11 |
| I. | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | |
| | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 22·6 | 44 | 7 | . | 4 | 9 | 18 | 6 |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 6·3 | 2 | . | . | . | 1 | 1 | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·7 | 14 | . | . | 2 | . | 10 | 2 |
| II. | MIDDLE CLASS. | | | | | | | | | |
| | 4. General Body of Officials—Civil Service, Banking, &c. | 7,712 | 13·0 | 25 | 8 | 5 | . | 3 | 7 | 2 |
| | 5. Traders (except Petty Shopkeepers), Business Managers, &c., | 22,016 | 11·3 | 62 | 14 | 4 | 7 | 20 | 12 | 5 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 11·3 | 86 | 20 | 9 | 29 | 20 | 8 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities, not included in above, | 27,028 | 13·5 | 91 | 8 | 9 | 8 | 17 | 35 | 14 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | |
| | 8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers, | 9,874 | 10·9 | 27 | 10 | 3 | 3 | 5 | 6 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 19·1 | 142 | 55 | 11 | 20 | 32 | 21 | 3 |
| | 10. Clothing Trades, | 23,260 | 11·3 | 66 | 14 | 10 | 11 | 16 | 11 | 4 |
| | 11. Food Supply Trades, | 9,242 | 9·5 | 22 | 11 | 3 | 1 | 3 | 4 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 19·8 | 150 | 32 | 14 | 28 | 42 | 29 | 5 |
| | 13. Petty Shopkeepers, | 7,894 | 13·2 | 26 | 10 | . | 3 | 5 | 7 | 1 |
| IV. | GENERAL SERVICE CLASS. | | | | | | | | | |
| | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 14·6 | 49 | 14 | 3 | 6 | 13 | 10 | 3 |
| | 15. Domestic Servants, | 36,603 | 7·1 | 65 | 15 | 6 | 16 | 10 | 16 | 2 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 78 | 41 | 6 | 12 | 12 | 6 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 25·8 | 580 | 297 | 46 | 75 | 86 | 69 | 7 |
| V. | INMATES OF WORKHOUSES. | | | | | | | | | |
| | 18. Workhouse Inmates, | 6,024 | . | 368 | 56 | 14 | 60 | 100 | 127 | 11 |

Position of the Persons whose Deaths were registered in the Dublin Registration Area during the
represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

(13 WEEKS) ENDING SATURDAY, 28th SEPTEMBER, 1907.

| Causes of Death. | | | | | | | | | | | | | | | | | | | Class and Order. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Total. Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Other Causes. | Number of Uncertified Deaths. | |
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | |
| . | 43 | 4 | 3 | 41 | 11 | 1 | 10 | 76 | 189 | 120 | 244 | 136 | 96 | 47 | 187 | 51 | 827 | 58 | |
| . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 5 | . | 4 | . | 1 | 3 | 44 | 1 | I. |
| . | 5 | . | . | 5 | 1 | 1 | 4 | 10 | 26 | 15 | 29 | 13 | 19 | 4 | 16 | 8 | 134 | 4 | II. |
| . | 9 | 2 | . | 11 | 2 | . | 3 | 17 | 44 | 31 | 66 | 30 | 25 | 11 | 28 | 12 | 186 | 14 | III. |
| . | 29 | 2 | 3 | 24 | 8 | . | 3 | 41 | 110 | 59 | 69 | 71 | 28 | 31 | 79 | 27 | 298 | 39 | IV. |
| . | . | . | . | . | . | . | . | 7 | 7 | 14 | 75 | 22 | 20 | 1 | 63 | 1 | 165 | . | V. |
| | | | | | | | | | | | | | | | | | | | I. |
| . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 5 | . | 2 | . | 1 | 2 | 31 | 1 | 1 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 11 | . | 3 |
| | | | | | | | | | | | | | | | | | | | II. |
| . | . | . | . | 2 | 1 | . | . | . | 3 | 1 | . | 2 | 1 | . | 1 | 1 | 16 | . | 4 |
| . | 1 | . | . | 1 | . | . | 2 | 2 | 6 | 2 | 3 | 3 | 8 | 4 | 5 | 2 | 29 | 1 | 5 |
| . | 4 | . | . | 1 | . | 1 | . | 5 | 11 | 7 | 15 | 4 | 5 | . | 3 | 3 | 38 | 2 | 6 |
| . | . | . | . | 1 | . | . | 2 | 3 | 6 | 5 | 11 | 4 | 5 | . | 7 | 2 | 51 | 1 | 7 |
| | | | | | | | | | | | | | | | | | | | III. |
| . | . | 1 | . | 1 | . | . | . | 1 | 3 | 2 | 2 | 4 | 2 | 2 | 1 | 1 | 10 | . | 8 |
| . | 3 | 1 | . | 4 | 1 | . | 1 | 8 | 18 | 11 | 21 | 7 | 5 | 4 | 9 | 6 | 61 | 8 | 9 |
| . | 1 | . | . | 2 | 1 | . | . | 2 | 6 | 4 | 12 | 5 | 5 | 2 | 7 | . | 25 | . | 10 |
| . | 2 | . | . | . | . | . | . | 2 | 4 | 1 | 1 | 3 | . | . | 2 | 1 | 10 | 1 | 11 |
| . | 2 | . | . | 1 | . | . | 2 | 3 | 8 | 12 | 27 | 10 | 11 | 2 | 8 | 3 | 69 | 4 | 12 |
| . | 1 | . | . | 3 | . | . | . | 1 | 5 | 1 | 3 | 1 | 2 | 1 | 1 | 1 | 11 | 1 | 13 |
| | | | | | | | | | | | | | | | | | | | IV. |
| . | . | . | . | 2 | . | . | . | . | 2 | . | 3 | 5 | 3 | 1 | 10 | 3 | 22 | 1 | 14 |
| . | . | . | . | 2 | . | . | . | 2 | 4 | 5 | 4 | 4 | 4 | 3 | 4 | 2 | 35 | 3 | 15 |
| . | 2 | . | 1 | 4 | 2 | . | . | 3 | 12 | 10 | 6 | 6 | 1 | 5 | 5 | 6 | 27 | 6 | 16 |
| | 27 | 2 | 2 | 16 | 6 | . | 3 | 36 | 92 | 44 | 56 | 56 | 20 | 22 | 60 | 16 | 214 | 29 | 17 |
| . | . | . | . | . | . | . | . | 7 | 7 | 14 | 75 | 22 | 20 | 1 | 63 | 1 | 165 | . | V. 18 |

*Formerly described as "Simple Continued Fever."

**Twenty-two Principal Town Districts of Ireland.**—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-one of the principal Urban Districts of Ireland (exclusive of deaths in Public Institutions of persons admitted from without the districts), was 16·8 per 1,000 persons, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Sligo, 9·9 ; Lisburn, 11·5 ; Dundalk, 12·8 ; Tralee, 13·4 ; Armagh, 13·7 ; Drogheda, 13·8 ; Portadown, 14·7 ; Clonmel, 14·9 ; Limerick, 15·0 ; Londonderry, 15·3 ; Ballymena, 15·4 ; Kilkenny, 15·5 ; Galway, 15·8 ; Belfast, 15·9 ; Wexford, 16·1 ; Waterford, 16·4 ; Newtownards, 16·7 ; Newry, 16·8 ; Cork, 17·3 ; Lurgan, 18·7 ; Dublin Registration Area, 18·7 ; and Queenstown, 20·2.

The average annual rate represented by the deaths from the principal epidemic diseases* in the 22 districts is 1·4 per 1,000 of the population, the rates varying from 0·0 in four of the districts to 2·0 in Queenstown ; the 40 deaths from all causes registered in that district including one from whooping-cough and 3 from diarrhœal diseases. The 1,476 deaths from all causes for Belfast include 38 from measles, 3 from scarlet fever, 9 from whooping-cough, 8 from diphtheria, 13 from enteric fever, and 49 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases* in the *twenty-one provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

*Small-pox.*—There was no death from this disease during the quarter.

*Measles.*—Of 39 deaths from measles, 38 occurred in Belfast, and one in Waterford.

*Scarlet Fever.*—The 9 deaths include 3 for Belfast, 2 each for Cork and Waterford, and one death each for Londonderry and Drogheda.

*Typhus.*—One death from typhus was registered in Cork.

*Whooping-cough.*—There were 9 deaths from whooping-cough registered in Belfast, 5 in Limerick, 4 in Lurgan, 2 in Londonderry, and one each in Cork, Newtownards, and Queenstown.

*Diphtheria.*—Deaths from this disease in Belfast numbered 8, in Galway 2, and in Limerick, Dundalk, and Wexford one death each.

*Enteric Fever.*—In Belfast 13 deaths from enteric fever were registered, and in each of Londonderry and Lisburn one death.

*There were 2 deaths returned from pyrexia (origin uncertain) for Galway.*

*Diarrhœal Diseases.*—Of the 99 deaths from diarrhœal diseases, 49 were registered in Belfast, 16 in Cork, 9 in Waterford, and 6 in Londonderry.

---

*Cerebro-spinal Fever.*—Four Tables, giving detailed information concerning the mortality from the epidemic of cerebro-spinal fever in Belfast for the quarter (13 weeks) ending 28th September, 1907, are appended to this report, and commence at page 648A. Table A gives the total number of deaths registered weekly in each district of Belfast, also the total number of cases notified for the whole of Belfast. Table B gives the ages and sexes of the decedents for each district of Belfast. Table C gives the occupation or social position, also by ages and sexes ; and Table D gives information regarding the duration of the illness of those persons who died, also by ages and by sexes.

The revision of the mortality returns of Belfast shows that 70 deaths from cerebro-spinal fever were registered during the period under notice. From returns supplied by Dr. Bailie it appears that 54 cases of the disease were notified to the Public Health Committee of the Corporation of Belfast during the above period.

---

*Phthisis.*—The death-rate from phthisis for the 22 towns in the aggregate, was 2·2 per 1,000 of the population ; for the Dublin Registration Area it was 2·4 per 1,000, for Belfast County Borough 1·9 per 1,000, and for the Urban Districts, collectively, (exclusive of Belfast and Dublin Registration Area) it was 2·3 per 1,000.

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertain) enteric fever, and diarrhœal diseases.

and in each of the undermentioned Twenty-one Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other localities), with the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

| TOWNS AND DISTRICTS. | Census Statistics of Districts.* Population. Total | Population. Per sons to an Acre. | Registration—Quarter (13 Weeks) ending Saturday, 28th September, 1907. Annual Rate per 1,000 persons represented by: Births. | Deaths. From all Causes. | Deaths. From Diseases in col's. 10–18. | Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia† (origin uncertain) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 28·3 | 16·8 | 1·4 | 7,893 | 4,689 | 894 | 1,168 | . | 82 | 12 | 4 | 64 | 24 | 3 | 25 | 175 | 251 | 618 | 321 | 232 | 449 | 99 | 140 | 1,489 | 168 |
| DUBLIN REGISTRATION AREA: | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL . . . | 390,691 | 28·4 | 28·8 | 18·7 | 1·9 | 2,812 | 1,822 | 395 | 441 | . | 43 | 3 | 3 | 41 | 11 | 1 | 10 | 76 | 117 | 233 | 131 | 90 | 184 | 46 | 58 | 709 | 58 |
| CITY OF DUBLIN, . . | 300,850 | 38·0 | 32·0 | 19·9 | 1·9 | 2,408 | 1,497 | 350 | 324 | . | 18 | 2 | 3 | 31 | 10 | 1 | 9 | 69 | 98 | 198 | 120 | 64 | 166 | 36 | 48 | 630 | 45 |
| Urban Districts. RATHMINES & RATHGAR, | 35,606 | 20·8 | 17·6 | 15·1 | 0·7 | 157 | 134 | 21 | 57 | . | . | 1 | . | 1 | 1 | . | 1 | 2 | 7 | 14 | 4 | 9 | 8 | 5 | 4 | 36 | 7 |
| PEMBROKE, . . | 27,854 | 17·5 | 20·1 | 11·3 | 2·2 | 140 | 79 | 16 | 18 | . | 6 | . | . | 7 | . | . | . | 2 | 6 | 6 | 5 | 5 | 7 | 1 | 3 | 20 | 1 |
| BLACKROCK, . . | 8,759 | 8·1 | 11·4 | 13·2 | . | 25 | 29 | 3 | 12 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 3 | 1 | 1 | 1 | 7 | 1 |
| KINGSTOWN, . . | 17,622 | 12·1 | 18·6 | 18·8 | 5·4 | 82 | 83 | 5 | 30 | . | 19 | . | . | 2 | . | . | . | 3 | 2 | 9 | 2 | 9 | 2 | 3 | 2 | 16 | 4 |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST, . . . . | 370,163 | 25·2 | 29·6 | 15·9 | 1·3 | 2,737 | 1476‡ | 302 | 312 | . | 38 | 3 | . | 9 | 8 | . | 13 | 49 | 98 | 178 | 103 | 56 | 146 | 33 | 50 | 370 | 20 |
| CORK, . . . . | 76,122 | 33·6 | 24·7 | 17·3 | 1·1 | 470 | 329 | 42 | 83 | . | . | 2 | 1 | 1 | . | . | . | 16 | 11 | 59 | 18 | 22 | 26 | 3 | 9 | 149 | 14 |
| LONDONDERRY, . . . | 42,475 | 19·6 | 28·0 | 15·3 | 0·9 | 297 | 163 | 27 | 42 | . | . | 1 | . | 2 | . | . | 1 | 6 | 1 | 22 | 12 | 13 | 18 | . | 3 | 32 | 4 |
| LIMERICK, . . . | 38,151 | 18·1 | 31·3 | 15·0 | 0·8 | 299 | 143 | 21 | 29 | . | . | . | . | 5 | 1 | . | . | 2 | 8 | 22 | 9 | 11 | 18 | 1 | 3 | 48 | 19 |
| WATERFORD, . . . | 26,769 | 18·7 | 24·4 | 16·4 | 1·8 | 163 | 110 | 13 | 34 | . | 1 | 2 | . | . | . | . | . | 9 | 1 | 16 | 11 | 5 | 7 | 2 | 2 | 39 | 2 |
| GALWAY, . . . . | 13,426 | 2·5 | 28·9 | 15·8 | 1·5 | 97 | 53 | 5 | 19 | . | . | . | . | . | 2 | 2 | . | 1 | 4 | 6 | 1 | 7 | 4 | 4 | 2 | 21 | 11 |
| DUNDALK, . . . | 13,076 | 9·4 | 21·1 | 12·8 | 0·3 | 69 | 42 | 6 | 13 | . | . | . | . | . | 1 | . | . | . | 2 | 6 | 2 | 5 | 3 | . | . | 14 | 2 |
| DROGHEDA, . . . | 12,760 | 8·6 | 24·8 | 13·8 | 0·9 | 79 | 44 | 3 | 15 | . | . | 1 | . | . | . | . | . | 2 | . | 8 | 2 | 1 | 4 | 1 | 1 | 10 | 2 |
| NEWRY, . . . . | 12,405 | 17·8 | 23·9 | 16·8 | . | 74 | 52 | 2 | 27 | . | . | . | . | . | . | . | . | . | . | 7 | 1 | 1 | 2 | 2 | 4 | 16 | 1 |
| LURGAN, . . . . | 11,782 | 13·8 | 32·2 | 18·7 | 1·7 | 95 | 55 | 8 | 14 | . | . | . | . | 4 | . | . | . | 1 | 1 | 5 | 5 | 5 | 3 | 1 | 1 | 13 | 1 |
| LISBURN, . . . . | 11,461 | 10·1 | 27·6 | 11·5 | 0·3 | 79 | 33 | 4 | 7 | . | . | . | . | . | . | . | 1 | . | . | 3 | 5 | 1 | 3 | . | 1 | 6 | . |
| WEXFORD, . . . | 11,168 | 23·2 | 28·3 | 16·1 | 0·4 | 79 | 45 | 7 | 12 | . | . | . | . | . | 1 | . | . | . | . | 10 | 7 | 3 | 3 | 1 | 1 | 4 | 5 |
| BALLYMENA, . . . | 10,886 | 8·9 | 25·7 | 15·4 | . | 70 | 42 | 6 | 18 | . | . | . | . | . | . | . | . | . | 1 | 8 | 1 | 3 | . | . | . | 8 | 5 |
| SLIGO, . . . . | 10,870 | 3·7 | 19·9 | 9·9 | 0·4 | 54 | 27 | 6 | 14 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 3 | 6 |
| KILKENNY, . . . | 10,609 | 11·5 | 26·4 | 15·5 | . | 70 | 41 | 7 | 22 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 8 | . | . | 17 | 3 |
| CLONMEL, . . . | 10,167 | 7·8 | 24·4 | 14·9 | 0·8 | 62 | 38 | 7 | 16 | . | . | . | . | . | . | . | . | 2 | . | 8 | 1 | . | 3 | . | . | 16 | 4 |
| PORTADOWN, . . . | 10,092 | 13·2 | 25·4 | 14·7 | 0·4 | 64 | 37 | 7 | 7 | . | . | . | . | . | . | . | . | 1 | 1 | 9 | 2 | 1 | 7 | 2 | 2 | . | 1 |
| TRALEE, . . . . | 9,867 | 16·6 | 27·6 | 13·4 | 1·2 | 68 | 33 | 8 | 8 | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | 2 | 1 | 1 | 2 | 4 | 1 |
| NEWTOWNARDS, . . . | 9,110 | 18·9 | 29·0 | 16·7 | 1·8 | 66 | 38 | 9 | 8 | . | . | . | . | 1 | . | . | . | 3 | 3 | 5 | 3 | 2 | 3 | 1 | 1 | 5 | 3 |
| QUEENSTOWN, . . . | 7,909 | 14·4 | 20·7 | 20·2 | 2·0 | 41 | 40 | 7 | 15 | . | . | . | . | 1 | . | . | . | 3 | 3 | 5 | 4 | 2 | 3 | . | . | . | 4 |
| ARMAGH, . . . . | 7,588 | 22·2 | 25·3 | 13·7 | . | 48 | 26 | 2 | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | 2 | 3 | 1 | . | 5 | 2 |

* The population given for the Dublin Registration Area, Belfast, and Londonderry, is that estimated to the middle of the year 1907; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

‡ Including 70 deaths from Cerebro-spinal Fever (revised number). See text on page 646.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 28th September, 1907,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | DEATHS. Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer. Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1.) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN, No. 1 DISTRICT, | 14,734 | 107 | The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 73 | 23 | 8 | 2 | 15 | 15 | 10 | . | . | . | . | 1 | 1 | . | 1 | 4 | 4 | 12 | 6 | 3 | 8 | 2 | 2 | 21 | 3 |
| " 2 " | 47,959 | 348 | | | 166 | 24 | 16 | 13 | 37 | 41 | 35 | . | 1 | . | . | . | 1 | . | 1 | 8 | 9 | 21 | 6 | 8 | 12 | . | 5 | 42 | . |
| " 3 " | 47,214 | 338 | | | 191 | 47 | 30 | 21 | 24 | 28 | 41 | . | 17 | 2 | . | . | 4 | . | 2 | 13 | 15 | 21 | 11 | 4 | 14 | 5 | 8 | 37 | 2 |
| " 4 " | 40,911 | 488 | | | 203 | 45 | 31 | 19 | 40 | 28 | 40 | . | 4 | . | . | 5 | 1 | . | 4 | 3 | 9 | 27 | 13 | 4 | 22 | 8 | 2 | 83 | 6 |
| " 5 " | 17,887 | 128 | | | 116 | 27 | 14 | 7 | 25 | 22 | 21 | . | 6 | . | . | . | . | . | . | 5 | 5 | 17 | 8 | 5 | 16 | 4 | 7 | 39 | 2 |
| " 6 " | 48,122 | 270 | | | 170 | 21 | 16 | 14 | 24 | 34 | 61 | . | . | . | . | . | . | . | . | 2 | 11 | 14 | 16 | 12 | 22 | 7 | 9 | 30 | 4 |
| " 7 " | 1,524 | 17 | | | 10 | 4 | . | 1 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 2 | . | 1 | 3 | . |
| " 8 " | 5,060 | 41 | | | 17 | 2 | 5 | . | 4 | 3 | 3 | . | . | . | . | 3 | . | . | . | . | . | . | 2 | . | 2 | . | . | 4 | . |
| " 9 " | 19,569 | 151 | | | 71 | 14 | 6 | 8 | 13 | 15 | 15 | . | . | . | . | . | . | . | . | 5 | 8 | 11 | 4 | 2 | 7 | 3 | 4 | 17 | 2 |
| " 10 " | 23,064 | 197 | | | 127 | 26 | 28 | 18 | 11 | 26 | 18 | . | 7 | 1 | . | . | 1 | . | 2 | 3 | 17 | 17 | 10 | 2 | 11 | . | 2 | 20 | . |
| " 11 " | 34,802 | 272 | | | 153 | 27 | 13 | 16 | 36 | 32 | 29 | . | 2 | . | . | . | . | . | . | 2 | 10 | 22 | 12 | 9 | 8 | 3 | 3 | 35 | . |
| " 12 " | 33,588 | 291 | | | 142 | 36 | 23 | 12 | 19 | 23 | 29 | . | 1 | . | . | . | . | . | 2 | 2 | 7 | 9 | 13 | 5 | 19 | 5 | 5 | 30 | 1 |
| " 13 " | 15,006 | 136 | | | 87 | 6 | 7 | 4 | 6 | 7 | 7 | . | . | . | . | . | . | . | 1 | 1 | 3 | 6 | 2 | 1 | 3 | 1 | 2 | 9 | . |
| " 14 " | 240 | 3 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 2,737 | | | 1,476† | 302 | 197 | 135 | 255 | 275 | 312 | . | 38 | 3 | . | 9 | 8 | . | 13 | 49 | 98 | 178 | 103 | 56 | 146 | 33 | 50 | 370 | 20 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN, No. 1 DISTRICT, | 12,867 | 69 | 19·6 | | 63 | 2 | 3 | 33 | | | 25 | . | . | . | . | . | . | . | . | . | 3 | 13 | 2 | 5 | 5 | 1 | 1 | 44 | 2 |
| " 2 " | 10,701 | 71 | 18·3 | 1·1 | 49 | 7 | 5 | 29 | | | 8 | . | . | 1 | . | . | . | . | . | 2 | 4 | 7 | 5 | 3 | 2 | . | 2 | 14 | 3 |
| " 3 " | 9,978 | 59 | 16·0 | 1·6 | 40 | 8 | 6 | 20 | | | 6 | . | . | . | . | . | . | . | . | 4 | . | 7 | 2 | 4 | 4 | . | 1 | 14 | 1 |
| " 4 " | 8,666 | 60 | 22·2 | 0·5 | 48 | 4 | 5 | 27 | | | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 14 | 2 | 2 | 5 | 1 | 3 | 29 | . |
| " 5 " | 6,592 | 47 | 18·8 | 2·4 | 31 | 3 | 3 | 15 | | | 10 | . | . | . | 1 | 1 | . | . | . | 2 | 1 | 3 | . | 2 | 1 | . | 1 | 11 | 2 |
| " 6 " | 10,702 | 62 | 12·3 | 0·7 | 33 | 3 | 4 | 17 | | | 4 | . | . | . | . | . | . | . | . | 2 | . | 3 | 4 | 4 | 2 | 1 | 1 | 12 | 2 |
| " 7 " | 16,616 | 102 | 15·6 | 1·4 | 65 | 10 | 6 | 31 | | | 18 | . | . | 1 | . | . | . | . | . | 5 | 2 | 12 | 3 | 2 | 7 | . | . | 25 | 4 |
| Total, | 76,122 | 470 | 17·3 | 1·1 | 329 | 42 | 32 | 172 | | | 83 | . | . | 2 | 1 | 1 | . | . | . | 16 | 11 | 59 | 18 | 22 | 26 | 3 | 9 | 149 | 14 |

* Formerly described as "Simple Continued Fever."

† See note (‡) on page 647.

# SPECIAL TABLES.

## Cerebro-spinal Fever.*

The following tables contain information with reference to the epidemic of Cerebro-spinal Fever in the County Borough of Belfast.

Table A.—Showing for each of the 13 weeks of the Quarter ended 28th September, 1907, the Number of Deaths from Cerebro-spinal Fever for each Registrar's District of the County Borough of Belfast (Deaths in Institutions being assigned to the Districts from which the deceased were admitted, and deaths of persons admitted from without the County Borough being excluded); also the total number of cases notified during each week.

| Registrars' Districts. | Mortality. Week ending— | | | | | | | | | | | | | Total (13 weeks ending 28th Sept., 1907). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 6th July | 13th July | 20th July | 27th July | 3rd Aug. | 10th Aug. | 17th Aug. | 24th Aug | 31st Aug. | 7th Sept. | 14th Sept. | 21st Sept. | 28th Sept. | |
| Belfast Urban, No. 1, | 1 | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 3 |
| " " 2, | 1 | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | 5 |
| " " 3, | . | . | . | 1 | 1 | . | 3 | . | 1 | 1 | . | . | 1 | 8 |
| " " 4, | . | . | . | 2 | 1 | . | 1 | 1 | 1 | . | 2 | . | 1 | 9 |
| " " 5, | . | 2 | . | . | 1 | . | . | . | . | . | . | . | . | 3 |
| " " 6, | 1 | . | 1 | 1 | 1 | . | 1 | . | 1 | . | . | . | . | 6 |
| " " 7, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 8, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 9, | . | . | . | . | 1 | 1 | . | 1 | . | 1 | . | . | . | 4 |
| " " 10, | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 3 |
| " " 11, | . | 3 | . | 2 | . | 1 | . | 1 | 2 | 2 | . | . | . | 11 |
| " " 12, | 1 | 3 | . | 4 | 1 | . | 1 | 1 | . | . | 2 | 1 | 1 | 15 |
| " " 13, | 1 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | 3 |
| " " 14, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total Deaths, | 5 | 10 | 2 | 11 | 7 | 3 | 6 | 5 | 7 | 5 | 5 | 1 | 3 | 70 |
| Notifications as returned. | | | | | | | | | | | | | | |
| Total Notifications, Belfast, | 6 | 8 | 7 | 2 | 3 | 5 | 3 | 2 | 4 | 5 | 3 | 4 | 2 | 54 |

* Including one death returned as from *Cerebro-spinal Meningitis*, origin uncertain.

TABLE B.—Showing, by Age periods and Sexes, the Number of Deaths registered from Cerebro-spinal Fever in the County Borough of Belfast, by Registrars' Districts, during the Quarter (13 weeks) ended 28th September, 1907—Deaths in Institutions being assigned to the Districts from which the deceased were admitted, and deaths of persons admitted from without the County Borough being excluded.

| REGISTRARS' DISTRICTS. | AGE PERIODS. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Belfast Urban, No. 1, | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 | 2 | 3 |
| ,, No. 2, | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | 1 | 4 | 5 |
| ,, No. 3, | 1 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 4 | 4 | 8 |
| ,, No. 4, | . | . | 1 | 2 | 5 | . | 1 | . | . | . | 7 | 2 | 9 |
| ,, No. 5, | . | . | 1 | . | . | . | 2 | . | . | . | 3 | . | 3 |
| ,, No. 6, | . | . | . | 4 | . | 1 | 1 | . | . | . | 1 | 5 | 6 |
| ,, No. 7, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, No. 8, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, No. 9, | . | 1 | 2 | 1 | . | . | . | . | . | . | 2 | 2 | 4 |
| ,, No. 10, | . | 1 | . | . | 2 | . | . | . | . | . | 2 | 1 | 3 |
| ,, No. 11, | . | 2 | 2 | 1 | 3 | 1 | 1 | 1 | . | . | 6 | 5 | 11 |
| ,, No. 12, | . | . | 2 | 4 | 3 | 4 | 1 | 1 | . | . | 6 | 9 | 15 |
| ,, No. 13, | . | . | 2 | . | 1 | . | . | . | . | . | 3 | . | 3 |
| ,, No. 14, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . | 1 | 5 | 11 | 13 | 16 | 9 | 8 | 5 | . | 2 | 36 | 34 | 70 |

TABLE C.—Showing the Occupation or Social Condition, by Age Periods and Sexes, of the Persons whose deaths were registered as having been caused by Cerebro-spinal Fever in the County Borough of Belfast, during the Quarter (13 weeks), ended 28th September, 1907, excluding deaths in Institutions of persons admitted from without the County Borough of Belfast.

| Occupation or Social Condition. | Age Periods. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Bottler, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Braider, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Butler, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Caretaker, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Carter, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Carter, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Case Maker, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Clerk, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Cloth Passer, widow of, | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 |
| Cloth Passer, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Coachbuilder, wife of, | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 |
| Coachman, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Directory Compiler, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Engineer, apprentice to, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Fitter, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Gilder, apprentice to, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Glazer, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Handkerchief Vice Holder, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Holder Up, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| House Painter, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Iron-moulder, child of, | . | . | . | 1 | 1 | . | . | . | . | . | 1 | 1 | 2 |
| Iron-plater, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Joiner, children of, | . | 1 | . | . | 1 | . | . | . | . | . | 1 | 1 | 2 |
| Labourer, | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | 2 |
| " children of, | 1 | 2 | 6 | 3 | 2 | 5 | . | . | . | . | 9 | 10 | 19 |
| Labourer, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Painter, daughter of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Plater, child of, | . | . | . | 2 | . | . | . | . | . | . | . | 2 | 2 |
| Plumber in shipyard, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Postman, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Publican, apprentice of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Rivetter, children of, | . | 1 | . | . | . | 1 | . | . | . | . | . | 2 | 2 |
| Rivetter's Helper, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Saddler, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Servant, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Ship Steward, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Shipwright, daughter of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Shoemaker, child of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Showman, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Soldier, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Teacher, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Telephone Operator, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Tramway Conductor, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| Upholsterer, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Van Driver, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Unknown, | . | . | 1 | . | 1 | . | . | . | . | . | 2 | . | 2 |
| Total, | 1 | 5 | 11 | 13 | 16 | 9 | 8 | 5 | . | 2 | 36 | 34 | 70 |

TABLE D.—Showing, by sexes, for the County Borough of Belfast, the duration of illness of the persons whose deaths from Cerebro-spinal Fever were registered during the Quarter (13 weeks) ended 28th September, 1907.

[The deaths are exclusive of those in Institutions of persons admitted from without the County Borough of Belfast.]

| SEXES. | DURATION OF ILLNESS. | | | | | | | | | | | | | | | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 24 Hours. | Days. | | | | | | | | | | | | | | | | | | | | Months. | | | | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 days to one month. | 1. | 2. | 3 Months and upwards. | | |
| Males, . . . | 3 | 2 | 1 | 1 | 4 | 1 | 1 | - | 2 | 1 | - | 2 | - | 2 | 1 | 1 | - | 1 | - | - | 2 (*a*) | 4 (*b*) | 4 (*c*) | 3 (*d*) | | 36 |
| Females, . . . | 2 | 5 | 2 | 1 | 4 | 1 | - | - | - | 1 | - | - | - | - | 3 | - | - | - | - | - | 4 (*e*) | 3 (*f*) | 6 (*g*) | 2 (*h*) | | 34 |
| Total, . . . | 5 | 7 | 3 | 2 | 8 | 2 | 1 | - | 2 | 2 | - | 2 | - | 2 | 4 | 1 | - | 1 | - | - | 6 | 7 | 10 | 5 | | 70 |

(*a*) Including one 22 days, and one 29 days.
(*b*) Including one 34 days, two 36 days, and one 1½ months.
(*c*) Including one 73 days, one 2 months 14 days, and one 2½ months, and one 87 days.
(*d*) Including one 3 months, one 4 months, and one 8 months.
(*e*) Including one 21 days, one 26 days, one 28 days, and one 29 days.
(*f*) Including one 45 days, one 48 days, and one 59 days.
(*g*) Including one 2 months 7 days, one 70 days, one 2 months 13 days, one 75 days, one 80 days, and one 89 days.
(*h*) Including one 3 months, and one 4 months 6 days.

ROBERT E. MATHESON,
*Registrar-General.*

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, 7th November,* 1907.

DUBLIN: Printed for His Majesty's Stationery Office, By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
375. Wt. P. 118 11. 1907—1919.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 5TH OCTOBER, 1907. [No. 40.

*General Register Office, Charlemont House,*
*Dublin, 7th October,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Sept. 14. | Week ending Sept. 21. | Week ending Sept. 28. | Week ending Oct. 5. | Average Rate for 4 weeks. | Towns, &c. | Week ending Sept. 14. | Week ending Sept. 21. | Week ending Sept. 28. | Week ending Oct. 5. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 17·1 | 16·1 | 18·1 | 19·6 | 17·7 | Lisburn, | 9·1 | 9·1 | 9·1 | 13·6 | 10·2 |
| Armagh, | 13·7 | . | 34·4 | . | 12·0 | Londonderry, | 17·2 | 11·0 | 17·2 | 9·8 | 13·8 |
| Ballymena, | 19·2 | 14·4 | 19·2 | 19·2 | 18·0 | Lurgan, | 31·0 | 22·1 | 22·1 | . | 18·8 |
| Belfast, | 17·6 | 15·6 | 16·5 | 17·7 | 16·9 | Newry, | 4·2 | 4·2 | 33·6 | 16·8 | 14·7 |
| Clonmel, | 15·4 | 15·4 | 5·1 | 5·1 | 10·3 | Newtownards, | 11·4 | 17·2 | 22·9 | 5·7 | 14·3 |
| Cork, | 22·6 | 17·1 | 21·2 | 26·0 | 21·7 | Portadown, | 5·2 | 15·5 | . | 20·7 | 10·4 |
| Drogheda, | 12·3 | 4·1 | 16·3 | 4·1 | 9·2 | Queenstown | 19·8 | 13·2 | 33·0 | 26·4 | 23·1 |
| Dublin Reg. Area, | 17·6 | 18·6 | 18·6 | 21·0 | 18·9 | Sligo, | 14·4 | 19·2 | 9·6 | 52·8*a* | 24·0 |
| Dundalk | 8·0 | 19·9 | 19·9 | 16·0 | 16·0 | Tralee, | 10·6 | 31·7 | 15·9 | 21·1 | 19·8 |
| Galway, | 15·5 | 3·9 | 23·3 | 38·8 | 20·4 | Waterford, | 17·5 | 11·7 | 23·4 | 44·8 | 24·3 |
| Kilkenny, | 19·7 | 19·7 | 9·8 | 9·8 | 14·8 | Wexford, | 18·7 | . | 18·7 | 18·7 | 14·0 |
| Limerick, | 8·2 | 16·4 | 21·9 | 15·0 | 15·4 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 3·1 per 1,000, the rates varying from 0·0 in thirteen of the districts to 26·4 in Queenstown, in which district all of the 4 deaths registered were from diarrhœal diseases. The 1[illegible]6 deaths from all causes for Belfast include 2 from measles, one from whooping-cough, 2 from diphtheria, one each from *pyrexia* (origin uncertain) and enteric fever, 16 from diarrhœal diseases, and 2 from cerebro-spinal fever. The 38 deaths from all causes for Cork include one from enteric fever and 8 from diarrhœal diseases. Of the 23 deaths from all causes for Waterford 7 are from diarrhœal diseases. Among the 10 deaths from all causes for Galway there was one each from diphtheria and *pyrexia* (origin uncertain); the 11 deaths from all causes for Sligo include one from enteric fever; and there were 2 deaths from diarrhœal diseases included in the 4 deaths from all causes for Portadown.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 184—101 boys and 83 girls; and the deaths to 161—75 males and 86 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 21·5 in every 1,000 of the population. Omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, the rate was 21·0 per 1,000. During the forty weeks ending with Saturday last the death-rate averaged 24·7, and was 0·5 below the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

*a* Included in the deaths for last week are 8 which occurred in the Union Workhouse some weeks previously. These could not be registered in due course owing to the illness of the Medical Officer of that institution.

Included in the deaths registered during the week were 3 from whooping-cough, 3 from diphtheria, and 12 from diarrhœal diseases. In each of the 3 preceding weeks, deaths from whooping-cough were one, one, and one; deaths from diphtheria were 2, 2, and one; and deaths from diarrhœal diseases were 9, 10, and 17. One death was attributed to influenza.

The deaths from pneumonia (all forms) comprised one death from lobar pneumonia, 2 deaths from broncho-pneumonia, and 3 deaths from *pneumonia* (not defined).

Of 43 deaths from all forms of tuberculous disease, 13 were from tuberculous phthisis, 19 were returned as from *phthisis*, 5 were from tuberculous meningitis, and 6 were from other forms of the disease. In each of the 3 preceding weeks, the deaths from all forms of tuberculous disease numbered 24, 33, and 33.

The deaths from malignant diseases included 8 from carcinoma, one from sarcoma, and 3 from cancer, malignant disease (undefined).

The deaths of 2 infants were caused by prematurity.

Of 11 deaths from diseases of the brain or nervous system, 4 were from *convulsions*, of infants under one year of age.

There were 21 deaths from diseases of the heart or blood vessels, and there were 6 deaths from bronchitis.

Of 3 accidental deaths, 2 were caused by drowning.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old and the death of a person aged 62 years.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 9 were under one month old), and 39 were aged 60 years and upwards, including 21 persons aged 70 and upwards, of whom 2 were octogenarians, and one (a male) was stated to have been aged 92 years.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the N. Dublin Union Workhouse and 15 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·0 per 1,000; the rate in the City was 23·2 (North City Districts, 24·0; South, 22·4), and in the Suburbs, 13·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·6 (3·0 in the North City Districts, and 2·1 in the South) and for the Suburbs, 1·7.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (9) are equal to an annual rate of 16·2 per 1,000, and include one death from epidemic enteritis, one death from influenza, one death from each of lobar pneumonia and broncho-pneumonia, and one death from *phthisis*.

*No. 1 North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 21·3 per 1,000. The 16 deaths include one from diphtheria, one from *diarrhœa*, and 3 deaths from *phthisis*.

*No. 2 North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. Of the deaths registered one was from whooping-cough, 3 were from diarrhœal diseases, 3 were from tuberculous disease, 3 were from diseases of the respiratory system, and 2 were from accidental causes.

*No. 3 North City District* (Benburb-street).—The deaths (19) represent an annual rate of 30·6 per 1,000. Whooping-cough and dysentery each caused one death, and there were 3 deaths from tuberculous disease.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 14·2; and Finglas and Glasnevin, part of, 21·7. The 3 deaths from all causes for Clontarf and Howth, No. 1, part of, include one from tuberculous phthisis; the 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include 2 from *phthisis*; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, 2 were from tuberculous disease of the lungs, and one was caused by drowning.

*No. 1 South City District* (South Earl-street).—The deaths (17) represent an annual rate of 22·2 per 1,000. There was one death from epidemic enteritis, broncho-pneumonia caused one death, and there were 6 deaths from tuberculous disease.

*No. 2 South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 30·4 per 1,000. Among the deaths registered, one was from *diarrhœa*, 6 were due to tuberculous disease, and there was one death from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 22·2 per 1,000. The deaths from all causes (18 in number) included one from diphtheria, one from *diarrhœa*, 2 from *pneumonia* (not defined), 3 from tuberculous disease of the lungs, and 2 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. Included in the 15 deaths registered there was one each from diphtheria and *diarrhœa*, and there were 4 from tuberculous disease and 2 deaths from diseases of the respiratory system.

*New Kilmainham District.*—There was but one death (equal to an annual rate of 5·9 per 1,000) registered for this district during last week.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·2; Pembroke, 11·2; Blackrock, 11·9; and Kingstown, 20·7. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Kingstown and 2 from *diarrhœa* for Pembroke. The 8 deaths from all causes for Rathmines and Rathgar include 2 from tuberculous disease and 3 from diseases of the heart and blood vessels. Of the 6 deaths from all causes for Pembroke 2 were from tuberculous phthisis and 2 from diseases of the heart and blood vessels. The 2 deaths for Blackrock were due to tuberculous disease of the lungs; and the 7 deaths from all causes for Kingstown include one from tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by :—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown rban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 5th October, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Sept. 14, | . | — | — | 6 | 1 | . | 7 | . | 4 | 6 | 5 | . | — | — | — | — | — | 29 |
| | Sept. 21, | . | — | — | 2 | 3 | . | 5 | . | 2 | 12 | 13 | . | — | — | — | — | — | 37 |
| | Sept. 28, | . | — | — | 4 | 5 | . | 8 | . | 4 | 10 | 14 | . | — | — | — | — | — | 45 |
| | Oct. 5, | . | — | — | 5 | 1 | . | 6 | . | 3 | 8 | 9 | . | — | — | — | — | — | 32 |
| Rathmines and Rathgar Urban District. | Sept. 14, | . | — | — | . | . | . | 2 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Sept. 21, | . | — | — | . | . | . | 2 | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Sept. 28, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 1 |
| | Oct. 5, | . | — | — | . | . | . | 1 | . | . | 1 | . | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Sept. 14, | . | 7 | . | . | . | . | 1 | . | 1 | 2 | . | . | — | . | . | — | — | 11 |
| | Sept. 21, | . | 8 | . | 1 | . | . | . | . | . | 4 | . | . | — | 2 | . | — | — | 15 |
| | Sept. 28, | . | 3 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 3 |
| | Oct. 5, | . | 1 | 1 | . | . | . | . | . | . | . | . | . | — | 1 | . | — | — | 3 |
| Blackrock Urban District. | Sept. 14, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 28, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 5, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | Sept. 14, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 28, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1 |
| | Oct. 5, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| City of Belfast. | Sept. 14, | . | — | — | 3 | . | . | 5 | . | 11 | 8 | 6 | . | — | — | 3 | — | — | 36 |
| | Sept. 21, | . | — | — | 10 | . | . | 4 | . | 7 | 2 | 9 | 2 | — | — | 4 | — | — | 38 |
| | Sept. 28, | . | — | — | 8 | . | . | 6 | 2 | 3 | 2 | 5 | . | — | — | 2 | — | — | 28 |
| | Oct. 5, | . | — | — | 7 | . | . | 7 | 2 | 2 | 8 | 4 | 1 | — | — | 3 | — | — | 34 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 5th October, 1907.

From this it appears that :—

Six cases of measles were admitted into hospital during the week, 2 were discharged, ere was one death, and 20 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 7 were discharged, and 36* cases maained under treatment at the close of the week.

One case of typhus was admitted to hospital during the week, one was discharged, and 6 ses remained under treatment at its close.

Thirteen cases of diphtheria were admitted to hospital, 5 were discharged, there was one eath, and 23 patients remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital during the week, 3 were discharged, d 41 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, were discharged, and 26 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 13·3), was equal to an average annual death-rate of 14·8 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 13·2 per 1,000, the rate for Glasgow ing 15·0 and for Edinburgh 13·0.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health r Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th tober. From this Report it appears that of a total of 54 cases notified 27 were scarlet fever, 10 diphteria, 3 erysipelas, and 3 enteric fever. Among the 295 cases of infectious diseases in hospital at the se of the week were 122 cases of scarlet fever, 38 of whooping-cough, 30 of diphtheria, one of membranous croup, 28 of measles, 14 of enteric fever, and 8 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 5th October, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Registration—Week ending Saturday, 5th October, 1907. Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | From Diseases. in cols. 10-18. | Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 5th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 28th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 21st Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 27·6 | 19·6 | 3·1 | 592 | 420 | 99 | 101 | . | 2 | . | . | 4 | 6 | 2 | 3 | 50 | 21 | 65 | 25 | 20 | 29 | 6 | 12 | 141 | 19 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 24·6 | 21·0 | 2·4 | 184 | 157 | 28 | 38 | . | . | . | . | 3 | 3 | . | . | 12 | 5 | 30 | 11 | 12 | 9 | 3 | 6 | 63 | 7 | f63·3 | 42·3 | 52·4 | 0·42 | f66·4 | 46·4 | 56·9 | 0·03 | f65·1 | 43·8 | 57·2 | 0·00 |
| City of Dublin, | 300,850 | 28·0 | 26·0 | 28·2 | 2·6 | 150 | 134 | 24 | 28 | . | . | . | . | 2 | 3 | . | . | 10 | 5 | 26 | 8 | 9 | 9 | 3 | 5 | 58 | 6 | g65·1<br>h64·8 | 43·2<br>40·8 | 54·8<br>53·8 | 0·67<br>0·39 | g66·3<br>h66·9 | 52·3<br>47·0 | 59·4<br>57·4 | 0·00<br>0·00 | g65·4<br>h68·3 | 48·8<br>43·0 | 58·4<br>57·2 | 0·00<br>0·00 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 16·1 | 11·7 | . | 11 | 8 | 2 | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Pembroke | 27,854 | 17·5 | 15·0 | 11·2 | 3·7 | 8 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Blackrock | 8,759 | 8·1 | 6·0 | 11·2 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Kingstown, | 17,622 | 12·1 | 41·4 | 20·7 | 3·0 | 14 | 7 | 1 | 3 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | 64 | 47·5 | 55·1 | 0·32 | 64 | 52·5 | 58·6 | 0·00 | 67 | 48·5 | 58·2 | 0·01 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 33·0 | 17·7 | 3·2 | 234 | 126 | 38 | 22 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 3 | 30 | 1 | 65·5 | 43·5 | 54·0 | 0·57 | 65·5 | 47·5 | 58·0 | 0·01 | 66·0 | 48·0 | 56·5 | 0·00 |
| Cork, | 76,122 | 33·6 | 37·0 | 26·0 | 6·2 | 54 | 38 | 16 | 6 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | . | 17 | 4 | 62 | 50 | 56·1 | 0·68 | 70 | 51 | 60·4 | 0·91 | 69 | 49 | 59·0 | 0·02 |
| Londonderry, | 42,475 | 19·6 | 19·6 | 9·8 | . | 16 | 8 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 20·5 | 15·0 | . | 15 | 11 | 1 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 27·3 | 44·8 | 13·6 | 14 | 23 | 5 | 8 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 27·2 | 38·8 | 7·8 | 7 | 10 | 3 | 2 | . | . | . | . | . | 1 | 1 | . | . | 1 | 2 | 1 | . | . | . | . | 3 | 2 | 72 | 48 | 57 | 1·03 | 73 | 50 | 60 | 0·73 | 76 | 50 | 60·4 | 0·01 |
| Dundalk, | 13,076 | 9·4 | 12·0 | 16·0 | . | 3 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 24·5 | 4·1 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 12·6 | 16·8 | 4·2 | 3 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 |
| Lurgan, | 11,782 | 13·8 | 17·7 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 |
| Lisburn, | 11,461 | 10·1 | 40·9 | 13·6 | . | 9 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 |
| Wexford, | 11,168 | 23·2 | 32·7 | 18·7 | . | 7 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | . | 19·2 | . | . | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 28·8 | 52·8 | 4·8 | 6 | 11 | . | 8 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . | . | 8 | 1 | 70·3 | 44·4 | 54·4 | 0·99 | 65·9 | 45·5 | 57·6 | 0·00 | 71·5 | 44·9 | 58·3 | 0·11 |
| Kilkenny, | 10,609 | 11·5 | 9·8 | 9·8 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 67 | 45 | 54·7 | 0·66 | 73 | 45 | 59·7 | 0·50 | 72 | 44 | 58·7 | 0·00 |
| Clonmel, | 10,167 | 7·8 | 15·9 | 5·1 | . | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 25·8 | 20·7 | 10·3 | 5 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . | . | . | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 |
| Tralee, | 9,867 | 16·6 | 15·9 | 21·1 | . | 3 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 28·6 | 5·7 | . | 5 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 68 | 45 | 53·2 | 0·50 | 62 | 51 | 56·8 | 0·00 | 65 | 46 | 55·7 | 0·03 |
| Queenstown, | 7,909 | 14·4 | 38·0 | 26·4 | 26·4 | 5 | 4 | 3 | . | . | . | . | . | . | . | . | . | 4 | . | . | . | . | . | . | . | . | . | 62 | 50 | 56·1 | 0·68 | 70 | 51 | 60·4 | 0·91 | 69 | 49 | 59·0 | 0·02 |
| Armagh, | 7,688 | 22·2 | 20·6 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 | 71·2 | 45·1 | 58·3 | 0·04 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 4 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases: thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry, and Portadown, those at Monkstown for Sligo, and those at Kingstown for Queenstown.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the week ending Saturday, the 5th October, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | GOOLOCK and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . |
| Diphtheria, | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 3 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | 1 | 1 | 3 | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | 2 | . | . | 12 | . |
| Pneumonia, | 2 | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | 5 | 1 |
| Tuberculous Phthisis, | 1 | 3 | 1 | 2 | 1 | 2 | 2 | 5 | 4 | 3 | 2 | . | . | 2 | 2 | . | 30 | 2 |
| Disease. Other Forms, | . | . | 2 | 1 | . | . | . | 1 | 2 | . | 2 | . | 2 | . | . | 1 | 11 | . |
| Cancer, Malignant Disease, | 2 | . | . | 2 | . | 1 | . | 1 | . | 1 | 2 | . | 2 | . | . | 1 | 12 | . |
| Other General Diseases, | 1 | . | 1 | 1 | . | . | . | 1 | 2 | 1 | . | . | . | . | . | 1 | 8 | . |
| Total, | 7 | 5 | 8 | 8 | 1 | 3 | 2 | 10 | 9 | 9 | 8 | . | 4 | 4 | 2 | 4 | 84 | 3 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 2 | 2 | 1 | 2 | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . | . | 11 | . |
| Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessels, | . | 3 | 1 | 3 | . | . | . | 4 | . | 2 | 2 | . | 3 | 2 | . | 1 | 21 | . |
| Respiratory System, | . | . | 3 | . | . | . | . | . | 1 | 2 | 2 | 1 | . | . | . | . | 9 | . |
| Digestive System, | . | 2 | 1 | 1 | . | . | . | . | 1 | 2 | 1 | . | . | . | . | 1 | 9 | . |
| Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Urinary System, | . | 2 | 1 | 1 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 6 | . |
| Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | 2 | 1 | . | . | . | . | 1 | 1 | . | . | . | . | . | 5 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 2 | 9 | 7 | 9 | 1 | . | . | 6 | 2 | 9 | 7 | 1 | 4 | 2 | . | 2 | 61 | 1 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 2 | 1 | 2 | 1 | . | . | 1 | 1 | . | . | . | . | . | . | 1 | 9 | . |
| **E. VIOLENT DEATHS,** | . | . | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 3 | . |
| **Deaths from all Causes,** | 9 | 16 | 18 | 19 | 3 | 3 | 3 | 17 | 12 | 18 | 15 | 1 | 8 | 6 | 2 | 7 | 157 | 4 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 16·2 | 21·3 | 31·2 | 30·6 | 30·6 | 14·2 | 21·7 | 22·2 | 30·4 | 22·2 | 22·3 | 5·9 | 11·7 | 11·2 | 11·9 | 20·7 | 21·0 | . |
| | 24·0 | | | | | | | 22·4 | | | | | 13·8 | | | | | |
| | 23·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death:** Under 1 year, | . | 3 | 4 | 4 | 1 | . | . | 2 | 4 | 2 | 3 | . | 2 | 1 | . | 1 | 23 | . |
| 1 and under 5 years, | 1 | 2 | 6 | 1 | . | . | . | 1 | 2 | 3 | 1 | . | 1 | . | . | . | 18 | . |
| 5 " 20 " | 1 | 1 | 1 | 2 | . | . | 1 | 3 | . | 2 | 2 | . | . | . | . | 1 | 14 | 2 |
| 20 " 40 " | 4 | 3 | 2 | 4 | 2 | 2 | 2 | 4 | 3 | . | 2 | 1 | 1 | 2 | 2 | 1 | 35 | . |
| 40 " 60 " | . | 2 | 1 | 6 | . | 1 | . | 3 | 1 | 5 | 4 | . | . | . | . | 1 | 24 | 1 |
| 60 and upwards, | 2 | 5 | 4 | 2 | . | . | . | 3 | 2 | 6 | 3 | | 4 | 3 | . | 3 | 38 | 1 |
| Number of Uncertified Deaths, | . | 4 | . | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . | 7 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 4 | 3 | 3 | . | 1 | 1 | 4 | 4 | 3 | 5 | . | 2 | . | 1 | 2 | 35 | 3 |
| Workhouse Hospitals, | 1 | 1 | 7 | 4 | . | . | . | 4 | 1 | 6 | 4 | . | . | . | . | . | 28 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 40th Week of the 10 years 1897–1906. | In the Week ending Saturd 5th October, 1907. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ag | | | | | | |
| | Oct. 9, 1897. | Oct. 8, 1898. | Oct. 7, 1899. | Oct. 6, 1900. | Oct. 5, 1901. | Oct. 4, 1902. | Oct. 10, 1903. | Oct. 8, 1904. | Oct. 7, 1905. | Oct. 6, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | ° 51·2 | ° 56·4 | ° 46·1 | ° 50·4 | ° 52·1 | ° 51·1 | ° 52·4 | ° 48·3 | ° 48·3 | ° 53·3 | ° 51·0 | ° 52·4 | | | | | | |
| **ALL CAUSES.** | 147 | 155 | 196 | 182 | 149 | 169 | 150 | 130 | 158 | 198 | 163·4 | 161 | 9 | 19 | 18 | 16 | 35 | 2 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 32 | 1 | . | 8 | . | . | . | . | 4·1 | . | . | . | . | . | . | . |
| Scarlet Fever, ... ... | 3 | . | . | . | . | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 2 | . | 1 | . | . | 1 | 1 | . | 1 | 1 | ·7 | 1 | . | . | . | . | . | . |
| Whooping-cough, ... ... | . | 3 | 2 | 5 | 2 | 1 | 2 | 3 | . | 1 | 1·9 | 3 | . | 2 | 1 | . | . | . |
| Diphtheria, ... ... | . | . | . | . | 2 | 5 | 1 | . | . | . | ·8 | 3 | . | . | 2 | 1 | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 4 | 2 | 4 | 3 | 8 | 6 | 2 | 1 | 2 | . | 3·2 | . | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 11 | 15 | 17 | 28 | 9 | 7<br>12 | 3<br>1 | 2<br>8 | .<br>1 | 14<br>17 | 14·5 | 3<br>9 | 1<br>1 | 1<br>4 | 1<br>3 | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | . | . | . | . | 1 | 1 | 1 | 2 | 1 | ·7 | 2 | . | 1 | 1 | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | . | 1 | 1<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>1 | ·3 | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-Epidemic, Not defined, | 7 | 6 | 13 | 5 | 12 | .<br>1<br>.<br>6 | .<br>5<br>.<br>2 | 2<br>3<br>.<br>2 | 1<br>4<br>.<br>5 | .<br>4<br>.<br>6 | 8·4 | 1<br>2<br>.<br>3 | .<br>.<br>.<br>. | .<br>.<br>.<br>. | .<br>1<br>.<br>1 | .<br>.<br>.<br>1 | 1<br>.<br>.<br>. | . |
| Erysipelas, ... ... | . | . | . | 1 | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | . | 1 | . | . | . | .<br>. | 1<br>. | 1<br>. | .<br>. | .<br>. | ·3 | .<br>. | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | 2 | 1 | ·3 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 23 | 14 | 20 | 14 | 21 | 2<br>16 | 2<br>25 | 4<br>20 | 4<br>21 | 5<br>18 | 20·9 | 13<br>19 | . | . | .<br>1 | 2<br>4 | 8<br>8 | . |
| Tuberculous Meningitis, ... | 3 | 10 | 6 | 3 | 1 | 4 | . | 2 | 6 | 3 | 3·8 | 5 | . | 1 | 2 | 2 | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 1 | 7 | 8 | 7 | 11 | .<br>. | 4<br>1 | .<br>2 | 1<br>. | 2<br>. | 4·4 | .<br>. | . | . | . | . | . | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | . | 7 | 2 | 2 | 3 | 3<br>1 | 9<br>. | 4<br>. | 10<br>. | 3<br>. | 4·4 | 6<br>. | . | 4<br>. | . | 1<br>. | 1<br>. | . |
| Alcoholism, ... ... | 1 | 1 | . | 1 | . | . | 1 | 1 | . | . | ·5 | . | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | 1 | . | . | . | . | 1 | . | 1 | . | . | ·3 | . | . | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 5 | 9 | 3 | 7 | 6 | 2<br>.<br>2 | 4<br>.<br>5 | 2<br>.<br>1 | 7<br>.<br>4 | 5<br>.<br>8 | 7·0 | 8<br>1<br>3 | . | . | . | . | 2<br>.<br>1 | . |
| Diabetes Mellitus, ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | 2 | . | . | . | . | . | . |
| Premature Birth, ... | 4 | 3 | . | 7 | 1 | 5 | 1 | 2 | 7 | 3 | 3·3 | 2 | 2 | . | . | . | . | . |

* The figures for the years 1897–1900
† Formerly descr

TH WEEK ending Saturday, 5th October, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Oct. 9, 1897. | Oct. 8, 1898. | Oct. 7, 1899. | Oct. 6, 1900. | Oct. 5, 1901. | Oct. 4, 1902. | Oct. 10, 1903. | Oct. 8, 1904. | Oct. 7, 1905. | Oct. 6, 1906. | Averages in 40th Week of the 10 years 1897-1906. | In the Week ending Saturday, 5th October, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| an Temperature. | ° 51·2 | ° 56·4 | ° 46·1 | ° 50·4 | ° 52·1 | ° 51·1 | ° 52·4 | ° 48·3 | ° 48·3 | ° 53·3 | ° 51·0 | ° 52·4 | | | | | | | | |
| gitis (not tuberc.) ... | | | | | | 2 | 2 | 2 | 3 | 3 | | 2 | . | . | . | 1 | 1 | . | . | . |
| ty, G. P. of Insane ... | | | | | | 2 | . | . | 2 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| sy .. ... | | | | | | . | . | . | 1 | . | | 1 | . | . | . | 1 | . | . | . | . |
| *sions* ... .. | | | | | | 13 | 5 | . | 5 | 5 | | 4 | 2 | 2 | . | . | . | . | . | . |
| otor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| legia Dis. of Cord ... | | | | | | 1 | 1 | 1 | 1 | 2 | | 2 | . | . | . | . | . | 1 | 1 | . |
| us System (other | | | | | | 1 | 1 | 1 | . | 2 | | 1 | . | . | . | . | . | . | 1 | . |
| ) | 31 | 32 | 29 | 32 | 24 | | | | | | 31·0 | | | | | | | | | |
| Dis., Endocarditis | | | | | | 5 | 5 | 9 | 4 | 2 | | 6 | . | . | . | . | 1 | 3 | 2 | . |
| r. Hæm. Thromb. | | | | | | . | 1 | 1 | 2 | 4 | | 1 | . | . | . | . | . | . | 1 | . |
| *xy, Hemiplegia* ... | | | | | | 3 | 3 | 7 | 2 | 6 | | 3 | . | . | . | . | . | 2 | 1 | . |
| ysm ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| lism, Thromb. (not | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| bral) | | | | | | | | | | | | | | | | | | | | |
| and Blood Vessel Dis. | | | | | | 6 | 12 | 10 | 10 | 12 | | 11 | . | . | . | . | 3 | 2 | 5 | 1 |
| (not Spasm. nor | . | . | 1 | 3 | . | . | . | . | . | 1 | ·5 | 1 | . | . | 1 | . | . | . | . | . |
| hitis ... ... | 14 | 8 | 16 | 11 | 9 | 11 | 8 | 11 | 10 | 21 | 11·9 | 6 | . | . | 1 | . | . | . | 5 | . |
| a, Emphysema ... | 1 | 1 | 1 | 4 | 1 | 1 | . | . | 1 | 1 | 1·7 | 1 | . | . | . | . | 1 | . | . | . |
| sy ... ... | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| ratory Dis. (other) ... | | | | | | . | 1 | 2 | 2 | . | | 1 | . | . | . | 1 | . | . | . | . |
| litis, Quinsy ... | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| itis (not Epid.) ... | 1 | 1 | . | . | . | 4 | . | 1 | 4 | . | 2·5 | 1 | . | . | 1 | . | . | . | . | . |
| *Enteritis* ... ... | | | | | | 2 | 5 | 1 | 3 | 3 | | 1 | . | 1 | . | . | . | . | . | . |
| *ritis* (not Puerp.) ... | . | 1 | . | . | . | 1 | 2 | . | 1 | . | ·5 | . | . | . | . | . | . | . | . | . |
| osis of Liver ... | 3 | . | 5 | 2 | . | . | 2 | 1 | 1 | . | 2·3 | 1 | . | . | . | . | . | 1 | . | . |
| Dis. (other) ... | | | | | | 2 | 1 | . | 3 | 3 | | . | . | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 3 | 2 | 7 | 6 | 9 | 5 | 5 | 4 | 3 | 6 | 5·0 | 6 | 1 | 1 | 3 | . | . | . | 1 | . |
| ritis, Acute ... | 4 | 4 | 3 | 3 | 2 | 1 | . | 1 | 4 | 2 | 4·0 | 1 | . | . | . | . | 1 | . | . | . |
| t's Dis., Albuminuria | | | | | | 1 | 5 | 2 | 3 | 3 | | 4 | . | . | . | . | . | 1 | 2 | . |
| ry Sys. (Other Dis.) | | | | | | 1 | . | . | 1 | . | | 1 | . | . | . | . | 1 | . | . | . |
| ative Organs Dis. ... | 1 | . | . | 1 | . | 1 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | 1 | 2 | 1 | 1 | 1 | 1 | . | . | . | . | ·7 | 5 | . | . | . | . | 4 | 1 | . | . |
| *ge* ... ... | 7 | 7 | 12 | 11 | 9 | 5 | 4 | 2 | 4 | 5 | 6·6 | 6 | . | . | . | . | . | . | 4 | 2 |
| Diseases ... ... | 9 | 15 | 9 | 17 | 12 | 11 | 11 | 8 | 5 | 18 | 11·5 | 5 | 2 | 1 | . | 1 | 1 | . | . | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | . | . | 1 | . | . | 2 | . | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (ex- | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ive of Drowning) ... | | | | | | | | | | | | | | | | | | | | |
| ilding Operations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| rowning ... ... | 1 | 2 | . | 1 | . | 1 | . | 1 | . | . | ·6 | 2 | . | . | . | . | 1 | . | 1 | . |
| ffocation in Bed ... | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| oison or Poisonous | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ours | | | | | | | | | | | | | | | | | | | | |
| r Deaths by Accident | 5 | 1 | 1 | 6 | 2 | . | . | 1 | . | 3 | 1·9 | 1 | . | 1 | . | . | . | . | . | . |
| **LENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| de ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

istration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 13. | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6 | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. |
| No. of weeks in Annual Series. | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| BIRTHS registered, | 201 | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 |
| *Average Births in corresponding week of previous 10 years,** | 199 | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 |
| DEATHS registered, | 207 | 215 | 262 | 205 | 195 | 208 | 208 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 |
| Annual Death-rate per 1,000, | 27·6 | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 |
| *Average Deaths in corresponding week of previous 10 years,** | 199 | 197 | 184 | 186 | 176 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 |
| AGES, Under 5 years, | 74 | 71 | 90 | 73 | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 |
| 5—20 " | 14 | 16 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 |
| 20—40 " | 28 | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 |
| 40—60 " | 30 | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 |
| 60—80 " | 53 | 46 | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 |
| 80 years and upwards, | 8 | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 7 | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Whooping-cough, | 7 | 7 | 15 | 10 | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 |
| Diphtheria, | 2 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 |
| *Pyrexia* † (origin uncertain), | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever, | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . |
| Diarrhœal Diseases, | 2 | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 |
| Influenza, | 5 | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 |
| Pneumonia, | 17 | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 |
| Tuberculous Disease. Phthisis, | 21 | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 |
| Tuberculous Disease. Other Forms, | 10 | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 |
| Cancer, Malignant Disease, | 7 | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 |
| Diseases of Heart and Blood Vessels, | 31 | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 |
| Diseases of Respiratory System, | 34 | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 |
| Violent Deaths, | 8 | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 |
| Number of Uncertified Deaths, | 9 | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 |
| Mean Temperature of the Air (Phœnix Park), | 42·7 | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 43·6 | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 |
| Rainfall in inches, | 1·087 | ·111 | ·289 | ·560 | 1·773 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·88 | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 |

in the Dublin Registration Area during the Week ending Saturday, 5th October, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH OCTOBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 22·4 | 161 | 46 | 16 | 35 | 25 | 36 | 3 | . | . | . | . | 3 | 3 | . | . | 12 | 18 | 6 | 32 | 11 | 12 | 4 | 9 | 3 | 66 | 7 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 12·0 | 4 | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 1 | . | . | . | 1 | . |
| II. | Middle Class, | 87,188 | 13·8 | 23 | 3 | 6 | 4 | 4 | 5 | 1 | . | . | . | . | . | 1 | . | . | . | 1 | . | 6 | 3 | 3 | . | 1 | . | 9 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,428 | 18·9 | 40 | 11 | 3 | 11 | 5 | 9 | 1 | . | . | . | . | 1 | . | . | . | 2 | 3 | 4 | 6 | 3 | 2 | . | 3 | . | 19 | 1 |
| IV. | General Service Class, | 154,279 | 30·6 | 65 | 25 | 5 | 17 | 9 | 8 | 1 | . | . | . | . | 2 | 2 | . | . | 6 | 10 | 1 | 14 | 3 | 4 | 4 | 3 | 3 | 23 | 6 |
| V. | Inmates of Workhouses, | 6,024 | | 29 | 7 | 2 | 2 | 7 | 11 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 5 | 2 | 2 | . | 2 | . | 14 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 26·1 | 11 | 2 | . | 3 | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 6 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 6·9 | 4 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 15·4 | 8 | . | 3 | 1 | . | 3 | 1 | . | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | 1 | . | . | . | 3 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 24·5 | 14 | 4 | . | 4 | 1 | 4 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | . | . | 1 | . | 9 | . |
| | 10. Clothing Trades, | 28,260 | 9·0 | 4 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | 2 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | 1 | 1 |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 20·6 | 12 | 2 | 2 | 5 | 2 | 1 | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 3 | 1 | 2 | . | . | . | 4 | . |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | 1 | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 11·7 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 |
| | 15. Domestic Servants, | 36,603 | 10·0 | 7 | 3 | . | 2 | . | 2 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 1 | 1 | . | . | 2 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 2 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | 1 | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 29·0 | 50 | 19 | 5 | 13 | 7 | 5 | 1 | . | . | . | . | 2 | 1 | . | . | 5 | 8 | 1 | 10 | 3 | 3 | 3 | 2 | 2 | 18 | 5 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 29 | 7 | 2 | 2 | 7 | 11 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | 5 | 2 | 2 | . | 2 | . | 14 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths in* the similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Aug. 17, | 14·4 | 1·8 | 8 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| | „ 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 31, | 23·4 | 1·8 | 13 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | . | . | . |
| | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 14·4 | 5·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| | „ 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . | . |
| North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Aug. 17, | 26·6 | 4·0 | 20 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 2 | . | 4 | . | 1 |
| | „ 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| | „ 31, | 29·3 | 8·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | „ 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| | „ 21, | 17·3 | 4·0 | 13 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . |
| | „ 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 | . |
| | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . | 4 |
| North City, No. 2. (Office, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | Aug. 17, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | . |
| | „ 24, | 24·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| | „ 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | „ 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . | . |
| | „ 21, | 15·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 | . |
| North City, No. 3. (Office, Benburb-street.) Pop. in 1907 (Est.) 32,422. | Aug. 17, | 20·9 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 2 | 2 | . | 1 |
| | „ 24, | 11·3 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| | „ 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | „ 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . |
| | „ 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 | . |
| | „ 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . | . |
| | Oct. 5, | 30·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . | . |
| South City, No. 1. (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Aug. 17, | 26·1 | 1·3 | 20 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | 2 | . | 4 | . | 1 |
| | „ 24, | 23·5 | 3·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | 1 | . | . | . |
| | „ 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . |
| | „ 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | . | . | . | . |
| | „ 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | . | 1 |
| | „ 28, | 23·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | 2 | 1 | . |
| | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | 1 | . | . | 2 |
| South City, No. 2. (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | Aug. 17, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | 1 |
| | „ 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | „ 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . | . |
| | „ 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . | . |
| | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . | . |
| South City, No. 3. (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Aug. 17, | 18·5 | 7·4 | 15 | . | 1 | . | . | 2 | . | . | . | 3 | . | . | . | 1 | 2 | . | . |
| | „ 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | „ 31, | 19·8 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | „ 14, | 28·5 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . | . |
| | „ 21, | 27·2 | 8·7 | 22 | . | . | . | . | . | 1 | . | . | 2 | 1 | 2 | 5 | 2 | 2 | . | . |
| | „ 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . | . |
| | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . | . |
| South City, No. 4. (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,188. | Aug. 17, | 14·8 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | 2 | . | . |
| | „ 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |
| | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |
| | „ 14, | 19·3 | 5·9 | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 | 1 |
| | „ 21, | 22·8 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 2 |
| | „ 28, | 22·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 | . |
| | Oct. 5, | 22·3 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . | . |

* Formerly described as "Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Aug. 17, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | 1 | . | . |
| | „ 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| | „ 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| | „ 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Aug. 17, | 13·1 | 1·9 | 7 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| | „ 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Aug. 17, | 11·8 | 6·9 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | „ 24, | 11·8 | 3·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | Sept. 7, | 20·7 | 3·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ 21, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | Oct. 5, | 20·7 | 3·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Aug. 17, | 14·2 | 1·1 | 101 | . | 2 | . | . | 2 | . | . | 1 | 3 | 6 | 14 | 6 | 5 | 11 | 1 | 2 |
| | „ 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| | „ 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| | „ 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 3 | 14 | 8 | 3 | 16 | 8 | . |
| | „ 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| | „ 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 10 | 6 | 1 | 7 | . | 3 |
| | Oct. 5, | 17·7 | 3·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| **Cork.** Pop. (in 1901) 76,122. | Aug. 17, | 13·7 | . | 20 | . | . | . | . | . | . | . | . | . | . | 6 | . | . | 2 | 1 | 2 |
| | „ 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| | „ 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 1 |
| | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | 1 |
| | „ 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | 1 |
| | „ 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| | „ 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| | Oct. 5, | 26·0 | 6·2 | 38 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Aug. 17, | 25·8 | . | 21 | . | . | . | . | . | . | . | . | . | . | 2 | 3 | 2 | 2 | . | . |
| | „ 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| | „ 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| | „ 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| | „ 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Aug. 17, | 19·1 | . | 14 | . | . | . | . | . | . | . | . | . | . | 3 | . | 3 | 1 | . | 2 |
| | „ 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| | „ 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | 1 |
| | „ 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | „ 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | Aug. 17, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | . | . |
| | „ 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 31, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Sept. 7, | 8·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |
| | „ 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 28, | 23·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |
| | Oct. 5, | 14·8 | 13·6 | 23 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th October, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 5 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | 1 | 1 | 1 | . |
| Do. 2 ,, | 47,959 | 31 | | | 13 | . | 1 | 1 | 1 | 3 | 7 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | 2 | . | . | 6 | . |
| Do. 3 ,, | 47,214 | 35 | | | 18 | 5 | 2 | 1 | 2 | 3 | 5 | . | . | . | . | . | . | . | . | 4 | 3 | 3 | 2 | . | 2 | . | . | 2 | . |
| Do. 4 ,, | 40,911 | 22 | | | 23 | 13 | 3 | 1 | 2 | 4 | . | . | . | . | . | 1 | 1 | . | . | 4 | 3 | 2 | . | 1 | . | . | . | 6 | 1 |
| Do. 5 ,, | 17,387 | 16 | | | 11 | 3 | 1 | . | 4 | 1 | 2 | . | 1 | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 2 | . | . | 4 | . |
| Do. 6 ,, | 48,122 | 26 | | | 10 | 2 | 1 | 2 | 2 | 2 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 2 | . | . | 1 | . |
| Do. 7 ,, | 1,524 | 2 | | | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | . | | | 3 | . | 1 | . | . | 2 | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| Do. 9 ,, | 19,569 | 10 | | | 9 | 3 | 1 | 1 | . | 3 | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | . | . |
| Do. 10 ,, | 28,064 | 27 | | | 3 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 | . |
| Do. 11 ,, | 34,802 | 22 | | | 12 | 5 | . | . | 2 | 1 | 4 | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . | 1 | 1 | 1 | . |
| Do. 12 ,, | 33,588 | 22 | | | 15 | 4 | 4 | 1 | 4 | 1 | 1 | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 1 | . | 1 | 5 | . |
| Do. 13 ,, | 15,006 | 13 | | | 3 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 234 | | | 126 | 38 | 16 | 8 | 19 | 23 | 22 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 3 | 30 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 8 | 20·3 | . | 5 | 1 | . | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| Do. 2 ,, | 10,701 | 9 | 43·9 | 9·7 | 9 | 4 | 3 | 1 | | | 1 | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | . | . | . | . | 2 | 2 |
| Do. 3 ,, | 9,978 | 5 | 20·9 | 10·5 | 4 | 2 | . | 2 | | | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | . | 2 | . |
| Do. 4 ,, | 8,666 | 3 | 30·1 | 6·0 | 5 | 2 | . | 2 | | | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | 4 | 2 |
| Do. 5 ,, | 6,592 | 5 | 28·7 | 7·9 | 3 | 3 | . | . | | | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 | . |
| Do. 6 ,, | 10,702 | 8 | 24·4 | . | 5 | . | . | 4 | | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 3 | . |
| Do. 7 ,, | 16,616 | 16 | 22·0 | 9·4 | 7 | 4 | . | 2 | | | 1 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | . | . | 2 | . |
| Total, | 76,122 | 54 | 26·0 | 6·2 | 38 | 16 | 3 | 18 | | | 6 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | . | 17 | 4 |

*Without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 13. | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. |
| No. of weeks in Annual Series, | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| Births registered, | 261 | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 |
| Deaths registered, | 159 | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126† |
| Annual Death-rate per 1,000 of estimated Population, | 22·4 | 23·9 | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 |
| Ages: Under 1 year | 33 | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 13 | 40 | 38 |
| 1–5 years, | 21 | 33 | 29 | 25 | 26 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 |
| 5–20 years, | 14 | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 |
| 20–40 years, | 36 | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 |
| 40–60 years, | 23 | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 |
| 60 years and upwards, | 32 | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 |
| Scarlet Fever, | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 |
| Diphtheria, | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Enteric Fever, | 3 | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 |
| Diarrhœal Diseases, | 5 | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 |
| Pneumonia, | 9 | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 |
| Tuberculous Disease, Phthisis, | 22 | 23 | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 |
| Tuberculous Disease, Other Forms, | 11 | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 |
| Cancer Malignant Disease, | 7 | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 |
| Diseases of Respiratory System, | 19 | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 |
| Violent Deaths, | 2 | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 | . | 2 |
| Number of Uncertified Deaths, | 7 | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 |

* Formerly described as "Simple Continued Fever."
† Including 2 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Deaths. Exclusive of Stillborn. | | Annual Death-rate per 1,000 living. | Deaths from | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
| LONDON, . | 4,758,218 | Oct. 5, | 2,156 | 1,212 | 13·3 | . | 5 | 18 | 25 | 18 | 6 | 126 |
| EDINBURGH, . | 345,747 | „ 5, | 145 | 86*a* | 13·0 | . | 1 | . | . | 3 | . | 1 |
| GLASGOW, . . | 847,584 | „ 5, | 399 | 244*a* | 15·0 | . | . | 2 | 1 | 8 | 1 | 15 |
| CALCUTTA, . | 847,796 | Aug. 17, | . | 405 | 24·3 | 2 | 1 | . | . | . | 121‡ | 67* |
| BOMBAY, . | 977,822 | Sept. 3, | 338 | 753 | 40·0 | 1 | 2 | . | . | . | 58‡ | 167* |
| MADRAS, . . | 509,346 | Aug. 16, | 496 | 380 | 38·7 | . | 1 | ? | ? | ? | 98 | 72* |
| PARIS, . . | 2,722,731 | Sept. 21, | 883 | 781 | 14·9 | . | 1 | 4 | 3† | 8 | 6 | 75 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 14, | 222 | 153 | 12·7 | . | . | 1 | . | 2 | 1 | 22 |
| ANTWERP, . . | 304,032 | „ 14, | 113 | 78 | 13·4 | . | . | . | . | . | 1 | 20 |
| AMSTERDAM, . | 564,474 | „ 21, | 276 | 101 | 9·3 | . | 2 | . | 1† | . | . | 5 |
| COPENHAGEN, . | 432,000 | „ 14, | 216 | 107 | 12·9 | . | . | . | 1† | 3 | . | 4 |
| STOCKHOLM, . | 332,738 | „ 14, | 154 | 75 | 11·7 | . | . | . | . | 1 | . | 2 |
| CHRISTIANIA, . | 229,324 | „ 21, | 124 | 56 | 12·7 | . | . | . | 2† | . | 1 | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 21. | . | . | . | . | . | . | . | . | . | . |
| MOSCOW, . . | 1,296,000 | Aug. 24, | . | 661 | 26·7 | . | 4 | 7 | 6† | 2 | 2 | 285 |
| BERLIN, . . | 2,095,084 | Sept. 7, | 902 | 594 | 14·8 | . | 9 | 3 | 6† | 9 | 1 | 103 |
| HAMBURG, . . | 824,792 | „ 14, | . | 200 | 12·6 | . | . | . | . | 5 | 2 | 28 |
| BRESLAU, . . | 485,440 | „ 14, | . | 230 | 24·7 | . | . | . | 3† | 3 | 1 | 45 |
| MUNICH, . . | 548,000 | „ 21, | . | 174 | 16·5 | . | 1 | . | 4† | 1 | . | 40 |
| VIENNA (with suburbs). | 1,979,003 | „ 21, | 936 | 495 | 13·0 | 1 | . | 7 | 4† | 2 | . | 61 |
| BUDA-PESTH, . | 802,235 | Aug. 31, | 415 | 308 | 20·0 | . | 3 | 10 | 1† | . | 2 | 33 |
| PRAGUE and Faubourgs. | 470,906 | „ 31, | 191 | 132 | 14·6 | . | . | . | 1† | 2 | . | 11 |
| TRIESTE, . . | 200,962 | Sept. 7, | 149 | 108 | 28·0 | . | . | . | . | 1 | 1 | 23 |
| ROME, . . . | 542,760 | July 6, | 238 | 179 | 17·2 | . | 3 | . | . | . | 5 | 29 |
| | | „ 13, | 272 | 155 | 14·9 | . | 1 | . | 1 | 1 | 2 | 26 |
| VENICE, . . | 174,398 | Aug. 17, | 86 | 79 | 23·6 | . | . | 1 | . | . | . | 17 |
| NEW YORK, . | 4,285,435 | Sept. 7, | 2,413 | 1,402 | 17·1 | . | 5 | 5 | 19† | 10 | 12 | 277 |
| PHILADELPHIA, | 1,500,595 | Aug. 31, | . | 434 | 15·0 | . | . | . | 4† | 9 | 7 | 70 |
| BOSTON, . . | 609,757 | Sept. 7, | . | 232 | 19·9 | . | . | . | 2 | . | 1 | 60 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 7 deaths in Glasgow.
* Including 27 deaths from cholera in Calcutta, 53 in Bombay, and one in Madras.
† Including deaths from croup.
‡ Exclusive of 4 deaths from plague in Calcutta, and 32 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th October, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 1, West, | . | 2 | . | . | . | . | 1 | 1 | 1 | . | . | . | 5 |
| " " 2, | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | 4 |
| " " 3, | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 3 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| South City No. 1, | . | . | . | . | . | . | . | . | 4 | . | . | . | 4 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 1 | . | . | 4 | . | . | 2 | . | . | . | . | 7 |
| " " 4, | . | 1 | 1 | . | 2 | . | . | 1 | . | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | . | . | . | 2 | . | . | . | . | 2 |
| Total, | . | 5 | 1 | . | 6 | . | 3 | 8 | 9 | . | . | . | 32 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th October, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 5th October. | | | |
|---|---|---|---|---|---|---|---|
| | Sept. 14. | Sept. 21. | Sept. 28. | No. admitted. | Discharged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 12 | 11 | 17 | 6 | 2 | 1 | 20 |
| Scarlet Fever, | 38 | 37 | 35 | 8 | 7 | . | 36* |
| Typhus, | 1 | 7 | 6 | 1 | 1 | . | 6 |
| Diphtheria, | 18 | 19 | 16 | 13 | 5 | 1 | 23 |
| Enteric Fever, | 36 | 34 | 36 | 8 | 3 | . | 41 |
| Pneumonia, | 26 | 24 | 31 | 3 | 8 | . | 26 |

* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 5th October, 1907:—

"In the opening days of October, a broken, rainy, stormy spell took the place of the quiet, fine, and genial weather which had held sway since the 11th of September. A decided reduction of atmospheric pressure had already begun in Western Europe during the closing days of the previous week, and on Sunday morning, September 29, a trough of low pressure covered the English Channel and the Low Countries. To the northward of this depression light to moderate N.E. winds and fine but hazy weather prevailed. In and near Dublin Sunday was beautiful—at night under a clear sky temperature fell rapidly to 43·2°, the minimum for the week. The reduction of atmospheric pressure continued through Monday, but the weather remained fine and dry. On Tuesday morning, however, the centre of a deep depression was found off the Kerry coast—at Valentia the barometer read only 29·05 inches at 8 a.m. and was falling briskly. Strong and squally S.E. winds blew over Ireland, and heavy rain set in—in Dublin rain fell after 12.30 p.m. for the first time since September 14—in torrents at 2.45 p.m. The depression travelled slowly up the west coast of Ireland, the barometer falling to 28·91 inches at Blacksod Point on Wednesday morning. It then changed its course, passing southeastwards across Ireland to the west coast of France. On Friday a new disturbance was signalled from Iceland, and this system brought fresh S.W. winds and summer warmth to Ireland on Saturday. In Dublin the mean height of the barometer was 29·633 inches, pressure ranging between 29·083 inches at 9 p.m. of Tuesday (wind, S.) and 30·092 inches at 9 p.m. of Friday (wind, W.N.W.). The corrected mean temperature was 54·3°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 54·4°. On Monday the screened thermometers fell to 43·2°; on Saturday they rose to 65·1°. Variable winds were experienced—chiefly S.E. and S.W. Rain fell on each of the last 5 days to the amount of ·674 inch, of which ·333 inch was measured on Tuesday and ·251 inch on Thursday. Lightning was seen from the east coast stations on Thursday after dusk."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·630 inches. The highest reading (30·103) was on Friday at 9 p.m., wind W.S.W., and the lowest (29·088) on Tuesday at 9 p.m., wind S.E.

The mean temperature for the week was 52·4°, being 1·4° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Saturday, on which day the thermometer registered 63·3°, and was lowest on Monday, the mercury having fallen to 42·3°. The mean of the Dry Bulb for the week was 54·0°, and of the Wet Bulb 52·2°. The mean humidity of the air was ·89, complete saturation being represented by 1·0. The rainfall during the week measured 0·420 inch.

At Greenwich the mean temperature for the week was 55·4°, the maximum 68·0°, and the minimum 40·8°; at Glasgow the maximum was 62·2°, the minimum 40·0°, and the mean 53·1°; and at Edinburgh the maximum was 61·2°, the minimum 42·5°, and the mean 51·0°. The rainfall at Greenwich measured 0·85 in.; at Glasgow 0·37 in.; and at Edinburgh 0·04 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

TABLE XIII.—METEOROLOGICAL OBSERVATIONS taken at the ORDNANCE SURVEY OFFICE, PHŒNIX PARK, DUBLIN.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Sept. 29, | 29·859 | 59·9 | 45·4 | 52·7 | 51·8 | 51·1 | ·97 | ·4 | 3·5 | ·000 | E.N.E. | Calm. |
| Monday, „ 30, | 29·703 | 58·8 | 42·3 | 50·6 | 54·8 | 52·9 | ·88 | ·3 | 1·7 | ·000 | Calm. | Calm. |
| Tuesday, Oct. 1, | 29·220 | 58·0 | 46·9 | 52·5 | 56·2 | 54·3 | ·88 | ·6 | 0·0 | ·195 | E.S.E. | S.E. |
| Wednesday, „ 2, | 29·209 | 55·3 | 46·4 | 50·9 | 50·3 | 47·0 | ·79 | ·5 | 1·2 | ·065 | S.S.W. | S.S.W. |
| Thursday, „ 3, | 29·459 | 56·7 | 47·9 | 52·3 | 53·5 | 52·0 | ·90 | ·4 | 1·2 | ·110 | Calm. | N. |
| Friday, „ 4, | 30·058 | 60·8 | 43·2 | 52·0 | 51·2 | 49·7 | ·90 | ·6 | 5·2 | ·015 | W.S.W. | W.S.W. |
| Saturday, „ 5, | 29·901 | 63·3 | 48·9 | 56·1 | 60·0 | 58·6 | ·92 | ·6 | 0·8 | ·035 | S.W. | S.W. |
| Mean, . . | 29·630 | 59·0 | 45·9 | 52·4 | 54·0 | 52·2 | ·89 | ·5 | Total 13·6 | Total ·420 | — | |

*Sunday*—Overcast a.m., cloudy p.m.; night cloudy, ground fog. *Monday*—Cloudy a.m., overcast p.m.; night overcast. *Tuesday*—Day overcast, light and heavy rain 1.0 p.m. to 6.0 p.m., and at intervals 9.15 to 10.0 p.m.; night clear. *Wednesday*—Cloudy day, light showers at intervals; night cloudy, light showers at intervals. *Thursday*—Day cloudy, light rain 7.0 a.m. to 8.0 a.m., and showery at intervals p.m.; night clear. *Friday*—Cloudy day; night cloudy, light showers m.n. to 12.30 a.m. *Saturday*—Cloudy a.m., overcast and light showers at intervals p.m.; night overcast.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

TABLE XIV.—Showing the EARTH TEMPERATURES at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 5th, 1907.

NOTE.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Sept. 29, | 57·0 | 57·3 | 56·1 | 60·0 | 50·5 | 55·3 | 3·2 | ·000 |
| Monday, „ 30, | 54·7 | 56·1 | 56·0 | 59·7 | 43·4 | 51·6 | 1·5 | ·000 |
| Tuesday, Oct. 1, | 57·5 | 56·1 | 56·0 | 59·0 | 52·8 | 55·9 | 0·0 | ·318 |
| Wednesday, „ 2, | 52·5 | 55·4 | 56·0 | 56·4 | 49·1 | 53·3 | 0·9 | ·049 |
| Thursday, „ 3, | 54·0 | 54·5 | 56·0 | 58·2 | 50·4 | 54·3 | 2·0 | ·229 |
| Friday, „ 4, | 53·3 | 55·0 | 55·9 | 60·7 | 46·5 | 53·6 | 4·9 | ·010 |
| Saturday, „ 5, | 63·3 | 55·1 | 55·8 | 65·4 | 51·4 | 58·4 | 2·2 | ·025 |
| Weekly Mean, . | 56·0 | 55·6 | 56·0 | 59·9 | 49·2 | 54·6 | Total 14·7 | Total ·631 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 10. 1907.—18951.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 12TH OCTOBER, 1907. [No. 41.

*General Register Office, Charlemont House, Dublin, 14th October,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Sept. 21. | Week ending Sept. 28. | Week ending Oct. 5. | Week ending Oct. 12. | Average Rate for 4 weeks. | Towns, &c. | Week ending Sept. 21. | Week ending Sept. 28. | Week ending Oct. 5. | Week ending Oct. 12. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 16·1 | 18·1 | 19·6 | 19·8 | 18·4 | Lisburn, . . | 9·1 | 9·1 | 13·6 | 9·1 | 10·2 |
| Armagh, . . | . | 34·4 | . | . | 8·6 | Londonderry, . | 11·0 | 17·2 | 9·8 | 13·5 | 12·9 |
| Ballymena, . | 14·4 | 19·2 | 19·2 | 23·9 | 19·2 | Lurgan, . . | 22·1 | 22·1 | . | 4·4 | 12·2 |
| Belfast, . . | 15·6 | 16·5 | 17·7 | 22·1 | 18·0 | Newry, . . | 4·2 | 33·6 | 16·8 | 12·6 | 16·8 |
| Clonmel, . . | 15·4 | 5·1 | 5·1 | 10·3 | 9·0 | Newtownards, . | 17·2 | 22·9 | 5·7 | 22·9 | 17·2 |
| Cork, . . . | 17·1 | 21·2 | 26·0 | 27·4 | 22·9 | Portadown, . | 15·5 | . | 20·7 | 15·5 | 12·9 |
| Drogheda, . . | 4·1 | 16·3 | 4·1 | 12·3 | 9·2 | Queenstown . | 13·2 | 33·0 | 26·4 | 33·0 | 26·4 |
| Dublin Reg. Area, | 18·6 | 18·6 | 21·0 | 20·2 | 19·6 | Sligo, . . . | 19·2 | 9·6 | 52·8 | 4·8 | 21·6 |
| Dundalk . . | 19·9 | 19·9 | 16·0 | 16·0 | 18·0 | Tralee, . . | 31·7 | 15·9 | 21·1 | 10·6 | 19·8 |
| Galway, . . | 3·9 | 23·3 | 38·8 | . | 16·5 | Waterford, . | 11·7 | 23·4 | 44·8 | 23·4 | 25·8 |
| Kilkenny, . . | 19·7 | 9·8 | 9·8 | 14·7 | 13·5 | Wexford, . . | . | 18·7 | 18·7 | . | 9·4 |
| Limerick, . . | 16·4 | 21·9 | 15·0 | 20·5 | 18·4 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 4·3 per 1,000, the rates varying from 0·0 in fourteen of the districts to 19·8 in Queenstown, in which district the 5 deaths from all causes included 3 from diarrhœal diseases. The 157 deaths from all causes for Belfast included 6 from measles, one from scarlet fever, one from whooping-cough, 4 from enteric fever, 27 from diarrhœal diseases, and 2 from cerebro-spinal fever. Among the 40 deaths from all causes for Cork were one from diphtheria and 6 from diarrhœal diseases. Three of the 11 deaths from all causes for Londonderry were from diarrhœal diseases. The 15 deaths from all causes for Limerick included 2 from diphtheria and one from diarrhœa. Of the 12 deaths from all causes for Waterford, 6 were from diarrhœal diseases; and the 4 deaths from all causes for Newtownards included one each from scarlet fever and whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 179—96 boys and 83 girls; and the deaths to 157—87 males and 70 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 21·0 in every 1,000 of the population. Omitting the deaths (numbering 6) of persons admitted into public institutions from localities outside the Area, the rate was 20·2 per 1,000. During the forty-one weeks ending with Saturday last the death-rate averaged 24·6, and was 0·6 below the mean rate for the corresponding portions of the ten years, 1897–1906.

*Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths registered (157) include one death each from measles, diphtheria, and cerebro-spinal fever, 2 deaths from whooping-cough, 3 from enteric fever, and 23 from diarrhœal diseases. In the 3 preceding weeks, deaths from measles were 0, one, and 0; deaths from whooping-cough were one, one, and 3; deaths from diphtheria were 2, one, and 3; deaths from cerebro-spinal fever were 0, 0, and 0; deaths from enteric fever were 0, 0, and 0; and deaths from diarrhœal diseases were 10, 17, and 12, respectively. There was one death from influenza.

Five deaths were attributed to broncho-pneumonia and 3 to *pneumonia* (not defined).

All forms of tuberculous disease caused 29 deaths, including 5 deaths from tuberculous phthisis, 16 returned as from *phthisis*, 2 from tuberculous meningitis, and 6 from other forms of tuberculous disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 33, 33, and 43, respectively.

There were 4 deaths from carcinoma and 4 from cancer (undefined).

The deaths of 5 infants prematurely born were registered.

Diseases of the brain or nervous system caused 8 deaths, including 2, of infants under one year of age, from *convulsions*.

Eighteen deaths were ascribed to diseases of the heart or blood vessels, including 2 deaths from aneurysm. Bronchitis caused 13 deaths.

There were 4 accidental deaths, including one death caused by a vehicle and 2 deaths by burns or scalds.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old and the death of one person aged 80 years.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (42 being infants under one year, of whom 10 were under one month old), and 36 were aged 60 years and upwards, including 13 persons aged 70 and upwards, of whom 3 were octogenarians, and one (a female) was stated to have been aged 90 years.

Fifty-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the N. Dublin Union Workhouse and 16 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·2 per 1,000; the rate in the City was 21·5 (North City Districts, 20·7; South, 22·4), and in the Suburbs, 15·7 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 4·0 per 1,000 inhabitants, the rate for the City being 4·3, (4·1 in the North City Districts, and 4·6 in the South) and for the Suburbs, 2·9 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 28·4 per 1,000, and include one death from enteric fever, 2 from epidemic enteritis, one from *pneumonia* (not defined), 3 from *phthisis*, and one from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Six deaths were ascribed to diarrhœal diseases, 3 to tuberculous disease, 3 to diseases of the respiratory system, and one to accident.

*No. 2 North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. There were 2 deaths from diarrhœal diseases, 4 from tuberculous disease, and one death caused accidentally.

*No. 3 North City District* (Benburb-street).—The deaths (11) represent an annual rate of 17·7 per 1,000. They include one death from enteric fever, one from broncho-pneumonia, 4 deaths from tuberculous disease, and 4 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 9·5; and Finglas and Glasnevin, part of, 7·2. The 2 deaths registered for Coolock and Drumcondra, No. 1, part of, were from *phthisis*; and the only death for Finglas and Glasnevin, part of, was also from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·9 per 1,000. Four of the deaths were attributed to diarrhœal diseases, 2 to broncho-pneumonia, one to tuberculous disease, and 2 to diseases of the respiratory system.

*No. 2 South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 27·9 per 1,000, and include 2 deaths from *diarrhœa*, one from *pneumonia* (not defined), and 4 from tuberculous disease of the lungs.

*No. 3 South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 18·5 per 1,000. One of the deaths was from whooping-cough, 3 were from diarrhœal diseases, one was from *pneumonia* (not defined), 3 were from tuberculous disease, and one was from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. Among them are one death each from diphtheria and enteric fever, 2 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, and 2 deaths from bronchitis.

*New Kilmainham District.*—The deaths (5) are equal to an annual rate of 29·3 per 1,000. They include one death from cerebro-spinal fever and one from epidemic enteritis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 18·7; Blackrock, 11·9; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include one from epidemic diarrhœa for each of Rathmines and Rathgar and Pembroke, one from *diarrhœa* for Blackrock, and one each from measles and whooping-cough for Kingstown. The 10 deaths from all causes for Rathmines and Rathgar include one from influenza and one from bronchitis; and of the 10 deaths from all causes for Pembroke 4 were due to diseases of the heart and blood vessels and 2 to accidental violence.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 12th October, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Sept. 21, | . | — | — | 2 | 3 | . | 5 | . | 2 | 12 | 13 | . | — | — | — | — | — | 37 |
| | Sept. 28, | . | — | — | 4 | 5 | . | 8 | . | 4 | 10 | 14 | . | — | — | — | — | — | 45 |
| | Oct. 5, | . | — | — | 5 | 1 | . | 6 | . | 3 | 8 | 9 | . | — | — | — | — | — | 32 |
| | Oct. 12, | . | — | — | 5 | . | . | 11 | . | . | 7 | 14 | 1 | — | — | — | — | — | 38 |
| Rathmines and Rathgar Urban District. | Sept. 21, | . | — | — | . | . | . | 2 | . | . | . | 1 | . | — | — | — | — | — | 3 |
| | Sept. 28, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 1 |
| | Oct. 5, | . | — | — | . | . | . | 1 | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Oct. 12, | . | — | — | 3 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 4 |
| Pembroke Urban District. | Sept. 21, | . | 8 | . | 1 | . | . | . | . | . | 4 | . | . | — | 2 | . | — | — | 15 |
| | Sept. 28, | . | 3 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 3 |
| | Oct. 5 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | — | 1 | . | — | — | 3 |
| | Oct. 12, | . | 3 | . | . | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 4 |
| Blackrock Urban District. | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Sept. 28, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 5, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Sept. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Sept. 28, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1 |
| | Oct. 5, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Sept. 21, | . | — | — | 10 | . | . | 4 | . | 7 | 2 | 9 | 2 | — | — | 4 | — | — | 38 |
| | Sept. 28, | . | — | — | 8 | . | . | 6 | 2 | 3 | 2 | 5 | . | — | — | 2 | — | — | 28 |
| | Oct. 5, | . | — | — | 7 | . | . | 7 | 2 | 2 | 8 | 4 | 1 | — | — | 3 | — | — | 34 |
| | Oct. 12, | . | — | — | 9 | . | . | 6 | . | 8 | 3 | 5 | . | — | — | 3 | — | — | 34 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th October, 1907.

From this it appears that:—

Thirteen cases of measles were admitted into hospital during the week, 4 were discharged, and 29 cases remained under treatment at its close.

Nine cases of scarlet fever were admitted to hospital, 7 were discharged, and 38* cases remained under treatment at the close of the week.

Six cases of typhus remained under treatment at the close of the week.

Eleven cases of diphtheria were admitted to hospital, 8 were discharged, there was one death, and 25 patients remained under treatment at the close of the week.

Six cases of enteric fever were admitted to hospital during the week, 7 were discharged, there were 2 deaths, and 38 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 15 were discharged, and 20 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 14·4), was equal to an average annual death-rate of 15·7 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 14·0 and for Edinburgh 13·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th October. From this Report it appears that of a total of 57 cases notified 32 were scarlet fever, 9 diphtheria, 2 membranous croup, one erysipelas, and one enteric fever. Among the 314 cases of infectious diseases in hospital at the close of the week were 138 cases of scarlet fever, 39 of whooping-cough, 34 of diphtheria, one of membranous croup, 30 of measles, 14 of enteric fever, and 7 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 12th October, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 12th October, 1907. Numbers Registered. Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 12th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 5th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 28th Sept., 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 23·2 | 19·8 | 4·3 | 497 | 424 | 118 | 93 | . | 7 | 2 | . | 4 | 4 | . | 7 | 69 | 18 | 52 | 20 | 15 | 42 | 11 | 16 | 123 | 14 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 23·9 | 20·2 | 4·0 | 179 | 151 | 42 | 33 | . | 1 | . | . | 2 | 1 | . | 3 | 23 | 8 | 20 | 8 | 8 | 14 | 4 | 3 | 53 | 3 | f63·8 | 38·3 | 48·9 | 2·28 | f63·3 | 42·3 | 52·4 | 0·42 | f66·4 | 46·4 | 56·9 | 0·03 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | g64·1 | 42·1 | 51·0 | 1·90 | g65·1 | 43·2 | 54·3 | 0·67 | g66·8 | 52·3 | 59·4 | 0·00 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | h64·8 | 40·0 | 50·4 | 2·27 | h64·8 | 40·8 | 53·8 | 0·39 | h66·9 | 47·0 | 57·4 | 0·00 |
| City of Dublin, | 300,850 | 38·0 | 27·0 | 21·5 | 4·3 | 116 | 124 | 36 | 26 | . | . | . | . | 1 | 1 | . | 3 | 20 | 8 | 20 | 8 | 6 | 13 | 2 | 1 | 47 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 11·7 | 14·6 | 1·5 | 8 | 10 | 1 | 4 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 16·8 | 18·7 | 1·9 | 9 | 10 | 2 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 23·8 | 11·9 | 6·0 | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 5·9 | 14·8 | 5·9 | 2 | 5 | 2 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 67·5 | 41·5 | 52·4 | 1·79 | 64 | 47·5 | 55·1 | 0·32 | 64 | 52·5 | 58·6 | 0·00 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 25·4 | 22·1 | 5·5 | 180 | 157 | 47 | 31 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 8 | 34 | 3 | 57·0 | 41·0 | 50·9 | 1·36 | 65·5 | 43·5 | 54·0 | 0·57 | 65·5 | 47·5 | 58·0 | 0·01 |
| Cork, | 76,122 | 33·6 | 21·2 | 27·4 | 4·8 | 31 | 40 | 12 | 6 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 1 | 11 | 5 | 61 | 39 | 50·5 | 1·12 | 62 | 50 | 56·1 | 0·68 | 70 | 51 | 60·4 | 0·91 |
| Londonderry, | 42,475 | 19·6 | 18·4 | 13·5 | 3·7 | 15 | 11 | 2 | 4 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 12·3 | 20·5 | 4·1 | 9 | 15 | 1 | 6 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | 2 | 8 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 15·6 | 23·4 | 11·7 | 8 | 12 | 5 | 2 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 15·5 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 62 | 37 | 51 | 1·18 | 72 | 48 | 57 | 1·03 | 73 | 50 | 60 | 0·73 |
| Dundalk, | 13,076 | 3·4 | 19·9 | 16·0 | . | 5 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 12·8 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 21·0 | 12·6 | . | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 |
| Lurgan, | 11,722 | 13·8 | 13·3 | 4·4 | . | 3 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 |
| Lisburn, | 11,461 | 10·1 | 18·2 | 9·1 | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 |
| Wexford, | 11,168 | 23·2 | 28·0 | . | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 67·1 | 23·9 | . | 14 | 5 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 14·4 | 4·8 | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 61·5 | 33·9 | 48·3 | 1·93 | 70·8 | 44·4 | 54·4 | 0·99 | 65·9 | 45·5 | 57·6 | 0·09 |
| Kilkenny, | 10,609 | 11·5 | 19·7 | 14·7 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 3 | 1 | 64 | 37 | 48·0 | 1·73 | 67 | 45 | 54·7 | 0·66 | 73 | 45 | 59·7 | 0·50 |
| Clonmel, | 10,167 | 7·8 | 5·1 | 10·3 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,099 | 13·2 | 31·0 | 15·5 | . | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 |
| Tralee, | 9,867 | 16·6 | 15·9 | 10·6 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 22·9 | 22·9 | 11·4 | 4 | 4 | 2 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | 2 | . | 58 | 38 | 50·8 | 1·43 | 63 | 45 | 53·2 | 0·50 | 63 | 51 | 56·8 | 0·00 |
| Queenstown, | 7,809 | 14·4 | 26·4 | 33·0 | 19·8 | 4 | 5 | 3 | 1 | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | 1 | . | . | . | . | 61 | 39 | 50·5 | 1·12 | 62 | 50 | 56·1 | 0·68 | 70 | 51 | 60·4 | 0·91 |
| Armagh, | 7,588 | 22·2 | 27·5 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 | 69·0 | 50·1 | 59·6 | 0·00 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 6 deaths of persons (including 3 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 12th of October, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1E. | North City No. 1 W. | North City No 2. | North City No 3. | Glontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (p. of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 2 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | . |
| Diarrhœal Diseases, | 2 | 6 | 2 | . | . | . | . | 4 | 2 | 3 | . | 1 | 1 | 1 | 1 | . | 23 | . |
| Pneumonia, | 1 | . | . | 1 | . | . | . | 2 | 1 | 1 | 2 | . | . | . | . | . | 8 | . |
| Tuberculous Disease { Phthisis, | 3 | 2 | 2 | 3 | . | 2 | 1 | . | 4 | 1 | 2 | . | . | . | . | . | 20 | 1 |
| Tuberculous Disease { Other Forms. | . | 1 | 2 | 1 | . | . | . | 1 | . | 2 | 1 | . | . | . | . | . | 8 | . |
| Cancer, Malignant Disease, | 1 | . | . | . | 1 | . | . | . | 1 | . | 1 | 2 | 2 | . | . | . | 8 | . |
| Other General Diseases, | . | . | 1 | . | . | . | . | 2 | . | 1 | 2 | 2 | 3 | . | 1 | . | 12 | . |
| Total, | 8 | 9 | 7 | 6 | 1 | 2 | 1 | 9 | 8 | 9 | 10 | 5 | 6 | 1 | 2 | 2 | 86 | 1 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | . | 2 | 1 | . | 1 | . | . | . | . | 1 | 1 | . | . | 1 | . | 1 | 8 | . |
| Diseases of { Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Heart and Blood Vessels, | 2 | . | 3 | 1 | . | . | . | 1 | 1 | 3 | . | . | 2 | 4 | . | 1 | 18 | . |
| Diseases of { Respiratory System, | 1 | 3 | . | 4 | . | . | . | 2 | . | 1 | 2 | . | 1 | . | . | . | 14 | 2 |
| Diseases of { Digestive System, | 1 | 2 | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | . | . | 1 | 10 | . |
| Diseases of { Lymphatic System &c. | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of { Urinary System, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 1 | 2 | . | . | 6 | . |
| Diseases of { Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Total, | 5 | 7 | 5 | 5 | 1 | . | . | 7 | 3 | 6 | 5 | . | 4 | 7 | . | 3 | 58 | 2 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | . | 1 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | . |
| **E. Violent Deaths,** | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 4 | 3 |
| **Deaths from all Causes,** | 13 | 18 | 14 | 11 | 2 | 2 | 1 | 16 | 11 | 15 | 16 | 5 | 10 | 10 | 2 | 5 | 151 | 6 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 23·4 | 24·0 | 24·2 | 17·7 | 20·4 | 9·5 | 7·2 | 20·9 | 27·9 | 18·5 | 23·7 | 29·3 | 14·6 | 18·7 | 11·9 | 14·8 | 20·2 | . |
| | 20·7 | | | | | | | 22·4 | | | | | 15·7 | | | | | |
| | 21·5 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** { Under 1 year, | 2 | 7 | 3 | 2 | 1 | . | . | 7 | 2 | 6 | 3 | 3 | 1 | 2 | 1 | 2 | 42 | . |
| Ages at Death { 1 and under 5 years, | . | 3 | 2 | . | . | . | . | 3 | 2 | 1 | 3 | . | 1 | . | 1 | 1 | 17 | . |
| Ages at Death { 5 " 20 " | 1 | 2 | 2 | 1 | . | 1 | 1 | 1 | . | 2 | 2 | . | . | 1 | . | . | 14 | . |
| Ages at Death { 20 " 40 " | 5 | 1 | 2 | 2 | . | 1 | . | . | 2 | 1 | 2 | 1 | 1 | 1 | . | . | 19 | 2 |
| Ages at Death { 40 " 60 " | 4 | 2 | 3 | 2 | . | . | . | 1 | 4 | 2 | . | . | 3 | 4 | . | 1 | 25 | 1 |
| Ages at Death { 60 and upwards, | 1 | 3 | 2 | 4 | 1 | . | . | 4 | 1 | 3 | 6 | 1 | 4 | 2 | . | 1 | 33 | 3 |
| Number of Uncertified Deaths, | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | . | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 5 | 2 | 2 | . | . | . | 1 | 1 | 1 | 5 | 1 | 3 | 2 | 1 | . | 25 | 4 |
| Workhouse Hospitals, | 2 | 3 | 2 | 4 | . | 2 | . | 3 | 4 | 5 | 2 | 1 | . | . | . | . | 28 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i he week of the ten years, 189 906

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 41st Week of the 10 years 1897-1906. | In the Week ending Saturd 12th October, 1907. Deaths of Persons of the Age of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 16, 1897. | Oct. 15, 1898. | Oct. 14, 1899. | Oct. 13, 1900. | Oct. 12, 1901. | Oct. 11, 1902. | Oct. 17, 1903. | Oct. 15, 1904. | Oct. 14, 1905. | Oct. 13, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards. |
| Mean Temperature. | ° 49·5 | ° 48·9 | ° 48·0 | ° 50·9 | ° 48·0 | ° 48·2 | ° 50·0 | ° 47·9 | ° 49·6 | ° 52·5 | ° 49·4 | ° 48·9 | | | | | | | |
| **ALL CAUSES.** | 161 | 167 | 225 | 183 | 146 | 192 | 145 | 162 | 141 | 175 | 169·7 | 157 | 10 | 32 | 17 | 14 | 21 | 27 | 4 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | 1 | 44 | . | . | 11 | . | . | . | 1 | 5·7 | 1 | . | 1 | . | . | . | . | . |
| Scarlet Fever, | 1 | 2 | 2 | . | . | 2 | . | . | . | . | ·7 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 2 | 3 | 2 | . | 1 | . | 1 | . | . | 1 | 1·0 | 1 | . | . | . | . | . | . | 1 |
| Whooping-cough, | 1 | 1 | . | 1 | 1 | . | 1 | 3 | . | 2 | 1·0 | 2 | . | 1 | 1 | . | . | . | . |
| Diphtheria, | 2 | . | 1 | 1 | . | 2 | . | . | . | 1 | ·7 | 1 | . | . | 1 | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Enteric Fever, | 7 | 3 | 7 | 4 | 6 | 2 | 4 | 1 | 1 | 4 | 3·9 | 3 | . | . | . | 3 | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 4 | 14 | 15 | 16 | 14 | 7 | 1 | 5 | 3 | 4 | 10·9 | 10 | 2 | 8 | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 10 | 4 | 3 | 1 | 8 | | 13 | . | 8 | 5 | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 2 | 3 | 2 | . | . | . | 3 | . | 1 | . | 1·1 | . | . | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | . | . | 2 | . | ·2 | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | 1 | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . |
| Pneumonia, Lobar, | 7 | 7 | 13 | 7 | 7 | 1 | . | 1 | . | 4 | 8·8 | . | . | . | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 2 | . | 4 | 3 | 5 | | 5 | . | 2 | 1 | 1 | . | . | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 5 | 4 | 5 | 6 | 7 | | 3 | . | . | 1 | . | 1 | 1 | . |
| Erysipelas, | 1 | . | . | 1 | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | 1 | 1 | . | . | 1 | 1 | . | 1 | . | . | ·5 | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | . | 2 | ·3 | . | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 24 | 20 | 22 | 26 | 21 | 1 | 6 | 2 | 7 | 8 | 20·5 | 5 | . | . | . | 1 | 2 | 1 | . |
| "*Phthisis*," | | | | | | 25 | 19 | 6 | 10 | 8 | | 16 | . | . | . | 2 | 10 | 2 | . |
| Tuberculous Meningitis, | 4 | 4 | 7 | 2 | . | 2 | 1 | 4 | 3 | 3 | 3·0 | 2 | . | . | . | 2 | . | . | . |
| Tuberculous Peritonitis, | 4 | 7 | 8 | 5 | 5 | 1 | . | 1 | 3 | . | 3·6 | . | . | . | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | 1 | 1 | . | . | . | | . | . | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 5 | 5 | 1 | 8 | 5 | 6 | 8 | 8 | 6 | 4 | 5·7 | 6 | . | 1 | 2 | 3 | . | . | . |
| *Scrofula*, | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . |
| Alcoholism, | . | 1 | 1 | . | 1 | 1 | 1 | 3 | . | . | ·8 | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | . | 1 | . | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | . | . | . |
| Gout, | . | . | . | 1 | . | . | . | . | 2 | . | ·3 | . | . | . | . | . | . | . | . |
| Carcinoma, | 3 | 1 | 7 | 5 | 3 | . | 3 | 1 | 2 | 3 | 5·2 | 4 | . | . | . | . | 2 | . | . |
| Sarcoma, | | | | | | . | 2 | . | . | 1 | | . | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 2 | 3 | 6 | 5 | 5 | | 4 | . | . | . | . | . | 2 | . |
| Diabetes Mellitus, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . |
| Premature Birth, | 1 | 2 | 6 | 4 | 1 | 5 | 4 | 7 | 3 | 4 | 3·7 | 5 | 5 | . | . | . | . | . | . |

* The figures for the years 1897-1900 ar or
† Formerly describe as

-FIRST WEEK ending Saturday, 12th October, 1907, with the deaths from each cause in the corresponding e average for those weeks.*

| .USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Oct. 16, 1897. | Oct. 15, 1898. | Oct. 14, 1899. | Oct. 13, 1900. | Oct. 12, 1901. | Oct. 11, 1902. | Oct. 17, 1903. | Oct. 15, 1904. | Oct. 14, 1905. | Oct. 13, 1906. | Averages in 41st Week of the 10 years 1897–1906. | In the Week ending Saturday, 12th October, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 'ean Temperature. | ° 49·5 | ° 48·9 | ° 48·0 | ° 50·9 | ° 48·0 | ° 48·2 | ° 50·0 | ° 47·9 | ° 49·6 | ° 52·5 | ° 49·4 | ° 48·9 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 8 | 5 | 2 | 1 | 2 | | 1 | . | . | . | 1 | . | . | . | . |
| nity, G. P. of Insane ... | | | | | | . | 3 | . | 3 | . | | . | . | . | . | . | . | . | . | . |
| epsy ... ... | | | | | | 1 | 1 | 1 | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| ulsions ... ... | | | | | | 10 | 5 | 13 | 3 | 5 | | 2 | . | 2 | . | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | 2 | . | 2 | . | | 1 | . | . | . | . | . | . | 1 | . |
| rous System (other s.) | 23 | 29 | 32 | 37 | 37 | 4 | . | 1 | 3 | 2 | 35·8 | 3 | . | . | . | . | . | 2 | 1 | . |
| . Dis., Endocarditis ... | | | | | | 4 | 7 | 10 | 4 | 3 | | 3 | . | . | . | . | . | 2 | 1 | . |
| br. Hæm. Thromb. ... | | | | | | 1 | 2 | 6 | 2 | 3 | | . | . | . | . | . | . | . | . | . |
| lexy, *Hemiplegia* ... | | | | | | 6 | 2 | 1 | 3 | 4 | | 4 | . | . | . | . | . | 3 | . | 1 |
| urysm ... ... | | | | | | . | 2 | . | 2 | . | | 2 | . | . | . | . | 1 | . | 1 | . |
| olism, Thromb. (not rebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 8 | 15 | 9 | 12 | 15 | | 9 | . | . | . | . | . | 3 | 5 | 1 |
| p (not Spasm. nor emb.) | 2 | . | . | . | . | 2 | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| nchitis ... ... | 17 | 14 | 15 | 22 | 9 | 13 | 12 | 23 | 14 | 18 | 15·7 | 13 | . | 1 | . | . | 1 | 2 | 8 | 1 |
| ma, Emphysema ... | | | | | | 2 | . | . | 2 | . | | 2 | . | . | . | . | . | . | 2 | . |
| risy ... ... | 4 | 1 | 1 | . | . | . | 1 | . | 1 | . | 1·7 | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | . | 2 | 1 | . | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| sillitis, Quinsy ... | 1 | . | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . | . |
| eritis (not Epid.) ... | | | | | | 3 | 1 | 2 | 2 | 3 | | 4 | 1 | 1 | 2 | . | . | . | . | . |
| ro *Enteritis* ... ... | 1 | 2 | 2 | 3 | . | 1 | . | 3 | . | 3 | 2·6 | 4 | 1 | 3 | . | . | . | . | . | . |
| *onitis* (not Puerp.) ... | . | 1 | . | . | 1 | 1 | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| hosis of Liver ... | | | | | | 1 | . | . | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| er Dis. (other) ... | 4 | 6 | . | 3 | 3 | 2 | . | . | 2 | . | 2·4 | 1 | . | . | . | . | . | 1 | . | . |
| estive Dis. (other) ... | 6 | 6 | 4 | 5 | 4 | 1 | 4 | 5 | 2 | 5 | 4·2 | 1 | . | . | 1 | . | . | . | . | . |
| britis, Acute ... | | | | | | 2 | . | . | . | 2 | | . | . | . | . | . | . | . | . | . |
| ght's Dis., Albuminuria | 5 | 1 | 3 | 3 | 3 | 3 | 2 | 2 | . | 3 | 3·7 | 4 | . | . | . | . | . | 3 | 1 | . |
| nary Sys. (Other Dis.) | | | | | | 1 | 1 | . | 2 | 4 | | 2 | . | . | . | . | 1 | . | 1 | . |
| erative Organs Dis. ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ldbirth (Accid. of) ... | 1 | . | . | 1 | . | . | . | . | 2 | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 11 | 15 | 12 | 9 | 7 | 6 | 2 | 4 | . | 2 | 6·8 | 1 | . | . | . | . | . | . | 1 | . |
| er Diseases ... ... | 11 | 15 | 15 | 13 | 10 | 20 | 8 | 14 | 13 | 11 | 13·0 | 7 | 1 | 2 | 3 | . | . | 1 | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | . | . | . | . | . | . | 2 | . | ·2 | 1 | . | . | . | . | . | . | 1 | . |
| hips, Boats, Docks (exusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 1 | . | . | 2 | 1 | 1 | 1 | . | 1 | 3 | 1·0 | 2 | . | 1 | . | 1 | . | . | . | . |
| Drowning ... ... | 2 | . | 1 | 2 | 1 | . | . | 1 | . | 1 | ·8 | . | . | . | . | . | . | . | . | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | 2 | ·2 | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| er Deaths by Accident | 3 | 1 | 1 | 1 | 2 | 1 | . | 1 | 1 | . | 1·1 | 4 | . | . | . | . | 2 | 2 | . | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| nicide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| cide ... ... | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
ple Continued Fever.'

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 20. | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. |
| No. of weeks in Annual Series. | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 |
| Births registered, | 220 | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 |
| *Average Births in corresponding week of previous 10 years,** | 215 | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 |
| Deaths registered, | 215 | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 |
| Annual Death-rate per 1,000, | 28·7 | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 197 | 184 | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 |
| Ages,— Under 5 years, | 71 | 90 | 73 | 59 | 55 | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 |
| 5—20 " | 18 | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 |
| 20—40 " | 25 | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 |
| 40—60 " | 52 | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 |
| 60—80 " | 46 | 53 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 |
| 80 years and upwards, | 5 | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 10 | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 |
| Scarlet Fever | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . |
| Whooping-cough, | 7 | 15 | 10 | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 |
| Diphtheria, | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 |
| *Pyrexia* † (origin uncertain), | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Enteric Fever, | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 |
| Diarrhœal Diseases, | 1 | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 |
| Influenza, | 5 | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 |
| Pneumonia, | 23 | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 |
| Tuberculous Disease. { Phthisis, | 30 | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 |
| Tuberculous Disease. { Other Forms, | 16 | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 |
| Cancer, Malignant Disease, | 10 | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 14 | 8 |
| Diseases of Heart and Blood Vessels, | 30 | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 |
| Diseases of Respiratory System, | 31 | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 |
| Violent Deaths, | 3 | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 8 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 | 7 |
| Number of Uncertified Deaths, | 3 | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 42·5 | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 45·4 | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 |
| Rainfall in inches, | ·111 | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·284 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·84 | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 |

* See note (2) at foot of Table IV.

**TABLE VI.—DEATHS IN FIVE GENERAL CLASSES AND EIGHTEEN GROUPS OF SOCIAL POSITION IN THE DUBLIN REGISTRATION AREA DURING THE WEEK ENDING SATURDAY, 12TH OCTOBER, 1907.**

**in the Dublin Registration Area during the Week ending Saturday, 12th October, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.**

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 12TH OCTOBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 21·8 | 157 | 59 | 14 | 21 | 27 | 32 | 4 | . | 1 | . | . | 2 | 1 | . | 3 | 23 | 30 | 8 | 21 | 8 | 8 | 2 | 16 | 7 | 57 | 3 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 12·0 | 4 | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . |
| II. | MIDDLE CLASS, | 87,188 | 16·1 | 27 | 4 | 2 | 6 | 7 | 6 | 2 | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | 5 | . | 3 | 1 | 2 | 2 | 10 | 2 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 15·6 | 33 | 14 | 2 | 6 | 7 | 4 | . | . | . | . | . | . | 1 | . | . | 8 | 9 | 1 | 3 | 2 | 2 | . | 2 | . | 14 | 1 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 30·3 | 63 | 32 | 7 | 4 | 8 | 5 | . | . | 1 | . | . | 2 | . | . | 2 | 13 | 18 | 5 | 5 | 4 | 1 | 1 | 2 | 4 | 23 | . |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 30 | 2 | 3 | 5 | 4 | 15 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 8 | 2 | 2 | . | 9 | 1 | 7 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 13·4 | 2 | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 12·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 2 | . | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 20·6 | 12 | 2 | 1 | 3 | 3 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | 2 | . | 2 | . | 1 | 1 | 2 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 11·6 | 6 | . | . | 1 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 26·4 | 5 | 1 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | 1 | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 10·5 | 6 | 3 | . | 1 | 2 | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . | . | . | . | 1 | . | 3 | . |
| | 10. Clothing Trades, | 23,260 | 20·2 | 9 | 4 | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 1 | . | 1 | . | 1 | . | 3 | 1 |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | 5 | . | 2 | 1 | 3 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | . | . | . | . | 6 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | 4 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | . | . | . | . | . | 2 | . |
| | 15. Domestic Servants, | 36,603 | 2·8 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 32·6 | 9 | 4 | 2 | . | 3 | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . | . | 1 | . | . | 1 | 1 | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 27·3 | 47 | 30 | 5 | 4 | 5 | 3 | . | . | 1 | . | . | 2 | . | . | 2 | 7 | 12 | 5 | 5 | 3 | 1 | . | 1 | 3 | 17 | . |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 30 | 2 | 3 | 5 | 4 | 15 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 8 | 2 | 2 | . | 9 | 1 | 7 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents c RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of th the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths t* similar Statistics for each of th

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Aug. 24, | 1·8 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 31, | 23·4 | 1·8 | 13 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | . | . | . |
| | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 14·4 | 3·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| | „ 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . | . |
| | „ 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Aug. 24, | 22·6 | 2·7 | 17 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | 2 | . | . |
| | „ 31, | 29·3 | 8·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | „ 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| | „ 21, | 17·3 | 4·0 | 13 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . |
| | „ 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 | . |
| | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . | 4 |
| | „ 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Aug. 24, | 24·2 | 3·5 | 14 | . | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . | 3 | 1 | . |
| | „ 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | „ 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . | . |
| | „ 21, | 13·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 1 | . |
| | „ 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 | . |
| | „ 12, | 24·2 | 5·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Aug. 24, | 11·3 | 1·6 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . | 1 | . | . |
| | „ 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | „ 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . |
| | „ 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 | . |
| | „ 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . | . |
| | Oct. 5, | 30·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . | . |
| | „ 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Aug. 24, | 23·5 | 3·9 | 18 | . | . | . | . | . | 2 | . | . | 1 | 2 | 4 | 1 | 1 | . | . | . |
| | „ 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . |
| | „ 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | . | . | . | . |
| | „ 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | . | 1 |
| | „ 28, | 23·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | 2 | 1 | . |
| | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | 1 | . | . | 2 |
| | „ 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Aug. 24, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 1 | . | . | . | . |
| | „ 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | „ 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . | . |
| | „ 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . | . |
| | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . | . |
| | „ 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Aug. 24, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | „ 31, | 19·8 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | „ 14, | 23·5 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . | . |
| | „ 21, | 27·2 | 3·7 | 22 | . | . | . | . | . | 1 | . | . | 2 | 1 | 2 | 5 | 2 | 2 | . | . |
| | „ 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . | . |
| | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . | . |
| | „ 12, | 18·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . | 1 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Aug. 24, | 13·4 | 3·0 | 9 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |
| | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |
| | „ 14, | 19·3 | 5·9 | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 | . |
| | „ 21, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 2 |
| | „ 28, | 22·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 | . |
| | Oct. 5, | 22·3 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . | . |
| | „ 12, | 23·7 | 3·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . | . |

* Formerly described as "Simple Continued Fever."

tain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of pulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *blic Institutions being assigned to the Districts from which the deceased were admitted;* also, ovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Aug. 24, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . |
| | „ 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| | „ 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| | „ 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 |
| | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| | „ 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Aug. 24, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | „ 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| | „ 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Aug. 24, | 11·8 | 3·0 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | Sept. 7, | 20·7 | 3·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ 21, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | Oct. 5, | 20·7 | 3·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Aug. 24, | 15·1 | 1·0 | 107 | . | . | . | . | 2 | 1 | . | . | 4 | 6 | 12 | 8 | 3 | 7 | 4 | 4 |
| | „ 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| | „ 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 8 | 14 | 8 | 3 | 16 | 8 | . |
| | „ 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| | „ 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 3 |
| | Oct. 5, | 17·7 | 3·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| | „ 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Aug. 24, | 16·4 | 0·7 | 24 | . | . | 1 | . | . | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . |
| | „ 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 1 |
| | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | 1 |
| | „ 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | 1 |
| | „ 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| | „ 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| | Oct. 5, | 26·0 | 6·2 | 38 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| | „ 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Aug. 24, | 14·7 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | . | . |
| | „ 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| | „ 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| | „ 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . |
| | „ 12, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| **Limerick.** Pop. (in 1901) 38,151. | Aug. 24, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 5 |
| | „ 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | 1 |
| | „ 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | „ 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| **Waterford.** Pop. (in 1901) 26,769. | Aug. 24, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | 1 | . |
| | „ 31, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Sept. 7, | 3·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |
| | „ 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 28, | 23·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |
| | Oct. 5, | 44·8 | 13·6 | 23 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |
| | „ 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 12th October, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | . | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the several distribution of the increase through the districts not being at present practicable, Death rates are omitted from this table. | | 3 | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . | 2 | . |
| Do. 2 ,, | 47,959 | 14 | | | 23 | 5 | 2 | 2 | 4 | 5 | 5 | . | . | . | . | . | . | 2 | 2 | 1 | 1 | . | 2 | 4 | . | 1 | 7 | . |
| Do. 3 ,, | 47,214 | 24 | | | 22 | 8 | 4 | 1 | 4 | 2 | 3 | . | 2 | . | . | . | . | 2 | 4 | 1 | 2 | . | . | 1 | . | 1 | 6 | 1 |
| Do. 4 ,, | 40,911 | 27 | | | 22 | 4 | 7 | 1 | 2 | 5 | 3 | . | . | . | . | . | . | . | 4 | 2 | . | . | . | 2 | 2 | 2 | 6 | 1 |
| Do. 5 ,, | 17,387 | 18 | | | 14 | 6 | . | 3 | 1 | 2 | 2 | . | 1 | . | . | . | . | . | 4 | . | 3 | . | . | 1 | 1 | 2 | 1 | . |
| Do. 6 ,, | 48,122 | 11 | | | 12 | 3 | 3 | 1 | . | 2 | 3 | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | 1 | 2 | . |
| Do. 7 ,, | 1,524 | 3 | | | 4 | 1 | . | . | 2 | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 | . |
| Do. 8 ,, | 5,060 | 6 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 19 | | | 13 | 7 | 1 | . | 1 | 3 | 1 | . | . | 1 | . | . | . | . | 4 | 1 | 2 | . | . | 1 | . | . | 8 | . |
| Do. 10 ,, | 28,064 | 18 | | | 11 | 1 | 3 | 2 | 1 | 1 | 3 | . | 1 | . | . | . | . | . | 1 | 1 | 2 | 1 | . | 2 | . | . | . | . |
| Do. 11 ,, | 34,802 | 23 | | | 15 | 4 | 2 | 2 | 2 | 1 | 4 | . | 1 | . | . | . | . | . | 4 | 1 | 2 | 1 | . | . | . | . | 3 | 1 |
| Do. 12 ,, | 33,588 | 20 | | | 13 | 5 | 2 | 1 | 1 | 1 | 3 | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 2 | . |
| Do. 13 ,, | 15,006 | 7 | | | 5 | 2 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 180 | | | 157† | 47 | 24 | 13 | 19 | 23 | 31 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 8 | 34 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 5 | 12·2 | . | 3 | 1 | . | | 2 | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | 1 |
| Do. 2 ,, | 10,701 | 5 | 19·5 | . | 4 | . | . | | 3 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | 1 | . |
| Do. 3 ,, | 9,978 | 3 | 41·8 | 10·5 | 8 | 3 | 1 | | 4 | | . | . | . | . | . | . | . | . | . | 2 | . | 4 | 2 | . | . | . | . | 3 | 1 |
| Do. 4 ,, | 8,666 | 4 | 54·2 | 12·0 | 9 | 2 | 2 | | 4 | | 1 | . | . | . | . | . | . | . | . | 2 | . | 1 | 2 | . | . | . | 1 | 2 | 1 |
| Do. 5 ,, | 6,592 | 4 | 39·6 | 7·9 | 5 | 2 | . | | 2 | | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 1 | 14·6 | 4·9 | 3 | 2 | . | | 1 | | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 ,, | 16,616 | 9 | 25·1 | 8·1 | 8 | 2 | 1 | | 2 | | 3 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | 2 | 2 |
| Total, | 76,122 | 31 | 27·4 | 4·8 | 40 | 12 | 4 | | 18 | | 6 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 1 | 11 | 5 |

*without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 20. | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. |
| No. of weeks in Annual Series, | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 |
| Births registered, | 207 | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 |
| Deaths registered. | 170 | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157† |
| Annual Death-rate per 1,000 of estimated Population. | 23·9 | 23·9 | 23·6 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 |
| Ages — Under 1 year | 39 | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 13 | 40 | 38 | 47 |
| 1–5 years, | 33 | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 |
| 5–20 years, | 11 | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 |
| 20–40 years, | 31 | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 |
| 40–60 years, | 32 | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 |
| 60 years and upwards, | 24 | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 |
| Scarlet Fever, | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 |
| Diphtheria, | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever, | 1 | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 |
| Diarrhœal Diseases, | 1 | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 |
| Pneumonia, | 15 | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 |
| Tuberculous Disease, — Phthisis, | 23 | 23 | 19 | 26 | 9 | 33 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 |
| Tuberculous Disease, — Other Forms, | 13 | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 |
| Cancer Malignant Disease, | 4 | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 |
| Diseases of Respiratory System, | 21 | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 |
| Violent Deaths, | 4 | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 | . | 2 | 4 |
| Number of Uncertified Deaths, | 6 | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 |

* Formerly described as "Simple Continued Fever."
† Including 2 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Oct. 12, | 2,183 | 1,315 | 14·4 | . | 11 | 19 | 19 | 18 | 10 | 110 |
| EDINBURGH, | 345,747 | „ 12, | 134 | 88*a* | 13·3 | . | . | . | . | 4 | . | 2 |
| GLASGOW, | 847,584 | „ 12, | 485 | 227*a* | 14·0 | . | 5 | 1 | 4 | 7 | 5 | 24 |
| CALCUTTA, | 847,796 | Aug. 24, | . | 425 | 26·0 | . | . | . | . | 1 | 130‡ | 63* |
| BOMBAY, | 977,822 | Sept. 10, | 432 | 715 | 38·0 | . | 1 | . | . | . | 69‡ | 129* |
| MADRAS, | 509,346 | Aug. 23, | 458 | 407 | 41·5 | 2 | 2 | ? | ? | ? | 109 | 71* |
| PARIS, | 2,722,731 | Sept. 28, | 982 | 931 | 17·7 | 1 | 3 | 6 | 2† | 6 | 4 | 89 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 21, | 203 | 143 | 11·9 | . | . | . | . | 1 | 2 | 28 |
| ANTWERP, | 304,032 | „ 21, | 130 | 72 | 12·3 | . | . | . | . | . | 2 | 23 |
| AMSTERDAM, | 564,474 | „ 28, | 263 | 136 | 12·6 | . | . | 1 | 1† | 3 | 2 | 6 |
| COPENHAGEN, | 432,000 | „ 21, | 232 | 91 | 11·0 | . | 2 | . | 1† | . | 1 | . |
| STOCKHOLM, | 332,738 | „ 21, | 187 | 78 | 12·2 | . | . | . | . | 2 | 2 | 5 |
| CHRISTIANIA, | 229,324 | „ 28, | 103 | 45 | 10·2 | . | . | . | 1† | . | . | 3 |
| ST. PETERSBURG, | 1,482,769 | „ 21, | 845 | 554 | 19·4 | . | 10 | 9 | 18 | 7 | 17 | 95 |
| MOSCOW, | 1,296,000 | Aug. 31, | . | 681 | 27·4 | . | 11 | 5 | 5† | 6 | 3 | 260 |
| BERLIN, | 2,095,309 | Sept. 14, | 905 | 587 | 14·6 | . | 6 | 3 | 7† | 15 | 1 | 102 |
| HAMBURG, | 824,792 | „ 21, | . | 200 | 12·6 | . | . | 2 | 1† | 1 | . | 23 |
| BRESLAU, | 485,440 | „ 21, | . | 153 | 16·4 | . | 1 | 1 | 2† | 6 | . | 23 |
| MUNICH, | 548,000 | „ 28, | . | 183 | 17·4 | . | . | . | 3† | . | . | 31 |
| VIENNA (with suburbs). | 1,979,003 | „ 28, | 880 | 567 | 14·9 | 1 | . | 6 | 4† | 1 | 1 | 62 |
| BUDA-PESTH, | 802,235 | „ 7, | 352 | 271 | 17·6 | . | 4 | 5 | 2† | 3 | 2 | 41 |
| PRAGUE and Faubourgs. | 470,906 | „ 7, | 184 | 149 | 16·5 | . | . | . | . | 1 | 5 | 17 |
| TRIESTE, | 200,962 | „ 14, | 105 | 83 | 21·5 | . | . | 1 | . | . | . | 24 |
| ROME, | 545,610 | July 20, | 240 | 172 | 16·4 | . | 3 | . | . | 2 | 2 | 33 |
| VENICE, | 174,398 | Aug. 24, | 87 | 62 | 18·5 | . | . | . | 1† | . | . | 15 |
| NEW YORK, | 4,285,435 | Sept. 14, | 2,375 | 1,329 | 16·2 | . | 4 | 4 | 20‡ | 6 | 19 | 262 |
| PHILADELPHIA, | 1,500,595 | „ 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | „ 14, | . | 201 | 17·2 | . | 2 | . | 2 | . | 2 | 34 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 4 deaths in Glasgow.
* Including 25 deaths from cholera in Calcutta, 36 in Bombay, and 7 in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 29 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th October, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 2 | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | 2 | . | . | . | 2 | . | . | . | 4 |
| " " 2, | . | . | . | . | 1 | . | . | 3 | 2 | . | . | . | 6 |
| " " 3, | . | . | . | . | . | . | . | . | 4 | . | . | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| South City No. 1, | . | 1 | . | . | 1 | . | . | . | 5 | . | . | . | 7 |
| " " 2, | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 |
| " " 3, | . | . | . | . | 1 | . | . | 2 | 1 | . | . | . | 4 |
| " " 4, | . | 4 | . | . | 4 | . | . | . | . | . | . | . | 8 |
| New Kilmainham, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | . | 5 | . | . | 11 | . | . | 7 | 14 | 1 | . | . | 38 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th October, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 12th October. | | | |
|---|---|---|---|---|---|---|---|
| | Sept. 21. | Sept. 28. | Oct. 5. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 11 | 17 | 20 | 13 | 4 | . | 29 |
| Scarlet Fever, | 37 | 35 | 36 | 9 | 7 | . | 38* |
| Typhus, | 7 | 6 | 6 | . | . | . | 6 |
| Diphtheria, | 19 | 16 | 23 | 11 | 8 | 1 | 25 |
| Enteric Fever, | 34 | 36 | 41 | 6 | 7 | 2 | 38 |
| Pneumonia, | 24 | 31 | 26 | 9 | 15 | . | 20 |

* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 12th October, 1907:—

"Exceedingly broken and often inclement weather prevailed through the greater part of this week. Sunday and Monday were chiefly fine—the former day was warm, temperature rising to 64·1° in the screen early in the afternoon; the latter day was cold, though for the most part fine and bright. But after Monday clouds and rain 'held the field,' lightning was frequently seen at night, and on Wednesday thunder and lightning occurred in Dublin between 4 and 7 p.m. These electrical disturbances were connected with the erratic movements of an energetic atmospheric depression which developed over Ireland and the South of England in the course of Monday night. On the morning of that day a depression, in which the barometer was as low as 29·2 inches, lay off the S.W. coast of Norway, while secondary depressions were found off the N. of Ireland, the Wash, and the English Channel. The formation of the new disturbance over Ireland equalised pressure with the result that sharp frost occurred in Scotland on Tuesday morning, the thermometer falling to 27° at Wick and Nairn. Rain fell in torrents over Leinster on Tuesday, and on Wednesday afternoon a thunderstorm passed slowly over Dublin from the eastward, the lightning being especially vivid. The cyclonic system, with which these disturbances were connected, travelled in a circle and finally passed off to the northward. It was succeeded by other depressions, which kept the weather in an unsettled, rainy state to the end. In Dublin the mean height of the barometer was 29·623 inches, the range being between 29·478 inches at 9 p.m. of Sunday (wind, W.) and 29·845 inches at 9 a.m. of Saturday (wind, W.). The corrected mean temperature was 51·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 50·1°. The screened thermometers rose to 64·1° on Sunday and fell to 42·1° on Tuesday. The prevalent wind was W. Rain fell daily to the large amount of 1·895 inches, ·711 inch being recorded on Tuesday and ·480 inch in Wednesday's thunderstorm."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·628 inches. The highest reading (29·842) was on Saturday at 9 a.m., wind S.W., and the lowest (29·474) on Sunday at 9 p.m., wind W.S.W.

The mean temperature for the week was 48·9°, being 0·5° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 63·8°, and was lowest on Monday, the mercury having fallen to 38·3°. The mean of the Dry Bulb for the week was 48·7°, and of the Wet Bulb 47·4°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 2·284 inches.

At Greenwich the mean temperature for the week was 52·7°, the maximum 64·5°, and the minimum 40·1°; at Glasgow the maximum was 59·8°, the minimum 35·4°, and the mean 50·0°; and at Edinburgh the maximum was 58·2°, the minimum 36·4°, and the mean 49·6°. The rainfall at Greenwich measured 1·13 ins.; at Glasgow 1·93 ins.; and at Edinburgh 2·60 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Oct. 6, | 29·607 | 63·8 | 53·3 | 58·6 | 54·8 | 53·5 | ·92 | ·6 | 0·7 | ·080 | S.W. | W.S.W. |
| Monday, „ 7, | 29·578 | 54·1 | 38·3 | 46·2 | 42·6 | 41·4 | ·92 | ·9 | 8·4 | ·122 | W.S.W. | W. |
| Tuesday, „ 8, | 29·514 | 45·1 | 38·4 | 41·8 | 43·0 | 42·1 | ·93 | ·0 | 0·0 | ·737 | Calm. | N.E. |
| Wednesday, „ 9, | 29·636 | 54·1 | 42·4 | 48·3 | 51·7 | 49·7 | ·88 | ·7 | 0·3 | ·735 | N.E. | N.E. |
| Thursday, „ 10, | 29·583 | 55·0 | 45·2 | 50·1 | 47·5 | 46·7 | ·95 | ·6 | 2·5 | ·040 | Calm. | W.N.W. |
| Friday, „ 11, | 29·671 | 54·3 | 39·4 | 46·9 | 51·9 | 49·9 | ·87 | ·7 | 0·8 | ·060 | S.E. | S.W. |
| Saturday, „ 12, | 29·805 | 54·7 | 46·5 | 50·6 | 49·3 | 48·6 | ·96 | ·8 | 0·0 | ·510 | S.W. | Calm. |
| Mean, . . | 29·628 | 54·4 | 43·4 | 48·9 | 48·7 | 47·4 | ·92 | ·6 | Total 12·7 | Total 2·284 | Prevailing Wind. S.W. | |

*Sunday*—Day overcast, heavy rain 10.50 a.m. to 11.30 a.m., 3.0 p.m. to 3.20 p.m., and 9.35 p.m. to 10.0 p.m.; night clear. *Monday*—Cloudy day, light showers a.m. and p.m.; night overcast, light rain 12.30 to 6.30 a.m. *Tuesday*—Day overcast, light rain all day; night cloudy. *Wednesday*—Day overcast, light rain p.m., heavy thunderstorm, heavy rain 5.45 to 6.50 p.m. and 6.0 p.m. to 7.30; night cloudy. *Thursday*—Cloudy day, light rain 6.45 p.m. to 7.25 p.m.; night cloudy, light showers a.m. *Friday*—Cloudy day, light showers a.m. and p.m.; night cloudy. *Saturday*—Day overcast, light showers a.m., showery p.m.; night overcast.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 12th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Oct. 6, | 57·9 | 56·5 | 55·3 | 65·8 | 54·9 | 60·4 | 0·6 | ·090 |
| Monday, „ 7, | 48·8 | 55·7 | 55·5 | 56·6 | 43·0 | 49·8 | 7·6 | ·096 |
| Tuesday, „ 8, | 44·0 | 53·7 | 55·4 | 51·3 | 41·0 | 46·2 | — | ·730 |
| Wednesday, „ 9, | 53·4 | 52·1 | 55·2 | 55·1 | 47·5 | 51·3 | 0·1 | ·443 |
| Thursday, „ 10, | 49·4 | 52·4 | 55·0 | 55·8 | 46·8 | 51·3 | 1·1 | ·070 |
| Friday, „ 11, | 54·9 | 52·5 | 54·9 | 56·1 | 44·0 | 50·1 | 1·7 | ·063 |
| Saturday, „ 12, | 52·8 | 52·7 | 54·6 | 55·8 | 47·3 | 51·6 | — | ·403 |
| Weekly Mean, . | 51·6 | 53·7 | 55·1 | 56·6 | 46·4 | 51·5 | Total 11·1 | Total 1·895 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 10. 1907.—19028.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
**By Authority of the Registrar-General.**

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 19TH OCTOBER, 1907. [No. 42.

*General Register Office, Charlemont House,*
*Dublin,* 21*st October,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the last four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Sep 28. | Week ending Oct. 5. | Week ending Oct. 12. | Week ending Oct. 19. | Average Rate for 4 weeks. | Towns, &c. | Week ending Sept. 28. | Week ending Oct. 5. | Week ending Oct. 12. | Week ending Oct. 19. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 18·1 | 19·6 | 19·8 | 19·7 | 19·3 | Lisburn, . . | 9·1 | 13·6 | 9·1 | 4·5 | 9·1 |
| Armagh, . . | 34·4 | . | . | 27·5 | 15·5 | Londonderry, . | 17·2 | 9·8 | 13·5 | 30·7 | 17·8 |
| Ballymena, . | 19·2 | 19·2 | 23·9 | . | 15·6 | Lurgan, . . | 22·1 | . | 4·4 | 17·7 | 11·1 |
| Belfast, . . | 16·5 | 17·7 | 22·1 | 19·4 | 18·9 | Newry, . . | 33·6 | 16·8 | 12·6 | 8·4 | 17·9 |
| Clonmel, . . | 5·1 | 5·1 | 10·3 | 35·9 | 14·1 | Newtownards, . | 22·9 | 5·7 | 22·9 | 22·9 | 18·6 |
| Cork, . . . | 21·2 | 26·0 | 27·4 | 24·0 | 24·6 | Portadown, . | . | 20·7 | 15·5 | 20·7 | 14·2 |
| Drogheda, . . | 16·3 | 4·1 | 12·3 | 20·4 | 13·3 | Queenstown . | 33·0 | 26·4 | 33·0 | 13·2 | 26·4 |
| Dublin Reg. Area, | 18·6 | 21·0 | 20·2 | 20·3 | 20·0 | Sligo, . . . | 9·6 | 52·8 | 4·8 | 4·8 | 18·0 |
| Dundalk . . | 19·9 | 16·0 | 16·0 | 4·0 | 14·0 | Tralee, . . | 15·9 | 21·1 | 10·6 | 15·9 | 15·9 |
| Galway, . . | 23·3 | 38·8 | . | 27·2 | 22·3 | Waterford, . | 23·4 | 44·8 | 23·4 | 25·3 | 29·2 |
| Kilkenny, . . | 9·8 | 9·8 | 14·7 | . | 8·6 | Wexford, . . | 18·7 | 18·7 | . | 18·7 | 14·0 |
| Limerick, . . | 21·9 | 15·0 | 20·5 | 13·7 | 17·8 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·8 per 1,000, the rates varying from 0·0 in twelve of the districts to 13·2 in Queenstown, in which district both of the 2 deaths registered were due to diarrhœal diseases. The 138 deaths from all causes in Belfast include 5 from measles, one from whooping-cough, 2 from diphtheria, 21 from diarrhœal diseases, and 2 deaths from cerebro-spinal fever. Of the 10 deaths from all causes for Limerick, 2 were from measles; and the 13 deaths from all causes for Waterford include from diarrhœal diseases.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 179—85 boys and 94 girls; and the deaths to 164—90 males and 74 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 21·9 in every 1,000 of the population. Omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, the rate was 20·3 per 1,000. During the forty-two weeks ending with Saturday last the death-rate averaged 24·6, and was ·6 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The total deaths (164) from all causes included one death from scarlet fever, 2 deaths from whooping-cough, one death from enteric fever, and 15 deaths from diarrhœal diseases—not including 8 deaths from enteritis and 2 deaths from gastro-enteritis. In each of the 3 weeks preceding, deaths from scarlet fever were 0, 0, and 0; deaths

*Exclusive of deaths of persons admitted into Public Institutions from without the respective districts.

† See note (*a*), Table II.

‡ See columns 10–18 of Table II.

from whooping-cough were one, 3, and 2; deaths from enteric fever were 0, 0, and 3; and deaths from diarrhœal diseases were 17, 12, and 23. There was one death from influenza, and one death from cerebro-spinal fever.

Broncho-pneumonia caused 11 deaths and *pneumonia* (not defined) caused 3 deaths.

The total number of deaths from all forms of tuberculous disease was 32, and included 13 deaths from tuberculous phthisis, 12 deaths returned as from *phthisis*, one death from each of tuberculous meningitis, tuberculous peritonitis, and *tabes mesenterica*, and 4 deaths from other forms of the disease. The deaths from all forms of tuberculous disease during the 3 preceding weeks numbered 33, 43, and 29, respectively.

There were 4 deaths from cancer, malignant disease (undefined).

Prematurity caused the deaths of 5 infants.

The deaths from diseases of the brain and nervous system, 15 in number, include the deaths of 5 infants under one year of age, and the death of one child between the ages of one year and 5 years, from *convulsions*.

Diseases of the heart and blood vessels caused 19 deaths, and there were 9 deaths from bronchitis.

Of 5 accidental deaths, 2 were by vehicles and horses and 2 were due to burns.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all of deaths of children under 5 years of age, and include the deaths of 3 infants under one year old.

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (44 being infants under one year, of whom 9 were under one month old), and 31 were aged 60 years and upwards, including 11 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a male) was stated to have been aged 90 years.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the N. Dublin Union Workhouse and 22 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·3 per 1,000; the rate in the City was 21·7 (North City Districts, 19·3; South, 24·1), and in the Suburbs, 15·7 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 2·8 (1·7 in the North City Districts, and 3·9 in the South) and for the Suburbs, 1·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·8 per 1,000, and include one death from influenza, one death from broncho-pneumonia, and one death from *tabes mesenterica*.

*No. 1 North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Among the deaths there were 2 from diarrhœal diseases, 3 from broncho-pneumonia, one from *pneumonia* (not defined), 3 from tuberculous phthisis, one from bronchitis, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. The 12 deaths included one from whooping-cough, 3 from tuberculous disease, and 2 accidental deaths.

*No. 3 North City District* (Benburb-street).—The deaths (7) represent an annual rate of 11·3 per 1,000. There was one death from *diarrhœa*, also one death from tuberculous peritonitis; bronchitis caused 3 deaths.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 19·0; and Finglas and Glasnevin, part of, 21·7. The 2 deaths for Clontarf and Howth, No. 1, part of, were from tuberculous disease of the lungs. The 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one each from *diarrhœa* and *phthisis*; and the 3 deaths from all causes for Finglas and Glasnevin, part of, include one from tuberculous phthisis and 2 accidental deaths.

*No. 1 South City District* (South Earl-street).—The deaths (24) represent an annual rate of 31·3 per 1,000. Of the 24 deaths, one was from scarlet fever, one was from *diarrhœa*, and one was due to cerebro-spinal fever; there was also one death from broncho-pneumonia; tuberculous disease of the lungs caused 3 deaths and bronchitis caused one death.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000. Whooping-cough caused one death, tuberculous disease caused 4 deaths, and bronchitis caused 2 deaths.

*No. 3 South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 22·2 per 1,000. The total deaths included one from enteric fever, 2 from *diarrhœa*, 3 from broncho-pneumonia, and 2 from tuberculous disease of the lungs.

*No. 4 South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. Amongst the deaths were 2 from diarrhœal diseases, one each from broncho-pneumonia and *pneumonia* (not defined), 3 from tuberculous disease, and one death from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and were caused by epidemic diarrhœa, all being children under 5 years of age.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·7; Pembroke, 20·6; Blackrock, 17·9; and Kingstown, 14·8. The deaths from the principal epidemic diseases tabulated for these districts include 2 from *diarrhœa* for Pembroke, and one from epidemic enteritis for Blackrock. The 8 deaths from all causes for Rathmines and Rathgar include one each from broncho-pneumonia and *pneumonia* (not defined), 2 from tuberculous disease of the lungs, and 2 from diseases of the respiratory system. The 11 deaths from all causes for Pembroke include one from broncho-pneumonia and 2 from tuberculous phthisis; the 3 deaths from all causes for Blackrock include one from tuberculous phthisis, and the 5 deaths from all causes for Kingstown include one from tuberculous meningitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive anitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown rban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 19th October, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Sept. 28, | . | — | — | 4 | 5 | . | 8 | . | 4 | 10 | 14 | . | — | — | — | — | — | 45 |
| | Oct. 5, | . | — | — | 5 | 1 | . | 6 | . | 3 | 8 | 9 | . | — | — | — | — | — | 32 |
| | Oct. 12, | . | — | — | 5 | . | . | 11 | . | . | 7 | 14 | 1 | — | — | — | — | — | 38 |
| | Oct. 19. | . | — | — | 5 | . | . | 5 | . | 4 | 6 | 13 | . | — | — | — | — | — | 33 |
| Rathmines and Rathgar Urban District. | Sept. 28, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 1 |
| | Oct. 5, | . | — | — | . | . | . | 1 | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Oct 12, | . | — | — | 3 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 4 |
| | Oct. 19, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Sept. 28, | . | 3 | . | . | . | . | . | . | . | . | . | . | — | . | . | — | — | 3 |
| | Oct. 5 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | — | 1 | . | — | — | 3 |
| | Oct. 12, | . | 3 | . | . | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 4 |
| | Oct. 19, | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | — | . | . | — | — | 4 |
| Blackrock Urban District. | Sept. 28, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 5, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 19, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Sept. 28, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 1 |
| | Oct. 5, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Oct. 19, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| City of Belfast. | Sept. 28, | . | — | — | 8 | . | . | 6 | 2 | 3 | 2 | 5 | . | — | — | 2 | — | — | 28 |
| | Oct. 5, | . | — | — | 7 | . | . | 7 | 2 | 2 | 8 | 4 | 1 | — | — | 3 | — | — | 34 |
| | Oct. 12, | . | — | — | 9 | . | . | 6 | . | 8 | 3 | 5 | . | — | — | 3 | — | — | 34 |
| | Oct. 19, | . | — | — | 5 | . | . | 8 | 5 | 7 | 4 | 11 | . | — | — | 1 | — | — | 41 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 19th October, 1907.

From this it appears that:—

Eight cases of measles were admitted into hospital during the week, 10 were discharged, ere were 3 deaths, and 24 cases remained under treatment at its close.

Eight cases of scarlet fever were admitted to hospital, 6 were discharged, and 40* cases mained under treatment at the close of the week.

Three cases of typhus were discharged and 3 remained under treatment at the close of the eek.

Three cases of diphtheria were admitted to hospital, 6 were discharged, and 22 patients mained under treatment at the close of the week.

Thirteen cases of enteric fever were admitted to hospital during the week, 9 were disarged, there were 2 deaths, and 40 cases remained under treatment in hospital at the close the week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, were discharged, and 19 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 13·9), was equal to an average annual death-rate of 15·7 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow ng 13·1 and for Edinburgh 12·8.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th tober. From this Report it appears that of a total of 66 cases notified 39 were scarlet fever, 7 erysipelas, nteric fever, and 4 diphtheria. Among the 336 cases of infectious diseases in hospital at the close of ek were 166 cases of scarlet fever, 33 of whooping-cough, 32 of diphtheria, one of membranous croup, f measles, 17 of enteric fever, and 8 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 19th October, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 19th October, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 19th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 12th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 5th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·2 | 19·7 | 2·8 | 562 | 422 | 124 | 88 | . | 7 | 1 | . | 3 | 2 | . | 1 | 46 | 26 | 55 | 17 | 11 | 43 | 8 | 17 | 185 | 18 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 23·9 | 20·3 | 2·5 | 179 | 152 | 44 | 29 | . | . | 1 | . | 2 | . | . | 1 | 15 | 14 | 23 | 7 | 2 | 11 | 5 | 5 | 65 | 4 | f60·2 | 27·0 | 47·0 | 0·40 | f63·8 | 38·3 | 48·9 | 2·28 | f63·3 | 42·3 | 52·4 | 0·42 |
| City of Dublin, | 300,850 | 38·0 | 27·0 | 21·7 | 2·8 | 156 | 125 | 35 | 20 | . | . | 1 | . | 2 | . | . | 1 | 12 | 11 | 18 | 6 | 2 | 9 | 5 | 4 | 59 | 3 | g58·3<br>h59·4 | 33·5<br>29·0 | 48·0<br>47·2 | 0·60<br>0·50 | g64·1<br>h64·8 | 42·1<br>40·0 | 51·0<br>50·4 | 1·90<br>2·27 | g65·1<br>h64·8 | 43·2<br>40·8 | 54·3<br>53·8 | 0·67<br>0·39 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 8·8 | 11·7 | . | 6 | 8 | 1 | 4 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 16·8 | 20·6 | 3·7 | 9 | 11 | 5 | 3 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 17·9 | 6·0 | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 14·8 | . | 6 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 57·5 | 34 | 47·9 | 1·48 | 67·5 | 41·5 | 52·4 | 1·79 | 64 | 47·5 | 55·1 | 0·32 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 28·6 | 19·4 | 4·1 | 203 | 158 | 48 | 20 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 7 | 26 | 3 | 55·5 | 39·0 | 48·0 | 0·73 | 57·0 | 41·0 | 50·9 | 1·36 | 65·5 | 43·5 | 54·0 | 0·57 |
| Cork, | 76,122 | 33·6 | 29·5 | 24·0 | 0·7 | 43 | 55 | 9 | 18 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 | 13 | 3 | 58 | 35 | 47·0 | 1·15 | 61 | 39 | 50·5 | 1·12 | 62 | 50 | 56·1 | 0·68 |
| Londonderry, | 42,475 | 19·6 | 24·6 | 30·7 | 1·2 | 20 | 25 | 5 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 2 | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 15·0 | 18·7 | 2·7 | 11 | 10 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 35·1 | 25·3 | 5·8 | 18 | 18 | 5 | 3 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 28·3 | 27·2 | . | 6 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 4 | 1 | 60 | 32 | 45·6 | 1·16 | 62 | 37 | 51 | 1·18 | 72 | 48 | 57 | 1·03 |
| Dundalk, | 18,076 | 3·4 | 43·9 | 4·0 | . | 11 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 20·4 | . | 5 | 5 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 16·8 | 8·4 | . | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 |
| Lurgan, | 11,782 | 13·8 | 35·4 | 17·7 | . | 8 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 |
| Lisburn, | 11,461 | 10·1 | 18·2 | 4·5 | . | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 |
| Wexford, | 11,168 | 23·2 | 37·4 | 18·7 | 4·7 | 8 | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 19·2 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 19·2 | 4·8 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 58·4 | 24·7 | 45·1 | 0·62 | 61·5 | 33·9 | 48·3 | 1·93 | 70·3 | 44·4 | 54·4 | 0·99 |
| Kilkenny, | 10,609 | 11·5 | 49·1 | . | . | 10 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 57 | 28 | 46·3 | 0·65 | 64 | 37 | 48·0 | 1·73 | 67 | 45 | 54·7 | 0·66 |
| Clonmel, | 10,167 | 7·8 | 35·9 | 35·9 | 5·1 | 7 | 7 | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 15·5 | 20·7 | 5·2 | 3 | 4 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | . | . | . | . | . | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 |
| Tralee, | 9,867 | 16·6 | 5·8 | 16·9 | . | 1 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 22·9 | 22·9 | . | 4 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 55 | 37 | 47·2 | 0·71 | 58 | 38 | 50·3 | 1·43 | 63 | 45 | 53·2 | 0·50 |
| Queenstown, | 7,909 | 14·4 | 13·2 | 18·2 | 13·2 | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | 58 | 35 | 47·0 | 1·15 | 61 | 39 | 50·5 | 1·12 | 62 | 50 | 56·1 | 0·68 |
| Armagh, | 7,588 | 22·2 | 48·1 | 27·5 | . | 7 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 | 69·7 | 37·7 | 53·4 | 0·60 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 12 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted in several cases; thus the readings at Donaghadee have been adopted for Newtownards, those at Armagh for Lisburn, Lurgan, Newry and Portadown, those at Maghera for Sligo, and those at Roscrea for Queenstown.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 19th of October, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (part of). | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | . | 2 | . | 1 | . | 1 | . | 1 | . | 2 | 2 | 3 | . | 2 | 1 | . | 15 | . |
| Pneumonia, | 1 | 4 | . | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . | . | 14 | . |
| Tuberculous Phthisis, | . | 3 | 2 | . | 2 | 1 | 1 | 3 | 3 | 2 | 1 | . | 2 | 2 | 1 | . | 23 | 2 |
| Disease. Other Forms. | 1 | . | 1 | 1 | . | . | . | . | 1 | . | 2 | . | . | . | . | 1 | 7 | . |
| Cancer, Malignant Disease, | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 2 | 2 |
| Other General Diseases, | 3 | . | 1 | . | . | 1 | . | 3 | . | 3 | 1 | . | . | 2 | . | . | 14 | . |
| Total, | 6 | 9 | 5 | 2 | 2 | 3 | 1 | 10 | 5 | 11 | 8 | 3 | 4 | 7 | 2 | 1 | 79 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 2 | 1 | . | . | 1 | . | 2 | 1 | 2 | . | . | . | 2 | . | . | 13 | 2 |
| Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Heart and Blood Vessels, | 2 | . | 2 | 1 | . | . | . | 3 | 2 | 1 | 2 | . | 2 | 2 | . | 1 | 18 | 1 |
| Respiratory System, | . | 1 | . | 3 | . | . | . | 1 | 2 | 1 | 1 | . | 2 | . | . | . | 11 | 1 |
| Digestive System, | 1 | 4 | 1 | . | . | . | . | 2 | . | 2 | 1 | . | . | . | 1 | . | 12 | 3 |
| Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urinary System, | . | . | 1 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | 3 | 1 |
| Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 7 | 5 | 5 | . | 1 | . | 12 | 5 | 6 | 4 | . | 4 | 4 | 1 | 1 | 59 | 8 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 1 | . | . | . | . | . | 2 | . | 1 | 1 | . | . | . | . | 3 | 9 | . |
| **E. VIOLENT DEATHS,** | . | 1 | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | 5 | . |
| **Deaths from all Causes,** | 11 | 18 | 12 | 7 | 2 | 4 | 3 | 24 | 10 | 18 | 13 | 3 | 8 | 11 | 3 | 5 | 152 | 12 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 19·8 | 24·0 | 20·8 | 11·3 | 20·4 | 19·0 | 21·7 | 31·3 | 25·3 | 22·2 | 19·3 | 17·6 | 11·7 | 20·6 | 17·9 | 14·8 | 20·2 | . |
| | 19·3 | | | | | | | 24·1 | | | | | 15·7 | | | | | |
| | 21·7 | | | | | | | | | | | | | | | | | |
| **Ages at Death:** Under 1 year, | 4 | 5 | 2 | 1 | . | 2 | . | 5 | 2 | 9 | 3 | 2 | 1 | 5 | 2 | 1 | 44 | . |
| 1 and under 5 years, | 1 | 3 | . | 1 | . | 1 | . | 5 | . | . | 4 | 1 | . | 1 | . | . | 17 | . |
| 5 ,, 20 ,, | . | . | 1 | 1 | . | 1 | 1 | 2 | 1 | 2 | . | . | 1 | 1 | . | 1 | 12 | 2 |
| 20 ,, 40 ,, | . | . | 4 | 2 | 2 | . | 1 | 5 | 2 | 2 | 1 | . | 1 | 1 | 1 | . | 22 | 4 |
| 40 ,, 60 ,, | 3 | 5 | 4 | . | . | . | 1 | 4 | 3 | 3 | 3 | . | 1 | . | . | 1 | 28 | 4 |
| 60 and upwards, | 3 | 5 | 1 | 2 | . | . | . | 3 | 2 | 2 | 2 | . | 4 | 3 | . | 2 | 29 | 2 |
| Number of Uncertified Deaths, | . | 1 | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 5 | 5 | 5 | . | 1 | 1 | 1 | 2 | 2 | 5 | . | . | 2 | 1 | . | 1 | 31 | 11 |
| Workhouse Hospitals, | 1 | 4 | 4 | 4 | . | . | . | 7 | 5 | 5 | 2 | . | 2 | . | . | . | 34 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered week of the ten years, 18

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 42nd Week of the 10 years 1897–1906. | In the Week ending Satur 19th October, 1907. Deaths of Persons of the Ag | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Oct. 23, 1897. | Oct. 22, 1898. | Oct. 21, 1899. | Oct. 20, 1900. | Oct. 19, 1901. | Oct. 18, 1902. | Oct. 24, 1903. | Oct. 22, 1904. | Oct. 21, 1905. | Oct. 20, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 51·7 | 50·2 | 49·5 | 46·4 | 46·5 | 49·4 | 48·8 | 53·9 | 40·0 | 45·5 | 48·2 | 47·0 | | | | | | |
| **ALL CAUSES.** | 142 | 174 | 250 | 168 | 150 | 200 | 164 | 191 | 143 | 166 | 174·8 | 164 | 9 | 35 | 17 | 14 | 26 | 3 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 1 | . | 52 | . | . | 19 | . | 6 | . | . | 7·8 | . | . | . | . | . | . | . |
| Scarlet Fever, ... ... | 2 | 1 | 1 | . | . | 2 | . | . | . | 2 | ·8 | 1 | . | . | 1 | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 1 | 2 | . | . | 4 | . | 1 | . | 1 | ·9 | 1 | . | . | . | . | . | . |
| Whooping-cough, ... ... | 1 | 7 | 1 | 2 | 1 | 1 | 1 | . | 1 | 2 | 1·7 | 2 | . | 2 | . | . | . | . |
| Diphtheria, ... ... | 1 | . | 2 | 3 | 1 | 1 | . | 1 | 2 | 2 | 1·3 | . | . | . | . | . | . | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | 1 | . |
| *Pyrexia*† (origin uncertain), | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 6 | 4 | 4 | 4 | 3 | 1 | 4 | . | 4 | 4 | 3·4 | 1 | . | . | . | 1 | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 11 | 4 | 9 | 5 | 4 | 1 | 4 | . | 2 | 7·5 | 6 | . | 4 | 2 | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 7 | 7 | 7 | 1 | 10 | | 9 | 1 | 8 | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | 1 | . | 1 | . | ·2 | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 2 | . | 2 | . | 1 | . | . | 1 | . | . | ·6 | 1 | . | 1 | . | . | . | . |
| Puerperal Septicæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | 1 | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Pneumonia, Lobar, | | | | | | . | . | 3 | . | 4 | | . | . | . | . | . | . | . |
| Pneumonia, Broncho- | 7 | 10 | 17 | 7 | 6 | 5 | 2 | 8 | 2 | 5 | 10·0 | 11 | 1 | 1 | 3 | . | 1 | 1 |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 7 | 2 | 3 | 4 | 8 | | 3 | . | . | 1 | 1 | . | 1 |
| Erysipelas, ... ... | . | . | . | . | 1 | . | . | 1 | . | 1 | ·3 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 2 | . | 1 | . | . | . | 1 | 1 | . | ·5 | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | 2 | 1 | ·4 | . | . | . | . | . | . | . |
| Tuberculous Phthisis, | 12 | 19 | 26 | 23 | 20 | . | 7 | 6 | 2 | 12 | 20·1 | 13 | . | . | . | 2 | 6 | 4 |
| "*Phthisis*," ... | | | | | | 18 | 12 | 19 | 16 | 9 | | 12 | . | . | . | 2 | 5 | 5 |
| Tuberculous Meningitis, ... | 4 | 6 | 8 | 2 | 1 | 3 | 3 | 3 | 2 | 2 | 3·4 | 1 | . | . | . | 1 | . | . |
| Tuberculous Peritonitis, | 7 | 6 | 8 | 4 | 5 | 2 | 1 | 1 | . | 1 | 3·8 | 1 | . | . | 1 | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | 2 | 1 | . | . | | 1 | . | . | 1 | . | . | . |
| Tuberculous Dis. (other), | 2 | 1 | 5 | 5 | 5 | 2 | 4 | 6 | 5 | 2 | 3·8 | 4 | . | 1 | 1 | 1 | . | 1 |
| *Scrofula*, ... ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, ... ... | . | . | 1 | 1 | . | . | 1 | 1 | . | . | ·4 | . | . | . | . | . | . | . |
| Rheumatic Fever, ... ... | . | . | 2 | . | . | . | . | . | 1 | . | ·3 | 1 | . | . | . | . | . | 1 |
| Gout, ... ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Carcinoma, ... | | | | | | 2 | 1 | 1 | 4 | 2 | | . | . | . | . | . | . | . |
| Sarcoma, ... ... | 4 | 4 | 9 | 7 | 4 | . | . | . | 1 | 1 | 6·5 | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 5 | 6 | 5 | 5 | 4 | | 4 | . | . | . | . | . | 4 |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . |
| Premature Birth, ... | 3 | 2 | 1 | 4 | 3 | 1 | 3 | 9 | 2 | 11 | 3·9 | 5 | 2 | 3 | . | . | . | . |

* The figures for the years 1897–1900 a
† Formerly describ

-SECOND WEEK ending Saturday, 19th October, 1907, with the deaths from each cause in the corresponding e average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Oct. 23, 1897. | Oct. 22, 1898. | Oct. 21, 1899. | Oct. 20, 1900. | Oct. 19, 1901. | Oct. 18, 1902. | Oct. 24, 1903. | Oct. 22, 1904. | Oct. 21, 1905. | Oct. 20, 1906. | Averages in 42nd Week of the 10 years 1897–1906. | In the Week ending Saturday, 19th October, 1907. Deaths of Persons of the Ages of: ALL AGES. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature. | ° 51·7 | ° 50·2 | ° 49·5 | ° 46·4 | ° 46·5 | ° 49·4 | ° 48·8 | ° 53·9 | ° 40·0 | ° 45·5 | ° 48·2 | Mean Temp. ° 47·0 | | | 0 to 5. | | | | | |
| ngitis (not tuberc.) ... | | | | | | 3 | 2 | 1 | 1 | 1 | | 4 | . | . | 2 | . | 2 | . | . | . |
| nity, G. P. of Insane ... | | | | | | 1 | 3 | 4 | . | . | | 3 | . | . | . | . | 1 | 1 | 1 | . |
| epsy .. ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| *ulsions* ... .. | | | | | | 11 | 11 | 8 | . | 5 | | 7 | 2 | 3 | 1 | 1 | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| plegia Dis. of Cord ... | | | | | | . | . | 1 | . | 2 | | . | . | . | . | . | . | . | . | . |
| vous System (other .) | | | | | | 1 | . | 2 | . | 2 | | . | . | . | . | . | . | . | . | . |
| | 38 | 30 | 39 | 29 | 46 | | | | | | 35·4 | | | | | | | | | |
| . Dis., Endocarditis ... | | | | | | 4 | 8 | 2 | 7 | 7 | | 3 | . | . | . | . | 2 | . | 1 | . |
| br. Hæm. Thromb. ... | | | | | | 1 | . | 8 | 5 | 3 | | 2 | . | . | . | . | . | 1 | . | 1 |
| *lexy, Hemiplegia* ... | | | | | | 4 | 2 | 4 | 2 | 2 | | 3 | . | . | . | . | . | 1 | 2 | . |
| rysm ... ... | | | | | | . | 1 | 1 | . | . | | 2 | . | . | . | . | 1 | . | 1 | . |
| olism, Thromb. (not ebral) | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| t and Blood Vessel Dis. | | | | | | 10 | 5 | 8 | 15 | 12 | | 9 | . | . | . | . | 1 | 2 | 4 | 2 |
| *p* (not Spasm. nor mb.) | 3 | 2 | . | 2 | 1 | . | . | . | . | . | ·8 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 18 | 27 | 20 | 24 | 14 | 27 | 19 | 19 | 15 | 14 | 19·7 | 9 | . | 1 | 1 | . | . | 3 | 4 | . |
| ma, Emphysema ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| risy ... | 3 | 1 | 2 | . | . | . | . | . | 1 | . | 1·7 | . | . | . | . | . | . | . | . | . |
| iratory Dis. (other) ... | | | | | | 3 | 4 | . | 2 | 1 | | 3 | 1 | . | . | 1 | . | . | 1 | . |
| illitis, Quinsy ... | . | 1 | 1 | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | | | | | | 3 | 1 | 1 | 2 | 1 | | 8 | 1 | 3 | 1 | . | . | 1 | 2 | . |
| *ro Enteritis* ... ... | . | 1 | 2 | . | . | 3 | 2 | 2 | . | 2 | 2·0 | 2 | . | 2 | . | . | . | . | . | . |
| *onitis* (not Puerp.) ... | . | 1 | . | 1 | . | 1 | 2 | . | . | . | ·5 | 1 | . | . | . | . | 1 | . | . | . |
| nosis of Liver ... | | | | | | 1 | . | 1 | 2 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| r Dis. (other) ... | 1 | 3 | 3 | 7 | . | . | 1 | 4 | 1 | . | 2·5 | . | . | . | . | . | . | . | . | . |
| tive Dis. (other) ... | 2 | 3 | 6 | 4 | 7 | 5 | 6 | 9 | 8 | 5 | 5·5 | 3 | . | . | . | 1 | 1 | . | 1 | . |
| ritis, Acute ... | | | | | | 1 | 2 | 3 | 1 | 1 | | . | . | . | . | . | . | . | . | . |
| t's Dis., Albuminuria | 4 | 3 | 3 | 4 | 5 | 2 | 4 | 1 | 1 | 2 | 4·5 | 4 | . | . | . | 1 | . | 2 | 1 | . |
| ary Sys. (Other Dis.) | | | | | | 1 | 3 | . | 2 | 2 | | . | . | . | . | . | . | . | . | . |
| rative Organs Dis. ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ibirth (Accid. of) ... | . | . | 1 | 1 | . | . | . | . | 1 | . | ·3 | 1 | . | . | . | . | 1 | . | . | . |
| *Age* ... ... | 8 | 5 | 10 | 12 | 11 | 6 | 7 | 1 | 3 | 1 | 6·4 | 4 | . | . | . | . | . | . | 3 | 1 |
| r Diseases ... ... | 4 | 18 | 13 | 9 | 6 | 19 | 12 | 17 | 9 | 12 | 11·9 | 10 | 1 | 6 | 2 | 1 | . | . | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | 2 | . | . | . | 1 | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| ehicles and Horses ... | . | 1 | . | . | . | . | 2 | . | . | . | ·3 | 2 | . | . | . | . | 1 | 1 | . | . |
| ips, Boats, Docks (exsive of Drowning) ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | 1 | 1 | . | . | 2 | . | 1 | . | . | 1 | ·6 | 2 | . | . | . | 1 | . | 1 | . | . |
| rowning ... ... | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| uffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous pours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| r Deaths by Accident | 2 | 3 | 5 | . | 2 | 4 | 4 | 2 | 6 | 3 | 3·1 | 1 | . | . | . | . | 1 | . | . | . |
| LENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| de ... ... | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 27. | May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. |
| No. of weeks in Annual Series. | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 |
| Births registered, | 214 | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 |
| *Average Births in corresponding week of previous 10 years,** | 203 | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 |
| Deaths registered, | 262 | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 |
| Annual Death-rate per 1,000, | 35·0 | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 |
| *Average Deaths in corresponding week of previous 10 years,** | 184 | 186 | 176 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 |
| Ages, Under 5 years, | 90 | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 |
| 5—20 " | 20 | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 |
| 20—40 " | 37 | 32 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 |
| 40—60 " | 43 | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 |
| 60—80 " | 58 | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 23 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 |
| 80 years and upwards, | 14 | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 10 | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . |
| Scarlet Fever | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Typhus, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| Whooping-cough, | 15 | 10 | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 |
| Diphtheria, | 1 | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . |
| *Pyrexia* † (origin uncertain), | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Enteric Fever, | 1 | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 |
| Diarrhœal Diseases, | 1 | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 |
| Influenza, | 5 | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 |
| Pneumonia, | 12 | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 |
| Tuberculous Disease. Phthisis, | 34 | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 32 | 21 | 25 |
| Tuberculous Disease. Other Forms, | 20 | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 |
| Cancer, Malignant Disease, | 5 | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 |
| Diseases of Heart and Blood Vessels, | 36 | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 |
| Diseases of Respiratory System, | 33 | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 18 | 9 | 16 | 12 |
| Violent Deaths, | 8 | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 | 7 | 5 |
| Number of Uncertified Deaths, | 5 | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 49·8 | 44·1 | 50·3 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 47·6 | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 |
| Rainfall in inches, | ·289 | ·560 | 1·772 | ·035 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·384 | ·401 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·80 | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 | ·86 |

**in the Dublin Registration Area during the Week ending Saturday, 19th October, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.**

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 19TH OCTOBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 22·8 | 164 | 61 | 14 | 26 | 32 | 26 | 5 | . | . | 1 | . | 2 | . | . | 1 | 15 | 19 | 14 | 25 | 7 | 4 | 7 | 12 | 5 | 71 | 4 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | Professional and Independent Class, | 17,436 | 17·9 | 6 | 1 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 2 | 1 | 1 | . |
| II. | Middle Class, | 87,188 | 12·0 | 20 | 7 | 2 | 1 | 1 | 6 | 3 | . | . | . | . | . | . | . | . | 2 | 2 | 3 | 3 | . | . | . | . | . | 12 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 16·1 | 34 | 13 | 1 | 8 | 9 | 3 | . | . | . | . | . | . | . | . | 1 | 3 | 4 | 3 | 5 | 2 | 1 | 3 | 2 | 2 | 12 | 1 |
| IV. | General Service Class, | 154,279 | 33·8 | 69 | 35 | 8 | 9 | 10 | 5 | 2 | . | . | 1 | . | 2 | . | . | . | 9 | 12 | 7 | 10 | 2 | 3 | 4 | 3 | 2 | 26 | 3 |
| V. | Inmates of Workhouses, | 6,024 | | 35 | 5 | 1 | 7 | 11 | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | 7 | 2 | . | . | 5 | . | 20 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 40·1 | 6 | 1 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 2 | 1 | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 14·2 | 6 | 3 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 4 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 3·4 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 19·3 | 10 | 2 | 2 | . | 1 | 3 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | . | . | . | . | 4 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 37·0 | 7 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | 4 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 15·7 | 9 | 4 | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 1 | 1 | 1 | 4 | . |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | . | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | . | . | . | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 22·3 | 13 | 4 | . | 3 | 4 | 2 | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | . | 2 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | 2 | . |
| | 15. Domestic Servants, | 86,603 | 12·8 | 9 | 5 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . | . | . | . | 6 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 29·0 | 8 | 4 | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . | . | . | 4 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 27·3 | 47 | 26 | 4 | 7 | 5 | 4 | 1 | . | . | 1 | . | 2 | . | . | . | 6 | 9 | 5 | 7 | 2 | 2 | 4 | 3 | 1 | 14 | 3 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 35 | 5 | 1 | 7 | 11 | 11 | . | . | . | . | . | . | . | . | . | . | . | 1 | 7 | 2 | . | . | 5 | . | 20 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

| | DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all causes. | From diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tubercular Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | North City, No. 1 (E.) (Offices, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Aug. 31, | 23·4 | 1·3 | 13 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | . | . | . |
| | | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | | „ 14, | 14·4 | 3·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| | | „ 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . | . |
| | | „ 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . | . |
| | | „ 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | North City, No. 1 (W.) (Offices, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Aug. 31, | 29·3 | 8·0 | 22 | . | 1 | . | . | . | . | . | 1 | 4 | 1 | 1 | 1 | 1 | 3 | 1 | 1 |
| | | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | | „ 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| | | „ 21, | 17·3 | 4·0 | 13 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . |
| | | „ 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 | . |
| | | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . | 4 |
| | | „ 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 | . |
| | | „ 19, | 24·0 | 4·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 | 1 |
| | North City, No. 2. (Offices, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | Aug. 31, | 29·4 | . | 17 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 2 | . |
| | | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | | „ 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . | . |
| | | „ 21, | 13·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . |
| | | „ 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 | . |
| | | „ 12, | 24·2 | 5·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 | . |
| | | „ 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 | . |
| | North City, No. 3. (Offices, Benburb-street.) Pop. in 1907 (Est.) 32,422. | Aug. 31, | 8·0 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . |
| | | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | | „ 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . |
| | | „ 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 | . |
| | | „ 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . | . |
| | | Oct. 5, | 30·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . | . |
| | | „ 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . | . |
| | | „ 19, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | South City, No. 1. (Offices, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Aug. 31, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | . |
| | | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . | . |
| | | „ 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | . | . | . | . |
| | | „ 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | . | 1 |
| | | „ 28, | 23·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | 3 | 1 | . |
| | | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | 1 | . | . | 2 |
| | | „ 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . | 1 |
| | | „ 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | 1 |
| | South City, No. 2. (Offices, Castle-street.) Pop. in 1907 (Est.) 20,589. | Aug. 31, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 |
| | | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | | „ 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | | „ 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . | . |
| | | „ 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . | . |
| | | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . | . |
| | | „ 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . | . |
| | | „ 19, | 25·3 | 1·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | South City, No. 3. (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Aug. 31, | 19·3 | 2·5 | 16 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 3 | . | 1 | . | . |
| | | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | | „ 14, | 23·5 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . | . |
| | | „ 21, | 27·2 | 3·7 | 22 | . | . | . | . | . | 1 | . | . | 2 | 1 | 2 | 5 | 2 | 2 | . | . |
| | | „ 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . | . |
| | | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . | . |
| | | „ 12, | 18·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . | 1 |
| | | „ 19, | 22·2 | 3·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . | . |
| | South City, No. 4. (Offices, Grand Canal-street) Pop. in 1907 (Est.) 35,138. | Aug. 31, | 20·8 | 1·5 | 14 | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | 1 | 2 | 1 | . |
| | | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |
| | | „ 14, | 19·3 | 5·9 | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 | 1 |
| | | „ 21, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 2 |
| | | „ 28, | 22·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 | . |
| | | Oct. 5, | 22·3 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . | . |
| | | „ 12, | 23·7 | 3·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . | . |
| | | „ 19, | 19·3 | 3·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . | 1 |

* Formerly described as "Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted*; also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Aug. 31, | 17·6 | 1·5 | 12 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | 1 |
| | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| | „ 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| | „ 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| | „ 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . |
| | „ 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Aug. 31, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| | „ 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | „ 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Aug. 31, | 32·5 | 14·8 | 11 | . | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | Sept. 7, | 20·7 | 3·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ 21, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | .. | 2 | . | . | . | . | . |
| | Oct. 5, | 20·7 | 3·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Aug. 31, | 12·7 | 0·7 | 90 | . | 2 | . | . | 1 | . | . | . | 2 | 4 | 8 | 9 | 6 | 6 | . | 1 |
| | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| | „ 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 8 | 14 | 8 | 3 | 16 | 8 | . |
| | „ 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| | „ 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 3 |
| | Oct. 5, | 17·7 | 3·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| | „ 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| | „ 19, | 19·4 | 4·1 | 138 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Aug. 31, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | . | 9 | 3 | 4 | 4 | . | 1 |
| | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | 1 |
| | „ 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | 1 |
| | „ 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| | „ 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| | Oct. 5, | 26·0 | 6·2 | 33 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| | „ 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| | „ 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Aug. 31, | 17·2 | 2·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 2 | . | . |
| | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| | „ 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| | „ 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | 1 | . | . | . | . | 1 | 3 | . | 1 | . | . |
| | „ 12, | 18·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| | „ 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Aug. 31, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | 1 |
| | „ 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | „ 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| | „ 19, | 13·7 | 2·7 | 10 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Aug. 31, | 13·6 | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| | Sept. 7, | 3·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |
| | „ 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 28, | 23·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |
| | Oct. 5, | 44·8 | 13·6 | 28 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |
| | „ 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |
| | „ 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 19th October, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 11 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 9 | 4 | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | . | 1 | . | . |
| Do. 2 „ | 47,959 | 23 | | | 16 | 5 | 2 | 1 | 2 | 4 | 2 | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | 2 | . | 1 | 3 | . |
| Do. 3 „ | 47,214 | 25 | | | 19 | 6 | 2 | . | 6 | 3 | 2 | . | . | . | . | . | . | . | . | 3 | 3 | 2 | 2 | . | 4 | . | 1 | 2 | 2 |
| Do. 4 „ | 40,911 | 28 | | | 19 | 9 | 1 | . | 4 | 3 | 2 | . | 4 | . | . | . | . | . | . | 4 | 1 | 3 | 1 | 1 | . | . | . | 5 | . |
| Do. 5 „ | 17,387 | 12 | | | 6 | 2 | 2 | . | . | 1 | 1 | . | 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | 1 | . | . | 2 | . |
| Do. 6 „ | 48,122 | 20 | | | 20 | 5 | . | 2 | . | 6 | 7 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 1 | 3 | 1 | 1 | 6 | 1 |
| Do. 7 „ | 1,524 | . | | | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 8 „ | 5,060 | . | | | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| Do. 9 „ | 19,569 | 18 | | | 7 | 4 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 1 | 3 | . |
| Do. 10 „ | 28,064 | 16 | | | 13 | . | 3 | 3 | 2 | 2 | 3 | . | . | . | . | . | . | . | . | 1 | 2 | 3 | . | . | 2 | . | . | 3 | . |
| Do. 11 „ | 34,802 | 17 | | | 10 | 5 | . | 1 | . | 2 | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . | 2 | . |
| Do. 12 „ | 33,588 | 26 | | | 11 | 4 | 2 | 2 | 1 | 1 | 1 | . | . | . | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | 2 | 1 | 2 | . | . |
| Do. 13 „ | 15,006 | 7 | | | 4 | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Do. 14 „ | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 203 | | | 138 | 48 | 13 | 9 | 21 | 27 | 20 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 7 | 26 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 6 | 28·4 | . | 7 | 3 | . | | 4 | | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 3 | 1 |
| Do. 2 „ | 10,701 | 5 | 4·9 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 3 „ | 9,978 | 6 | 15·7 | . | 3 | 1 | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . |
| Do. 4 „ | 8,666 | 7 | 30·1 | . | 5 | . | 1 | | 2 | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 2 | 4 | . |
| Do. 5 „ | 6,592 | 1 | 39·6 | . | 5 | 2 | 1 | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . |
| Do. 6 „ | 10,702 | 9 | 14·6 | . | 3 | . | . | | . | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Do. 7 „ | 16,616 | 9 | 34·5 | 8·1 | 11 | 3 | . | | 3 | | 5 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . | 1 | 4 | 1 |
| Total, | 76,122 | 43 | 24·0 | 0·7 | 35 | 9 | 2 | | 11 | | 13 | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 2 | 4 | 1 | 3 | 12 | 3 |

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Apr. 27. | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. |
| No. of weeks in Annual Series, | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 |
| Births registered, | 200 | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 80 | 203 |
| Deaths registered. | 170 | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138† |
| Annual Death-rate per 1,000 of estimated Population. | 23·9 | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 |
| Ages — Under 1 year | 33 | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 13 | 40 | 38 | 47 | 48 |
| Ages — 1-5 years, | 29 | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 |
| Ages — 5-20 years, | 25 | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 |
| Ages — 20-40 years, | 29 | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 |
| Ages — 40-60 years, | 29 | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 19 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 |
| Ages — 60 years and upwards, | 25 | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 |
| Scarlet Fever, | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 |
| Diphtheria, | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| Enteric Fever, | . | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . |
| Diarrhœal Diseases, | . | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 |
| Pneumonia, | 17 | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 |
| Tuberculous Disease, — Phthisis, | 23 | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 |
| Tuberculous Disease, — Other Forms, | 9 | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 |
| Cancer Malignant Disease, | 4 | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 |
| Diseases of Respiratory System, | 25 | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 |
| Violent Deaths, | 2 | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 3 | 2 | . | 2 | 4 | 2 |
| Number of Uncertified Deaths, | 3 | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 |

* Formerly described as "Simple Continued Fever."
† Including 2 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Oct. 19, | 2,198 | 1,270 | 13·9 | . | 9 | 25 | 13 | 19 | 6 | 88 |
| EDINBURGH, | 345,747 | „ 19, | 140 | 85*a* | 12·8 | . | . | . | 1 | 1 | . | 3 |
| GLASGOW, | 847,584 | „ 19, | 477 | 213*a* | 13·1 | . | 4 | 1 | 3 | 3 | 2 | 14 |
| CALCUTTA, | 847,796 | Aug. 31, | . | 457 | 28·0 | 2 | 1 | . | 1 | 1 | 159‡ | 76* |
| BOMBAY, | 977,822 | Sept. 17, | 374 | 696 | 37·0 | . | . | . | . | . | 65‡ | 102* |
| MADRAS, | 509,346 | Aug. 30, | 481 | 398 | 40·6 | 3 | . | ? | ? | ? | 109 | 74* |
| PARIS, | 2,722,731 | Oct. 5, | 956 | 776 | 14·8 | . | 1 | 3 | 2† | 3 | 7 | 75 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | Sept. 28, | 163 | 179 | 14·9 | . | 2 | 1 | 3† | 1 | 2 | 27 |
| ANTWERP, | 304,032 | „ 28, | 120 | 78 | 13·4 | . | . | . | . | 2 | 1 | 27 |
| AMSTERDAM, | 564,474 | Oct. 5, | 266 | 108 | 10·0 | . | 2 | 1 | . | 1 | 1 | 7 |
| COPENHAGEN, | 432,000 | Sept. 28, | 251 | 105 | 12·7 | . | . | . | 1† | 1 | . | 9 |
| STOCKHOLM, | 332,738 | „ 28, | 172 | 75 | 11·7 | . | 1 | . | . | 1 | 1 | 8 |
| CHRISTIANIA, | 229,324 | Oct. 5, | 130 | 46 | 10·4 | . | . | . | . | 1 | . | 3 |
| ST. PETERSBURG, | 1,482,769 | Sept. 28, | 592 | 553 | 19·4 | . | 9 | 10 | 18 | 14 | 14 | 86 |
| MOSCOW, | 1,296,000 | „ 7, | . | 702 | 28·2 | . | 5 | 2 | 7† | 4 | 10 | 260 |
| BERLIN, | 2,096,928 | „ 21, | 899 | 609 | 15·1 | 1 | 3 | 4 | 10† | 13 | 2 | 92 |
| HAMBURG, | 824,792 | „ 28, | . | 225 | 14·2 | . | . | . | 1† | 4 | 3 | 26 |
| BRESLAU, | 485,440 | „ 28, | . | 197 | 21·2 | . | 1 | . | . | 8 | . | 37 |
| MUNICH, | 548,000 | Oct. 5, | . | 188 | 17·8 | . | 1 | . | 2† | 1 | . | 46 |
| VIENNA (with suburbs). | 1,999,912 | „ 5, | 845 | 521 | 13·5 | 3 | . | 3 | 3† | 1 | 3 | 63 |
| BUDA-PESTH, | 802,235 | Sept. 21, | 412 | 252 | 16·3 | . | 4 | 4 | 3† | 2 | 2 | 32 |
| PRAGUE and Faubourgs. | 470,906 | „ 14, | 184 | 130 | 14·4 | . | 1 | . | 1† | 2 | 2 | 9 |
| TRIESTE, | 200,962 | „ 21, | 118 | 115 | 29·8 | . | 1 | . | 1† | 2 | 1 | 42 |
| ROME, | 545,610 | July 27, | 244 | 168 | 16·1 | . | 2 | . | 2 | 3 | 3 | 22 |
| VENICE, | 174,398 | Aug. 31, | . | . | . | . | . | . | . | . | . | . |
| NEW YORK, | 4,285,435 | Sept. 21, | 2,272 | 1,374 | 16·7 | . | 5 | 9 | 25† | 4 | 27 | 247 |
| PHILADELPHIA, | 1,500,595 | „ 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | „ 21, | . | 217 | 18·6 | . | . | . | 4 | 1 | 1 | 28 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 4 deaths in Glasgow.
* Including 28 deaths from cholera in Calcutta, 15 in Bombay, and 20 in Madras.
† Including deaths from croup.
‡ Exclusive of 3 deaths from plague in Calcutta, and 22 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th October, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| " " 1, West, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 2, | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 3 |
| " " 3, | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 3 | . | . | 2 | . | . | . | 8 | . | . | . | 13 |
| " " 2, | . | . | . | . | . | . | . | 2 | 1 | . | . | . | 3 |
| " " 3, | . | 1 | . | . | 2 | . | . | 2 | 1 | . | . | . | 6 |
| " " 4, | . | 1 | . | . | 1 | . | . | . | 1 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 5 | . | . | 5 | . | 4 | 6 | 13 | . | . | . | 33 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th October, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 19th October. | | | |
|---|---|---|---|---|---|---|---|
| | Sept. 28. | Oct. 5. | Oct. 12. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 17 | 20 | 29 | 8 | 10 | 3 | 24 |
| Scarlet Fever, | 35 | 36 | 38 | 8 | 6 | . | 40* |
| Typhus, | 6 | 6 | 6 | . | 3 | . | 3 |
| Diphtheria, | 16 | 23 | 25 | 3 | 6 | . | 22 |
| Enteric Fever, | 36 | 41 | 38 | 13 | 9 | 2 | 40 |
| Pneumonia, | 31 | 26 | 20 | 7 | 8 | . | 19 |

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 19th October, 1907:—

"Throughout this week the atmosphere over the W. and N.W. of Europe was in a very disturbed, unstable condition. Broken weather was reported from all quarters, and torrential rains fell in many districts—notably in the South and West of France. In Iceland, the prevalent wind was N.E., and sharp frosts occurred—Grimstadir reported 17° at 8 a.m. of Monday and 15° at 8 a.m. of Friday. There was a general fall of the barometer in the course of Sunday, but the weather remained fine, though overcast and threatening in the afternoon. Rain fell at night, and Monday morning found a primary depression between Scotland and Iceland, with a shallow secondary of increasing intensity over Ireland. In Dublin there were heavy showers in the afternoon. On Tuesday morning the secondary disturbance had become the primary and was central over North Wales. Temperature was low in Ireland with N. or N.W. winds, and rain fell heavily in many parts of Great Britain, accompanied by thunder and lightning in places. At Leith 2·61 inches of rain were measured on Wednesday morning: at Nairn, usually a dry place, the record was 1·40 inches. At this time temperature was very low in Ireland—the minimum at Birr Castle being 29°, and in Dublin City 33·5° This chill was caused by calm, clear weather due to equilibrium, the result of the development of a new and energetic cyclonic system over the Bay of Biscay. This disturbance grew deeper and travelled northeastwards to the English Channel. It soon merged in a still deeper depression, which spread over Ireland on Friday, when the barometer fell to 28·54 inches at Valentia, Co. Kerry, at 6 p.m. After a night of storm and rain, the weather moderated on Saturday. In Dublin the mean height of the barometer was 29·288 inches, pressure ranging between 29·692 inches at 9 a.m. of Sunday (wind, W.) and 28·768 inches at 2 p.m. of Friday (wind, S.S.E.). The corrected mean temperature was 48·0°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·3°. The screened thermometers fell to 33·5° on Wednesday and rose to 58·3° on Saturday. Rain fell on 6 days to the amount of ·598 inch, ·279 inch being recorded on Friday. The prevailing wind was S.W. Solar and lunar halos were seen on Wednesday, and a lunar rainbow at 1 a.m. of Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·291 inches. The highest reading (29·708) was on Sunday at 9 a.m., wind S.W., and the lowest (28·831) on Friday at 9 p.m., wind S.S.E.

The mean temperature for the week was 47·0°, being 1·2° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Friday, on which day the thermometer registered 60·2°, and was lowest on Wednesday, the mercury having fallen to 27·0°. The mean of the Dry Bulb for the week was 46·3°, and of the Wet Bulb 44·3°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·401 inch.

At Greenwich the mean temperature for the week was 51·4°, the maximum 63·0°, and the minimum 39·1°; at Glasgow the maximum was 59·5°, the minimum 35·0°, and the mean 46·4°; and at Edinburgh the maximum was 55·1°, the minimum 34·8° and the mean 45·2°. The rainfall at Greenwich measured 0·79 in.; at Glasgow 2·95 ins.; and at Edinburgh 4·27 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation = 1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Oct. 13, | 29·587 | 55·2 | 44·1 | 49·7 | 49·1 | 47·5 | ·90 | ·7 | 4·5 | ·055 | S.W. | S.W. |
| Monday, „ 14, | 29·275 | 56·0 | 39·1 | 47·6 | 46·7 | 45·1 | ·89 | ·7 | 6·4 | ·030 | S.W. | Calm. |
| Tuesday, „ 15, | 29·270 | 48·8 | 34·9 | 41·9 | 38·4 | 37·1 | ·90 | ·6 | 3·6 | ·000 | W. | Calm. |
| Wednesday, „ 16, | 29·457 | 49·0 | 27·0 | 38·0 | 40·2 | 38·8 | ·89 | ·7 | 1·8 | ·000 | Calm. | N.N.E. |
| Thursday, „ 17, | 29·328 | 47·0 | 42·7 | 44·9 | 44·6 | 43·1 | ·89 | ·6 | 0·0 | ·120 | N.N.E. | Calm. |
| Friday, „ 18, | 28·867 | 60·2 | 42·4 | 51·3 | 51·0 | 48·5 | ·83 | ·8 | 2·3 | ·190 | E.S.E. | S.S.E. |
| Saturday, „ 19, | 29·252 | 58·4 | 52·2 | 55·3 | 53·9 | 49·9 | ·74 | ·5 | 7·1 | ·006 | S.S.W. | S. |
| Mean, . . | 29·291 | 53·5 | 40·3 | 47·0 | 46·3 | 44·3 | ·86 | ·7 | Total 25·7 | Total ·401 | Prevailing Wind. S.W. | |

*Sunday*—Day cloudy; night overcast, light rain m.n. to 12.40. *Monday*—Cloudy day, light shower 9.45 p.m.; night overcast, light rain at intervals. *Tuesday*—Overcast a.m., cloudy p.m.; night clear. *Wednesday*—Day cloudy; night cloudy. *Thursday*—Day overcast, light showers at intervals; night overcast. *Friday*—Day cloudy and showery; night cloudy, light at intervals. *Saturday*—Cloudy day, light showers a.m. and p.m.; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 19th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Oct. 13, | 51·0 | 52·3 | 54·5 | 56·0 | 45·0 | 50·5 | 4·0 | ·067 |
| Monday, „ 14, | 49·3 | 52·0 | 54·2 | 54·5 | 40·1 | 47·3 | 4·1 | ·084 |
| Tuesday, „ 15, | 42·9 | 51·2 | 54·0 | 50·1 | 40·5 | 45·3 | 3·7 | — |
| Wednesday, „ 16, | 38·9 | 49·0 | 53·9 | 49·9 | 33·3 | 41·6 | 0·9 | ·020 |
| Thursday, „ 17, | 46·2 | 49·0 | 53·7 | 49·0 | 44·0 | 46·5 | — | ·121 |
| Friday, „ 18, | 48·9 | 49·0 | 53·2 | 60·6 | 43·9 | 52·3 | 1·6 | ·240 |
| Saturday, „ 19, | 57·5 | 50·8 | 53·0 | 60·0 | 52·3 | 56·2 | 6·4 | ·002 |
| Weekly Mean, . | 47·8 | 50·5 | 53·8 | 54·3 | 42·7 | 48·5 | Total 20·7 | Total ·534 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 10. 1907.—19095.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 26TH OCTOBER, 1907. [No. 43.

*General Register Office, Charlemont House,*
*Dublin, 28th October,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Oct. 5. | Week ending Oct. 12. | Week ending Oct. 19. | Week ending Oct. 26. | Average Rate for 4 weeks. | Towns, &c. | Week ending Oct. 5. | Week ending Oct. 12. | Week ending Oct. 19. | Week ending Oct. 26. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 19·6 | 19·8 | 19·7 | 20·0 | 19·8 | Lisburn, . . | 13·6 | 9·1 | 4·5 | 13·6 | 10·2 |
| Armagh, . . | . | . | 27·5 | 20·6 | 12·0 | Londonderry, . | 9·8 | 13·5 | 30·7 | 13·5 | 16·9 |
| Ballymena, . | 19·2 | 23·9 | . | 14·4 | 14·4 | Lurgan, . . | . | 4·4 | 17·7 | 13·3 | 8·9 |
| Belfast, . . | 17·7 | 22·1 | 19·4 | 23·2 | 20·6 | Newry, . . | 16·8 | 12·6 | 8·4 | 37·8 | 18·9 |
| Clonmel, . . | 5·1 | 10·3 | 35·9 | 20·5 | 18·0 | Newtownards, . | 5·7 | 22·9 | 22·9 | 17·2 | 17·2 |
| Cork, . . . | 26·0 | 27·4 | 24·0 | 19·9 | 21·3 | Portadown, . | 20·7 | 15·5 | 20·7 | 10·3 | 16·8 |
| Drogheda, . . | 4·1 | 12·3 | 20·4 | 12·3 | 12·3 | Queenstown . | 26·4 | 33·0 | 13·2 | 33·0 | 26·4 |
| Dublin Reg. Area, | 21·0 | 20·2 | 20·3 | 19·1 | 20·1 | Sligo, . . . | 52·8 | 4·8 | 4·8 | 14·4 | 19·2 |
| Dundalk . . | 16·0 | 16·0 | 4·0 | 12·0 | 12·0 | Tralee, . . | 21·1 | 10·6 | 15·9 | 15·9 | 15·9 |
| Galway, . . | 38·8 | . | 27·2 | 15·5 | 20·4 | Waterford, . | 44·8 | 23·4 | 25·3 | 17·5 | 27·7 |
| Kilkenny, . . | 9·8 | 14·7 | . | 24·6 | 12·3 | Wexford, . . | 18·7 | . | 18·7 | 9·3 | 11·7 |
| Limerick, . . | 15·0 | 20·5 | 13·7 | 19·1 | 17·1 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·4 per 1,000, the rates varying from 0·0 in eleven of the districts to 6·6 in Queenstown, the 5 deaths from all causes registered in that district including one from diarrhœa. Among the 165 deaths from all causes registered in Belfast are 8 from measles, one from whooping-cough, one from diphtheria, 2 from enteric fever, 8 from diarrhœal diseases, 3 from cerebro-spinal fever, and one returned as from *cerebo-spinal meningitis.* Among the 29 deaths from all causes in Cork are one from whooping-cough, one from diphtheria, and one from diarrhœa; included in the 11 deaths registered in Londonderry are one from enteric fever and 2 from diarrhœal diseases; 2 deaths from measles and 2 from diarrhœal diseases are amongst the 14 deaths from all causes registered in Limerick; and one of the 3 deaths registered in Lurgan is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 231—113 boys and 118 girls; and the deaths to 154—77 males and 77 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 20·6 in every 1,000 of the population. Omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 19·1 per 1,000. During the forty-three weeks ending with Saturday last the death-rate averaged 24·5, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1897–1906.

Among the 154 deaths from all causes are 5 from measles, one death each from whoop-

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

ing-cough and *pyrexia* (origin uncertain), and 8 deaths from diarrhœal diseases in addition there were 10 deaths from enteritis or from *gastro-enteritis*, 8 bein those of children under 5 years of age. In each of the 3 preceding weeks, deaths fro measles were 0, one, and 0; deaths from whooping-cough were 3, 2, and 2; and death from diarrhœal diseases were 12, 23, and 15. One of the deaths for last week was fron influenza and one from cerebro-spinal fever.

Pneumonia (all forms) caused 9 deaths, including one death from lobar pneumonia 4 deaths from broncho-pneumonia, and 4 from *pneumonia* (not defined).

All forms of tuberculous disease caused 26 deaths, including 9 from tuberculous phthisis 4 returned as from *phthisis*, one each from tuberculous meningitis, tuberculous peritonitis and *tabes mesenterica*, and 10 from other forms of tuberculous disease. Deaths from al forms of tuberculous disease in the 3 preceding weeks numbered 43, 29, and 32, respectively

There were 2 deaths from carcinoma, one death from sarcoma, and 5 deaths fron cancer (undefined).

The deaths of 5 infants were ascribed to prematurity.

Diseases of the brain or nervous system caused 11 deaths, including 5 from meningitis (4 of the latter being deaths of infants under one year of age) and 2 from *convulsions*, of infants under one year of age.

To diseases of the heart and blood vessels 22 deaths were attributed, and to bronchitis 9 deaths.

There were 5 accidental deaths, including one, that of an infant under one year of age, caused by overlaying in bed.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under one year of age and the deaths of 2 persons aged 60 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 9 were under one month old), and 39 were aged 60 years and upwards, including 17 persons aged 70 and upwards, of whom 3 were octogenarians, and 2 (a male and a female) were stated to have been aged 96 and 94 years, respectively.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the N. Dublin Union Workhouse and 12 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·1 per 1,000; the rate in the City was 20·3 (North City Districts, 20·7; South, 19·9), and in the Suburbs, 15·1 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 1·9 (1·4 in the North City Districts, and 2·5 in the South) and for the Suburbs, 2·3 per 1,000.

*No. 1 North City Disnrict, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 21·6 per 1,000, and include one death each from epidemic enteritis and *pneumonia* (not defined), and 3 deaths from tuberculous disease.

*No. 1 North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 16·0 per 1,000. Among them are one death from influenza, 5 deaths from tuberculous disease, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. One death was attributed to *pyrexia* (origin uncertain), one to lobar pneumonia, 3 were due to tuberculous disease, and one to bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (7) represent an annual rate of 11·3 per 1,000. *Diarrhœa* caused one death and there were 2 deaths from tuberculous disease.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 30·6 per 1,000 inhabitants; Coolock and Drumcondra, No. 1, part of, 28·5; and Finglas and Glasnevin, part of, 43·3. The 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from *phthisis*; and the 6 deaths from all causes for Finglas and Glasnevin, part of, include one from *diarrhœa*.

*No. 1 South City District* (South Earl-street).—The deaths (17) represent an annual rate of 22·2 per 1,000. Measles caused 2 deaths, *phthisis* one death, and there were 4 deaths from bronchitis, and 3 accidental deaths.

*No. 2 South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 12·7 per 1,000. There was one death from whooping-cough, also one death from cerebro-spinal fever; tuberculous disease caused one death, and there was one accidental death.

*No. 3 South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 23·5 per 1,000, and include one death from epidemic enteritis, 2 from broncho-pneumonia, one from *pneumonia* (not defined), 4 from tuberculous disease, and 2 from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (12) are equivalent to an annual rate of 17·8 per 1,000. Among them are one from measles, 2 from diarrhœal diseases, 2 from tuberculous disease, and one from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and include one death from broncho-pneumonia.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·2; Pembroke, 15·0; Blackrock, 6·0; and Kingstown, 23·7. The deaths from the principal epidemic diseases tabulated for these districts include 2 from measles and one from *diarrhœa* for Kingstown, and one from *diarrhœa* for Rathmines and Rathgar. The 9 deaths from all causes for Rathmines and Rathgar include one from *pneumonia* (not defined), one from tuberculous disease, and 3 from diseases of the heart and blood vessels; of the 8 deaths from all causes for Pembroke 2 were due to diseases of the heart and blood vessels and one was from bronchitis. The 8 deaths from all causes for Kingstown include one from *pneumonia* (not defined), and one from tuberculous disease.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. rcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive itary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock an District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown an District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 26th October, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| TIES AND URBAN STRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ity of ublin. | Oct. 5, | . | — | — | 5 | 1 | . | 6 | . | 3 | 8 | 9 | . | — | — | — | — | — | 32 |
| | Oct. 12, | . | — | — | 5 | . | . | 11 | . | . | 7 | 14 | 1 | — | — | — | — | — | 38 |
| | Oct. 19, | . | — | — | 5 | . | . | 5 | . | 4 | 6 | 13 | . | — | — | — | — | — | 33 |
| | Oct. 26, | . | — | — | 10 | . | . | 5 | . | 4 | 21 | 12 | . | — | — | — | — | — | 52 |
| thmines Rathgar rban strict. | Oct. 5, | . | — | — | . | . | . | 1 | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Oct 12, | . | — | — | 3 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 4 |
| | Oct. 19, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| nbroke rban strict. | Oct. 5 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | — | 1 | . | — | — | 3 |
| | Oct. 12, | . | 3 | . | . | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 4 |
| | Oct. 19, | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | — | . | . | — | — | 4 |
| | Oct. 26, | . | . | 2 | . | . | . | 1 | . | . | 1 | 1 | . | — | . | . | — | — | 5 |
| ackrock rban strict. | Oct. 5, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 19, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| igstown rban strict. | Oct. 5, | . | — | — | . | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 1 |
| | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Oct 19, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| | Oct. 26, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| ity of elfast. | Oct. 5, | . | — | — | 7 | . | . | 7 | 2 | 2 | 8 | 4 | 1 | — | — | 3 | — | — | 34 |
| | Oct. 12, | . | — | — | 9 | . | . | 6 | . | 8 | 3 | 5 | . | — | — | 3 | — | — | 34 |
| | Oct. 19, | . | — | — | 5 | . | . | 8 | 5 | 7 | 4 | 11 | . | — | — | 1 | — | — | 41 |
| | Oct. 26, | . | — | — | 12 | . | . | 7 | . | 5 | 4 | 9 | . | — | — | 5 | — | — | 42 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS

'able XII. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 26th October, 1907.

'rom this it appears that:—

ive cases of measles were admitted into hospital during the week, 12 were discharged, 17 cases remained under treatment at its close.

ix cases of scarlet fever were admitted to hospital, 3 were discharged, and 43* cases ained under treatment at the close of the week.

'wo cases of typhus were discharged and one remained under treatment at the close of the k.

'hree cases of diphtheria were admitted to hospital, 10 were discharged, and 15 patients ained under treatment at the close of the week.

'leven cases of enteric fever were admitted to hospital during the week, 9 were dis- rged, and 42 cases remained under treatment in hospital at the close of the week.

n addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, ere discharged, and 24 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

'he mortality last week in 76 large English towns, including London (in which the was 13·9), was equal to an average annual death-rate of 14·6 per 1,000 persons living, average rate for 8 principal towns of Scotland was 14·4 per 1,000, the rate for Glasgow g 16·9 and for Edinburgh 12·1.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th ober. From this Report it appears that of a total of 57 cases notified 24 were scarlet fever, 11 diphtheria, ysipelas, and 3 enteric fever. Among the 342 cases of infectious diseases in hospital at the close of the k were 170 cases of scarlet fever, 35 of measles, 33 of diphtheria, one of membranous croup, 26 of oping-cough, 14 of enteric fever, and 9 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 26th October, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 26th October, 1907. Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 26th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 19th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 12th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 29·3 | 20·0 | 2·4 | 628 | 429 | 92 | 116 | . | 15 | . | . | 4 | 2 | 1 | 3 | 26 | 29 | 48 | 25 | 20 | 52 | 9 | 15 | 129 | 14 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 26·4 | 30·8 | 19·1 | 2·0 | 281 | 143 | 39 | 37 | . | 5 | . | . | 1 | . | 1 | . | 8 | 8 | 13 | 11 | 7 | 11 | 5 | 6 | 55 | 6 | f59·0 | 34·4 | 47·3 | 0·65 | f60·2 | 27·0 | 47·0 | 0·40 | f63·8 | 38·3 | 48·9 | 2·28 |
| City of Dublin, | 300,850 | 38·0 | 33·6 | 20·3 | 1·9 | 194 | 117 | 32 | 28 | . | 3 | . | . | 1 | . | 1 | . | 6 | 6 | 13 | 9 | 5 | 10 | 5 | 6 | 50 | 4 | g58·3<br>h64·1 | 32·8<br>31·0 | 47·9<br>48·6 | 0·84<br>0·92 | g58·3<br>h59·4 | 33·5<br>29·0 | 48·0<br>47·2 | 0·66<br>0·50 | g64·1<br>h64·8 | 42·1<br>40·0 | 51·0<br>50·4 | 1·90<br>2·27 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 13·2 | 13·2 | 1·5 | 9 | 9 | 3 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 26·2 | 15·0 | . | 14 | 8 | 2 | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 29·8 | 6·0 | . | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 26·6 | 23·7 | 8·9 | 9 | 8 | 1 | 1 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | 1 | . | 59 | 36 | 50·5 | 0·97 | 57·5 | 34 | 47·9 | 1·48 | 67·5 | 41·5 | 52·4 | 1·79 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 32·8 | 23·2 | 2·8 | 233 | 165 | 30 | 38 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 6 | 42 | 2 | 58·5 | 35·0 | 49·1 | 1·02 | 55·5 | 39·0 | 48·0 | 0·73 | 57·0 | 41·0 | 50·9 | 1·36 |
| Cork, | 76,122 | 33·6 | 19·9 | 19·9 | 2·1 | 29 | 29 | 6 | 11 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | 2 | 14 | . | 57 | 37 | 48·5 | 1·29 | 58 | 35 | 47·0 | 1·15 | 61 | 39 | 50·5 | 1·12 |
| Londonderry, | 42,475 | 19·6 | 22·3 | 13·5 | 3·7 | 19 | 11 | 2 | 5 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 12·3 | 19·1 | 5·5 | 9 | 14 | 2 | 4 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 15·6 | 17·5 | 1·9 | 8 | 9 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 27·2 | 15·5 | . | 7 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | 1 | 56 | 44 | 50 | 1·66 | 60 | 32 | 45·6 | 1·16 | 62 | 37 | 51 | 1·18 |
| Dundalk, | 18,076 | 3·4 | 31·9 | 12·0 | . | 8 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 12·8 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 29·4 | 37·8 | . | 7 | 9 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 | 1 | 3 | . | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 |
| Lurgan, | 11,782 | 13·8 | 53·1 | 13·3 | 4·4 | 12 | 3 | 2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 |
| Lisburn, | 11,461 | 10·1 | 31·8 | 13·6 | . | 7 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 |
| Wexford, | 11,168 | 23·2 | 32·7 | 9·8 | . | 7 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 23·9 | 14·4 | . | 5 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 28·8 | 14·4 | . | 6 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 60·9 | 32·8 | 47·2 | 1·37 | 58·4 | 24·7 | 45·1 | 0·62 | 61·5 | 33·9 | 48·3 | 1·93 |
| Kilkenny, | 10,609 | 11·5 | 24·6 | 24·6 | 4·9 | 5 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . | 58 | 30 | 45 | 1·13 | 57 | 28 | 46·3 | 0·65 | 64 | 37 | 48·0 | 1·73 |
| Clonmel, | 10,167 | 7·8 | . | 20·5 | . | . | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 46·5 | 10·9 | 5·2 | 9 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 57·8 | 34·6 | 47·9 | 1·08 | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 |
| Tralee, | 9,867 | 16·6 | 15·9 | 15·9 | 5·8 | 3 | 3 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 28·6 | 17·2 | . | 5 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | 55 | 38 | 49·0 | 0·40 | 55 | 37 | 47·2 | 0·71 | 58 | 38 | 50·3 | 1·43 |
| Queenstown, | 7,909 | 14·4 | 39·6 | 33·0 | 6·6 | 6 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 57 | 37 | 48·5 | 1·29 | 58 | 35 | 47·0 | 1·15 | 61 | 39 | 50·5 | 1·12 |
| Armagh, | 7,588 | 22·2 | 48·1 | 20·6 | . | 7 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | 1 | 57·8 | 34·6 | 47·9 | 1·08 | 58·0 | 29·4 | 46·6 | 0·14 | 60·0 | 45·0 | 48·3 | 2·22 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 26th of October, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | . | 2 | 5 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | 1 | . | . | 1 | . | . | 1 | . | . | 1 | 2 | . | 1 | . | . | 1 | 8 | . |
| Pneumonia, | 1 | . | 1 | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . | 1 | 8 | 1 |
| Tuberculous Disease. Phthisis, | 1 | 3 | 2 | 1 | . | 1 | . | 1 | . | 3 | 1 | . | . | . | . | . | 13 | . |
| Tuberculous Disease. Other Forms. | 2 | 2 | 1 | 1 | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . | 1 | 11 | 2 |
| Cancer, Malignant Disease, | . | 1 | 1 | . | . | . | 2 | . | . | 1 | . | . | 1 | 1 | . | . | 7 | 1 |
| Other General Diseases, | 2 | 2 | 2 | 1 | . | 1 | . | 1 | 1 | . | 1 | . | . | 2 | . | . | 13 | . |
| Total, | 7 | 8 | 8 | 4 | . | 2 | 3 | 4 | 3 | 9 | 6 | 1 | 4 | 3 | . | 5 | 67 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | . | 2 | 1 | . | . | 1 | . | . | . | 1 | . | 2 | 1 | . | 2 | 11 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 3 | 1 | 2 | 1 | . | 2 | 2 | 2 | . | 3 | . | . | 3 | 2 | . | . | 21 | 1 |
| Diseases of: Respiratory System, | . | 1 | 1 | . | . | 1 | . | 4 | . | 2 | 1 | . | . | 1 | . | . | 11 | 1 |
| Diseases of: Digestive System, | . | . | 1 | . | 2 | . | . | 2 | . | 3 | 2 | 2 | . | . | 1 | . | 13 | 3 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | 3 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 2 | 6 | 2 | 3 | 3 | 3 | 9 | 1 | 8 | 5 | 2 | 5 | 4 | 1 | 2 | 60 | 6 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 1 | 1 | 1 | . | 1 | . | 1 | . | 2 | 1 | . | . | 1 | . | 1 | 11 | 1 |
| **E. VIOLENT DEATHS,** | . | 1 | . | . | . | . | . | 3 | 1 | . | . | . | . | . | . | . | 5 | . |
| **Deaths from all Causes,** | 12 | 12 | 15 | 7 | 3 | 6 | 6 | 17 | 5 | 19 | 12 | 3 | 9 | 3 | 1 | 8 | 143 | 11 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 16·0 | 23·0 | 11·3 | 30·6 | 28·5 | 43·3 | 22·2 | 12·7 | 23·5 | 17·8 | 17·6 | 13·2 | 15·0 | 6·0 | 23·7 | 19·1 | . |
| | 20·7 | | | | | | | 19·9 | | | | | 15·1 | | | | | |
| | 20·3 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 2 | 3 | 4 | . | 1 | 2 | 2 | 4 | . | 7 | 5 | 1 | 3 | 2 | 1 | 1 | 39 | . |
| 1 and under 5 years, | . | 1 | 2 | 2 | . | . | . | 3 | 2 | 3 | 2 | 2 | . | . | . | 2 | 19 | 1 |
| 5 " 20 " | 2 | 1 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . | . | . | 8 | 1 |
| 20 " 40 " | 3 | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 2 | . | 1 | . | . | 2 | 16 | 3 |
| 40 " 60 " | . | 2 | 2 | 3 | . | 2 | 2 | 4 | 1 | 3 | . | . | 3 | . | . | 2 | 24 | 4 |
| 60 and upwards, | 4 | 3 | 5 | 1 | 2 | 1 | 2 | 5 | . | 4 | 1 | . | 2 | 6 | . | 1 | 37 | 2 |
| Number of Uncertified Deaths, | . | . | . | . | . | 1 | . | 3 | . | . | . | . | 1 | 1 | . | . | 6 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 3 | 4 | 2 | 1 | . | 1 | 1 | 5 | 2 | 4 | 4 | . | 1 | . | . | 1 | 29 | 11 |
| Workhouse Hospitals, | 2 | | 6 | 2 | . | . | . | 2 | 1 | 4 | 2 | . | 1 | 2 | . | . | 26 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 43rd Week of the 10 years 1897–1906. | In the Week ending Sa 26th October, 190 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the | | | | |
| | | | | | | | | | | | | ALL AGES. | 0 to 5. | | | |
| | Oct. 30, 1897. | Oct. 29, 1898. | Oct. 28, 1899. | Oct. 27, 1900. | Oct. 26, 1901. | Oct. 25, 1902. | Oct. 31, 1903. | Oct. 29, 1904. | Oct. 28, 1905. | Oct. 27, 1906. | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. |
| Mean Temperature. | ° 53·5 | ° 50·5 | ° 48·9 | ° 47·0 | ° 44·2 | ° 50·7 | ° 44·3 | ° 47·6 | ° 41·1 | ° 51·2 | ° 47·9 | ° 47·3 | | | | |
| **ALL CAUSES.** | 189 | 177 | 244 | 141 | 146 | 223 | 162 | 156 | 133 | 170 | 174·1 | 154 | 9 | 30 | 20 | 9 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | . | 44 | . | . | 20 | . | 4 | 1 | 2 | 7·1 | 5 | . | . | 4 | 1 |
| Scarlet Fever, | 2 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 1 | . | 1·3 | . | . | . | . | . |
| Typhus, | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | . | 3 | 2 | 5 | . | 3 | 3 | 1 | . | 2 | 1·9 | 1 | . | . | . | . |
| Whooping-cough, | . | 1 | . | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 1·4 | 1 | . | . | 1 | . |
| Diphtheria, | 1 | 3 | 2 | . | 1 | 2 | 1 | 1 | . | . | 1·1 | . | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | 1 | . | . | . | 1 |
| *Pyrexia*† (origin uncertain), | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | 1 | . | . | 1 | . |
| Enteric Fever, | 9 | 3 | 6 | 4 | . | 1 | . | 1 | . | 2 | 2·6 | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 5 | 5 | 9 | 6 | 5 | 4 | . | 3 | 1 | 4 | 6·5 | 3 | . | 3 | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 10 | 4 | 3 | 2 | 4 | | 5 | . | 4 | 1 | . |
| Tetanus, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 1 | 3 | . | 1 | 2 | 1 | 2 | . | 1 | 1 | 1·2 | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | . | 1 | . | 1 | ·2 | 1 | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 15 | 8 | 19 | 9 | 7 | . | 2 | 1 | 1 | 1 | 11·8 | 1 | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 14 | 3 | 3 | 6 | 6 | | 4 | . | . | 4 | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 8 | 2 | 4 | 3 | 6 | | 4 | . | . | . | . |
| Erysipelas, | 1 | . | 1 | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | 2 | . | 1 | 1 | . | 1 | . | . | ·6 | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | 1 | | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . |
| Tuberculous Phthisis, | 19 | 20 | 29 | 15 | 19 | 2 | 6 | 6 | 10 | 3 | 20·6 | 9 | . | 1 | 1 | 1 |
| "*Phthisis*," | | | | | | 15 | 18 | 19 | 11 | 14 | | 4 | . | 1 | . | . |
| Tuberculous Meningitis, | 2 | 5 | . | 4 | 1 | 5 | 2 | . | 2 | 3 | 2·4 | 1 | . | . | 1 | . |
| Tuberculous Peritonitis, | 5 | 4 | 8 | 4 | 2 | 2 | 1 | 2 | . | 1 | 3·1 | 1 | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | . | . | 1 | . | 1 | | 1 | . | 1 | . | . |
| Tuberculous Dis. (other), | 5 | 3 | 2 | 1 | 4 | 4 | 4 | 5 | 2 | 8 | 3·8 | 10 | . | 2 | 2 | 2 |
| *Scrofula*, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Alcoholism, | . | 2 | 1 | . | 3 | . | 2 | 1 | . | 1 | 1·0 | . | . | . | . | . |
| Rheumatic Fever, | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . |
| Gout, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Carcinoma, | 6 | 5 | 9 | 7 | 8 | 1 | 2 | 3 | 5 | 3 | 6·7 | 2 | . | . | . | . |
| Sarcoma, | | | | | | . | . | 1 | . | . | | 1 | . | . | . | . |
| Cancer (undefined), | | | | | | 5 | 1 | 1 | 3 | 7 | | 5 | . | . | . | |
| Diabetes Mellitus, | . | . | . | . | . | . | 1 | . | . | 2 | ·3 | 1 | . | . | . | . |
| Premature Birth, | 7 | 2 | 2 | 7 | 2 | 4 | 6 | 4 | 3 | 4 | 4·1 | 5 | 3 | 2 | . | . |

* The figures for the years 1897–19
† Formerly des

'HIRD WEEK ending Saturday, 26th October, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| JSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Oct. 30, 1897. | Oct. 29, 1898. | Oct. 28, 1899. | Oct. 27, 1900. | Oct. 26, 1901. | Oct. 25, 1902. | Oct. 31, 1903. | Oct. 29, 1904. | Oct. 28, 1905. | Oct. 27, 1906. | Averages in 43rd Week of the 10 years 1897-1906. | In the Week ending Saturday, 26th October, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| an Temperature. | ° 53·5 | ° 50·5 | ° 48·9 | ° 47·0 | ° 44·2 | ° 50·7 | ° 44·3 | ° 47·6 | ° 41·1 | ° 51·2 | ° 47·9 | Mean Temp. ° 47·3 | | | | | | | | |
| gitis (not tuberc.) ... | | | | | | 3 | 2 | 3 | 1 | 4 | | 5 | . | 4 | . | . | 1 | . | . | . |
| ty, G. P. of Insane ... | | | | | | . | 3 | 1 | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| ɔsy ... ... | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| 'sions ... .. | | | | | | 13 | 5 | 5 | 5 | 4 | | 2 | 2 | . | . | . | . | . | . | . |
| notor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| legia Dis. of Cord ... | | | | | | 3 | 2 | 2 | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| us System (other | | | | | | . | 2 | 1 | 2 | 1 | | 2 | . | . | 1 | . | 1 | . | . | . |
| | 3 | 35 | 41 | 24 | 36 | | | | | | 35·6 | | | | | | | | | |
| Dis., Endocarditis ... | | | | | | 5 | 5 | 3 | 8 | 3 | | 8 | . | . | . | . | 1 | 2 | 5 | . |
| r. Hæm. Thromb. ... | | | | | | 2 | 5 | 2 | 2 | 2 | | . | . | . | . | . | . | . | . | . |
| *xy, Hemiplegia* ... | | | | | | 7 | 4 | 7 | 1 | 4 | | 3 | . | . | . | . | . | 2 | 1 | . |
| ysm ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| lism, Thromb. (not | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| bral) | | | | | | | | | | | | | | | | | | | | |
| and Blood Vessel Dis. | | | | | | 11 | 12 | 12 | 8 | 17 | | 11 | . | . | . | 1 | . | 6 | 3 | 1 |
| (not Spasm. nor | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ıb.) | | | | | | | | | | | | | | | | | | | | |
| hitis ... ... | 23 | 22 | 20 | 17 | 19 | 23 | 15 | 10 | 14 | 17 | 18·0 | 9 | . | . | . | . | 1 | 1 | 6 | 1 |
| ıa, Emphysema ... | 2 | 2 | 1 | 2 | 1 | . | . | . | 2 | . | 2·1 | 1 | . | . | . | . | . | . | 1 | . |
| sy ... ... | | | | | | 1 | . | 1 | . | . | | 1 | . | . | . | . | . | . | 1 | . |
| ratory Dis. (other) ... | | | | | | 2 | 2 | 2 | 1 | 2 | | 1 | . | . | . | . | . | 1 | . | . |
| litis, Quinsy ... | 1 | 1 | . | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| itis (not Epid.) ... | 2 | 2 | . | . | 1 | 1 | 4 | 2 | 1 | 1 | 2·1 | 7 | . | 4 | 1 | . | 1 | . | 1 | . |
| *Enteritis* ... ... | | | | | | 3 | 1 | 2 | 1 | . | | 3 | 1 | 2 | . | . | . | . | . | . |
| *ritis* (not Puerp.) ... | 1 | . | . | 1 | 1 | 1 | . | 1 | 1 | . | ·6 | 1 | . | . | . | 1 | . | . | . | . |
| osis of Liver ... | 2 | 1 | 2 | 2 | . | . | 1 | 3 | 1 | 1 | 2·3 | 1 | . | . | . | . | . | . | 1 | . |
| Dis. (other) ... | | | | | | 4 | 1 | 2 | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| ive Dis. (other) ... | 5 | 3 | 5 | 8 | 1 | 5 | 4 | 3 | 5 | 1 | 4·0 | 4 | . | 2 | . | . | 1 | 1 | . | . |
| ritis, Acute ... | | | | | | 2 | . | . | 1 | 2 | | 1 | . | . | . | . | 1 | . | . | . |
| t's Dis., Albuminuria | 4 | 4 | 5 | 4 | 1 | 1 | 1 | 2 | 3 | 1 | 3·9 | 2 | . | . | . | . | . | . | 2 | . |
| ry Sys. (Other Dis.) | | | | | | . | 5 | 2 | . | 1 | | . | . | . | . | . | . | . | . | . |
| ative Organs Dis. ... | 1 | 1 | 1 | . | . | . | . | 1 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | 2 | . | . | 1 | 1 | 2 | . | . | 1 | ·7 | 2 | . | . | . | . | 2 | . | . | . |
| *ge* ... ... | 7 | 16 | 14 | 7 | 5 | 5 | 2 | 5 | 8 | 5 | 7·4 | 2 | . | . | . | . | . | . | 2 | . |
| Diseases ... ... | 16 | 13 | 9 | 4 | 19 | 19 | 13 | 10 | 6 | 13 | 12·2 | 12 | 3 | 3 | 3 | . | . | 1 | . | 2 |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| ilways ... ... | . | . | 1 | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | 2 | 1 | . | . | . | . | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (ex- | | | | | | | | | | | | | | | | | | | | |
| ive of Drowning) ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | 2 | . | . | . | 1 | 1 | 1 | 1 | 2 | . | ·8 | . | . | . | . | . | . | . | . | . |
| owning ... ... | 2 | 2 | 3 | 1 | 1 | 1 | . | 1 | 1 | 1 | 1·3 | . | . | . | . | . | . | . | . | . |
| ffocation in Bed ... | . | . | 1 | . | . | . | . | . | 1 | . | ·2 | 1 | . | 1 | . | . | . | . | . | . |
| oison or Poisonous | 1 | . | 1 | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| ours | | | | | | | | | | | | | | | | | | | | |
| Deaths by Accident | 2 | 2 | 2 | 2 | . | 1 | 3 | . | 2 | 4 | 1·8 | 4 | . | . | . | 2 | . | 2 | . | . |
| **ENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| le ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ition ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

istration Area as then constituted.

" Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending May 4. | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| No. of weeks in Annual Series. | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 |
| Births registered, | 303 | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 |
| *Average Births in corresponding week of previous 10 years,** | 246 | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 |
| Deaths registered, | 205 | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 148 | 161 | 157 | 164 | 154 |
| Annual Death-rate per 1,000, | 27·4 | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 |
| *Average Deaths in corresponding week of previous 10 years,** | 186 | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 |
| Ages, Under 5 years, | 78 | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 |
| 5—20 " | 12 | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 |
| 20—40 " | 82 | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 |
| 40—60 " | 43 | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 |
| 60—80 " | 31 | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 |
| 80 years and upwards, | 14 | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 5 | 3 | 4 | 5 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 |
| Scarlet Fever | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . |
| Whooping-cough, | 10 | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 |
| Diphtheria, | . | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Enteric Fever, | . | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . |
| Diarrhœal Diseases, | 1 | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 |
| Influenza, | 2 | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 |
| Pneumonia, | 15 | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 |
| Tuberculous Disease. {Phthisis, | 39 | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 | 25 | 13 |
| Other Forms, | 14 | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 |
| Cancer, Malignant Disease, | 3 | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 |
| Diseases of Heart and Blood Vessels, | 24 | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 |
| Diseases of Respiratory System, | 19 | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 |
| Violent Deaths, | 7 | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 | 7 | 5 | 5 |
| Number of Uncertified Deaths, | 4 | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 |
| Mean Temperature of the Air (Phœnix Park), | 44·1 | 50·8 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 46·6 | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 |
| Rainfall in inches, | ·560 | 1·772 | ·085 | ·187 | ·488 | 1·585 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·384 | ·401 | ·645 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·78 | ·79 | ·79 | ·81 | ·88 | ·86 | ·88 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·88 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·93 | ·86 | ·94 |

TABLE VI.—SHOWING IN FIVE GENERAL CLASSES AND EIGHTEEN GROUPS

in the Dublin Registration Area during the Week ending Saturday, 26th October, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH OCTOBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 21·4 | 154 | 59 | 9 | 19 | 28 | 34 | 5 | . | 5 | . | . | 1 | . | 1 | . | 8 | 15 | 9 | 13 | 13 | 8 | 2 | 12 | 5 | 77 | 6 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | Professional and Independent Class, | 17,486 | 17·9 | 6 | . | . | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 5 | 1 |
| II. | Middle Class, | 87,188 | 15·5 | 26 | 6 | 3 | 5 | 5 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 5 | 5 | . | . | . | 12 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 14·2 | 30 | 15 | 2 | 4 | 4 | 5 | . | . | 1 | . | . | . | . | . | . | 3 | 4 | 2 | . | 1 | 1 | 1 | 4 | 2 | 15 | 3 |
| IV. | General Service Class, | 154,279 | 29·9 | 66 | 32 | 3 | 10 | 12 | 8 | 1 | . | 4 | . | . | 1 | . | . | . | 4 | 9 | 5 | 5 | 5 | 1 | . | 4 | 3 | 34 | 2 |
| V | Inmates of Workhouses, | 6,024 | | 26 | 6 | 1 | . | 5 | 12 | 2 | . | . | . | . | . | . | 1 | . | 1 | 2 | . | 6 | 2 | . | 1 | 4 | . | 11 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 26·7 | 4 | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 40·8 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | . | 1 | . | 2 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 3 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 12·0 | 7 | 2 | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 19·3 | 10 | 4 | 1 | 2 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | . | . | . | 4 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 8·7 | 5 | 2 | 1 | . | 2 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 | 2 | 1 |
| | 10. Clothing Trades, | 23,260 | 6·7 | 3 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 22·3 | 13 | 8 | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 | 1 | 1 | 1 | . | 7 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | 2 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 18,425 | 19·4 | 5 | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 3 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | 4 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 14·5 | 4 | 2 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 29·6 | 51 | 26 | 3 | 9 | 8 | 5 | . | . | 4 | . | . | 1 | . | . | . | 2 | 7 | 4 | 5 | 3 | . | . | 4 | 3 | 25 | 2 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 26 | 6 | 1 | . | 5 | 12 | 2 | . | . | . | . | . | . | 1 | . | 1 | 2 | . | 6 | 2 | . | 1 | 4 | . | 11 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of th

| Districts. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | 15 | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Sept. 7, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 14·4 | 3·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . | . |
| | „ 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . | . |
| | „ 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | „ 26, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . | . |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Sept. 7, | 26·6 | 1·3 | 20 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . | . | 3 | . | 3 |
| | „ 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| | „ 21, | 17·3 | 4·0 | 13 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . |
| | „ 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 | . |
| | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . | 4 |
| | „ 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 | . |
| | „ 19, | 24·0 | 2·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 | 1 |
| | „ 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Sept. 7, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | . | 5 | 1 | . | . | . | . |
| | „ 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . | . |
| | „ 21, | 13·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . |
| | „ 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 | . |
| | „ 12, | 24·2 | 5·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 | . |
| | „ 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 | . |
| | „ 26, | 26·0 | 1·7 | 15 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Sept. 7, | 24·1 | 3·2 | 15 | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . | . | . | . | 1 |
| | „ 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . | . |
| | „ 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 | . |
| | „ 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . | . |
| | Oct. 5, | 30·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . | . |
| | „ 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 19, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | „ 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Sept. 7, | 15·6 | 1·3 | 12 | . | 1 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | . | . |
| | „ 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | . | . | . | . |
| | „ 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | 1 | 1 | . | 3 | 1 | . | 1 | . | 1 |
| | „ 28, | 25·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . |
| | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 4 | . | 1 | 5 | 1 | 1 | . | 2 |
| | „ 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | . | 1 | . | . | 1 |
| | „ 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . | 1 |
| | „ 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | 3 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Sept. 7, | 12·7 | 2·5 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 1 |
| | „ 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . |
| | „ 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . | . |
| | „ 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . | . |
| | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . | . |
| | „ 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . | . |
| | „ 19, | 15·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Sept. 7, | 13·6 | . | 11 | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . | 1 | . | . |
| | „ 14, | 23·5 | . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . | . |
| | „ 21, | 27·2 | 3·7 | 22 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 5 | 2 | 2 | . | . |
| | „ 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . | . |
| | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . | . |
| | „ 12, | 18·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . | 1 |
| | „ 19, | 22·2 | 3·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . | . |
| | „ 26, | 23·5 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Sept. 7, | 25·2 | 3·0 | 17 | . | . | . | 1 | . | . | . | . | 1 | . | 3 | 2 | . | 2 | 1 | . |
| | „ 14, | 19·3 | 5·9 | 13 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 | 1 |
| | „ 21, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 2 |
| | „ 28, | 22·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 | . |
| | Oct. 5, | 22·3 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . | . |
| | „ 12, | 23·7 | 3·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . | . |
| | „ 19, | 19·8 | 3·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . | 1 |
| | „ 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Sept. 7, | 26·4 | 1·5 | 18 | . | . | 1 | . | . | . | . | . | . | . | 4 | . | . | 1 | . | . |
| | „ 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| | „ 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| | „ 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . |
| | „ 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| | „ 26, | 13·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Sept. 7, | 9·4 | 1·9 | 5 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . |
| | „ 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| | „ 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | „ 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| | „ 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Sept. 7, | 20·7 | 3·0 | 7 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| | „ 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ 21, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | 1 | 2 | . | . | . | . | . |
| | Oct. 5, | 20·7 | 3·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Sept. 7, | 14·8 | 2·0 | 105 | . | . | . | . | . | 4 | . | 5 | 5 | 5 | 10 | 8 | 2 | 7 | 3 | 1 |
| | „ 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 3 | 14 | 8 | 3 | 16 | 8 | . |
| | „ 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| | „ 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 3 |
| | Oct. 5, | 17·7 | 3·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| | „ 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| | „ 19, | 19·4 | 4·1 | 188 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| | „ 26, | 23·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| **Cork.** Pop. (in 1901) 76,122. | Sept. 7, | 16·4 | 2·1 | 24 | . | . | 1 | . | . | . | . | . | 2 | 1 | 4 | 1 | 4 | 2 | . | 1 |
| | „ 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | 1 |
| | „ 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| | „ 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| | Oct. 5, | 26·0 | 6·2 | 33 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| | „ 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| | „ 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| | „ 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Sept. 7, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . |
| | „ 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| | „ 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . |
| | „ 12, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| | „ 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| | „ 26, | 18·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Sept. 7, | 12·3 | 1·4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | 1 | . | . | 1 | 1 |
| | „ 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | „ 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| | „ 19, | 13·7 | 2·7 | 10 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | 1 |
| | „ 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Sept. 7, | 3·9 | 1·9 | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |
| | „ 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 28, | 28·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |
| | Oct. 5, | 14·8 | 13·6 | 23 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |
| | „ 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |
| | „ 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |
| | „ 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th October, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 5 | 2 | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | 1 |
| Do. 2 " | 47,959 | 38 | | | 19 | 5 | 3 | 1 | . | 7 | 3 | . | . | . | . | . | . | . | . | . | 3 | 1 | 1 | 1 | 2 | . | . | 4 | . |
| Do. 3 " | 47,214 | 25 | | | 23 | 4 | 5 | 5 | 2 | 3 | 4 | . | 2 | . | . | . | . | . | . | 3 | 5 | 3 | 2 | 2 | 1 | . | . | 3 | 1 |
| Do. 4 " | 40,911 | 33 | | | 29 | 7 | 1 | 3 | 2 | 9 | 7 | . | 1 | . | . | . | . | . | . | . | 5 | 2 | . | . | 2 | 2 | 2 | 13 | . |
| Do. 5 " | 17,887 | 10 | | | 15 | 2 | 3 | 1 | 1 | 4 | 4 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 1 | 5 | . | . | 3 | . |
| Do. 6 " | 48,122 | 25 | | | 17 | 1 | 2 | . | 6 | 2 | 6 | . | 1 | . | . | . | . | . | . | 1 | 3 | 4 | 1 | 1 | 1 | . | . | 6 | . |
| Do. 7 " | 1,524 | 1 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 8 " | 5,060 | . | | | 3 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . |
| Do. 9 " | 19,569 | 20 | | | 9 | . | . | . | 3 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | 1 | . |
| Do. 10 " | 28,064 | 20 | | | 15 | 3 | 3 | 2 | . | 4 | 3 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 2 | . | . | 2 | . |
| Do. 11 " | 34,862 | 18 | | | 8 | 1 | 1 | 2 | 2 | . | 2 | . | 1 | . | . | . | . | . | . | 1 | . | 3 | . | 2 | . | . | . | . | . |
| Do. 12 " | 33,588 | 26 | | | 17 | 3 | 6 | 3 | 1 | 1 | 3 | . | 1 | . | . | 1 | 1 | . | 1 | . | 1 | 1 | . | . | 5 | 1 | 1 | 7 | . |
| Do. 13 " | 15,006 | 8 | | | 3 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . |
| Do. 14 " | 240 | 1 | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 233 | | | 165 | 30 | 25 | 17 | 20 | 35 | 38 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 16 | 42 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 6 | 16·2 | 4·1 | 4 | 1 | . | 3 | | | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | . | . | . |
| Do. 2 " | 10,701 | 6 | 24·4 | . | 5 | 2 | . | 1 | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . |
| Do. 3 " | 9,978 | 9 | 10·5 | 5·2 | 2 | 1 | 1 | . | | | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 4 " | 8,666 | 2 | 36·1 | . | 6 | 1 | . | 3 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 4 | . |
| Do. 5 " | 6,592 | 1 | 31·6 | . | 4 | . | . | . | | | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 4 | . |
| Do. 6 " | 10,702 | 5 | 14·6 | . | 3 | 1 | . | 1 | | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Do. 7 " | 16,616 | . | 15·7 | 3·1 | 5 | . | 1 | 2 | | | 2 | . | . | . | . | . | 1 | . | . | . | . | 2 | . | . | 1 | . | . | 3 | . |
| Total, | 76,122 | 29 | 19·9 | 2·1 | 29 | 6 | 2 | 10 | | | 11 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | 2 | 14 | . |

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May. 4. | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oc 26. |
| No. of weeks in Annual Series, | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 |
| Births registered, | 276 | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 80 | 203 | 233 |
| Deaths registered, | 169 | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 185 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138† | 165† |
| Annual Death-rate per 1,000 of estimated Population, | 23·8 | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 2·1 | 19·4 | 23·2 |
| Ages — Under 1 year | 37 | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 18 | 40 | 38 | 47 | 48 | 30 |
| 1–5 years, | 25 | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 |
| 5–20 years, | 24 | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 |
| 20–40 years, | 23 | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 |
| 40–60 years, | 32 | 26 | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 |
| 60 years and upwards, | 28 | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 38 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 |
| Scarlet Fever, | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 |
| Diphtheria, | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Enteric Fever, | 2 | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 |
| Diarrhœal Diseases, | 2 | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 |
| Pneumonia, | 15 | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 |
| Tuberculous Disease, — Phthisis, | 19 | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 |
| Tuberculous Disease, — Other Forms, | 13 | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 |
| Cancer Malignant Disease, | 2 | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 8 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 |
| Diseases of Respiratory System, | 26 | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 |
| Violent Deaths, | 1 | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 3 | 2 | . | 2 | 4 | 2 | 3 |
| Number of Uncertified Deaths, | 1 | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 |

* Formerly described as "Simple Continued Fever."
† Including 4 deaths from cerebro-spinal fever or from *cerebro-spinal meningitis*.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Oct. 26, | 2,450 | 1,265 | 13·9 | . | 16 | 26 | 11 | 18 | 9 | 67 |
| EDINBURGH, | 345,747 | „ 26. | 156 | 80*a* | 12·1 | . | . | 1 | . | 2 | . | 1 |
| GLASGOW, | 847,584 | „ 26, | 426 | 274*a* | 16·9 | . | 6 | 1 | 1 | 10 | . | 13 |
| CALCUTTA, | 847,796 | Sept. 7, | . | 399 | 24·4 | 2 | 1 | . | . | . | 129‡ | 51* |
| BOMBAY, | 977,822 | „ 24, | 388 | 738 | 39·2 | . | . | . | . | . | 84‡ | 101* |
| MADRAS, | 509,346 | „ 6, | 494 | 518 | 52·8 | . | 1 | ? | ? | ? | 131 | 149* |
| PARIS, | 2,722,731 | Oct. 12, | 956 | 860 | 16·4 | 1 | 2 | 1 | 2† | 1 | 2 | 65 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 5, | 231 | 150 | 12·4 | . | . | . | 3† | . | . | 24 |
| ANTWERP, | 304,032 | „ 5, | 118 | 71 | 12·2 | . | . | . | . | 2 | . | 28 |
| AMSTERDAM, | 564,474 | „ 12, | 253 | 131 | 12·1 | . | 2 | . | 2† | 2 | 1 | 5 |
| COPENHAGEN, | 432,000 | „ 5, | 250 | 112 | 13·5 | . | 1 | . | . | 2 | . | 2 |
| STOCKHOLM, | 332,738 | „ 5, | 143 | 98 | 15·3 | . | . | . | . | . | . | 6 |
| CHRISTIANIA, | 229,324 | „ 12, | 120 | 44 | 10·0 | . | . | . | 4† | . | . | . |
| ST. PETERSBURG, | 1,482,769 | „ 5. | . | 553 | 19·4 | . | 10 | 15 | 15 | 4 | 15 | 80 |
| MOSCOW, | 1,296,000 | Sept. 14, | . | 656 | 26·4 | . | 4 | 10 | 3† | 9 | 8 | 207 |
| BERLIN, | 2,097,008 | „ 28, | 1,036 | 604 | 15·0 | . | 5 | 4 | 1† | 16 | . | 80 |
| HAMBURG, | 824,792 | Oct. 5, | . | 198 | 12·5 | . | . | . | 1† | 5 | 1 | 21 |
| BRESLAU, | 485,440 | „ 5, | . | 207 | 22·2 | . | 1 | . | 2† | 1 | . | 40 |
| MUNICH, | 548,000 | „ 12, | . | 193 | 18·3 | . | . | . | 1† | . | 1 | 43 |
| VIENNA (with suburbs). | 1,999,912 | „ 12, | 930 | 520 | 13·5 | 1 | 1 | 3 | 4† | . | . | 61 |
| BUDA-PESTH, | 802,235 | Sept. 28, | 462 | 316 | 20·5 | . | . | 15 | 1† | . | 2 | 36 |
| PRAGUE and Faubourgs. | 470,906 | „ 21, | 176 | 166 | 18·3 | . | 1 | . | 2† | 1 | 1 | 15 |
| TRIESTE, | 200,962 | „ 28, | 121 | 111 | 28·8 | . | 1 | . | . | . | 3 | 20 |
| ROME, | 545,610 | Aug. 3, | 256 | 172 | 16·4 | . | 3 | . | . | 1 | 4 | 31 |
| VENICE, | 174,398 | „ 31, | 87 | 61 | 18·2 | . | . | 1 | . | . | 1 | 10 |
| NEW YORK, | 4,285,435 | Sept. 28, | 2,612 | 1,365 | 16·6 | . | 2 | 3 | 13† | 5 | 24 | 232 |
| PHILADELPHIA, | 1,500,595 | „ 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | „ 28, | . | 200 | 17·1 | . | . | . | 1 | . | 1 | 23 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 4 deaths in Glasgow.
* Including 13 deaths from cholera in Calcutta, 17 in Bombay, and 66 in Madras.
† Including deaths from croup.
‡ Exclusive of 6 deaths from plague in Calcutta, and 30 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th October, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 3 | . | . | . | . | . | . | . | . | . | . | 3 |
| " " 1, West, | . | . | . | . | 2 | . | 2 | 3 | 2 | . | . | . | 9 |
| " " 2, | . | 1 | . | . | . | . | 1 | 1 | 2 | . | . | . | 5 |
| " " 3, | . | 1 | . | . | . | . | 1 | 7 | 3 | . | . | . | 12 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | 5 | . | . | . | . | 5 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No 1, | . | 3 | . | . | 2 | . | . | 2 | . | . | . | . | 7 |
| " " 2, | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 |
| " " 3, | . | 1 | . | . | . | . | . | 1 | 3 | . | . | . | 5 |
| " " 4, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 10 | . | . | 5 | . | 4 | 21 | 12 | . | . | . | 52 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th October, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 26th October. | | | |
|---|---|---|---|---|---|---|---|
| | Oct. 5. | Oct. 12. | Oct. 19. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 20 | 29 | 24 | 5 | 12 | . | 17 |
| Scarlet Fever, | 36 | 38 | 40 | 6 | 3 | . | 43* |
| Typhus, | 6 | 6 | 3 | . | 2 | . | 1 |
| Diphtheria, | 23 | 25 | 22 | 3 | 10 | . | 15 |
| Enteric Fever, | 41 | 38 | 40 | 11 | 9 | . | 42 |
| Pneumonia, | 26 | 20 | 19 | 8 | 3 | . | 24 |

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 26th October, 1907:—

"The weather remained very changeable throughout and temperature which was rather high on Sunday and Monday afterwards fell away considerably. It is true, however, that several fine bright intervals were enjoyed, especially on Monday, Wednesday, Thursday, and Saturday. The week opened with a very gloomy, damp and misty Sunday, rain falling in the evening. This unpleasant weather was due to the movement northwards across Ireland of a baric depression, which at 8 a.m. of Sunday was central near the Scilly Isles and twenty-four hours later had reached the North of Scotland. On Monday evening the 'Hunters' Moon' was seen to great advantage in a clear sky, but showers fell after 10 p.m. In the course of Tuesday and the following night a shallow depression formed over the North of Ireland, but its gradients were slight and its winds not strong. On Thursday the British Isles and their vicinity were covered by a number of shallow low-pressure systems, the chief effect of which was to cause extreme variations of temperature within short distances—thus at 8 a.m. of the day named the thermometer read 50° at Malin Head and 48° at Valentia and Blacksod Point, but only 37° at Birr Castle and about 40° in Dublin. In Great Britain Portland Bill had 53° and Dover 52°, whereas Nottingham had 34°. On Friday morning a V-shaped depression stretched across Ireland southeastwards to Brittany. It was accompanied by dull, foggy and finally wet weather; but as it drifted slowly eastwards over England its northerly winds brought fine, cold weather to Ireland on Saturday. In Dublin the mean height of the barometer was 29·773 inches, the range being from 29·462 inches at 9 a.m. of Sunday (wind, N.E.) to 29·946 inches at 9 p.m. of Saturday (wind, N.W.). The corrected mean temperature was 47·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 47·0°. The screened thermometers rose to 58·3° on Monday and fell to 32·8° on Thursday, when the grass minimum was 30·2°. The prevalent winds were W. and N.W. Rain fell on six days to the amount of ·839 inch, ·272 inch being measured on Sunday and ·273 inch on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·781 inches. The highest reading (29·947) was on Saturday at 9 p.m., wind W.N.W., and the lowest (29·470) on Sunday at 9 a.m., wind E.S.E.

The mean temperature for the week was 47·3°, being 0·6° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Monday, on which day the thermometer registered 59·0°, and was lowest on Wednesday and Thursday, the mercury having fallen to 34·4°. The mean of the Dry Bulb for the week was 45·9°, and of the Wet Bulb 45·1°. The mean humidity of the air was ·94, complete saturation being represented by 1·0. The rainfall during the week measured 0·645 inch.

At Greenwich the mean temperature for the week was 48·8°, the maximum 64·0°, and the minimum 35·6°; at Glasgow the maximum was 56·2°, the minimum 35·0°, and the mean 47·7°; and at Edinburgh the maximum was 53·3°, the minimum 41·7° and the mean 47·5°. The rainfall at Greenwich measured 0·50 in.; at Glasgow 1·58 ins.; and at Edinburgh 0·56 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Oct. 20, | 29·492 | 55·0 | 50·1 | 52·6 | 52·2 | 51·7 | ·97 | ·5 | 0·1 | ·235 | E.S.E. | Calm. |
| Monday, „ 21, | 29·734 | 59·0 | 49·4 | 54·2 | 50·4 | 49·2 | ·92 | ·7 | 2·2 | ·015 | S.W. | S.W. |
| Tuesday, „ 22, | 29·799 | 53·1 | 43·4 | 48·3 | 47·1 | 46·5 | ·93 | ·7 | 1·9 | ·285 | S.W. | W.S.W. |
| Wednesday, „ 23, | 29·862 | 50·8 | 34·4 | 42·6 | 40·3 | 39·0 | ·88 | ·3 | 4·3 | ·000 | S.S.W. | Calm. |
| Thursday, „ 24, | 29·904 | 49·3 | 34·4 | 41·9 | 40·9 | 40·5 | ·97 | ·5 | 0·8 | ·015 | Calm. | Calm. |
| Friday, „ 25, | 29·730 | 50·8 | 42·3 | 46·6 | 47·9 | 47·4 | ·98 | ·7 | 0·0 | ·095 | Calm. | N.N.E. |
| Saturday, „ 26, | 29·943 | 52·4 | 37·8 | 45·1 | 42·2 | 41·3 | ·93 | ·5 | 6·7 | ·000 | W.S.W. | W.N.W. |
| Mean, . . | 29·781 | 52·9 | 41·7 | 47·3 | 45·9 | 45·1 | ·94 | ·6 | Total 16·0 | Total ·645 | — | |

*Sunday*—Day overcast, light and heavy rain at intervals a.m. and p.m.; night cloudy, light rain showers a.m. *Monday*—Day cloudy, light rain showers a.m. and p.m.; night cloudy, light rain 4.30 to 5.40 a.m. *Tuesday*—Cloudy day, light rain 6.10 p.m. to 10.0 p.m. at intervals; night clear. *Wednesday*—Cloudy day, fine; night clear, ground fog. *Thursday*—Day cloudy and overcast; night cloudy, light rain 5.30 to 6.30 a.m. *Friday*—Day overcast, light rain p.m.; night cloudy. *Saturday*—Cloudy day, fine; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, October 26th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Oct. 20, | 55·2 | 51·0 | 52·9 | 56·0 | 50·9 | 53·5 | — | ·259 |
| Monday, „ 21, | 51·3 | 51·5 | 52·8 | 60·1 | 49·6 | 54·9 | 2·0 | ·040 |
| Tuesday, „ 22, | 50·1 | 51·3 | 52·8 | 54·7 | 44·0 | 49·4 | 1·6 | ·300 |
| Wednesday, „ 23, | 47·8 | 50·8 | 52·7 | 51·1 | 40·3 | 45·7 | 3·6 | ·003 |
| Thursday, „ 24, | 40·9 | 48·6 | 52·5 | 50·9 | 33·0 | 42·0 | — | ·030 |
| Friday, „ 25, | 49·5 | 48·7 | 52·2 | 51·8 | 44·0 | 47·9 | — | ·191 |
| Saturday, „ 26, | 45·2 | 48·9 | 52·0 | 52·7 | 40·3 | 46·5 | 4·3 | — |
| Weekly Mean, . | 48·6 | 50·1 | 52·6 | 53·9 | 43·2 | 48·6 | Total 11·5 | Total ·823 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 10. 1907.—19161.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
*By Authority of the Registrar-General.*

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 2ND NOVEMBER, 1907. [No. 44.

*General Register Office, Charlemont House,*
*Dublin, 4th November,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Oct. 12. | Week ending Oct. 19. | Week ending Oct. 26. | Week ending Nov. 2. | Average Rate for 4 weeks. | Towns, &c. | Week ending Oct. 12. | Week ending Oct. 19. | Week ending Oct. 26. | Week ending Nov. 2. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 19·8 | 19·7 | 20·0 | 19·0 | 19·6 | Lisburn, | 9·1 | 4·5 | 13·6 | 9·1 | 9·1 |
| Armagh, | . | 27·5 | 20·6 | 41·2 | 22·3 | Londonderry, | 13·5 | 30·7 | 13·5 | 14·7 | 18·1 |
| Ballymena, | 23·9 | . | 14·4 | 19·2 | 14·4 | Lurgan, | 4·4 | 17·7 | 13·3 | 13·3 | 12·2 |
| Belfast, | 22·1 | 19·4 | 23·2 | 20·4 | 21·3 | Newry, | 12·6 | 8·4 | 37·8 | 4·2 | 15·8 |
| Clonmel, | 10·3 | 35·9 | 20·5 | 10·3 | 19·3 | Newtownards, | 22·9 | 22·9 | 17·2 | 17·2 | 20·0 |
| Cork, | 27·4 | 24·0 | 19·9 | 17·8 | 22·3 | Portadown, | 15·5 | 20·7 | 10·3 | 10·3 | 14·2 |
| Drogheda, | 12·3 | 20·4 | 12·3 | 8·2 | 13·3 | Queenstown | 33·0 | 13·2 | 33·0 | 13·2 | 23·1 |
| Dublin Reg. Area, | 20·2 | 20·3 | 19·1 | 21·1 | 20·2 | Sligo, | 4·8 | 4·8 | 14·4 | . | 6·0 |
| Dundalk | 16·0 | 4·0 | 12·0 | 8·0 | 10·0 | Tralee, | 10·6 | 15·9 | 15·9 | 15·9 | 14·6 |
| Galway, | . | 27·2 | 15·5 | 15·5 | 14·6 | Waterford, | 23·4 | 25·3 | 17·5 | 15·6 | 20·4 |
| Kilkenny, | 14·7 | . | 24·6 | . | 9·8 | Wexford, | . | 18·7 | 9·3 | 23·3 | 12·8 |
| Limerick, | 20·5 | 13·7 | 19·1 | 23·2 | 19·1 | | | | | | |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in thirteen of the districts to 13·2 in Queenstown, the 2 deaths registered in that district being from diarrhœal diseases. Among the 145 deaths from all causes registered in Belfast are 4 from measles, one from scarlet fever, 2 from diphtheria, one from enteric fever, 8 from diarrhœal diseases, and one from cerebro-spinal fever. Included in the 26 deaths from all causes in Cork are one from typhus and 4 from diarrhœal diseases. The 17 deaths registered in Limerick include 4 from measles and one from diarrhœa; and of the 2 deaths registered in Portadown one is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 216—112 boys and 104 girls; and the deaths to 169—88 males and 81 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 22·6 in every 1,000 of the population. Omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, the rate was 21·1 per 1,000. During the forty-four weeks ending with Saturday last the death-rate averaged 24·4, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths included one from measles, one from scarlet fever, one from diphtheria, 2 from enteric fever, and 6 from diarrhœal diseases—not including one death from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

enteritis and one death from *gastro enteritis*, both of infants under one year of age. In each of the 3 preceding weeks, deaths from measles were one, 0, and 5; deaths from scarlet fever were 0, one, and 0; deaths from diphtheria were one, 0, and 0; deaths from enteric fever were 3, one, and 0; and deaths from diarrhœal diseases were 23, 15, and 8. The deaths of 2 persons were due to influenza.

The deaths from pneumonia (all forms) include one death from lobar pneumonia, 6 deaths from broncho-pneumonia, and 3 deaths from *pneumonia* (not defined).

Deaths from all forms of tuberculous disease, which, in each of the 3 preceding weeks were 29, 32, and 26, numbered 28 in the period under notice. The latter figure comprises 7 deaths from tuberculous phthisis, 9 deaths returned as from *phthisis*, 4 deaths from tuberculous meningitis, 2 deaths from *tabes mesenterica*, and 6 deaths from other forms of the disease.

Of 9 deaths caused by malignant diseases 3 were caused by carcinoma, 3 by sarcoma, and 3 by cancer (undefined).

Prematurity caused the deaths of 7 infants.

Diseases of the brain and nervous system caused 17 deaths, including 6 deaths from *convulsions*, 2 of the latter being of infants under one month, one of an infant over one month and under one year, and 2 of children between the ages of one year and 5 years.

There were 25 deaths from diseases of the heart and blood vessels and 18 deaths from bronchitis.

Of 2 deaths attributed to accidental causes, one was by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all deaths of infants under one year of age.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 12 were under one month old), and 43 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 5 were octogenarians, and 2 (males) were stated to have been each aged 90 years.

Eighty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the N. Dublin Union Workhouse and 22 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·1 per 1,000; the rate in the City was 21·3 (North City Districts, 20·3; South, 22·4), and in the Suburbs, 20·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·4 (1·0 in the North City Districts, and 1·8 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City Disvrict, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 14·4 per 1,000. The 8 deaths include one death from cancer (undefined) and one death from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 24·0 per 1,000. Among the deaths there was one from epidemic diarrhœa, one from lobar pneumonia, there were 4 deaths from tuberculous disease, and 3 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 20·8 per 1,000. The deaths included one from scarlet fever, 5 from tuberculous disease, and 3 deaths from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (14) represent an annual rate of 22·5 per 1,000. Of the deaths one was due to epidemic diarrhœa, there were 2 deaths from *phthisis*, and one death from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 23·7 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 21·7. The 5 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from bronchitis; and the 3 deaths from all causes for Finglas and Glasnevin, part of, include one from broncho-pneumonia.

*No. 1 South City District* (South Earl-street).—The deaths (18) represent an annual rate of 23·5 per 1,000. There was one death from enteric fever, tuberculous disease caused 3 deaths, bronchitis caused 5 deaths, and one death was due to suffocation.

*No. 2 South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 22·8 per 1,000. Of the deaths, 4 were due to diseases of the heart and blood vessels, and one death was caused by bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·8 per 1,000. The deaths included one from enteric fever, 2 from epidemic diarrhœa, one from influenza, 3 from tuberculous disease, and one death from pleurisy.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Among the 17 deaths registered there was one from epidemic diarrhœa and one death from influenza; there was one from broncho-pneumonia, and one from *pneumonia* (not defined); tuberculous disease caused 4 deaths and bronchitis caused one death.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and include one death from tuberculous meningitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·9; Pembroke, 16·8; Blackrock, 11·9; and Kingstown, 26·6. The deaths from the principal epidemic diseases tabulated for these districts include one from measles for Kingstown and one from *diarrhœa* for Blackrock. The 15 deaths from all causes for Rathmines and Rathgar include one from broncho-pneumonia and one from bronchitis. The 9 deaths from all causes for Pembroke include one from broncho-pneumonia, one from *pneumonia* (not defined), and 2 from tuberculous disease; and the 9 deaths from all causes for Kingstown include one from broncho-pneumonia and one from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. cett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive itary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock an District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown an District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.
LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 2nd November, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| TIES AND URBAN ISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) — *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Oct. 12. | . | — | — | 5 | . | . | 11 | . | . | 7 | 14 | 1 | — | — | — | — | — | 38 |
| | Oct. 19. | . | — | — | 5 | . | . | 5 | . | 4 | 6 | 13 | . | — | — | — | — | — | 33 |
| | Oct. 26, | . | — | — | 10 | . | . | 5 | . | 4 | 21 | 12 | . | — | — | — | — | — | 52 |
| | Nov. 2, | . | — | — | 9 | 1 | . | 3 | . | 2 | 12 | 7 | 1 | — | — | — | — | — | 35 |
| thmines Rathgar Urban istrict. | Oct 12, | . | — | — | 3 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 4 |
| | Oct. 19, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 2, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| mbroke Urban istrict. | Oct. 12, | . | 3 | . | . | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 4 |
| | Oct. 19, | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | — | . | . | — | — | 4 |
| | Oct. 26, | . | . | 2 | . | . | . | 1 | . | . | 1 | 1 | . | — | . | . | — | — | 5 |
| | Nov. 2 | . | 2 | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 3 |
| ackrock Urban istrict. | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 19, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ngstown Urban istrict. | Oct. 12, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Oct. 19, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| | Oct. 26, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| | Nov. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| City of Belfast. | Oct. 12, | . | — | — | 9 | . | . | 6 | . | 8 | 3 | 5 | . | — | — | 3 | — | — | 34 |
| | Oct. 19, | . | — | — | 5 | . | . | 8 | 5 | 7 | 4 | 11 | . | — | — | 1 | — | — | 41 |
| | Oct. 26, | . | — | — | 12 | . | . | 7 | . | 5 | 4 | 9 | . | — | — | 5 | — | — | 42 |
| | Nov. 2, | . | — | — | 14 | . | . | 8 | 1 | 3 | 11 | 5 | . | — | — | 2 | — | — | 44 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 2nd November, 1907.

From this it appears that:—

Four cases of measles were admitted into hospital during the week, 8 were discharged, 113 cases remained under treatment at its close.

Ten cases of scarlet fever were admitted to hospital, 9 were discharged, there was one ith, and 43* cases remained under treatment at the close of the week.

One case of typhus was admitted into hospital during the week, one was discharged and e remained under treatment at its close.

Three cases of diphtheria were admitted to hospital, 2 were discharged, and 16 patients nained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital during the week, 4 were dis- arged, there were 2 deaths, and 48 cases remained under treatment in hospital at the close the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, vere discharged, there was one death, and 25 cases remained under treatment at the end the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the e was 15·2), was equal to an average annual death-rate of 15·7 per 1,000 persons living, average rate for 8 principal towns of Scotland was 16·4 per 1,000, the rate for Glasgow ng 16·3 and for Edinburgh 15·4.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd vember. From this Report it appears that of a total of 67 cases notified 20 were scarlet fever, 13 diphtheria, ysipelas, and 2 enteric fever. Among the 341 cases of infectious diseases in hospital at the close of the k were 165 cases of scarlet fever, 36 of measles, 35 of diphtheria, 26 of whooping-cough, 13 of enteric r, and 13 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 2nd November, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 2nd November, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 2nd November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 26th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 19th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | ° | ° | ° | | ° | ° | ° | | ° | ° | ° | |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·6 | 19·0 | 2·0 | 571 | 407 | 93 | 107 | . | 9 | 2 | 1 | 1 | 2 | . | 3 | 24 | 27 | 42 | 19 | 26 | 52 | 5 | 8 | 131 | 16 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 890,691 | 28·4 | 28·8 | 21·1 | 1·8 | 216 | 158 | 34 | 41 | . | 1 | 1 | . | | . | . | 2 | 6 | 8 | 15 | 10 | 8 | 18 | 2 | 3 | 74 | 4 | f56·8 | 32·1 | 49·0 | 1·84 | f59·0 | 34·4 | 47·8 | 0·65 | f60·2 | 27·0 | 47·0 | 0·40 |
| City of Dublin, | 800,850 | 38·0 | 35·0 | 21·3 | 1·4 | 202 | 123 | 27 | 28 | . | . | 1 | . | . | . | . | 2 | 5 | 4 | 13 | 9 | 6 | 17 | 2 | 3 | 65 | 3 | g55·4<br>h53·6 | 36·3<br>32·0 | 49·6<br>49·1 | 1·65<br>1·72 | g58·8<br>h64·1 | 32·8<br>31·0 | 47·9<br>48·6 | 0·84<br>0·92 | g58·3<br>h59·4 | 33·5<br>29·0 | 48·0<br>47·2 | 0·60<br>0·50 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 7·3 | 22·0 | . | 5 | 15 | 4 | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 11·2 | 16·8 | . | 6 | 9 | 1 | 5 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 6·0 | 11·9 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 5·9 | 26· | 3·0 | 2 | 9 | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | 53·5 | 36 | 49·5 | 0·94 | 59 | 33 | 50·5 | 0·97 | 57·5 | 34 | 47·9 | 1·48 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 28·0 | 20·4 | 2·3 | 199 | 145 | 31 | 37 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 | 26 | 3 | 53·6 | 31·0 | 46·5 | 0·53 | 58·5 | 35·0 | 49·1 | 1·02 | 55·5 | 39·0 | 48·0 | 0·73 |
| Cork, | 76,122 | 33·6 | 20·5 | 17·8 | 3·4 | 30 | 26 | 6 | 6 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | . | 9 | 1 | 55 | 39 | 49·6 | 2·29 | 57 | 37 | 48·5 | 1·29 | 58 | 35 | 47·0 | 1·15 |
| Londonderry, | 42,475 | 19·6 | 28·2 | 14·7 | 1·2 | 23 | 12 | 4 | 5 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 36·9 | 23·2 | 6·8 | 27 | 17 | 4 | 3 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 15·6 | 15·6 | 1·9 | 8 | 8 | 1 | 3 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 35·0 | 15·5 | . | 9 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 57 | 40 | 49·4 | 0·32 | 56 | 44 | 50 | 1·66 | 60 | 32 | 45·6 | 1·16 |
| Dundalk, | 18,076 | 9·4 | 43·9 | 8·0 | . | 11 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 8·2 | 8·2 | . | 2 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 29·4 | 4·2 | . | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 55·8 | 36·8 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 |
| Lurgan, | 11,782 | 13·8 | 8·9 | 18·8 | . | 2 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 55·8 | 36·8 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 9·1 | . | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 1 | 55·3 | 36·8 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 |
| Wexford, | 11,168 | 23·2 | 18·7 | 23·3 | . | 4 | 5 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 4·8 | 19·2 | . | 1 | 4 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 19·2 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 57·5 | 31·7 | 47·8 | 0·30 | 60·9 | 32·8 | 47·2 | 1·37 | 58·4 | 24·7 | 45·1 | 0·62 |
| Kilkenny, | 10,609 | 11·5 | 4·9 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 56 | 31 | 48·9 | 1·17 | 58 | 30 | 45 | 1·13 | 57 | 28 | 46·3 | 0·65 |
| Clonmel, | 10,167 | 7·8 | . | 10·3 | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 41·3 | 10·3 | 5·2 | 8 | 2 | 2 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 55·3 | 36·8 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 |
| Tralee, | 9,867 | 16·6 | 37·0 | 15·9 | . | 7 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 22·9 | 17·2 | 5·7 | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | 54 | 36 | 48·5 | 0·33 | 55 | 38 | 49·0 | 0·40 | 55 | 37 | 47·2 | 0·71 |
| Queenstown, | 7,909 | 14·4 | 6·6 | 13·2 | 13·2 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | 55 | 39 | 49·6 | 2·29 | 57 | 37 | 48·5 | 1·29 | 58 | 35 | 47·0 | 1·15 |
| Armagh, | 7,588 | 22·2 | 18·7 | 41·2 | . | 2 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | 55·3 | 36·8 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 | 58·0 | 29·4 | 46·6 | 0·14 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 11 deaths of persons (including 2 at 60 years or upwards), admitted to hospital from localities outside the Area. e It having been found impracticable to obtain Meteorological Observations from one of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 2nd of November, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | CLONTARF & HOWTH No. 1 (part of). | GOOLOCK and DRUMGONDEA, No. 1 (part of). | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Scarlet Fever, | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | 2 | . |
| Diarrhœal Diseases, | . | 1 | . | 1 | . | . | . | . | . | 2 | 1 | . | . | . | 1 | . | 6 | . |
| Pneumonia, | . | 1 | . | . | . | . | 1 | . | . | . | 2 | . | 1 | 2 | . | 1 | 8 | 2 |
| Tuberculous Disease { Phthisis, | . | 3 | 3 | 2 | . | . | . | 2 | . | 1 | 2 | . | . | 1 | . | 1 | 15 | 1 |
| Tuberculous Disease { Other Forms. | . | 1 | 2 | . | . | . | . | 1 | . | 2 | 2 | 1 | . | 1 | . | . | 10 | 2 |
| Cancer, Malignant Disease, | 1 | 1 | . | . | . | . | 2 | 1 | . | . | 1 | . | 2 | . | . | . | 8 | 1 |
| Other General Diseases, | 2 | 3 | 1 | 2 | . | 1 | . | . | 1 | 3 | 1 | 1 | 2 | 1 | . | 1 | 19 | . |
| Total, | 3 | 10 | 7 | 5 | . | 1 | 3 | 5 | 1 | 9 | 9 | 2 | 5 | 5 | 1 | 4 | 70 | 7 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | 2 | 2 | . | . | . | . | . | . | 1 | 1 | 4 | . | 5 | 1 | . | 1 | 17 | . |
| Diseases of { Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Heart and Blood Vessels, | . | 1 | . | 5 | . | 2 | . | 3 | 4 | 3 | 1 | . | 2 | 1 | 1 | . | 23 | 2 |
| Diseases of { Respiratory System, | 1 | 3 | 3 | 1 | . | 1 | . | 5 | 1 | 1 | 1 | . | 1 | . | . | . | 18 | 1 |
| Diseases of { Digestive System, | 1 | 1 | 1 | 2 | . | . | . | 1 | . | . | . | 1 | . | 1 | . | 2 | 10 | . |
| Diseases of { Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of { Urinary System, | . | . | . | 1 | . | . | . | 2 | 1 | 1 | 1 | . | 1 | . | . | 1 | 8 | 1 |
| Diseases of { Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 4 | 7 | 4 | 9 | . | 3 | . | 11 | 7 | 6 | 7 | 1 | 9 | 3 | 1 | 4 | 76 | 4 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 1 | 1 | . | . | . | . | 1 | 1 | 1 | 1 | . | 1 | 1 | . | 1 | 10 | . |
| **E. VIOLENT DEATHS,** | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 | . |
| **Deaths from all Causes,** | 8 | 18 | 12 | 14 | . | 5 | 3 | 18 | 9 | 16 | 17 | 3 | 15 | 9 | 2 | 9 | 158 | 11 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 14·4 | 24·0 | 20·8 | 22·5 | . | 23·7 | 21·7 | 23·5 | 22·8 | 19·8 | 25·2 | 17·6 | 22·0 | 16·8 | 11·9 | 26·6 | 21·1 | . |
| | 20·3 | | | | | | | 22·4 | | | | | 20·3 | | | | | |
| | 21·3 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 2 | 5 | 3 | 2 | . | 1 | . | 3 | 3 | 3 | 3 | 1 | 4 | 1 | 1 | 1 | 31 | . |
| 1 and under 5 years, | 1 | 4 | 2 | . | . | . | 1 | . | . | 1 | 3 | 1 | 1 | 1 | . | 2 | 17 | . |
| 5 " 20 " | 2 | 1 | 1 | 1 | . | 1 | . | 1 | . | 1 | 1 | . | . | 1 | . | 1 | 11 | 4 |
| 20 " 40 " | . | 3 | 1 | 2 | . | . | . | 1 | 1 | 3 | 4 | . | . | 1 | . | 1 | 17 | 1 |
| 40 " 60 " | 2 | 3 | 4 | 3 | . | 1 | 1 | 7 | 2 | 5 | 3 | . | 3 | . | 1 | 3 | 38 | 4 |
| 60 and upwards, | . | 2 | 1 | 6 | . | 2 | 1 | 6 | 3 | 3 | 3 | 1 | 7 | 5 | . | 1 | 41 | 2 |
| Number of Uncertified Deaths, | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . | . | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 5 | 2 | 3 | . | . | 1 | 2 | 3 | 7 | 2 | 1 | 2 | 3 | 1 | 1 | 35 | 10 |
| Workhouse Hospitals, | 2 | 4 | 6 | 6 | . | . | . | 8 | 3 | 3 | 4 | 1 | 1 | 1 | . | . | 39 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register week of the ten years,

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 44th Week of the 10 years 1897–1906. | In the Week ending Sat 2nd November, 19 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the | | | | |
| | Nov. 6, 1897. | Nov. 5, 1898. | Nov. 4, 1899. | Nov. 3, 1900. | Nov. 2, 1901. | Nov. 1, 1902. | Nov. 7, 1903. | Nov. 5, 1904. | Nov. 4, 1905. | Nov. 3, 1906. | | ALL AGES. | 0 to 5. | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. |
| Mean Temperature. | ° 48·5 | ° 48·4 | ° 50·0 | ° 50·8 | ° 51·0 | ° 50·1 | ° 43·9 | ° 49·0 | ° 42·7 | ° 40·6 | ° 47·5 | ° 49·0 | | | | |
| **ALL CAUSES.** | 144 | 166 | 216 | 152 | 168 | 183 | 166 | 162 | 195 | 204 | 175·6 | 169 | 12 | 22 | 17 | 15 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... . ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | 1 | 38 | 1 | . | 16 | . | 6 | . | 2 | 6·4 | 1 | . | . | 1 | . |
| Scarlet Fever, ... ... | . | 2 | . | 1 | 1 | 3 | . | 1 | . | . | ·8 | 1 | . | . | 1 | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | 1 | 1 | 1 | . | 1 | 2 | 1 | 1 | 2 | 1·1 | 2 | . | . | . | . |
| Whooping-cough, ... ... | 1 | 3 | 2 | 3 | 4 | 1 | . | 1 | . | 3 | 1·8 | . | . | . | . | . |
| Diphtheria, ... ... | 2 | 3 | 3 | . | 1 | 1 | . | 1 | . | 1 | 1·2 | 1 | . | . | . | 1 |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . |
| Enteric Fever, ... ... | 8 | 3 | 2 | 3 | 5 | 2 | 1 | . | 2 | 1 | 2·7 | 2 | . | . | . | 1 |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 1 | 6 | 6 | 5 | 9 | . | . | 2 | 2 | 2 | 4·7 | 5 | 1 | 2 | 2 | . |
| *Diarrhœa*, Dysentery, | | | | | | 3 | 1 | 3 | 2 | 5 | | 1 | . | 1 | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 2 | . | 1 | 1 | 1 | . | . | 1 | 1 | ·7 | 3 | . | 2 | . | . |
| Puerperal Septicæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Puerperal Pyæmia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 16 | 8 | 16 | 7 | 8 | . | . | 1 | 3 | . | 11·8 | 1 | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 5 | 2 | 9 | 6 | 4 | | 6 | . | . | 3 | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 7 | 9 | 2 | 9 | 6 | | 3 | . | . | . | . |
| Erysipelas, ... ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | 1 | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | 1 | . | . | 1 | . | 1 | . | 1 | ·4 | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . |
| Tuberculous Phthisis, | 23 | 24 | 15 | 16 | 11 | 1 | 5 | 8 | 7 | 13 | 20·1 | 7 | . | . | . | . |
| "*Phthisis*," ... | | | | | | 20 | 21 | 12 | 17 | 8 | | 9 | . | . | . | 3 |
| Tuberculous Meningitis, ... | 6 | 5 | 7 | 3 | 1 | 4 | 1 | 3 | 4 | 3 | 3·7 | 4 | . | 1 | 2 | 1 |
| Tuberculous Peritonitis, | 6 | 3 | 4 | 4 | 5 | . | 2 | . | . | 3 | 2·9 | . | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | . | . | 2 | . | . | | 2 | . | 1 | 1 | . |
| Tuberculous Dis. (other), | . | 2 | 7 | 2 | 2 | 8 | 7 | 7 | 4 | 11 | 5·1 | 6 | . | 1 | 2 | 2 |
| *Scrofula*, ... ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | . | 3 | . | 1 | . | 2 | . | 1 | ·8 | 1 | . | . | . | . |
| Rheumatic Fever, ... ... | . | . | 1 | 1 | . | . | . | . | . | . | ·2 | 1 | . | . | . | 1 |
| Gout, ... ... ... | 1 | . | . | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . |
| Carcinoma, ... | | | | | | 1 | 7 | 2 | 2 | 6 | | 3 | . | . | . | . |
| Sarcoma, ... ... | 11 | 4 | 3 | 10 | 7 | . | . | 1 | 1 | 1 | 7·3 | 3 | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 1 | 3 | 4 | 3 | | 3 | . | . | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | 1 | 1 | 1 | . | ·3 | . | . | . | . | . |
| Premature Birth, ... | 1 | 2 | 5 | . | 5 | 3 | 5 | 4 | 6 | 6 | 3·7 | 7 | 4 | 3 | . | . |

* The figures for the years 1897–1
† Formerly de

-FOURTH WEEK ending Saturday, 2nd November, 1907, with the deaths from each cause in the corresponding
e average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 44th Week of the 10 years 1897–1906. | In the Week ending Saturday, 2nd November, 1907. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ages of | | | | | | | |
| | Nov. 6, 1897. | Nov. 5, 1898. | Nov. 4, 1899. | Nov. 3, 1900. | Nov. 2, 1901. | Nov. 1, 1902. | Nov. 7, 1903. | Nov. 5, 1904. | Nov. 4, 1905. | Nov. 3, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 0 to 5. 1 month and under a year. | 0 to 5. 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| | | | | | | | | | | | | Mean Temp. | | | | | | | |
| ean Temperature. | ° 48·5 | ° 48·4 | ° 50·0 | ° 50·8 | ° 51·0 | ° 50·1 | ° 43·9 | ° 49·0 | ° 42·7 | ° 40·6 | ° 47·5 | ° 49·0 | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 6 | 5 | 4 | 2 | 1 | | 2 | . | 1 | . | . | 1 | . | . |
| nity, G. P. of Insane ... | | | | | | 1 | 2 | . | 1 | 2 | | 1 | . | . | . | . | . | . | 1 |
| epsy .. ... | | | | | | 2 | 1 | 1 | 1 | 1 | | 1 | . | . | . | 1 | . | . | . |
| *ulsions* ... .. | | | | | | 8 | 10 | 4 | 5 | 7 | | 6 | 2 | 1 | 2 | 1 | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | . | | 1 | . | . | . | . | 1 | . | . |
| plegia Dis. of Cord ... | | | | | | 1 | 2 | 2 | 2 | 1 | | 2 | . | . | . | . | 1 | 1 | . |
| ous System (other | | | | | | 2 | . | 1 | 1 | 2 | | 4 | . | . | . | 1 | 1 | 2 | . |
| .) | 27 | 33 | 31 | 26 | 41 | | | | | | 36·2 | | | | | | | | |
| . Dis., Endocarditis ... | | | | | | 2 | 7 | 1 | 9 | 8 | | 5 | . | . | . | 1 | . | 4 | . |
| br. Hæm. Thromb. ... | | | | | | 1 | 2 | 5 | 3 | 4 | | . | . | . | . | . | . | . | . |
| *lexy, Hemiplegia* ... | | | | | | 2 | 4 | 6 | 6 | 3 | | 1 | . | . | . | . | . | 1 | . |
| urysm ... ... | | | | | | 1 | . | . | 1 | . | | 1 | . | . | . | . | 1 | . | . |
| olism, Thromb. (not | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| ebral) | | | | | | | | | | | | | | | | | | | |
| t and Blood Vessel Dis. | | | | | | 12 | 10 | 11 | 10 | 18 | | 18 | . | . | . | 1 | . | 8 | 8 | 1 |
| p (not Spasm. nor | 4 | . | . | . | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| mb.) | | | | | | | | | | | | | | | | | | | |
| chitis ... ... | 13 | 27 | 36 | 27 | 18 | 23 | 23 | 17 | 37 | 32 | 25·3 | 18 | 1 | . | 2 | . | . | 7 | 6 | 2 |
| ma, Emphysema ... | | | | | | . | . | 1 | 2 | . | | . | . | . | . | . | . | . | . | . |
| risy ... ... | . | . | 1 | 2 | 3 | . | . | . | . | . | 1·8 | 1 | . | . | . | . | 1 | . | . | . |
| iratory Dis. (other) ... | | | | | | 2 | 2 | 1 | 3 | 1 | | . | . | . | . | . | . | . | . | . |
| illitis, Quinsy ... | . | . | . | . | 3 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | | | | | | . | 1 | 1 | 4 | 1 | | 1 | . | 1 | . | . | . | . | . | . |
| ro *Enteritis* ... ... | 2 | . | 1 | . | . | 1 | 1 | . | . | 3 | 1·5 | 1 | . | 1 | . | . | . | . | . | . |
| *onitis* (not Puerp.) ... | . | . | . | . | 1 | . | 1 | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| hosis of Liver ... | | | | | | . | 3 | 1 | . | 2 | | 1 | . | . | . | . | . | 1 | . |
| r Dis. (other) ... | 3 | 4 | 2 | 2 | 1 | 1 | 2 | 4 | 3 | 2 | 3·0 | 1 | . | . | . | . | . | 1 | . |
| stive Dis. (other) ... | 1 | 3 | 6 | . | 3 | 4 | 2 | 4 | 7 | 6 | 3·6 | 6 | 1 | 2 | . | 1 | . | 1 | 1 | . |
| hritis, Acute ... | | | | | | . | 2 | 1 | 2 | 2 | | 3 | . | . | . | . | 1 | 2 | . | . |
| ht's Dis., Albuminuria | 2 | 3 | 6 | 4 | 6 | 3 | 3 | 1 | 3 | 4 | 4·7 | 6 | . | . | . | . | 1 | 2 | 2 | 1 |
| ary Sys. (Other Dis.) | | | | | | . | 1 | 1 | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| erative Organs Dis. ... | . | 1 | . | . | 2 | 2 | 1 | 1 | . | . | ·7 | . | . | . | . | . | . | . | . | . |
| dbirth (Accid. of) ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 5 | 10 | 6 | 14 | 8 | 3 | 5 | 5 | 2 | 4 | 6·2 | 4 | . | . | . | . | . | 2 | 2 | |
| er Diseases ... ... | 6 | 11 | 12 | 9 | 14 | 19 | 8 | 11 | 11 | 12 | 11·3 | 10 | 3 | 4 | 1 | . | . | 2 | . | |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | . | . | . | . | . | 1 | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| hips, Boats, Docks (ex- | | | | | | | | | | | | | | | | | | | | |
| usive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 1 | 3 | 2 | 1 | 2 | . | 1 | 1 | . | 1 | 1·2 | . | . | . | . | . | . | . | . | . |
| Drowning ... ... | . | 1 | . | 1 | 2 | . | . | . | . | . | ·4 | 1 | . | . | . | . | 1 | . | . | . |
| Suffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous | 1 | . | . | . | 1 | . | . | . | 1 | . | ·3 | . | . | . | . | . | . | . | . | . |
| apours | | | | | | | | | | | | | | | | | | | | |
| er Deaths by Accident | 1 | 1 | 1 | 4 | 1 | 1 | . | . | 2 | . | 1·1 | 1 | . | 1 | . | . | . | . | . | . |
| **OLENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ide ... ... | . | . | . | . | 2 | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| cution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
ole Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 11. | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. |
| No. of weeks in Annual Series. | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 |
| BIRTHS registered, | 189 | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 |
| *Average Births in corresponding week of previous 10 years,** | 232 | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 |
| DEATHS registered, | 195 | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 |
| Annual Death-rate per 1,000, | 26·0 | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 |
| *Average Deaths in corresponding week of previous 10 years,** | 175 | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 |
| AGES, Under 5 years, | 59 | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 |
| 5—20 ,, | 16 | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 |
| 20—40 ,, | 34 | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 | 18 |
| 40—60 ,, | 35 | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 |
| 60—80 ,, | 43 | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 |
| 80 years and upwards, | 8 | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 8 | 3 | 4 | 5 | 5 | 7 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 6 | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 |
| Scarlet Fever | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Typhus, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . |
| Whooping-cough, | 8 | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . |
| Diphtheria, | 1 | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Enteric Fever, | 1 | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 |
| Diarrhœal Diseases, | 1 | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 |
| Influenza, | 3 | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 |
| Pneumonia, | 16 | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 |
| Tuberculous Phthisis, | 16 | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 | 25 | 13 | 16 |
| Disease. Other Forms, | 11 | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 |
| Cancer, Malignant Disease, | 12 | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 8 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 |
| Diseases of Heart and Blood Vessels, | 30 | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 |
| Diseases of Respiratory System, | 23 | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 |
| Violent Deaths, | 5 | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 |
| Number of Uncertified Deaths, | 7 | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 8 | 4 | 6 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 50·8 | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·8 | 49·0 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 47·7 | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 |
| Rainfall in inches, | 1·772 | ·035 | ·167 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·528 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·984 | ·401 | ·645 | 1·842 |
| Mean Humidity of the Air, complete | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | ·81 | ·84 | ·81 | ·88 | ·82 | ·88 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 | ·86 | ·94 | ·92 |

TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS of SOCIAL POSITION of the PERSONS WHO DIED in the Dublin Registration Area during the Week ending Saturday, 2nd November, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 2ND NOVEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 23·5 | 169 | 51 | 15 | 18 | 42 | 36 | 7 | . | 1 | 1 | . | . | 1 | . | 2 | 6 | 11 | 10 | 16 | 12 | 9 | 6 | 19 | 2 | 84 | 4 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,486 | 9·0 | 3 | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| II. | MIDDLE CLASS, | 87,188 | 17·3 | 29 | 7 | 3 | 3 | 6 | 10 | . | . | . | . | . | . | 1 | . | 1 | . | 2 | 3 | 1 | 2 | 3 | 1 | 1 | . | 16 | 1 |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 18·4 | 89 | 16 | 7 | . | 7 | 7 | 2 | . | . | . | . | . | . | . | 1 | . | 1 | 2 | 2 | 8 | . | 3 | 4 | . | 19 | 2 |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 31·9 | 58 | 25 | 4 | 9 | 14 | 6 | . | . | 1 | . | . | . | . | . | . | 6 | 7 | 4 | 4 | 1 | 3 | 2 | 6 | 2 | 29 | 1 |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 40 | 3 | 1 | 6 | 14 | 12 | 4 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 9 | 1 | 2 | . | 8 | . | 18 | . |
| | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 20·1 | 3 | . | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | MIDDLE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 30·8 | 13 | 3 | 1 | 2 | 3 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 9 | 1 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 8·6 | 5 | 2 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . | . | . | 2 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 17·4 | 9 | 1 | 2 | . | 2 | 4 | . | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | . | 1 | . | 1 | . | 3 | . |
| | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 42·2 | 8 | 2 | 2 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | 1 | 1 | . | 3 | 1 |
| | 9. Building and Furnishing Trades, | 29,801 | 21·0 | 12 | 7 | 3 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 6 | 1 |
| | 10. Clothing Trades, | 28,260 | 15·7 | 7 | 4 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | 4 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | 2 | 2 | . | 3 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 | 1 | . | 5 | . |
| | 13. Petty Shopkeepers, | 7,894 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | GENERAL SERVICE CLASS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 27·2 | 7 | 3 | 1 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 5 | . |
| | 15. Domestic Servants, | 36,603 | 2·8 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 25·4 | 7 | 4 | . | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | . | 4 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 24·4 | 42 | 18 | 3 | 6 | 11 | 4 | . | . | . | . | . | . | . | . | . | 5 | 5 | 2 | 4 | 1 | 3 | 2 | 4 | 2 | 19 | 1 |
| | INMATES OF WORKHOUSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 40 | 3 | 1 | 6 | 14 | 12 | 4 | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 9 | 1 | 2 | . | 8 | . | 18 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residen RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Death* similar Statistics for each of

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Sept. 14, | 14·4 | 3·6 | 8 | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | . | . | . | . |
| | „ 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . |
| | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . |
| | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . |
| | „ 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . |
| | „ 26, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . |
| | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| **North City, No. 1 (W.)** (Office, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Sept. 14, | 16·0 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . |
| | „ 21, | 17·3 | 4·0 | 18 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 |
| | „ 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 |
| | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . |
| | „ 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 |
| | „ 19, | 24·0 | 4·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 |
| | „ 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 |
| | Nov. 2, | 24·0 | 1·3 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . |
| **North City, No. 2.** (Office, Lisburn-street.) Pop. in 1907 (Est.) 80,107. | Sept. 14, | 27·7 | 1·7 | 16 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | . | . | 3 | . |
| | „ 21, | 18·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 |
| | „ 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 |
| | „ 12, | 24·2 | 5·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 |
| | „ 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 |
| | „ 26, | 26·0 | 1·7 | 15 | . | . | . | 1 | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . |
| **North City, No. 3.** (Office, Benburb-street.) Pop. in 1907 (Est.) 82,422. | Sept. 14, | 9·6 | 1·6 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | 1 | . |
| | „ 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 |
| | „ 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . |
| | Oct. 5, | 30·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . |
| | „ 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . |
| | „ 19, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . |
| | „ 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . |
| **South City, No. 1.** (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Sept. 14, | 26·1 | 2·6 | 20 | . | . | . | . | . | . | . | 1 | 1 | 1 | 5 | 1 | . | . | . |
| | „ 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | . |
| | „ 28, | 23·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | 2 | 1 |
| | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | 1 | . | . |
| | „ 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . |
| | „ 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . |
| | „ 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 3 |
| | Nov. 2, | 23·5 | 1·3 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 5 | 1 |
| **South City, No. 2.** (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | Sept. 14, | 17·7 | 2·5 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . |
| | „ 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . |
| | „ 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . |
| | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . |
| | „ 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . |
| | „ 19, | 15·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . |
| | „ 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 |
| | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| **South City, No. 3.** (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Sept. 14, | 28·5 | . . | 19 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | . |
| | „ 21, | 27·2 | 5·7 | 22 | . | . | . | . | . | 1 | . | . | 2 | 1 | 2 | 5 | 2 | 2 | . |
| | „ 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . |
| | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . |
| | „ 12, | 18·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . |
| | „ 19, | 22·2 | 5·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . |
| | „ 26, | 23·5 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . |
| | Nov. 2, | 19·8 | 5·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . |
| **South City, No. 4.** (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,138. | Sept. 14, | 19·3 | 5·9 | 18 | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | . | . | . | 1 |
| | „ 21, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . |
| | „ 28, | 24·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 |
| | Oct. 5, | 22·3 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . |
| | „ 12, | 28·7 | 3·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . |
| | „ 19, | 19·3 | 3·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . |
| | „ 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . |
| | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Sept. 14, | 16·1 | 1·5 | 11 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 1 | 1 | . | . | . |
| | „ 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| | „ 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . |
| | „ 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| | „ 26, | 13·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Sept. 14, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | „ 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| | „ 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | „ 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| | „ 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Sept. 14, | 26·6 | 5·9 | 9 | . | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | . | . | . |
| | „ 21, | 8·9 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | Oct. 5, | 20·7 | 3·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,163. | Sept. 14, | 17·6 | 1·3 | 125 | . | 1 | 2 | . | 1 | . | . | 1 | 4 | 8 | 14 | 8 | 3 | 16 | 8 | . |
| | „ 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| | „ 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 3 |
| | Oct. 5, | 17·7 | 3·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| | „ 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| | „ 19, | 19·4 | 4·1 | 188 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| | „ 26, | 23·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| | Nov. 2, | 20·4 | 2·8 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| **Cork.** Pop. (in 1901) 76,122. | Sept. 14, | 22·6 | 2·1 | 33 | . | . | . | . | . | . | . | . | 3 | 1 | 5 | 1 | 2 | . | . | 1 |
| | „ 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| | „ 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| | Oct. 5, | 26·0 | 6·2 | 33 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| | „ 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| | „ 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| | „ 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| | Nov. 2, | 17·8 | 3·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Sept. 14, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 | . | 1 |
| | „ 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . |
| | „ 12, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| | „ 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| | „ 26, | 18·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Sept. 14, | 8·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 |
| | „ 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| | „ 19, | 13·7 | 2·7 | 10 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | 1 |
| | „ 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| | Nov. 2, | 28·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Sept. 14, | 17·5 | 3·9 | 9 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 1 | . | . |
| | „ 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 28, | 23·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |
| | Oct. 5, | 44·8 | 13·6 | 28 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |
| | „ 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |
| | „ 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |
| | „ 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |
| | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd November, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 2 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 5 | 2 | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | 2 | . |
| Do. 2 „ | 47,959 | 16 | | | 19 | 4 | 3 | 2 | 4 | 1 | 5 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | . | 1 | 5 | . | . | 2 | . |
| Do. 3 | 47,214 | 28 | | | 27 | 6 | 4 | 2 | 3 | 6 | 6 | . | . | 1 | . | . | . | . | . | 2 | 6 | 2 | . | 4 | 3 | . | . | 3 | 1 |
| Do. 4 „ | 40,911 | 39 | | | 13 | 1 | 2 | 1 | 5 | 1 | 3 | . | . | . | . | . | 1 | . | 1 | . | 2 | 5 | . | . | 1 | . | 1 | 6 | . |
| Do. 5 „ | 17,887 | 12 | | | 7 | 2 | 1 | . | . | 2 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | . | 1 | . |
| Do. 6 „ | 48,122 | 14 | | | 22 | 2 | 1 | . | 3 | 5 | 11 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 1 | 2 | . | . | 5 | 1 |
| Do. 7 „ | 1,524 | 1 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 8 „ | 5,060 | 2 | | | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 9 „ | 19,569 | 10 | | | 3 | . | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . |
| Do. 10 „ | 28,064 | 18 | | | 10 | 4 | 2 | . | 1 | 2 | 1 | . | 1 | . | . | . | . | . | . | 2 | 1 | . | 1 | 1 | . | . | . | 1 | . |
| Do. 11 „ | 34,802 | 23 | | | 20 | 4 | 6 | 2 | 3 | 2 | 3 | . | 2 | . | . | . | 1 | . | . | 1 | 1 | 4 | 1 | 2 | 4 | . | 1 | 2 | 1 |
| Do. 12 „ | 38,588 | 26 | | | 15 | 6 | 1 | 1 | 2 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | 3 | . | . | 2 | . |
| Do. 13 „ | 15,006 | 8 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Do. 14 „ | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 199 | | | 145† | 31 | 21 | 9 | 21 | 26 | 37 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 | 26 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 7 | 4·1 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 2 „ | 10,701 | 4 | 39·0 | 4·9 | 8 | 2 | . | | 2 | | 4 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 3 | 1 |
| Do. 3 „ | 9,978 | 3 | 5·2 | . | 1 | . | 1 | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 4 „ | 8,666 | 2 | 30·1 | 18·1 | 5 | 2 | . | | 3 | | . | . | . | . | 1 | . | . | . | . | 2 | . | 2 | . | . | . | . | . | 2 | . |
| Do. 5 „ | 6,592 | 2 | 39·6 | 7·9 | 5 | 1 | . | | 3 | | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | . | 2 | . |
| Do. 6 | 10,702 | 4 | 4·9 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 „ | 16,616 | 8 | 15·7 | . | 5 | 1 | 1 | | 3 | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May. 11. | May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. |
| No. of weeks in Annual Series, | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 |
| Births registered, | 243 | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 208 | 233 | 199 |
| Deaths registered. | 174 | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 188† | 165 | 145† |
| Annual Death-rate per 1,000 of estimated Population. | 24·5 | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 2·1 | 19·4 | 23·2 | 20·4 |
| Ages — Under 1 year | 37 | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 13 | 40 | 38 | 47 | 48 | 30 | 31 |
| 1-5 years, | 20 | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 |
| 5-20 years, | 29 | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 |
| 20-40 years, | 27 | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 |
| 40-60 years, | 26 | 20 | 27 | 28 | 15 | 21 | 14 | 25 | 21 | 17 | 20 | 19 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 |
| 60 years and upwards, | 35 | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 28 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 38 | 37 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 |
| Scarlet Fever, | . | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . |
| Diphtheria, | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Enteric Fever, | 2 | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 |
| Diarrhœal Diseases, | 1 | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 |
| Pneumonia, | 16 | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 |
| Tuberculous Disease, — Phthisis, | 26 | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 |
| Tuberculous Disease, — Other Forms, | 11 | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 |
| Cancer Malignant Disease, | 4 | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 |
| Diseases of Respiratory System, | 14 | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 |
| Violent Deaths, | 3 | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 | . | 2 | 4 | 2 | 3 | 1 |
| Number of Uncertified Deaths, | 4 | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 |

* Formerly described as "Simple Continued Fever."
† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Exclusive of Stillborn. | | | | | | | | | |
| LONDON, | 4,758,218 | Nov. 2, | 2,379 | 1,390 | 15·2 | . | 22 | 22 | 21 | 18 | 2 | 40 |
| EDINBURGH, | 345,747 | „ 2, | 148 | 102*a* | 15·4 | . | . | . | . | 2 | . | 1 |
| GLASGOW, | 847,584 | „ 2, | 428 | 264 | 16·3 | . | 12 | . | 3 | 5 | 2 | 9 |
| CALCUTTA, | 847,796 | Sept. 14, | . | 445 | 27·2 | 1 | . | . | 1 | . | 127‡ | 76* |
| BOMBAY, | 977,822 | Oct. 1, | 396 | 650 | 34·6 | . | 3 | . | . | . | 64‡ | 78* |
| MADRAS, | 509,346 | Sept. 13 | 460 | 551 | 56·2 | . | 3 | ? | ? | ? | 146 | 167* |
| PARIS, | 2,722,731 | Oct. 19, | 897 | 786 | 15·0 | . | 3 | 3 | . | 2 | 5 | 46 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 12, | 160 | 158 | 13·1 | . | 2 | 2 | 3† | . | . | 28 |
| ANTWERP, | 304,032 | „ 12, | 115 | 73 | 12·5 | . | 1 | . | . | 1 | . | 24 |
| AMSTERDAM, | 564,749 | „ 19, | 273 | 139 | 12·8 | . | 1 | . | 1† | . | 3 | 8 |
| COPENHAGEN, | 432,000 | „ 12, | 234 | 112 | 13·5 | . | . | . | . | 2 | . | 6 |
| STOCKHOLM, | 332,738 | „ 12, | 166 | 88 | 13·8 | . | 1 | . | . | . | . | 8 |
| CHRISTIANIA, | 229,324 | „ 19, | 94 | 58 | 13·2 | . | . | . | . | . | . | 2 |
| ST. PETERSBURG, | 1,482,769 | „ 12. | 751 | 546 | 19·1 | . | 11 | 11 | 18 | 12 | 13 | 66 |
| MOSCOW, | 1,296,000 | Sept. 21, | . | 637 | 25·6 | . | 6 | 11 | 6† | 8 | 4 | 204 |
| BERLIN, | 2,095,555 | Oct. 5, | 925 | 597 | 14·9 | . | 4 | 3 | 11† | 6 | 2 | 88 |
| HAMBURG, | 824,792 | „ 12, | . | 228 | 14·4 | . | 1 | . | 1† | 3 | . | 38 |
| BRESLAU, | 486,279 | „ 12, | . | 195 | 20·9 | . | . | . | 3† | 5 | . | 38 |
| MUNICH, | 548,000 | „ 19, | . | 183 | 17·4 | . | 1 | 3 | 2† | 1 | . | 44 |
| VIENNA (with suburbs). | 1,999,912 | „ 19, | 876 | 520 | 13·5 | 1 | 1 | 5 | 1† | . | 1 | 66 |
| BUDA-PESTH, | 802,235 | „ 5, | 424 | 272 | 17·6 | . | . | 10 | 2† | . | 6 | 35 |
| PRAGUE and Faubourgs. | 470,906 | Sept. 28, | 161 | 148 | 16·3 | . | 2 | . | 2† | 1 | 1 | 12 |
| TRIESTE, | 202,920 | Oct. 5, | 114 | 86 | 22·1 | . | . | . | . | . | 1 | 18 |
| ROME, | 545,610 | Aug. 10, | 250 | 207 | 19·8 | . | 8 | . | 1 | 1 | 5 | 37 |
| VENICE, | 174,398 | Sept. 7, | 78 | 58 | 17·3 | . | . | . | . | . | 1 | 7 |
| NEW YORK, | 4,285,435 | Oct 5. | . | . | . | . | . | . | . | . | . | . |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | Oct. 5, | . | 207 | 17·7 | . | . | 1 | 1 | . | . | 25 |

*a.* Including 2 deaths from cerebro-spinal meningitis in Edinburgh.
* Including 38 deaths from cholera in Calcutta, 12 in Bombay, and 90 in Madras.
† Including deaths from croup.
‡ Exclusive of 6 deaths from plague in Calcutta, and 26 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd November, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 2 | 2 | 2 | . | . | . | 6 |
| " " 1, West, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 2, | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 |
| " " 3, | . | 1 | . | . | . | . | . | 2 | 1 | 1 | . | . | 5 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 6 | . | . | 3 | . | . | . | 3 | . | . | . | 12 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 2 | . | . | . | . | . | 1 | . | . | . | . | 3 |
| " " 4, | . | . | 1 | . | . | . | . | 6 | . | . | . | . | 7 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 9 | 1 | . | 3 | . | 2 | 12 | 7 | 1 | . | . | 35 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd November, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 2nd November. | | | |
|---|---|---|---|---|---|---|---|
| | Oct. 12. | Oct. 19. | Oct. 26. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 29 | 24 | 17 | 4 | 8 | . | 13 |
| Scarlet Fever, | 38 | 40 | 43 | 10 | 9 | 1 | 43* |
| Typhus, | 6 | 3 | 1 | 1 | 1 | . | 1 |
| Diphtheria, | 25 | 22 | 15 | 3 | 2 | . | 16 |
| Enteric Fever, | 38 | 40 | 42 | 12 | 4 | 2 | 48 |
| Pneumonia, | 20 | 19 | 24 | 10 | 8 | 1 | 25 |

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during he week ended 2nd November, 1907:—

"Again a week of unsettled, wet weather has to be chronicled, and the closing days of October were lull, rainy and windy. Throughout the period the weather was determined by the haunting presence of an atmospheric depression which on Sunday spread in over Ireland from the Atlantic. A clear cold night had preceded Sunday's dawn in Dublin, the thermometer having fallen to 36·3° in the screen and o 33·0° on the ground. The forenoon also was fine and bright, but as the depression approached the sky became overcast and rain set in from 3 p.m. By 8 a.m. of Monday the disturbance had reached the mouth of St. George's Channel on its journey slowly south-eastwards to the English Channel, off which its centre arrived on Tuesday morning. Its progress was attended by gloomy, wet weather and fresh o squally E. winds. On Wednesday morning the system was central over Hampshire, where the barometer had fallen slightly below 29·1 inches. The disturbance now turned tail and moved along a orth-westerly and westerly path to Pembrokeshire. The effect of this retrograde movement was a eturn to dull, wet weather on the east coast of Ireland; but the depression was quickly filling up, and finally became merged in a new low-pressure system which formed over the Bay of Biscay on Thursday ight and subsequently travelled northwards to and across Ireland. As a consequence, broken weather ersisted to the close of the week. In Dublin the mean height of the barometer was 29·607 inches, the ange of pressure being between 29·308 inches at 4 p.m. of Tuesday (wind, E.) and 29·986 inches at 9 a.m. f Friday (wind, E.). The corrected mean temperature was 49·6°, the mean dry bulb reading at 9 a.m. nd 9 p.m. being 50·3°. On Sunday the screened thermometers fell to 36·3°, on Saturday they rose to 55·4°. asterly winds prevailed throughout. Rain fell daily to the large amount of 1·652 inches, of which ·519 ch was recorded on Wednesday and ·477 inch on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·612 inches. The highest reading (29·998) was on Friday at 9 a.m., wind E.N.E., and the lowest (29·341) on Tuesday at 9 p.m., wind N.E.

The mean temperature for the week was 49·0°, being 1·5° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Saturday, on which day the thermometer registered 56·8°, and was lowest on Sunday, the mercury having fallen to 32·1°. The mean of the Dry Bulb for the week was 49·5°, and of the Wet Bulb 48·3°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 1·842 inches.

At Greenwich the mean temperature for the week was 48·4°, the maximum 59·1°, and the minimum 36·9°; at Glasgow the maximum was 55·2°, the minimum 31·0°, and the mean 45·5°; and at Edinburgh the maximum was 54·5°, the minimum 37·7° and the mean 45·4°. The rainfall at Greenwich measured 0·34 in.; at Glasgow 0·04 in.; and at Edinburgh 0·47 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation = 1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9.) | (10.) In. | | |
| Sunday, Oct. 27, | 29·705 | 53·1 | 32·1 | 42·6 | 44·8 | 44·0 | ·95 | ·6 | 1·2 | ·245 | Calm. | E.S.E. |
| Monday, „ 28, | 29·458 | 50·2 | 48·9 | 49·6 | 49·3 | 48·4 | ·94 | ·0 | 0·0 | ·315 | E.N.E. | N.E. |
| Tuesday, „ 29, | 29·344 | 51·1 | 49·2 | 50·6 | 50·3 | 48·3 | ·86 | ·7 | 0·0 | ·012 | E.N.E. | N.E. |
| Wednesday, „ 30, | 29·457 | 50·2 | 44·4 | 47·3 | 46·3 | 45·4 | ·94 | ·8 | 0·0 | ·655 | N.N.E. | N.N.W. |
| Thursday, „ 31, | 29·814 | 53·1 | 44·4 | 48·8 | 51·5 | 50·7 | ·95 | ·6 | 0·3 | ·225 | N.E. | N.E. |
| Friday, Nov. 1, | 29·896 | 52·9 | 50·0 | 51·5 | 50·8 | 48·5 | ·84 | ·4 | 0·6 | ·360 | E.N.E. | E.N.E. |
| Saturday, „ 2, | 29·607 | 56·8 | 49·0 | 52·9 | 53·6 | 52·9 | ·95 | ·0 | 0·3 | ·030 | S.E. | E. |
| Mean, . . | 29·612 | 52·5 | 45·4 | 49·0 | 49·5 | 48·3 | ·92 | ·4 | Total 2·4 | Total 1·842 | — | |

*Sunday*—Cloudy day, light rain 4.30 p.m. to 12 m.n.; night overcast, light rain m.n. to 3.0 a.m. *Monday*—Day overcast and showery; night overcast and showery. *Tuesday*—Day overcast, light showers a.m.; night cloudy. *Wednesday*—Day overcast, light rain 5.0 p.m. to 11.50 p.m.; night overcast, light and heavy rain 12.45 to 7.0 a.m. *Thursday*—Day overcast, light and heavy showers a.m. and p.m.; night overcast, light rain m.n. to 12.40 a.m. *Friday*—Overcast a.m., light showers, cloudy and showery p.m.; night overcast, light and heavy rain m.n. to 4.20 a.m. *Saturday*—Cloudy a.m., overcast p.m.; night overcast, light showers a.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 2nd, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Oct. 27, | 46·8 | 47·9 | 51·9 | 54·0 | 35·1 | 44·6 | 2·2 | ·192 |
| Monday, „ 28, | 49·2 | 48·9 | 51·6 | 52·2 | 48·0 | 50·1 | — | ·252 |
| Tuesday, „ 29, | 51·1 | 49·4 | 51·5 | 52·6 | 49·0 | 50·8 | — | ·005 |
| Wednesday, „ 30, | 49·5 | 49·3 | 51·2 | 52·2 | 45·0 | 48·6 | — | ·558 |
| Thursday, „ 31, | 53·0 | 49·4 | 51·2 | 53·9 | 45·9 | 49·9 | — | ·079 |
| Friday, Nov. 1, | 52·2 | 50·0 | 51·2 | 53·4 | 50·9 | 52·2 | 1·0 | ·447 |
| Saturday, „ 2, | 55·4 | 50·2 | 51·1 | 55·9 | 49·5 | 52·7 | — | ·050 |
| Weekly Mean, . | 51·0 | 49·3 | 51·4 | 53·5 | 46·2 | 49·8 | Total 3·2 | Total 1·583 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 10. 1907.—19226.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 9TH NOVEMBER, 1907. [No. 45.

*General Register Office, Charlemont House, Dublin,* 11*th November,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Oct. 19. | Week ending Oct. 26. | Week ending Nov. 2. | Week ending Nov. 9. | Average Rate for 4 weeks. | Towns, &c. | Week ending Oct. 19. | Week ending Oct. 26. | Week ending Nov. 2. | Week ending Nov. 9. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 19·7 | 20·0 | 19·0 | 20·0 | 19·7 | Limerick, . . | 13·7 | 19·1 | 23·2 | 19·1 | 18·8 |
| | | | | | | Lisburn, . . | 4·5 | 13·6 | 9·1 | 4·5 | 7·9 |
| Armagh, . . | 27·5 | 20·6 | 41·2 | 13·7 | 25·7 | Londonderry, . | 30·7 | 13·5 | 14·7 | 12·3 | 17·8 |
| Ballymena, | . | 14·4 | 19·2 | 14·4 | 12·0 | Lurgan, . . | 17·7 | 13·3 | 13·3 | 8·9 | 13·3 |
| Belfast, . . | 19·4 | 23·2 | 20·4 | 20·4 | 20·8 | Newry, . . | 8·4 | 37·8 | 4·2 | 8·4 | 14·7 |
| Clonmel, . . | 35·9 | 20·5 | 10·3 | 25·6 | 23·1 | Newtownards, . | 22·9 | 17·2 | 17·2 | 22·9 | 20·0 |
| Cork, . . . | 24·0 | 19·9 | 17·8 | 19·2 | 20·2 | Portadown, . | 20·7 | 10·3 | 10·3 | 5·2 | 11·6 |
| Drogheda, . . | 20·4 | 12·3 | 8·2 | 20·4 | 15·3 | Queenstown . | 13·2 | 33·0 | 13·2 | . | 14·9 |
| Dublin Reg. Area, | 20·3 | 19·1 | 21·1 | 22·8 | 20·8 | Sligo, . . . | 4·8 | 14·4 | . | 14·4 | 8·4 |
| Dundalk . . | 4·0 | 12·0 | 8·0 | 19·9 | 11·0 | Tralee, . . | 15·9 | 15·9 | 15·9 | 5·3 | 13·3 |
| Galway, . . | 27·2 | 15·5 | 15·5 | 35·0 | 23·3 | Waterford, . | 25·3 | 17·5 | 15·6 | 25·3 | 20·9 |
| Kilkenny, . . | . | 24·6 | . | 14·7 | 9·8 | Wexford, . . | 18·7 | 9·3 | 23·3 | 4·7 | 14·0 |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fifteen of the districts to 11·7 in Galway, the 9 deaths from all causes registered in that district including one from whooping-cough and 2 from *pyrexia* (origin uncertain). Among the 145 deaths from all causes registered in Belfast are 7 from measles, 4 from whooping-cough, 4 from enteric fever, 5 from diarrhœal diseases, and one returned as from *cerebro-spinal meningitis.* Included in the 14 deaths registered in Limerick are 4 from measles and one from diarrhœa; and 3 of the 13 deaths from all causes in Waterford are from diarrhœal diseases.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 211—97 boys and 114 girls; and the deaths to 178—87 males and 91 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 23·8 in every 1,000 of the population. Omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 22·8 per 1,000. During the forty-five weeks ending with Saturday last the death-rate averaged 24·4, and was 0·7 below the mean rate for the corresponding portions of the ten years, 1897–1906.

Of the 178 deaths registered, there were 2 deaths each from measles, whooping-cough,

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

diphtheria, and enteric fever, and 4 deaths from diarrhœal diseases. In the 3 preced weeks, deaths from measles were 0, 5, and one; deaths from whooping-cough were 2, o and 0; deaths from diphtheria were 0, 0, and one; deaths from enteric fever were or 0, and 2; and deaths from diarrhœal diseases were 15, 8, and 6, respectively.

All forms of pneumonia caused 13 deaths, including 2 from lobar pneumonia, 8 fr broncho-pneumonia, and 3 from *pneumonia* (not defined).

There were 33 deaths from all forms of tuberculous disease, including 13 from tube culous phthisis, 12 returned as from *phthisis*, 2 from tuberculous meningitis, one fr tuberculous peritonitis, and 5 deaths from other forms of the disease. In the 3 wee preceding, deaths from all forms of tuberculous disease numbered 32, 26, and respectively.

The deaths from cancer, malignant disease, included 2 deaths from carcinoma a 4 from cancer (undefined).

Four deaths of infants were ascribed to prematurity.

There were 11 deaths from diseases of the brain or nervous system, including deaths (all of infants under one year of age) from *convulsions*.

Diseases of the heart and blood vessels caused 37 deaths; there were 12 deaths fro bronchitis.

The 6 accidental deaths include one death caused by a vehicle and one death caus by burns (that of an infant under one year of age).

In 4 instances the cause of death was "uncertified," there having been no medic attendant during the last illness; these cases include the death of one infant under o year of age and the death of a person aged 60 years.

Forty-four of the persons whose deaths were registered during the week were unde 5 years of age (28 being infants under one year, of whom 5 were under one month old and 45 were aged 60 years and upwards, including 19 persons aged 70 and upwards, whom 5 were octogenarians, and one (a female) was stated to have been aged 90 years.

Seventy of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 15 took place in the N. Dublin Union Workhouse 13 in the S. Dublin Union Workhouse, and 4 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for las week, deaths in Public Institutions being assigned to the districts from which th deceased were admitted, and the annual death-rate for each district calculated on th mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·8 per 1,000; the rate i the City was 22·9 (North City Districts, 22·0; South, 23·8), and in the Suburbs, 22·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·6 per 1,00 inhabitants, the rate for the City being 1·4 (2·0 in the North City Districts, and 0·7 in the South and for the Suburbs, 2·3 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annua rate of 21·6 per 1,000, and include one death from enteric fever and 3 deaths from tuberculou disease of the lungs.

*No. 1 North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 17 per 1,000. One of the deaths was from broncho-pneumonia, 4 were from tuberculous disease, and from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27 per 1,000. Among them are one death from *diarrhœa*, one from broncho-pneumonia, 5 from tuberculous disease, and one from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (16) represent an annual rate of 25·7 pe 1,000. There was one death each from whooping-cough and diphtheria, and there were 2 from epidemic enteritis, 4 from tuberculous disease, and one death from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 28·5 per 1,000 inhabitants, Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. The 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from lobar-pneumonia, and one from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·9 pe 1,000, and include 3 deaths from diseases of the respiratory system.

*No. 2 South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 40·5 pe 1,000. Enteric fever caused one death, and there were 2 deaths from *pneumonia* (not defined), 3 from tuberculous disease of the lungs, and 5 from disease of the respiratory system.

*No. 3 South City District* (Peter-street).—The deaths (18) are equal to an annual rate of 22·2 pe 1,000. They include 3 deaths from broncho-pneumonia, 4 deaths from tuberculous disease, 2 death from diseases of the respiratory system, and one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (18) are equivalent to an annual rate of 26·7 per 1,000. Of the 18 deaths one death was from epidemic enteritis, one from broncho-pneumonia, 5 deaths were from tuberculous disease, and 2 were accidental deaths.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 16·1; Pembroke, 16·8; Blackrock, 6·0; and Kingstown, 53·3. The deaths from the principal epidemic diseases tabulated for these districts include 2 from measles and one from whooping-cough for Kingstown, and one from diphtheria for Pembroke. The 11 deaths from all causes for Rathmines and Rathgar include one from broncho-pneumonia, 3 from diseases of the heart and blood vessels, and one caused by accident. The 9 deaths from all causes for Pembroke include one from lobar-pneumonia, one from broncho-pneumonia, one from tuberculous phthisis, and 4 from diseases of the heart and blood vessels. Of the 18 deaths from all causes for Kingstown one was for *pneumonia* (not defined), 5 were from diseases of the heart and blood vessels, and 2 deaths were caused accidentally.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. awcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock rban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown rban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

ABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 9th November, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Oct. 19. | . | — | — | 5 | . | . | 5 | . | 4 | 6 | 13 | . | — | — | — | — | — | 33 |
| | Oct. 26, | . | — | — | 10 | . | . | 5 | . | 4 | 21 | 12 | . | — | — | — | — | — | 52 |
| | Nov. 2, | . | — | — | 9 | 1 | . | 3 | . | 2 | 12 | 7 | 1 | — | — | — | — | — | 35 |
| | Nov. 9, | . | — | — | 6 | . | . | 7 | 1 | 1 | 8 | 13 | . | — | — | — | — | — | 36 |
| Rathmines and Rathgar Urban District. | Oct. 19, | . | — | — | 1 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 2 |
| | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 2, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Nov. 9, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Oct. 19, | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | — | . | . | — | — | 4 |
| | Oct. 26, | . | . | 2 | . | . | . | 1 | . | . | 1 | 1 | . | — | . | . | — | — | 5 |
| | Nov. 2 | . | 2 | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 3 |
| | Nov. 9, | . | . | . | . | . | . | . | . | . | 4 | 1 | . | — | 1 | . | — | — | 6 |
| Blackrock Urban District. | Oct. 19, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 9, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | Oct. 19, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| | Oct. 26, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| | Nov. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| | Nov. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Oct. 19, | . | — | — | 5 | . | . | 8 | 5 | 7 | 4 | 11 | . | — | — | 1 | — | — | 41 |
| | Oct. 26, | . | — | — | 12 | . | . | 7 | . | 5 | 4 | 9 | . | — | — | 5 | — | — | 42 |
| | Nov. 2, | . | — | — | 14 | . | . | 8 | 1 | 3 | 11 | 5 | . | — | — | 2 | — | — | 44 |
| | Nov. 9, | . | — | — | 7 | . | . | 6 | . | 10 | 8 | 12 | . | — | — | 4 | — | — | 47 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 9th November, 1907.

From this it appears that:—

Three cases of measles were admitted into hospital during the week, 3 were discharged, nd 13 cases remained under treatment at its close.

Eleven cases of scarlet fever were admitted to hospital, 9 were discharged, there was one eath, and 44* cases remained under treatment at the close of the week.

One case of typhus remained under treatment in hospital at the close of the week.

Eight cases of diphtheria were admitted to hospital, 2 were discharged, there was one eath, and 21 patients remained under treatment at the close of the week.

Twelve cases of enteric fever were admitted to hospital during the week, 4 were dis-harged, there was one death, and 55 cases remained under treatment in hospital at the close f the week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, were discharged, there were 2 deaths, and 26 cases remained under treatment at the end f the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the te was 13·9), was equal to an average annual death-rate of 14·6 per 1,000 persons living, e average rate for 8 principal towns of Scotland was 15·3 per 1,000, the rate for Glasgow eing 16·6 and for Edinburgh 13·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health r Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th ovember. From this Report it appears that of a total of 81 cases notified 44 were scarlet fever, 12 diphtheria, erysipelas, and 2 enteric fever. Among the 353 cases of infectious diseases in hospital at the close of the eek were 186 cases of scarlet fever, 39 of diphtheria, 29 of measles, 15 of whooping-cough, 15 of enteric ver, and 12 of erysipelas.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 9th November, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases. In cols. 10-18. | Registration—Week ending Saturday, 9th November, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 9th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 2nd November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 26th October, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, . . | 1,117,547 | 19·6 | 27·8 | 20·0 | 2·1 | 596 | 428 | 67 | 119 | . | 13 | . | . | 7 | 2 | 2 | 6 | 15 | 38 | 50 | 20 | 21 | 57 | 12 | 17 | 130 | 15 | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:—Total, d. . . | 390,691 | 28·4 | 28·2 | 22·8 | 1·6 | 211 | 171 | 27 | 43 | . | 2 | . | . | 2 | 2 | . | 2 | 4 | 13 | 24 | 7 | 5 | 17 | 6 | 6 | 63 | 4 | f56·7 | 30·3 | 45·1 | 0·18 | f56·8 | 32·1 | 49·0 | 1·84 | f59·0 | 34·4 | 47·3 | 0·65 |
| City of Dublin, | 300,850 | 38·0 | 28·8 | 22·9 | 1·4 | 166 | 132 | 24 | 26 | . | . | . | . | 1 | 1 | . | 2 | 4 | 9 | 23 | 6 | 2 | 16 | 3 | 4 | 53 | 8 | g56·1<br>h56·8 | 36·1<br>31·0 | 46·8<br>44·8 | 0·26<br>0·25 | g55·4<br>h55·6 | 36·3<br>32·0 | 49·6<br>49·1 | 1·65<br>1·72 | g58·3<br>h64·1 | 32·8<br>31·0 | 47·9<br>48·6 | 0·84<br>0·92 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 14·6 | 16·1 | . | 10 | 11 | 2 | 6 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Pembroke . | 27,854 | 17·5 | 39·3 | 16·8 | 1·9 | 21 | 9 | 1 | 3 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Blackrock . | 8,759 | 8·1 | 11·9 | 6·0 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Kingstown, . | 17,622 | 12·1 | 35·5 | 53·3 | 8·9 | 12 | 18 | . | 8 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | 2 | 5 | . | 56 | 40 | 47·8 | 0·46 | 53·5 | 36 | 49·5 | 0·94 | 59 | 33 | 50·5 | 0·97 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), . . | 370,168 | 25·2 | 29·0 | 20·4 | 2·8 | 206 | 145 | 24 | 38 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 6 | 32 | 1 | 56·0 | 33·5 | 46·5 | 0·32 | 53·0 | 31·0 | 46·5 | 0·53 | 58·5 | 35·0 | 49·1 | 1·02 |
| Cork, . . | 76,122 | 38·6 | 25·3 | 19·2 | 0·7 | 37 | 28 | 6 | 9 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 2 | 11 | 3 | 55 | 39 | 47·8 | 0·82 | 55 | 39 | 49·6 | 2·29 | 57 | 37 | 48·5 | 1·29 |
| Londonderry, . | 42,475 | 19·6 | 20·9 | 12·3 | . | 17 | 10 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, . . | 38,151 | 18·1 | 15·0 | 19·1 | 6·8 | 11 | 14 | 3 | 3 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | . | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, . . | 26,769 | 18·7 | 37·0 | 25·3 | 5·8 | 19 | 13 | 2 | 3 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, . . | 18,426 | 2·5 | 27·2 | 35·0 | 11·7 | 7 | 9 | 2 | 2 | . | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | 3 | 2 | 60 | 33 | 49 | 0·78 | 57 | 40 | 49·4 | 0·32 | 56 | 41 | 50 | 1·66 |
| Dundalk, . . | 18,076 | 9·4 | 39·9 | 19·9 | . | 10 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, . . | 12,760 | 8·6 | 36·8 | 20·4 | . | 9 | 5 | . | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, . . | 12,405 | 17·8 | 16·8 | 8·4 | . | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 |
| Lurgan, . . | 11,782 | 13·8 | 22·1 | 8·9 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 |
| Lisburn, . . | 11,461 | 10·1 | 31·8 | 4·5 | . | 7 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 |
| Wexford, . . | 11,168 | 28·2 | 42·0 | 4·7 | . | 9 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, . . | 10,886 | 8·9 | 28·7 | 14·4 | . | 6 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, . . | 10,870 | 8·7 | 24·0 | 14·4 | . | 5 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | 54·6 | 28·5 | 43·7 | 0·41 | 57·5 | 31·7 | 47·8 | 0·30 | 60·9 | 32·8 | 47·2 | 1·37 |
| Kilkenny, . . | 10,609 | 11·5 | 34·3 | 14·7 | . | 7 | 3 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 56 | 32 | 43·9 | 0·76 | 56 | 31 | 48·9 | 1·17 | 58 | 30 | 45 | 1·18 |
| Clonmel, . . | 10,167 | 7·8 | 41·0 | 25·6 | . | 8 | 5 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, . . | 10,092 | 18·2 | 20·7 | 5·2 | . | 4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 |
| Tralee, . . | 9,867 | 16·6 | 31·7 | 5·8 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, . . | 9,110 | 18·9 | 5·7 | 22·9 | 5·7 | 1 | 4 | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 1 | . | . | . | . | 56 | 40 | 49·1 | 0·27 | 54 | 36 | 48·5 | 0·33 | 55 | 38 | 49·0 | 0·40 |
| Queenstown, . . | 7,909 | 14·4 | 26·4 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 55 | 39 | 47·8 | 0·82 | 55 | 39 | 49·6 | 2·29 | 57 | 37 | 48·5 | 1·29 |
| Armagh, . . | 7,588 | 22·2 | 20·6 | 18·7 | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 | 57·8 | 34·6 | 47·9 | 1·03 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one under 1 year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 9th of November, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | Urban Districts of | | | | Total for Dublin Registration Area. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Registration Districts in | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1 E. | North City No. 1 W. | North City No. 2. | North City No. 3. | Clontarf & Howth No. 1 (part of). | Coolock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . |
| Diphtheria, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| Diarrhœal Diseases, | . | . | 1 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | 4 | . |
| Pneumonia, | . | 1 | 1 | . | . | 1 | . | . | 2 | 3 | 1 | . | 1 | 2 | . | 1 | 13 | . |
| Tuberculous Disease: Phthisis, | 3 | 3 | 3 | 3 | . | 1 | . | . | 3 | 3 | 4 | . | . | 1 | . | . | 24 | 1 |
| Tuberculous Disease: Other Forms, | . | 1 | 2 | 1 | . | . | . | . | . | 1 | 1 | . | . | . | . | 1 | 7 | 1 |
| Cancer, Malignant Disease, | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 2 | 5 | 1 |
| Other General Diseases, | 1 | 1 | 2 | . | . | . | . | . | . | 2 | 1 | . | 1 | . | . | 1 | 9 | . |
| Total, | 5 | 6 | 9 | 8 | . | 2 | . | . | 6 | 9 | 9 | 1 | 3 | 4 | . | 8 | 70 | 3 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 1 | 3 | . | . | 1 | 1 | . | . | . | . | . | 1 | 1 | . | 2 | 10 | 1 |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 4 | . | 2 | 4 | . | 2 | . | 3 | 2 | 3 | 3 | . | 3 | 4 | 1 | 5 | 36 | 1 |
| Diseases of: Respiratory System, | . | 2 | 1 | 1 | . | 1 | . | 3 | 5 | 2 | 1 | . | 1 | . | . | . | 17 | . |
| Diseases of: Digestive System, | 1 | 2 | 1 | 1 | . | . | 1 | 3 | 1 | . | . | 1 | 1 | . | . | . | 12 | . |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | . | . | . | 4 | 1 |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Accidents of Childbirth, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 5 | 5 | 7 | 7 | . | 4 | 2 | 10 | 8 | 7 | 6 | 1 | 6 | 5 | 1 | 7 | 81 | 4 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | 2 | 2 | . | 1 | . | . | . | 3 | 2 | 1 | 1 | . | 1 | . | . | 1 | 14 | . |
| **E. Violent Deaths,** | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | . | 2 | 6 | . |
| **Deaths from all Causes,** | 12 | 13 | 16 | 16 | . | 6 | 2 | 13 | 16 | 18 | 18 | 2 | 11 | 9 | 1 | 18 | 171 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 21·6 | 17·3 | 27·7 | 25·7 | . | 28·5 | 14·4 | 16·9 | 40·5 | 22·2 | 26·7 | 11·7 | 16·1 | 16·8 | 6·0 | 53·3 | 22·8 | . |
| | 22·0 | | | | | | | 23·8 | | | | | 22·6 | | | | | |
| | 22·9 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 4 | 4 | 4 | 1 | . | . | 1 | 1 | 3 | 5 | 1 | . | 2 | 1 | . | . | 27 | 1 |
| 1 and under 5 years, | . | 2 | 1 | 3 | . | . | . | 1 | . | 2 | 3 | . | 1 | . | . | 3 | 16 | . |
| 5 " 20 " | 1 | . | 2 | . | . | 3 | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 | . | . | 14 | . |
| 20 " 40 " | 4 | 3 | 4 | 5 | . | 1 | . | 3 | 3 | 1 | 3 | . | . | 3 | . | 2 | 32 | 3 |
| 40 " 60 " | 2 | 2 | 1 | 3 | . | 1 | . | 3 | 7 | 7 | 4 | 1 | 1 | 1 | 1 | 5 | 39 | 1 |
| 60 and upwards, | 1 | 2 | 4 | 4 | . | 1 | . | 4 | 2 | 2 | 5 | 1 | 6 | 3 | . | 8 | 43 | 2 |
| Number of Uncertified Deaths, | . | 1 | . | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 3 | 3 | 3 | . | 3 | . | 3 | 5 | 3 | 4 | . | 1 | . | . | 2 | 32 | 6 |
| Workhouse Hospitals, | 1 | 2 | 6 | 6 | . | . | . | 1 | 2 | 4 | 1 | 1 | 1 | 2 | 1 | 3 | 31 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in the week of the ten years, 18-19

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 45th Week of the 10 years 1897-1906. | In the Week ending Satu 9th November, 1907. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the A | | | | | |
| | | | | | | | | | | | | ALL AGES. | 0 to 5. | | | | |
| | Nov. 13, 1897. | Nov. 12, 1898. | Nov. 11, 1899. | Nov. 10, 1900. | Nov. 9, 1901. | Nov. 8, 1902. | Nov. 14, 1903. | Nov. 12, 1904. | Nov. 11, 1905. | Nov. 10, 1906. | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 52·5 | ° 48·4 | ° 47·7 | ° 45·1 | ° 43·2 | ° 47·7 | ° 47·6 | ° 46·7 | ° 43·0 | ° 43·8 | ° 46·6 | ° 45·1 | | | | | |
| **ALL CAUSES.** | 133 | 201 | 249 | 154 | 171 | 228 | 157 | 156 | 152 | 192 | 179·3 | 178 | 5 | 23 | 16 | 14 | 35 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | . | 39 | . | . | 16 | . | 7 | . | 6 | 6·8 | 2 | . | . | 2 | . | . |
| Scarlet Fever, | 8 | 3 | 1 | . | . | 4 | 1 | 1 | 1 | . | 1·9 | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 2 | 1 | 1 | 1 | . | 4 | 1 | . | 1 | 1 | 1·2 | . | . | . | . | . | . |
| Whooping-cough, | 2 | 4 | 1 | 1 | 1 | . | 3 | . | . | 2 | 1·4 | 2 | . | . | 2 | . | . |
| Diphtheria, | 1 | 2 | 3 | . | . | 3 | . | . | 1 | 1 | 1·1 | 2 | . | . | . | 1 | 1 |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | 1 | . | . | . | . | . | . | . | 1 | . | ·2 | . | . | . | . | . | . |
| Enteric Fever, | 9 | 5 | 5 | 4 | 2 | 5 | 3 | . | 2 | 1 | 3·6 | 2 | . | . | . | . | 2 |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 8 | 6 | 6 | 2 | . | . | 3 | . | . | 3·9 | 3 | . | 1 | 1 | 1 | . |
| *Diarrhœa*, Dysentery, | | | | | | 2 | 1 | 2 | 4 | 2 | | 1 | . | 1 | . | . | |
| Tetanus, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 1 | 1 | . | 1 | . | 1 | 2 | . | . | 1 | ·7 | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | . | 1 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | 1 | . | . | . | . | | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . |
| Pneumonia, Lobar, | 7 | 9 | 20 | 4 | 10 | . | . | 1 | 3 | 2 | 10·0 | 2 | . | . | . | 1 | . |
| Pneumonia, Broncho-Epidemic, | | | | | | 8 | 5 | 2 | 5 | 2 | | 8 | 1 | . | 3 | 1 | 1 |
| Pneumonia, Not defined, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| | | | | | | 9 | 1 | 3 | 5 | 4 | | 3 | . | . | . | . | . |
| Erysipelas, | . | . | . | . | . | 2 | . | 1 | . | . | ·3 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | 2 | . | . | . | . | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 2 | . | 1 | 1 | . | ·4 | . | . | . | . | . | . |
| Tuberculous Phthisis, | 13 | 17 | 21 | 26 | 19 | 1 | 4 | 6 | 8 | 15 | 21·0 | 13 | . | . | . | 1 | 8 |
| "*Phthisis*," | | | | | | 23 | 12 | 16 | 13 | 16 | | 12 | . | . | . | 1 | 8 |
| Tuberculous Meningitis, | 3 | 10 | 5 | . | 5 | 6 | 4 | 1 | . | 2 | 3·6 | 2 | . | . | 1 | . | 1 |
| Tuberculous Peritonitis, | 3 | 10 | 5 | 5 | 3 | 2 | . | . | . | 1 | 3·1 | 1 | . | . | 1 | . | . |
| *Tabes Mesenterica*, | | | | | | . | 1 | . | . | 1 | | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 2 | 5 | 3 | 4 | 3 | 6 | 5 | 4 | 6 | 5 | 4·3 | 5 | . | . | 2 | 2 | 1 |
| *Scrofula*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Alcoholism, | . | 1 | 1 | . | 1 | 4 | . | 2 | . | 1 | 1·0 | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | 1 | . | . | . | . | 1 |
| Gout, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, | 5 | 6 | 9 | 9 | 1 | 1 | 3 | 7 | 2 | 3 | 7·2 | 2 | . | . | . | . | . |
| Sarcoma, | | | | | | . | 1 | 1 | 1 | 1 | | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 4 | 5 | 3 | 3 | 7 | | 4 | . | . | . | . | . |
| Diabetes Mellitus, | . | . | . | . | . | . | . | . | . | 3 | ·3 | . | . | . | . | . | . |
| Premature Birth, | 1 | 6 | 4 | 6 | 7 | 1 | 3 | 5 | 2 | 4 | 3·9 | 4 | 1 | 3 | . | . | . |

* The figures for the years 1897-1900
† Formerly descri

TH WEEK ending Saturday, 9th November, 1907, with the deaths from each cause in the corresponding verage for those weeks.*

| ES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 45th Week of the 10 years 1897–1906. | In the Week ending Saturday, 9th November, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 13, 1897. | Nov. 12, 1898. | Nov. 11, 1899. | Nov. 10, 1900. | Nov. 9, 1901. | Nov. 8, 1902. | Nov. 14, 1903. | Nov. 12, 1904. | Nov. 11, 1905. | Nov. 10, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| n Temperature. | ° 52·5 | ° 48·4 | ° 47·7 | ° 45·1 | ° 43·2 | ° 47·7 | ° 47·6 | ° 46·7 | ° 43·0 | ° 43·8 | ° 46·6 | ° 45·1 | | | | | | | | |
| itis (not tuberc.) ... | | | | | | 4 | 4 | . | 5 | 3 | | 1 | . | . | . | 1 | . | . | . | . |
| r, G. P. of Insane ... | | | | | | . | . | 3 | 1 | 2 | | 4 | . | . | . | . | . | 2 | 2 | . |
| y .. ... | | | | | | . | 2 | 1 | . | 2 | | . | . | . | . | . | . | . | . | . |
| *ions* ... .. | | | | | | 6 | 7 | 6 | 6 | 8 | | 4 | 1 | 3 | . | . | . | . | . | . |
| tor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| gia Dis. of Cord ... | | | | | | . | . | 1 | 1 | . | | 1 | . | . | . | . | . | 1 | . | . |
| s System (other | | | | | | 1 | . | 1 | 3 | . | | 1 | . | . | . | . | . | 1 | . | . |
| | 26 | 30 | 37 | 28 | 52 | | | | | | 37·1 | | | | | | | | | |
| is., Endocarditis ... | | | | | | 5 | 5 | 8 | 6 | 10 | | 6 | . | . | . | 1 | 1 | 3 | . | 1 |
| Hæm. Thromb. .. | | | | | | . | 2 | 3 | . | 5 | | 2 | . | . | . | . | . | . | 2 | . |
| y, *Hemiplegia* ... | | | | | | 8 | 4 | 1 | 4 | 2 | | 5 | . | . | . | . | . | 3 | 1 | 1 |
| sm ... ... | | | | | | 2 | 1 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| sm, Thromb. (not ral) | | | | | | . | 2 | . | . | . | | . | . | . | . | . | . | . | . | . |
| nd Blood Vessel Dis. | | | | | | 12 | 18 | 7 | 10 | 15 | | 24 | . | . | . | 3 | 3 | 6 | 11 | 1 |
| (not Spasm. nor b.) | 2 | . | . | 1 | 2 | . | . | . | 1 | 1 | ·7 | 1 | . | . | . | 1 | . | . | . | . |
| itis ... ... | 11 | 25 | 37 | 15 | 19 | 35 | 24 | 21 | 24 | 15 | 22·6 | 12 | . | 2 | 1 | . | 2 | 2 | 5 | . |
| , Emphysema ... | | | | | | 1 | . | 2 | . | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| y ... ... | 3 | . | . | 3 | 3 | . | 2 | . | . | 2 | 2·4 | 1 | . | . | . | . | 1 | . | . | . |
| tory Dis. (other) ... | | | | | | 4 | 2 | . | 1 | . | | 2 | 1 | 1 | . | . | . | . | . | . |
| itis, Quinsy ... | 1 | . | . | . | 1 | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| is (not Epid.) ... | 2 | 1 | 2 | 1 | . | 3 | 1 | 1 | 1 | 2 | 1·7 | 1 | . | 1 | . | . | . | . | . | . |
| *Enteritis* ... ... | | | | | | . | . | 2 | . | 1 | | 2 | . | 2 | . | . | . | . | . | . |
| *tis* (not Puerp.) ... | . | 1 | 1 | . | 1 | . | 2 | . | . | 1 | ·6 | . | . | . | . | . | . | . | . | . |
| is of Liver ... | | | | | | 1 | 1 | 2 | 1 | 3 | | 3 | . | . | . | 1 | 2 | . | . | . |
| Dis. (other) ... | 3 | 4 | 1 | 1 | 2 | . | 1 | 2 | 2 | 2 | 2·6 | . | . | . | . | . | . | . | . | . |
| ve Dis. (other) ... | 1 | 4 | 6 | 9 | 4 | 7 | 3 | 1 | 3 | 11 | 4·9 | 6 | . | 2 | . | . | 1 | . | 3 | . |
| tis, Acute ... | | | | | | 4 | . | 1 | 1 | 2 | | . | . | . | . | . | . | . | . | . |
| s Dis., Albuminuria | 1 | 5 | 7 | 3 | 7 | 4 | 2 | 2 | 2 | 5 | 5·3 | 5 | . | . | . | . | . | 4 | 1 | . |
| y Sys. (Other Dis.) | | | | | | 1 | 1 | 4 | 1 | . | | . | . | . | . | . | . | . | . | . |
| tive Organs Dis. ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | 1 | . | . | . | . | 1 | . | . | . |
| irth (Accid. of) ... | 1 | 1 | 1 | 1 | . | 1 | . | 1 | . | . | ·6 | 1 | . | . | . | . | 1 | . | . | . |
| e ... ... | 12 | 16 | 11 | 11 | 13 | 6 | 5 | 3 | 7 | 4 | 8·8 | 3 | . | . | . | . | . | . | 2 | 1 |
| Diseases ... ... | 9 | 17 | 14 | 7 | 6 | 11 | 8 | 11 | 8 | 10 | 10·1 | 16 | 1 | 6 | 3 | . | . | 2 | 3 | 1 |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| lways ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| icles and Horses ... | . | 1 | . | . | . | 1 | . | 1 | . | . | ·3 | 1 | . | . | . | 1 | . | . | . | . |
| s, Boats, Docks (ex- e of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ding Operations ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| lagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ns, Scalds, Explosions | . | 5 | . | 3 | 2 | . | 1 | 1 | 1 | 1 | 1·4 | 1 | . | 1 | . | . | . | . | . | . |
| wning ... ... | . | . | 4 | . | . | 1 | . | 2 | . | 1 | ·8 | 1 | . | . | . | . | . | 1 | . | . |
| ocation in Bed ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ison or Poisonous urs | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Deaths by Accident | . | 2 | 1 | 1 | 4 | 1 | 3 | . | . | 1 | 1·3 | 3 | . | . | . | . | . | 1 | 1 | 1 |
| NCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| de ... ... | . | 1 | 1 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| ... ... | . | . | 1 | 1 | . | 1 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . | . | . |
| ion ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

tration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 18. | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. |
| No. of weeks in Annual Series. | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
| Births registered, | 167 | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 |
| *Average Births in corresponding week of previous 10 years,** | 206 | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 |
| Deaths registered, | 208 | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 |
| Annual Death-rate per 1,000, | 27·8 | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 |
| *Average Deaths in corresponding week of previous 10 years,** | 173 | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 |
| Ages, Under 5 years, | 55 | 62 | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 |
| 5—20 ,, | 15 | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 |
| 20—40 ,, | 39 | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 | 18 | 35 |
| 40—60 ,, | 40 | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 |
| 60—80 ,, | 52 | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 |
| 80 years and upwards, | 7 | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 | 5 | 7 | 6 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 |
| Scarlet Fever | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . |
| Typhus, | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . |
| Whooping-cough, | 4 | 10 | 8 | . | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . | 2 |
| Diphtheria, | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| Enteric Fever, | . | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 | 2 |
| Diarrhœal Diseases, | 1 | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 |
| Influenza, | 4 | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . |
| Pneumonia, | 23 | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 |
| Tuberculous Disease. Phthisis, | 29 | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 32 | 21 | 25 | 13 | 16 | 25 |
| Tuberculous Disease. Other Forms, | 20 | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 |
| Cancer, Malignant Disease, | 11 | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 | 6 |
| Diseases of Heart and Blood Vessels, | 27 | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 | 37 |
| Diseases of Respiratory System, | 19 | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 | 17 |
| Violent Deaths, | 2 | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 |
| Number of Uncertified Deaths, | 9 | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 47·3 | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 48·7 | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 |
| Rainfall in inches, | ·085 | ·187 | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·384 | ·401 | ·645 | 1·842 | ·178 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·79 | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·93 | ·86 | ·94 | ·92 | ·96 |

in the Dublin Registration Area during the Week ending Saturday, 9th November, 1907; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH NOVEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 24·7 | 178 | 44 | 14 | 35 | 40 | 39 | 6 | . | 2 | . | . | 2 | 2 | . | 2 | 4 | 12 | 18 | 25 | 8 | 6 | 4 | 17 | 6 | 87 | 4 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,486 | 26·9 | 9 | . | . | . | 2 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 7 | . |
| II. | Middle Class, | 87,188 | 17·3 | 29 | 4 | 2 | 6 | 8 | 8 | 1 | . | . | . | . | . | . | . | 1 | 1 | 2 | 2 | 5 | . | 1 | . | 1 | 1 | 17 | 2 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 18·9 | 40 | 14 | 4 | 8 | 7 | 6 | 1 | . | . | . | . | 1 | 2 | . | . | . | 3 | 2 | 5 | 2 | 1 | 3 | 4 | 1 | 19 | . |
| IV. | General Service Class, | 154,279 | 32·5 | 68 | 24 | 6 | 12 | 16 | 8 | 2 | . | 2 | . | . | 1 | . | . | 1 | 2 | 6 | 7 | 5 | 4 | 2 | 1 | 8 | 4 | 31 | 2 |
| V. | Inmates of Workhouses, | 6,024 | | 32 | 2 | 2 | 9 | 7 | 11 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 10 | 2 | 1 | . | 4 | . | 13 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 46·8 | 7 | . | . | . | 2 | 4 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 5 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 40·8 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 28·4 | 12 | 3 | 2 | 1 | 4 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | . | . | . | . | 9 | 2 |
| | 6. Clerks and Commercial Assistants, | 30,482 | 8·6 | 5 | 1 | . | 4 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 2 | . | . | . | 1 | . | 1 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 19·3 | 10 | . | . | 1 | 3 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | 7 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 21·1 | 4 | 1 | 1 | . | 1 | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 10·5 | 6 | 1 | . | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . |
| | 10. Clothing Trades, | 23,260 | 11·2 | 5 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | . |
| | 11. Food Supply Trades, | 9,242 | 11·3 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 30·9 | 18 | 7 | 1 | 5 | 3 | 2 | . | . | . | . | . | 1 | 1 | . | . | . | 2 | 1 | 3 | . | 1 | 1 | 1 | . | 9 | . |
| | 13. Petty Shopkeepers, | 7,894 | 33.0 | 5 | 1 | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 2 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 7·8 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| | 15. Domestic Servants, | 36,603 | 5·7 | 4 | . | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 2 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 1 | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 4 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 33·1 | 57 | 23 | 4 | 9 | 14 | 6 | 1 | . | 2 | . | . | 1 | . | . | 1 | 2 | 6 | 7 | 3 | 4 | 2 | 1 | 7 | 3 | 24 | 2 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 32 | 2 | 2 | 9 | 7 | 11 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 10 | 2 | 1 | . | 4 | . | 13 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents c RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of th the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths i* similar Statistics for each of th

| | DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia*[*] (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tubercular Disease. Phthisis. | Tubercular Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Sept. 21, | 18·0 | 1·8 | 10 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . |
| | | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . |
| | | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . | . |
| | | „ 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . | . |
| | | „ 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | | „ 26, | 21·6 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . | . |
| | | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . |
| | | „ 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . | . |
| | North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Sept. 21, | 17·3 | 4·0 | 13 | . | . | . | . | 1 | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . |
| | | „ 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 | . |
| | | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . | 4 |
| | | „ 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 | . |
| | | „ 19, | 24·0 | 2·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 | 1 |
| | | „ 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 | . |
| | | Nov. 2, | 24·0 | 1·3 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . | . |
| | | „ 9, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | North City, No. 2. (Office, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | Sept. 21, | 13·9 | 1·7 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . |
| | | „ 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 | . |
| | | „ 12, | 24·2 | 5·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 | . |
| | | „ 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 | . |
| | | „ 26, | 26·0 | 1·7 | 15 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . | . |
| | | „ 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . | . |
| | North City, No. 3. (Office, Benburb-street.) Pop. in 1907 (Est.) 32,422. | Sept. 21, | 20·9 | 1·6 | 13 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 1 | 1 | 2 | 1 | . |
| | | „ 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . | . |
| | | Oct. 5, | 30·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . | . |
| | | „ 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . | . |
| | | „ 19, | 11·8 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | | „ 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . |
| | | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . |
| | | „ 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . | 1 |
| | South City, No. 1. (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Sept. 21, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | . | 3 | 1 | . | 1 | . | 1 |
| | | „ 28, | 23·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | 2 | 1 | . |
| | | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | 1 | . | . | 2 |
| | | „ 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . | 1 |
| | | „ 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | 1 |
| | | „ 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 3 | 3 |
| | | Nov. 2, | 23·5 | 1·3 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 5 | 1 | . |
| | | „ 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 |
| | South City, No. 2. (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | Sept. 21, | 30·4 | 5·1 | 12 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | 2 | . | 1 | . | . |
| | | „ 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . | . |
| | | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . | . |
| | | „ 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . | . |
| | | „ 19, | 15·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | | „ 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 1 | . | 1 |
| | | „ 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . | . |
| | South City, No. 3. (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Sept. 21, | 27·2 | 3·7 | 22 | . | . | . | . | . | 1 | . | . | 2 | . | 2 | 5 | 2 | 2 | . | . |
| | | „ 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . | . |
| | | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . | . |
| | | „ 12, | 16·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . | 1 |
| | | „ 19, | 22·2 | 5·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . | . |
| | | „ 26, | 23·5 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . | . |
| | | Nov. 2, | 19·8 | 5·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . | 1 |
| | | „ 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 | . |
| | South City, No. 4. (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,138. | Sept. 21, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 4 | . | 2 |
| | | „ 28, | 22·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 | . |
| | | Oct. 5, | 22·3 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . | . |
| | | „ 12, | 13·7 | 3·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . | . |
| | | „ 19, | 19·3 | 3·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . | 1 |
| | | „ 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . | . |
| | | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . | 1 |
| | | „ 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 | . |

* Formerly described as "Simple Continued Fever."

ain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of ulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ic Institutions being assigned to the Districts from which the deceased were admitted;* also, rincial County Boroughs in Ireland.

| ISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5-18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Unverified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| athmines d Rathgar Urban District. | Sept. 21, | 10·3 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| | „ 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . |
| | „ 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| | „ 26, | 13·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| Pop. in 1907 Est.) 35,606. | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| | „ 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| Pembroke Urban District. | Sept. 21, | 9·4 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| | „ 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | „ 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| Pop. in 1907 (Est.) 27,854. | „ 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| | „ 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| Kingstown Urban District. | Sept. 21, | 8·9 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | Oct. 5, | 20·7 | 3·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| Pop. in 1907 (Est.) 17,622. | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | „ 9, | 53·3 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| Belfast. | Sept. 21, | 15·6 | 1·8 | 111 | . | 2 | . | . | . | . | . | 2 | 9 | 10 | 11 | 7 | 1 | 7 | 2 | 1 |
| | „ 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 3 |
| | Oct. 5, | 17·7 | 5·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| | „ 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| | „ 19, | 19·4 | 4·1 | 138 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| Pop. (in 1907 Est.) 370,168. | „ 26, | 28·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| | Nov. 2, | 20·4 | 2·3 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| | „ 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 1 |
| Cork. | Sept. 21, | 17·1 | 2·1 | 25 | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 3 | 3 | . | 2 |
| | „ 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| | Oct. 5, | 26·0 | 6·2 | 38 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| | „ 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| | „ 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| Pop. (in 1901) 76,122. | „ 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| | Nov. 2, | 17·8 | 3·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 3 |
| ondonderry. | Sept. 21, | 11·0 | 1·2 | 9 | . | . | . | . | 1 | . | . | . | . | . | 2 | . | 1 | . | . | . |
| | „ 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . |
| | „ 12, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| | „ 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| Pop. in 1907 (Est.) 42,475. | „ 26, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| | „ 9, | 12·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| Limerick. | Sept. 21, | 16·4 | 1·4 | 12 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| | „ 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| | „ 19, | 13·7 | 2·7 | 10 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | 1 |
| Pop. (in 1901) 38,151. | „ 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| | Nov. 2, | 23·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| | „ 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| Waterford. | Sept. 21, | 11·7 | 3·9 | 6 | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | „ 28, | 23·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |
| | Oct. 5, | 44·8 | 13·6 | 23 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |
| | „ 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |
| | „ 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |
| Pop. (in 1901) 26,769. | „ 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |
| | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 1 |
| | „ 9, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 9th November, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyæmia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 7 | | | 5 | 2 | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | . | . | . | 2 | . |
| Do. 2 „ . | 47,959 | 35 | | | 18 | 5 | 2 | 1 | 3 | 2 | 5 | . | . | . | . | 1 | . | . | 1 | . | . | 2 | 1 | 1 | 3 | 1 | 2 | 4 | . |
| Do. 3 „ . | 47,214 | 24 | | | 23 | 2 | 5 | . | 5 | 7 | 4 | . | 1 | . | . | . | . | . | . | . | 4 | 2 | 2 | 2 | 6 | 1 | 1 | 3 | . |
| Do. 4 „ . | 40,911 | 27 | | | 16 | 1 | 3 | . | 5 | 2 | 5 | . | 2 | . | . | . | . | . | 1 | . | . | 3 | . | 1 | 2 | . | . | 7 | . |
| Do. 5 „ . | 17,887 | 10 | | | 8 | 2 | . | . | 2 | . | 4 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 1 | . | . | 1 | . |
| Do. 6 „ . | 48,122 | 18 | | | 17 | 1 | 5 | 1 | 2 | 4 | 4 | . | 1 | . | . | . | . | . | . | 2 | 1 | . | 3 | . | 2 | . | . | 4 | . |
| Do. 7 „ . | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 „ . | 5,060 | 1 | | | 5 | 1 | . | . | . | 1 | 3 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 2 | . | . | . | 1 |
| Do. 9 „ . | 19,569 | 9 | | | 12 | 5 | 2 | . | 1 | 2 | 2 | . | . | . | . | 1 | . | . | . | . | 4 | 1 | . | . | 3 | 1 | 1 | 2 | . |
| Do. 10 „ . | 28,064 | 26 | | | 8 | 2 | . | . | 2 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | 1 | . | . | 2 | . |
| Do. 11 „ . | 34,802 | 17 | | | 6 | 1 | 2 | . | . | 3 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . |
| Do. 12 „ . | 33,588 | 21 | | | 19 | 2 | 4 | 1 | 4 | 5 | 3 | . | 1 | . | . | 2 | . | . | 1 | . | 1 | 1 | . | 2 | 4 | 1 | 2 | 5 | . |
| Do. 13 „ . | 15,006 | 11 | | | 8 | . | . | . | 2 | 1 | 5 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 2 | 1 | . | . | 1 | . |
| Do. 14 „ . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . . | 349,180 | 206 | | | 145† | 24 | 23 | 4 | 27 | 29 | 38 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 6 | 32 | 1 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 4 | 32·4 | . | 8 | 1 | . | | 3 | | 4 | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | . | . | 4 | 1 |
| Do. 2 „ . . | 10,701 | 5 | 24·4 | 4·9 | 5 | 2 | . | | 1 | | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | . | 1 | 1 |
| Do 3 „ . . | 9,978 | 5 | 15·7 | . | 3 | . | 1 | | 2 | | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 | . |
| Do. 4 „ . . | 8,666 | 2 | 18·1 | . | 3 | 1 | . | | 2 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 2 | . |
| Do. 5 . . | 6,592 | 2 | 7·9 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Do. 6 . . | 10,702 | 5 | 24·4 | . | 5 | 2 | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 2 | 1 |
| Do. 7 „ . . | 16,616 | 14 | 9·4 | . | 3 | . | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Total, . . . . | 76,122 | 37 | 19·2 | 0·7 | 28 | 6 | 1 | | 12 | | 9 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 2 | 11 | 3 |

*without the City are omitted.*

| BELFAST. | 1907—Week ending May. 18. | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| No. of weeks in Annual Series, | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 |
| BIRTHS registered, | 272 | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 |
| DEATHS registered, | 158 | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145† |
| Annual Death-rate per 1,000 of estimated Population, | 22·3 | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 2·1 | 19·4 | 23·2 | 20·4 | 20·4 |
| AGES — Under 1 year | 33 | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 18 | 40 | 38 | 47 | 48 | 30 | 31 | 24 |
| 1–5 years, | 17 | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 |
| 5–20 years, | 27 | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 |
| 20–40 years, | 20 | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 |
| 40–60 years, | 20 | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 |
| 60 years and upwards, | 41 | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 33 | 37 | 38 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 |
| Scarlet Fever, | . | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 1 | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 |
| Diphtheria, | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Enteric Fever, | . | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 |
| Diarrhœal Diseases, | 2 | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 |
| Pneumonia, | 6 | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 |
| Tuberculous Disease, — Phthisis, | 9 | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 |
| Tuberculous Disease, — Other Forms, | 12 | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 |
| Cancer Malignant Disease, | 5 | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 |
| Diseases of Respiratory System, | 21 | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 | 26 |
| Violent Deaths, | 8 | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 |
| Number of Uncertified Deaths, | 3 | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 |

* Formerly described as "Simple Continued Fever."
† Including one death returned as from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Nov. 9, | 2,393 | 1,269 | 13·9 | . | 28 | 16 | 18 | 13 | 6 | 36 |
| EDINBURGH, | 345,747 | „ 9, | 146 | 87*a* | 13·1 | . | . | . | . | 1 | . | 1 |
| GLASGOW, | 847,584 | „ 9, | 450 | 270*a* | 16·6 | . | 21 | 1 | 3 | 7 | 1 | 6 |
| CALCUTTA, | 847,796 | Sept. 21, | . | 499 | 30·6 | 2 | 1 | . | . | . | 155‡ | 82* |
| BOMBAY, | 977,822 | Oct. 8, | 412 | 707 | 37·6 | . | 2 | . | . | . | 77‡ | 70* |
| MADRAS, | 509,346 | Sept. 20, | 520 | 576 | 58·8 | . | 6 | ? | ? | ? | 129 | 179* |
| PARIS, | 2,722,731 | Oct. 26, | 910 | 819 | 15·6 | . | 3 | 2 | 3† | . | 5 | 38 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 19, | 182 | 158 | 13·1 | . | 1 | 1 | 3† | . | 2 | 20 |
| ANTWERP, | 304,032 | „ 19, | 114 | 69 | 11·8 | . | 1 | . | . | 2 | 1 | 18 |
| AMSTERDAM, | 564,749 | „ 26, | 238 | 119 | 11·0 | . | 2 | . | . | 1 | . | 5 |
| COPENHAGEN, | 438,000 | „ 19, | 250 | 93 | 11·1 | . | 1 | . | . | 2 | . | 3 |
| STOCKHOLM, | 332,738 | „ 19, | 162 | 96 | 15·0 | . | . | 1 | 1† | . | . | 9 |
| CHRISTIANIA, | 229,324 | „ 26, | 100 | 36 | 8·2 | . | . | . | . | 1 | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 19. | 822 | 508 | 17·8 | . | 7 | 16 | 19 | 10 | 13 | 54 |
| MOSCOW, | 1,296,000 | Sept. 28, | . | 629 | 25·3 | 1 | 7 | 7 | 2† | 6 | 6 | 159 |
| BERLIN, | 2,092,574 | Oct. 12, | 791 | 620 | 15·4 | . | 6 | 6 | 9† | 13 | 1 | 94 |
| HAMBURG, | 824,792 | „ 19, | . | 210 | 13·2 | . | 1 | . | 2† | 2 | . | 30 |
| BRESLAU, | 486,279 | „ 19, | . | 207 | 22·2 | . | . | 1 | . | 5 | 1 | 46 |
| MUNICH, | 548,000 | „ 26, | . | 189 | 17·9 | . | 1 | . | 4† | 1 | 1 | 34 |
| VIENNA (with suburbs). | 1,999,912 | „ 26, | 918 | 514 | 13·4 | . | 1 | 4 | 6† | . | 3 | 66 |
| BUDA-PESTH, | 802,235 | „ 12, | 412 | 281 | 18·2 | . | 1 | 14 | 3† | 2 | 4 | 28 |
| PRAGUE and Faubourgs. | 470,906 | „ 5, | 173 | 138 | 15·2 | . | 3 | . | . | 2 | 1 | 15 |
| TRIESTE, | 202,920 | „ 12, | 126 | 85 | 21·8 | . | . | . | . | . | 1 | 20 |
| ROME, | 545,610 | Aug. 17, | 239 | 191 | 18·3 | . | 4 | . | . | 2 | 2 | 36 |
| VENICE, | 174,398 | Sept. 28 | 79 | 34 | 10·2 | . | 1 | . | 1† | 1 | . | 3 |
| NEW YORK, | 4,285,435 | Oct 5. | 2,421 | 1,362 | 16·6 | . | 9 | 6 | 18† | 6 | 19 | 213 |
| | | „ 12, | 2,139 | 1,344 | 16·4 | . | 4 | 5 | 23† | 3 | 32 | 168 |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | Oct. 12, | . | 212 | 18·1 | . | . | . | 3 | 1 | 1 | 15 |

*a.* Including one death from cerebro-spinal meningitis in Edinburgh, and 3 deaths in Glasgow.
* Including 31 deaths from cholera in Calcutta, 12 in Bombay, and 112 in Madras.
† Including deaths from croup.
‡ Exclusive of 11 deaths from plague in Calcutta, and 27 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th November, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 2 | . | . | 2 | . | . | 2 | 2 | . | . | . | 8 |
| " " 1, West, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 2, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 3, | . | . | . | . | 1 | . | . | . | 2 | . | . | . | 3 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | 3 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No 1, | . | 1 | . | . | 1 | . | . | 1 | 4 | . | . | . | 7 |
| " " 2, | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 |
| " " 3, | . | 2 | . | . | . | . | . | 1 | 2 | . | . | . | 5 |
| " " 4, | . | . | . | . | 1 | . | . | 2 | 2 | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Total, | . | 6 | . | . | 7 | 1 | 1 | 8 | 13 | . | . | . | 36 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th November, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 9th November. | | | |
|---|---|---|---|---|---|---|---|
| | Oct. 19. | Oct. 26. | Nov. 2. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 24 | 17 | 13 | 3 | 3 | . | 13 |
| Scarlet Fever, | 40 | 43 | 43 | 11 | 9 | 1 | 44* |
| Typhus, | 3 | 1 | 1 | . | . | . | 1 |
| Diphtheria, | 22 | 15 | 16 | 8 | 2 | 1 | 21 |
| Enteric Fever, | 40 | 42 | 48 | 12 | 4 | 1 | 55 |
| Pneumonia, | 19 | 24 | 25 | 11 | 8 | 2 | 26 |

* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 9th November, 1907:—

"The rainy period which had lasted throughout October drew to a close on Monday of this week, and four consecutive rainless days were recorded. Friday afternoon and night were wet, but Saturday was a bright, pleasant autumnal day. On Sunday a large anticyclone covered Scandinavia, stretching thence south-westward to Great Britain. At the same time an atmospheric depression, with central readings a little under 29·5 inches, lay over the South of Ireland, St. George's and the English Channels. This system produced very dull, damp, wet weather in Ireland and Wales; but it soon filled up, and the barometer rose generally as a second area of high pressure formed off the West coast of Ireland. As the barometer was now not only high but uniformly so, temperature fell and much fog resulted from the effect of a chill acting on damp air. At 8 a.m. of Wednesday the barometer stood as high as 30·40 inches at Blacksod Point in Mayo. The thermometer read 46° at that station but only 34° at Birr Castle, King's County. The night temperatures were low in Ireland from Wednesday, but on Friday the weather became rainy owing to the development of two depressions—one in the Icelandic region, the other in exactly the same situation as Sunday's disturbance had occupied over the Atlantic between Ireland and the Bay of Biscay. Saturday was a bright autumnal day, but the evening was foggy. In Dublin the mean height of the barometer was 29·956 inches, pressure ranging between 29·571 inches at 9 a.m. of Sunday (wind, E) and 30·321 inches at 9 a.m. of Wednesday (wind, W.N.W.). The mean temperature was 46·8°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·1°. On Monday the screened thermometers rose to 56·1°, on Friday they fell to 36·1°. The prevailing winds were westerly. Rain fell on 2 days to the amount of ·262 inch, ·150 inch being recorded on Sunday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·962 inches. The highest reading (30·321) was on Wednesday at 9 a.m., air calm, and the lowest (29·565) on Sunday at 9 p.m., air calm.

The mean temperature for the week was 45·1°, being 1·5° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Monday, on which day the thermometer registered 56·7°, and was lowest on Friday, the mercury having fallen to 30·3°. The mean of the Dry Bulb for the week was 44·0°, and of the Wet Bulb 43·4°. The mean humidity of the air was ·96, complete saturation being represented by 1·0. The rainfall during the week measured 0·178 inch.

At Greenwich the mean temperature for the week was 49·8°, the maximum 60·3°, and the minimum 41·3°; at Glasgow the maximum was 59·6°, the minimum 36·2°, and the mean 46·9°; and at Edinburgh the maximum was 55·3°, the minimum 39·6°, and the mean 46·9°. The rainfall at Greenwich measured 0·03 in.; at Glasgow 0·15 in.; and at Edinburgh 0·19 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

### Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Nov. 3, | 29·566 | 53·2 | 50·3 | 51·8 | 51·4 | 51·0 | ·98 | ·2 | 0·0 | ·053 | E.N.E, | Calm. |
| Monday, „ 4, | 29·941 | 56·7 | 47·1 | 51·9 | 50·1 | 48·7 | ·90 | ·4 | 1·1 | ·000 | Calm. | Calm. |
| Tuesday, „ 5, | 30·217 | 51·6 | 44·4 | 48·0 | 46·1 | 45·2 | ·93 | ·7 | 0·0 | ·000 | N.W. | Calm. |
| Wednesday, „ 6, | 30·312 | 50·4 | 34·1 | 42·3 | 38·4 | 38·1 | ·98 | ·1 | 1·5 | ·000 | Calm | Calm. |
| Thursday, „ 7, | 30·099 | 45·2 | 33·9 | 39·6 | 40·8 | 40·6 | ·99 | ·0 | 0·0 | ·000 | Calm. | Calm. |
| Friday, „ 8, | 29·742 | 48·3 | 30·3 | 39·3 | 41·6 | 41·1 | ·96 | ·0 | 1·7 | ·125 | Calm. | Calm. |
| Saturday, „ 9, | 29·857 | 48·1 | 37·6 | 42·9 | 39·3 | 38·9 | ·96 | ·6 | 5·0 | ·000 | Calm. | Calm. |
| Mean, . . | 29·962 | 50·5 | 39·7 | 45·1 | 44·0 | 43·4 | ·96 | ·3 | Total 9·3 | Total ·178 | — | |

*Sunday*—Day overcast, light and heavy rain a.m. and p.m.; night clear. *Monday*—Cloudy a.m., overcast p.m.; night overcast and fog. *Tuesday*—Day overcast; night clear. *Wednesday*—Cloudy dull day; night clear. *Thursday*—Day overcast, fine; night overcast. *Friday*—Cloudy a.m. overcast and showery p.m.; night overcast and showery. *Saturday*—Cloudy day, fine; night bright.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

### Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 9th, 1907.

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Nov. 3, | 53·0 | 51·0 | 51·1 | 54·1 | 49·0 | 51·6 | — | ·146 |
| Monday, „ 4, | 55·2 | 51·0 | 51·2 | 57·3 | 48·3 | 52·8 | — | — |
| Tuesday, „ 5, | 48·9 | 50·7 | 51·2 | 52·4 | 45·0 | 48·7 | — | — |
| Wednesday, „ 6, | 41·6 | 49·2 | 51·2 | 51·4 | 38·0 | 44·7 | — | — |
| Thursday, „ 7, | 43·4 | 48·0 | 51·2 | 47·2 | 39·0 | 43·1 | — | — |
| Friday, „ 8, | 37·7 | 47·0 | 51·0 | 49·7 | 34·8 | 42·3 | — | ·100 |
| Saturday, „ 9, | 44·0 | 47·0 | 50·9 | 49·5 | 41·5 | 45·5 | 3·1 | — |
| Weekly Mean, . | 46·3 | 49·1 | 51·1 | 51·7 | 42·2 | 47·0 | Total 3·1 | Total ·246 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 10. 1907.—19286.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 16TH NOVEMBER, 1907. [No. 46.

*General Register Office, Charlemont House,*
*Dublin,* 18*th November,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 21·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Oct. 26. | Week ending Nov. 2. | Week ending Nov. 9. | Week ending Nov. 16. | Average Rate for 4 weeks. | Towns, &c. | Week ending Oct. 26. | Week ending Nov. 2. | Week ending Nov. 9. | Week ending Nov. 16. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 20·0 | 19·0 | 20·0 | 21·6 | 20·2 | Limerick, . . | 19·1 | 23·2 | 19·1 | 34·2 | 23·9 |
| | | | | | | Lisburn, . . | 13·6 | 9·1 | 4·5 | . | 6·8 |
| Armagh, . . | 20·6 | 41·2 | 13·7 | . | 18·9 | Londonderry, . | 13·5 | 14·7 | 12·3 | 17·2 | 14·4 |
| Ballymena, | 14·4 | 19·2 | 14·4 | 19·2 | 16·8 | Lurgan, . . | 13·3 | 13·3 | 8·9 | 17·7 | 13·3 |
| Belfast, . . | 23·2 | 20·4 | 20·4 | 21·8 | 22·2 | Newry, . . | 37·8 | 4·2 | 8·4 | 21·0 | 17·9 |
| Clonmel, . . | 20·5 | 10·3 | 25·6 | 15·4 | 18·0 | Newtownards, . | 17·2 | 17·2 | 22·9 | 11·4 | 17·2 |
| Cork, . . . | 19·9 | 17·8 | 19·2 | 21·2 | 19·5 | Portadown, . | 10·3 | 10·3 | 5·2 | 5·2 | 7·8 |
| Drogheda, . . | 12·3 | 8·2 | 20·4 | 24·5 | 16·4 | Queenstown . | 33·0 | 13·2 | . | 19·8 | 16·5 |
| Dublin Reg. Area, | 19·1 | 21·1 | 22·8 | 21·4 | 21·1 | Sligo, . . . | 14·4 | . | 14·4 | 33·6 | 15·6 |
| Dundalk . | 12·0 | 8·0 | 19·9 | 16·0 | 14·0 | Tralee, . . | 15·9 | 15·9 | 5·3 | 26·4 | 15·9 |
| Galway, . . | 15·5 | 15·5 | 35·0 | 11·7 | 19·4 | Waterford, . | 17·5 | 15·6 | 25·3 | 11·7 | 17·5 |
| Kilkenny, . . | 24·6 | . | 14·7 | 9·8 | 12·3 | Wexford, . . | 9·3 | 23·3 | 4·7 | 9·3 | 11·7 |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·3 per 1,000, the rates varying from 0·0 in twelve of the districts to 10·9 in Limerick, the 25 deaths from all causes in that district including 6 from measles, one from enteric fever, and one from diarrhœa. Among the 76 deaths from all causes for Belfast there were 11 from measles, 2 from whooping-cough, one from diphtheria, 2 from enteric fever, 5 from diarrhœal diseases, and 3 from cerebro-spinal fever. The 31 deaths from all causes in Cork include one from enteric fever and one from diarrhœa; included in the 14 deaths from all causes for Londonderry was one each from whooping-cough and diarrhœa; and the 5 deaths from all causes for Newry include one from enteric fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 191—99 boys and 92 girls; and the deaths to 163—88 males and 75 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 21·8 in every 1,000 of the population. Omitting the deaths (numbering 3) of persons admitted into public institutions from localities outside the Area, the rate was 21·4 per 1,000. During the forty-six weeks ending with Saturday last the death-rate averaged 24·4, and was ·7 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths (163) included 3 from measles, one from whooping-cough, 2 from diphtheria, 2 from enteric fever, and 3 deaths from diarrhœal diseases. In each of the 3

* Exclusive of deaths of persons admitted into Public Institutions from without the respective districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

weeks preceding, deaths from measles were 5, one, and 2; deaths from whooping-cough were one, 0, and 2; deaths from diphtheria were 0, one, and 2; deaths from enteric fever were 0, 2, and 2; and deaths from diarrhœal diseases were 8, 6, and 4. One death was due to influenza.

There were 5 deaths from broncho-pneumonia and 5 deaths from *pneumonia* (not defined).

Of a total of 29 deaths from all forms of tuberculous disease, 13 were from tuberculous phthisis, 9 were returned as from *phthisis*, 4 were caused by tuberculous meningitis, there was one death from tuberculous peritonitis, and there were 2 deaths from other forms of the disease. The deaths from all forms of tuberculous disease registered in the 3 preceding weeks were 26, 28, and 33, respectively.

Five deaths were caused by carcinoma and 5 deaths were caused by cancer (undefined).

The death of one prematurely born infant was registered.

Diseases of the brain and nervous system caused 11 deaths, which included the deaths of 2 infants under one year and one child one year of age from *convulsions*.

There were 27 deaths from diseases of the heart and blood vessels, and 26 deaths from bronchitis.

Of 4 deaths attributed to accident or negligence, one was by a bicycle, one (of a child under 5 years of age) was by scalds, and one was by suffocation in bed of an infant under one year of age.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old) and the death of a person aged 77 years.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 7 were under one month old), and 48 were aged 60 years and upwards, including 22 persons aged 70 and upwards, of whom 8 were octogenarians.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the N. Dublin Union Workhouse, 13 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·4 per 1,000; the rate in the City was 22·7 (North City Districts, 23·4; South, 22·0), and in the Suburbs, 16·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 0·9 (1·0 in the North City Districts, and 0·7 in the South) and for the Suburbs, 3·5 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (15) are equal to an annual rate of 27·0 per 1,000, and include one death from *diarrhœa*, one death from broncho-pneumonia, one death from tuberculous phthisis, one death from tuberculous meningitis, 2 deaths from diseases of the respiratory system, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 26·6 per 1,000. Among the deaths were one from enteric fever, one from broncho-pneumonia, 5 from tuberculous disease of the lungs, and 3 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 22·5 per 1,000. The deaths (13) included one from *pneumonia* (not defined), one from tuberculous phthisis, and 2 deaths from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (16) represent an annual rate of 25·7 per 1,000. There was one death from enteric fever, one death from broncho-pneumonia, one death from *pneumonia* (not defined), tuberculous disease caused 2 deaths, and bronchitis caused 4 deaths.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, No. 1, part of, 14·2 per 1,000 inhabitants, Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. The 3 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (8) represent an annual rate of 10·4 per 1,000. Tuberculous disease caused 2 deaths, and there was one death from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000. Of the 10 deaths registered one was caused by influenza, 3 were caused by tuberculous disease, and 3 by diseases of the heart or of blood vessels; there was one death from exposure of an infant.

*No. 3 South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 27·2 per 1,000. Included in the 22 deaths there was one from broncho-pneumonia, also one death from *pneumonia* (not defined); tuberculous disease caused 4 deaths, and bronchitis caused 6 deaths. There were 2 deaths from accidental circumstances.

*No. 4 South City District* (Grand Canal-street).—The deaths (19) are equivalent to an annual rate of 28·2 per 1,000. Amongst the deaths there was one from diphtheria, one from *pneumonia* (not defined), 3 from tuberculous disease, and 4 deaths from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of 3 deaths registered one was from epidemic diarrhœa and one was from broncho-pneumonia.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 14·6; Pembroke, 13·1; Blackrock, 11·9; and Kingstown, 29·6. The deaths from the principal epidemic diseases tabulated for these districts include 3 from measles for Kingstown, one from whooping-cough for Blackrock, and one from diphtheria and one from epidemic diarrhœa for Rathmines and Rathgar, the 10 deaths from all causes for the latter district including 2 from tuberculous disease of the lungs and 2 from bronchitis. The 7 deaths from all causes for Pembroke include 3 from tuberculous disease of the lungs and one from bronchitis; and among the 10 deaths from all causes for Kingstown there were 2 from diseases of the heart and blood vessels and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases otification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. wcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive nitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock ban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown ban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.
BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 16th November, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Oct. 26, | . | — | — | 10 | . | . | 5 | . | 4 | 21 | 12 | . | — | — | — | — | — | 52 |
| | Nov. 2, | . | — | — | 9 | 1 | . | 3 | . | 2 | 12 | 7 | 1 | — | — | — | — | — | 35 |
| | Nov. 9, | . | — | — | 6 | . | . | 7 | 1 | 1 | 8 | 13 | . | — | — | — | — | — | 36 |
| | Nov. 16, | . | — | — | 4 | . | . | 3 | . | 5 | 10 | 10 | . | — | — | — | — | — | 32 |
| Rathmines and Rathgar Urban District. | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 2, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Nov. 9, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Nov. 16, | . | — | — | 4 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 5 |
| Pembroke Urban District. | Oct. 26, | . | . | 2 | . | . | . | 1 | . | . | 1 | 1 | . | — | . | . | — | — | 5 |
| | Nov. 2 | . | 2 | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 3 |
| | Nov. 9, | . | . | . | . | . | . | . | . | . | 4 | 1 | . | — | 1 | . | — | — | 6 |
| | Nov. 16, | . | 2 | . | 3 | . | . | . | . | 1 | 1 | 1 | . | — | . | . | — | — | 8 |
| Blackrock Urban District. | Oct. 26, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 9, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Nov. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown Urban District. | Oct. 26, | . | — | — | 2 | . | . | . | . | . | . | . | . | — | — | — | — | — | 2 |
| | Nov. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| | Nov. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 16. | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Oct. 26, | . | — | — | 12 | . | . | 7 | . | 5 | 4 | 9 | . | — | — | 5 | — | — | 42 |
| | Nov. 2, | . | — | — | 14 | . | . | 8 | 1 | 3 | 11 | 5 | . | — | — | 2 | — | — | 44 |
| | Nov. 9, | . | — | — | 7 | . | . | 6 | . | 10 | 8 | 12 | . | — | — | 4 | — | — | 47 |
| | Nov. 16, | . | — | — | 16 | . | . | 1 | . | 2 | 10 | 6 | 1 | — | — | 2 | — | — | 38 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the ublin Hospitals during the week ended 16th November, 1907.

From this it appears that:—

Eight cases of measles were admitted into hospital during the week, 9 were discharged, nd 12 cases remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, one was discharged, and 48* cases emained under treatment at the close of the week.

One case of typhus was discharged from hospital during the week, and not one case remained nder treatment at its close.

Two cases of diphtheria were admitted to hospital, 7 were discharged, there was one eath, and 15 patients remained under treatment at the close of the week.

Nine cases of enteric fever were admitted to hospital during the week, 7 were disharged, there was one death, and 56 cases remained under treatment in hospital at the close f the week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, were discharged, there were 2 deaths, and 25 cases remained under treatment at the end f the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the ate was 14·5), was equal to an average annual death-rate of 14·8 per 1,000 persons living, he average rate for 8 principal towns of Scotland was 15·9 per 1,000, the rate for Glasgow eing 17·4 and for Edinburgh 12·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health or Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th ovember. From this Report it appears that of a total of 95 cases notified 52 were scarlet fever, 21 diphtheria, he membranous croup, 5 erysipelas, and one enteric fever. Among the 368 cases of infectious diseases in ospital at the close of the week were 210 cases of scarlet fever, 50 of diphtheria, one of membranous roup, 23 of measles, 14 of enteric fever, 8 of erysipelas, and 7 of whooping-cough.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 16th November, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 16th November, 1907. Numbers Registered. Births. | Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·1 | 21·6 | 2·3 | 560 | 463 | 93 | 117 | . | 20 | . | . | 4 | 3 | . | 7 | 15 | 34 | 55 | 20 | 19 | 68 | 14 | 19 | 138 | 18 |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 25·5 | 21·4 | 1·5 | 191 | 160 | 34 | 47 | . | 3 | . | . | 1 | 2 | . | 2 | 3 | 9 | 22 | 7 | 10 | 26 | 4 | 4 | 63 | 3 |
| City of Dublin, | 300,850 | 38·0 | 28·6 | 22·7 | 0·9 | 165 | 131 | 30 | 36 | . | . | . | . | . | 1 | . | 2 | 2 | 9 | 17 | 6 | 6 | 22 | 4 | 4 | 54 | 3 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 13·2 | 14·6 | 2·9 | 9 | 10 | 1 | 6 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . | 3 | . |
| Pembroke | 27,854 | 17·5 | 16·8 | 13·1 | . | 9 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . | 2 | . |
| Blackrock | 8,759 | 8·1 | 11·9 | 11·9 | 6·0 | 2 | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 17·8 | 29·6 | 8·9 | 6 | 10 | 2 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . | 4 | . |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 24·4 | 24·8 | 3·0 | 178 | 176 | 36 | 39 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 32 | 3 | 5 | 40 | 2 |
| Cork, | 76,122 | 33·6 | 30·1 | 21·2 | 1·4 | 44 | 51 | 5 | 4 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | 1 | 1 | 3 | 13 | 1 |
| Londonderry, | 42,475 | 19·6 | 19·6 | 17·2 | 2·5 | 16 | 14 | 1 | 5 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . | 2 | . |
| Limerick, | 38,151 | 18·1 | 17·8 | 34·2 | 10·9 | 13 | 25 | 5 | 4 | . | 6 | . | . | . | . | . | 1 | 1 | . | 3 | 1 | 1 | 8 | 3 | 3 | 10 | 2 |
| Waterford, | 26,769 | 18·7 | 23·4 | 11·7 | 1·9 | 12 | 6 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | . | 1 | 2 |
| Galway, | 13,426 | 2·5 | 68·3 | 11·7 | . | 15 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Dundalk, | 13,076 | 9·4 | 27·9 | 16·0 | . | 7 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Drogheda, | 12,760 | 8·6 | 53·1 | 24·5 | . | 13 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Newry, | 12,405 | 17·8 | 4·2 | 21·0 | 4·2 | 1 | 5 | . | 3 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | 2 | 1 | . |
| Lurgan, | 11,782 | 13·8 | 26·6 | 17·7 | 4·4 | 6 | 4 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . | 1 | . |
| Lisburn, | 11,461 | 10·1 | 31·8 | . | . | 7 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Wexford, | 11,168 | 23·2 | 28·3 | 9·3 | 4·7 | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Ballymena, | 10,886 | 8·9 | 43·1 | 19·2 | . | 9 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . |
| Sligo, | 10,870 | 8·7 | 24·0 | 33·6 | . | 5 | 7 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 4 |
| Kilkenny, | 10,609 | 11·5 | 29·5 | 9·8 | . | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Clonmel, | 10,167 | 7·8 | 5·1 | 15·4 | . | 1 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Portadown, | 10,099 | 13·2 | 20·7 | 5·2 | . | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tralee, | 9,867 | 16·6 | 47·6 | 26·4 | 5·3 | 9 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 1 | 3 | . |
| Newtownards, | 9,110 | 18·9 | 45·8 | 11·4 | . | 8 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Queenstown, | 7,909 | 14·4 | 59·3 | 19·8 | . | 9 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . |
| Armagh, | 7,588 | 22·2 | 41·2 | . | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

| Towns and Districts. | Meteorology. (e) Week ending 16th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 9th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 2nd November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | ° | ° | ° | . | ° | ° | ° | . | ° | ° | ° | . |
| Dublin Registration Area: Total, d. | f54·3 | 33·4 | 44·1 | 0·16 | f56·7 | 30·3 | 45·1 | 0·18 | f56·8 | 32·1 | 49·0 | 1·84 |
| City of Dublin, | g55·1 | 36·6 | 45·7 | 0·11 | g56·1 | 36·1 | 46·8 | 0·26 | g55·4 | 36·3 | 49·6 | 1·65 |
| | h54·9 | 32·0 | 44·0 | 0·18 | h56·8 | 31·0 | 44·8 | 0·25 | h55·6 | 32·0 | 49·1 | 1·72 |
| Urban Dists. Rathmines and Rathgar. | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 56 | 40 | 47·5 | 0·04 | 56 | 40 | 47·8 | 0·46 | 53·5 | 36 | 49·5 | 0·94 |
| Urban Districts. | | | | | | | | | | | | |
| Belfast (i), | 55·0 | 32·5 | 44·6 | 0·55 | 56·0 | 33·5 | 46·5 | 0·32 | 53·6 | 31·0 | 46·5 | 0·53 |
| Cork, | 54 | 37 | 47·1 | 0·19 | 55 | 39 | 47·8 | 0·82 | 55 | 39 | 49·6 | 2·29 |
| Londonderry, | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 55 | 32 | 45·4 | 0·39 | 60 | 33 | 49 | 0·78 | 57 | 40 | 49·4 | 0·32 |
| Dundalk, | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 |
| Lurgan, | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 |
| Lisburn, | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 |
| Wexford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 53·5 | 28·2 | 44·4 | 0·77 | 54·6 | 28·5 | 43·7 | 0·41 | 57·5 | 31·7 | 47·8 | 0·30 |
| Kilkenny, | 54 | 29 | 43·0 | 0·21 | 56 | 32 | 43·9 | 0·76 | 56 | 31 | 48·9 | 1·17 |
| Clonmel, | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 |
| Tralee, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 51 | 37 | 45·7 | 0·70 | 56 | 40 | 49·1 | 0·27 | 54 | 36 | 48·5 | 0·33 |
| Queenstown, | 54 | 37 | 47·1 | 0·19 | 55 | 39 | 47·8 | 0·82 | 55 | 39 | 49·6 | 2·29 |
| Armagh, | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 | 55·3 | 36·3 | 46·9 | 0·43 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 3 deaths of persons (including one under 1 year old and one at 68 years), admitted to hospital from localities outside the Area. e [illegible] Meteorological Observations [illegible] Glasnevin. f Observations at Ordnance Survey Office, Phœnix Park. g Observations by Sir John Moore taken at Fitzwilliam Square. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 16th of November, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLONTARF & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 3 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . |
| Enteric Fever, | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 3 | . |
| Diarrhœal Diseases, | 1 | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . | 9 | 1 |
| Pneumonia, | 1 | 1 | 1 | 2 | . | . | . | . | . | 4 | 2 | . | 2 | 3 | . | . | 22 | . |
| Tuberculous Disease: Phthisis, | 1 | 5 | 1 | 1 | . | 1 | . | . | 2 | 1 | . | . | . | . | . | 1 | 7 | . |
| Tuberculous Disease: Other Forms, | 1 | . | . | 1 | . | . | . | 2 | . | 1 | 1 | . | 1 | 1 | . | 2 | 10 | . |
| Cancer, Malignant Disease, | . | 3 | . | . | . | 1 | . | . | 1 | . | 3 | 1 | . | . | . | . | 8 | . |
| Other General Diseases, | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 6 | 10 | 2 | 6 | . | 2 | . | 2 | 4 | 7 | 9 | 3 | 5 | 4 | 1 | 6 | 67 | 1 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | 1 | 2 | 2 | . | . | . | . | 2 | 1 | 2 | . | . | . | 1 | . | . | 11 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Diseases of: Heart and Blood Vessels, | 3 | 2 | 1 | 4 | . | . | 2 | 1 | 3 | 4 | 2 | . | 2 | 1 | . | 2 | 27 | . |
| Diseases of: Respiratory System, | 2 | 3 | 2 | 4 | . | . | . | 1 | . | 6 | 4 | . | 2 | 1 | . | 1 | 26 | 1 |
| Diseases of: Digestive System, | . | 2 | 2 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 5 | . |
| Diseases of: Lymphatic System &c. | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of: Urinary System, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 3 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 7 | 9 | 8 | 9 | . | 1 | 2 | 4 | 4 | 13 | 7 | . | 4 | 3 | 1 | 4 | 76 | 1 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | 1 | 3 | 1 | . | . | . | 2 | 1 | . | 3 | . | 1 | . | . | . | 13 | 1 |
| **E. VIOLENT DEATHS,** | 1 | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | 4 | . |
| **Deaths from all Causes,** | 15 | 20 | 13 | 16 | . | 3 | 2 | 8 | 10 | 22 | 19 | 3 | 10 | 7 | 2 | 10 | 160 | 3 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 27·0 | 26·6 | 22·5 | 25·7 | . | 14·2 | 14·4 | 10·4 | 25·3 | 27·2 | 28·2 | 17·6 | 14·6 | 13·1 | 11·9 | 29·6 | 21·4 | . |
| | 23·4 | | | | | | | 22·0 | | | | | 16·8 | | | | | |
| | 22·7 | | | | | | | | | | | | | | | | | |
| **Ages at Death:** Under 1 year, | 4 | 4 | 4 | 5 | . | . | . | 4 | 3 | 3 | 2 | 1 | 1 | 1 | . | 2 | 34 | 1 |
| 1 and under 5 years, | . | . | 2 | . | . | . | . | 1 | . | 2 | . | 1 | . | . | . | 1 | 7 | . |
| 5 ,, 20 ,, | 1 | . | . | 1 | . | . | . | 1 | . | 2 | 1 | . | 2 | . | 2 | 1 | 11 | . |
| 20 ,, 40 ,, | 6 | 8 | 1 | 4 | . | 1 | . | . | 2 | 5 | . | . | 1 | 2 | . | 2 | 32 | 1 |
| 40 ,, 60 ,, | . | 7 | 2 | 2 | . | 1 | . | 1 | 2 | 3 | 8 | . | . | 2 | . | 1 | 29 | . |
| 60 and upwards, | 4 | 1 | 4 | 4 | . | 1 | 2 | 1 | 3 | 7 | 8 | 1 | 6 | 2 | . | 3 | 47 | 1 |
| Number of Uncertified Deaths, | . | 1 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 5 | 3 | 3 | . | . | . | 2 | 2 | 7 | 7 | . | 3 | . | . | 3 | 37 | 3 |
| Workhouse Hospitals, | 1 | 3 | 3 | 6 | . | . | . | 2 | 4 | 2 | 2 | . | . | 2 | . | 1 | 26 | . |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease register in the week of the ten years, 17-19

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 46th Week of the 10 years 1897–1906. | In the Week ending Saturday 16th November, 190 | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the | | | | | |
| | Nov. 20, 1897. | Nov. 19, 1898. | Nov. 18, 1899. | Nov. 17, 1900. | Nov. 16, 1901. | Nov. 15, 1902. | Nov. 21, 1903. | Nov. 19, 1904. | Nov. 18, 1905. | Nov. 17, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. | 20 and under 40. |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | | |
| Mean Temperature. | ° 46·3 | ° 43·6 | ° 48·0 | ° 44·4 | ° 40·2 | ° 47·9 | ° 40·2 | ° 45·8 | ° 38·0 | ° 42·9 | ° 43·7 | ° 44·1 | | | | | |
| **ALL CAUSES.** | 156 | 186 | 248 | 179 | 180 | 202 | 182 | 183 | 158 | 191 | 186·5 | 163 | 7 | 28 | 7 | 11 | 33 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... . ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 51 | 1 | . | 10 | . | 8 | . | 9 | 7·9 | 3 | . | 2 | 1 | . | . |
| Scarlet Fever, ... ... | 1 | . | 2 | 1 | . | 2 | . | . | 1 | . | ·7 | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | 2 | . | . | . | . | ·2 | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | . | 3 | 2 | . | 3 | 1 | 1 | 1 | 4 | 3 | 1·8 | 1 | . | . | . | . | 1 |
| Whooping-cough, ... ... | . | 2 | 2 | 2 | 1 | 1 | 2 | 4 | 1 | 1 | 1·6 | 1 | . | . | . | 1 | . |
| Diphtheria, ... ... | 1 | 1 | 3 | 1 | 3 | 1 | 2 | 1 | 1 | . | 1·4 | 2 | . | 1 | . | 1 | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . |
| Enteric Fever, ... ... | 6 | 3 | 9 | 3 | . | 4 | 2 | 2 | . | 1 | 3·0 | 2 | . | . | . | 2 | . |
| Asiatic Cholera, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 2 | 2 | 5 | 4 | 2 | . | . | 1 | . | . | 3·2 | 2 | . | 2 | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 3 | 4 | 4 | 2 | 3 | | 1 | . | 1 | . | . | . |
| Tetanus, ... ... ... | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 1 | . | 2 | 2 | . | 2 | 2 | 2 | 2 | 1 | 1·4 | . | . | . | . | . | . |
| Puerperal Septicæmia, | . | . | 1 | . | . | . | 1 | 1 | . | . | ·3 | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 5 | 23 | 22 | 9 | 8 | . | 1 | 1 | 3 | 5 | 13·7 | . | . | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 2 | 9 | 6 | 6 | 4 | | 5 | . | 2 | 1 | . | 2 |
| Pneumonia, Epidemic, | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 7 | 8 | 9 | 5 | 3 | | 5 | . | 2 | . | . | 2 |
| Erysipelas, ... ... | . | . | . | 1 | 1 | . | . | . | 2 | . | ·4 | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | 1 | . | . | . | . | 1 | 1 | . | 2 | ·5 | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | 2 | . | . | ·2 | . | . | . | . | . | . |
| Tuberculous Phthisis, | 16 | 22 | 17 | 30 | 36 | . | 2 | 10 | 11 | 8 | 22·8 | 13 | . | . | . | 1 | 9 |
| "*Phthisis*," ... | | | | | | 19 | 18 | 13 | 15 | 11 | | 9 | . | . | . | 1 | 4 |
| Tuberculous Meningitis, ... | 6 | 3 | 6 | 3 | 3 | 2 | 5 | 2 | 3 | . | 3·3 | 4 | . | 1 | . | 2 | 1 |
| Tuberculous Peritonitis, | 6 | 6 | 5 | 2 | 4 | 2 | 2 | 1 | . | . | 2·9 | 1 | . | . | . | 1 | . |
| *Tabes Mesenterica*. ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 5 | 4 | 4 | . | 3 | 3 | 6 | 5 | 9 | 5 | 4·4 | 2 | . | 2 | . | . | . |
| *Scrofula*, ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | . | . | 2 | . | 1 | . | 1 | . | ·5 | . | . | . | . | . | . |
| Rheumatic Fever, ... | . | . | . | . | . | . | . | 2 | 1 | . | ·3 | . | . | . | . | . | . |
| Gout, ... ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | . | . | . | . |
| Carcinoma, ... | 6 | 4 | 10 | 6 | 9 | . | 2 | 4 | 2 | 7 | 7·4 | 5 | . | . | . | . | 1 |
| Sarcoma, ... ... | | | | | | 1 | . | . | . | 2 | | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 5 | 4 | 5 | 3 | 4 | | 5 | . | . | . | 1 | 2 |
| Diabetes Mellitus, ... | . | . | . | . | . | 1 | 1 | 1 | . | 1 | ·4 | . | . | . | . | . | . |
| Premature Birth, ... | 1 | 5 | 4 | 3 | 8 | 2 | 1 | 3 | 5 | 5 | 3·7 | 1 | . | 1 | . | . | . |

* The figures for the years 1897–190

† Formerly descr

SIXTH WEEK ending Saturday, 16th November, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 46th Week of the 10 years 1897–1906. | In the Week ending Saturday, 16th November, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Nov. 20, 1897. | Nov. 19, 1898. | Nov. 18, 1899. | Nov. 17, 1900. | Nov. 16, 1901. | Nov. 15, 1902. | Nov. 21, 1903. | Nov. 19, 1904. | Nov. 18, 1905. | Nov. 17, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| ean Temperature. | ° 46·3 | ° 43·6 | ° 48·0 | ° 41·4 | ° 40·2 | ° 47·9 | ° 40·2 | ° 45·8 | ° 38·0 | ° 42·9 | ° 43·7 | Mean Temp. ° 44·1 | | | | | | | | |
| gitis (not tuberc.) ... | | | | | | 2 | 1 | 5 | 1 | 2 | | 4 | . | 3 | 1 | . | . | . | . | . |
| ity, G. P. of Insane ... | | | | | | 1 | 2 | 1 | 2 | . | | 2 | . | . | . | . | 2 | . | . | . |
| psy .. ... | | | | | | . | 2 | . | . | 1 | | 1 | . | . | . | 1 | . | . | . | . |
| *elsions* ... .. | | | | | | 7 | 8 | 7 | 4 | 5 | | 3 | . | 2 | 1 | . | . | . | . | . |
| notor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | . | 4 | 1 | 2 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| ous System (other ) | 28 | 30 | 31 | 37 | 36 | 4 | 1 | 3 | 2 | 5 | 37·5 | . | . | . | . | . | . | . | . | . |
| Dis., Endocarditis | | | | | | 6 | 4 | 7 | 6 | 5 | | 4 | . | . | . | 3 | . | 1 | . | . |
| or. Hæm. Thromb. | | | | | | 2 | 2 | 2 | 2 | 2 | | 5 | . | . | . | 3 | 2 | . | . | . |
| *exy, Hemiplegia* ... | | | | | | 9 | 6 | 3 | 3 | 4 | | 4 | . | . | . | . | . | 4 | . | . |
| rysm ... ... | | | | | | 1 | 2 | . | . | . | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | 1 | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| and Blood Vessel Dis. | | | | | | 20 | 13 | 11 | 12 | 15 | | 14 | . | . | . | 1 | 1 | 5 | 6 | 1 |
| (not Spasm. nor mb.) | . | . | 1 | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 26 | 26 | 26 | 22 | 15 | 26 | 31 | 21 | 24 | 31 | 24·8 | 26 | . | 3 | . | 1 | . | 8 | 11 | 3 |
| na, Emphysema ... | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| isy ... ... | 4 | 4 | 1 | 5 | 2 | . | . | . | . | 1 | 2·5 | . | . | . | . | . | . | . | . | . |
| ratory Dis. (other) ... | | | | | | 2 | 1 | 1 | 1 | 2 | | 1 | . | . | . | 1 | . | . | . | . |
| llitis, Quinsy ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | | | | | | . | 1 | 1 | . | 4 | | . | . | . | . | . | . | . | . | . |
| *o Enteritis* ... ... | 1 | 1 | . | 1 | 1 | . | 1 | 1 | 2 | 2 | 1·6 | 1 | . | 1 | . | . | . | . | . | . |
| *nitis* (not Puerp.) ... | 1 | 2 | 2 | . | . | 1 | 1 | . | . | . | ·7 | . | . | . | . | . | . | . | . | . |
|osis of Liver ... | | | | | | 2 | . | 3 | . | 1 | | . | . | . | . | . | . | . | . | . |
| Dis. (other) ... | 4 | 3 | 1 | 1 | 2 | 1 | 2 | 1 | . | . | 2·1 | 2 | 1 | . | . | . | . | 1 | . | . |
| tive Dis. (other) ... | 3 | 4 | 7 | 7 | 4 | 8 | 5 | 4 | 3 | 5 | 5·0 | 2 | . | . | . | . | 1 | 1 | . | . |
| ritis, Acute ... | | | | | | 4 | . | 2 | 1 | . | | 1 | . | . | . | 1 | . | . | . | . |
| tt's Dis., Albuminuria | 6 | 4 | 2 | 7 | 2 | 2 | 3 | 5 | 2 | 1 | 4·3 | 2 | . | . | 1 | . | 1 | . | . | . |
| ary Sys. (Other Dis.) | | | | | | 2 | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| rative Organs Dis. ... | 1 | 1 | 1 | . | . | . | . | . | . | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | . | . | . | 2 | . | 1 | 1 | . | ·4 | 1 | . | . | . | . | 1 | . | . | . |
| *age* ... ... | 8 | 10 | 12 | 14 | 12 | 6 | 6 | 3 | 3 | 3 | 7·7 | 5 | . | . | . | . | . | . | 2 | 3 |
| r Diseases ... ... | 8 | 15 | 13 | 10 | 16 | 20 | 10 | 4 | 5 | 15 | 11·6 | 17 | 6 | 3 | 2 | . | 1 | 1 | 4 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ehicles and Horses ... | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | 1 | . | . | . | . | 1 | . | . | . |
| ips, Boats, Docks (exsive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | 1 | 3 | 3 | 2 | . | . | 1 | 1 | 2 | 2 | 1·5 | 1 | . | . | 1 | . | . | . | . | . |
| rowning ... ... | 1 | . | 1 | 2 | 2 | . | . | 1 | . | 2 | ·9 | . | . | . | . | . | . | . | . | . |
| uffocation in Bed ... | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | 1 | . | 1 | . | . | . | . | . | . |
| Poison or Poisonous ours | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| r Deaths by Accident | 4 | . | . | 2 | 1 | 2 | . | 2 | 1 | 4 | 1·6 | 1 | . | 1 | . | . | . | . | . | . |
| **LENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| de ... ... | 1 | . | 1 | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. | Nov. 16. |
| No. of weeks in Annual Series. | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 |
| BIRTHS registered, | 200 | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 | 191 |
| *Average Births in corresponding week of previous 10 years,** | 193 | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 | 200 |
| DEATHS registered, | 203 | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 | 163 |
| Annual Death-rate per 1,000, | 27·1 | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 | 21·8 |
| *Average Deaths in corresponding week of previous 10 years,** | 168 | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 | 187 |
| AGES, Under 5 years, | 62 | 59 | 52 | 52 | 53 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 | 42 |
| 5—20 " | 16 | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 | 11 |
| 20—40 " | 36 | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 | 18 | 35 | 33 |
| 40—60 " | 42 | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 | 29 |
| 60—80 " | 38 | 51 | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 | 40 |
| 80 years and upwards, | 9 | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 | 5 | 7 | 6 | 8 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 6 | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 | 3 |
| Scarlet Fever | . | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . |
| Typhus, | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| Whooping-cough, | 10 | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . | 2 | 1 |
| Diphtheria, | . | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| Enteric Fever, | 1 | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 8 | 1 | . | 2 | 2 | 2 |
| Diarrhœal Diseases, | . | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 | 3 |
| Influenza, | 1 | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 |
| Pneumonia, | 25 | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 | 10 |
| Tuberculous Disease. Phthisis, | 27 | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 | 25 | 13 | 16 | 25 | 22 |
| Tuberculous Disease. Other Forms, | 17 | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 | 7 |
| Cancer, Malignant Disease, | 11 | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 | 6 | 10 |
| Diseases of Heart and Blood Vessels, | 23 | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 | 37 | 27 |
| Diseases of Respiratory System, | 23 | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 | 17 | 27 |
| Violent Deaths, | 5 | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | . | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 | 4 |
| Number of Uncertified Deaths, | 3 | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 45·0 | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 | 44·1 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 50·3 | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 | 43·7 |
| Rainfall in inches, | ·187 | ·488 | 1·535 | ·325 | ·336 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·284 | ·401 | ·645 | 1·842 | ·178 | ·156 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·81 | ·88 | ·86 | ·83 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 | ·86 | ·94 | ·92 | ·96 | ·88 |

* See note (*) at foot of Table IV.

† Formerly described as "Simple Continued Fever."

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH NOVEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 22·6 | 163 | 42 | 11 | 33 | 29 | 40 | 8 | . | 3 | . | . | 1 | 2 | . | 2 | 3 | 11 | 10 | 22 | 7 | 10 | 3 | 27 | 4 | 69 | 3 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 9·0 | 3 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| II. | Middle Class, | 87,188 | 22·1 | 37 | 7 | 6 | 7 | 8 | 7 | 2 | . | . | . | . | . | 2 | . | 1 | . | 3 | 4 | 5 | 3 | 2 | . | 5 | . | 15 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 17·0 | 36 | 6 | . | 11 | 5 | 13 | 1 | . | 1 | . | . | . | . | . | 1 | 1 | 3 | 1 | 3 | 1 | 2 | . | 7 | 1 | 18 | . |
| IV. | General Service Class, | 154,279 | 28·3 | 61 | 24 | 5 | 7 | 12 | 11 | 2 | . | 2 | . | . | 1 | . | . | . | 2 | 5 | 3 | 8 | 2 | 3 | 3 | 9 | 2 | 26 | 2 |
| V. | Inmates of Workhouses, | 6,024 | | 26 | 4 | . | 7 | 4 | 9 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 6 | 1 | 3 | . | 5 | 1 | 9 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | 1 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . | 1 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 27·0 | 4 | 1 | 2 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 30·8 | 13 | 4 | 1 | 1 | 3 | 2 | 2 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | 1 | 2 | . | 2 | . | 5 | 1 |
| | 6. Clerks and Commercial Assistants, | 30,482 | 24·3 | 13 | 1 | 3 | 3 | 2 | 4 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 1 | 2 | . | . | 2 | . | 6 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 13·5 | 7 | 1 | . | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | 1 | . | 3 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 5·3 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 10·5 | 6 | 2 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | . | 3 | . |
| | 10. Clothing Trades, | 23,260 | 15·7 | 7 | . | . | 2 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 4 | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 22·3 | 13 | 2 | . | 2 | 3 | 5 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 3 | . | 1 | . | . | . | 7 | . |
| | 13. Petty Shopkeepers, | 7,894 | 33·0 | 5 | 2 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | . | 3 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 27·2 | 7 | 2 | 1 | 1 | 3 | . | . | . | 1 | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | . | . | . | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 11·4 | 8 | 1 | 1 | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 5 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 14·5 | 4 | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . | 2 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 24·4 | 42 | 18 | 3 | 6 | 7 | 7 | 1 | . | 1 | . | . | 1 | . | . | . | . | 2 | 2 | 5 | 1 | 3 | 3 | 8 | 2 | 16 | 2 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 26 | 4 | . | 7 | 4 | 9 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 6 | 1 | 3 | . | 5 | 1 | 9 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of Living, the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* of similar Statistics for each of

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Sept. 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . |
| | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . |
| | „ 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . |
| | „ 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . |
| | „ 26, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | 1 | . |
| | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | „ 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . |
| | „ 16, | 27·0 | 1·8 | 15 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Sept. 28, | 18·6 | 2·7 | 14 | . | . | . | . | . | . | . | . | 2 | . | 3 | . | . | 2 | 1 |
| | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . |
| | „ 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 |
| | „ 19, | 24·0 | 2·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 |
| | „ 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 |
| | Nov. 2, | 24·0 | 1·3 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . |
| | „ 9, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . |
| | „ 16, | 26·6 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | 3 | 3 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Sept. 28, | 20·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 1 | 1 |
| | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 |
| | „ 12, | 24·2 | 3·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 |
| | „ 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 |
| | „ 26, | 26·0 | 1·7 | 15 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . |
| | „ 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . |
| | „ 16, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Sept. 28, | 24·1 | 4·8 | 15 | . | . | . | . | . | . | . | . | 3 | . | 1 | 3 | 1 | . | . |
| | Oct. 5, | 30·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . |
| | „ 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . |
| | „ 19, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . |
| | „ 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . |
| | „ 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . |
| | „ 16, | 25·7 | 1·6 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | 4 | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Sept. 28, | 29·5 | 5·2 | 18 | . | . | . | . | . | . | . | . | 4 | . | 1 | 1 | . | 2 | 1 |
| | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | 1 | . | . |
| | „ 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . |
| | „ 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . |
| | „ 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 3 |
| | Nov. 2, | 23·5 | 1·3 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 5 | 1 |
| | „ 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | „ 16, | 10·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Sept. 28, | 25·3 | 2·5 | 10 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | 2 | 2 | . | . |
| | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . |
| | „ 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . |
| | „ 19, | 15·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . |
| | „ 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 |
| | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | „ 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . |
| | „ 16, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Sept. 28, | 14·8 | 6·2 | 12 | . | . | . | . | . | 1 | . | . | 4 | . | . | 2 | 1 | . | . |
| | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . |
| | „ 12, | 18·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . |
| | „ 19, | 22·2 | 3·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . |
| | „ 26, | 23·5 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . |
| | Nov. 2, | 19·8 | 3·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . |
| | „ 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 |
| | „ 16, | 27·2 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | 1 | 6 | 2 |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,138. | Sept. 28, | 22·3 | 3·0 | 15 | . | . | . | 1 | . | . | 1 | . | . | 1 | 3 | . | . | 4 | 1 |
| | Oct. 5, | 22·3 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . |
| | „ 12, | 23·7 | 3·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . |
| | „ 19, | 19·3 | 3·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . |
| | „ 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . |
| | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . |
| | „ 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 |
| | „ 16, | 28·2 | 1·5 | 19 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 4 | . |

* Formerly described as "Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of pulation represented thereby, and by the Deaths from certain Epidemic Diseases; with blic Institutions being assigned to the Districts from which the deceased were admitted; also, ovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| Rathmines and Rathgar Urban District. Pop. in 1907 (Est.) 35,606. | Sept. 28, | 14·6 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 2 |
| | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| | „ 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | 8 | . | 2 | 1 | . | . |
| | „ 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| | „ 26, | 13·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| | „ 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| | „ 16, | 14·6 | 2·9 | 10 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . |
| Pembroke Urban District. Pop. in 1907 (Est.) 27,854. | Sept. 28, | 15·0 | 3·7 | 8 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | 1 | . | . |
| | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| | „ 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | „ 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| | „ 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| | „ 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| | „ 16, | 18·1 | . | 7 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| Kingstown Urban District. Pop. in 1907 (Est.) 17,622. | Sept. 28, | 20·7 | 8·9 | 7 | . | 1 | . | . | 1 | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | Oct. 5, | 20·7 | 3·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| | „ 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | „ 9, | 53·3 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| | „ 16, | 29·6 | 8·9 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . |
| Belfast. Pop. in 1907 (Est.) 370,168. | Sept. 28, | 16·5 | 3·0 | 117 | . | 5 | . | . | . | 1 | . | 1 | 14 | 8 | 20 | 6 | 1 | 7 | . | 3 |
| | Oct. 5, | 17·7 | 3·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| | „ 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| | „ 19, | 19·4 | 4·1 | 138 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| | „ 26, | 23·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| | Nov. 2, | 20·4 | 2·3 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| | „ 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 1 |
| | „ 16, | 24·8 | 3·0 | 176 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 32 | 3 | 2 |
| Cork. Pop. (in 1901) 76,122. | Sept. 28, | 21·2 | 3·4 | 31 | . | . | . | . | . | . | . | . | 5 | . | 3 | 2 | 2 | 4 | . | 2 |
| | Oct. 5, | 26·0 | 6·2 | 38 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| | „ 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| | „ 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| | „ 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| | Nov. 2, | 17·8 | 3·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 3 |
| | „ 16, | 21·2 | 1·4 | 31 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | 1 | 1 | 1 |
| Londonderry. Pop. in 1907 (Est.) 42,475. | Sept. 28, | 17·2 | 1·2 | 14 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 3 | 1 | . | . |
| | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . | 1 | . | . |
| | „ 12, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| | „ 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| | „ 26, | 18·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| | „ 9, | 12·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| | „ 16, | 17·2 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . |
| Limerick. Pop. (in 1901) 38,151. | Sept. 28, | 21·9 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 2 | 2 | . | 3 |
| | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| | „ 19, | 13·7 | 2·7 | 10 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | 1 |
| | „ 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| | Nov. 2, | 23·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| | „ 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 16, | 34·2 | 10·9 | 25 | . | 6 | . | . | . | . | . | 1 | 1 | . | 3 | 1 | 1 | 3 | 3 | 2 |
| Waterford. Pop. (in 1901) 26,769. | Sept. 28, | 23·4 | 7·8 | 12 | . | . | . | . | . | . | . | . | 4 | 1 | 1 | 1 | . | . | 1 | 1 |
| | Oct. 5, | 44·8 | 13·6 | 23 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |
| | „ 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |
| | „ 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |
| | „ 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |
| | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 1 |
| | „ 9, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | 1 |
| | „ 16, | 11·7 | 1·9 | 6 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th November, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrheal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 10 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 7 | 1 | 1 | 1 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | 2 | . |
| Do. 2 " | 47,959 | 17 | | | 21 | 4 | . | 2 | 5 | 4 | 6 | . | . | . | . | . | . | . | 1 | . | . | 4 | 1 | 1 | 3 | . | . | 5 | 2 |
| Do. 3 " | 47,214 | 30 | | | 24 | 2 | 5 | 1 | 2 | 7 | 7 | . | 1 | . | . | . | 1 | . | . | 1 | 4 | . | 1 | . | 7 | . | . | 10 | . |
| Do. 4 " | 40,911 | 21 | | | 20 | 2 | 3 | 4 | 4 | 4 | 3 | . | 2 | . | . | . | . | . | . | . | . | 2 | 1 | . | 2 | . | . | 8 | . |
| Do. 5 " | 17,387 | 9 | | | 9 | 2 | 2 | 1 | . | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 5 | . |
| Do. 6 " | 48,122 | 19 | | | 20 | 6 | . | 4 | 5 | 4 | 11 | . | . | . | . | 1 | . | . | . | . | 7 | 2 | 1 | 1 | 3 | 1 | 1 | 5 | . |
| Do. 7 " | 1,524 | . | | | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 8 " | 5,060 | 9 | | | 3 | . | . | 1 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | . |
| Do. 9 " | 19,569 | 14 | | | 8 | 3 | 1 | . | 1 | 2 | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 2 | . | . | 1 | . |
| Do. 10 " | 28,064 | 10 | | | 17 | 6 | 2 | . | 2 | 5 | 1 | . | 5 | . | . | . | . | . | . | . | . | 2 | . | . | 5 | . | 1 | 1 | . |
| Do. 11 " | 34,802 | 16 | | | 10 | 2 | 3 | . | 5 | 1 | 1 | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . |
| Do. 12 " | 33,588 | 14 | | | 19 | 8 | 6 | 1 | 2 | 1 | 1 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | 2 | 2 | 2 | . |
| Do. 13 " | 15,006 | 4 | | | 6 | . | . | . | 2 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . | . | . |
| Do. 14 " | 240 | . | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Total, | 349,180 | 173 | | | 176† | 36 | 24 | 15 | 28 | 34 | 39 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 32 | 3 | 5 | 40 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT, | 12,867 | 9 | 16·2 | . | 4 | . | . | | 4 | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 2 | . |
| Do. 2 " | 10,701 | 5 | 14·6 | . | 3 | . | . | | 3 | | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | 1 | . |
| Do. 3 " | 9,978 | 7 | 31·4 | 5·2 | 6 | 2 | . | | 3 | | 1 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 1 | . | . | 5 | 1 |
| Do. 4 " | 8,666 | 5 | 30·1 | . | 5 | 1 | . | | 4 | | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 1 | . |
| Do. 5 " | 6,592 | 6 | 15·8 | . | 2 | . | 1 | | 1 | | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . |
| Do. 6 " | 10,702 | 5 | 9·7 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . |
| Do. 7 " | 16,616 | 7 | 28·2 | 3·1 | 9 | 2 | 1 | | 4 | | 2 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | 1 | 3 | 4 | . |
| Total, | 76,122 | 44 | 21·2 | 1·4 | 31 | 5 | 2 | | 20 | | 4 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | 1 | 1 | 3 | 13 | 1 |

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | May. 25. | June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. | Nov. 16. |
| No. of weeks in Annual Series, | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 |
| Births registered, | 239 | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 248 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 | 173 |
| Deaths registered, | 164 | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145 | 176† |
| Annual Death-rate per 1,000 of estimated Population, | 23·1 | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 | 23·2 | 20·4 | 20·4 | 24·8 |
| Ages — Under 1 year | 22 | 32 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 13 | 40 | 38 | 47 | 48 | 30 | 31 | 24 | 36 |
| 1–5 years, | 31 | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 | 24 |
| 5–20 years, | 24 | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 | 15 |
| 20–40 years, | 34 | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 | 28 |
| 40–60 years, | 27 | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 | 34 |
| 60 years and upwards, | 26 | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 33 | 37 | 38 | 39 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 | 11 |
| Scarlet Fever, | . | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 2 | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 | 2 |
| Diphtheria, | . | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Enteric Fever, | 2 | . | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 | 2 |
| Diarrhœal Diseases, | 3 | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 | 5 |
| Pneumonia, | 6 | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 | 18 |
| Tuberculous Disease, — Phthisis, | 32 | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 | 14 |
| Tuberculous Disease, — Other Forms, | 9 | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 | 8 |
| Cancer Malignant Disease, | 5 | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 | 3 |
| Diseases of Respiratory System, | 17 | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 | 26 | 32 |
| Violent Deaths, | 5 | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 3 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 | 3 |
| Number of Uncertified Deaths, | 5 | 4 | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 | 2 |

* Formerly described as "Simple Continued Fever."
† Including 3 deaths returned as from *cerebro-spinal fever.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Nov. 16, | 2,342 | 1,326 | 14·5 | . | 21 | 9 | 21 | 17 | 6 | 34 |
| EDINBURGH, | 345,747 | „ 16, | 129 | 80*a* | 12·1 | . | . | . | . | 2 | . | 1 |
| GLASGOW, | 847,584 | „ 16, | 420 | 283*a* | 17·4 | . | 17 | 1 | 3 | 5 | 4 | 3 |
| CALCUTTA, | 847,796 | Sept. 28, | . | 474 | 29·0 | 2 | . | . | . | . | 131‡ | 98* |
| BOMBAY, | 977,822 | Oct. 15, | 429 | 675 | 35·9 | 1 | 1 | . | . | . | 78‡ | 71* |
| MADRAS, | 509,346 | Sept. 27, | 439 | 562 | 57·3 | 1 | 4 | ? | ? | ? | 148 | 165* |
| PARIS, | 2,722,731 | Nov. 2, | 878 | 823 | 15·7 | . | 3 | 6 | 2† | 4 | . | 44 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | Oct. 26, | 193 | 134 | 11·1 | . | . | 1 | 1† | . | 1 | 14 |
| ANTWERP, | 304,032 | „ 26, | 114 | 84 | 14·4 | . | . | . | 1† | . | 1 | 24 |
| AMSTERDAM, | 564,749 | Nov. 2, | 252 | 114 | 10·5 | . | 1 | . | 1† | 1 | 1 | 4 |
| COPENHAGEN, | 438,000 | Oct. 26, | 224 | 99 | 11·8 | . | 1 | . | 2† | 3 | . | 7 |
| STOCKHOLM, | 332,738 | „ 26, | 126 | 78 | 12·2 | . | 2 | 1 | 1† | . | . | 6 |
| CHRISTIANIA, | 229,324 | Nov. 2, | 102 | 52 | 11·8 | . | . | . | . | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | Oct. 26. | . | 528 | 18·6 | . | 6 | 21 | 19 | 12 | 14 | 53 |
| MOSCOW, | 1,296,000 | „ 5, | . | 566 | 22·8 | . | 6 | 7 | 8† | 4 | 4 | 109 |
| BERLIN, | 2,097,699 | „ 19, | 834 | 629 | 15·6 | . | 3 | 4 | 10† | 8 | 1 | 78 |
| HAMBURG, | 824,792 | „ 26, | . | 262 | 16·5 | . | 1 | 1 | 6† | 2 | . | 48 |
| BRESLAU, | 486,279 | „ 26, | . | 209 | 22·4 | . | . | 1 | 3† | 5 | . | 43 |
| MUNICH, | 548,000 | Nov. 2, | . | 186 | 17·6 | . | . | 1 | 2† | . | . | 31 |
| VIENNA (with suburbs). | 1,999,912 | „ 2, | . | . | . | . | . | . | . | . | . | . |
| BUDA-PESTH, | 802,235 | Oct. 19, | 442 | 291 | 18·9 | . | 2 | 8 | . | 1 | 4 | 43 |
| PRAGUE and Faubourgs. | 470,906 | „ 12, | 181 | 144 | 15·9 | . | 2 | 1 | 1† | 2 | . | 7 |
| TRIESTE, | 202,920 | „ 19, | 120 | 83 | 21·3 | . | . | . | 1† | 2 | . | 22 |
| ROME, | 545,610 | Aug. 24, | 208 | 194 | 18·5 | . | 10 | . | 2† | 4 | 8 | 35 |
| VENICE, | 174,398 | Oct. 5, | 86 | 63 | 18·8 | . | 3 | . | . | 1 | . | 10 |
| NEW YORK, | 4,285,435 | „ 19, | 2,447 | 1,350 | 16·4 | . | 4 | 8 | 32† | 6 | 18 | 128 |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | Oct. 19, | . | 208 | 17·8 | . | . | . | 1 | . | 7 | 10 |

*a*. Including one death from cerebro-spinal meningitis in Edinburgh, and 3 deaths in Glasgow.
* Including 31 deaths from cholera in Calcutta, 8 in Bombay, and 104 in Madras.
† Including deaths from croup.
‡ Exclusive of 7 deaths from plague in Calcutta, and 29 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th November, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | 5 |
| " " 1, West, | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | 4 |
| " " 2, | . | . | . | . | . | . | . | 2 | 2 | . | . | . | 4 |
| " " 3, | . | . | . | . | 1 | . | . | 2 | . | . | . | . | 3 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | . | 1 | 5 | . | . | . | 6 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 2 | . | . | 2 | . | . | 3 | . | . | . | . | 7 |
| " " 4, | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | . | . | 3 | . | 5 | 10 | 10 | . | . | . | 32 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th November, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 16th November. | | | |
|---|---|---|---|---|---|---|---|
| | Oct. 26. | Nov. 2. | Nov. 9. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 17 | 13 | 13 | 8 | 9 | . | 12 |
| Scarlet Fever, | 43 | 43 | 44 | 5 | 1 | . | 48* |
| Typhus, | 1 | 1 | 1 | . | 1 | . | . |
| Diphtheria, | 15 | 16 | 21 | 2 | 7 | 1 | 15 |
| Enteric Fever, | 42 | 48 | 55 | 9 | 7 | 1 | 56 |
| Pneumonia, | 24 | 25 | 26 | 8 | 7 | 2 | 25 |

* Exclusive of 5 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 16th November, 1907:—

"Comparatively fine autumnal weather prevailed during this week. On Sunday and again on Friday areas of high barometric pressure were central over Ireland. For the rest, a cyclonic distribution of pressure was prevalent—notably on Thursday, when this country came within 'the sphere of influence' of a vast atmospheric depression in which the barometer fell to 28·69 inches at Blönduos, in the N.W. of Iceland; and this at a time when it stood at 30·42 inches over Central France. Sunday was at first cloudy, afterwards fine and bright with a beautiful sunset shortly after 4 p.m. On Monday the weather broke for a time in connection with a depression which at 8 a.m. lay between Iceland and the Faeroe Isles—a steady rain fell in Dublin between 3 and 6 p.m., but the evening was fair. Tuesday was fine and cool to cloudy, a slight shower falling at 5 p.m. Wednesday also was very fine, but the sky clouded over in the afternoon and temperature rose. This change was due to the arrival of the large and deep depression already mentioned, which reached Iceland on Thursday morning. Its clouds spoiled the view of the transit of Mercury across the Sun between 10 a.m. and 1.30 p.m. of Thursday. Friday was brilliant till late in the afternoon when cirrus spread over the sky from N.W., ushering in a depression which caused light showers and fresh S.W. winds on Saturday. In Dublin the mean height of the barometer was 30·033 inches, the range of pressure being from 29·614 inches at 9 p.m. of Tuesday (wind, W.S.W.) to 30·389 inches at 9 a.m. of Friday (wind, W.). The mean temperature was 45·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 46·0°. The screened thermometers rose to 55·1° on Thursday and fell to 36·6° on Friday. Winds from westerly points (S.W., W., N.W.) prevailed throughout. The rainfall was ·107 inch on 3 days, ·070 inch being measured on Monday. A lunar halo was visible on Friday evening. A lunar rainbow was seen at 6 p.m. of Saturday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·035 inches. The highest reading (30·407) was on Friday at 9 a.m., wind S.W., and the lowest (29·848) on Monday at 9 p.m., wind W.S.W.

The mean temperature for the week was 44·1°, being 0·4° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Thursday, on which day the thermometer registered 54·3°, and was lowest on Friday, the mercury having fallen to 33·4°. The mean of the Dry Bulb for the week was 44·9°, and of the Wet Bulb 43·3°. The mean humidity of the air was ·88, complete saturation being represented by 1·0. The rainfall during the week measured 0·156 inch.

At Greenwich the mean temperature for the week was 43·8°, the maximum 53·2°, and the minimum 31·5°; at Glasgow the maximum was 56·2°, the minimum 33·3°, and the mean 46·0°; and at Edinburgh the maximum was 53·7°, the minimum 37·6°, and the mean 44·2°. The rainfall at Greenwich measured 0·13 in.; at Glasgow 0·67 in.; and at Edinburgh 0·33 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Nov. 10, | 30·136 | 49·8 | 35·9 | 42·9 | 40·7 | 39·3 | ·88 | ·7 | 5·5 | ·000 | W.S.W. | Calm. |
| Monday, „ 11, | 29·887 | 49·9 | 36·9 | 43·4 | 45·7 | 44·9 | ·95 | ·9 | 0·2 | ·110 | S.W. | W.S.W. |
| Tuesday, „ 12, | 29·745 | 52·0 | 36·0 | 44·0 | 45·7 | 43·2 | ·83 | ·8 | 5·0 | ·015 | S.W. | W.S.W. |
| Wednesday, „ 13, | 29·986 | 51·6 | 42·1 | 46·9 | 48·2 | 46·2 | ·86 | ·9 | 3·9 | ·000 | W.S.W. | S.W. |
| Thursday, „ 14, | 30·031 | 54·3 | 39·2 | 46·8 | 46·0 | 44·2 | ·88 | ·7 | 0·0 | ·008 | S.S.W. | W.S.W. |
| Friday, „ 15, | 30·372 | 47·9 | 33·4 | 40·7 | 38·3 | 37·0 | ·90 | ·7 | 5·6 | ·000 | S.W. | Calm. |
| Saturday, „ 16, | 30·087 | 52·0 | 35·9 | 44·0 | 50·0 | 48·0 | ·87 | ·7 | 0·0 | ·023 | S.S.W. | S.W. |
| Mean, . . | 30·035 | 51·1 | 37·1 | 44·1 | 44·9 | 43·3 | ·88 | ·8 | Total 20·2 | Total ·156 | Prevailing Wind, W.S.W. | |

*Sunday*—Cloudy day, fine; night cloudy. *Monday*—Day overcast, light rain a.m. and p.m.; night clear. *Tuesday*—Cloudy day, fine; night cloudy, light showers. *Wednesday*—Cloudy day, fine; night cloudy. *Thursday*—Day overcast, light showers a.m. and p.m.; night clear. *Friday*—Day cloudy, fine; night cloudy. *Saturday*—Day overcast, light drizzle a.m. and p.m.; night cloudy, light drizzle.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 16th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Nov. 10, | 45·3 | 47·0 | 50·7 | 50·2 | 40·0 | 45·1 | 4·4 | — |
| Monday, „ 11, | 48·0 | 46·2 | 50·4 | 51·8 | 40·3 | 46·1 | — | ·009 |
| Tuesday, „ 12, | 44·0 | 41·3 | 50·1 | 53·1 | 39·0 | 46·1 | 4·0 | ·004 |
| Wednesday, „ 13, | 45·7 | 46·3 | 50·0 | 52·9 | 42·9 | 47·9 | 1·6 | — |
| Thursday, „ 14, | 54·4 | 47·2 | 50·0 | 56·0 | 42·0 | 49·0 | — | ·004 |
| Friday, „ 15, | 40·0 | 46·3 | 49·8 | 48·7 | 37·0 | 42·9 | 3·6 | ·001 |
| Saturday, „ 16, | 49·4 | 45·4 | 49·6 | 52·5 | 43·0 | 47·8 | — | ·013 |
| Weekly Mean, . | 46·7 | 45·7 | 50·1 | 52·2 | 40·6 | 46·4 | Total 13·6 | Total ·031 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & CO. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 10. 1907.—19345.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & Co. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 23RD NOVEMBER, 1907. [No. 47.

*General Register Office, Charlemont House,*
*Dublin, 25th November,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Nov. 2. | Week ending Nov. 9. | Week ending Nov. 16. | Week ending Nov. 23. | Average Rate for 4 weeks. | Towns, &c. | Week ending Nov. 2. | Week ending Nov. 9. | Week ending Nov. 16. | Week ending Nov. 23. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 19·0 | 20·0 | 21·6 | 19·4 | 20·0 | Limerick, . . | 23·2 | 19·1 | 34·2 | 23·2 | 24·9 |
| | | | | | | Lisburn, . . | 9·1 | 4·5 | . | 18·2 | 8·0 |
| Armagh, . . | 41·2 | 13·7 | . | 6·9 | 15·5 | Londonderry, . | 14·7 | 12·3 | 17·2 | 20·9 | 16·3 |
| Ballymena, | 19·2 | 14·4 | 19·2 | 4·8 | 14·4 | Lurgan, . . | 13·3 | 8·9 | 17·7 | 4·4 | 11·1 |
| Belfast, . . | 20·4 | 20·4 | 24·8 | 23·1 | 22·2 | Newry, . . | 4·2 | 8·4 | 21·0 | 29·4 | 15·8 |
| Clonmel. . . | 10·3 | 25·6 | 15·4 | 10·3 | 15·4 | Newtownards, . | 17·2 | 22·9 | 11·4 | 34·3 | 21·4 |
| Cork, . . . | 17·8 | 19·2 | 21·2 | 17·1 | 18·8 | Portadown, . | 10·3 | 5·2 | 5·2 | 10·3 | 7·8 |
| Drogheda, . . | 8·2 | 20·4 | 24·5 | 12·3 | 16·4 | Queenstown . | 13·2 | . | 19·8 | . | 8·3 |
| Dublin Reg. Area, | 21·1 | 22·8 | 21·4 | 18·4 | 20·9 | Sligo, . . . | . | 14·4 | 33·6 | . | 12·0 |
| Dundalk . . | 8·0 | 19·9 | 16·0 | 23·9 | 17·0 | Tralee, . . | 15·9 | 5·3 | 26·4 | 21·1 | 17·2 |
| Galway, . . | 15·5 | 35·0 | 11·7 | 23·3 | 21·4 | Waterford, . | 15·6 | 25·3 | 11·7 | 19·5 | 18·0 |
| Kilkenny, . . | . | 14·7 | 9·8 | . | 6·1 | Wexford, . . | 23·3 | 4·7 | 9·3 | 9·3 | 11·7 |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·8 per 1,000, the rates varying from 0·0 in fourteen of the districts to 8·4 in Newry, the 7 deaths from all causes registered in that district including one from enteric fever and one from diarrhœa. Among the 164 deaths from all causes registered in Belfast are 12 from measles, one from whooping-cough, 2 from enteric fever, one from diarrhœa, and 2 from cerebro-spinal fever. The 17 deaths from all causes in Londonderry include one from diphtheria. Five deaths from measles and one from diarrhœa are included in the 17 deaths registered in Limerick; and one of the 10 deaths from all causes in Waterford is from scarlet fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 193—99 boys and 94 girls; and the deaths to 145—61 males and 84 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 19·4 in every 1,000 of the population. Omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 18·4 per 1,000. During the forty-seven weeks ending with Saturday last the death-rate averaged 24·2, and was 1·0 below the mean rate for the corresponding portions of the ten years, 1897–1906.

Included in the deaths (145) registered there were, one from scarlet fever, 2 from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

enteric fever, and 7, all of children under 5 years of age, from diarrhœal diseases. In each of the 3 preceding weeks, deaths from scarlet fever were one, 0, and 0; deaths from enteric fever were 2, 2, and 2; and deaths from diarrhœal diseases were 6, 4 and 3. One death was due to influenza, which disease caused 2, 0, and one deaths respectively, in the 3 preceding weeks. There was one death from cerebro-spinal fever; the last death from this disease was recorded during the week ended 26th October, when one such death was registered.

There were 2 deaths from broncho-pneumonia and 4 from *pneumonia* (not defined).

Tuberculous disease, which in all its forms caused, in each of the 3 preceding weeks, 28, 33, and 29 deaths, in the period under notice caused 33 deaths. This latter figure includes 8 deaths from tuberculous phthisis, 18 returned as from *phthisis*, 3 from tuberculous meningitis, one from *tabes mesenterica*, and 3 deaths from other forms of the disease.

Four deaths were attributed to carcinoma and 4 to cancer (undefined).

The deaths of 4 infants, prematurely born, were registered.

Of 8 deaths from diseases of the brain and nervous system, 2 were those of infants under one year of age from *convulsions*.

Nineteen deaths were assigned to diseases of the heart and blood vessels, and bronchitis caused the deaths of 10 persons.

Of 7 deaths from accidental circumstances, 2 were by burns (one of the latter being a child 4 years old), one was by suffocation in bed of an infant under one year of age, and one was by carbolic acid poisoning.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under one year of age and the deaths of 4 persons aged 60 years and upwards.

Forty of the persons whose deaths were registered during the week were under 5 years of age (28 being infants under one year, of whom 10 were under one month old), and 38 were aged 60 years and upwards, including 12 persons aged 70 and upwards, of whom 2 were octogenarians.

Sixty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the N. Dublin Union Workhouse, 13 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·4 per 1,000; the rate in the City was 20·5 (North City Districts, 21·0; South, 19·9), and in the Suburbs, 11·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·7 (1·7 in the North City Districts, and 1·8 in the South), and for the Suburbs, 0·0.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 19·8 per 1,000. The deaths include one from enteric fever, one from influenza, 2 from diarrhœal diseases, 3 from tuberculous disease of the lungs, and 2 accidental deaths.

*No. 1 North City District, West* (Summer-hill).—The deaths (14) are equal to an annual rate of 18·6 per 1,000. Included in the deaths were one from *pneumonia* (not defined) and 5 from tuberculous disease.

*No. 2 North City District* (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 27·7 per 1,000, and include one death from enteric fever, one death from cerebro-spinal fever, one from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 2 deaths from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (11) represent an annual rate of 17·7 per 1,000. Among the deaths there was one from *diarrhœa*, one from tuberculous phthisis, and one death from *phthisis*.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants, Coolock and Drumcondra, No. 1, part of, 28·5; and Finglas and Glasnevin, part of, 14·4. Of the 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from *phthisis* and 3 were from malignant disease. The 2 deaths from all causes for Finglas and Glasnevin, part of, include one from *phthisis*.

*No. 1 South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·9 per 1,000. There was one death from scarlet fever, *diarrhœa* caused one death, tuberculous disease of the lungs caused 4 deaths, bronchitis caused 2 deaths, and there were 2 deaths from accidental causes.

*No. 2 South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 15·2 per 1,000. Of the 6 deaths one was due to *diarrhœa*, 2 to tuberculous disease, and one to bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·8 per 1,000, and include one death from epidemic diarrhœa, 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), 3 deaths from tuberculous disease, and one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (16) are equivalent to an annual rate of 23·7 per 1,000. The deaths in this district include one from *diarrhœa*, one from *pneumonia* (not defined), 5 from tuberculous disease, one from bronchitis, and one accidental death.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 11·7 per 1,000. One of the 2 deaths was caused by bronchitis and one was caused by accidental burns.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 8·8; Pembroke, 11·2; Blackrock, 6·0; and Kingstown, 20·7. There were no deaths from any of the principal epidemic diseases tabulated for these districts during the week. The 6 deaths from all causes for Rathmines and Rathgar include 2 from bronchitis; of the 6 deaths from all causes for Pembroke there was one from *phthisis*, and there were 2 from diseases of the heart and blood vessels; and the 7 deaths from all causes for Kingstown include one from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases Notification) Act, 1889," as set forth in the following Table have been kindly furnished by:—

Sir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fawcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sanitary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Urban District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Urban District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 23rd November, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| CITIES AND URBAN DISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Nov. 2, | . | — | — | 9 | 1 | . | 3 | . | 2 | 12 | 7 | 1 | — | — | — | — | — | 35 |
| | Nov. 9, | . | — | — | 6 | . | . | 7 | 1 | 1 | 8 | 13 | . | — | — | — | — | — | 36 |
| | Nov. 16, | . | — | — | 4 | . | . | 3 | . | 5 | 10 | 10 | . | — | — | — | — | — | 32 |
| | Nov. 23, | . | — | — | 5 | . | . | 5 | . | . | 5 | 4 | . | — | — | — | — | — | 19 |
| Rathmines and Rathgar Urban District. | Nov. 2, | . | — | — | . | . | . | 3 | . | . | . | . | . | — | — | — | — | — | 3 |
| | Nov. 9, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Nov. 16, | . | — | — | 4 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 5 |
| | Nov. 23, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| Pembroke Urban District. | Nov. 2 | . | 2 | . | . | . | . | . | . | . | 1 | . | . | — | . | . | — | — | 3 |
| | Nov. 9, | . | . | . | . | . | . | . | . | . | 4 | 1 | . | — | 1 | . | — | — | 6 |
| | Nov. 16, | . | 2 | . | 3 | . | . | . | . | 1 | 1 | 1 | . | — | . | . | — | — | 8 |
| | Nov. 23, | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 3 |
| Blackrock Urban District. | Nov. 2, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 9, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Nov. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 23, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| Kingstown Urban District. | Nov. 2, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | — | — | — | 1 |
| | Nov. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 16. | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| City of Belfast. | Nov. 2, | . | — | — | 14 | . | . | 8 | 1 | 3 | 11 | 5 | . | — | — | 2 | — | — | 44 |
| | Nov. 9, | . | — | — | 7 | . | . | 6 | . | 10 | 8 | 12 | . | — | — | 4 | — | — | 47 |
| | Nov. 16, | . | — | — | 16 | . | . | 1 | . | 2 | 10 | 6 | 1 | — | — | 2 | — | — | 38 |
| | Nov. 23, | . | — | — | 9 | . | . | 5 | 1 | 5 | 3 | 7 | . | — | — | 5 | — | — | 35 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd November, 1907.

From this it appears that:—

Four cases of measles were admitted into hospital during the week, 9 were discharged, and 7 cases remained under treatment at its close.

Seven cases of scarlet fever were admitted to hospital, 15 were discharged, there was one death, and 39* cases remained under treatment at the close of the week.

One case of typhus was admitted to hospital and died during the week.

Eleven cases of diphtheria were admitted to hospital, 2 were discharged, and 24 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital during the week, 11 were discharged, and 50 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 2 were discharged, and 23 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 15·0), was equal to an average annual death-rate of 15·3 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 16·7 per 1,000, the rate for Glasgow being 18·3 and for Edinburgh 12·8.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd November. From this Report it appears that of a total of 41 cases notified 16 were scarlet fever, 14 diphtheria, one erysipelas, and one enteric fever. Among the 366 cases of infectious diseases in hospital at the close of the week were 196 cases of scarlet fever, 56 of diphtheria, one of membranous croup, 22 of measles, 39 of whooping-cough, 12 of enteric fever, and 8 of erysipelas

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 23rd November, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| TOWNS AND DISTRICTS. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 23rd November, 1907. Numbers Registered. Births. Total Number. | Deaths. Under 1 year of Age. | Deaths. At 60 years & upwards. | Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 23rd November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 16th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 9th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 25·5 | 19·4 | 1·8 | 547 | 416 | 75 | 112 | . | 17 | 2 | . | 1 | 1 | . | 5 | 12 | 38 | 50 | 19 | 19 | 57 | 11 | 15 | 130 | 21 | . | . | . | . | . | . | . | . | . | . | . | . |
| DUBLIN REGISTRATION AREA:—TOTAL, d. | 390,691 | 28·4 | 25·8 | 18·4 | 1·3 | 193 | 138 | 27 | 36 | . | . | 1 | . | . | . | . | 2 | 7 | 6 | 25 | 7 | 8 | 9 | 7 | 8 | 57 | 8 | f52·1 | 24·6 | 40·2 | 0·08 | f54·3 | 33·4 | 44·1 | 0·16 | f56·7 | 30·3 | 45·1 | 0·18 |
| CITY OF DUBLIN, | 300,850 | 38·0 | 29·5 | 20·5 | 1·7 | 170 | 118 | 22 | 28 | . | . | 1 | . | . | . | . | 2 | 7 | 6 | 23 | 7 | 6 | 7 | 7 | 7 | 55 | 6 | g52·4<br>h51·9 | 32·9<br>26·0 | 42·8<br>40·1 | 0·05<br>0·06 | g55·1<br>h54·9 | 36·6<br>32·0 | 45·7<br>44·0 | 0·11<br>0·18 | g56·1<br>h56·8 | 36·1<br>31·0 | 46·8<br>44·8 | 0·26<br>0·25 |
| Urban Dists. RATHMINES AND ATHGAR. | 35,006 | 20·8 | 16·1 | 8·8 | . | 11 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| PEMBROKE | 27,854 | 17·5 | 15·0 | 11·2 | . | 8 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BLACKROCK | 8,759 | 8·1 | . | 6·0 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| KINGSTOWN, | 17,622 | 12·1 | 11·8 | 20·7 | . | 4 | 7 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | 1 | 1 | 54 | 34 | 44·9 | 0·07 | 56 | 40 | 47·5 | 0·04 | 56 | 40 | 47·8 | 0·46 |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST (i), | 370,168 | 25·2 | 26·2 | 23·1 | 2·3 | 186 | 164 | 38 | 36 | . | 12 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 30 | 3 | 4 | 39 | 3 | 50·0 | 28·5 | 41·1 | 0·72 | 55·0 | 32·5 | 44·6 | 0·55 | 56·0 | 33·5 | 46·5 | 0·32 |
| CORK, | 76,122 | 33·6 | 17·1 | 17·1 | . | 25 | 25 | 5 | 10 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | 8 | 1 | 2 | 10 | 3 | 52 | 35 | 44·2 | 0·62 | 54 | 37 | 47·1 | 0·19 | 55 | 39 | 47·8 | 0·82 |
| LONDONDERRY, | 42,475 | 19·6 | 19·6 | 20·9 | 1·2 | 16 | 17 | 2 | 4 | . | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| LIMERICK, | 38,151 | 18·1 | 24·6 | 23·2 | 3·2 | 18 | 17 | 4 | 3 | . | 5 | . | . | . | . | . | . | 1 | . | 2 | . | . | 4 | . | . | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| WATERFORD, | 26,769 | 18·7 | 31·2 | 19·5 | 1·9 | 16 | 10 | . | 7 | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| GALWAY, | 18,426 | 2·5 | 15·5 | 28·3 | . | 4 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 2 | 1 | 53 | 30 | 43 | 0·73 | 55 | 32 | 45·4 | 0·39 | 60 | 38 | 49 | 0·78 |
| DUNDALK, | 18,076 | 9·4 | 39·9 | 23·9 | 4·0 | 10 | 6 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| DROGHEDA, | 12,760 | 8·6 | 40·9 | 12·8 | . | 10 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | . | 4 | . | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 |
| NEWRY, | 12,405 | 17·8 | 33·6 | 29·4 | 8·4 | 8 | 7 | 1 | 5 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 |
| LURGAN, | 11,792 | 13·8 | 26·6 | 4·4 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 |
| LISBURN, | 11,461 | 10·1 | 27·3 | 18·2 | . | 6 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| WEXFORD, | 11,168 | 23·2 | 28·3 | 9·3 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| BALLYMENA, | 10,886 | 8·9 | 19·2 | 4·8 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 48·9 | 27·5 | 39·1 | 0·71 | 53·5 | 28·2 | 44·4 | 0·77 | 54·6 | 28·5 | 43·7 | 0·41 |
| SLIGO, | 10,870 | 8·7 | 4·8 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 50 | 25 | 38·9 | 0·48 | 54 | 29 | 43·0 | 0·21 | 56 | 32 | 43·9 | 0·76 |
| KILKENNY, | 10,609 | 11·5 | 19·7 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| CLONMEL, | 10,167 | 7·8 | 56·4 | 10·3 | . | 11 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| PORTADOWN, | 10,092 | 13·2 | 25·8 | 10·3 | . | 5 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 |
| TRALEE, | 9,867 | 16·6 | 42·8 | 21·1 | . | 8 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| NEWTOWNARDS, | 9,110 | 18·9 | 17·2 | 34·3 | 5·7 | 3 | 6 | . | 3 | . | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | 1 | 1 | 51 | 34 | 41·4 | 0·65 | 51 | 37 | 45·7 | 0·70 | 56 | 40 | 49·1 | 0·27 |
| QUEENSTOWN, | 7,909 | 14·4 | 39·6 | . | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 52 | 35 | 44·2 | 0·62 | 54 | 37 | 47·1 | 0·19 | 55 | 39 | 47·8 | 0·82 |
| ARMAGH, | 7,588 | 22·2 | 13·7 | 6·9 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 | 55·9 | 34·3 | 46·8 | 0·06 |

a According to the Census of 1901, but in the Dublin Registration Area and its component parts, and the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1907. b Formerly described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 7 deaths of persons (including one under 1 year old and 2 at 60 years or upwards), admitted to hospital from localities outside the Area, as follows: Rathmines and Rathgar, 1; Dublin, 6. e Observations by Meteorological Office, Phœnix Park. f Observations by Sir John Moore taken at Fitzwilliam Square. g Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin. h Observations by Mr. F. W. Moore taken at Botanic Gardens, Glasnevin.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 23rd of November, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | Total for Dublin Registration Area | Deaths in Institutions of Persons admitted from without the Registration Area. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | City of Dublin. | | | | | | | | | | | | | Urban Districts of | | | | | |
| | Registration Districts in | | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1E. | North City No. 1W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Goolock and Drumcondra, No. 1 (pt. of) | Finglas and Glasnevin (part of). | | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. General Diseases:** | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diphtheria, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | 1 | . | 1 | . | . | . | . | | . | . | . | . | . | . | . | . | . | 2 | . |
| Diarrhœal Diseases, | 2 | . | . | 1 | . | . | . | | 1 | 1 | 1 | 1 | . | . | . | . | . | 7 | . |
| Pneumonia, | . | 1 | 1 | . | . | . | . | | . | . | 3 | 1 | . | . | . | . | . | 6 | . |
| Tuberculous Disease. Phthisis, | 3 | 4 | 3 | 2 | . | 1 | 1 | | 4 | 1 | 1 | 3 | . | . | 1 | . | 1 | 25 | 1 |
| Tuberculous Disease. Other Forms. | . | 1 | 1 | . | . | . | . | | . | 1 | 2 | 2 | . | . | . | . | . | 7 | . |
| Cancer, Malignant Disease, | . | . | . | . | . | 3 | . | | 1 | . | 1 | 1 | . | 1 | . | . | 1 | 8 | . |
| Other General Diseases, | 1 | 1 | 4 | 1 | . | . | . | | 1 | . | 1 | 2 | . | . | 2 | . | 1 | 14 | 2 |
| Total, | 7 | 7 | 10 | 4 | . | 4 | 1 | | 8 | 3 | 9 | 10 | . | 1 | 3 | . | 3 | 70 | 3 |
| **B. Local Diseases:** | | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 2 | . | 1 | 1 | . | 1 | | . | . | 1 | . | . | . | 1 | . | 1 | 8 | . |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 1 | 2 | 1 | 1 | 1 | 1 | . | | 2 | . | 3 | 1 | . | 2 | 2 | . | . | 17 | 2 |
| Diseases of: Respiratory System, | . | . | 2 | . | . | . | . | | 2 | 1 | . | 1 | 1 | 2 | . | . | . | 9 | 1 |
| Diseases of: Digestive System, | 1 | . | 1 | 1 | . | . | . | | 1 | . | 2 | 1 | . | 1 | . | . | 1 | 9 | . |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | . | 1 | 1 | . | . | . | | . | 1 | . | 1 | . | . | . | . | 2 | 6 | . |
| Diseases of: Generative System | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | 1 |
| Accidents of Childbirth, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 2 | 4 | 5 | 4 | 2 | 1 | 1 | | 6 | 2 | 6 | 4 | 1 | 5 | 3 | . | 4 | 50 | 4 |
| **C. Other Specified Diseases** | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . | . | . |
| **D. Causes Ill-defined and Not Specified,** | . | 3 | 1 | 3 | . | 1 | . | | . | 1 | . | 1 | . | . | . | 1 | . | 11 | . |
| **E. Violent Deaths,** | 2 | . | . | . | . | . | . | | 2 | . | 1 | 1 | 1 | . | . | . | . | | . |
| **Deaths from all Causes,** | 11 | 14 | 16 | 11 | 2 | 6 | 2 | | 16 | 6 | 16 | 16 | 2 | 6 | 6 | 1 | 7 | 138 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 19·8 | 18·6 | 27·7 | 17·7 | 20·4 | 28·5 | 14·4 | | 20·9 | 15·2 | 19·8 | 23·7 | 11·7 | 8·8 | 11·2 | 6·0 | 20·7 | 18·4 | . |
| | 21·0 | | | | | | | | 19·9 | | | | | 11·6 | | | | | |
| | 20·5 | | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 3 | 3 | 4 | 4 | . | . | 1 | | 1 | 1 | 3 | 2 | . | 1 | 1 | 1 | 2 | 27 | 1 |
| 1 and under 5 years, | 1 | . | 2 | 1 | . | . | . | | 2 | . | 2 | 3 | 1 | . | . | . | . | 12 | . |
| 5 " 20 " | . | 1 | 1 | 1 | 1 | . | . | | 2 | 1 | 1 | 1 | . | . | 1 | . | . | 10 | 1 |
| 20 " 40 " | 4 | 3 | 4 | 2 | . | 1 | 1 | | 3 | . | 5 | 2 | . | . | 1 | . | . | 26 | 2 |
| 40 " 60 " | 3 | 4 | 3 | 2 | . | 1 | . | | 1 | . | 2 | 5 | 1 | 2 | . | . | 3 | 27 | 1 |
| 60 and upwards, | . | 3 | 2 | 1 | 1 | 4 | . | | 7 | 4 | 3 | 3 | . | 3 | 3 | . | 2 | 36 | 2 |
| Number of Uncertified Deaths, | 1 | 2 | . | . | . | . | . | | 1 | . | 2 | . | . | 1 | . | . | 1 | 8 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | . | 4 | 2 | 1 | 2 | . | | 7 | . | 3 | 4 | . | . | 1 | . | . | 26 | 5 |
| Workhouse Hospitals, | 2 | 4 | 6 | 5 | . | . | . | | 4 | 3 | 4 | 2 | . | . | . | . | 1 | 31 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered i[illegible] week of the ten years, 1897-19[illegible]

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 47th Week of the 10 years 1897-1906. | In the Week ending Saturd[illegible] 23rd November, 1907. | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Age [illegible] | | | | | | | |
| | | | | | | | | | | | | ALL AGES. | 0 to 5. | | | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and upwards. |
| | Nov. 27, 1897. | Nov. 26, 1898. | Nov. 25, 1899. | Nov. 24, 1900. | Nov. 23, 1901. | Nov. 22, 1902. | Nov. 28, 1903. | Nov. 26, 1904. | Nov. 25, 1905. | Nov. 24, 1906. | | | | | | | | | |
| Mean Temperature. | ° 43·0 | ° 40·7 | ° 48·2 | ° 37·4 | ° 44·9 | ° 42·4 | ° 44·4 | ° 33·6 | ° 40·0 | ° 47·7 | ° 42·2 | ° 40·2 | | | | | | | |
| **ALL CAUSES.** | 170 | 208 | 220 | 187 | 176 | 237 | 188 | 170 | 173 | 182 | 191·1 | 145 | 10 | 18 | 12 | 11 | 28 | 28 | 2[illegible] |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | . | 38 | . | . | 19 | . | 12 | . | 9 | 7·8 | . | . | . | . | . | . | . | . |
| Scarlet Fever, | 3 | 4 | 1 | . | . | 5 | . | 1 | 1 | . | 1·5 | 1 | . | . | 1 | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 1 | 5 | 1 | . | . | 1 | 2 | . | . | 3 | 1·3 | 1 | . | . | . | . | . | 1 | . |
| Whooping-cough, | 1 | 5 | . | 5 | 1 | . | 3 | 4 | 3 | 2 | 2·4 | . | . | . | . | . | . | . | . |
| Diphtheria, | . | . | 2 | 1 | 4 | 4 | 1 | . | . | 1 | 1·3 | . | . | . | . | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Enteric Fever, | 12 | 2 | 4 | 9 | 3 | 2 | 5 | . | . | 1 | 3·8 | 2 | . | . | . | . | 2 | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 5 | 6 | 3 | 5 | 2 | 2 | . | . | 2 | 2 | 4·4 | 1 | . | 1 | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 5 | 3 | 4 | 1 | 4 | | 6 | 1 | 3 | 2 | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | . | 2 | . | 1 | 1 | 1 | . | 2 | 4 | 3 | 1·4 | 2 | . | 2 | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, | 1 | . | . | . | 1 | . | . | . | . | 1 | ·3 | . | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | | | | | | . | 1 | 1 | 2 | 3 | 14·6 | . | . | . | . | . | . | . | . |
| Pneumonia, Broncho-Epidemic, | 10 | 15 | 20 | 11 | 11 | 7 | 6 | 9 | 7 | 8 | | 2 | . | . | . | . | . | 1 | . |
| Pneumonia, Not defined, | | | | | | 9 | 8 | 5 | 6 | 7 | | 4 | . | . | . | . | 2 | 2 | . |
| Erysipelas, | . | 2 | . | 1 | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | . | . | . | 1 | . | 1 | . | . | . | 3 | ·6 | 1 | . | . | . | 1 | . | . | . |
| | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | 2 | . | . | . | . | 1 | . | . |
| Tuberculous Phthisis, "*Phthisis*," | 16 | 27 | 20 | 31 | 23 | 3 | 5 | 4 | 7 | 7 | 22·8 | 8 | . | . | . | . | 4 | 4 | . |
| | | | | | | 18 | 23 | 11 | 13 | 20 | | 18 | . | . | . | . | 12 | 3 | . |
| Tuberculous Meningitis, | 3 | 8 | 3 | . | 1 | 2 | 2 | 5 | 1 | 1 | 2·6 | 3 | . | . | 1 | 2 | . | . | . |
| Tuberculous Peritonitis, *Tabes Mesenterica*, | 3 | 4 | 7 | 3 | 4 | 2 | 1 | 1 | . | . | 2·5 | . | . | . | . | . | . | . | . |
| | | | | | | . | . | . | . | . | | 1 | . | . | 1 | . | . | . | . |
| Tuberculous Dis. (other), *Scrofula*, | 4 | 5 | 3 | 6 | 8 | 6 | 5 | 7 | 6 | 6 | 5·8 | 3 | . | . | . | 1 | 2 | . | . |
| | | | | | | 1 | 1 | . | . | . | | . | . | . | . | . | . | . | . |
| Alcoholism, | 1 | 1 | . | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Rheumatic Fever, | 1 | . | 1 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . |
| Gout, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . |
| Carcinoma, Sarcoma, Cancer (undefined), | 4 | 11 | 7 | 4 | 2 | 2 | 1 | 5 | 4 | 2 | 6·7 | 4 | . | . | . | . | . | 2 | . |
| | | | | | | . | 1 | . | 1 | . | | . | . | . | . | . | . | . | . |
| | | | | | | 7 | 6 | 2 | 5 | 3 | | 4 | . | . | . | . | 1 | 1 | . |
| Diabetes Mellitus, | . | . | . | . | . | . | . | . | 1 | 1 | ·2 | . | . | . | . | . | . | . | . |
| Premature Birth, | 7 | 3 | . | 2 | 7 | 4 | 2 | 3 | 2 | 2 | 3·2 | 4 | 4 | . | . | . | . | . | . |

* The figures for the years 1897-1900 a[illegible]
† Formerly describ[illegible]

EVENTH WEEK ending Saturday, 23rd November, 1907, with the deaths from each cause in the corresponding average for those weeks.*

| SES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday Nov. 27, 1897. | Nov. 26, 1898. | Nov. 25, 1899. | Nov. 24, 1900. | Nov. 23, 1901. | Nov. 22, 1902. | Nov. 28, 1903. | Nov. 26, 1904. | Nov. 25, 1905. | Nov. 24, 1906. | Averages in 47th Week of the 10 years 1897–1906. | In the Week ending Saturday, 23rd November, 1907. Deaths of Persons of the Ages of: All Ages. | Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| an Temperature. | ° 43·0 | ° 40·7 | ° 48·2 | ° 37·4 | ° 44·9 | ° 42·4 | ° 44·4 | ° 33·6 | ° 40·0 | ° 47·7 | ° 42·2 | | ° 40·2 | | | | | | | | |
| ditis (not tuberc.) ... | | | | | | 5 | 2 | 2 | 1 | 3 | | 2 | . | 1 | . | 1 | . | . | . | . |
| y, G. P. of Insane ... | | | | | | 4 | 3 | 2 | 2 | 1 | | 2 | . | . | . | . | . | 2 | . | . |
| sy .. ... | | | | | | 1 | 3 | . | 1 | . | | 1 | . | . | . | 1 | . | . | . | . |
| *stons* ... .. | | | | | | 19 | 11 | 6 | 6 | 3 | | 2 | . | 2 | . | . | . | . | . | . |
| otor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| egia Dis. of Cord ... | | | | | | 1 | 1 | 2 | . | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| is System (other | | | | | | 2 | 1 | 3 | 3 | 4 | | . | . | . | . | . | . | . | . | . |
| | 30 | 35 | 35 | 39 | 48 | | | | | | 40·8 | | | | | | | | | |
| Dis., Endocarditis .. | | | | | | 3 | 5 | 3 | 6 | 4 | | 5 | . | . | . | . | . | 3 | 2 | . |
| . Hæm. Thromb. ... | | | | | | . | 7 | 2 | 3 | 1 | | 2 | . | . | . | . | . | . | 1 | 1 |
| *cy, Hemiplegia* ... | | | | | | 9 | 7 | 4 | 2 | 3 | | 1 | . | . | . | . | . | 1 | . | . |
| ysm ... ... | | | | | | . | 1 | 2 | . | . | | 1 | . | . | . | . | . | 1 | . | . |
| ism, Thromb. (not | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| ral) | | | | | | | | | | | | | | | | | | | | |
| and Blood Vessel Dis. | | | | | | 11 | 16 | 12 | 13 | 14 | | 10 | . | . | . | . | 1 | 3 | 6 | . |
| (not Spasm. nor | . | 1 | 2 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| b.) | | | | | | | | | | | | | | | | | | | | |
| nitis ... ... | 19 | 28 | 27 | 21 | 21 | 33 | 23 | 21 | 31 | 23 | 24·7 | 10 | . | 1 | . | . | . | 1 | 8 | . |
| a, Emphysema ... | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| sy ... ... | 2 | 2 | 2 | 4 | 3 | . | . | . | . | 3 | 2·8 | . | . | . | . | . | . | . | . | . |
| atory Dis. (other) ... | | | | | | 3 | 1 | . | 3 | 4 | | . | . | . | . | . | . | . | . | . |
| litis, Quinsy ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| tis (not Epid.) ... | | | | | | 1 | . | 1 | 3 | . | | . | . | . | . | . | . | . | . | . |
| *Enteritis* ... ... | 1 | . | . | 2 | . | 2 | 2 | . | 1 | 1 | 1·4 | 3 | . | 1 | 1 | 1 | . | . | . | . |
| *ttis* (not Puerp.) ... | . | 1 | . | . | . | 2 | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| sis of Liver ... | | | | | | 1 | . | 1 | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| Dis. (other) ... | 1 | 3 | 2 | 2 | 2 | 2 | . | 1 | 1 | . | 1·9 | . | . | . | . | . | . | . | . | . |
| ive Dis. (other) ... | 7 | 1 | 2 | 4 | 4 | 9 | 5 | 3 | 7 | 5 | 4·7 | 6 | 1 | 2 | 1 | 1 | . | 1 | . | . |
| itis, Acute ... | | | | | | 1 | . | 5 | 2 | 1 | | 1 | . | . | 1 | . | . | . | . | . |
| 's Dis., Albuminuria | 6 | 5 | 5 | 7 | 3 | 4 | 5 | 2 | 3 | 4 | 5·4 | 4 | . | . | . | . | . | 1 | 3 | . |
| ry Sys. (Other Dis.) | | | | | | . | . | . | 1 | . | | 1 | . | . | . | . | . | . | 1 | . |
| ative Organs Dis. ... | . | . | . | 1 | . | . | 1 | . | . | . | ·2 | 1 | . | . | . | . | 1 | . | . | . |
| birth (Accid. of) ... | 1 | 1 | . | . | . | . | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| *ge* ... ... | 12 | 10 | 12 | 12 | 8 | 2 | 4 | 8 | 3 | 3 | 7·4 | 3 | . | . | . | . | . | . | 2 | 1 |
| Diseases ... ... | 13 | 14 | 16 | 11 | 13 | 18 | 12 | 4 | 9 | 11 | 12·1 | 14 | 4 | 4 | 3 | . | 1 | 1 | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ilways ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | . | . | . | . | . | 1 | . | 1 | 1 | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (ex- | | | | | | | | | | | | | | | | | | | | |
| ve of Drowning) ... | . | . | 1 | . | . | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| lding Operations ... | 2 | . | 1 | . | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | 1 | 2 | 2 | 1 | 1 | . | . | 3 | 2 | . | 1·2 | 2 | . | . | 1 | 1 | . | . | . | . |
| owning ... ... | . | . | . | 1 | . | . | 1 | 2 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| ffocation in Bed ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | 1 | . | 1 | . | . | . | . | . | . |
| oison or Poisonous | . | 1 | . | . | 1 | . | . | . | . | . | ·2 | 1 | . | . | . | 1 | . | . | . | . |
| ours | | | | | | | | | | | | | | | | | | | | |
| Deaths by Accident | . | 3 | 2 | 1 | 1 | 1 | . | 1 | . | 2 | 1·1 | 3 | . | . | . | . | 1 | . | 2 | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| le ... ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| tion ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

istration Area as then constituted.
e Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7 | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. | Nov. 16. | Nov. 23. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| No. of weeks in Annual Series. | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 |
| Births registered. | 288 | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 | 191 | 193 |
| *Average Births in corresponding week of previous 10 years,** | 222 | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 | 200 | 182 |
| Deaths registered, | 181 | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 | 163 | 145 |
| Annual Death-rate per 1,000, | 24·2 | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 | 21·8 | 19·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 156 | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 | 187 | 191 |
| Ages, Under 5 years, | 59 | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 | 42 | 40 |
| 5—20 ,, | 7 | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 | 11 | 11 |
| 20—40 ,, | 23 | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 23 | 19 | 18 | 35 | 33 | 28 |
| 40—60 ,, | 36 | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 | 29 | 28 |
| 60—80 ,, | 51 | 40 | 39 | 35 | 25 | 23 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 | 40 | 36 |
| 80 years and upwards, | 5 | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 | 5 | 7 | 6 | 8 | 2 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 4 | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 | 3 | . |
| Scarlet Fever | . | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| Typhus, | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| Whooping-cough, | 8 | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . | 2 | 1 | . |
| Diphtheria, | . | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 | 2 | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . |
| Enteric Fever, | 1 | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 | 2 | 2 | 2 |
| Diarrhœal Diseases, | . | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 | 3 | 7 |
| Influenza, | 2 | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 |
| Pneumonia, | 23 | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 | 10 | 5 |
| Tuberculous Disease. Phthisis, | 14 | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 32 | 21 | 25 | 13 | 16 | 25 | 22 | 26 |
| Tuberculous Disease. Other Forms, | 11 | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 | 7 | 7 |
| Cancer, Malignant Disease, | 6 | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 13 | 8 | 4 | 8 | 9 | 6 | 10 | 8 |
| Diseases of Heart and Blood Vessels, | 32 | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 | 37 | 27 | 19 |
| Diseases of Respiratory System, | 24 | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 | 17 | 27 | 10 |
| Violent Deaths, | 6 | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | . | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 | 4 | 7 |
| Number of Uncertified Deaths, | 4 | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 | 3 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 52·9 | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 | 44·1 | 40·2 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 53·8 | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 | 43·7 | 42·2 |
| Rainfall in inches, | ·488 | 1·535 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·384 | ·401 | ·645 | 1·842 | ·178 | ·156 | ·078 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·88 | ·86 | ·88 | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 | ·86 | ·94 | ·92 | ·96 | ·88 | ·90 |

in the Dublin Registration Area during the Week ending Saturday, 23rd November, 1907; the Annual Death-rate represented by the Deaths registered: the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD NOVEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Diseases. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 20·1 | 145 | 40 | 11 | 28 | 28 | 36 | 2 | . | . | 1 | . | . | . | . | 2 | 7 | 10 | 6 | 26 | 7 | 8 | 2 | 10 | 7 | 69 | 8 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | Professional and Independent Class, | 17,486 | 9·0 | 3 | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | 2 | . |
| II. | Middle Class, | 87,188 | 17·3 | 29 | 4 | 3 | 6 | 6 | 9 | 1 | . | . | 1 | . | . | . | . | 1 | 1 | 3 | 2 | 3 | 1 | 2 | . | 3 | 1 | 14 | 3 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 12·7 | 27 | 9 | . | 6 | 5 | 7 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 5 | 1 | 4 | 1 | 1 | 4 | 9 | 2 |
| IV. | General Service Class, | 154,279 | 28·0 | 53 | 21 | 7 | 6 | 11 | 7 | 1 | . | . | . | . | . | . | . | 1 | 3 | 4 | 1 | 10 | 4 | 1 | 1 | 2 | 2 | 28 | 3 |
| V. | Inmates of Workhouses, | 6,024 | | 33 | 6 | 1 | 9 | 6 | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 7 | 1 | 1 | . | 4 | . | 16 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 28·4 | 12 | 1 | 2 | 1 | 2 | 6 | . | . | . | 1 | . | . | . | . | 1 | . | 2 | 1 | . | . | 1 | . | 1 | 1 | 6 | 1 |
| | 6. Clerks and Commercial Assistants, | 30,482 | 17·1 | 10 | 3 | 1 | 3 | 2 | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | 1 | 1 | . | . | . | 4 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 13·5 | 7 | . | . | 2 | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | | 1 |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 8·7 | 5 | 2 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 2 | . |
| | 10. Clothing Trades, | 28,260 | 6·7 | 3 | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | 1 |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 18·9 | 11 | 3 | . | 2 | 2 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 2 | . | 2 | . | . | 2 | 4 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | 2 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . | . | . | 2 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 31·1 | 8 | 2 | . | 1 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | . | 1 | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 3 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 4 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 2 | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 5 | 1 |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 19·7 | 34 | 14 | 5 | 5 | 6 | 4 | . | . | . | . | . | . | . | . | 1 | 3 | 4 | 1 | 6 | 3 | 1 | . | 1 | 2 | 16 | 2 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 33 | 6 | 1 | 9 | 6 | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 7 | 1 | 1 | . | 4 | . | 16 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents of RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* [illegible] similar Statistics for each of the

| | DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | Annual Rate of Mortality per 1,000 Living. From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | **North City, No. 1 (E.)** (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Oct. 5, | 16·2 | 1·8 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | . | . |
| | | „ 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . | . |
| | | „ 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | | „ 26, | 21·6 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . | . |
| | | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . |
| | | „ 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . | . |
| | | „ 16, | 27·0 | 1·8 | 15 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 1 | . |
| | | „ 23, | 19·8 | 5·4 | 11 | . | . | . | . | . | . | . | 1 | 2 | . | 3 | . | . | . | 2 | 1 |
| | **North City, No. 1 (W.)** (Office, Summer-hill.) Pop. in 1907 (Est.) 89,146. | Oct. 5, | 21·3 | 2·7 | 16 | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . | . | . | 4 |
| | | „ 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 | . |
| | | „ 19, | 24·0 | 2·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 | 1 |
| | | „ 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 | . |
| | | Nov. 2, | 24·0 | 1·3 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . | . |
| | | „ 9, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | | „ 16, | 26·6 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | 3 | 3 | . | 1 |
| | | „ 23, | 18·6 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | . | . | 2 |
| | **North City, No. 2.** (Office, Lisburn-street.) Pop. in 1907 (Est.) 80,107. | Oct. 5, | 31·2 | 6·9 | 18 | . | . | . | . | 1 | . | . | . | 3 | . | 1 | 2 | . | 3 | 2 | . |
| | | „ 12, | 24·2 | 8·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 | . |
| | | „ 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 | . |
| | | „ 26, | 16·0 | 1·7 | 15 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . | . |
| | | „ 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . | . |
| | | „ 16, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | | „ 23, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | . |
| | **North City, No. 3.** (Office, Benburb-street.) Pop. in 1907 (Est.) 82,422. | Oct. 5, | 36·6 | 3·2 | 19 | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 2 | . | . | . |
| | | „ 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . | . |
| | | „ 19, | 11·8 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | | „ 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . |
| | | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . |
| | | „ 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . | 1 |
| | | „ 16, | 25·7 | 1·6 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | 4 | . | 1 |
| | | „ 23, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | **South City, No. 1.** (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Oct. 5, | 22·2 | 1·3 | 17 | . | . | . | . | . | . | . | . | 1 | 1 | 5 | 1 | 1 | . | . | 2 |
| | | „ 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . | 1 |
| | | „ 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | 1 |
| | | „ 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 3 | 3 |
| | | Nov. 2, | 23·5 | 1·3 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 5 | 1 | . |
| | | „ 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 |
| | | „ 16, | 10·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 |
| | | „ 23, | 20·9 | 2·6 | 16 | . | . | 1 | . | . | . | . | . | 1 | . | 4 | . | 1 | 2 | 2 | 1 |
| | **South City, No. 2.** (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | Oct. 5, | 30·4 | 2·5 | 12 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | . | 1 | . | . |
| | | „ 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . | . |
| | | „ 19, | 15·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | | „ 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | | „ 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . | . |
| | | „ 16, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . |
| | | „ 23, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . |
| | **South City, No. 3.** (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Oct. 5, | 22·2 | 2·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 2 | 3 | . | 1 | 2 | . | . |
| | | „ 12, | 18·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . | 1 |
| | | „ 19, | 22·2 | 3·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . | . |
| | | „ 26, | 23·5 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . | . |
| | | Nov. 2, | 19·8 | 3·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . | 1 |
| | | „ 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 | . |
| | | „ 16, | 27·2 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | . | 6 | 2 | . |
| | | „ 23, | 19·8 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | 1 | . | 1 | 2 |
| | **South City, No. 4.** (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,188. | Oct. 5, | 22·8 | 3·0 | 15 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | 2 | 2 | . | . |
| | | „ 12, | 23·7 | 3·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . | . |
| | | „ 19, | 19·3 | 3·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . | 1 |
| | | „ 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . | . |
| | | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . | 1 |
| | | „ 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 | . |
| | | „ 16, | 28·2 | 1·5 | 19 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 4 | . | . |
| | | „ 23, | 25·7 | 1·5 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | 1 | 1 | . |

* Formerly described as "Simple Continued Fever."

n REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of ation represented thereby, and by the Deaths from certain Epidemic Diseases; with *Institutions being assigned to the Districts from which the deceased were admitted;* also, ncial County Boroughs in Ireland.

| STRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| thmines | Oct. 5, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 |
| Rathgar | „ 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . |
| Urban | „ 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| istrict. | „ 26, | 13·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| | „ 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| | „ 16, | 14·6 | 2·9 | 10 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . |
| op. in 1907 | „ 23, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| mbroke | Oct. 5, | 11·2 | 3·7 | 6 | . | . | . | . | . | . | . | . | 2 | . | 2 | . | . | . | . | . |
| Urban | „ 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| istrict. | „ 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| | „ 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| op. in 1907 | „ 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| st.) 27,854. | „ 16, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 23, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| ngstown | Oct. 5, | 20·7 | 5·0 | 7 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . |
| Urban | „ 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| istrict. | „ 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| op. in 1907 | „ 9, | 53·3 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| st.) 17,622. | „ 16, | 29·6 | 8·9 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| Belfast. | Oct. 5, | 17·7 | 3·2 | 126 | . | 2 | . | . | 1 | 2 | 1 | 1 | 16 | 12 | 15 | 5 | 5 | 10 | 2 | 1 |
| | „ 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| op. in 1907 | „ 19, | 19·4 | 4·1 | 138 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| st.) 370,163. | „ 26, | 23·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| | Nov. 2, | 20·4 | 2·3 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| | „ 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 1 |
| | „ 16, | 24·8 | 3·0 | 176 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 32 | 3 | 2 |
| | „ 23, | 23·1 | 2·3 | 164 | . | 12 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 30 | 3 | 3 |
| Cork. | Oct. 5, | 26·0 | 6·2 | 38 | . | . | . | . | . | . | . | 1 | 8 | . | 7 | 4 | . | 1 | . | 4 |
| | „ 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| op. (in 1901) | „ 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| 76,122. | „ 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| | Nov. 2, | 17·8 | 3·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 3 |
| | „ 16, | 21·2 | 1·4 | 31 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | 1 | 1 | 1 |
| | „ 23, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | 3 | 1 | 3 |
| donderry. | Oct. 5, | 9·8 | . | 8 | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | . | . |
| | „ 12, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| op. in 1907 | „ 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| st.) 43,475. | „ 26, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| | „ 9, | 12·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| | „ 16, | 17·2 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 23, | 20·9 | 1·2 | 17 | . | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| imerick. | Oct. 5, | 15·0 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 3 | . | . |
| | „ 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| p. (in 1901) | „ 19, | 13·7 | 2·7 | 10 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | 1 |
| 38,151. | „ 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| | Nov. 2, | 23·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| | „ 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 16, | 34·2 | 10·9 | 25 | . | 6 | . | . | . | . | . | 1 | 1 | . | 3 | 1 | 1 | 3 | 3 | 2 |
| | „ 23, | 23·2 | 8·2 | 17 | . | 5 | . | . | . | . | . | . | 1 | . | 2 | . | . | 4 | . | 3 |
| aterford. | Oct. 5, | 44·8 | 13·6 | 28 | . | . | . | . | . | . | . | . | 7 | 1 | 3 | . | 1 | 2 | . | 2 |
| | „ 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |
| p. (in 1901) | „ 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |
| 26,769. | „ 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |
| | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 1 |
| | „ 9, | 25·2 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | 1 |
| | „ 16, | 11·7 | 1·9 | 6 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | 2 |
| | „ 23, | 19·5 | 1·9 | 10 | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd November, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (8) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 10 | | | 10 | 3 | 1 | 1 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 4 | 1 | 1 | 3 | . |
| Do. 2 " | 47,959 | 20 | | | 18 | 1 | 5 | . | 4 | 3 | 5 | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | 6 | . | . | 3 | . |
| Do. 3 " | 47,214 | 19 | | | 20 | 4 | 4 | 2 | 2 | 5 | 3 | . | 3 | . | . | . | . | . | . | . | 3 | 2 | . | 2 | 6 | . | . | 1 | . |
| Do. 4 " | 40,911 | 40 | | | 27 | 8 | 5 | 1 | 4 | 5 | 4 | . | 2 | . | . | . | . | . | . | . | 2 | . | 2 | 1 | 3 | 1 | 1 | 15 | . |
| Do. 5 " | 17,887 | 14 | | | 10 | 4 | 2 | 1 | . | . | 3 | . | 2 | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | 1 | . |
| Do. 6 " | 48,122 | 22 | | | 20 | 1 | 1 | 2 | 6 | 4 | 6 | . | 1 | . | . | . | . | . | 1 | . | 1 | 2 | 2 | . | 5 | . | . | 5 | 1 |
| Do. 7 " | 1,524 | . | | | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 8 " | 5,060 | 1 | | | 4 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . |
| Do. 9 " | 19,569 | 6 | | | 12 | 2 | . | 1 | 2 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 2 | . | 1 | 1 | 1 |
| Do. 10 " | 28,064 | 10 | | | 10 | 4 | . | . | 1 | 4 | 1 | . | 1 | . | . | . | . | . | . | . | 2 | 2 | . | 1 | . | . | . | . | . |
| Do. 11 " | 34,802 | 22 | | | 18 | 3 | 1 | . | 2 | 2 | 5 | . | . | . | . | . | . | . | . | . | 6 | . | . | 1 | . | . | . | 1 | 1 |
| Do. 12 " | 33,588 | 11 | | | 18 | . | 5 | 3 | 3 | 3 | 4 | . | 3 | . | . | 1 | . | . | . | . | 3 | 1 | 2 | . | 3 | 1 | 1 | 7 | . |
| Do. 13 " | 15,006 | 11 | | | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 14 " | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 186 | | | 164† | 33 | 24 | 12 | 27 | 32 | 36 | . | 12 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 30 | 3 | 4 | 39 | 3 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 4 | 16·2 | . | 4 | 1 | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | 1 |
| Do. 2 " | 10,701 | 6 | 4·9 | . | 1 | . | . | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 3 " | 9,978 | 5 | 36·6 | . | 7 | 1 | . | | 2 | | 3 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | 1 | . | . | 3 | 1 |
| Do. 4 " | 8,666 | . | 30·1 | . | 5 | . | . | | 3 | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 1 | 3 | . |
| Do. 5 " | 6,592 | 1 | 15·8 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 6 " | 10,702 | 2 | 14·6 | . | 3 | 1 | 1 | | . | | 1 | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | 1 | . |
| Do. 7 " | 16,616 | 7 | 9· | . | 3 | . | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| Total, | 76,122 | 25 | 17·1 | . | 25 | 3 | 1 | | 11 | | 10 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | 3 | 1 | 2 | 10 | 3 |

* Formerly described as "Simple Continued Fever."

† See note (1) to Table IX.

TABLE IX.—City of Belfast.—Comparative Table of Births in Each of the Last Twenty-five Weeks. [illegible] *without the City are omitted.*

| Belfast. | 1907—Week ending June 1. | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. | Nov. 16. | Nov. 23. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| No. of weeks in Annual Series, | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 |
| Births registered, | 198 | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 | 173 | 186 |
| Deaths registered, | 156 | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145 | 176 | 164† |
| Annual Death-rate per 1,000 of estimated Population, | 22·0 | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 | 23·2 | 20·4 | 20·4 | 24·8 | 23·1 |
| Ages — Under 1 year | 3 | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 18 | 40 | 38 | 47 | 48 | 30 | 31 | 24 | 36 | 33 |
| 1–5 years, | 19 | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 18 | 14 | 18 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 | 24 | 24 |
| 5–20 years, | 15 | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 | 15 | 12 |
| 20–40 years, | 29 | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 | 28 | 27 |
| 40–60 years, | 28 | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 19 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 | 34 | 32 |
| 60 years and upwards, | 33 | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 38 | 37 | 38 | 39 | 30 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 2 | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 | 11 | 12 |
| Scarlet Fever, | . | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 3 | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 | 2 | 1 |
| Diphtheria, | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . | 1 | . |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Enteric Fever, | . | 2 | . | 1 | 1 | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 | 2 | 2 |
| Diarrhœal Diseases, | . | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 | 5 | 1 |
| Pneumonia, | 15 | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 | 18 | 21 |
| Tuberculous Disease — Phthisis, | 21 | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 | 14 | 12 |
| Tuberculous Disease — Other Forms, | 9 | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 | 8 | 7 |
| Cancer Malignant Disease, | 2 | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 | 3 | 5 |
| Diseases of Respiratory System, | 21 | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 | 26 | 32 | 30 |
| Violent Deaths, | 3 | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 2 | 3 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 | 3 | 3 |
| Number of Uncertified Deaths, | 4 | 3 | . | 2 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 | 2 | 3 |

* Formerly described as "Simple Continued Fever."
† Including 2 deaths returned as from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Nov. 23, | 2,216 | 1,373 | 15·0 | . | 32 | 18 | 23 | 16 | 1 | 25 |
| EDINBURGH, | 345,747 | „ 23, | 135 | 85 | 12·8 | . | . | . | 1 | 2 | . | 2 |
| GLASGOW, | 847,584 | „ 23, | 425 | 298*a* | 18·3 | . | 16 | 1 | 4 | 5 | 1 | 11 |
| CALCUTTA, | 847,796 | Oct. 5, | . | 492 | 30·1 | 2 | 1 | . | 1 | . | 128‡ | 83* |
| BOMBAY, | 977,822 | „ 22, | 459 | 637 | 33·9 | . | 1 | . | . | . | 65‡ | 67* |
| MADRAS, | 509,346 | „ 4, | 448 | 529 | 54·0 | . | 8 | ? | ? | ? | 135 | 151* |
| PARIS, | 2,722,731 | Nov. 9, | 947 | 817 | 15·6 | . | . | 2 | 3† | 3 | 11 | 37 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 2, | 170 | 138 | 11·5 | . | . | . | . | 2 | . | 19 |
| ANTWERP, | 304,032 | „ 2, | 140 | 89 | 15·3 | . | . | . | . | 1 | . | 24 |
| AMSTERDAM, | 565,032 | „ 9, | 293 | 158 | 14·6 | . | 4 | . | 2† | . | . | 8 |
| COPENHAGEN, | 438,000 | „ 2, | 197 | 110 | 13·1 | . | 4 | 1 | 1† | 4 | 1 | 12 |
| STOCKHOLM, | 332,738 | „ 2, | 164 | 74 | 11·6 | . | . | . | . | 1 | . | 5 |
| CHRISTIANIA, | 229,324 | „ 9, | 88 | 56 | 12·7 | . | . | . | 2† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 2. | . | . | . | . | . | . | . | . | . | . |
| MOSCOW, | 1,296,000 | Oct. 12, | . | 624 | 25·1 | . | 4 | 16 | 5† | 3 | 6 | 110 |
| BERLIN, | 2,099,907 | „ 26, | 829 | 581 | 14·4 | . | 8 | 1 | 9† | 5 | 1 | 78 |
| HAMBURG, | 824,792 | Nov. 2, | . | 235 | 14·8 | . | 1 | . | 4† | 1 | 1 | 31 |
| BRESLAU, | 486,279 | „ 2, | . | 201 | 21·6 | . | . | . | 5† | 7 | 1 | 37 |
| MUNICH, | 548,000 | „ 9, | . | 175 | 16·6 | . | . | . | 3† | . | . | 39 |
| VIENNA (with suburbs). | 1,999,912 | „ 9, | 854 | 548 | 14·2 | . | 3 | 3 | 12† | 1 | . | 45 |
| BUDA-PESTH, | 802,235 | Oct. 26, | 469 | 319 | 20·7 | . | 10 | 14 | 2† | 2 | 4 | 59 |
| PRAGUE and Faubourgs. | 470,906 | „ 19, | 165 | 150 | 16·6 | . | . | . | 2† | . | . | 15 |
| TRIESTE, | 202,920 | „ 26, | 100 | 91 | 23·4 | . | . | . | . | . | . | 19 |
| ROME, | 545,610 | Aug. 31, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | Oct. 12, | 77 | 55 | 16·4 | . | 1 | . | . | . | . | 9 |
| NEW YORK, | 4,285,435 | „ 26, | 1,961 | 1,277 | 15·5 | . | 9 | 8 | 18† | 2 | 25 | 91 |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | Oct. 26, | . | 192 | 16·4 | . | . | . | 6 | . | . | 9 |

*a.* Including 3 deaths from cerebro-spinal meningitis.
* Including 23 deaths from cholera in Calcutta, 8 in Bombay, and 98 in Madras.
† Including deaths from croup.
‡ Exclusive of 12 deaths from plague in Calcutta, and 16 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd November, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 1 | . | . | . | . | . | 1 | . | . | . | . | 2 |
| " " 1, West, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | . | . | . | 4 | . | . | . | . | . | . | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| " " 4, | . | 2 | . | . | 1 | . | . | 2 | . | . | . | . | 5 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 5 | . | . | 5 | . | . | 5 | 4 | . | . | . | 19 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd November, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 23rd November. | | | |
|---|---|---|---|---|---|---|---|
| | Nov. 2. | Nov. 9. | Nov. 16. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 13 | 13 | 12 | 4 | 9 | . | 7 |
| Scarlet Fever, | 43 | 44 | 48 | 7 | 15 | 1 | 39* |
| Typhus, | 1 | 1 | . | 1 | . | 1 | . |
| Diphtheria, | 16 | 21 | 15 | 11 | 2 | . | 24 |
| Enteric Fever, | 48 | 55 | 56 | 5 | 11 | . | 50 |
| Pneumonia, | 25 | 26 | 25 | 10 | 12 | . | 23 |

* Exclusive of 16 patients in "Ben eavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 23rd November, 1907:—

"The weather was cold and changeable, but on the whole finer and less rainy than in recent weeks. The distribution of atmospheric pressure was anticyclonic over Russia and the Continent generally, cyclonic in the Icelandic region and over the Norwegian Sea. The high-pressure system in the far east and northeast of Europe barred the eastward passage of the Atlantic cyclonic depressions, which were forced northwards within the Arctic Circle. Numerous shallow depressions formed in the borderland between the areas of high and low pressure, and these secondaries caused very changeable weather, temperature being particularly unsteady. On Monday a heavy and persistent rainfall occurred in London, the total measurement in St. James's Park being ·59 inch. At 8 a.m. (Greenwich time) of Tuesday the barometer ranged from 30·9 inches over Central Russia to 28·23 inches at Reykjavik on the S.W. coast of Iceland. On Wednesday a dense pall of suspended smokefog hung for many hours over London, turning day into night. On Friday morning a very deep depression, in which the barometer sank to 28·4 inches, lay over the S.E. of Iceland, and from that region a V-shaped secondary stretched southwards across Ireland. Heavy rain fell in the west of this country—1·03 inches at Blacksod Point and ·80 inch at Valentia. At Stornoway in the Hebrides, 1·26 inches were measured. On Saturday a cold N.W. wind swept over the British Isles, and the week closed with a clear sky and frosty appearance. In Dublin the mean height of the barometer was 30·091 inches, the observed range of pressure being between 30·419 inches at 9 a.m. of Monday (wind, N.W.) and 29·700 inches at 9 a.m. of Saturday (wind, W.N.W.). The mean temperature was 42·8°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 41·3°. The screened thermometers rose to 52·4° on Sunday and fell to 32·9° on Tuesday. Rain fell on 2 days to the amount of ·049 inch, ·027 inch being recorded on Thursday. The prevailing wind was W. Solar halos were seen on Sunday and Wednesday, lunar halos on Sunday and Friday. Fog occurred on Sunday and Monday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 30·091 inches. The highest reading (30·433) was on Monday at 9 a.m., air calm, and the lowest (29·698) on Saturday at 9 a.m., wind S.W.

The mean temperature for the week was 40·2°, being 2·0° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 52·1°, and was lowest on Tuesday, the mercury having fallen to 24·6°. The mean of the Dry Bulb for the week was 39·7°, and of the Wet Bulb 38·4°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·078 inch.

At Greenwich the mean temperature for the week was 42·6°, the maximum 53·0°, and the minimum 29·1°; at Glasgow the maximum was 52·9°, the minimum 30·8°, and the mean 42·0°; and at Edinburgh the maximum was 50·4°, the minimum 33·0°, and the mean 41·6°. The rainfall at Greenwich measured 0·70 in.; at Glasgow 0·75 in.; and at Edinburgh 0·14 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Nov. 17, | 30·128 | 52·1 | 39·9 | 46·0 | 42·6 | 42·4 | ·98 | ·4 | 0·0 | ·000 | Calm. | Calm. |
| Monday, „ 18, | 30·415 | 45·7 | 27·9 | 36·8 | 32·9 | 31·7 | ·89 | ·4 | 6·7 | ·000 | Calm. | Calm. |
| Tuesday, „ 19, | 30·102 | 49·3 | 24·6 | 37·0 | 46·2 | 44·1 | ·85 | ·6 | 0·0 | ·020 | S. | S.W. |
| Wednesday, „ 20, | 30·278 | 47·8 | 32·4 | 40·7 | 37·0 | 36·2 | ·94 | ·7 | 2·8 | ·000 | W. | W.S.W. |
| Thursday, „ 21, | 30·211 | 50·9 | 31·0 | 41·0 | 43·6 | 41·1 | ·83 | ·7 | 4·6 | ·023 | Calm. | S.S.E. |
| Friday, „ 22, | 29·760 | 50·8 | 32·4 | 41·6 | 40·7 | 39·4 | ·91 | ·7 | 0·5 | ·035 | S.S.E. | Calm. |
| Saturday, „ 23, | 29·744 | 41·2 | 35·5 | 38·4 | 35·0 | 33·9 | ·90 | ·5 | 4·5 | ·000 | S.W. | S.W. |
| Mean, . . | 30·091 | 48·3 | 32·0 | 40·2 | 39·7 | 38·4 | ·90 | ·6 | Total 19·1 | Total ·078 | — | |

*Sunday*—Day overcast, fine; night clear; ground fog. *Monday*—Day cloudy, fine; night clear. *Tuesday*—Day overcast, light rain p.m.; night cloudy. *Wednesday*—Day cloudy, fine; night clear. *Thursday*—Day cloudy; night cloudy; light rain 6.0 a.m. to 6.30 a.m. *Friday*—Day overcast and cloudy; light rain a.m.; night cloudy. *Saturday*—Cloudy day, fine; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 23rd, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Nov. 17, | 44·0 | 46·4 | 49·3 | 53·3 | 42·5 | 47·9 | — | — |
| Monday, „ 18, | 37·1 | 45·7 | 49·2 | 46·9 | 35·6 | 41·3 | 3·0 | — |
| Tuesday, „ 19, | 47·9 | 43·4 | 49·0 | 51·1 | 32·5 | 41·8 | — | — |
| Wednesday, „ 20, | 38·4 | 44·2 | 49·0 | 50·3 | 37·3 | 43·8 | 0·5 | — |
| Thursday, „ 21, | 37·1 | 43·0 | 48·8 | 52·7 | 32·9 | 42·8 | 3·3 | ·014 |
| Friday, „ 22, | 49·0 | 43·9 | 48·4 | 52·6 | 39·6 | 46·1 | — | ·010 |
| Saturday, „ 23, | 37·8 | 43·3 | 48·0 | 47·4 | 36·9 | 42·2 | 2·1 | — |
| Weekly Mean, . | 41·6 | 44·3 | 48·8 | 50·6 | 36·8 | 43·7 | Total 8·9 | Total ·024 |

*Erratum* in last week's Return.—The rainfall on the 11th inst. was ·090 inch, not ·009 inch.—the week's rainfall, therefore, becomes ·112 inch.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 11. 1907.—19421.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or
WYMAN & SONS, LTD., FETTER-LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.
*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 30TH NOVEMBER, 1907. [No. 48.

*General Register Office, Charlemont House,*
*Dublin, 2nd December,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 22·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Nov. 9. | Week ending Nov. 16. | Week ending Nov. 23. | Week ending Nov. 30. | Average Rate for 4 weeks. | Towns, &c. | Week ending Nov. 9. | Week ending Nov. 16. | Week ending Nov. 23. | Week ending Nov. 30. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 20·0 | 21·6 | 19·4 | 22·3 | 20·8 | Limerick, . . | 19·1 | 34·2 | 23·2 | 24·6 | 25·3 |
| | | | | | | Lisburn, . . | 4·5 | . | 18·2 | 13·6 | 9·1 |
| Armagh, . . | 13·7 | . | 6·9 | 13·7 | 8·6 | Londonderry, . | 12·3 | 17·2 | 20·9 | 19·6 | 17·5 |
| Ballymena, | 14·4 | 19·2 | 4·8 | 23·9 | 15·6 | Lurgan, . . | 8·9 | 17·7 | 4·4 | 13·3 | 11·1 |
| Belfast, . . | 20·4 | 21·8 | 23·1 | 25·8 | 23·5 | Newry, . . | 8·4 | 21·0 | 29·4 | 25·2 | 21·0 |
| Clonmel, . . | 25·6 | 15·4 | 10·3 | 25·6 | 19·2 | Newtownards, . | 22·9 | 11·4 | 34·3 | 22·9 | 22·9 |
| Cork, . . . | 19·2 | 21·2 | 17·1 | 13·7 | 17·8 | Portadown, . | 5·2 | 5·2 | 10·3 | 10·3 | 7·8 |
| Drogheda, . . | 20·4 | 24·5 | 12·3 | 16·3 | 18·4 | Queenstown . | . | 19·8 | . | 13·2 | 8·3 |
| Dublin Reg. Area, | 22·8 | 21·4 | 18·4 | 21·6 | 21·1 | Sligo . . . | 14·4 | 33·6 | . | 4·8 | 13·2 |
| Dundalk . | 19·9 | 16·0 | 23·9 | 19·9 | 19·9 | Tralee, . . | 5·3 | 26·4 | 21·1 | 37·0 | 22·4 |
| Galway, . . | 35·0 | 11·7 | 23·3 | 38·8 | 27·2 | Waterford, . | 25·3 | 11·7 | 19·5 | 17·5 | 18·5 |
| Kilkenny, . . | 14·7 | 9·8 | . | 39·3 | 16·0 | Wexford, . . | 4·7 | 9·3 | 9·3 | 14·0 | 9·3 |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·4 per 1,000, the rates varying from 0·0 in eleven of the districts to 10·3 in Clonmel, the 5 deaths from all causes for that district including one from measles and one from *pyrexia* (origin uncertain). The 183 deaths from all causes in Belfast include 8 from measles, 2 from diphtheria, one from enteric fever, 5 from diarrhœal diseases, and 2 from cerebro-spinal fever. Of the 16 deaths from all causes for Londonderry one was due to whooping-cough; the 18 deaths from all causes for Limerick include one from measles and one from diarrhœa; and among the 10 deaths from all causes for Galway is one from *pyrexia* (origin uncertain).

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 238—117 boys and 121 girls; and the deaths to 175—87 males and 88 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 23·4 in every 1,000 of the population. Omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, the rate was 21·6 per 1,000. During the forty-eight weeks ending with Saturday last the death-rate averaged 24·2, and was 1·0 below the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

The deaths (175) included one death from whooping-cough and 3 deaths fro diarrhœal diseases, all of the latter figure being deaths of children under 5 years of ag The deaths of 3 children under 5 years of age were attributed to *gastro-enteritis.* I each of the 3 weeks preceding, deaths from whooping-cough were 2, one, and 0; an deaths from diarrhœal diseases were 4, 3, and 7, respectively. There was one death fro influenza, and varicella caused the death of one infant aged 8 months.

Seven deaths were attributed to broncho-pneumonia and 7 deaths to *pneumonia* (no defined).

The deaths from all forms of tuberculous disease, which, in the 3 weeks preceding, wer 33, 29, and 33, respectively, declined, in the period under notice, to 22 deaths. Th latter figure includes 10 deaths from tuberculous phthisis, 6 deaths returned as fro *phthisis*, one death from tuberculous meningitis, one death from *tabes mesenterica*, an 4 deaths from other forms of the disease.

There were 4 deaths from carcinoma and 4 deaths from cancer (undefined).

The deaths of 2 infants, prematurely born, were registered,

Diseases of the brain and nervous system accounted for the deaths of 11 persons including those of 4 infants under one year of age from *convulsions.*

Twenty-six deaths were ascribed to diseases of the heart and blood vessels, an bronchitis caused 28 deaths.

The deaths of 2 persons were attributed to accidental causes.

In 9 instances the cause of death was "uncertified," there having been no medica attendant during the last illness; these cases include the deaths of 7 children under year of age (including 6 infants under one year old) and the deaths of 2 persons age 60 years or upwards.

Sixty-one of the persons whose deaths were registered during the week were unde 5 years of age (39 being infants under one year, of whom 12 were under one month old) and 59 were aged 60 years and upwards, including 28 persons aged 70 and upwards, o whom 8 were octogenarians, and one (a female) was stated to have been aged 90 years.

Seventy-six of the deaths registered during the week occurred in hospitals and othe public institutions; of this number 24 took place in the N. Dublin Union Workhous and 19 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for las week, deaths in Public Institutions being assigned to the districts from which th deceased were admitted, and the annual death-rate for each district calculated on th mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·6 per 1,000; the rate in the City was 23·2 (North City Districts, 29·1; South, 17·0), and in the Suburbs, 16·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·5 per 1,000 inhabitants, the rate for the City being 0·5 (1·0 in the North City Districts, and 0·0 in the South) and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 25·2 per 1,000, and include one death each from *diarrhœa* and influenza, 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), and 4 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 32·0 per 1,000. Among the 24 deaths are one each from whooping-cough and varicella, one from *pneumonia* (not defined), 4 deaths from tuberculous disease, and 4 from diseases of the respiratory system.

*No. 2 North City District* (Lisburn-street).—The deaths (17) are equivalent to an annual rate of 29·2 per 1,000. There was one death from *diarrhœa*, and there were 3 deaths each from broncho-pneumonia and tuberculous disease of the lungs, and 4 from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (19) represent an annual rate of 30·6 per 1,000. Three deaths were attributed to tuberculous disease of the lungs and 2 to bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 10·2 per 1,000 inhabitants, Coolock and Drumcondra, No. 1 part of, 42·7; and Finglas and Glasnevin, part of, 14·4. The 9 deaths from all causes for Coolock and Drumcondra, No. 1, part of, include one from *pneumonia* (not defined) and 2 from tuberculous disease.

*No. 1 South City District* (South Earl-street).—The deaths (14) represent an annual rate of 18·2 per 1,000. They include 3 deaths from tuberculous disease and one death from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 10·1 per 1,000. Of the 4 deaths one was from broncho-pneumonia, one from tuberculous phthisis, and one from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·8 per 1,000. There were 5 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (15) are equivalent to an annual rate of 22·3 per 1,000. Broncho-pneumonia, *pneumonia* (not defined), *phthisis*, and bronchitis each caused one death, and diseases of the heart and blood vessels caused 4 deaths.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. Of the 3 deaths there was one each from tuberculous phthisis and bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0; Pembroke, 13·1; Blackrock, 11·9; and Kingstown, 17·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from *diarrhœa* for Kingstown. The 13 deaths from all causes for Rathmines and Rathgar include one from tuberculous disease and 3 from bronchitis; of the 7 deaths from all causes for Pembroke one was from *pneumonia* (not defined), and one from bronchitis; and the 6 deaths from all causes for Kingstown include one from *pneumonia* (not defined) and one from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases tification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
ir Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. vcett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive itary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock an District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown an District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.
BLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the City of Belfast, during the week ended 30th November, 1907, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

| TIES AND URBAN ISTRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin. | Nov. 9, | . | — | — | 6 | . | . | 7 | 1 | 1 | 8 | 13 | . | — | — | — | — | — | 36 |
| | Nov. 16, | . | — | — | 4 | . | . | 3 | . | 5 | 10 | 10 | . | — | — | — | — | — | 32 |
| | Nov. 23, | . | — | — | 5 | . | . | 5 | . | . | 5 | 4 | . | — | — | — | — | — | 19 |
| | Nov. 30, | . | — | — | 4 | . | . | 4 | . | 2 | 5 | 18 | . | — | — | — | — | — | 33 |
| thmines Rathgar Urban istrict. | Nov. 9, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Nov. 16, | . | — | — | 4 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 5 |
| | Nov. 23, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| | Nov. 30, | . | — | — | . | . | . | 1 | . | 1 | . | 1 | . | — | — | — | — | — | 3 |
| mbroke Urban istrict. | Nov. 9, | . | . | . | . | . | . | . | . | . | 4 | 1 | . | — | 1 | . | — | — | 6 |
| | Nov. 16, | . | 2 | . | 3 | . | . | . | . | 1 | 1 | 1 | . | — | . | . | — | — | 8 |
| | Nov. 23, | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 3 |
| | Nov. 30 | . | 2 | 2 | . | . | . | . | 1 | . | 2 | 2 | . | — | . | . | — | — | 9 |
| ackrock Urban istrict. | Nov. 9, | . | — | — | 1 | . | . | . | . | . | . | . | . | — | — | . | — | — | 1 |
| | Nov. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Nov. 23, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| ngstown Urban istrict. | Nov. 9, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| ity of Belfast. | Nov. 9, | . | — | — | 7 | . | . | 6 | . | 10 | 8 | 12 | . | — | — | 4 | — | — | 47 |
| | Nov. 16, | . | — | — | 16 | . | . | 1 | . | 2 | 10 | 6 | 1 | — | — | 2 | — | — | 38 |
| | Nov. 23, | . | — | — | 9 | . | . | 5 | 1 | 5 | 3 | 7 | . | — | — | 5 | — | — | 35 |
| | Nov. 30, | . | — | — | 9 | . | . | 10 | . | 5 | 6 | 7 | . | — | — | 5 | — | — | 42 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the blin Hospitals during the week ended 30th November, 1907.

From this it appears that:—

Two cases of measles were admitted into hospital during the week, 2 were discharged, 17 cases remained under treatment at its close.

Six cases of scarlet fever were admitted to hospital, 7 were discharged, and 38* cases ained under treatment at the close of the week.

Ten cases of diphtheria were admitted to hospital, 4 were discharged, and 30 ients remained under treatment at the close of the week.

Eight cases of enteric fever were admitted to hospital during the week, 7 were dis- rged, and 51 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, ere discharged, there was one death, and 30 cases remained under treatment at the end he week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the was 16·8), was equal to an average annual death-rate of 16·5 per 1,000 persons living, average rate for 8 principal towns of Scotland was 19·3 per 1,000, the rate for Glasgow g 21·4 and for Edinburgh 15·2.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th ember. From this Report it appears that of a total of 80 cases notified 38 were scarlet fever, 12 diphtheria membraneous croup, and 8 erysipelas. Among the 380 cases of infectious diseases in hospital at close of the week were 206 cases of scarlet fever, 55 of diphtheria, two of membranous croup, 30 of sles, 15 of whooping-cough, 9 of erysipelas, and 5 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 30th November, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 30th November, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia. b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 30th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 23rd November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 16th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 30·1 | 22·3 | 1·4 | 646 | 478 | 99 | 145 | . | 10 | . | . | 2 | 2 | 2 | 1 | 14 | 45 | 49 | 23 | 21 | 96 | 6 | 11 | 140 | 27 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 31·8 | 21·6 | 0·5 | 228 | 162 | 38 | 56 | . | . | . | . | 1 | . | . | . | 3 | 13 | 13 | 6 | 6 | 30 | 1 | 3 | 63 | 9 | f50·9 | 25·7 | 39·4 | 1·56 | f52·1 | 24·6 | 40·2 | 0·08 | f54·3 | 33·4 | 44·1 | 0·16 |
| City of Dublin, | 300,850 | 38·0 | 35·2 | 23·2 | 0·5 | 208 | 134 | 34 | 44 | . | . | . | . | 1 | . | . | . | 2 | 11 | 13 | 5 | 5 | 25 | . | 3 | 58 | 8 | g49·6 / h50·3 | 29·8 / 25·8 | 40·9 / 40·1 | 1·63 / 2·10 | g52·4 / h51·9 | 32·9 / 26·0 | 42·8 / 40·1 | 0·05 / 0·06 | g55·1 / h54·9 | 36·6 / 32·0 | 45·7 / 44·0 | 0·11 / 0·18 |
| Urban Distts. Rathmines and Rathgar. | 35,606 | 20·8 | 24·9 | 19·0 | . | 17 | 13 | 3 | 7 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 18·7 | 13·1 | . | 10 | 7 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 6·0 | 11·9 | . | 1 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 20·7 | 17·8 | 3·0 | 7 | 6 | 1 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . | . | . | 50·5 | 33 | 42 | 1·38 | 54 | 34 | 44·9 | 0·07 | 56 | 40 | 47·5 | 0·04 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 25·6 | 25·8 | 2·3 | 182 | 188 | 37 | 50 | . | 8 | . | . | . | 2 | . | 1 | 5 | 28 | 14 | 12 | 8 | 47 | 2 | 6 | 38 | 6 | 49·0 | 26·5 | 37·9 | 1·48 | 50·6 | 28·5 | 41·1 | 0·72 | 55·0 | 32·5 | 44·6 | 0·55 |
| Cork, | 76,122 | 33·6 | 25·3 | 13·7 | 0·7 | 37 | 20 | 4 | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 2 | 4 | . | . | 6 | 3 | 52 | 34 | 43·8 | 1·96 | 52 | 35 | 44·2 | 0·62 | 54 | 37 | 47·1 | 0·19 |
| Londonderry, | 42,475 | 19·6 | 36·8 | 19·6 | 1·2 | 30 | 16 | 6 | 3 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 51·9 | 24·6 | 2·7 | 38 | 18 | 4 | 2 | . | 1 | . | . | . | . | . | . | 1 | . | 5 | 1 | . | 5 | . | . | 4 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 25·3 | 17·5 | 1·9 | 13 | 9 | 4 | 2 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | 1 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 13,426 | 2·5 | 23·3 | 18·8 | 3·9 | 6 | 10 | . | 5 | . | . | . | . | . | . | . | 1 | . | . | 2 | . | . | . | . | . | 7 | . | 49 | 26 | 39 | 1·30 | 53 | 30 | 43 | 0·73 | 55 | 32 | 45·4 | 0·39 |
| Dundalk, | 13,076 | 9·4 | 8·0 | 19·9 | . | 2 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 32·7 | 16·3 | . | 8 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 |
| Newry, | 12,405 | 17·8 | 8·4 | 25·2 | . | 2 | 6 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 1 | . | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 |
| Lurgan, | 11,782 | 13·8 | 44·3 | 15·3 | 4·4 | 10 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 |
| Lisburn, | 11,461 | 10·1 | 27·8 | 13·6 | . | 6 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Wexford, | 11,168 | 23·2 | 28·0 | 14·0 | . | 6 | 3 | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 28·7 | 23·9 | 4·8 | 6 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 46·5 | 21·0 | 35·4 | 0·80 | 48·9 | 27·5 | 39·1 | 0·71 | 53·5 | 28·2 | 44·4 | 0·77 |
| Sligo, | 10,870 | 8·7 | 24·0 | 4·8 | . | 5 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | 3 | 2 | 3 | . | 48 | 26 | 39·0 | 1·81 | 50 | 25 | 38·9 | 0·48 | 54 | 29 | 48·0 | 0·21 |
| Kilkenny, | 10,609 | 11·5 | 39·3 | 39·3 | . | 8 | 8 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Clonmel, | 10,167 | 7·8 | 25·6 | 25·6 | 10·3 | 5 | 5 | . | 4 | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 |
| Portadown, | 10,092 | 18·2 | 31·0 | 10·3 | . | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Tralee, | 9,867 | 16·6 | 42·3 | 37·0 | 5·3 | 8 | 7 | 1 | 2 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | . | 1 | . | 50 | 31 | 40·4 | 1·20 | 51 | 34 | 41·4 | 0·65 | 51 | 37 | 45·7 | 0·70 |
| Newtownards, | 9,110 | 18·9 | 103·0 | 22·9 | . | 18 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 52 | 34 | 43·8 | 1·06 | 52 | 35 | 44·2 | 0·62 | 54 | 37 | 47·1 | 0·19 |
| Queenstown, | 7,909 | 14·4 | 46·1 | 18·2 | . | 7 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 48·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 | 53·0 | 34·4 | 44·5 | 0·54 |
| Armagh, | 7,588 | 22·2 | 34·4 | 13·7 | . | 5 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

described as "Simple Continued Fever." a Exclusive of Pneumonia. d Exclusive of 13 deaths of persons (including one under 1 year old and 3 at 60 years and upwards) transferred to hospital from districts from which Returns are received have been adopted
Mean Meteorological Observations from some of the Towns included in this Table, the readings at the nearest stations from which Returns are received have been adopted

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 30th of November, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | GOODLOCK and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Diphtheria, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . |
| Pneumonia, | 3 | 1 | 3 | . | . | 1 | . | . | 1 | . | 2 | . | . | 1 | . | 1 | 13 | 1 |
| Tuberculous Disease. Phthisis, | . | 2 | 3 | 3 | . | . | . | 2 | 1 | . | 1 | 1 | . | . | . | . | 13 | 3 |
| Tuberculous Disease. Other Forms. | . | 2 | . | . | . | 2 | . | 1 | . | . | . | . | 1 | . | . | . | 6 | . |
| Cancer, Malignant Disease, | . | 1 | 1 | 1 | . | 1 | . | . | . | 1 | . | . | . | . | 1 | . | 6 | 2 |
| Other General Diseases, | 2 | 2 | . | 2 | . | 1 | 2 | . | . | 1 | 2 | . | 1 | . | . | . | 13 | 3 |
| Total, | 6 | 9 | 8 | 6 | . | 5 | 2 | 3 | 2 | 2 | 5 | 1 | 2 | 1 | 1 | 2 | 55 | 9 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of: Nervous System | . | 3 | . | 2 | . | . | . | 1 | . | 2 | 1 | . | . | 1 | . | . | 10 | 1 |
| Diseases of: Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Heart and Blood Vessels, | 1 | 3 | 3 | 4 | . | 2 | . | 3 | . | 1 | 4 | . | 3 | 1 | . | 1 | 26 | . |
| Diseases of: Respiratory System, | 4 | 4 | 4 | 2 | 1 | 1 | . | 1 | 1 | 5 | 1 | 1 | 3 | 1 | . | 1 | 30 | . |
| Diseases of: Digestive System, | 1 | 3 | . | 1 | . | 1 | . | 2 | . | 2 | 1 | . | 4 | . | . | 1 | 16 | 1 |
| Diseases of: Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of: Urinary System, | . | 1 | 1 | 2 | . | . | . | . | 1 | . | . | 1 | . | 2 | . | . | 8 | 1 |
| Diseases of: Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| " Integumentary System, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Total, | 6 | 15 | 8 | 11 | 1 | 4 | . | 7 | 2 | 10 | 7 | 2 | 10 | 6 | . | 4 | 93 | 3 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 2 | . | 1 | 2 | . | . | . | 4 | . | . | 3 | . | 1 | . | . | . | 13 | . |
| **E. VIOLENT DEATHS,** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 |
| **Deaths from all Causes,** | 14 | 24 | 17 | 19 | 1 | 9 | 2 | 14 | 4 | 12 | 15 | 3 | 13 | 7 | 2 | 6 | 162 | 13 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 25·2 | 32·0 | 29·4 | 30·6 | 10·2 | 42·7 | 14·4 | 18·2 | 10·1 | 14·8 | 22·3 | 17·6 | 19·0 | 13·1 | 11·9 | 17·8 | 21·6 | . |
| | 29·1 | | | | | | | 17·0 | | | | | 16·3 | | | | | |
| | 23·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 5 | 9 | 4 | 3 | . | . | 1 | 6 | . | 2 | 3 | 1 | 3 | . | . | 1 | 38 | 1 |
| 1 and under 5 years, | 3 | 5 | 2 | 2 | . | 2 | . | 3 | 1 | 1 | 1 | . | . | . | . | . | 20 | 2 |
| 5 " 20 " | . | 2 | 1 | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 1 | . | 9 | . |
| 20 " 40 " | 1 | . | 3 | 2 | . | 1 | . | 1 | 1 | . | 1 | 1 | 1 | 1 | . | 2 | 15 | 2 |
| 40 " 60 " | 1 | 2 | 3 | 4 | . | 1 | . | 3 | 1 | 2 | 2 | . | 1 | 2 | . | 2 | 24 | 5 |
| 60 and upwards, | 4 | 6 | 4 | 8 | 1 | 5 | 1 | 1 | 1 | 6 | 6 | 1 | 7 | 3 | 1 | 1 | 56 | 3 |
| Number of Uncertified Deaths, | 1 | 4 | 1 | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | . | 9 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 2 | 4 | 2 | 2 | . | 3 | . | 1 | . | 2 | 3 | . | 2 | 1 | 1 | . | 23 | 10 |
| Workhouse Hospitals, | 1 | 5 | 5 | 9 | . | 2 | . | 3 | 3 | 7 | 3 | 1 | 1 | . | . | . | 40 | 3 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered the week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 48th Week of the 10 years 1897–1906. | In the Week ending Saturd 30th November, 1907. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the Ag | | | | | | |
| | | | | | | | | | | | | ALL AGES. | 0 to 5. | | | | | |
| | Dec. 4, 1897. | Dec. 3, 1898. | Dec. 2, 1899. | Dec. 1, 1900. | Nov. 30, 1901. | Nov. 29, 1902. | Dec. 5, 1903. | Dec. 3, 1904. | Dec. 2, 1905. | Dec. 1, 1906. | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. |
| Mean Temperature. | 40·3 | 41·7 | 47·1 | 43·4 | 42·1 | 43·5 | 34·6 | 41·3 | 44·1 | 49·1 | 42·7 | 39·4 | | | | | | |
| **ALL CAUSES.** | 170 | 212 | 259 | 167 | 141 | 230 | 207 | 204 | 157 | 179 | 192·6 | 175 | 12 | 27 | 22 | 9 | 17 | 2 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | 1 | 29 | . | . | 14 | . | 12 | . | 3 | 5·9 | . | . | . | . | . | . | . |
| Scarlet Fever, | 3 | 4 | 2 | . | 1 | 8 | 2 | . | . | 1 | 2·1 | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 2 | 1 | 1 | 1 | . | 3 | 2 | . | 1 | 2 | 1·3 | 1 | . | . | . | . | . | . |
| Whooping-cough, | 2 | 3 | 1 | 6 | 1 | . | 5 | 3 | 1 | 3 | 2·5 | 1 | . | . | 1 | . | . | . |
| Diphtheria, | 2 | 1 | 2 | 1 | . | 4 | 2 | 1 | . | 2 | 1·5 | . | . | . | . | . | . | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | 1 | . | . | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . |
| Enteric Fever, | 11 | 2 | 6 | 4 | 2 | 4 | 2 | 2 | 2 | 3 | 3·8 | . | . | . | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | . | . | 4 | 1 | 4 | 2 | . | 1 | 2 | 1 | 2·8 | . | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 5 | . | 2 | 3 | 3 | | 3 | . | 2 | 1 | . | | |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 2 | 2 | . | 2 | . | 2 | 1 | 1 | 1 | 3 | 1·4 | 4 | . | . | 2 | . | . | . |
| Puerperal Septicæmia, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | 2 | 1 | . | 1 | ·4 | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 11 | 10 | 17 | 9 | 8 | . | . | 3 | 1 | . | 11·9 | . | . | . | . | . | . | . |
| Pneumonia, Broncho-Epidemic, | | | | | | 9 | 8 | 5 | 5 | 7 | | 7 | . | 2 | 3 | 1 | . | . |
| Pneumonia, Not defined, | | | | | | 5 | 2 | 11 | 4 | 4 | | 7 | . | . | 3 | . | . | . |
| Erysipelas, | . | . | 1 | . | 1 | 1 | . | . | . | . | ·3 | . | . | . | . | . | . | . |
| Septicæmia (not Puerperal) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | . | . | ·1 | 1 | . | . | . | . | . | 1 |
| Tuberculous Phthisis, | 19 | 34 | 35 | 14 | 23 | 4 | 5 | 10 | 6 | 1 | 23·0 | 10 | . | . | 1 | 1 | 3 | . |
| "*Phthisis*," | | | | | | 18 | 18 | 19 | 12 | 12 | | 6 | . | . | . | 1 | 3 | . |
| Tuberculous Meningitis, | 4 | 7 | 4 | 2 | 1 | 3 | 2 | 2 | 4 | 2 | 3·1 | 1 | . | 1 | . | . | . | . |
| Tuberculous Peritonitis, | 4 | 2 | 4 | 4 | . | 1 | . | . | 1 | 1 | 2·0 | . | . | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | . | 1 | 1 | . | 1 | | 1 | . | . | 1 | . | . | . |
| Tuberculous Dis. (other), | 1 | 4 | 7 | 7 | 3 | 8 | 5 | 10 | 5 | 8 | 5·8 | 4 | . | 1 | . | 2 | . | . |
| *Scrofula*, | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . |
| Alcoholism, | . | 1 | . | . | 1 | 2 | 1 | . | . | 1 | ·6 | 1 | . | . | . | . | . | . |
| Rheumatic Fever, | . | . | 1 | . | 1 | 1 | . | . | 1 | . | ·4 | . | . | . | . | . | . | . |
| Gout, | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . |
| Carcinoma, | 5 | 8 | 9 | 13 | 5 | 3 | 6 | 6 | 2 | 3 | 8·6 | 4 | . | . | . | . | . | 3 |
| Sarcoma, | | | | | | . | . | . | 1 | . | | . | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 5 | 3 | 5 | 6 | | 4 | . | . | . | . | 1 | 2 |
| Diabetes Mellitus, | . | . | . | . | . | . | 1 | 1 | . | 1 | ·3 | . | . | . | . | . | . | . |
| Premature Birth, | 6 | 2 | 2 | . | 3 | 1 | 3 | 2 | 1 | 4 | 2·4 | 2 | 1 | 1 | . | . | . | . |

* The figures for the years 1897–1900 e
† Formerly descr

IGHTH WEEK ending Saturday, 30th November, 1907, with the deaths from each cause in the corresponding
verage for those weeks.*

| SES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Dec. 4, 1897. | Dec. 3, 1898. | Dec. 2, 1899. | Dec. 1, 1900. | Nov. 30, 1901. | Nov. 29, 1902. | Dec. 5, 1903. | Dec. 3, 1904. | Dec. 2, 1905. | Dec. 1, 1906. | Averages in 48th Week of the 10 years 1897-1906. | In the Week ending Saturday, 30th November, 1907. Deaths of Persons of the Ages of: ALL AGES. | Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| an Temperature. | ° 40·3 | ° 41·7 | ° 47·1 | ° 43·4 | ° 42·1 | ° 43·5 | ° 34·6 | ° 41·3 | ° 44·1 | ° 49·1 | ° 42·7 | | ° 39·4 | | | | | | | | |
| ritis (not tuberc.) ... | | | | | | 2 | 4 | . | 3 | 4 | | 4 | | . | 1 | 2 | 1 | . | . | . | . |
| y, G. P. of Insane ... | | | | | | 2 | . | 3 | 1 | 1 | | 2 | | . | . | . | . | . | . | 2 | . |
| sy ... | | | | | | 1 | . | 2 | . | . | | . | | . | . | . | . | . | . | . | . |
| *sions* ... | | | | | | 10 | 13 | 5 | 5 | 5 | | 4 | | . | 4 | . | . | . | . | . | . |
| otor Ataxy ... | | | | | | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . |
| egia Dis. of Cord ... | | | | | | . | 2 | 2 | 2 | 4 | | . | | . | . | . | . | . | . | . | . |
| us System (other | | | | | | 2 | 3 | 3 | 3 | 2 | | 1 | | . | . | . | 1 | . | . | . | . |
| | 38 | 42 | 38 | 38 | 25 | | | | | | 38·8 | | | | | | | | | | |
| Dis., Endocarditis . | | | | | | 2 | 6 | 4 | 7 | 4 | | 5 | | . | . | . | . | 2 | 2 | 1 | . |
| . Hæm. Thromb. ... | | | | | | 4 | 3 | 2 | 2 | 3 | | 3 | | . | . | . | . | . | 1 | 1 | 1 |
| *cy, Hemiplegia* ... | | | | | | 5 | 9 | 2 | 3 | 3 | | 3 | | . | . | . | . | . | . | 3 | . |
| ysm ... | | | | | | . | . | . | . | . | | 1 | | . | . | . | . | 1 | . | . | . |
| ism, Thromb. (not | | | | | | . | . | . | . | 1 | | . | | . | . | . | . | . | . | . | . |
| oral) | | | | | | | | | | | | | | | | | | | | | |
| and Blood Vessel Dis. | | | | | | 11 | 15 | 12 | 13 | 12 | | 14 | | . | . | . | . | . | 5 | 6 | 3 |
| (not Spasm. nor | . | . | . | 2 | 1 | 1 | . | . | . | . | ·4 | . | | . | . | . | . | . | . | . | . |
| ab.) | | | | | | | | | | | | | | | | | | | | | |
| hitis ... | 24 | 44 | 48 | 32 | 11 | 36 | 36 | 37 | 32 | 25 | 32·5 | 28 | | 2 | 6 | 3 | . | . | 2 | 14 | 1 |
| a, Emphysema ... | . | 3 | 1 | 2 | 2 | . | . | . | . | . | 1·9 | . | | . | . | . | . | . | . | . | . |
| sy ... | | | | | | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . |
| atory Dis. (other) ... | | | | | | 2 | 1 | 3 | 1 | 4 | | 2 | | . | . | 1 | . | . | 1 | . | . |
| litis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| tis (not Epid.) ... | | | | | | . | . | . | 2 | . | | . | | . | . | . | . | . | . | . | . |
| *Enteritis* ... | 1 | . | 1 | . | . | 2 | 1 | 1 | 1 | 3 | 1·2 | 3 | | . | 2 | 1 | . | . | . | . | . |
| *itis* (not Puerp.) ... | 1 | 1 | 1 | 2 | . | 1 | 1 | . | . | 1 | ·8 | 1 | | . | . | . | . | 1 | . | . | . |
| sis of Liver ... | | | | | | . | 1 | 3 | 2 | . | | 2 | | . | . | . | . | . | 1 | 1 | . |
| Dis. (other) ... | 1 | 1 | 3 | 1 | 4 | 5 | . | 1 | 1 | 2 | 2·5 | 2 | | . | . | . | . | . | . | 2 | . |
| ive Dis. (other) ... | 5 | 6 | 5 | 3 | 2 | 6 | 7 | 3 | 4 | 6 | 4·7 | 9 | | 1 | 2 | 1 | 1 | 2 | . | 2 | . |
| itis, Acute ... | | | | | | 3 | . | 2 | 2 | . | | 2 | | . | . | . | . | . | 1 | 1 | . |
| 's Dis., Albuminuria | 2 | 3 | 3 | 4 | 3 | 2 | 3 | 1 | 2 | 10 | 4·6 | 4 | | . | . | . | . | . | 2 | 2 | . |
| ry Sys. (Other Dis.) | | | | | | 3 | 1 | 1 | 1 | . | | 3 | | . | . | . | . | . | 1 | 2 | . |
| ative Organs Dis. ... | . | 1 | . | . | 1 | . | 1 | 1 | . | 1 | ·5 | . | | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | 2 | . | . | . | 1 | 1 | . | . | ·4 | 1 | | . | . | . | . | 1 | . | . | . |
| *ge* ... | 7 | 13 | 14 | 10 | 16 | 5 | 5 | 7 | 4 | 4 | 8·5 | 5 | | . | . | . | . | . | 2 | 3 | |
| Diseases ... | 15 | 14 | 14 | 7 | 19 | 19 | 14 | 10 | 5 | 8 | 12·5 | 16 | | 8 | 5 | 1 | . | 1 | 1 | . | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | | |
| ilways ... | . | . | . | . | 1 | . | 1 | . | . | . | ·2 | . | | . | . | . | . | . | . | . | . |
| hicles and Horses ... | . | 1 | 1 | . | . | . | . | . | . | . | ·2 | . | | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (ex- | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | | . | . | . | . | . | . | . | . |
| ve of Drowning) ... | | | | | | | | | | | | | | | | | | | | | |
| lding Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| flagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | . | . | 1 | . | . | . | . | . | 1 | 2 | ·4 | . | | . | . | . | . | . | . | . | . |
| owning ... | . | . | 1 | . | 1 | 1 | 1 | . | 1 | . | ·5 | . | | . | . | . | . | . | . | . | . |
| focation in Bed ... | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | | . | . | . | . | . | . | . | . |
| oison or Poisonous | 1 | . | . | . | . | . | . | . | . | . | ·1 | . | | . | . | . | . | . | . | . | . |
| ours | | | | | | | | | | | | | | | | | | | | | |
| Deaths by Accident | . | 1 | 1 | 1 | . | . | 2 | . | 1 | 1 | ·7 | 2 | | . | . | . | 1 | 1 | . | . | . |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | | |
| cide ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | | . | . | . | . | . | . | . | . |
| e ... | 1 | . | . | . | . | 1 | . | . | . | . | ·2 | . | | . | . | . | . | . | . | . | . |
| tion ... | . | . | . | . | . | . | . | . | . | . | . | . | | . | . | . | . | . | . | . | . |

stration Area as then constituted.
Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7 | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. |
| No. of weeks in Annual Series. | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
| BIRTHS registered, | 193 | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 | 191 | 193 | 238 |
| *Average Births in corresponding week of previous 10 years,** | 223 | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 | 200 | 182 | 200 |
| DEATHS registered, | 180 | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 | 163 | 145 | 175 |
| Annual Death-rate per 1,000, | 24·0 | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 | 21·8 | 19·4 | 23·4 |
| *Average Deaths in corresponding week of previous 10 years,** | 156 | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 | 187 | 191 | 193 |
| AGES, Under 5 years, | 52 | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 | 42 | 40 | 61 |
| 5—20 ,, | 12 | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 | 11 | 11 | 9 |
| 20—40 ,, | 25 | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 | 18 | 35 | 33 | 28 | 17 |
| 40—60 ,, | 44 | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 | 29 | 28 | 29 |
| 60—80 ,, | 40 | 39 | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 | 40 | 36 | 50 |
| 80 years and upwards, | 7 | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 | 5 | 7 | 6 | 8 | 2 | 9 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 6 | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 | 3 | . | . |
| Scarlet Fever | . | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . |
| Typhus, | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 4 | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . | 2 | 1 | . | 1 |
| Diphtheria, | 1 | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 | 2 | . | . |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 | 2 | 2 | 2 | . |
| Diarrhœal Diseases, | . | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 | 3 | 7 | 3 |
| Influenza, | 6 | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 | 1 |
| Pneumonia, | 18 | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 | 10 | 6 | 14 |
| Tuberculous Phthisis, | 16 | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 | 25 | 13 | 16 | 25 | 22 | 26 | 16 |
| Disease. Other Forms, | 16 | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 | 7 | 7 | 6 |
| Cancer, Malignant Disease, | 10 | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 | 6 | 10 | 8 | 8 |
| Diseases of Heart and Blood Vessels, | 36 | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 | 37 | 27 | 19 | 23 |
| Diseases of Respiratory System, | 18 | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 | 17 | 27 | 10 | 30 |
| Violent Deaths, | 5 | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | . | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 | 4 | 7 | 2 |
| Number of Uncertified Deaths, | 2 | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 | 3 | 8 | 9 |
| Mean Temperature of the Air (Phœnix Park), | 52·7 | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 | 44·1 | 40·2 | 39·4 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 54·8 | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 | 43·7 | 42·2 | 42·7 |
| Rainfall in inches, | 1·585 | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·384 | ·401 | ·645 | 1·842 | ·178 | ·156 | ·078 | 1·560 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·86 | ·88 | ·77 | ·88 | ·81 | ·84 | ·81 | ·88 | ·82 | ·88 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 | ·86 | ·94 | ·92 | ·96 | ·88 | ·90 | ·92 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

in the Dublin Registration Area during the Week ending Saturday, 30th November, 1907, of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH NOVEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 24·2 | 175 | 61 | 9 | 17 | 29 | 50 | 9 | .. | .. | .. | .. | 1 | .. | .. | .. | 3 | 4 | 14 | 16 | 6 | 8 | 4 | 30 | 2 | 91 | 9 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I | Professional and Independent Class, | 17,486 | 29·9 | 10 | .. | .. | 1 | .. | 5 | 4 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | 2 | .. | 1 | .. | 6 | .. |
| II. | Middle Class, | 87,188 | 17·3 | 29 | 9 | 1 | 5 | 2 | 10 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 2 | 2 | 1 | 2 | 5 | .. | 16 | 3 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 19·4 | 41 | 11 | 3 | 5 | 9 | 12 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 3 | 4 | 1 | 2 | .. | 8 | .. | 22 | 3 |
| IV. | General Service Class, | 154,279 | 30·9 | 52 | 31 | 2 | 3 | 8 | 7 | 1 | .. | .. | .. | .. | 1 | .. | .. | .. | 2 | 3 | 7 | 2 | .. | 1 | 1 | 9 | 2 | 27 | 3 |
| V. | Inmates of Workhouses, | 6,024 | | 43 | 10 | 3 | 3 | 10 | 16 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 8 | 3 | 2 | 1 | 7 | .. | 20 | .. |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 46·8 | 7 | .. | .. | 1 | .. | 2 | 4 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | 1 | .. | 1 | .. | 4 | .. |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | 18·7 | 3 | .. | .. | .. | .. | 3 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | 2 | .. |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 20·3 | 3 | 1 | .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | .. | 1 | 1 |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 16·6 | 7 | 1 | 1 | 1 | .. | 4 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | 1 | .. | 4 | .. |
| | 6. Clerks and Commercial Assistants, | 30,432 | 13·7 | 8 | 5 | .. | 2 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | .. | 2 | 1 | .. | 3 | 2 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 21·2 | 11 | 2 | .. | 2 | 1 | 4 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | 1 | .. | 8 | .. |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 31·7 | 6 | 2 | .. | 2 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | 1 | .. | .. | .. | .. | .. | 4 | 1 |
| | 9. Building and Furnishing Trades, | 29,801 | 28·0 | 16 | 7 | 2 | .. | 3 | 3 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 3 | 1 | 1 | 1 | .. | 3 | .. | 7 | 2 |
| | 10. Clothing Trades, | 23,260 | 6·7 | 3 | 1 | .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | .. | .. | 2 | .. | .. | .. |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 22·3 | 13 | .. | 1 | 3 | 4 | 5 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. | 2 | .. | 9 | .. |
| | 13. Petty Shopkeepers, | 7,894 | 13·2 | 2 | .. | .. | .. | .. | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | .. | 1 | .. |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 27·2 | 7 | 2 | 1 | 1 | 1 | 2 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 5 | .. |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | 3 | .. | 1 | .. | 2 | .. | .. | .. | .. | .. | .. | 1 | .. | .. | 1 | 2 | 1 | .. | .. | .. | .. | 1 | .. | 2 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 3 | .. | .. | 1 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | .. | .. | .. | 2 | .. | 1 | .. |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 19·7 | 34 | 23 | 1 | 1 | 6 | 2 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | 1 | 1 | 5 | 1 | .. | 1 | 1 | 5 | 1 | 19 | 2 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | .. | 43 | 10 | 3 | 3 | 10 | 16 | 1 | .. | .. | .. | .. | .. | .. | .. | .. | .. | .. | 2 | 8 | 3 | 2 | 1 | 7 | .. | 20 | .. |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Oct. 12, | 23·4 | 5·4 | 13 | . | . | . | . | . | . | . | 1 | 2 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | „ 26, | 21·6 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . | . |
| | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . |
| | „ 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . | . |
| | „ 16, | 27·0 | 1·8 | 15 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 1 | . |
| | „ 23, | 19·8 | 3·4 | 11 | . | . | . | . | . | . | . | 1 | 2 | . | 3 | . | . | . | 2 | 1 |
| | „ 30, | 25·2 | 1·8 | 14 | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 | . | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Oct. 12, | 24·0 | 8·0 | 18 | . | . | . | . | . | . | . | . | 6 | . | 2 | 1 | . | 3 | 1 | . |
| | „ 19, | 24·0 | 1·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 | 1 |
| | „ 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 | . |
| | Nov. 2, | 24·0 | 1·3 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . | . |
| | „ 9, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | „ 16, | 26·6 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | 3 | 3 | . | 1 |
| | „ 23, | 18·6 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | . | . | 2 |
| | „ 30, | 32·0 | 1·3 | 24 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | 4 |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Oct. 12, | 24·2 | 5·5 | 14 | . | . | . | . | . | . | . | . | 2 | . | 2 | 2 | . | . | 1 | . |
| | „ 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 | . |
| | „ 26, | 26·0 | 1·7 | 15 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . | . |
| | „ 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . | . |
| | „ 16, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 23, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | . |
| | „ 30, | 29·4 | 1·7 | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | . | 1 | 4 | . | 1 |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Oct. 12, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 4 | . | . |
| | „ 19, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . | . |
| | „ 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . |
| | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . |
| | „ 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . | 1 |
| | „ 16, | 25·7 | 1·6 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | 4 | . | 1 |
| | „ 23, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 30, | 30·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 2 | . | 1 |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Oct. 12, | 20·9 | 5·2 | 16 | . | . | . | . | . | . | . | . | 4 | 2 | . | 1 | . | 2 | . | 1 |
| | „ 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | 1 |
| | „ 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 3 | 3 |
| | Nov. 2, | 28·5 | 1·3 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 5 | 1 | . |
| | „ 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 |
| | „ 16, | 10·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 |
| | „ 23, | 20·9 | 2·6 | 16 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 1 | 2 | 2 | 1 |
| | „ 30, | 18·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | 1 |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Oct. 12, | 27·9 | 5·1 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 4 | . | 1 | . | . | . |
| | „ 19, | 15·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . | . |
| | „ 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . | . |
| | „ 16, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . |
| | „ 23, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . |
| | „ 30, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Oct. 12, | 18·5 | 4·9 | 15 | . | . | . | . | 1 | . | . | . | 3 | 1 | 1 | 2 | . | 1 | . | 1 |
| | „ 19, | 22·2 | 5·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . | . |
| | „ 26, | 23·5 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . | . |
| | Nov. 2, | 19·8 | 5·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . | 1 |
| | „ 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 | . |
| | „ 16, | 27·2 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | 1 | 6 | 2 | . |
| | „ 23, | 19·8 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | 1 | . | 1 | 2 |
| | „ 30, | 14·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Oct. 12, | 23·7 | 8·0 | 16 | . | . | . | . | . | 1 | . | 1 | . | 2 | 2 | 1 | 1 | 2 | . | . |
| | „ 19, | 19·3 | 8·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . | 1 |
| | „ 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . | . |
| | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . | 1 |
| | „ 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 | . |
| | „ 16, | 28·2 | 1·5 | 19 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 4 | . | . |
| | „ 23, | 23·7 | 1·5 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 30, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

ain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of ulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ite Institutions being assigned to the Districts from which the deceased were admitted;* also, vincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| Rathmines and Rathgar Urban District. Pop. in 1907 (Est.) 85,606. | Oct. 12, | 14·6 | 1·5 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . |
| | „ 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| | „ 26, | 18·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| | „ 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| | „ 16, | 14·6 | 2·9 | 10 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . |
| | „ 23, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 30, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 |
| Pembroke Urban District. Pop. in 1907 (Est.) 27,854. | Oct. 12, | 18·7 | 1·9 | 10 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 2 | . |
| | „ 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| | „ 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| | „ 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| | „ 16, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 23, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 30, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| Kingstown Urban District. Pop. in 1907 (Est.) 17,622. | Oct. 12, | 14·8 | 5·9 | 5 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| | „ 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 28·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | „ 9, | 53·2 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| | „ 16, | 29·6 | 8·9 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 30, | 17·8 | 3·0 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . |
| Belfast. Pop. in 1907 (Est.) 370,168. | Oct. 12, | 22·1 | 5·5 | 157 | . | 6 | 1 | . | 1 | . | . | 4 | 27 | 7 | 16 | 2 | 2 | 16 | 4 | 3 |
| | „ 19, | 19·4 | 4·1 | 138 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| | „ 26, | 22·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| | Nov. 2, | 20·4 | 2·3 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| | „ 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 1 |
| | „ 16, | 24·8 | 3·0 | 176 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 32 | 3 | 2 |
| | „ 23, | 23·1 | 2·3 | 164 | . | 12 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 20 | 3 | 3 |
| | „ 30, | 25·8 | 2·2 | 183 | . | 8 | . | . | . | 2 | . | 1 | 5 | 23 | 14 | 12 | 8 | 47 | 2 | 6 |
| Cork. Pop. (in 1901) 76,122. | Oct. 12, | 27·4 | 4·8 | 40 | . | . | . | . | . | 1 | . | . | 6 | . | 8 | 5 | 2 | 4 | . | 5 |
| | „ 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| | „ 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| | Nov. 2, | 17·8 | 3·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 3 |
| | „ 16, | 21·2 | 1·4 | 31 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | 1 | 1 | 1 |
| | „ 23, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | 3 | 1 | 3 |
| | „ 30, | 18·7 | 0·7 | 20 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 2 | 4 | . | 3 |
| Londonderry. Pop. in 1907 (Est.) 42,475. | Oct. 12, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 1 | . |
| | „ 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| | „ 26, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| | „ 9, | 12·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| | „ 16, | 17·2 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 23, | 20·9 | 1·2 | 17 | . | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 30, | 19·6 | 1·2 | 16 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . |
| Limerick. Pop. (in 1901) 38,151. | Oct. 12, | 20·5 | 4·1 | 15 | . | . | . | . | . | 2 | . | . | 1 | 1 | 1 | . | 2 | 3 | 1 | . |
| | „ 19, | 13·7 | 2·7 | 10 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | 1 |
| | „ 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| | Nov. 2, | 23·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| | „ 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 16, | 34·2 | 10·9 | 25 | . | 6 | . | . | . | . | . | . | 1 | . | 3 | 1 | 1 | 3 | 3 | 2 |
| | „ 23, | 23·2 | 8·2 | 17 | . | 5 | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 4 | . | 3 |
| | „ 30, | 24·6 | 2·7 | 18 | . | 1 | . | . | . | . | . | . | 1 | . | 5 | 1 | . | 5 | . | 3 |
| Waterford. Pop. (in 1901) 26,769. | Oct. 12, | 23·4 | 11·7 | 12 | . | . | . | . | . | . | . | . | 6 | . | 1 | 1 | . | . | . | 1 |
| | „ 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |
| | „ 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |
| | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | . |
| | „ 9, | 25·2 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 4 | . | . | 1 | . | 1 |
| | „ 16, | 11·7 | 1·9 | 6 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | 2 |
| | „ 23, | 19·5 | 1·9 | 10 | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | . |
| | „ 30, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th November, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 4 | The estimate of the Population of Belfast is now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 5 | 1 | 2 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . | . | . |
| Do. 2 " | 47,959 | 18 | | | 29 | 6 | 1 | . | 7 | 4 | 11 | . | . | . | . | . | . | . | . | . | 2 | 3 | 1 | 2 | 12 | . | 1 | 6 | 2 |
| Do. 3 " | 47,214 | 25 | | | 26 | 8 | 5 | 1 | 2 | 4 | 6 | . | 2 | . | . | . | 1 | . | . | 1 | 4 | 2 | 3 | 1 | 6 | . | . | 5 | 2 |
| Do. 4 " | 40,911 | 27 | | | 29 | 4 | 1 | 2 | 6 | 11 | 5 | . | 1 | . | . | . | . | . | 1 | 1 | 3 | 1 | 2 | 2 | 6 | 1 | 1 | 11 | . |
| Do. 5 " | 17,887 | 9 | | | 9 | 1 | 3 | . | . | 4 | 1 | . | 2 | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 2 | . | . | 2 | . |
| Do. 6 " | 48,122 | 16 | | | 27 | 5 | 3 | . | 3 | 8 | 8 | . | . | . | . | . | . | . | . | 1 | 7 | 1 | 1 | . | 7 | . | 1 | 4 | . |
| Do. 7 " | 1,524 | 2 | | | 3 | . | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 1 | . |
| Do. 8 " | 5,060 | 2 | | | 2 | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . |
| Do. 9 " | 19,569 | 15 | | | 2 | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| Do. 10 " | 28,064 | 12 | | | 9 | 3 | 1 | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | 4 | 1 | . | . | 1 | . | 2 | . | . |
| Do. 11 " | 34,802 | 16 | | | 18 | 4 | 2 | 1 | 3 | 1 | 7 | . | . | . | . | . | 1 | . | . | 1 | 1 | 3 | . | 1 | 4 | 1 | 1 | 3 | 1 |
| Do. 12 " | 33,588 | 20 | | | 21 | 5 | 5 | 2 | 4 | 1 | 4 | . | 3 | . | . | . | . | . | . | . | 3 | 1 | 5 | . | 5 | . | . | 5 | 1 |
| Do. 13 " | 15,006 | 16 | | | 3 | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . |
| Do. 14 " | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 342,180 | 182 | | | 183† | 37 | 24 | 7 | 26 | 39 | 50 | . | 8 | . | . | . | 2 | . | 1 | 5 | 28 | 14 | 12 | 8 | 47 | 2 | 6 | 38 | 6 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 4 | 32·4 | . | 8 | . | . | | 5 | | 3 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . | 3 | 1 |
| Do. 2 " | 10,701 | 7 | 4·9 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do 3 " | 9,978 | 7 | 10·5 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . |
| Do. 4 " | 8,666 | 2 | 12·0 | . | 2 | . | . | | . | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 5 " | 6,592 | 2 | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 6 " | 10,702 | 6 | . | . | . | . | . | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 " | 16,616 | 9 | 22·0 | 3·1 | 7 | 4 | . | | . | | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | . | 1 | 2 |
| Total, | 76,122 | 37 | 13·7 | 0·7 | 20 | 4 | . | | 7 | | 9 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 2 | 4 | . | . | 6 | 3 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending June 8. | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| No. of weeks in Annual Series, | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 |
| Births registered | 256 | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 | 173 | 186 | 182 |
| Deaths registered | 161 | 140 | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145 | 176 | 164 | 183† |
| Annual Death-rate per 1,000 of estimated Population | 22·7 | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·3 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 | 23·2 | 20·4 | 20·4 | 24·8 | 23·1 | 25·8 |
| Ages — Under 1 year | 31 | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 18 | 40 | 38 | 47 | 48 | 30 | 31 | 24 | 36 | 33 | 37 |
| Ages — 1–5 years | 21 | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 | 24 | 24 | 24 |
| Ages — 5–20 years | 17 | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 | 15 | 12 | 7 |
| Ages — 20–40 years | 29 | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 | 28 | 27 | 26 |
| Ages — 40–60 years | 25 | 21 | 14 | 25 | 21 | 17 | 20 | 19 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 | 34 | 32 | 39 |
| Ages — 60 years and upwards | 38 | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 33 | 37 | 38 | 39 | 36 | 50 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles | 8 | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 | 11 | 12 | 3 |
| Scarlet Fever | 1 | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | . | . | . |
| Typhus | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | . | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 | 2 | 1 | . |
| Diphtheria | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . | 1 | . | 2 |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . |
| Enteric Fever | 2 | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 | 2 | 2 | 1 |
| Diarrhœal Diseases | 4 | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 | 5 | 1 | 5 |
| Pneumonia | 22 | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 | 18 | 21 | 28 |
| Tuberculous Disease — Phthisis | 22 | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 | 14 | 12 | 14 |
| Tuberculous Disease — Other Forms | 12 | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 | 8 | 7 | 12 |
| Cancer Malignant Disease | 5 | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 | 3 | 5 | 8 |
| Diseases of Respiratory System | 16 | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 | 26 | 32 | 30 | 47 |
| Violent Deaths | 1 | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 3 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 | 3 | 3 | 2 |
| Number of Uncertified Deaths | 3 | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 | 2 | 3 | 6 |

* Formerly described as "Simple Continued Fever."
† Including 2 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Nov. 30, | 2,205 | 1,531 | 16·8 | . | 34 | 13 | 30 | 9 | 10 | 25 |
| EDINBURGH, | 345,747 | „ 30, | 148 | 101 | 15·2 | . | . | . | . | 3 | 1 | 1 |
| GLASGOW, | 847,584 | „ 30, | 434 | 348*a* | 21·4 | . | 23 | 1 | . | 10 | 1 | 17 |
| CALCUTTA, | 847,796 | Oct. 12, | . | 498 | 30·5 | 2 | . | . | . | . | 138‡ | 115 |
| BOMBAY, | 977,822 | „ 29, | 487 | 583 | 31·0 | 1 | 2 | . | . | 1 | 58‡ | 52 |
| MADRAS, | 509,346 | „ 11, | 470 | 474 | 48·3 | 1 | 4 | ? | ? | ? | 119 | 130* |
| PARIS, | 2,722,731 | Nov. 16, | 914 | 825 | 15·7 | . | 1 | 1 | 2† | . | 4 | 32 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 9, | 200 | 177 | 14·7 | . | . | . | 2† | . | 2 | 7 |
| ANTWERP, | 304,032 | „ 9, | 116 | 77 | 13·2 | . | 1 | . | . | 1 | . | 10 |
| AMSTERDAM, | 565,032 | „ 16, | 260 | 142 | 13·1 | . | . | . | 2† | . | 1 | 6 |
| COPENHAGEN, | 438,000 | „ 9, | 249 | 120 | 14·3 | . | 6 | . | 4† | 5 | . | 8 |
| STOCKHOLM, | 332,738 | „ 9, | 156 | 100 | 15·6 | . | 6 | . | 2† | 1 | . | 13 |
| CHRISTIANIA, | 229,324 | „ 16, | 132 | 45 | 10·2 | . | . | 1 | . | 1 | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 2. | 672 | 606 | 21·3 | . | 12 | 26 | 17 | 12 | 15 | 60 |
| MOSCOW, | 1,296,000 | Oct. 19, | . | 566 | 22·8 | . | 1 | 16 | 3† | 2 | 6 | 95 |
| BERLIN, | 2,102,837 | Nov. 2, | 911 | 644 | 16·0 | . | 7 | 5 | 17† | 16 | 2 | 65 |
| HAMBURG, | 824,792 | „ 9, | . | 226 | 14·2 | . | 1 | . | 2† | 1 | 1 | 29 |
| BRESLAU, | 486,279 | „ 9, | . | 206 | 22·1 | . | 1 | . | 8† | 6 | . | 27 |
| MUNICH, | 548,000 | „ 16, | . | 193 | 13·2 | . | 1 | . | 5† | . | . | 34 |
| VIENNA (with suburbs). | 1,999,912 | „ 16, | 876 | 571 | 14·8 | . | 4 | 3 | 7† | . | . | 53 |
| BUDA-PESTH, | 802,235 | „ 2, | 349 | 277 | 18·0 | . | 8 | 9 | . | 1 | 5 | 34 |
| PRAGUE and Faubourgs. | 470,906 | Oct. 26, | 170 | 140 | 15·5 | . | . | 1 | . | . | . | 15 |
| TRIESTE, | 202,920 | Nov. 2, | 126 | 95 | 24·4 | . | . | . | 1† | 1 | 2 | 17 |
| ROME, | 542,760 | Aug. 31, | 217 | 173 | 16·6 | . | 7 | . | . | . | 11 | 26 |
| VENICE, | 174,398 | Oct. 19, | 63 | 55 | 16·4 | . | . | . | . | . | . | 6 |
| NEW YORK, | 4,285,435 | Nov. 2, | 2,749 | 1,355 | 16·5 | . | 2 | 11 | 29† | 4 | 31 | 70 |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | Nov. 2, | . | 244 | 20·9 | . | . | . | 4 | . | 2 | 8 |

*a.* Including 4 deaths from cerebro-spinal meningitis.
* Including 39 deaths from cholera in Calcutta, and 61 in Madras.
† Including deaths from croup.
‡ Exclusive of 6 deaths from plague in Calcutta, and 22 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th November, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 2 | 2 | . | . | . | . | 4 |
| " " 1, West, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| " " 2, | . | 1 | . | . | . | . | . | . | 2 | . | . | . | 3 |
| " " 3, | . | . | . | . | 3 | . | . | 1 | 5 | . | . | . | 9 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 1 | . | . | . | . | . | 1 | 6 | . | . | . | 8 |
| " " 2, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 4, | . | . | . | . | 1 | . | . | . | 2 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Total, | . | 4 | . | . | 4 | . | 2 | 5 | 18 | . | . | . | 33 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th November, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 30th November. | | | |
|---|---|---|---|---|---|---|---|
| | Nov. 9. | Nov. 16. | Nov. 23. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 13 | 12 | 7 | 2 | 2 | . | 7 |
| Scarlet Fever, | 44 | 48 | 39 | 6 | 7 | . | 38* |
| Typhus, | 1 | . | . | . | . | . | . |
| Diphtheria, | 21 | 15 | 24 | 10 | 4 | . | 30 |
| Enteric Fever, | 55 | 56 | 50 | 8 | 7 | . | 51 |
| Pneumonia, | 26 | 25 | 23 | 12 | 4 | 1 | 30 |

* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 30th November, 1907:—

"Very disturbed atmospheric conditions and resulting broken weather were experienced during the greater part of this week. Sunday dawned fine but cold, a depression lying off the N. of Scotland, while areas of high pressure existed both over the Peninsula and also over Finland. In the afternoon a shallow secondary depression passed eastwards across Ireland to England—in its wake temperature fell fast in Ireland, so that sharp frost occurred on Monday morning, the thermometer falling to 26° at Birr Castle and to 29·8° in Dublin—the grass minimum in this City was 24·5°. During Monday night a deep depression came in over Ireland from the Atlantic, a downpour of rain accompanying its advance. A still deeper cyclonic system followed a few hours later, so that on Wednesday morning the barometer was below 28·9 inches in Kerry. Thunder and lightning prevailed in Ireland, Wales and the south of England, while hail fell in many districts. On Thursday the depression filled up quickly, and on Friday morning an anticyclone appeared over the N.W. of Ireland. At 9 45 a.m. of this day dense fog caused the darkness of night in London. The last two days of the week were very fine and bright in Dublin. On Saturday a dense fog and thick rime formed over Central England, while a moderately strong N.E. wind prevailed on the coasts and at sea. The feature of the week's weather was the abundant rainfall and the warmth of the S.W. wind which swept across England on Tuesday and Wednesday—on the former day the thermometer rose to 58° at Bath, the maximum at Harrogate being 39°. In Dublin the mean height of the barometer was 29·681 inches, the mercury ranging from 28·917 inches at 9 a.m. of Tuesday (wind, E.) to 30·487 inches at 9 a.m. of Saturday (wind, W.S.W.). The mean temperature was 40·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·3°. The screened thermometers fell to 29·8° on Monday and rose to 49·6° on Wednesday. The wind was variable in direction. Rain fell on 5 days to the amount of 1·629 inches, ·528 inch being recorded on Tuesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·690 inches. The highest reading (30·498) was on Saturday at 9 a.m., air calm, and the lowest (28·940) on Tuesday at 9 a.m., wind E.N.E.

The mean temperature for the week was 39·4°, being 3·3° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Wednesday, on which day the thermometer registered 50·9°, and was lowest on Monday, the mercury having fallen to 25·7°. The mean of the Dry Bulb for the week was 38·7°, and of the Wet Bulb 37·7°. The mean humidity of the air was ·92, complete saturation being represented by 1·0. The rainfall during the week measured 1·560 inches.

At Greenwich the mean temperature for the week was 42·7°, the maximum 56·1°, and the minimum 30·6°; at Glasgow the maximum was 42·8°, the minimum 25·5°, and the mean 34·6°; and at Edinburgh the maximum was 47·8°, the minimum 29·9°, and the mean 36·6°. The rainfall at Greenwich measured 1·37 ins.; at Glasgow 0·35 in.; and at Edinburgh 0·37 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Nov. 24, | 29·679 | 43·1 | 31·9 | 37·5 | 36·2 | 35·4 | ·92 | ·8 | 4·2 | ·020 | S.W. | Calm. |
| Monday, „ 25, | 29·476 | 41·0 | 25·7 | 33·4 | 34·9 | 33·6 | ·88 | ·5 | 2·4 | ·285 | W. | S.E. |
| Tuesday, „ 26, | 28·974 | 45·7 | 38·4 | 42·1 | 43·4 | 42·0 | ·89 | ·5 | 1·6 | ·480 | E.N.E. | S.S.W. |
| Wednesday, „ 27, | 29·180 | 50·9 | 36·2 | 43·6 | 42·1 | 41·2 | ·92 | ·6 | 1·4 | ·590 | S.E. | Calm. |
| Thursday, „ 28, | 29·682 | 46·2 | 40·4 | 43·3 | 44·5 | 43·6 | ·94 | ·7 | 0·0 | ·185 | N. | N.N.W. |
| Friday, „ 29, | 30·399 | 43·7 | 33·6 | 38·7 | 36·5 | 35·4 | ·91 | ·7 | 3·0 | ·000 | N.E. | N. |
| Saturday, „ 30, | 30·442 | 47·8 | 25·9 | 36·9 | 33·2 | 32·8 | ·95 | ·0 | 4·4 | ·000 | Calm. | Calm. |
| Mean, . . | 29·690 | 45·5 | 33·2 | 39·4 | 38·7 | 37·7 | ·92 | ·5 | Total 17·0 | Total 1·560 | — | |

*Sunday*—Cloudy day, light showers p.m.; night clear. *Monday*—Cloudy day, light showers p.m.; night overcast; light rain M.N. to 7.0 a.m. *Tuesday*—Overcast; light and heavy rain a.m.; cloudy p.m.; night clear. *Wednesday*—Overcast; light showers a.m.; cloudy; heavy rain p.m.; night cloudy, heavy rain at intervals. *Thursday*—Day overcast; light showers a.m.; showery p.m.; night cloudy. *Friday*—Cloudy day, fine; night clear. *Saturday*—Day cloudy, fine; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, November 30th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Nov. 24, | 38·1 | 41·9 | 48·0 | 48·9 | 35·0 | 39·5 | 3·7 | ·011 |
| Monday, „ 25, | 31·2 | 41·1 | 47·8 | 43·8 | 31·2 | 37·5 | 0·3 | ·342 |
| Tuesday, „ 26, | 44·7 | 41·0 | 47·3 | 47·2 | 39·4 | 43·3 | 0·9 | ·523 |
| Wednesday, „ 27, | 45·2 | 41·4 | 47·0 | 51·7 | 39·8 | 45·7 | 0·6 | ·393 |
| Thursday, „ 28, | 46·0 | 42·3 | 46·8 | 47·8 | 42·8 | 45·3 | — | ·330 |
| Friday, „ 29, | 41·8 | 43·0 | 46·6 | 45·9 | 38·6 | 42·3 | 1·5 | — |
| Saturday, „ 30, | 37·9 | 41·8 | 46·4 | 47·3 | 32·9 | 40·1 | 0·3 | — |
| Weekly Mean, . | 40·7 | 41·8 | 47·1 | 46·8 | 37·1 | 42·0 | Total 7·3 | Total 1·599 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 12. 1907.—19508.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

*Price 1½d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 7TH DECEMBER, 1907. [No. 49.

*General Register Office, Charlemont House, Dublin, 9th December,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 24·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Nov. 16. | Week ending Nov. 23. | Week ending Nov. 30. | Week ending Dec. 7. | Average Rate for 4 weeks. | Towns, &c. | Week ending Nov. 16. | Week ending Nov. 23. | Week ending Nov. 30. | Week ending Dec. 7. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 21·6 | 19·4 | 22·3 | 24·2 | 21·9 | Limerick, . . | 34·2 | 23·2 | 24·6 | 20·5 | 25·6 |
| | | | | | | Lisburn, . . | . | 18·2 | 13·6 | 27·3 | 14·8 |
| Armagh, . . | . | 6·9 | 13·7 | 13·7 | 8·6 | Londonderry, . | 17·2 | 20·9 | 19·6 | 25·8 | 20·9 |
| Ballymena, | 19·2 | 4·8 | 23·9 | 28·7 | 19·2 | Lurgan, . . | 17·7 | 4·4 | 13·3 | 17·7 | 13·3 |
| Belfast, . . | 24·8 | 23·1 | 25·8 | 26·9 | 25·1 | Newry, . . | 21·0 | 29·4 | 25·2 | 16·8 | 23·1 |
| Clonmel . . | 15·4 | 10·3 | 25·6 | 5·1 | 14·1 | Newtownards, . | 11·4 | 34·3 | 22·9 | 11·4 | 20·0 |
| Cork, . . . | 21·2 | 17·1 | 13·7 | 15·8 | 17·0 | Portadown, . | 5·2 | 10·3 | 10·3 | 20·7 | 11·6 |
| Drogheda, . . | 24·5 | 12·3 | 16·3 | 16·3 | 17·4 | Queenstown . | 19·8 | . | 13·2 | 6·6 | 9·9 |
| Dublin Reg. Area, | 21·4 | 18·4 | 21·6 | 26·7 | 22·0 | Sligo . . . | 33·6 | . | 4·8 | 9·6 | 12·0 |
| Dundalk . | 16·0 | 23·9 | 19·9 | 12·0 | 18·0 | Tralee, . . | 26·4 | 21·1 | 37·0 | . | 21·1 |
| Galway, . . | 11·7 | 23·3 | 38·8 | 27·2 | 25·2 | Waterford, . | 11·7 | 19·5 | 17·5 | 21·4 | 17·5 |
| Kilkenny, . . | 9·8 | . | 39·3 | 9·8 | 14·7 | Wexford, . . | 9·3 | 9·3 | 14·0 | 42·0 | 18·7 |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 2·1 per 1,000, the rates varying from 0·0 in fourteen of the districts to 10·3 in Portadown, the 4 deaths from all causes registered in that district including one from each of scarlet fever and whooping-cough. Among the 191 deaths from all causes in Belfast are 14 from measles, 3 from whooping-cough, one from diphtheria, one from *pyrexia* (origin uncertain), 3 from enteric fever, and one from cerebro-spinal fever. The 23 deaths registered in Cork include one from enteric fever and one from diarrhœa. Included in the 21 deaths from all causes in Londonderry are 2 from whooping-cough and one from diarrhœa. Four deaths from measles and one from whooping-cough are amongst the 15 deaths registered in Limerick; and of the 4 deaths from all causes in Newry, one was from enteric fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 194—100 boys and 94 girls; and the deaths to 207—92 males and 115 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 27·6 in every 1,000 of the population. Omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 26·7 per 1,000. During the forty-nine weeks ending with Saturday last the death-rate averaged 24·3, and was 0·9 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths (207) included one from scarlet fever, 3 from whooping-cough, 2 from

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

diphtheria, one assigned to *pyrexia* (origin uncertain) 2 from enteric fever, and one death from *diarrhœa*. In each of the 3 preceding weeks, deaths from scarlet fever were 0, one, and 0; deaths from whooping-cough were one, 0, and one; deaths from diphtheria were 2, 0, and 0; deaths from enteric fever were 2, 2, and 0; and deaths from diarrhœal diseases were 3, 7, and 3.

The deaths from pneumonia (all forms) comprised one death from lobar pneumonia, 11 deaths from broncho-pneumonia, and 8 deaths from *pneumonia* (not defined).

The total number of deaths from all forms of tuberculous disease was 24; in each of the 3 preceding weeks such deaths numbered 29, 33, and 22. The deaths registered during the week under notice include 10 deaths from tuberculous phthisis, 8 deaths returned as from *phthisis*, 4 deaths from tuberculous meningitis, and 2 deaths from other forms of the disease.

Of 11 deaths from malignant diseases, 6 were from carcinoma, 2 from sarcoma, and 3 were from cancer, malignant disease (undefined).

The deaths of 7 infants, prematurely born, were registered.

Diseases of the brain and nervous system caused 15 deaths; of these, 5 were due to *convulsions*, 4 of the latter being those of infants under one year of age.

There were 36 deaths from diseases of the heart and blood vessels, and 43 deaths were caused by bronchitis.

Of 8 deaths from accident or negligence, one was of an infant by suffocation in bed, and 2 were by vehicles and horses.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 year of age (including 3 infants under one year old) and the deaths of 2 persons aged 60 years or upwards.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 18 were under one month old), and 68 were aged 60 years and upwards, including 30 persons aged 70 and upwards, of whom 12 were octogenarians.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the N. Dublin Union Workhouse, 21 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·7 per 1,000; the rate in the City was 25·8 (North City Districts, 25·4; South, 26·3), and in the Suburbs, 29·6 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·2 per 1,000 inhabitants, the rate for the City being 1·4 (2·0 in the North City Districts, and 0·7 in the South), and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 30·5 per 1,000. One of the deaths was from enteric fever; one death was attributed to broncho-pneumonia and one to *pneumonia* (not defined); there were 4 deaths from tuberculous disease and 4 from diseases of the respiratory system.

*No. 1 North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000, and include 2 deaths from whooping-cough and one death from *diarrhœa*, 2 deaths from broncho-pneumonia, 2 from *pneumonia* (not defined), and 5 deaths from bronchitis.

*No. 2 North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 26·0 per 1,000. Two of the deaths were from broncho-pneumonia, 5 from bronchitis, and one was caused accidentally.

*No. 3 North City District* (Benburb-street).—The deaths (14) represent an annual rate of 22·5 per 1,000. Among the deaths are one from diphtheria, 4 from tuberculous disease of the lungs, one from bronchitis, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants, Coolock and Drumcondra, No. 1, part of, 28·5; and Finglas and Glasnevin, part of, 14·4. Of the 6 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from diphtheria, one from *pneumonia* (not defined) and one from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (17) represent an annual rate of 22·2 per 1,000, and include 2 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, and 5 from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 40·5 per 1,000. There was one death each from broncho-pneumonia and *pneumonia* (not defined), and there were 2 deaths from *phthisis*, 4 from bronchitis, and one accidental death.

*No. 3 South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 25·9 per 1,000. Whooping-cough and enteric fever each caused one death, *pneumonia* (not defined), caused 2 deaths, tuberculous disease caused 3 deaths, and bronchitis caused 5 deaths; there was one accidental death.

*No. 4 South City District* (Grand Canal-street).—The deaths (17) are equivalent to an annual rate of 25·2 per 1,000. Among the 17 deaths are one each from lobar-pneumonia and broncho-pneumonia, 3 deaths from tuberculous disease of the lungs, 2 from bronchitis, and one death caused accidentally.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000. There was one death from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·0; Pembroke, 30·0; Blackrock, 23·8; and Kingstown, 47·3. The 15 deaths from all causes for Rathmines and Rathgar include one from broncho-pneumonia, 3 from tuberculous disease of the lungs, and 3 from diseases of the respiratory system. Of the 16 deaths from all causes for Pembroke one was from broncho-pneumonia and 7 were from bronchitis; and the 16 deaths from all causes for Kingstown include one death assigned to *pyrexia* (origin uncertain), one each from *pneumonia* (not defined) and tuberculous meningitis, and 3 from bronchitis.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

TURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (N fication) Act, 1889," as set forth in the following Table have been kindly furnished by:— Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. Fa ett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive Sa ary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock Ur n District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown Ur n District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast. TA E I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration rea (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, ackrock, and Kingstown), and in the City of Belfast, during the week ended 7th December, 1907, d each of the preceding three weeks. A dash (—) denotes that the disease in question is not tifiable in the District.

| ES AND RBAN TRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| y of | Nov. 16, | . | — | — | 4 | . | . | 3 | . | 5 | 10 | 10 | . | — | — | — | — | — | 32 |
| | Nov. 23, | . | — | — | 5 | . | . | 5 | . | . | 5 | 4 | . | — | — | — | — | — | 19 |
| blin. | Nov. 30, | . | — | — | 4 | . | . | 4 | . | 2 | 5 | 18 | . | — | — | — | — | — | 33 |
| | Dec. 7, | . | — | — | 7 | . | . | 2 | 5 | 2 | 10 | 13 | . | — | — | — | — | — | 39 |
| Rathmines | Nov. 16, | . | — | — | 4 | . | . | 1 | . | . | . | . | . | — | — | — | — | — | 5 |
| and Rathgar | Nov. 23, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| Urban | Nov 30, | . | — | — | . | . | . | 1 | . | 1 | . | 1 | . | — | — | — | — | — | 3 |
| District. | Dec. 7, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 4 |
| Pembroke | Nov. 16, | . | 2 | . | 3 | . | . | . | . | 1 | 1 | 1 | . | — | . | . | — | — | 8 |
| Urban | Nov. 23, | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 3 |
| District. | Nov. 30, | . | 2 | 2 | . | . | . | . | 1 | . | 2 | 2 | . | — | . | . | — | — | 9 |
| | Dec. 7, | . | . | 3 | . | . | . | 1 | . | . | . | 1 | . | — | . | . | — | — | 5 |
| Blackrock | Nov. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Urban | Nov. 23, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| District. | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Dec. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| Kingstown | Nov. 16, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| Urban | Nov. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| District. | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Dec. 7, | . | — | — | . | . | . | . | . | . | 3 | . | . | — | — | — | — | — | 3 |
| City of | Nov. 16, | . | — | — | 16 | . | . | 1 | . | 2 | 10 | 6 | 1 | — | — | 2 | — | — | 38 |
| Belfast. | Nov. 23, | . | — | — | 9 | . | . | 5 | 1 | 5 | 3 | 7 | . | — | — | 5 | — | — | 35 |
| | Nov. 30, | . | — | — | 9 | . | . | 10 | . | 5 | 6 | 7 | . | — | — | 5 | — | — | 42 |
| | Dec. 7, | . | — | — | 4 | . | . | 5 | . | 2 | 5 | 4 | 2 | — | — | 5 | — | — | 27 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th December, 1907.

From this it appears that:—

Ten cases of measles were admitted into hospital during the week, 2 were discharged, and cases remained under treatment at its close.

Five cases of scarlet fever were admitted to hospital, 11 were discharged, there was one death, and 35* cases remained under treatment at the close of the week.

Five cases of diphtheria were admitted to hospital, 5 were discharged, there was one death, and 29 patients remained under treatment at the close of the week.

Five cases of enteric fever were admitted to hospital during the week, 10 were discharged, there was one death, and 45 cases remained under treatment in hospital at the close of the week.

In addition to the above-named diseases, 13 cases of pneumonia were admitted to hospital, 9 were discharged, and 36 cases remained under treatment at the end of the week.

## ENGLAND AND SCOTLAND.

The mortality last week in 76 large English towns, including London (in which the rate was 16·2), was equal to an average annual death-rate of 16·0 per 1,000 persons living, the average rate for 8 principal towns of Scotland was 20·6 per 1,000, the rate for Glasgow being 20·5 and for Edinburgh 18·0.

INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th December. From this Report it appears that of a total of 77 cases notified 39 were scarlet fever, 10 diphtheria, 3 erysipelas, and 5 enteric fever. Among the 393 cases of infectious diseases in hospital at the close of the week were 216 cases of scarlet fever, 55 of diphtheria, two of membranous croup, 30 of measles, 16 of whooping-cough, 9 of erysipelas, and 9 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 7th December, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 7th December, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 7th December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 30th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 23rd November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·3 | 24·2 | 2·1 | 563 | 518 | 94 | 162 | . | 18 | 1 | . | 10 | 3 | 2 | 7 | 4 | 44 | 52 | 19 | 19 | 114 | 11 | 26 | 128 | 19 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 25·9 | 26·7 | 1·2 | 194 | 200 | 45 | 64 | . | . | . | . | 3 | 2 | 1 | 2 | 1 | 20 | 18 | 6 | 10 | 46 | 6 | 11 | 61 | 7 | 53·0<br>52·3<br>52·5 | 30·9<br>33·8<br>29·0 | 41·5<br>41·9<br>40·7 | 0·76<br>0·90<br>0·81 | 50·9<br>49·6<br>50·3 | 25·7<br>29·8<br>25·8 | 39·4<br>40·9<br>40·1 | 1·56<br>1·63<br>2·10 | 52·1<br>52·4<br>51·9 | 24·6<br>32·9<br>26·0 | 40·2<br>42·8<br>40·1 | 0·08<br>0·05<br>0·06 |
| City of Dublin, | 300,850 | 38·0 | 27·4 | 25·8 | 1·4 | 158 | 149 | 40 | 39 | . | . | . | . | 3 | 2 | . | 2 | 1 | 17 | 15 | 4 | 7 | 33 | 5 | 6 | 53 | 4 | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 22·0 | 22·0 | . | 15 | 15 | 2 | 9 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 3 | . | 1 | 2 | 3 | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 16·8 | 30·0 | . | 9 | 16 | 3 | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 7 | . | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | 17·9 | 23·8 | . | 3 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 17,622 | 12·1 | 26·6 | 47·3 | 3·0 | 9 | 16 | . | 7 | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | 3 | . | 2 | 1 | . | 54·5 | 36 | 43·1 | 0·79 | 50·5 | 33 | 42 | 1·38 | 54 | 34 | 44·9 | 0·07 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (f), | 370,168 | 25·2 | 32·1 | 26·9 | 3·1 | 228 | 191 | 29 | 51 | . | 14 | . | . | 3 | 1 | 1 | 3 | . | 20 | 22 | 8 | 3 | 46 | 4 | 13 | 37 | 2 | 49·0 | 29·0 | 39·3 | 0·44 | 49·0 | 26·5 | 37·9 | 1·48 | 50·0 | 28·5 | 41·1 | 0·72 |
| Cork, | 76,122 | 33·6 | 17·1 | 15·8 | 1·4 | 15 | 13 | 4 | 5 | . | . | . | . | . | . | . | 1 | 1 | 2 | 5 | 1 | 2 | 2 | . | . | 10 | . | 54 | 33 | 43·4 | 1·47 | 52 | 34 | 43·8 | 1·96 | 52 | 35 | 44·2 | 0·62 |
| Londonderry, | 42,475 | 19·6 | 29·5 | 25·8 | 3·7 | 24 | 21 | 2 | 10 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 2 | 3 | . | . | 9 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 16·4 | 20·5 | 6·8 | 12 | 15 | 3 | 2 | . | 4 | . | . | 1 | . | . | . | . | . | 2 | . | . | 2 | . | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 15·6 | 21·4 | . | 8 | 11 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 15·5 | 27·2 | . | 4 | 7 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | 53 | 27 | 39·8 | 1·47 | 49 | 26 | 39 | 1·30 | 53 | 30 | 43 | 0·73 |
| Dundalk, | 18,076 | 9·4 | 16·0 | 12·0 | . | 4 | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 4·1 | 16·3 | . | 1 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 21·0 | 16·8 | 4·2 | 5 | 4 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 |
| Lurgan, | 11,782 | 13·8 | 17·7 | 17·7 | . | 4 | 4 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 |
| Lisburn, | 11,461 | 10·1 | 13·6 | 27·3 | . | 3 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 |
| Wexford, | 11,168 | 23·2 | 37·4 | 42·0 | 4·7 | 8 | 9 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 22·7 | 18·7 | . | 11 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 8·7 | 9·6 | 9·6 | . | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 47·5 | 28·3 | 38·6 | 1·57 | 46·5 | 21·0 | 35·4 | 0·80 | 48·9 | 27·5 | 39·1 | 0·71 |
| Kilkenny, | 10,609 | 11·5 | 44·2 | 9·8 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 54 | 27 | 39·6 | 1·17 | 48 | 16 | 39·0 | 1·81 | 50 | 25 | 38·9 | 0·48 |
| Clonmel, | 10,167 | 7·8 | 10·3 | 5·1 | . | 2 | 1 | 1 | 1 | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 25·8 | 20·7 | 10·3 | 5 | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 |
| Tralee, | 9,867 | 16·6 | 15·9 | . | . | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | 53 | 32 | 41·7 | 0·78 | 50 | 21 | 40·4 | 1·20 | 51 | 34 | 41·4 | 0·65 |
| Newtownards, | 9,110 | 18·9 | 17·2 | 11·4 | . | 4 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 54 | 33 | 43·4 | 1·47 | 52 | 34 | 43·8 | 1·96 | 52 | 35 | 44·2 | 0·62 |
| Queenstown, | 7,908 | 14·4 | 26·4 | 6·6 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 | 48·8 | 30·8 | 40·4 | 0·48 |

a. The Population given is that estimated to the middle of 1907. b. Formerly

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 7th of December, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1 E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | JOBLOCK and DRUMCONDRA, No. 1 (part of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 2 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 3 | . |
| Diphtheria, | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Enteric Fever, | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Diarrhœal Diseases, | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Pneumonia, | 2 | 4 | 2 | . | . | 1 | . | 2 | 2 | 2 | 2 | . | 1 | 1 | . | 1 | 20 | . |
| Tuberculous Phthisis, | 3 | . | . | 4 | . | . | . | 2 | 2 | 1 | 3 | . | 3 | . | . | . | 18 | . |
| Tuberculous Other Forms, | 1 | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | 1 | 1 | 6 | . |
| Cancer, Malignant Disease, | 1 | 2 | 1 | 2 | 1 | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 10 | 1 |
| Other General Diseases, | 3 | . | 1 | 2 | . | . | 1 | 1 | 1 | 1 | 1 | 1 | . | 1 | . | 1 | 14 | 1 |
| Total, | 11 | 9 | 4 | 9 | 1 | 2 | 1 | 6 | 5 | 8 | 6 | 1 | 5 | 3 | 1 | 5 | 77 | 3 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | 2 | . | 1 | 1 | . | . | . | 2 | 3 | 2 | . | 2 | 1 | . | 1 | 13 | . |
| Diseases of Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels, | . | 2 | 3 | 1 | . | 2 | . | 3 | 4 | 4 | 2 | 1 | 2 | 3 | 2 | 6 | 35 | 1 |
| Diseases of Respiratory System, | 4 | 5 | 5 | 1 | . | 1 | . | 5 | 4 | 5 | 2 | 1 | 3 | 7 | . | 3 | 46 | . |
| Diseases of Digestive System, | 1 | 1 | . | . | . | 1 | . | 1 | . | . | 2 | . | 2 | 1 | . | . | 9 | . |
| Diseases of Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 3 | 1 |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total | 6 | 10 | 8 | 3 | 1 | 4 | . | 9 | 10 | 12 | 9 | 2 | 9 | 13 | 2 | 10 | 108 | 2 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | . | 2 | 1 | . | . | 1 | 2 | . | . | 1 | . | 1 | . | . | 1 | 9 | . |
| **E. VIOLENT DEATHS,** | . | . | 1 | 1 | . | . | . | . | 1 | 1 | 1 | . | . | . | 1 | . | 6 | 2 |
| **Deaths from all Causes,** | 17 | 19 | 15 | 14 | 2 | 6 | 2 | 17 | 16 | 21 | 17 | 3 | 15 | 16 | 4 | 16 | 200 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 30·5 | 25·3 | 26·0 | 22·5 | 20·4 | 28·5 | 14·4 | 22·2 | 40·5 | 25·2 | 25·2 | 17·6 | 22·0 | 30·0 | 23·8 | 47·3 | 26·7 | . |
| | 25·4 | | | | | | | 26·3 | | | | | 23·6 | | | | | |
| | 25·8 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 6 | 7 | 5 | 3 | . | . | 1 | 6 | 2 | 2 | 6 | 2 | 2 | 3 | . | . | 45 | 1 |
| 1 and under 5 years, | 3 | 5 | . | 2 | . | 2 | 1 | 1 | 1 | 3 | . | . | 1 | 2 | . | 2 | 23 | 1 |
| 5 " 20 " | . | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | . | 1 | 1 | 5 | . |
| 20 " 40 " | 3 | 2 | 1 | 2 | 1 | . | . | 2 | 5 | 2 | 2 | . | 1 | . | . | 2 | 23 | 1 |
| 40 " 60 " | 5 | 5 | 4 | 2 | . | 1 | . | 2 | 3 | 6 | 1 | . | 2 | 4 | 1 | 4 | 40 | . |
| 60 and upwards, | . | . | 4 | 5 | 1 | 3 | . | 5 | 5 | 7 | 8 | 1 | 9 | 7 | 2 | 7 | 64 | 4 |
| Number of Uncertified Deaths, | 1 | 1 | . | 1 | . | . | . | . | 1 | . | . | . | 3 | . | . | . | 7 | . |

**NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.**

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 2 | 3 | 3 | . | 1 | 1 | 1 | 4 | 1 | 1 | . | 1 | 3 | 1 | . | 22 | 5 |
| Workhouse Hospitals, | 3 | 3 | 6 | 6 | . | . | . | 4 | 5 | 5 | 4 | . | 1 | 1 | . | 1 | 39 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe
week of the ten years

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 49th Week of the 10 years 1897-1906. | In the Week ending Sa 7th December, 19 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of th | | | | |
| | Dec. 11, 1897. | Dec. 10, 1898. | Dec. 9, 1899. | Dec. 8, 1900. | Dec. 7, 1901. | Dec. 6, 1902. | Dec. 12, 1903. | Dec. 10, 1904. | Dec. 9, 1905. | Dec. 8, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. |
| Mean Temperature. | ° 42·8 | ° 48·1 | ° 44·3 | ° 45·8 | ° 45·4 | ° 38·5 | ° 40·9 | ° 40·4 | ° 46·6 | ° 44·3 | ° 43·7 | Mean Temp. ° 41·5 | | | | |
| **ALL CAUSES.** | 171 | 170 | 258 | 189 | 153 | 196 | 186 | 192 | 168 | 169 | 185·2 | 207 | 18 | 28 | 24 | 5 |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), | . | . | 30 | . | . | 9 | 1 | 10 | . | 2 | 5·2 | . | . | . | . | . |
| Scarlet Fever, | 4 | . | 1 | 1 | 1 | 2 | . | 1 | 1 | . | 1·1 | 1 | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, | 1 | 2 | 2 | 2 | 3 | 1 | 5 | 1 | 2 | 4 | 2·3 | . | . | . | . | . |
| Whooping-cough, | . | 3 | 1 | 4 | . | . | 7 | . | 2 | 5 | 2·2 | 3 | . | 1 | 2 | . |
| Diphtheria, | 1 | . | 3 | . | 2 | 2 | . | 1 | 1 | . | 1·0 | 2 | . | . | 2 | . |
| Cerebro-spinal Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*‡ (origin uncertain), | . | . | . | . | . | 1 | . | . | 1 | . | ·2 | 1 | . | . | 1 | . |
| Enteric Fever, | 7 | 4 | 2 | 3 | 1 | 2 | 1 | 2 | 2 | . | 2·4 | 2 | . | . | . | . |
| Asiatic Cholera, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 3 | 1 | 4 | 3 | 4 | . | . | . | 1 | 1 | 2·3 | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 1 | 2 | 1 | 1 | 1 | | 1 | . | . | . | . |
| Tetanus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, | 1 | 2 | 1 | . | . | . | 1 | 1 | 2 | 2 | 1·0 | 2 | . | 2 | . | . |
| Puerperal Septicæmia, | . | 1 | . | . | . | . | . | . | . | . | ·2 | 1 | . | . | . | . |
| Puerperal Pyæmia, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| *Puerperal Fever*, | | | | | | 1 | . | . | . | . | | . | . | . | . | . |
| Infective Endocarditis, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | 5 | 9 | 25 | 15 | 5 | . | 1 | 1 | 1 | 1 | 12·8 | 1 | . | . | . | . |
| Pneumonia, Broncho- | | | | | | 8 | 8 | 6 | 5 | 7 | | 11 | . | 6 | 2 | . |
| Pneumonia, Epidemic, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Pneumonia, Not defined, | | | | | | 4 | 10 | 8 | 4 | 5 | | 8 | . | . | 3 | . |
| Erysipelas, | . | . | 1 | . | . | 1 | . | . | 1 | . | ·3 | . | . | . | . | . |
| Septicæmia (not Puerperal) | 2 | . | 1 | . | 2 | 2 | . | . | . | . | ·8 | 1 | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | 1 | . | . | . | | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . |
| Tuberculous Phthisis, | 18 | 17 | 27 | 18 | 32 | 1 | 2 | 9 | 6 | 10 | 23·3 | 10 | . | . | 1 | . |
| "*Phthisis*," | | | | | | 25 | 20 | 18 | 18 | 12 | | 8 | . | . | . | . |
| Tuberculous Meningitis, | 1 | 1 | 5 | 7 | 1 | 3 | 4 | 2 | 1 | 3 | 2·8 | 4 | . | . | . | 4 |
| Tuberculous Peritonitis, | 4 | 6 | 8 | 5 | 2 | 1 | . | 2 | . | 1 | 2·9 | . | . | . | . | . |
| *Tabes Mesenterica*, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Tuberculous Dis. (other), | 2 | 8 | 7 | 7 | 4 | 3 | 5 | 8 | 2 | 9 | 5·6 | 2 | . | 1 | 1 | . |
| *Scrofula*, | | | | | | . | . | . | 1 | . | | . | . | . | . | . |
| Alcoholism, | 1 | 1 | . | 1 | 1 | 1 | 1 | . | 1 | . | ·7 | . | . | . | . | . |
| Rheumatic Fever, | 1 | . | . | 2 | . | . | . | . | . | . | ·3 | . | . | . | . | . |
| Gout, | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . |
| Carcinoma, | 4 | 8 | 12 | 6 | 5 | 3 | 1 | 5 | 2 | 4 | 7·2 | 6 | . | . | . | . |
| Sarcoma, | | | | | | 1 | . | . | . | . | | 2 | . | . | . | . |
| Cancer (undefined), | | | | | | 5 | 7 | 3 | 4 | 3 | | 3 | . | . | . | . |
| Diabetes Mellitus, | . | . | . | . | . | 1 | 2 | . | 2 | . | ·5 | 1 | . | . | . | . |
| Premature Birth, | 4 | 1 | 4 | 4 | 2 | 2 | 1 | 9 | 2 | 8 | 3·7 | 7 | 6 | 1 | . | . |

* The figures for the years 1897-
‡ Formerly d

Y-NINTH WEEK ending Saturday, 7th December, 1907, with the deaths from each cause in the corresponding ne average for those weeks.*

| AUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 49th Week of the 10 years 1897-1906. | In the Week ending Saturday, 7th December, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 11, 1897. | Dec. 10, 1898. | Dec. 9, 1899. | Dec. 8, 1900. | Dec. 7, 1901. | Dec. 6, 1902. | Dec. 12, 1903. | Dec. 10, 1904. | Dec. 9, 1905. | Dec. 8, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under 1 year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| Mean Temperature. | ° 42·8 | ° 48·1 | ° 44·3 | ° 45·8 | ° 45·4 | ° 38·5 | ° 40·9 | ° 40·4 | ° 46·6 | ° 44·3 | ° 43·7 | Mean Temp. ° 41·5 | | | | | | | |
| ingitis (not tuberc.) ... | | | | | | 1 | 4 | 1 | 3 | 1 | | 6 | . | 2 | 2 | . | 2 | . | . | . |
| nity, G. P. of Insane ... | | | | | | . | 2 | 1 | 2 | . | | 2 | . | . | . | . | . | . | 1 | 1 |
| lepsy .. ... | | | | | | . | 1 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| *vulsions* ... .. | | | | | | 11 | 7 | 4 | 8 | 3 | | 5 | 3 | 1 | 1 | . | . | . | . | . |
| omotor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| aplegia Dis. of Cord ... | | | | | | 2 | 3 | 1 | 2 | 6 | | 1 | . | . | . | . | . | 1 | . | . |
| vous System (other is.) | 31 | 28 | 40 | 47 | 29 | 1 | 1 | 1 | 8 | 2 | 39·0 | 1 | . | . | . | . | . | 1 | . | . |
| v. Dis., Endocarditis | | | | | | 3 | 3 | 6 | 7 | 7 | | 8 | . | . | . | . | 1 | 4 | 3 | . |
| ebr. Hæm. Thromb. | | | | | | 1 | 1 | 3 | 1 | 3 | | 5 | . | . | . | . | . | 1 | 4 | . |
| *plexy, Hemiplegia* ... | | | | | | 7 | 6 | 9 | 4 | 5 | | 4 | . | . | . | . | . | 2 | 1 | 1 |
| urysm ... ... | | | | | | 2 | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| bolism, Thromb. (not rebral) | | | | | | . | . | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| rt and Blood Vessel Dis. | | | | | | 13 | 14 | 13 | 14 | 15 | | 19 | . | . | . | . | 5 | 5 | 6 | 3 |
| *up* (not Spasm. nor emb.) | 1 | 2 | 2 | . | . | 1 | . | 1 | . | . | ·7 | 1 | . | . | 1 | . | . | . | . | . |
| nchitis ... ... | 27 | 31 | 38 | 19 | 18 | 38 | 32 | 18 | 22 | 21 | 26·4 | 43 | 2 | 6 | 4 | . | 1 | 8 | 20 | 2 |
| hma, Emphysema ... | 3 | 1 | 5 | 2 | 2 | 1 | . | . | . | . | 2·1 | . | . | . | . | . | . | . | . | . |
| urisy ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| piratory Dis. (other) ... | | | | | | 1 | 2 | 4 | . | . | | 2 | 1 | . | . | . | . | 1 | . | . |
| sillitis, Quinsy ... | 1 | 1 | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| eritis (not Epid.) ... | 1 | . | . | . | 2 | 2 | 1 | . | 3 | . | 1·1 | 3 | 1 | 2 | . | . | . | . | . | . |
| *tro Enteritis* ... ... | | | | | | . | 1 | 1 | . | . | | 1 | . | 1 | . | . | . | . | . | . |
| *tonitis* (not Puerp.) ... | . | 1 | . | . | . | 1 | . | . | 2 | . | ·4 | . | . | . | . | . | . | . | . | . |
| rhosis of Liver ... | 2 | 4 | 5 | 2 | 4 | 2 | . | 2 | 1 | 3 | 3·1 | . | . | . | . | . | . | . | . | . |
| er Dis. (other) ... | | | | | | 3 | 2 | 1 | . | . | | 2 | . | . | 1 | . | . | 1 | . | . |
| estive Dis. (other) ... | 5 | 6 | 2 | 8 | 5 | 4 | 3 | 8 | 9 | 3 | 5·3 | 3 | . | . | . | . | . | . | 2 | 1 |
| bhritis, Acute ... | 7 | 2 | 4 | 4 | 7 | 3 | 2 | 2 | 1 | 2 | 5·4 | 2 | . | . | 1 | . | . | 1 | . | . |
| ght's Dis., Albuminuria | | | | | | 5 | 1 | 1 | 3 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| nary Sys. (Other Dis.) | | | | | | . | 2 | 4 | 3 | . | | 1 | . | . | . | . | . | . | 1 | . |
| erative Organs Dis. ... | . | . | 1 | 2 | . | . | 1 | 2 | . | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| ldbirth (Accid. of) ... | 1 | . | . | . | 1 | . | . | 2 | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 18 | 8 | 12 | 8 | 6 | 3 | 4 | 3 | 1 | 2 | 6·5 | 1 | . | . | . | . | . | . | 1 | . |
| er Diseases ... ... | 11 | 14 | 8 | 14 | 11 | 9 | 5 | 13 | 8 | 15 | 10·8 | 11 | 3 | 5 | 1 | . | . | 1 | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| Railways ... ... | . | . | 1 | . | . | . | 1 | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| Vehicles and Horses ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | 2 | . | . | . | . | 1 | . | 1 | . |
| ships, Boats, Docks (exusive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Building Operations ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . |
| Conflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Burns, Scalds, Explosions | 2 | 6 | . | 1 | 2 | 1 | 3 | 1 | 1 | . | 1·7 | 2 | . | . | . | 1 | . | . | 1 | . |
| Drowning ... ... | . | . | . | 1 | . | . | 1 | . | . | 1 | ·3 | . | . | . | . | . | . | . | . | . |
| Suffocation in Bed ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | 1 | 1 | . | . | . | . | . | . | . |
| Poison or Poisonous apours | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ler Deaths by Accident | 2 | 1 | 2 | 1 | 1 | . | 2 | 1 | 1 | . | 1·1 | 2 | 1 | . | . | . | . | . | 1 | . |
| OLENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| nicide ... ... | . | . | 2 | 1 | . | . | . | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| cide ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ecution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

egistration Area as then constituted.
iple Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24 | Aug. 31. | Sept. 7 | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. |
| No. of weeks in Annual Series. | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 |
| Births registered, | 196 | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 | 191 | 193 | 288 | 194 |
| *Average Births in corresponding week of previous 10 years,** | 199 | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 | 200 | 182 | 200 | 192 |
| Deaths registered, | 191 | 171 | 152 | 146 | 161 | 168 | 166 | 188 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 | 163 | 145 | 175 | 207 |
| Annual Death-rate per 1,000, | 25·5 | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 | 21·8 | 19·4 | 23·4 | 27·6 |
| *Average Deaths in corresponding week of previous 10 years,** | 147 | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 | 187 | 191 | 193 | 185 |
| Ages, Under 5 years, | 52 | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 | 42 | 40 | 61 | 70 |
| 5—20 " | 20 | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 | 11 | 11 | 9 | 5 |
| 20—40 " | 30 | 31 | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 | 18 | 35 | 33 | 28 | 17 | 24 |
| 40—60 " | 44 | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 | 29 | 28 | 29 | 40 |
| 60—80 " | 39 | 35 | 25 | 23 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 | 40 | 36 | 50 | 56 |
| 80 years and upwards, | 6 | 8 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 | 5 | 7 | 6 | 8 | 2 | 9 | 12 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 3 | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 | 3 | . | . | . |
| Scarlet Fever, | . | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | 1 |
| Typhus, | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | 8 | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 8 | 2 | 2 | 1 | . | 2 | 1 | . | 1 | 3 |
| Diphtheria, | . | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 | 2 | . | . | 2 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | 1 |
| Enteric Fever, | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 | 2 | 2 | 2 | . | 2 |
| Diarrhœal Diseases, | 1 | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 | 3 | 7 | 3 | 1 |
| Influenza, | 3 | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 | 1 | . |
| Pneumonia, | 15 | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 | 10 | 6 | 14 | 20 |
| Tuberculous Disease. Phthisis, | 27 | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 | 25 | 18 | 16 | 25 | 22 | 26 | 16 | 18 |
| Tuberculous Disease. Other Forms, | 11 | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 | 7 | 7 | 6 | 6 |
| Cancer, Malignant Disease, | 10 | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 5 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 | 6 | 10 | 8 | 8 | 11 |
| Diseases of Heart and Blood Vessels, | 29 | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 18 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 | 37 | 27 | 19 | 26 | 36 |
| Diseases of Respiratory System, | 21 | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 18 | 9 | 16 | 12 | 12 | 19 | 17 | 27 | 10 | 30 | 46 |
| Violent Deaths, | 1 | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | . | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 | 4 | 7 | 2 | 8 |
| Number of Uncertified Deaths, | 11 | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 | 3 | 8 | 9 | 7 |
| Mean Temperature of the Air (Phœnix Park), | 54·6 | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 | 44·1 | 40·2 | 39·4 | 41·3 |
| *Average Mean Temperature in corresponding week of previous 10 years* | 54·0 | 56·7 | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 | 43·7 | 42·2 | 42·7 | 43·7 |
| Rainfall in inches, | ·325 | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·528 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·284 | ·401 | ·645 | 1·842 | ·178 | ·156 | ·078 | 1·560 | ·755 |
| Mean Humidity of the Air, complete Saturation, 1·0. | ·88 | ·77 | ·88 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·93 | ·86 | ·94 | ·92 | ·96 | ·88 | ·90 | ·92 | ·88 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH DECEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 28·8 | 207 | 70 | 5 | 24 | 40 | 56 | 12 | . | . | 1 | . | 3 | 2 | 1 | 2 | 1 | 10 | 20 | 18 | 6 | 11 | 5 | 46 | 8 | 83 | 7 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 22·2 | 11 | 1 | . | . | 2 | 5 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 1 | . | 7 | . |
| II. | Middle Class, | 87,188 | 19·1 | 32 | 6 | 1 | 3 | 6 | 12 | 4 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 3 | 1 | 4 | . | 3 | 1 | 17 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,428 | 18·9 | 40 | 17 | 2 | 3 | 10 | 8 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 4 | 4 | 2 | 1 | 1 | 10 | 1 | 15 | 2 |
| IV. | General Service Class, | 154,279 | 40·3 | 83 | 42 | 2 | 11 | 10 | 17 | 1 | . | . | 1 | . | 2 | 1 | 1 | 1 | . | 6 | 11 | 4 | 3 | 1 | 4 | 19 | 6 | 29 | 4 |
| V. | Inmates of Workhouses, | 6,024 | | 41 | 4 | . | 7 | 12 | 14 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 7 | . | 3 | . | 13 | . | 15 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 53·5 | 8 | . | . | . | 1 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . | 1 | . | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,860 | 18·7 | 3 | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 13·5 | 2 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 21·3 | 9 | 1 | . | . | 2 | 4 | 2 | . | . | . | . | . | 1 | . | . | . | 1 | 1 | 2 | . | 2 | . | 1 | . | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,482 | 13·7 | 8 | 3 | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 6 | 1 |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 25·1 | 13 | 2 | . | . | 2 | 7 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 2 | 1 | 8 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 |
| | 9. Building and Furnishing Trades, | 29,801 | 17·5 | 10 | 6 | . | 1 | 2 | 1 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | 2 | . | . | 1 | . | 2 | . | 3 | . |
| | 10. Clothing Trades, | 28,260 | 11·2 | 5 | 2 | . | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 2 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 16·9 | 3 | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 32·6 | 19 | 6 | 2 | 2 | 5 | 4 | . | . | . | . | . | . | . | . | . | . | . | 2 | 2 | 2 | . | . | 3 | 1 | 9 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 27·2 | 7 | 5 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 5 | . |
| | 15. Domestic Servants, | 36,603 | 5·7 | 4 | . | . | 1 | 2 | 1 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | 1 | . | 1 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 14·5 | 4 | 1 | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 39·5 | 68 | 36 | 2 | 9 | 7 | 13 | 1 | . | . | 1 | . | 2 | 1 | 1 | . | . | 5 | 10 | 3 | 3 | 1 | 3 | 16 | 5 | 22 | 3 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 41 | 4 | . | 7 | 12 | 14 | 4 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | 7 | . | 3 | . | 13 | . | 15 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residen RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Death* similar Statistics for each of

| Districts. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tubercular Disease. Phthisis. | Tubercular Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | |
| North City, No. 1 (E.) (Offices, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Oct. 19, | 19·8 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . |
| | ,, 26, | 21·6 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . |
| | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| | ,, 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . |
| | ,, 16, | 27·0 | 1·8 | 15 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 1 |
| | ,, 23, | 19·8 | 5·4 | 11 | . | . | . | . | . | . | . | 1 | 2 | . | 3 | . | . | . | 2 |
| | ,, 30, | 25·2 | 1·8 | 14 | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 | . |
| | Dec. 7, | 30·5 | 1·8 | 17 | . | . | . | . | . | . | . | 1 | . | 2 | 2 | 1 | 1 | 4 | . |
| North City, No. 1 (W.) (Offices, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Oct. 19, | 24·0 | 2·7 | 18 | . | . | . | . | . | . | . | . | 2 | 4 | 3 | . | . | 1 | 1 |
| | ,, 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 |
| | Nov. 2, | 24·0 | 1·3 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . |
| | ,, 9, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . |
| | ,, 16, | 26·6 | 1·2 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | 3 | 3 | . |
| | ,, 23, | 18·6 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | . | . |
| | ,, 30, | 32·0 | 1·3 | 24 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . |
| | Dec. 7, | 25·3 | 4·0 | 19 | . | . | . | . | 2 | . | . | . | 1 | 4 | . | . | 2 | 5 | . |
| North City, No. 2. (Offices, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | Oct. 19, | 20·8 | 1·7 | 12 | . | . | . | . | 1 | . | . | . | . | . | 2 | 1 | . | . | 2 |
| | ,, 26, | 26·0 | 1·7 | 15 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . |
| | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . |
| | ,, 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . |
| | ,, 16, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . |
| | ,, 23, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . |
| | ,, 30, | 29·4 | 1·7 | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | . | 1 | 4 | . |
| | Dec. 7, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 5 | 1 |
| North City, No. 3. (Offices, Benburb-street.) Pop. in 1907 (Est.) 32,422. | Oct. 19, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 3 | . |
| | ,, 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . |
| | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . |
| | ,, 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . |
| | ,, 16, | 25·7 | 1·6 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | 4 | . |
| | ,, 23, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . |
| | ,, 30, | 30·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 2 | . |
| | Dec. 7, | 22·5 | 1·6 | 14 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | 1 |
| South City, No. 1. (Offices, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Oct. 19, | 31·3 | 2·6 | 24 | . | . | 1 | . | . | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . |
| | ,, 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 2 |
| | Nov. 2, | 23·5 | 1·3 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 6 | 1 |
| | ,, 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |
| | ,, 16, | 10·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . |
| | ,, 23, | 20·9 | 2·6 | 16 | . | . | 1 | . | . | . | . | . | 1 | . | 4 | . | 1 | 2 | 2 |
| | ,, 30, | 18·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . |
| | Dec. 7, | 22·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 5 | . |
| South City, No. 2. (Offices, Castle-street.) Pop. in 1907 (Est.) 20,589. | Oct. 19, | 15·3 | 2·5 | 10 | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 | . | 2 | . |
| | ,, 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 |
| | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | ,, 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . |
| | ,, 16, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 |
| | ,, 23, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . |
| | ,, 30, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . |
| | Dec. 7, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 4 | 1 |
| South City, No. 3. (Offices, Peter-street.) Pop. in 1907 (Est.) 42,209. | Oct. 19, | 22·2 | 5·7 | 18 | . | . | . | . | . | . | . | 1 | 2 | 3 | 2 | . | . | 1 | . |
| | ,, 26, | 23·5 | 1·2 | 9 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . |
| | Nov. 2, | 19·8 | 5·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . |
| | ,, 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 |
| | ,, 16, | 27·2 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | 1 | 6 | 2 |
| | ,, 23, | 19·8 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | 1 | . | 1 |
| | ,, 30, | 14·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . |
| | Dec. 7, | 25·9 | 2·5 | 21 | . | . | . | . | 1 | . | . | 1 | . | 2 | 1 | 2 | . | 5 | 1 |
| South City, No. 4. (Offices, Grand Canal-street.) Pop. in 1907 (Est.) 35,138. | Oct. 19, | 19·3 | 3·0 | 13 | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 2 | . | 1 | . |
| | ,, 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . |
| | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . |
| | ,, 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 |
| | ,, 16, | 28·2 | 1·5 | 19 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 4 | . |
| | ,, 23, | 23·7 | 1·5 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | 1 | 1 |
| | ,, 30, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . |
| | Dec. 7, | 15·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 2 | 1 |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Oct. 19, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 2 | . | . |
| | „ 26, | 15·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| | „ 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| | „ 16, | 14·6 | 2·9 | 10 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . |
| | „ 23, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 30, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 |
| | Dec. 7, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 3 | . | 3 |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Oct. 19, | 20·6 | 3·7 | 11 | . | . | . | . | . | . | . | . | 2 | 1 | 2 | . | . | . | . | 1 |
| | „ 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| | „ 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| | „ 16, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 23, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 30, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 30·0 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 7 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,629. | Oct. 19, | 14·8 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | „ 26, | 28·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | „ 9, | 53·2 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| | „ 16, | 29·6 | 8·9 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 30, | 17·8 | 3·0 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 47·3 | 3·0 | 16 | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 3 | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Oct. 19, | 19·4 | 4·1 | 188 | . | 5 | . | . | 1 | 2 | . | . | 21 | 10 | 14 | 5 | 3 | 17 | 2 | 3 |
| | „ 26, | 28·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| | Nov. 2, | 20·4 | 2·8 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| | „ 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 1 |
| | „ 16, | 24·8 | 3·0 | 176 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 32 | 3 | 2 |
| | „ 23, | 23·1 | 2·3 | 164 | . | 12 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 30 | 3 | 3 |
| | „ 30, | 25·8 | 2·2 | 183 | . | 8 | . | . | . | 2 | . | 1 | 5 | 28 | 14 | 12 | 8 | 47 | 2 | 6 |
| | Dec. 7, | 26·9 | 3·1 | 191 | . | 14 | . | . | 3 | 1 | 1 | 3 | . | 20 | 22 | 8 | 3 | 46 | 4 | 2 |
| **Cork.** Pop. (in 1901) 76,122. | Oct. 19, | 24·0 | 0·7 | 35 | . | . | . | . | . | . | . | . | 1 | . | 4 | 2 | 3 | 4 | 1 | 3 |
| | „ 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| | Nov. 2, | 17·8 | 2·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 3 |
| | „ 16, | 21·2 | 1·4 | 31 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | 1 | 1 | 1 |
| | „ 23, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | 3 | 1 | 3 |
| | „ 30, | 18·7 | 0·7 | 20 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 2 | 4 | . | 3 |
| | Dec. 7, | 15·8 | 1·4 | 23 | . | . | . | . | . | . | . | 1 | 1 | 3 | 5 | 1 | 2 | 2 | . | . |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Oct. 19, | 30·7 | 1·2 | 25 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | 5 | . | 1 |
| | „ 26, | 18·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| | „ 9, | 12·2 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| | „ 16, | 17·2 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 23, | 20·9 | 1·4 | 17 | . | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 30, | 19·6 | 1·2 | 16 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . |
| | Dec. 7, | 25·8 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 2 | 3 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Oct. 19, | 13·7 | 2·7 | 10 | . | 2 | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 1 |
| | „ 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| | Nov. 2, | 23·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| | „ 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 16, | 34·2 | 10·9 | 25 | . | 6 | . | . | . | . | . | 1 | 1 | . | 3 | 1 | 1 | 3 | 3 | 2 |
| | „ 23, | 23·2 | 8·2 | 17 | . | 5 | . | . | . | . | . | . | 1 | . | 2 | . | . | 4 | . | 3 |
| | „ 30, | 24·6 | 2·7 | 18 | . | 1 | . | . | . | . | . | . | 1 | . | 5 | 1 | . | 5 | . | 3 |
| | Dec. 7, | 20·5 | 6·8 | 15 | . | 4 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 2 | . | 1 |
| **Waterford.** Pop. (in 1901) 26,769. | Oct. 19, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 1 | . | . | 2 |
| | „ 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |
| | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 1 |
| | „ 9, | 25·2 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | 1 |
| | „ 16, | 11·7 | 1·9 | 6 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | 2 |
| | „ 23, | 19·5 | 1·9 | 10 | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | . |
| | „ 30, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | 1 | . | . |
| | Dec. 7, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 7th December, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*: with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Diseases. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 12 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | . | . | 1 | 3 | 2 | 2 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 1 | . | 1 | 3 | . |
| Do. 2 ,, | 47,959 | 33 | | | 18 | 1 | 4 | 2 | . | 2 | 9 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 6 | . | . | 3 | . |
| Do. 3 ,, | 47,214 | 20 | | | 28 | 3 | 2 | . | 6 | 2 | 10 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | 8 | 2 | 4 | 5 | . |
| Do. 4 ,, | 40,911 | 37 | | | 20 | 4 | 5 | . | 7 | 2 | 2 | . | 1 | . | . | . | . | . | 2 | . | 2 | 4 | 2 | . | 4 | . | 3 | 7 | 1 |
| Do. 5 ,, | 17,887 | 17 | | | 15 | 4 | 3 | 1 | . | 2 | 5 | . | 2 | . | . | . | 1 | . | . | . | 1 | . | 2 | . | 2 | 1 | 1 | 4 | . |
| Do. 6 ,, | 48,122 | 20 | | | 24 | 2 | 4 | 1 | 4 | 6 | 7 | . | 2 | . | . | 3 | . | . | . | . | 2 | 5 | . | . | 7 | 1 | 1 | 3 | . |
| Do. 7 ,, | 1,524 | 1 | | | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | . | | | 3 | . | . | . | 1 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | . |
| Do. 9 ,, | 19,569 | 7 | | | 10 | . | . | . | 2 | 4 | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 6 | . | . | 2 | . |
| Do. 10 ,, | 28,064 | 23 | | | 17 | 5 | 2 | 1 | 1 | 6 | 2 | . | . | . | . | . | . | . | . | . | 3 | 5 | 1 | . | 2 | . | . | 2 | 1 |
| Do. 11 ,, | 34,802 | 18 | | | 25 | 5 | 4 | 2 | 1 | 9 | 4 | . | 2 | . | . | . | . | 1 | . | . | 1 | 1 | . | 1 | 8 | . | 1 | 4 | . |
| Do. 12 ,, | 33,588 | 32 | | | 20 | 3 | 8 | 1 | 4 | 2 | 2 | . | 4 | . | . | . | . | . | 1 | . | 5 | 2 | 1 | . | 1 | . | 1 | 3 | . |
| Do. 13 ,, | 15,006 | 8 | | | 7 | 2 | 1 | 1 | 1 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 228 | | | 191† | 29 | 33 | 10 | 30 | 38 | 51 | . | 14 | . | . | 3 | 1 | 1 | 3 | . | 20 | 22 | 18 | 3 | 46 | 4 | 13 | 37 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 7 | 12·2 | . | 3 | . | . | 2 | | | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 2 | . |
| Do. 2 ,, . . | 10,701 | 8 | 24·4 | . | 5 | 1 | . | 2 | | | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | 2 | . |
| Do 3 ,, . . | 9,978 | 1 | 5·2 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 4 ,, . . | 8,666 | 1 | 18·1 | . | 3 | . | . | 3 | | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | 3 | . |
| Do. 5 ,, . . | 6,592 | 4 | 15·8 | . | 2 | 1 | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 6 ,, . . | 10,702 | 2 | 4·9 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 7 | 25·1 | 6·3 | 8 | 2 | . | 4 | | | 2 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | 1 | . | . | 2 | . |
| Total, . . . . | 76,122 | 25 | 15·8 | 1·4 | 23 | 4 | . | 14 | | | 5 | . | . | . | . | . | . | . | 1 | 1 | 2 | 5 | 1 | 2 | 2 | . | . | 10 | . |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons** *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 15. | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12 | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. |
| No. of weeks in Annual Series, | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 |
| Births registered | 218 | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 | 173 | 186 | 182 | 228 |
| Deaths registered. | 140 | 131 | 155 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145 | 176 | 164 | 183 | 191† |
| Annual Death rate per 1,000 of estimated Population. | 19·7 | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 | 23·2 | 20·4 | 20·4 | 21·8 | 23·1 | 25·8 | 26·9 |
| Ages: Under 1 year | 22 | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 18 | 40 | 38 | 47 | 48 | 30 | 31 | 24 | 36 | 33 | 37 | 29 |
| 1-5 years, | 22 | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 | 24 | 24 | 24 | 33 |
| 5-20 years, | 14 | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 | 15 | 12 | 7 | 10 |
| 20-40 years, | 31 | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 | 28 | 27 | 26 | 30 |
| 40-60 years, | 21 | 14 | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 | 34 | 32 | 39 | 38 |
| 60 years and upwards, | 30 | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 38 | 37 | 38 | 39 | 36 | 50 | 51 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 6 | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 | 11 | 12 | 8 | 14 |
| Scarlet Fever, | 2 | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 | 2 | 1 | . | 3 |
| Diphtheria, | . | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . | 1 | . | 2 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 |
| Enteric Fever, | . | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 | 2 | 2 | 1 | 3 |
| Diarrhœal Diseases, | 1 | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 | 5 | 1 | 5 | . |
| Pneumonia, | 12 | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 | 18 | 21 | 28 | 20 |
| Tuberculous Disease, Phthisis, | 15 | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 | 14 | 14 | 14 | 22 |
| Tuberculous Disease, Other Forms, | 9 | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 | 8 | 7 | 12 | 8 |
| Cancer Malignant Disease, | 4 | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 | 3 | 5 | 8 | 3 |
| Diseases of Respiratory System, | 13 | 13 | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 | 26 | 32 | 30 | 47 | 46 |
| Violent Deaths, | 2 | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 3 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 | 3 | 3 | 2 | 4 |
| Number of Uncertified Deaths, | . | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 | 2 | 3 | 6 | 2 |

* Formerly described as "Simple Continued Fever."
† Including one death from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, . | 4,758,218 | Dec. 7, | 2,345 | 1,475 | 16·2 | . | 35 | 19 | 20 | 18 | 4 | 9 |
| EDINBURGH, . | 345,747 | „ 7. | 140 | 119 | 18·0 | . | . | . | 1 | 1 | . | 1 |
| GLASGOW, . . | 847,584 | „ 7, | 442 | 333 | 20·5 | . | 48 | 2 | 3 | 3 | 3 | 12 |
| CALCUTTA, . | 847,796 | Oct. 19, | . | 546 | 33·4 | 1 | 1 | . | 1 | . | 142‡ | 153* |
| BOMBAY, . | 977,822 | Nov. 5, | 413 | 620 | 33·0 | . | 1 | . | . | . | 68‡ | 69* |
| MADRAS, . . | 509,346 | Oct. 18, | 399 | 391 | 39·9 | 1 | 5 | ? | ? | ? | 119 | 64* |
| PARIS, . . | 2,722,731 | Nov. 23, | 949 | 867 | 16·5 | . | 3 | 3 | 3† | 1 | 10 | 31 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 16, | 208 | 155 | 12·9 | . | 2 | 2 | . | . | 1 | 11 |
| ANTWERP, . . | 304,032 | „ 16, | 116 | 78 | 13·4 | . | 2 | . | 1† | . | 1 | 18 |
| AMSTERDAM, . | 565,032 | „ 23, | 259 | 150 | 13·8 | . | 3 | . | 1† | 1 | 1 | 1 |
| COPENHAGEN, . | 438,000 | „ 16, | 259 | 104 | 12·4 | . | 5 | . | 1† | 3 | . | 6 |
| STOCKHOLM, . | 332,738 | „ 16, | 148 | 90 | 14·1 | . | 3 | . | 2† | . | . | 2 |
| CHRISTIANIA, . | 229,324 | „ 23, | 101 | 50 | 11·3 | . | . | . | 3† | . | . | . |
| ST. PETERSBURG, | 1,482,769 | „ 9, | 822 | 593 | 20·8 | . | 19 | 20 | 19 | 3 | 27 | 60 |
| MOSCOW, . . | 1,296,000 | Oct. 26, | . | 541 | 21·8 | . | 4 | 8 | 5† | 5 | 3 | 80 |
| BERLIN, . . | 2,104,117 | Nov. 9, | 852 | 639 | 15·8 | . | 9 | 6 | 17† | 7 | 2 | 71 |
| HAMBURG, . . | 824,792 | „ 16, | . | 247 | 15·6 | . | 4 | . | 4† | 2 | 3 | 29 |
| BRESLAU, . . | 489,448 | „ 16, | . | 194 | 20·7 | . | . | . | 5† | 2 | . | 25 |
| MUNICH, . . | 548,000 | „ 23, | . | 189 | 17·9 | . | 2 | 1 | 3† | . | . | 26 |
| VIENNA (with suburbs). | 1,999,912 | „ 23, | 875 | 623 | 16·2 | . | 4 | 8 | 5† | . | . | 47 |
| BUDA-PESTH, . | 802,235 | „ 9, | 433 | 300 | 19·4 | . | 5 | 9 | 1† | 3 | 6 | 31 |
| PRAGUE and Faubourgs. | 470,906 | „ 2, | 151 | 148 | 16·3 | . | . | 1 | 1† | 1 | 1 | 14 |
| TRIESTE, . . | 202,920 | Nov. 9, | 110 | 74 | 19·0 | . | . | . | 1† | 2 | 1 | 13 |
| ROME, . . . | 542,760 | Sept. 7, | 211 | 171 | 16·4 | . | 3 | . | 1† | 1 | 5 | 29 |
| VENICE, . . | 174,398 | Oct. 26, | 76 | 48 | 14·4 | . | . | . | . | . | 1 | 3 |
| NEW YORK, . | 4,285,435 | Nov. 9, | 2,160 | 1,218 | 15·2 | . | 5 | 9 | 32† | 3 | 25 | 53 |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, . . | 609,757 | Nov. 9, | . | 205 | 17·5 | . | . | . | 2 | . | 4 | 4 |

* Including 62 deaths from cholera in Calcutta, 4 in Bombay, and 13 in Madras.
† Including deaths from croup.
‡ Exclusive of 8 deaths from plague in Calcutta, and 26 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th December, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 1 | 2 | 1 | . | . | . | 4 |
| ,, ,, 1, West, | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 2 |
| ,, ,, 2, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| ,, ,, 3, | . | 3 | . | . | 1 | 1 | . | . | 6 | . | . | . | 11 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | 3 | . | . | . | . | . | . | 3 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 1 | . | . | . | . | . | 2 | 5 | . | . | . | 8 |
| ,, ,, 2, | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| ,, ,, 3, | . | 2 | . | . | . | . | . | 4 | . | . | . | . | 6 |
| ,, ,, 4, | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 7 | . | . | 2 | 5 | 2 | 10 | 13 | . | . | . | 39 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th December, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 7th December. | | | |
|---|---|---|---|---|---|---|---|
| | Nov. 16. | Nov. 23. | Nov. 30. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 12 | 7 | 7 | 7 | 2 | . | 12 |
| Scarlet Fever | 48 | 39 | 38 | 9 | 11 | 1 | 35* |
| Typhus, | . | . | . | . | . | . | . |
| Diphtheria, | 15 | 24 | 30 | 5 | 5 | 1 | 29 |
| Enteric Fever, | 56 | 50 | 51 | 5 | 10 | 1 | 45 |
| Pneumonia, | 25 | 23 | 30 | 13 | 7 | . | 36 |

* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 7th December, 1907:—

"During the greater portion of this week the weather was broken—Thursday and Friday, however, were very fine, bright and quiet though cold. The week opened with an anticyclone passing away from the British Isles to the eastward over Continental Europe. A brisk S.E. wind blew over Ireland on Sunday, the sky became overcast and rain fell at night—rather heavily in Dublin (·240 inch) and at Roche's Point, Cork Harbour (·32 inch). In the course of Monday a large and deep depression approached the N.W. of Ireland from the Atlantic—on Tuesday morning it was found off the Hebrides, the barometer at 8 a.m. reading as low as 28·79 inches at Stornoway. Strong and squally S.W. winds prevailed and showers of cold rain and hail fell in many places. By Wednesday morning the system had grown much deeper, but it had moved away to Iceland, the barometer falling to 28·32 inches at Reykjavik. In the course of the day, it again approached the British Isles, causing most inclement weather. Apparently connected with a V-shaped secondary depression, a violent 'line-squall' swept across Ireland and the Irish Sea to Lancashire during the afternoon and evening. It struck Limerick about 3 p.m., reached Dublin at 4.40 p.m., and Rossal Beach, Fleetwood, later on. It was accompanied by a downpour of rain and hail, thunder and lightning—at Rossal Beach, during a terrific squall of hail and rain, ·4 inch fell in 9 minutes. Two comparatively tranquil days followed; but on Saturday, after a bright, cold morning, a rapid baric fall brought clouds, rain and squalls in the afternoon and evening. In Dublin the mean height of the barometer was 29·400 inches, the range being from 30·104 inches at 9 a.m. of Sunday (wind, S.E.) to 28·892 inches at 4.30 p.m. of Wednesday (wind, S.W.). The corrected mean temperature was 41·9°, the mean dry bulb temperature at 9 a.m. and 9 p.m. being 41·0°. The screened thermometers ranged from 33·8° early on Saturday morning to 52·3° on the evening of that day. The prevalent wind was S.W. Rain fell on 5 days to the amount of ·903 inch, ·289 inch being measured on Wednesday and ·270 inch on Saturday. Thunder, lightning and hail were observed on Wednesday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height f the barometer during the week was 29·409 inches. The highest reading (30·114) was n Sunday at 9 a.m., wind E., and the lowest (28·927) on Wednesday at 9 p.m., wind S W.

The mean temperature for the week was 41·5°, being 2·2° below the average for e corresponding period of the 10 years, 1897–1906. The temperature was highest n Saturday, on which day the thermometer registered 53·0°, and was also lowest on that d, the mercury having fallen to 30·9°. The mean of the Dry Bulb for the w was 40·9°, and of the Wet Bulb 39·4°. The mean humidity of the air was ·88, compl saturation being represented by 1·0. The rainfall during the week measured 0·755 inch.

At Greenwich the mean temperature for the week was 42·2°, the maximum 51 and the minimum 32·1°; at Glasgow the maximum was 49·0°, the minimum 24 and the mean 38·9°; and at Edinburgh the maximum was 46·7°, the minimum 31 and the mean 38·8°. The rainfall at Greenwich measured 0·75 in.; at Glasgow 1·38 in and at Edinburgh 0·69 in. *The information in this paragraph has been kindly furnis by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of t Wind. 9 A.M. | Direction of t Wind. 9 P. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Dec. 1, | 29·982 | 46·6 | 31·8 | 39·2 | 45·9 | 43·6 | ·84 | ·6 | 0·0 | ·085 | E. | S.E |
| Monday, „ 2, | 29·416 | 50·9 | 42·3 | 46·6 | 45·2 | 43·8 | ·90 | ·5 | 4·3 | ·045 | S.W. | S.S. |
| Tuesday, „ 3, | 29·331 | 46·6 | 33·4 | 40·0 | 34·6 | 32·9 | ·83 | ·7 | 3·8 | ·115 | S.W. | S.W |
| Wednesday, „ 4, | 28·983 | 49·7 | 33·9 | 41·8 | 41·4 | 40·2 | ·92 | ·6 | 0·8 | ·260 | S.E. | S.W |
| Thursday, „ 5, | 29·222 | 41·7 | 34·2 | 38·0 | 35·9 | 35·0 | ·93 | ·6 | 5·5 | ·000 | S.W. | S.W |
| Friday, „ 6, | 29·562 | 42·7 | 32·9 | 37·8 | 39·0 | 37·4 | ·88 | ·4 | 4·9 | ·000 | S.W. | S.S. |
| Saturday, „ 7, | 29·369 | 53·0 | 30·9 | 47·0 | 44·6 | 42·9 | ·87 | ·6 | 1·9 | ·250 | Calm. | S.W |
| Mean, . . | 29·409 | 47·3 | 34·2 | 41·5 | 40·9 | 39·4 | ·88 | ·6 | Total 21·2 | Total ·755 | Prevailing Wind, S.W | |

*Sunday*—Day overcast, night overcast; light rain, 1 a.m.—3.45 a m. *Monday*—Day cloudy, light ra showers, 5.30 p.m.—9.30 at intervals. *Tuesday*—Cloudy day, sleet; light rain p.m., night cloudy; light r 4.50 a.m.—5.15 a.m. *Wednesday*—Day cloudy, light and heavy rain; showers a.m. and p.m.; night cl *Thursday*—Day cloudy; night cloudy. *Friday*—Day cloudy; night clear. *Saturday*—Cloudy a m.; overc light rain; showers p.m.; night cloudy, heavy rain a.m.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatu Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity Colle Dublin, in the Week ending Saturday, December 7th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfa read 9 a.m |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Dec. 1, | 46·1 | 41·7 | 46·2 | 48·2 | 37·1 | 42·7 | 0·0 | ·251 |
| Monday, „ 2, | 44·5 | 42·9 | 46·0 | 51·8 | 45·1 | 48·5 | 2·6 | ·035 |
| Tuesday, „ 3, | 36·8 | 43·0 | 46·0 | 47·9 | 35·3 | 41·6 | 3·1 | ·053 |
| Wednesday, „ 4, | 42·0 | 41·2 | 46·0 | 50·9 | 36·0 | 43·5 | 0·5 | ·274 |
| Thursday, „ 5, | 38·3 | 41·3 | 46·0 | 42·9 | 36·7 | 39·8 | 3·7 | — |
| Friday, „ 6, | 37·4 | 40·0 | 45·9 | 45·6 | 36·5 | 41·1 | 2·5 | — |
| Saturday, „ 7, | 36·9 | 39·4 | 45·6 | 53·9 | 35·1 | 44·5 | 0·0 | ·330 |
| Weekly Mean, . | 40·3 | 41·4 | 46·0 | 48·7 | 37·4 | 43·1 | Total 12·4 | Tota ·943 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 12. 1907.—19626.

OFFICIAL.

# WEEKLY RETURN OF BIRTHS AND DEATHS
IN THE
## DUBLIN REGISTRATION AREA,
ONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;
AND IN
## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND
By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.
*Price* 1½*d.*

'OL. XLIV.] WEEK ENDING SATURDAY, 14TH DECEMBER, 1907. [No. 50.

*General Register Office, Charlemont House, Dublin, 16th December*, 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in ıe Dublin Registration Area and the twenty-one principal provincial Urban Districts f Ireland was 22·9 per 1,000 of their aggregate population, which, for the purposes f these Returns, is estimated at 1,117,547.† The deaths registered in each of the ast four weeks, and during the whole of that period, in the several Districts, alpha-etically arranged, corresponded to the following annual rates per 1,000. In some ıstances, owing to deaths not having been registered within the week in which they ccurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Nov. 23. | Week ending Nov. 30. | Week ending Dec. 7. | Week ending Dec. 14. | Average Rate for 4 weeks. | Towns, &c. | Week ending Nov. 23. | Week ending Nov. 30. | Week ending Dec. 7. | Week ending Dec. 14. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 2 Town Dists. | 19·4 | 22·3 | 24·2 | 22·9 | 22·2 | Limerick, . . | 23·2 | 24·6 | 20·5 | 27·3 | 23·9 |
| | | | | | | Lisburn, . . | 18·2 | 13·6 | 27·3 | 9·1 | 17·1 |
| rmagh, . . | 6·9 | 13·7 | 13·7 | 34·4 | 17·2 | Londonderry, . | 20·9 | 19·6 | 25·8 | 13·5 | 20·0 |
| allymena, | 4·8 | 23·9 | 28·7 | 23·9 | 20·3 | Lurgan, . . | 4·4 | 13·3 | 17·7 | 35·4 | 17·7 |
| elfast, . . | 23·1 | 25·8 | 26·9 | 26·3 | 25·5 | Newry, . . | 29·4 | 25·2 | 16·8 | 25·2 | 24·1 |
| lonmel, . . | 10·3 | 25·6 | 5·1 | 20·5 | 15·4 | Newtownards, . | 34·3 | 22·9 | 11·4 | 11·4 | 20·0 |
| ork, . . . | 17·1 | 13·7 | 15·8 | 18·5 | 16·3 | Portadown, . | 10·3 | 10·3 | 20·7 | 5·2 | 11·6 |
| rogheda, . . | 12·3 | 16·3 | 16·3 | 28·6 | 18·4 | Queenstown . | . | 13·2 | 6·6 | 19·8 | 9·9 |
| ublin Reg. Area, | 18·4 | 21·6 | 26·7 | 22·3 | 22·2 | Sligo . . . | . | 4·8 | 9·6 | 28·8 | 10·8 |
| undalk . | 23·9 | 19·9 | 12·0 | 19·9 | 18·9 | Tralee, . . | 21·1 | 37·0 | . | 42·3 | 25·1 |
| alway, . . | 23·3 | 38·8 | 27·2 | . | 22·3 | Waterford, . | 19·5 | 17·5 | 21·4 | 25·3 | 20·9 |
| ilkenny, . . | . | 39·3 | 9·8 | . | 12·3 | Wexford, . . | 9·3 | 14·0 | 42·0 | 14·0 | 19·8 |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last eek* were equal to an annual rate of 2·0 per 1,000, the rates varying from 0·0 in fteen of the districts to 8·4 in Newry, the 6 deaths from all causes for that strict including one from whooping-cough and one from diarrhœa. Among the 187 eaths from all causes in Belfast are 16 from measles, one from typhus, one from whoop-g-cough, one from diphtheria, 3 from enteric fever, 4 from diarrhœal diseases, one om cerebro-spinal fever, and one returned as from *cerebro-spinal meningitis.* One eath from typhus is included in the 27 deaths from all causes in Cork. Included in e 20 deaths registered in Limerick are 4 from measles and one death each from enteric ver and diarrhœa; and of the 4 deaths from all causes in Clonmel one is from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 77—91 boys and 86 girls; and the deaths to 180—90 males and 90 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 24·0 in every 1,000 the population. Omitting the deaths (numbering 13) of persons admitted into ublic institutions from localities outside the Area, the rate was 22·3 per 1,000. During e fifty weeks ending with Saturday last the death-rate averaged 24·3, and was 0·9 low the mean rate for the corresponding portions of the ten years, 1897–1906.

Among the deaths registered there were one from measles, one from whooping-cough, from diphtheria, and 2 deaths from *diarrhœa.* In each of the 3 preceding weeks, deaths

* Exclusive of deaths of persons admitted into Public Institutions from without the respective stricts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

from measles were 0, 0, and 0; deaths from whooping-cough were 0, one, and 3; deaths from diphtheria were 0, 0, and 2; and deaths from diarrhœal diseases were 7, 3, and one. The deaths of 2 children under 5 years of age were attributed to *gastro-enteritis*. There was one death from influenza, which disease, in the 3 preceding weeks, caused one, one, and 0 deaths, respectively. One death was due to cerebro-spinal fever.

Of 23 deaths from pneumonia (all forms), one was from lobar pneumonia; broncho-pneumonia and *pneumonia* (not defined) each caused 11 deaths.

Deaths from all forms of tuberculous disease, which were 33, 22, and 24 in each of the 3 preceding weeks, were 31 in the week under notice. The latter figure includes 7 deaths from tuberculous phthisis, 11 deaths returned as from *phthisis*, 5 deaths from tuberculous meningitis, one death from tuberculous peritonitis, and 7 deaths from other forms of the disease.

Malignant disease or cancer (undefined) caused the deaths of 7 persons.

Two infants died from premature birth.

The 12 deaths from diseases of the brain and nervous system include the death of one infant under one year of age from *convulsions*.

Diseases of the heart and blood vessels caused the deaths of 18 persons, and there were 37 deaths from bronchitis.

Of 2 accidental deaths, one was that of an infant under one year of age by suffocation in bed.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of an infant under one year old and the death of one person aged 65 years.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 2 were under one month old), and 51 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 6 were octogenarians.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the N. Dublin Union Workhouse, 27 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·3 per 1,000; the rate in the City was 23·2 (North City Districts, 24·7; South, 21·7), and in the Suburbs, 19·2 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 0·7 (0·7 in the North City Districts, and 0·7 in the South), and for the Suburbs, 1·2 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 28·8 per 1,000, and include one death from diphtheria, 4 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), and 5 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 28·0 per 1,000. Among the deaths there was one from diphtheria, broncho-pneumonia caused one death, *pneumonia* (not defined), caused 2 deaths, there was one death from *phthisis*, there were 5 deaths from bronchitis, and one accidental death of an infant from suffocation in bed.

*No. 2 North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 24·2 per 1,000. The deaths include one from influenza, one from broncho-pneumonia, 4 deaths from tuberculous disease, and 6 deaths from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (16) represent an annual rate of 25·7 per 1,000. Broncho-pneumonia and *pneumonia* (not defined) each caused one death; there were 3 deaths from tuberculous disease of the lungs, and there was one death from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants, Coolock and Drumcondra, No. 1, part of, 9·5; and Finglas and Glasnevin, part of, 14·4. Of the 2 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from *pneumonia* (not defined), and one was from tuberculous disease. One of the 2 deaths from all causes for Coolock and Drumcondra, No. 1, part of, was from tuberculous disease.

*No. 1 South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·8 per 1,000. Of the deaths one was due to measles, there was one death from broncho-pneumonia, there were 3 deaths from tuberculous disease of the lungs, and 3 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 30·4 per 1,000. The deaths include one from broncho-pneumonia, one from *pneumonia* (not defined), 5 deaths from tuberculous disease of the lungs, 2 deaths from bronchitis, and one accidental death.

*No. 3 South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·8 per 1,000. Included in the deaths there was one from *pneumonia* (not defined), there were 6 from tuberculous disease, and 6 deaths from bronchitis.

*No. 4 South City District* (Grand Canal-street).—The deaths (13) are equivalent to an annual rate of 19·3 per 1,000. Among the deaths registered there was one from *diarrhœa*, there were 3 deaths from pneumonia (all forms), 4 deaths from tuberculous disease, and 2 deaths from bronchitis.

*New Kilmainham District.*—There was but one death (representing an annual rate of 5·9 per 1,000), registered for this district during the week. The death was caused by bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·0; Pembroke, 11·2; Blackrock, 11·9; and Kingstown, 35·5. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough for Kingstown and one from diphtheria for Pembroke. The 13 deaths from all causes for Rathmines and Rathgar include 2 from *pneumonia* (not defined), 2 from *phthisis*, and 2 from diseases of the respiratory system. The 6 deaths from all causes for Pembroke include 2 from bronchitis. One of the 2 deaths from all causes for Blackrock was from tuberculous meningitis; and the 12 deaths from all causes for Kingstown include 2 from pneumonia and 2 from bronchitis.

a

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases ification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
r Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. cett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive tary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock n District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown n District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.
LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration rea (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, lackrock, and Kingstown), and in the City of Belfast, during the week ended 14th December, 1907, nd each of the preceding three weeks. A dash (—) denotes that the disease in question is not otifiable in the District.

| TIES AND URBAN STRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ity of ublin. | Nov. 23, | . | — | — | 5 | . | . | 5 | . | . | 5 | 4 | . | — | — | — | — | — | 19 |
| | Nov. 30, | . | — | — | 4 | . | . | 4 | . | 2 | 5 | 18 | . | — | — | — | — | — | 33 |
| | Dec. 7, | . | — | — | 7 | . | . | 2 | 5 | 2 | 10 | 13 | . | — | — | — | — | — | 39 |
| | Dec. 14, | . | — | — | 5 | . | . | 7 | 1 | 5 | 4 | 9 | . | — | — | — | — | — | 31 |
| hmines Rathgar rban strict. | Nov. 23, | . | — | — | 1 | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 2 |
| | Nov. 30, | . | — | — | . | . | . | 1 | . | 1 | . | 1 | . | — | — | — | — | — | 3 |
| | Dec. 7, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 4 |
| | Dec. 14, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| ıbroke rban strict. | Nov. 23, | . | . | 1 | 1 | . | . | . | . | . | . | 1 | . | — | . | . | — | — | 3 |
| | Nov. 30, | . | 2 | 2 | . | . | . | . | 1 | . | 2 | 2 | . | — | . | . | — | — | 9 |
| | Dec. 7, | . | . | 3 | . | . | . | 1 | . | . | . | 1 | . | — | . | . | — | — | 5 |
| | Dec. 14, | . | 1 | 4 | . | . | . | . | 1 | . | . | . | . | — | . | . | — | — | 6 |
| ckrock rban strict. | Nov. 23, | . | — | — | . | . | . | 1 | . | . | . | . | . | — | — | . | — | — | 1 |
| | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Dec. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Dec. 14, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| gstown rban strict. | Nov. 23, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Dec. 7, | . | — | — | . | . | . | . | . | . | 3 | . | . | — | — | — | — | — | 3 |
| | Dec. 14, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| ty of elfast. | Nov. 23, | . | — | — | 9 | . | . | 5 | 1 | 5 | 3 | 7 | . | — | — | 5 | — | — | 35 |
| | Nov. 30, | . | — | — | 9 | . | . | 10 | . | 5 | 6 | 7 | . | — | — | 5 | — | — | 42 |
| | Dec. 7, | . | — | — | 4 | . | . | 5 | . | 2 | 5 | 4 | 2 | — | — | 5 | — | — | 27 |
| | Dec. 14, | . | — | — | 8 | . | . | 1 | . | 7 | 3 | 12 | 1 | — | — | 1 | — | — | 33 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

able XII. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 14th December, 1907.

rom this it appears that:—

even cases of measles were admitted into hospital during the week, 4 were discharged, e was one death, and 14 cases remained under treatment at its close.

even cases of scarlet fever were admitted to hospital, 4 were discharged, and 38* cases ained under treatment at the close of the week.

welve cases of diphtheria were admitted to hospital, 7 were discharged, there were deaths, and 32 patients remained under treatment at the close of the week.

x cases of enteric fever were admitted to hospital during the week, 4 were discharged, 47 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, ere discharged, there was one death, and 36 cases remained under treatment at the of the week.

## ENGLAND AND SCOTLAND.

he mortality last week in 76 large English towns, including London (in which the was 15·8), was equal to an average annual death-rate of 16·1 per 1,000 persons living, average rate for 8 principal towns of Scotland was 20·0 per 1,000, the rate for Glasgow g 20·7 and for Edinburgh 16·9.

### INFECTIOUS DISEASE IN EDINBURGH.

he Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th mber. From this Report it appears that of a total of 55 cases notified 25 were scarlet fever, 9 diphtheria, sipelas, and 2 enteric fever. Among the 381 cases of infectious diseases in hospital at the close of eek were 206 cases of scarlet fever, 43 of diphtheria, two of membranous croup, 32 of measles, 18 ooping-cough, 14 of erysipelas, and 8 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 14th December, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths: also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases in cols. 10-18. | Registration—Week ending Saturday, 14th December, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 14th December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 7th December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 30th November, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 25·2 | 22·9 | 2·0 | 540 | 490 | 75 | 151 | . | 22 | . | 2 | 3 | 4 | . | 4 | 8 | 42 | 49 | 27 | 18 | 96 | 6 | 12 | 157 | 19 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 23·6 | 22·3 | 0·8 | 177 | 167 | 27 | 48 | . | 1 | . | . | 1 | 3 | . | . | 1 | 23 | 18 | 13 | 6 | 38 | 2 | 5 | 71 | 3 | f54·1 | 32·4 | 42·7 | 0·36 | f53·0 | 30·9 | 41·5 | 0·76 | f50·9 | 25·7 | 39·4 | 1·56 |
| City of Dublin, | 300,850 | 38·0 | 24·3 | 23·2 | 0·7 | 140 | 134 | 28 | 36 | . | 1 | . | . | . | 2 | . | . | 1 | 19 | 16 | 12 | 4 | 32 | 2 | 5 | 61 | 2 | g54·2 h53·6 | 35·0 30·0 | 43·7 42·5 | 0·31 0·37 | g52·3 h52·5 | 33·8 29·0 | 41·9 40·7 | 0·90 0·81 | g49·6 h50·3 | 29·8 25·8 | 40·9 40·1 | 1·63 2·10 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 24·9 | 19·0 | . | 17 | 13 | 1 | 6 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 2 | . | . | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Pembroke | 27,854 | 17·5 | 18·7 | 11·2 | 1·9 | 10 | 6 | . | 3 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Blackrock | 8,759 | 8·1 | 11·9 | 11·9 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Kingstown, | 17,622 | 12·1 | 23·7 | 35·5 | 3·0 | 8 | 12 | 2 | 3 | . | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 2 | . | . | 2 | 1 | 58 | 37·5 | 44·8 | 0·51 | 54·5 | 36 | 43·1 | 0·79 | 50·5 | 33 | 42 | 1·38 |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,163 | 25·2 | 26·8 | 26·3 | 3·7 | 190 | 187 | 28 | 53 | . | 16 | . | 1 | 1 | 1 | . | 3 | 4 | 15 | 16 | 11 | 6 | 39 | 4 | 6 | 53 | 2 | 51·0 | 31·0 | 41·3 | 1·21 | 49·0 | 29·0 | 39·3 | 0·44 | 49·0 | 26·5 | 37·9 | 1·48 |
| Cork, | 76,122 | 33·6 | 34·2 | 18·5 | 0·7 | 50 | 27 | 2 | 13 | . | . | . | 1 | . | . | . | . | . | . | 5 | 1 | 1 | 5 | . | 1 | 14 | 2 | 53 | 36 | 44·9 | 0·50 | 54 | 33 | 43·4 | 1·47 | 52 | 34 | 43·8 | 1·96 |
| Londonderry, | 42,475 | 19·6 | 24·6 | 18·5 | . | 20 | 11 | . | 5 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 21·9 | 27·3 | 8·2 | 16 | 20 | 5 | 4 | . | 4 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | 2 | . | . | 6 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 19·5 | 25·3 | 1·9 | 10 | 13 | 2 | 5 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 4 | . | . | 3 | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 15·5 | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 53 | 32 | 43 | 1·39 | 53 | 27 | 39·3 | 1·47 | 49 | 26 | 39 | 1·30 |
| Dundalk, | 18,076 | 9·4 | 16·0 | 19·9 | . | 4 | 5 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 20·4 | 28·6 | . | 5 | 7 | . | 5 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 16·8 | 25·2 | 8·4 | 4 | 6 | . | 3 | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 | . | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 |
| Lurgan, | 11,782 | 13·8 | 66·4 | 35·4 | . | 15 | 8 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 2 | . | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 9·1 | . | 5 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 |
| Wexford, | 11,168 | 28·2 | 18·7 | 14·0 | . | 4 | 3 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 4·8 | 28·2 | . | 1 | 5 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | 28·8 | 28·8 | . | 6 | 6 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 53·3 | 30·4 | 42·6 | 1·52 | 47·5 | 28·3 | 38·6 | 1·57 | 46·5 | 21·0 | 35·4 | 0·80 |
| Kilkenny, | 10,609 | 11·5 | 9·8 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 51 | 29 | 41·4 | 0·57 | 54 | 27 | 39·6 | 1·17 | 48 | 26 | 39·0 | 1·81 |
| Clonmel, | 10,167 | 7·8 | 30·8 | 20·5 | 5·1 | 6 | 4 | 2 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 13·2 | 10·3 | 5·2 | . | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 |
| Tralee, | 9,867 | 16·6 | 37·0 | 42·3 | . | 7 | 8 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 22·9 | 11·4 | . | 4 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 50 | 32 | 41·8 | 0·41 | 53 | 32 | 41·7 | 0·73 | 50 | 31 | 40·4 | 1·20 |
| Queenstown, | 7,909 | 14·4 | 18·2 | 19·8 | . | 2 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 53 | 36 | 44·9 | 0·50 | 54 | 33 | 43·4 | 1·47 | 52 | 34 | 43·8 | 1·96 |
| Armagh, | 7,588 | 22·2 | 41·2 | 34·4 | . | 6 | 5 | . | 1 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 1 | 2 | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 | 43·1 | 28·6 | 36·7 | 1·20 |

described as "Simple Continued Fever." c Exclusive of Pneumonia. d Exclusive of 13 deaths of persons (including 2 under 1 year old and 3 at 60 years or upwards), admitted to hospital from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 14th of December, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | North City No. 1E. | North City No. 1W. | North City No. 2. | North City No. 3. | Glontarf & Howth No. 1 (part of). | Goolock and Drumcondra, No. 1 (part of). | Finglas and Glasnevin (part of). | South City No. 1. | South City No. 2. | South City No. 3. | South City No. 4. | New Kilmainham. | Rathmines and Rathgar. | Pembroke. | Blackrock. | Kingstown. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . |
| Diphtheria, | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 3 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Pneumonia, | 5 | 3 | 1 | 2 | 1 | . | . | 1 | 2 | 1 | 3 | . | 2 | . | . | 2 | 23 | . |
| Tuberculous Phthisis, | . | 1 | . | 3 | . | . | . | 3 | 5 | 2 | 2 | . | 2 | . | . | . | 18 | . |
| Tuberculous Disease. Other Forms. | . | . | 4 | . | 1 | 1 | . | . | . | 4 | 2 | . | . | . | 1 | . | 13 | . |
| Cancer, Malignant Disease, | 2 | 1 | . | 1 | . | . | . | . | . | . | . | . | 2 | . | . | . | 6 | 1 |
| Other General Diseases, | 1 | 2 | 1 | 1 | . | . | . | 3 | 1 | . | 1 | . | . | . | . | 2 | 12 | 2 |
| Total, | 9 | 8 | 6 | 7 | 2 | 1 | . | 8 | 8 | 7 | 9 | . | 6 | 1 | 1 | 5 | 78 | 4 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | 2 | 2 | 3 | . | . | 1 | 2 | . | . | . | . | 1 | . | . | . | 11 | 1 |
| Diseases of Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels, | 1 | 2 | . | 4 | . | 1 | . | 1 | 1 | 2 | . | . | 1 | 3 | 1 | . | 17 | 1 |
| Diseases of Respiratory System, | 5 | 5 | 6 | 1 | . | . | 1 | 3 | 2 | 6 | 2 | 1 | 2 | 2 | . | 2 | 33 | 1 |
| Diseases of Digestive System, | 1 | 1 | . | . | . | . | . | 4 | . | . | . | . | . | . | . | 1 | 7 | 3 |
| Diseases of Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Diseases of Urinary System, | . | . | . | 1 | . | . | . | 1 | . | . | . | . | 1 | . | . | 2 | 5 | 2 |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Total | 7 | 10 | 8 | 9 | . | 1 | 2 | 11 | 3 | 8 | 2 | 1 | 7 | 5 | 1 | 5 | 80 | 9 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | . | 2 | . | . | . | . | . | . | . | 1 | 2 | . | . | . | . | 2 | 7 | . |
| **E. VIOLENT DEATHS,** | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . |
| **Deaths from all Causes,** | 16 | 21 | 14 | 16 | 2 | 2 | 2 | 19 | 12 | 16 | 13 | 1 | 13 | 6 | 2 | 12 | 167 | 13 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 28·8 | 28·0 | 24·2 | 25·7 | 20·4 | 9·5 | 14·4 | 24·8 | 30·4 | 19·8 | 19·3 | 5·9 | 19·0 | 11·2 | 11·9 | 35·5 | 22·3 | . |
| | 24·7 | | | | | | | 21·7 | | | | | 19·2 | | | | | |
| | 23·2 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 6 | 7 | 5 | 1 | 1 | . | . | . | 1 | 1 | 1 | . | 1 | . | . | 3 | 27 | 2 |
| 1 and under 5 years, | 4 | 3 | 4 | 3 | . | . | . | 4 | 1 | 1 | 5 | . | . | . | 1 | . | 26 | 1 |
| 5 ,, 20 ,, | . | 1 | 1 | 2 | . | 1 | . | 2 | . | 2 | . | . | 2 | 1 | . | 3 | 15 | 1 |
| 20 ,, 40 ,, | 1 | 3 | . | 2 | . | . | . | 5 | 2 | 2 | 2 | . | 2 | 1 | . | 1 | 21 | 1 |
| 40 ,, 60 ,, | 1 | 2 | 1 | 2 | 1 | . | 1 | 5 | 5 | 6 | . | . | 2 | 1 | 1 | 2 | 31 | 5 |
| 60 and upwards, | 4 | 5 | 3 | 6 | . | 1 | 1 | 3 | 3 | 4 | 5 | 1 | 6 | 3 | . | 3 | 43 | 3 |
| Number of Uncertified Deaths, | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 3 | . | 1 | . | 1 | . | 5 | . | 2 | 4 | . | 3 | 2 | . | 2 | 24 | 11 |
| Workhouse Hospitals, | 2 | 3 | 7 | 7 | 1 | . | . | 8 | 4 | 7 | 5 | . | 2 | 1 | . | . | 47 | 2 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registered in week of the ten years, 189

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 50th Week of the 10 years 1897-1906. | In the Week ending Saturday 14th December, 1907. Deaths of Persons of the A | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 18, 1897. | Dec. 17, 1898. | Dec. 16, 1899. | Dec. 15, 1900. | Dec. 14, 1901. | Dec. 13, 1902. | Dec. 19, 1903. | Dec. 17, 1904. | Dec. 16, 1905. | Dec. 15, 1906. | | ALL AGES. | 0 to 5. | | | | |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. |
| Mean Temperature. | ° 45·2 | ° 46·4 | ° 38·9 | ° 48·1 | ° 37·6 | ° 40·0 | ° 41·7 | ° 42·6 | ° 43·0 | ° 37·3 | ° 42·1 | ° 42·7 | | | | | |
| **ALL CAUSES.** | 191 | 169 | 256 | 184 | 138 | 219 | 193 | 197 | 148 | 171 | 186·6 | 180 | 2 | 27 | 27 | 16 | 22 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 23 | 1 | . | 10 | . | 6 | . | . | 4·0 | 1 | . | . | 1 | . | . |
| Scarlet Fever, ... ... | 4 | 1 | 1 | 1 | . | 1 | 2 | . | . | . | 1·0 | . | . | . | . | . | . |
| Typhus, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 1 | . | 6 | . | 1 | 1 | 4 | 2 | 3 | 1 | 1·9 | 1 | . | . | . | . | . |
| Whooping-cough, ... ... | 2 | 5 | 3 | 7 | 1 | . | 4 | . | 2 | 4 | 2·8 | 1 | . | 1 | . | . | . |
| Diphtheria, ... ... | 2 | 3 | 2 | . | . | 1 | 2 | . | 1 | 5 | 1·6 | 3 | . | 1 | 1 | 1 | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | 1 | . | . | . | 1 | . |
| *Pyrexia*† (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, ... ... | 10 | 6 | 2 | 1 | . | 5 | 1 | 2 | 1 | . | 2·8 | . | . | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 2 | . | 3 | 2 | . | . | . | . | . | 2 | 2·1 | . | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 5 | 1 | 3 | 1 | 2 | | 2 | . | 1 | 1 | . | . |
| Tetanus, ... ... ... | . | . | . | . | . | . | 1 | . | . | . | ·1 | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | . | 1 | . | 1 | . | . | 4 | 2 | 1 | ·9 | 2 | . | 1 | . | . | 1 |
| Puerperal Septicæmia, | | | | | | . | . | 1 | . | 1 | | . | . | . | . | . | . |
| Puerperal Pyæmia, | . | . | . | . | . | . | . | . | . | . | ·2 | . | . | . | . | . | . |
| *Puerperal Fever*, ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | | | | | | . | . | 2 | . | 1 | | 1 | . | . | 1 | . | . |
| Pneumonia, Broncho-Epidemic, | 9 | 14 | 21 | 7 | 12 | 11 | 4 | 5 | 5 | 8 | 12·5 | 11 | . | 5 | 4 | . | . |
| Pneumonia, Not defined, | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| | | | | | | 11 | 3 | 3 | 3 | 6 | | 11 | . | 1 | 2 | . | 2 |
| Erysipelas, ... ... | . | . | . | 2 | . | . | . | . | . | . | ·2 | 1 | . | . | . | . | . |
| Septicæmia (not Puerperal) | 1 | . | . | 2 | 1 | 1 | . | . | 1 | . | ·6 | . | . | . | . | . | . |
| Pyæmia (not Puerperal), | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | . | . | . | 1 | . | ·1 | 1 | . | . | . | . | . |
| Tuberculous Phthisis, | 22 | 21 | 36 | 19 | 15 | . | 2 | 10 | 3 | 8 | 20·1 | 7 | . | . | . | 1 | 2 |
| "*Phthisis*," ... | | | | | | 18 | 14 | 20 | 6 | 7 | | 11 | . | . | . | 2 | 8 |
| Tuberculous Meningitis, ... | 5 | 2 | 6 | 3 | . | 6 | 4 | 2 | 1 | 3 | 3·2 | 5 | . | 1 | 3 | 1 | . |
| Tuberculous Peritonitis, | . | 4 | 3 | 3 | 2 | 1 | 2 | 1 | 4 | . | 2·4 | 1 | . | . | . | . | . |
| *Tabes Mesenterica*, ... | | | | | | 1 | . | 2 | 1 | . | | . | . | . | . | . | . |
| Tuberculous Dis. (other), | 3 | . | 5 | 3 | 2 | 4 | 9 | 10 | 9 | 2 | 4·7 | 7 | . | 2 | 2 | 2 | 1 |
| *Scrofula*, ... ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | . | . | . | 1 | . | . | . | 1 | ·3 | 1 | . | . | . | . | . |
| Rheumatic Fever, ... | . | . | 2 | 1 | 1 | . | . | . | . | . | ·4 | . | . | . | . | . | . |
| Gout, .. ... ... | . | 1 | . | 3 | . | . | . | . | . | . | ·4 | . | . | . | . | . | . |
| Carcinoma, ... | | | | | | 3 | 6 | 3 | 5 | 1 | | . | . | . | . | . | . |
| Sarcoma, ... ... | 11 | 7 | 3 | 8 | 6 | . | 2 | . | . | . | 8·2 | . | . | . | . | . | . |
| Cancer (undefined), | | | | | | 6 | 6 | 3 | 6 | 6 | | 7 | . | . | . | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | 1 | 3 | 2 | ·6 | . | . | . | . | . | . |
| Premature Birth, ... | 2 | 1 | 7 | 2 | 3 | 1 | 3 | 6 | 6 | 6 | 3·7 | 2 | 1 | 1 | . | . | . |

* The figures for the years 1897-190

† Formerly desc

TH WEEK ending Saturday, 14th December, 1907, with the deaths from each cause in the corresponding
average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 50th Week of the 10 years 1897–1906. | In the Week ending Saturday, 14th December, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Dec. 18, 1897. | Dec. 17, 1898. | Dec. 16, 1899. | Dec. 15, 1900. | Dec. 14, 1901. | Dec. 13, 1902. | Dec. 19, 1903. | Dec. 17, 1904. | Dec. 16, 1905. | Dec. 15, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| ean Temperature. | ° 45·2 | ° 46·4 | ° 38·9 | ° 48·1 | ° 37·6 | ° 40·0 | ° 41·7 | ° 42·6 | ° 43·0 | ° 37·3 | ° 42·1 | ° 42·7 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 3 | 3 | 3 | 2 | 1 | | 5 | . | . | 3 | 2 | . | . | . | . |
| ity, G. P. of Insane ... | | | | | | 2 | 3 | 1 | 1 | 1 | | 2 | . | . | . | . | 1 | . | . | 1 |
| psy .. ... | | | | | | 3 | . | . | 2 | . | | 1 | . | . | . | . | 1 | . | . | . |
| *ulsions* ... .. | | | | | | 9 | 10 | 6 | 6 | 8 | | 1 | . | 1 | . | . | . | . | . | . |
| motor Ataxy ... | | | | | | . | . | . | . | . | | 2 | . | . | . | . | 1 | 1 | . | . |
| plegia Dis. of Cord ... | | | | | | . | 1 | 3 | 1 | 1 | | 1 | . | . | . | . | 1 | . | . | . |
| ous System (other .) | | | | | | 6 | 3 | 1 | 2 | . | | . | . | . | . | . | . | . | . | . |
| | 34 | 32 | 41 | 34 | 37 | | | | | | 39·8 | | | | | | | | | |
| Dis., Endocarditis | | | | | | 3 | 4 | 4 | 4 | 11 | | 3 | . | . | . | . | . | 1 | 2 | . |
| or. Hæm. Thromb. | | | | | | 3 | 3 | 5 | 3 | 3 | | 2 | . | . | . | . | 1 | . | 1 | . |
| *lexy, Hemiplegia* ... | | | | | | 4 | 6 | 3 | 1 | . | | 3 | . | . | . | . | . | 2 | 1 | . |
| rysm ... ... | | | | | | . | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| t and Blood Vessel Dis. | | | | | | 9 | 20 | 18 | 13 | 19 | | 10 | . | . | . | . | 1 | 2 | 5 | 2 |
| (not Spasm. nor mb.) | . | . | 1 | . | 1 | 1 | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 21 | 29 | 42 | 36 | 19 | 37 | 26 | 26 | 16 | 24 | 27·6 | 37 | . | 8 | 3 | 2 | . | 9 | 14 | 1 |
| ma, Emphysema ... | | | | | | 1 | . | 1 | . | . | | 2 | . | . | . | 1 | . | 1 | . | . |
| risy ... ... | 4 | 1 | 2 | 3 | 1 | 1 | . | 2 | . | . | 2·7 | . | . | . | . | . | . | . | . | . |
| iratory Dis. (other) ... | | | | | | 3 | 4 | 3 | . | 1 | | . | . | . | . | . | . | . | . | . |
| illitis, Quinsy ... | 2 | . | . | . | . | 1 | 1 | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | | | | | | . | 2 | . | 1 | 1 | | 1 | . | . | 1 | . | . | . | . | . |
| *o Enteritis* ... ... | . | . | . | . | . | 1 | 1 | . | . | 1 | ·7 | 2 | . | 1 | 1 | . | . | . | . | . |
| *nitis* (not Puerp.) ... | 2 | 1 | . | . | 1 | 1 | . | . | 1 | . | ·6 | 1 | . | . | . | 1 | . | . | . | . |
| osis of Liver ... | | | | | | 3 | 1 | . | 1 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| r Dis. (other) ... | 6 | 2 | 3 | 5 | 3 | 2 | 2 | 1 | 1 | . | 3·1 | . | . | . | . | . | . | . | . | . |
| stive Dis. (other) ... | 3 | 4 | 9 | 10 | 2 | 7 | 7 | 5 | 2 | 8 | 5·7 | 5 | . | . | 1 | . | 3 | . | 1 | . |
| ritis, Acute ... | | | | | | 4 | 2 | 2 | 3 | . | | . | . | . | . | . | . | . | . | . |
| t's Dis., Albuminuria | 8 | 2 | 3 | 3 | 6 | 1 | 5 | . | 3 | 4 | 4·9 | 2 | . | . | . | 1 | . | 1 | . | . |
| ary Sys. (Other Dis.) | | | | | | 1 | . | 1 | . | 1 | | 5 | . | . | . | 1 | . | 2 | 1 | 1 |
| rative Organs Dis. ... | 4 | . | 1 | 2 | . | . | 1 | 1 | . | 1 | 1·0 | 1 | . | . | . | . | 1 | . | . | . |
| birth (Accid. of) ... | . | . | . | . | . | 1 | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 14 | 13 | 11 | 9 | 4 | 9 | 8 | 7 | 8 | 2 | 8·5 | 3 | . | . | . | . | . | . | 2 | 1 |
| r Diseases ... ... | 15 | 15 | 13 | 13 | 17 | 15 | 7 | 11 | 11 | 12 | 12·9 | 11 | 1 | 2 | 3 | . | . | 3 | 2 | . |
| **ACCIDENT.** | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | . | . | . | . | 1 | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ehicles and Horses ... | . | . | . | 1 | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ips, Boats, Docks (exsive of Drowning) ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | 1 | 3 | 2 | . | 1 | . | . | 1 | 1 | 3 | 1·2 | . | . | . | . | . | . | . | . | . |
| rowning ... ... | . | 1 | 2 | 2 | 1 | . | . | . | . | . | ·6 | . | . | . | . | . | . | . | . | . |
| uffocation in Bed ... | 1 | . | . | . | . | . | . | . | . | . | ·1 | 1 | . | 1 | . | . | . | . | . | . |
| Poison or Poisonous pours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| r Deaths by Accident | 1 | 1 | 1 | 1 | . | 1 | 1 | 3 | . | . | ·9 | 1 | . | . | . | . | . | . | 1 | . |
| **LENCE OTHER THAN ACCIDENTAL.** | | | | | | | | | | | | | | | | | | | | |
| icide ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| de ... ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| DUBLIN REGISTRATION AREA. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24 | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. | Dec. 14. |
| No. of weeks in Annual Series. | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 |
| BIRTHS registered, | 181 | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 | 191 | 193 | 238 | 194 | 177 |
| *Average Births in corresponding week of previous 10 years,** | 218 | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 | 200 | 182 | 200 | 192 | 190 |
| DEATHS registered, | 171 | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 | 163 | 145 | 175 | 207 | 180 |
| Annual Death-rate per 1,000, | 22·8 | 20·3 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 | 21·8 | 19·4 | 23·4 | 27·6 | 24·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 146 | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 | 187 | 191 | 193 | 185 | 187 |
| AGES, Under 5 years, | 55 | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 | 42 | 40 | 61 | 70 | 56 |
| 5—20 ,, | 15 | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 | 11 | 11 | 9 | 5 | 16 |
| 20—40 ,, | 31 | 28 | 16 | 25 | 15 | 28 | 28 | 17 | 22 | 18 | 28 | 29 | 28 | 23 | 23 | 35 | 21 | 26 | 19 | 18 | 35 | 33 | 28 | 17 | 24 | 22 |
| 40—60 ,, | 27 | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 | 29 | 28 | 29 | 40 | 35 |
| 60—80 ,, | 35 | 25 | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 | 40 | 36 | 50 | 56 | 45 |
| 80 years and upwards, | 2 | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 8 | 3 | 4 | 5 | 5 | 7 | 6 | 8 | 2 | 9 | 12 | 6 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 9 | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 | 3 | . | . | . | 1 |
| Scarlet Fever | 1 | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | 1 | . |
| Typhus, | 1 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | 5 | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . | 2 | 1 | . | 1 | 3 | 1 |
| Diphtheria, | 1 | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 | 2 | . | . | 2 | 3 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Enteric Fever, | . | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 | 2 | 2 | 2 | . | 2 | . |
| Diarrhœal Diseases, | 3 | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 | 3 | 7 | 3 | 1 | 2 |
| Influenza, | . | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 | 1 | . | 1 |
| Pneumonia, | 15 | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 | 10 | 6 | 14 | 20 | 23 |
| Tuberculous Phthisis, | 29 | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 | 25 | 13 | 16 | 25 | 22 | 26 | 16 | 18 | 18 |
| Disease. Other Forms, | 14 | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 | 7 | 7 | 6 | 6 | 13 |
| Cancer, Malignant Disease, | 10 | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 | 6 | 10 | 8 | 8 | 11 | 7 |
| Diseases of Heart and Blood-Vessels, | 21 | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 22 | 15 | 21 | 18 | 19 | 22 | 25 | 37 | 27 | 19 | 26 | 36 | 18 |
| Diseases of Respiratory System, | 16 | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 | 17 | 27 | 10 | 30 | 46 | 39 |
| Violent Deaths, | 1 | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 | 4 | 7 | 2 | 8 | 2 |
| Number of Uncertified Deaths, | 3 | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 | 3 | 8 | 9 | 7 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 52·7 | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 | 44·1 | 40·2 | 39·4 | 41·5 | 42·7 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 56·7 | 57·9 | 58·1 | 59·6 | 60·3 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 | 43·7 | 42·2 | 42·7 | 43·7 | 42·1 |
| Rainfall in inches, | ·536 | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·384 | ·401 | ·645 | 1·842 | ·178 | ·156 | ·078 | 1·560 | ·755 | ·355 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·77 | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 | ·86 | ·94 | ·92 | ·96 | ·88 | ·90 | ·92 | ·88 | ·90 |

of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH DECEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 25·0 | 180 | 56 | 16 | 22 | 35 | 45 | 6 | . | 1 | . | . | 1 | 3 | . | . | 2 | 7 | 23 | 18 | 13 | 7 | 1 | 39 | 2 | 70 | 3 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 17·2 | 6 | . | . | . | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | 4 | . |
| II. | Middle Class, | 87,188 | 15·0 | 25 | 6 | 2 | 5 | 5 | 7 | . | . | . | . | . | . | 2 | . | . | . | 2 | 1 | 2 | 2 | 2 | . | 4 | . | 12 | 1 |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 12·2 | 26 | 11 | 1 | 4 | 3 | 6 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 4 | 2 | 1 | 1 | 3 | . | 12 | 1 |
| IV. | General Service Class, | 154,279 | 40·0 | 74 | 30 | 12 | 10 | 9 | 12 | 1 | . | 1 | . | . | 1 | 1 | . | . | 2 | 5 | 13 | 6 | 4 | 1 | . | 18 | 1 | 26 | 1 |
| V. | Inmates of Workhouses, | 6,024 | | 49 | 9 | 1 | 3 | 16 | 18 | 2 | . | . | . | . | . | . | . | . | . | . | 5 | 6 | 5 | 2 | . | 14 | 1 | 16 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 20·1 | 3 | . | . | . | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Bank and Property, not otherwise described, | 8,360 | 18·7 | 3 | . | . | . | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 6·8 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 23·7 | 10 | 4 | 1 | . | 2 | 3 | . | . | . | . | . | . | 2 | . | . | . | 2 | . | 1 | . | . | . | . | . | 7 | 1 |
| | 6. Clerks and Commercial Assistants, | 30,432 | 12·0 | 7 | 2 | . | 2 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 18·5 | 7 | . | . | 3 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | 4 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 12·2 | 7 | 4 | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | 1 | . | 2 | . |
| | 10. Clothing Trades, | 28,260 | 15·7 | 7 | 1 | 1 | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | . | . | . | 4 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 13·7 | 8 | 3 | . | . | 1 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | 4 | 1 |
| | 13. Petty Shopkeepers, | 7,894 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 18,425 | 28·3 | 6 | . | . | . | 2 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | . | 3 | . |
| | 15. Domestic Servants, | 36,603 | 8·5 | 6 | . | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 1 | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,990 | 39·9 | 11 | 8 | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | . | . | 2 | . | 3 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 29·6 | 51 | 22 | 9 | 6 | 6 | 8 | . | . | 1 | . | . | 1 | 1 | . | . | 1 | 4 | 8 | 2 | 3 | . | . | 14 | 1 | 19 | 1 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 49 | 9 | 1 | 3 | 16 | 18 | 2 | . | . | . | . | . | . | . | . | . | . | 5 | 6 | 5 | 2 | . | 14 | 1 | 16 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

| City of Dublin (part of). DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **North City, No. 1 (E.)** (*Office, Clarence-street, Nth.*) Pop. in 1907 (Est.) 29,016. | Oct. 26, | 21·6 | 1·3 | 12 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | . | . |
| | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . |
| | „ 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . | . |
| | „ 16, | 27·0 | 1·8 | 15 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 1 | . |
| | „ 23, | 19·8 | 5·4 | 11 | . | . | . | . | . | . | . | 1 | 2 | . | 3 | . | . | . | 2 | 1 |
| | „ 30, | 25·2 | 1·8 | 14 | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 | . | 1 |
| | Dec. 7, | 30·5 | 4·8 | 17 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | 4 | . | 1 |
| | „ 14, | 28·8 | 1·8 | 16 | . | . | . | . | . | 1 | . | . | . | 5 | . | . | 2 | 5 | . | 1 |
| **North City, No. 1 (W.)** (*Office, Summer-hill.*) Pop. in 1907 (Est.) 39,146. | Oct. 26, | 16·0 | . | 12 | . | . | . | . | . | . | . | . | . | . | 3 | 2 | 1 | 1 | 1 | . |
| | Nov. 2, | 24·0 | 1·3 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . | . |
| | „ 9, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . | . |
| | „ 16, | 26·6 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | 3 | 3 | . | 1 |
| | „ 23, | 18·6 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | . | . | 2 |
| | „ 30, | 32·0 | 1·3 | 24 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | 4 |
| | Dec. 7, | 25·3 | 4·0 | 19 | . | . | . | . | 2 | . | . | . | 1 | 4 | . | . | 2 | 5 | . | 1 |
| | „ 14, | 28·0 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 3 | 1 | . | 1 | 5 | 1 | . |
| **North City, No. 2.** (*Office, Lisburn-street.*) Pop. in 1907 (Est.) 30,107. | Oct. 26, | 26·0 | 1·7 | 15 | . | . | . | . | . | . | 1 | . | . | 1 | 2 | 1 | 1 | 1 | . | . |
| | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . | . |
| | „ 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . | . |
| | „ 16, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 23, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | . |
| | „ 30, | 29·4 | 1·7 | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | . | 1 | 4 | . | 1 |
| | Dec. 7, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 5 | 1 | . |
| | „ 14, | 24·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 6 | . | . |
| **North City, No. 3.** (*Office, Benburb-street.*) Pop. in 1907 (Est.) 32,422. | Oct. 26, | 11·3 | 1·6 | 7 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . |
| | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . |
| | „ 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . | 1 |
| | „ 16, | 25·7 | 1·6 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | 4 | . | 1 |
| | „ 23, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 30, | 30·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 2 | . | 1 |
| | Dec. 7, | 22·5 | 1·6 | 14 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | 1 | 1 |
| | „ 14, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | 1 | . | . |
| **South City, No. 1.** (*Office, South Earl-street.*) Pop. in 1907 (Est.) 40,002. | Oct. 26, | 22·2 | 2·6 | 17 | . | 2 | . | . | . | . | . | . | . | . | 1 | . | . | 4 | 3 | 3 |
| | Nov. 2, | 28·5 | 1·3 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 5 | 1 | . |
| | „ 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 |
| | „ 16, | 10·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 |
| | „ 23, | 20·9 | 2·6 | 16 | . | . | 1 | . | . | . | . | . | 1 | . | 4 | . | 1 | 2 | 2 | 1 |
| | „ 30, | 18·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | 1 |
| | Dec. 7, | 22·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 5 | . | . |
| | „ 14, | 24·8 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | . |
| **South City, No. 2.** (*Office, Castle-street.*) Pop. in 1907 (Est.) 20,589. | Oct. 26, | 12·7 | 2·5 | 5 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . |
| | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . | . |
| | „ 16, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . |
| | „ 23, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . |
| | „ 30, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Dec. 7, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 4 | 1 | 1 |
| | „ 14, | 30·4 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | 5 | . | . | 2 | 1 | 1 |
| **South City, No. 3.** (*Office, Peter-street.*) Pop. in 1907 (Est.) 42,209. | Oct. 26, | 23·5 | 1·2 | 19 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | 1 | 1 | 2 | . | . |
| | Nov. 2, | 19·8 | 3·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . | 1 |
| | „ 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 | . |
| | „ 16, | 27·2 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | 1 | 6 | 2 | . |
| | „ 23, | 19·8 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | 1 | . | 1 | 2 |
| | „ 30, | 14·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . | . |
| | Dec. 7, | 25·9 | 2·5 | 21 | . | . | . | . | 1 | . | . | 1 | . | 2 | 1 | 2 | . | 5 | 1 | . |
| | „ 14, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 2 | 4 | . | 6 | . | . |
| **South City, No. 4.** (*Office, Grand Canal-street*) Pop. in 1907 (Est.) 35,188. | Oct. 26, | 17·8 | 4·5 | 12 | . | 1 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 1 | . | . |
| | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . | 1 |
| | „ 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 | . |
| | „ 16, | 28·2 | 1·5 | 19 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 4 | . | . |
| | „ 23, | 23·7 | 1·5 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 30, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . |
| | Dec. 7, | 15·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 2 | 1 | . |
| | „ 14, | 19·3 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 2 | . | 2 | . | . |

* Formerly described as "Simple Continued Fever."

rtain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of pulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *blic Institutions being assigned to the Districts from which the deceased were admitted;* also, ovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia*† (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Oct. 26, | 13·2 | 1·5 | 9 | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . | 1 |
| | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| | „ 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| | „ 16, | 14·6 | 2·9 | 10 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . |
| | „ 23, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 30, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 |
| | Dec. 7, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 3 | . | 3 |
| | „ 14, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 2 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Oct. 26, | 15·0 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 |
| | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| | „ 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| | „ 16, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 23, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 30, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 30·0 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 7 | . | . |
| | „ 14, | 11·2 | 1·9 | 6 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Oct. 26, | 23·7 | 8·9 | 8 | . | 2 | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . |
| | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | „ 9, | 53·3 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| | „ 16, | 29·6 | 8·9 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 30, | 17·8 | 3·0 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 47·3 | 3·0 | 16 | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 3 | . | . |
| | „ 14, | 35·5 | 5·0 | 12 | . | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 2 | . | 1 |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Oct. 26, | 23·2 | 2·8 | 165 | . | 8 | . | . | 1 | 1 | . | 2 | 8 | 18 | 19 | 5 | 9 | 20 | 3 | 2 |
| | Nov. 2, | 20·4 | 2·3 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| | „ 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 1 |
| | „ 16, | 24·8 | 3·0 | 176 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 32 | 3 | 2 |
| | „ 23, | 23·1 | 2·3 | 164 | . | 12 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 50 | 3 | 3 |
| | „ 30, | 25·8 | 2·3 | 183 | . | 8 | . | . | . | 2 | . | 1 | 5 | 28 | 14 | 12 | 8 | 47 | 2 | 6 |
| | Dec. 7, | 26·9 | 3·1 | 191 | . | 14 | . | . | 3 | 1 | 1 | 3 | . | 20 | 22 | 8 | 3 | 46 | 4 | 2 |
| | „ 14, | 26·3 | 3·7 | 187 | . | 16 | . | 1 | 1 | 1 | . | 3 | 4 | 15 | 16 | 11 | 6 | 39 | 4 | 2 |
| **Cork.** Pop. (in 1901) 76,122. | Oct. 26, | 19·9 | 2·1 | 29 | . | . | . | . | 1 | 1 | . | . | 1 | . | 6 | 2 | 2 | 3 | . | . |
| | Nov. 2, | 17·8 | 3·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 2 |
| | „ 16, | 21·2 | 1·4 | 31 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | | 1 | 1 |
| | „ 23, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | | 1 | 3 |
| | „ 30, | 13·7 | 0·7 | 20 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 2 | | . | 3 |
| | Dec. 7, | 15·8 | 1·4 | 23 | . | . | . | . | . | . | . | 1 | 1 | 2 | 5 | 1 | 2 | 2 | . | . |
| | „ 14, | 18·5 | 0·7 | 27 | . | . | . | 1 | . | . | . | . | . | . | 5 | 1 | 1 | 5 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Oct. 26, | 13·5 | 3·7 | 11 | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 2 | . | 2 | . | . |
| | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| | „ 9, | 12·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| | „ 16, | 17·2 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 23, | 20·9 | 1·2 | 17 | . | . | . | . | . | 1 | . | . | . | . | 2 | . | 1 | 1 | . | 1 |
| | „ 30, | 19·6 | 1·2 | 16 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . |
| | Dec. 7, | 25·8 | 5·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 2 | 3 | . | . |
| | „ 14, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Oct. 26, | 19·1 | 5·5 | 14 | . | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | 5 | . | 1 |
| | Nov. 2, | 23·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| | „ 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 16, | 34·2 | 10·9 | 25 | . | 6 | . | . | . | . | . | 1 | 1 | . | 3 | 1 | 1 | 3 | 3 | 2 |
| | „ 23, | 23·2 | 8·2 | 17 | . | 5 | . | . | . | . | . | . | 1 | . | 2 | . | . | 4 | . | 3 |
| | „ 30, | 24·6 | 2·7 | 18 | . | 1 | . | . | . | . | . | . | 1 | . | 5 | 1 | . | 5 | . | 3 |
| | Dec. 7, | 20·5 | 6·8 | 15 | . | 4 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 14, | 27·3 | 8·2 | 20 | . | 4 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | 2 | . | 2 |
| **Waterford.** Pop. (in 1901) 26,769. | Oct. 26, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | 1 | . | . |
| | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 1 |
| | „ 9, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | 1 |
| | „ 16, | 11·7 | 1·9 | 6 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | 2 |
| | „ 23, | 19·5 | 1·9 | 10 | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | . |
| | „ 30, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | 1 | . | . |
| | Dec. 7, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 1 |
| | „ 14, | 26·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 4 | . | 2 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 14th December, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | AGES AT DEATH. Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | DEATHS FROM: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 1 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 8 | 2 | 1 | . | 2 | 1 | 2 | . | . | . | 1 | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 2 | 1 |
| Do. 2 ,, . | 47,959 | 25 | | | 22 | 2 | 1 | . | 4 | 5 | 10 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 6 | . | . | 6 | . |
| Do. 3 ,, . | 47,214 | 22 | | | 19 | 5 | . | . | 3 | 5 | 6 | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 2 | 1 | 4 | . | 1 | 3 | 1 |
| Do. 4 ,, . | 40,911 | 27 | | | 27 | 8 | 5 | 1 | 1 | 7 | 5 | . | 2 | . | . | . | . | . | . | 1 | 2 | . | 1 | 1 | 6 | 1 | 1 | 11 | . |
| Do. 5 ,, . | 17,387 | 4 | | | 14 | . | 6 | . | 3 | 1 | 5 | . | 3 | . | . | 1 | . | . | 1 | . | 1 | 1 | . | . | 3 | . | . | 5 | . |
| Do. 6 ,, . | 48,122 | 21 | | | 23 | 4 | 2 | 2 | 1 | 5 | 8 | . | 1 | . | . | . | . | . | 1 | 1 | 2 | . | 2 | . | 4 | . | . | 8 | . |
| Do. 7 ,, . | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, . | 5,060 | 8 | | | 5 | . | . | 1 | . | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | . | . | . |
| Do. 9 ,, . | 19,569 | 15 | | | 15 | 1 | 3 | 2 | 3 | 3 | 3 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | . | 4 | . | . | 4 | . |
| Do. 10 ,, . | 28,064 | 20 | | | 6 | . | 2 | 1 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | . | 2 | . |
| Do. 11 ,, . | 34,802 | 17 | | | 21 | 3 | 3 | 1 | 2 | 5 | 7 | . | 2 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 6 | 2 | 2 | 6 | . |
| Do. 12 ,, . | 33,588 | 23 | | | 22 | 2 | 10 | 1 | 4 | 2 | 3 | . | 6 | . | . | . | . | . | . | . | 2 | 1 | 5 | 1 | 4 | 1 | 1 | 5 | . |
| Do. 13 ,, . | 15,006 | 7 | | | 5 | 1 | . | 1 | 2 | . | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 1 | . |
| Do. 14 ,, . | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 190 | | | 187† | 28 | 33 | 10 | 26 | 37 | 53 | . | 16 | . | 1 | 1 | 1 | . | 3 | 4 | 15 | 16 | 11 | 6 | 39 | 4 | 6 | 53 | 2 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 8 | 12·2 | . | 3 | . | . | | 1 | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 |
| Do. 2 ,, . . . | 10,701 | 4 | 29·2 | . | 6 | 1 | . | | 3 | | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 1 | 4 | . |
| Do 3 ,, . . . | 9,978 | 8 | 15·7 | 5·2 | 3 | . | . | | 2 | | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . |
| Do. 4 ,, . . . | 8,666 | 5 | 12·0 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | . |
| Do. 5 ,, . . . | 6,592 | 5 | 15·8 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | . | . | 2 | . |
| Do. 6 ,, . . . | 10,702 | 9 | 14·6 | . | 3 | . | . | | 2 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . |
| Do. 7 ,, . . . | 16,616 | 11 | 25·1 | . | 8 | 1 | . | | 2 | | 5 | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | 1 |
| Total, . . . . | 76,122 | 50 | 18·5 | 0·7 | 27 | 2 | . | | 12 | | 13 | . | . | . | 1 | . | . | . | . | . | . | 5 | 1 | 1 | 5 | . | 1 | 14 | 2 |

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 22. | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. | Dec. 14. |
| No. of weeks in Annual Series, | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 |
| Births registered | 260 | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 | 173 | 186 | 182 | 228 | 190 |
| Deaths registered. | 131 | 135 | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145 | 176 | 164 | 183 | 191 | 187† |
| Annual Death-rate per 1,000 of estimated Population. | 18·5 | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 | 23·2 | 20·4 | 20·4 | 24·8 | 23·1 | 25·8 | 26·9 | 26·3 |
| Ages — Under 1 year | 28 | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 18 | 40 | 38 | 47 | 48 | 30 | 31 | 24 | 36 | 33 | 37 | 29 | 28 |
| Ages — 1-5 years, | 29 | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 | 24 | 24 | 24 | 33 | 33 |
| Ages — 5-20 years, | 18 | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 | 15 | 12 | 7 | 10 | 10 |
| Ages — 20-40 years, | 17 | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 | 28 | 27 | 26 | 39 | 26 |
| Ages — 40-60 years, | 14 | 25 | 21 | 17 | 20 | 19 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 | 34 | 32 | 39 | 38 | 37 |
| Ages — 60 years and upwards, | 25 | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 38 | 37 | 38 | 39 | 36 | 50 | 51 | 53 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 6 | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 | 11 | 12 | 8 | 14 | 16 |
| Scarlet Fever, | . | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Whooping-cough, | 1 | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 | 2 | 1 | . | 3 | 1 |
| Diphtheria, | . | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . | 1 | . | 2 | 1 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Enteric Fever, | 1 | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 | 2 | 2 | 1 | | 3 |
| Diarrhœal Diseases, | 3 | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 | 5 | 1 | 5 | . | 4 |
| Pneumonia, | 16 | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 | 18 | 21 | 28 | 20 | 15 |
| Tuberculous Disease, Phthisis, | 17 | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 | 14 | 12 | 14 | 22 | 16 |
| Tuberculous Disease, Other Forms, | 7 | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 | 8 | 7 | 12 | 8 | 11 |
| Cancer Malignant Disease, | 6 | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 | 3 | 5 | 8 | 3 | 6 |
| Diseases of Respiratory System, | 13 | 18 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 | 26 | 32 | 30 | 47 | 46 | 39 |
| Violent Deaths, | 2 | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 | 3 | 3 | 2 | 4 | 4 |
| Number of Uncertified Deaths, | 3 | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 | 2 | 3 | 6 | 2 | 2 |

* Formerly described as "Simple Continued Fever."
† Including one death from cerebro-spinal fever and one from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Dec. 14, | 2,123 | 1,446 | 15·8 | . | 23 | 13 | 15 | 18 | 2 | 10 |
| EDINBURGH, | 345,747 | „ 14, | 125 | 112*a* | 16·9 | . | 1 | 1 | . | . | . | 2 |
| GLASGOW, | 847,584 | „ 14, | 425 | 337 | 20·7 | . | 43 | 1 | 4 | 10 | 1 | 11 |
| CALCUTTA, | 847,796 | Oct. 26, | . | 586 | 35·9 | . | . | . | 2 | . | 174‡ | 139* |
| BOMBAY, | 977,822 | Nov. 12, | 471 | 634 | 33·7 | . | . | . | . | 1 | 75‡ | 58* |
| MADRAS, | 509,346 | Oct. 25, | 415 | 363 | 37·0 | 1 | . | ? | ? | ? | 102 | 62* |
| PARIS, | 2,722,731 | Nov. 30, | 994 | 908 | 17·3 | . | . | 5 | 7† | 2 | 3 | 28 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 23, | 204 | 148 | 12·3 | . | 1 | 2 | . | . | . | 11 |
| ANTWERP, | 304,032 | „ 23, | 134 | 79 | 13·5 | . | 5 | . | 1† | . | 1 | 7 |
| AMSTERDAM, | 565,032 | „ 30, | 278 | 162 | 14·9 | . | 3 | . | 2† | . | 5 | 8 |
| COPENHAGEN, | 438,000 | „ 23, | 227 | 109 | 13·0 | . | 5 | . | . | 1 | 1 | 2 |
| STOCKHOLM, | 332,738 | „ 23, | 172 | 81 | 12·7 | . | . | 2 | 2† | 2 | . | 2 |
| CHRISTIANIA, | 229,324 | „ 30, | 108 | 58 | 13·2 | . | . | . | 1† | . | . | 1 |
| ST. PETERSBURG, | 1,482,769 | „ 16, | 821 | 605 | 21·2 | . | 16 | 20 | 21 | 8 | 14 | 53 |
| MOSCOW, | 1,296,000 | „ 2, | . | 571 | 23·0 | . | 5 | 9 | 11† | 4 | 4 | 68 |
| BERLIN, | 2,107,179 | „ 16, | 935 | 679 | 16·8 | . | 11 | 1 | 20† | 7 | 2 | 43 |
| HAMBURG, | 824,792 | „ 23, | . | 266 | 16·8 | . | 8 | . | 5† | 4 | . | 25 |
| BRESLAU, | 489,448 | „ 23, | . | 196 | 20·9 | . | 1 | . | 4† | 3 | . | 15 |
| MUNICH, | 548,000 | „ 30, | . | 181 | 17·2 | . | 3 | 1 | 1† | . | . | 21 |
| VIENNA (with suburbs). | 1,999,912 | „ 30, | 816 | 617 | 16·0 | . | 6 | 6 | 9† | 2 | 3 | 46 |
| BUDA-PESTH, | 802,235 | „ 16, | 448 | 322 | 20·9 | . | 5 | 7 | 1† | 1 | 10 | 23 |
| PRAGUE and Faubourgs. | 470,906 | „ 9, | 145 | 148 | 16·3 | . | 1 | . | 2† | . | 1 | 13 |
| TRIESTE, | 202,920 | „ 16, | 117 | 93 | 23·9 | . | . | . | 1† | . | 2 | 14 |
| ROME, | 545,610 | Sept. 14, | 218 | 151 | 14·4 | . | 1 | . | . | 1 | 6 | 26 |
| | | „ 21, | 243 | 160 | 15·3 | . | 3 | . | 2† | . | 8 | 22 |
| VENICE, | 174,398 | Nov. 2, | 81 | 50 | 14·9 | . | 1 | . | . | 1 | . | 10 |
| NEW YORK, | 4,285,435 | „ 16, | 2,262 | 1,299 | 15·8 | . | 5 | 15 | 27† | 1 | 21 | 57 |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | . | . | . | . | . | . | . | . | . |
| BOSTON, | 609,757 | Nov. 16, | . | 185 | 15·8 | . | 1 | . | 1 | 1 | 1 | 6 |

*a*. Including one death from cerebro-spinal meningitis.
* Including 75 deaths from cholera in Calcutta, 2 in Bombay, and 2 in Madras.
† Including deaths from croup.
‡ Exclusive of 4 deaths from plague in Calcutta, and 22 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th December, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | 1 | . | . | 1 | . | 2 | 1 | 1 | . | . | . | 6 |
| " " 1, West, | . | 2 | . | . | . | 1 | . | . | 1 | . | . | . | 4 |
| " " 2, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| " " 3, | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | 2 | . | 1 | 1 | . | . | . | . | 4 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | . | . | . | 2 | . | . | 1 | 4 | . | . | . | 7 |
| " " 2, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 3, | . | 2 | . | . | 1 | . | 1 | 1 | 1 | . | . | . | 6 |
| " " 4, | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| New Kilmainham, | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Total, | . | 5 | . | . | 7 | 1 | 5 | 4 | 9 | . | . | . | 31 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th December, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 14th December. | | | |
|---|---|---|---|---|---|---|---|
| | Nov. 23. | Nov. 30 | Dec. 7. | No. admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 7 | 7 | 12 | 7 | 4 | 1 | 14 |
| Scarlet Fever. | 39 | 38 | 35 | 7 | 4 | . | 38* |
| Typhus, | . | . | . | . | . | . | . |
| Diphtheria, | 24 | 30 | 29 | 12 | 7 | 2 | 32 |
| Enteric Fever, | 50 | 51 | 45 | 6 | 4 | . | 47 |
| Pneumonia, | 23 | 30 | 36 | 10 | 9 | 1 | 36 |

* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 14th December, 1907:—

"Rough, unsettled, showery or rainy weather prevailed over North-western Europe throughout this week. Large and deep depressions approached the W. and N.W. of Scotland on Sunday, Tuesday and Friday. Those observed on Sunday and Tuesday on reaching that locality halted or moved slowly northwards, their eastward advance being blocked by a winter anticyclone almost stationary over Northern Russia and the Baltic. The arrival of the first of the cyclonic systems was heralded early on Sunday morning by a sudden and remarkable rise of the thermometer—to 56° at Bath, 55° at Portland Bill, and 54° in Dublin and London and at Oxford. During the day 58° was reached at Eastbourne and in Jersey, 57° at many English stations; the barometer fell to 28·782 inches in Dublin at 3.30 p.m., and to 28·49 inches at Castlebay, Barra Island at 6 p.m. In the evening and at night a gale blew in many districts. Until Thursday a baric minimum hovered off the Scottish coasts. On that day it was gradually filling up near the Färoe Islands, but an energetic secondary was passing northeastwards across the South of England, accompanied by copious downpours of rain—·95 inch in London in the 48 hours ended at 8 a.m. of Friday. Scarcely had this disturbance passed out over the North Sea when another and much more serious storm-centre arrived off the Hebrides, subsequently travelling southeastwards across England. It caused fierce squalls and heavy showers of rain and hail on Friday and during the following night, but Saturday proved a fine, bright day and the barometer rose rapidly in Ireland. In Dublin the mean height of the barometer was only 29·224 inches, pressure ranging between 28·782 inches at 3.30 p.m. of Sunday (wind, S.W.) and 29·627 inches at 9 p.m. of Saturday (wind, W.N.W.)—at 3·45 p.m. of Friday the reading had been again as low as 28·787 inches (W.). The corrected mean temperature was 43·7°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 42·8°. The screened thermometers rose to 54·2° on Sunday and fell to 35·0° on Friday. S.W. and N.W. winds prevailed. The rainfall was ·310 inch on five days, ·126 inch being registered on Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·246 inches. The highest reading (29·633) was on Saturday at 9 p.m., wind W., and the lowest (28·837) on Sunday at 9 a.m., wind S.W.

The mean temperature for the week was 42·7°, being 0·6° above the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 54·1°, and was lowest on Friday, the mercury having fallen to 32·4°. The mean of the Dry Bulb for the week was 42·1°, and of the Wet Bulb 40·7°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·355 inch.

At Greenwich the mean temperature for the week was 45·2°, the maximum 56·7°, and the minimum 36·3°; at Glasgow the maximum was 48·5°, the minimum 34·5°, and the mean 41·9°; and at Edinburgh the maximum was 48·8°, the minimum 32·7°, and the mean 40·7°. The rainfall at Greenwich measured 1·82 ins.; at Glasgow 1·79 ins.; and at Edinburgh 1·68 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Dec. 8, | 28·852 | 54·1 | 44·4 | 49·3 | 50·3 | 48·4 | ·87 | ·6 | 1·7 | ·120 | S.W. | S.W. |
| Monday, „ 9, | 29·206 | 48·2 | 39·9 | 44·1 | 41·4 | 39·2 | ·84 | ·6 | 2·0 | ·055 | S.W. | S.W. |
| Tuesday, „ 10, | 29·235 | 47·7 | 38·9 | 43·3 | 42·7 | 41·2 | ·89 | ·5 | 1·3 | ·020 | S.W. | S.W. |
| Wednesday, „ 11, | 29·424 | 44·7 | 38·2 | 42·5 | 39·5 | 38·2 | ·91 | ·6 | 3·2 | ·000 | S.W. | S.W. |
| Thursday, „ 12, | 29·504 | 42·7 | 37·3 | 40·0 | 39·4 | 38·9 | ·95 | ·6 | 0·2 | ·000 | W. | W. |
| Friday, „ 13, | 29·033 | 47·2 | 32·4 | 39·8 | 40·9 | 39·7 | ·91 | ·6 | 0·1 | ·140 | S.W. | W.S.W. |
| Saturday, „ 14, | 29·469 | 44·2 | 35·4 | 39·8 | 40·3 | 39·4 | ·93 | ·5 | 4·0 | ·020 | W. | W. |
| Mean, . . | 29·246 | 47·0 | 38·1 | 42·7 | 42·1 | 40·7 | ·90 | ·6 | Total 12·5 | Total ·355 | Prevailing Wind, S.W. | |

*Sunday*—Cloudy, light showers, a.m.; light showers, p.m.; night clear; light showers, 12.50 a.m.—1.5 a.m. *Monday*—Cloudy, light showers, a.m.; overcast, p.m.; night clear till 3.30 a.m.; cloudy and rain, 5 a.m.—7.0 a.m. *Tuesday*—Overcast, light showers, a.m.; cloudy and overcast, p.m.; night cloudy; light showers 3.0 a.m.—4.0 a.m. *Wednesday*—Day cloudy; night overcast. *Thursday*—Day overcast, dull; night cloudy. *Friday*—Day overcast, light showers, a.m.; showery, p.m.; night cloudy; light showers, 12.0—3.15 a.m. *Saturday*—Day cloudy, light showers, 7.30—8.30 p.m.; night clear.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 14th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Dec. 8, | 46·3 | 41·4 | 45·1 | 55·2 | 45·9 | 50·6 | 1·7 | ·014 |
| Monday, „ 9, | 44·2 | 42·3 | 45·1 | 49·3 | 41·2 | 45·3 | 0·7 | ·044 |
| Tuesday, „ 10, | 45·0 | 41·9 | 45·1 | 48·7 | 41·0 | 44·9 | 0·7 | ·003 |
| Wednesday, „ 11, | 42·0 | 41·6 | 45·1 | 46·2 | 40·1 | 43·2 | 2·1 | — |
| Thursday, „ 12, | 41·6 | 40·9 | 45·0 | 43·2 | 38·8 | 41·0 | — | — |
| Friday, „ 13, | 43·8 | 41·0 | 45·0 | 48·7 | 36·0 | 42·4 | 0·1 | ·112 |
| Saturday, „ 14, | 42·7 | 41·0 | 45·0 | 45·2 | 38·3 | 41·8 | 2·0 | ·003 |
| Weekly Mean, . | 43·7 | 41·4 | 45·1 | 48·1 | 40·2 | 44·2 | Total 7·3 | Total ·181 |

Dublin: Printed for His Majesty's Stationery Office,
By Alex. Thom & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 12. 1907.—19712.

*OFFICIAL.*

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 21ST DECEMBER, 1907. [No. 51.

*General Register Office, Charlemont House, Dublin, 23rd December*, 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 23·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Nov. 30. | Week ending Dec. 7. | Week ending Dec. 14. | Week ending Dec. 21. | Average Rate for 4 weeks. | Towns, &c. | Week ending Nov. 30. | Week ending Dec. 7. | Week ending Dec. 14. | Week ending Dec. 21. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 22 Town Dists. | 22·3 | 24·2 | 22·9 | 23·3 | 23·2 | Limerick, . . | 24·6 | 20·5 | 27·3 | 32·8 | 26·3 |
| | | | | | | Lisburn, . . | 13·6 | 27·3 | 9·1 | 18·2 | 17·1 |
| Armagh, . . | 13·7 | 13·7 | 34·4 | 13·7 | 18·9 | Londonderry, . | 19·6 | 25·8 | 13·5 | 17·2 | 19·0 |
| Ballymena, | 23·9 | 28·7 | 23·9 | 4·8 | 20·3 | Lurgan, . . | 13·3 | 17·7 | 35·4 | 44·3 | 27·7 |
| Belfast, . . | 25·8 | 26·9 | 26·3 | 24·2 | 25·8 | Newry, . . | 25·2 | 16·8 | 25·2 | 33·6 | 25·2 |
| Clonmel, . . | 25·6 | 5·1 | 20·5 | 35·9 | 21·8 | Newtownards, . | 22·9 | 11·4 | 11·4 | 22·9 | 17·2 |
| Cork, . . . | 13·7 | 15·8 | 18·5 | 19·2 | 16·8 | Portadown, . | 10·3 | 20·7 | 5·2 | 31·0 | 16·8 |
| Drogheda, . . | 16·3 | 16·3 | 28·6 | 24·5 | 21·4 | Queenstown . | 13·2 | 6·6 | 19·8 | 13·2 | 13·2 |
| Dublin Reg. Area, | 21·6 | 26·7 | 22·3 | 25·0 | 23·9 | Sligo . . . | 4·8 | 9·6 | 28·8 | . | 10·8 |
| Dundalk . | 19·9 | 12·0 | 19·9 | 8·0 | 15·0 | Tralee, . . | 37·0 | . | 42·3 | 10·6 | 22·5 |
| Galway, . . | 38·8 | 27·2 | . | 27·2 | 23·1 | Waterford, . | 17·5 | 21·4 | 25·3 | 9·7 | 18·5 |
| Kilkenny, . . | 39·3 | 9·8 | . | 24·6 | 18·4 | Wexford, . . | 14·0 | 42·0 | 14·0 | 18·7 | 22·2 |

The deaths from certain epidemic diseases registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in eighteen of the districts to 6·6 in Queenstown. Among the 172 deaths from all causes in Belfast are 12 from measles, one from whooping-cough, one from diphtheria, 4 from enteric fever, 4 from diarrhœal diseases, and 2 from cerebro-spinal fever; and the 10 deaths registered in Lurgan include one from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 192—112 boys and 80 girls; and the deaths to 195—103 males and 92 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 26·0 in every 1,000 of the population. Omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, the rate was 25·0 per 1,000. During the fifty-one weeks ending with Saturday last the death-rate averaged 24·3, and was 1·0 below the mean rate for the corresponding portions of the ten years, 1897–1906.

The deaths, which were 195 in number, included one death from scarlet fever, 2 deaths from whooping-cough, 3 from diphtheria, and 4 deaths from diarrhœal diseases; the latter figure does not include the deaths of 2 infants attributed to *gastro-enteritis.*

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (*a*), Table II. ‡ See columns 10–18 of Table II.

In each of the 3 weeks preceding that under notice, deaths from scarlet fever were 0, one and 0; deaths from whooping-cough were one, 3, and one; deaths from diphtheria were 0, 2, and 3; and deaths from diarrhœal diseases were 3, one, and 2.

Four deaths were due to lobar pneumonia, 15 to broncho-pneumonia, and 5 deaths were from *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease amounted to 30. This figure includes 13 deaths from tuberculous phthisis, 9 deaths returned as from *phthisis*, 2 deaths from tuberculous meningitis, 2 deaths from tuberculous peritonitis, and 4 deaths from other forms of the disease. Deaths from all forms of tuberculous disease, as returned in the 3 preceding weeks, were 22, 24, and 31, respectively.

There were 3 deaths from carcinoma and 3 deaths from cancer (undefined).

The deaths of 5 infants, prematurely born, were registered.

Of 9 deaths from diseases of the brain and nervous system, 5 were from *convulsions*, 4 being of infants under one year of age.

Diseases of the heart and blood vessels accounted for 34 deaths, and there were 37 deaths from bronchitis.

Of 6 deaths attributed to accident or negligence, 2 were by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age and the death of one person aged 73 years.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 12 were under one month old), and 57 were aged 60 years and upwards, including 31 persons aged 70 and upwards, of whom 9 were octogenarians, and 2 (a man and a woman) were stated to have been aged 90 years, respectively.

Eighty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the N. Dublin Union Workhouse, and 22 in the S. Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·0 per 1,000; the rate in the City was 26·3 (North City Districts, 26·1; South, 26·6), and in the Suburbs, 20·3 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·6 (1·7 in the North City Districts, and 1·4 in the South), and for the Suburbs, 0·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 23·4 per 1,000, and include one death from broncho-pneumonia, 2 deaths from *phthisis*, and 4 deaths from diseases of the respiratory system.

*No. 1 North City District, West* (Summer-hill).—The deaths (24) are equal to an annual rate of 32·0 per 1,000. Among the deaths there was one from diphtheria, there were 3 from broncho-pneumonia, 5 from tuberculous disease, 6 from bronchitis, and 2 accidental deaths.

*No. 2 North City District* (Lisburn-street).—The deaths (18) are equivalent to an annual rate of 31·2 per 1,000. Diphtheria caused one death, *diarrhœa* caused one death, lobar pneumonia caused one death, and 5 deaths were from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (14) represent an annual rate of 22·5 per 1,000. There were 3 deaths from pneumonia (all forms); tuberculous disease of the lungs caused 2 deaths, bronchitis caused 2 deaths, and one death was attributed to negligence.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants, Coolock and Drumcondra, No. 1, part of, 19·0; and Finglas and Glasnevin, part of, 14·4. Of the 4 deaths from all causes for Coolock and Drumcondra, No. 1, part of, one was from whooping-cough and one from bronchitis; and the 2 deaths from all causes for Finglas and Glasneven, part of, comprise one from epidemic diarrhœa and one from an accidental fall.

*No. 1 South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·6 per 1,000. The 15 deaths include one from broncho-pneumonia, 4 from tuberculous disease, and 3 deaths from diseases of the respiratory system.

*No. 2 South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 25·3 per 1,000. Of the total deaths registered 4 were due to tuberculous disease of the lungs, and 3 to bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (31) are equal to an annual rate of 38·3 per 1,000. Included in the deaths there was one each from whooping-cough and epidemic diarrhœa, there were 3 from broncho-pneumonia, 6 from tuberculous disease, 6 deaths from diseases of the respiratory system, and one death by an accidental fall.

*No. 4 South City District* (Grand Canal-street).—The deaths (14) are equivalent to an annual rate of 20·8 per 1,000. Diphtheria and epidemic diarrhœa each caused one death, there were 2 deaths from broncho-pneumonia, one death from *pneumonia* (not defined), and 5 deaths from bronchitis.

*New Kilmainham District.*—The deaths (5) are equal to an annual rate of 29·3 per 1,000. The deaths include one from carcinoma and one death from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·4; Pembroke, 22·5; Blackrock, 17·9; and Kingstown, 11·8. The only death from any of the principal epidemic diseases tabulated for these districts was one from scarlet fever for Rathmines and Rathgar, in which district the 16 deaths from all causes include one from lobar-pneumonia, one from *pneumonia* (not defined), 3 from tuberculous disease, 2 from diseases of the respiratory system, and one death by drowning. The 12 deaths from all causes for Pembroke include one from lobar-pneumonia, 3 from broncho-pneumonia, 2 from tuberculous disease, and 3 from bronchitis. Of the 3 deaths from all causes for Blackrock one was due to *pneumonia* (not defined); and the 4 deaths from all causes for Kingstown include one from broncho-pneumonia and one from *pneumonia* (not defined).

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

URNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases cation) Act, 1889," as set forth in the following Table have been kindly furnished by:—
Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. t, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive y Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.

I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration a (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, ckrock, and Kingstown), and in the City of Belfast, during the week ended 21st December, 1907, each of the preceding three weeks. A dash (—) denotes that the disease in question is not iflable in the District.

| ES AND RBAN RICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| y of | Nov. 30, | . | — | — | 4 | . | . | 4 | . | 2 | 5 | 18 | . | — | — | — | — | — | 33 |
| blin. | Dec. 7, | . | — | — | 7 | . | . | 2 | 5 | 2 | 10 | 13 | . | — | — | — | — | — | 39 |
| | Dec. 14 | . | — | — | 5 | . | . | 7 | 1 | 5 | 4 | 9 | . | — | — | — | — | — | 31 |
| | Dec. 21, | . | — | — | 4 | . | . | 10 | . | 5 | 4 | 18 | 1 | — | — | — | — | — | 42 |
| mines | Nov. 30, | . | — | — | . | . | . | 1 | . | 1 | . | 1 | . | — | — | — | — | — | 3 |
| athgar | Dec. 7, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 4 |
| oan | Dec. 14, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| rict. | Dec. 21, | . | — | — | 5 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 6 |
| broke | Nov. 30, | . | 2 | 2 | . | . | . | . | 1 | . | 2 | 2 | . | — | . | . | — | — | 9 |
| oan | Dec. 7, | . | . | 3 | . | . | . | 1 | . | . | . | 1 | . | — | . | . | — | — | 5 |
| | Dec. 14, | . | 1 | 4 | . | . | . | . | 1 | . | . | . | . | — | . | . | — | — | 6 |
| rict. | Dec. 21, | . | . | 4 | 1 | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 8 |
| krock | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| oan | Dec. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Dec. 14, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| rict. | Dec. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| stown | Nov. 30, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| oan | Dec. 7, | . | — | — | . | . | . | . | . | . | 3 | . | . | — | — | — | — | — | 3 |
| | Dec. 14, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| trict. | Dec. 21, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 1 |
| y of | Nov. 30, | . | — | — | 9 | . | . | 10 | . | 5 | 6 | 7 | . | — | — | 5 | — | — | 42 |
| lfast. | Dec. 7, | . | — | — | 4 | . | . | 5 | . | 2 | 5 | 4 | 2 | — | — | 5 | — | — | 27 |
| | Dec. 14, | . | — | — | 8 | . | . | 1 | . | 7 | 3 | 12 | 1 | — | — | 1 | — | — | 33 |
| | Dec. 21, | . | — | — | 4 | . | . | 9 | . | 9 | 8 | 5 | . | — | — | 5 | — | — | 40 |

CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

ble XII. exhibits the number of cases of certain infectious diseases treated in the in Hospitals during the week ended 21st December, 1907.

om this it appears that:—

even cases of measles were admitted into hospital during the week, 8 were discharged, 7 cases remained under treatment at its close.

even cases of scarlet fever were admitted to hospital, 2 were discharged, there was one h, and 46* cases remained under treatment at the close of the week.

ven cases of diphtheria were admitted to hospital, 11 were discharged, there were deaths, and 26 patients remained under treatment at the close of the week.

k cases of enteric fever were admitted to hospital during the week, 15 were discharged, was one death, and 37 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, ere discharged, there was one death, and 35 cases remained under treatment at the of the week.

## ENGLAND AND SCOTLAND.

he mortality last week in 76 large English towns, including London (in which the was 16·3), was equal to an average annual death-rate of 16·8 per 1,000 persons living, average rate for 8 principal towns of Scotland was 20·8 per 1,000, the rate for Glasgow g 20·8 and for Edinburgh 18·0.

INFECTIOUS DISEASE IN EDINBURGH.

he Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st mber. From this Report it appears that of a total of 49 cases notified 31 were scarlet fever, 6 erysipelas, ntheria, and 2 enteric fever. Among the 368 cases of infectious diseases in hospital at the close of eek were 207 cases of scarlet fever, 35 of diphtheria, 28 of measles, 15 of erysipelas, 13 of whooping-h, and 8 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 21st December, 1907, in the DUBLIN REGISTRATION AREA and in each of the undermentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 21st December, 1907. Numbers Registered. Births. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Deaths. Caused by: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System.c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| Total of 22 Town Districts, | 1,117,547 | 19·6 | 26·3 | 23·3 | 1·6 | 564 | 500 | 83 | 139 | . | 12 | 1 | . | 4 | 4 | . | 4 | 9 | 57 | 61 | 25 | 15 | 91 | 10 | 18 | 162 | 21 |
| Dublin Registration Area:— Total, d. | 390,691 | 28·4 | 25·6 | 25·0 | 1·3 | 192 | 187 | 40 | 53 | . | . | 1 | . | 2 | 3 | . | . | 4 | 24 | 21 | 7 | 6 | 42 | 6 | 8 | 78 | 4 |
| City of Dublin, | 300,850 | 38·0 | 28·1 | 26·3 | 1·6 | 162 | 152 | 38 | 39 | . | . | . | . | 2 | 3 | . | . | 4 | 15 | 18 | 5 | 4 | 36 | 5 | 6 | 65 | 4 |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 23·4 | 23·4 | 1·5 | 16 | 16 | 1 | 7 | . | . | 1 | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | 1 | 2 | 7 | . |
| Pembroke | 27,854 | 17·5 | 18·1 | 22·5 | . | 7 | 12 | 1 | 3 | . | . | . | . | . | . | . | . | . | 4 | 1 | 1 | . | 3 | . | . | 3 | . |
| Blackrock | 8,759 | 8·1 | . | 17·9 | . | . | 3 | . | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | 2 | . |
| Kingstown, | 17,622 | 19·1 | 20·7 | 11·8 | . | 7 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . | 1 | . |
| Urban Districts. Belfast (i), | 370,168 | 25·2 | 30·7 | 24·2 | 3·1 | 218 | 172 | 28 | 40 | . | 12 | . | . | 1 | 1 | . | 4 | 4 | 23 | 19 | 9 | 3 | 31 | 3 | 5 | 35 | 4 |
| Cork, | 76,122 | 33·6 | 16·4 | 19·2 | . | 24 | 28 | . | 6 | . | . | . | . | . | . | . | . | . | 2 | 8 | 1 | 3 | 2 | 1 | 2 | 13 | 2 |
| Londonderry, | 42,475 | 19·6 | 21·9 | 17·2 | . | 26 | 14 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | 5 | . | . | 1 | . | 1 | 4 | 1 |
| Limerick, | 38,151 | 18·1 | 17·8 | 32·8 | . | 18 | 24 | 3 | 7 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | 5 | . | . | 11 | 3 |
| Waterford, | 26,769 | 18·7 | 19·5 | 9·7 | . | 10 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | 2 | 1 |
| Galway, | 18,426 | 2·5 | 31·1 | 27·2 | . | 8 | 7 | 1 | 1 | . | . | . | . | . | . | . | . | . | 3 | . | . | . | . | . | . | 2 | 2 |
| Dundalk, | 18,076 | 9·4 | 19·9 | 8·0 | . | 5 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . |
| Drogheda, | 12,760 | 8·6 | 12·3 | 24·5 | . | 3 | 6 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 12·6 | 33·6 | . | 3 | 8 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | . | . | 3 | . |
| Lurgan, | 11,782 | 13·8 | 48·7 | 44·3 | 4·4 | 11 | 10 | 1 | 3 | . | . | . | . | 1 | . | . | . | . | 2 | . | 3 | . | . | . | . | 2 | 1 |
| Lisburn, | 11,461 | 10·1 | 22·7 | 18·2 | . | 5 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 |
| Wexford, | 11,168 | 23·2 | 28·0 | 18·7 | . | 6 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 |
| Ballymena, | 10,886 | 8·9 | 28·7 | 4·8 | . | 6 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Sligo, | 10,870 | 8·7 | 14·4 | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 24·6 | . | 3 | 5 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . |
| Clonmel, | 10,167 | 7·8 | 10·3 | 35·9 | . | 2 | 7 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | . | 5 | 2 |
| Portadown, | 10,092 | 13·2 | 46·5 | 31·0 | . | 9 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| Tralee, | 9,867 | 16·6 | 21·1 | 10·6 | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Newtownards, | 9,110 | 18·9 | 22·9 | 22·9 | . | 4 | 4 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 2 | . |
| Queenstown, | 7,809 | 14·4 | 26·4 | 13·2 | 6·6 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Armagh, | 7,588 | 22·2 | 34·4 | 13·7 | . | 5 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

| Towns and Districts. | Week ending 21st December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 14th December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 7th December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts, | ° . | ° . | ° . | . | ° . | ° . | ° . | . | ° . | ° . | ° . | . |
| Dublin Registration Area:— Total, d. | f54·3 | 27·7 | 47·0 | 0·87 | f54·1 | 32·4 | 42·7 | 0·36 | f53·0 | 30·9 | 41·5 | 0·76 |
| City of Dublin, | g54·8 | 31·0 | 47·9 | 0·60 | g54·2 | 35·0 | 43·7 | 0·31 | g52·3 | 33·8 | 41·9 | 0·90 |
| | h55·1 | 28·8 | 47·7 | 0·70 | h53·6 | 30·0 | 42·5 | 0·37 | h52·5 | 29·0 | 40·7 | 0·81 |
| Urban Dists. Rathmines and Rathgar. | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | . | . | . | . | . | . | . | . | . | . | . | . |
| Kingstown, | 58·0 | 32·5 | 46·8 | 0·69 | 58 | 37·5 | 44·8 | 0·51 | 54·5 | 36 | 43·1 | 0·79 |
| Urban Districts. Belfast (i), | 51·0 | 28·5 | 48·7 | 0·94 | 51·0 | 31·0 | 41·3 | 1·21 | 49·0 | 29·0 | 39·3 | 0·44 |
| Cork, | 51 | 35 | 47·2 | 2·00 | 53 | 36 | 44·9 | 0·50 | 54 | 33 | 43·4 | 1·47 |
| Londonderry, | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 53 | 39 | 46 | 1·75 | 53 | 32 | 43 | 1·39 | 53 | 27 | 39·3 | 1·47 |
| Dundalk, | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 |
| Lurgan, | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 |
| Lisburn, | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 |
| Wexford, | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 52·4 | 29·9 | 45·2 | 1·31 | 53·3 | 30·4 | 42·6 | 1·52 | 47·5 | 28·3 | 38·6 | 1·57 |
| Kilkenny, | 52 | 33 | 46·0 | 1·30 | 51 | 29 | 41·4 | 0·57 | 54 | 27 | 39·6 | 1·17 |
| Clonmel, | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 |
| Tralee, | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | . | . | . | . | . | . | . | . | . | . | . | . |
| Queenstown, | 51 | 33 | 45·5 | 1·80 | 50 | 32 | 41·8 | 0·41 | 53 | 32 | 41·7 | 0·73 |
| Armagh, | 51 | 35 | 47·2 | 2·00 | 53 | 36 | 44·9 | 0·50 | 54 | 33 | 43·4 | 1·47 |
| | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 | 47·4 | 27·0 | 38·4 | 0·76 |

ABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 21st of December, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | | |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | URBAN DISTRICTS OF | | | | TOTAL FOR DUBLIN REGISTRATION AREA. | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No 2. | NORTH CITY No 3. | GLASNEVIN & HOWTH No. 1 (part of). | GOOLOCK and DRUMGONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROOK. | KINGSTOWN. | | |
| A. GENERAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| Diphtheria, | . | 1 | 1 | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 3 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diarrhœal Diseases, | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | . | . | . | . | . | 4 | . |
| Pneumonia, | 1 | 3 | 1 | 3 | . | . | . | 1 | . | 3 | 3 | . | 2 | 4 | 1 | 2 | 24 | . |
| Tuberculous Phthisis, | 2 | 3 | . | 2 | . | . | . | 3 | 4 | 4 | . | . | 2 | 1 | . | . | 21 | 1 |
| Tuberculous Other Forms. | . | 2 | . | . | . | . | . | 1 | . | 2 | . | . | 1 | 1 | . | . | 7 | 1 |
| Cancer, Malignant Disease, | . | . | . | 1 | 1 | . | . | 1 | . | . | . | 1 | . | . | 1 | 1 | 6 | . |
| Other General Diseases, | . | . | 5 | 1 | . | . | . | 2 | . | 5 | . | 1 | . | . | . | . | 14 | . |
| Total, | 3 | 9 | 8 | 7 | 1 | 1 | 1 | 8 | 4 | 16 | 5 | 2 | 6 | 6 | 2 | 3 | 82 | 2 |
| B. LOCAL DISEASES: | | | | | | | | | | | | | | | | | | |
| Diseases of Nervous System | . | 2 | 1 | 2 | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . | 9 | . |
| Diseases of Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Heart and Blood Vessels, | 3 | 2 | 3 | 2 | . | 3 | . | 4 | 2 | 4 | 1 | 1 | 6 | 2 | . | 1 | 33 | 1 |
| Diseases of Respiratory System, | 4 | 6 | 5 | 2 | . | 1 | . | 3 | 3 | 6 | 5 | 1 | 2 | 3 | 1 | . | 42 | 1 |
| Diseases of Digestive System, | . | 2 | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . | . | 4 | 2 |
| Diseases of Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Urinary System, | . | 1 | . | . | 1 | . | . | . | . | 2 | 1 | . | . | . | . | . | 5 | 2 |
| Diseases of Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Integumentary System, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 | . |
| Total | 7 | 13 | 9 | 6 | 1 | 3 | . | 7 | 5 | 14 | 9 | 3 | 9 | 6 | 1 | 1 | 94 | 6 |
| C. OTHER SPECIFIED DISEASES | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| D. CAUSES ILL-DEFINED AND NOT SPECIFIED, | 3 | . | 1 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 5 | . |
| E. VIOLENT DEATHS, | . | 2 | . | 1 | . | . | 1 | . | . | 1 | . | . | 1 | . | . | . | 6 | . |
| **Deaths from all Causes,** | 13 | 24 | 18 | 14 | 2 | 4 | 2 | 15 | 10 | 31 | 14 | 5 | 16 | 12 | 3 | 4 | 187 | 8 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 23·4 | 32·0 | 31·2 | 22·5 | 20·4 | 19·0 | 14·4 | 19·6 | 25·3 | 38·3 | 20·8 | 29·3 | 23·4 | 22·5 | 17·9 | 11·3 | 25·0 | . |
| | 26·1 | | | | | | | 26·6 | | | | | 20·3 | | | | | |
| | 26·3 | | | | | | | | | | | | | | | | | |
| Ages at Death. Under 1 year, | 6 | 5 | 6 | 3 | . | . | 1 | 2 | 1 | 11 | 2 | 1 | 1 | 1 | . | . | 40 | . |
| 1 and under 5 years, | 2 | 7 | 1 | 2 | . | 1 | . | 3 | 1 | 3 | 3 | . | 3 | 1 | . | 1 | 28 | . |
| 5 " 20 " | . | . | 2 | . | . | . | . | 2 | 1 | 2 | 2 | . | . | 1 | 1 | . | 11 | 1 |
| 20 " 40 " | 1 | 4 | 2 | 1 | . | 1 | 1 | 1 | 2 | 3 | . | 2 | 1 | 2 | . | . | 21 | 3 |
| 40 " 60 " | 1 | 4 | 3 | 5 | . | . | . | 2 | 1 | 2 | 5 | 2 | 4 | 4 | . | 1 | 34 | . |
| 60 and upwards, | 3 | 4 | 4 | 3 | 2 | 2 | . | 5 | 4 | 10 | 2 | . | 7 | 3 | 2 | 2 | 53 | 4 |
| Number of Uncertified Deaths, | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | . | 4 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | 1 | 3 | 5 | 1 | 1 | 1 | 1 | 2 | 3 | 8 | 5 | 2 | 5 | 2 | 2 | 1 | 43 | 7 |
| Workhouse Hospitals, | 2 | 4 | 3 | 3 | 1 | . | . | 4 | 5 | 6 | 3 | 1 | 2 | 1 | . | . | 35 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease regis week of the ten year

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 51st Week of the 10 years 1897–1906. | In the Week ending Sa 21st December, 1 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of th | | | | |
| | Dec. 25, 1897. | Dec. 24, 1898. | Dec. 23, 1899. | Dec. 22, 1900. | Dec. 21, 1901. | Dec. 20, 1902. | Dec. 26, 1903. | Dec. 24, 1904. | Dec. 23, 1905. | Dec. 22, 1906. | | ALL AGES. Mean Temp. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. |
| Mean Temperature. | ° 41·7 | ° 42·5 | ° 40·5 | ° — | ° 33·5 | ° 46·7 | ° 39·7 | ° 38·2 | ° 46·1 | ° 45·5 | ° 41·6‡ | ° 47·0 | | | | |
| **ALL CAUSES.** | 146 | 169 | 285 | 175 | 196 | 235 | 153 | 184 | 171 | 217 | 193·1 | 195 | 12 | 28 | 28 | 12 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | . | . | 24 | . | . | 9 | 1 | 10 | . | 2 | 4·6 | . | . | . | . | . |
| Scarlet Fever, ... ... | 3 | 2 | 1 | 1 | 2 | 1 | 1 | . | 1 | . | 1·2 | 1 | . | . | 1 | . |
| Typhus, ... ... ... | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 2 | 2 | 8 | 1 | 1 | 1 | 1 | . | . | 5 | 2·1 | . | . | . | . | . |
| Whooping-cough, ... ... | . | 4 | 2 | 6 | 4 | 3 | 3 | . | 1 | 2 | 2·5 | 2 | . | 1 | 1 | . |
| Diphtheria, ... ... | 1 | . | 3 | 1 | 3 | . | . | . | . | 2 | 1·0 | 3 | . | 1 | 2 | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| *Pyrexia*† (origin uncertain), | . | . | . | 1 | 1 | . | . | . | . | . | ·2 | . | . | . | . | . |
| Enteric Fever, ... ... | 5 | 1 | 3 | 3 | 4 | 3 | 2 | 1 | 4 | 2 | 2·8 | . | . | . | . | . |
| Asiatic Cholera, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) *Diarrhœa*, Dysentery, | 4 | 3 | 5 | 4 | 2 | 1<br>2 | .<br>. | 1<br>. | .<br>1 | .<br>2 | 2·5 | 3<br>1 | .<br>. | 2<br>1 | 1<br>. | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | . | 1 | 1 | . | . | . | 3 | . | 1 | 1 | ·7 | . | . | . | . | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | . | . | . | . | 2 | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>1 | ·3 | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, Broncho-Epidemic, Not defined, | 10 | 5 | 24 | 6 | 8 | .<br>7<br>.<br>6 | .<br>4<br>.<br>5 | .<br>9<br>.<br>7 | 2<br>5<br>.<br>4 | 3<br>11<br>.<br>9 | 12·5 | 4<br>15<br>.<br>5 | .<br>.<br>.<br>. | .<br>3<br>.<br>. | .<br>8<br>.<br>. | . 1 |
| Erysipelas, ... ... | 1 | 1 | . | . | 1 | . | . | . | 2 | . | ·5 | . | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | 1 | . | . | 1 | . | .<br>. | .<br>1 | .<br>. | 1<br>. | .<br>. | ·4 | 2<br>. | .<br>. | .<br>. | .<br>. | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | 1 | . | . | . | ·2 | 1 | . | . | . | . |
| Tuberculous Phthisis, "*Phthisis*," ... | 15 | 15 | 30 | 26 | 24 | 3<br>25 | 8<br>23 | 6<br>8 | 10<br>17 | 18<br>9 | 23·7 | 13<br>9 | .<br>. | .<br>. | 1<br>. | 2<br>2 |
| Tuberculous Meningitis, ... | 3 | 6 | 3 | 2 | 5 | 2 | 3 | . | 1 | 2 | 2·7 | 2 | . | . | 1 | 1 |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | . | 7 | 9 | 3 | 2 | 1<br>. | .<br>. | 1<br>. | .<br>. | 2<br>. | 2·5 | 2<br>1 | .<br>. | 2<br>. | .<br>1 | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 4 | 5 | 4 | 6 | 3 | 8<br>. | 6<br>. | 8<br>. | 2<br>1 | 5<br>. | 5·2 | 3<br>. | .<br>. | .<br>. | 2<br>. | 1<br>. |
| Alcoholism, ... ... | 1 | . | . | . | 1 | . | . | 1 | 1 | . | ·4 | 1 | . | . | . | . |
| Rheumatic Fever, ... ... | . | . | 2 | . | 1 | . | . | . | . | . | ·3 | . | . | . | . | . |
| Gout, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Carcinoma, ... Sarcoma, ... ... Cancer (undefined), | 12 | 4 | 7 | 10 | 7 | 4<br>.<br>6 | 2<br>.<br>6 | 3<br>.<br>2 | 1<br>1<br>3 | 3<br>.<br>14 | 8·5 | 3<br>.<br>3 | .<br>.<br>. | .<br>.<br>. | .<br>.<br>. | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | . | 1 | . | ·1 | . | . | . | . | . |
| Premature Birth, ... | 2 | 5 | 2 | 2 | 7 | 2 | 2 | 6 | 7 | 3 | 3·8 | 5 | 5 | . | . | . |

‡ For nine years only.

* The figures for the years 1897–
† Formerly de

BST WEEK ending Saturday, 21st December, 1907, with the deaths from each cause in the corresponding
average for those weeks.*

| SES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday: Dec. 25, 1897. | Dec. 24, 1898. | Dec. 23, 1899. | Dec. 22, 1900. | Dec. 21, 1901. | Dec. 20, 1902. | Dec. 26, 1903. | Dec. 24, 1904. | Dec. 23, 1905. | Dec. 22, 1906. | Averages in 51st Week of the 10 years 1897-1906. | In the Week ending Saturday, 21st December, 1907. Deaths of Persons of the Ages of: ALL AGES. | 0 to 5, Under 1 month. | 1 month and under 1 year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| an Temperature. | ° 41·7 | ° 42·5 | ° 40·5 | ° – | ° 33·5 | ° 46·7 | ° 39·7 | ° 38·2 | ° 46·1 | ° 45·5 | ° 41·6‡ | Mean Temp. ° 47·0 | | | | | | | | |
| itis (not tuberc.) ... | | | | | | 5 | 1 | 2 | 4 | 1 | | 3 | . | 1 | 2 | . | . | . | . | . |
| y, G. P. of Insane ... | | | | | | 2 | 1 | 3 | 2 | 1 | | . | . | . | . | . | . | . | . | . |
| sy .. ... | | | | | | 3 | 1 | 1 | . | . | | . | . | . | . | . | . | . | . | . |
| *sions* ... .. | | | | | | 9 | 10 | 9 | 6 | 9 | | 5 | 1 | 3 | . | 1 | . | . | . | . |
| otor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| egia Dis. of Cord ... | | | | | | 1 | 2 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| is System (other | | | | | | 5 | 1 | 3 | 4 | 8 | | 1 | . | . | 1 | . | . | . | . | . |
| | 29 | 43 | 54 | 40 | 42 | | | | | | 45·4 | | | | | | | | | |
| Dis., Endocarditis .. | | | | | | 3 | 3 | 9 | 2 | 9 | | 10 | . | . | . | . | 2 | . | 7 | 1 |
| . Hæm. Thromb. .. | | | | | | 2 | 1 | 4 | 3 | 1 | | 1 | . | . | . | . | . | . | 1 | . |
| *xy, Hemiplegia* ... | | | | | | 9 | 4 | 10 | 1 | 10 | | 5 | . | . | . | . | . | 1 | 3 | 1 |
| gam ... ... | | | | | | 1 | 1 | . | 1 | . | | . | . | . | . | . | . | . | . | . |
| ism. Thromb. (not | | | | | | . | 1 | . | . | . | | . | . | . | . | . | . | . | . | . |
| oral) and Blood Vessel Dis. | | | | | | 14 | 9 | 19 | 19 | 15 | | 18 | . | . | . | . | 2 | 3 | 9 | 4 |
| (not Spasm. nor | . | 2 | 2 | . | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| b.) | | | | | | | | | | | | | | | | | | | | |
| hitis ... ... | 20 | 24 | 44 | 27 | 24 | 40 | 16 | 26 | 24 | 22 | 26·7 | 37 | 2 | 7 | 3 | 1 | . | 8 | 13 | 3 |
| a, Emphysema ... | | | | | | 1 | . | 2 | . | . | | 1 | . | . | . | . | 1 | . | . | . |
| sy ... ... | . | 1 | 3 | 2 | . | 1 | . | 1 | . | 1 | 2·0 | 1 | . | . | . | . | . | . | 1 | . |
| atory Dis. (other) ... | | | | | | 3 | . | 2 | 1 | 2 | | 4 | . | . | 2 | 1 | . | . | 1 | . |
| litis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| tis (not Epid.) ... | | | | | | 1 | 1 | 2 | 3 | 1 | 1·3 | . | . | . | . | . | . | . | . | . |
| *Enteritis* ... ... | . | . | . | . | . | . | . | 1 | 2 | 2 | | 2 | 1 | 1 | . | . | . | . | . | . |
| *itis* (not Puerp.) ... | 1 | 1 | . | 2 | 1 | . | . | 1 | . | 3 | ·9 | . | . | . | . | . | . | . | . | . |
| sis of Liver ... | | | | | | 1 | . | . | . | 2 | 2·2 | . | . | . | . | . | . | . | . | . |
| Dis. (other) ... | 3 | 2 | 2 | 6 | . | 2 | 1 | 1 | 2 | . | | 1 | . | . | . | . | . | . | 1 | . |
| ive Dis. (other) ... | 2 | 3 | 8 | 1 | 10 | 5 | 3 | 2 | 4 | 8 | 4·6 | 3 | . | . | 1 | . | 2 | . | . | . |
| itis, Acute ... | | | | | | 1 | . | . | 2 | 1 | | 1 | . | . | . | 1 | . | . | . | . |
| 's Dis., Albuminuria | 2 | 2 | 5 | 2 | 9 | 4 | 8 | 3 | 5 | 2 | 5·5 | 5 | . | . | . | . | 1 | 1 | 3 | . |
| ry Sys. (Other Dis.) | | | | | | 2 | 1 | 2 | 2 | 2 | | 1 | . | . | . | . | . | . | 1 | . |
| ative Organs Dis. ... | 1 | . | . | 1 | . | . | . | 1 | 1 | . | ·4 | . | . | . | . | . | . | . | . | . |
| birth (Accid. of) ... | . | . | 1 | . | 1 | . | . | . | 1 | 1 | ·4 | . | . | . | . | . | . | . | . | . |
| *ge* ... ... | 10 | 8 | 21 | 3 | 8 | 8 | 3 | 4 | 3 | 2 | 7·0 | . | . | . | . | . | . | . | . | . |
| Diseases ... ... | 10 | 15 | 14 | 12 | 12 | 20 | 11 | 7 | 7 | 13 | 12·1 | 11 | 2 | 6 | 1 | 1 | . | . | 1 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ilways ... ... | . | . | . | . | 1 | . | . | 1 | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| hicles and Horses ... | . | 2 | 1 | . | . | 1 | . | 2 | 1 | 1 | ·8 | . | . | . | . | . | . | . | . | . |
| ps, Boats, Docks (ex- | | | | | | | | | | | | | | | | | | | | |
| ive of Drowning) ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ilding Operations ... | . | . | 1 | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| nflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| rns, Scalds, Explosions | 1 | 1 | . | 3 | 4 | 2 | 1 | 1 | 2 | 4 | 1·9 | . | . | . | . | . | . | . | . | . |
| owning ... ... | 1 | 1 | . | . | 3 | . | 1 | . | . | . | ·6 | 2 | . | . | . | . | 1 | 1 | . | . |
| ffocation in Bed ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| oison or Poisonous | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ours | | | | | | | | | | | | | | | | | | | | |
| Deaths by Accident | 2 | 2 | 1 | 1 | 3 | 3 | . | 2 | 1 | . | 1·5 | 4 | 1 | . | . | . | 1 | 1 | . | 1 |
| ENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | . | . | 2 | . | . | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| le ... ... | . | 1 | . | . | . | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| ition ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

istration Area as then constituted.

e Continued Fever."

‡ For nine years only.

**TABLE V.—Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 29. | July 6. | July 13 | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24 | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. | Dec. 14. | Dec. 21. |
| No. of weeks in Annual Series. | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 |
| Births registered, | 279 | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 | 191 | 193 | 288 | 194 | 177 | 192 |
| *Average Births in corresponding week of previous 10 years,** | 232 | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 | 200 | 182 | 200 | 192 | 190 | 166 |
| Deaths registered, | 152 | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 | 163 | 145 | 175 | 207 | 180 | 195 |
| Annual Death-rate per 1,000, | 20·8 | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 | 21·8 | 19·4 | 23·4 | 27·6 | 24·0 | 26·0 |
| *Average Deaths in corresponding week of previous 10 years,** | 136 | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 | 187 | 191 | 193 | 185 | 187 | 193 |
| Ages, Under 5 years, | 47 | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 | 42 | 40 | 61 | 70 | 56 | 68 |
| 5—20 ,, | 11 | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 | 11 | 11 | 9 | 5 | 16 | 12 |
| 20—40 ,, | 28 | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 | 18 | 35 | 33 | 28 | 17 | 24 | 22 | 24 |
| 40—60 ,, | 35 | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 | 29 | 28 | 29 | 40 | 35 | 34 |
| 60—80 ,, | 25 | 23 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 | 40 | 36 | 50 | 56 | 45 | 46 |
| 80 years and upwards, | 6 | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 | 3 | 7 | 6 | 8 | 2 | 9 | 12 | 6 | 11 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 1 | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 | 3 | . | . | . | 1 | . |
| Scarlet Fever | . | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | 1 | . | 1 |
| Typhus, | . | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | 8 | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . | 2 | 1 | . | 1 | 3 | 1 | 2 |
| Diphtheria, | . | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 | 2 | . | . | 2 | 3 | 3 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | 1 | . | . |
| Enteric Fever, | . | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 | 2 | 2 | 2 | . | 2 | . | . |
| Diarrhœal Diseases, | 2 | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 | 3 | 7 | 3 | 1 | 2 | 4 |
| Influenza, | 2 | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 | 1 | . | 1 | . |
| Pneumonia, | 12 | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 | 10 | 6 | 14 | 20 | 23 | 24 |
| Tuberculous Disease. Phthisis, | 25 | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 32 | 21 | 25 | 13 | 16 | 25 | 22 | 26 | 16 | 18 | 18 | 22 |
| Tuberculous Disease. Other Forms, | 11 | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 | 7 | 7 | 6 | 6 | 13 | 8 |
| Cancer, Malignant Disease, | 4 | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 | 6 | 10 | 8 | 8 | 11 | 7 | 6 |
| Diseases of Heart and Blood Vessels, | 24 | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 | 37 | 27 | 19 | 25 | 36 | 18 | 34 |
| Diseases of Respiratory System, | 9 | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 | 17 | 27 | 10 | 30 | 46 | 39 | 43 |
| Violent Deaths, | 5 | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 | 4 | 7 | 2 | 8 | 2 | 6 |
| Number of Uncertified Deaths, | 5 | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 | 3 | 8 | 9 | 7 | 3 | 4 |
| Mean Temperature of the Air (Phœnix Park), | 51·8 | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 | 44·1 | 40·2 | 39·4 | 41·5 | 42·7 | 47·0 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 57·9 | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 | 43·7 | 42·2 | 42·7 | 43·7 | 42·1 | 41·6‡ |
| Rainfall in inches, | ·515 | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·284 | ·401 | ·645 | 1·842 | ·178 | ·156 | ·078 | 1·560 | ·755 | ·355 | ·873 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·83 | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | 89 | ·89 | ·92 | ·86 | ·94 | ·92 | ·96 | ·88 | ·90 | ·92 | ·88 | ·90 | ·90 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

of Deaths at each of six Periods of Life, and the Number from some of the Principal Causes of Death, also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 21st DECEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,850 | 27·1 | 195 | 68 | 12 | 24 | 34 | 46 | 11 | . | . | 1 | . | 2 | 3 | . | . | 4 | 10 | 24 | 22 | 8 | 6 | 5 | 13 | 6 | 71 | 4 |
| | CLASSES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,486 | 20·2 | 7 | . | . | . | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 4 | . |
| II. | Middle Class, | 87,188 | 20·3 | 34 | 7 | 2 | 9 | 1 | 9 | 6 | . | . | . | . | . | . | . | . | . | . | 3 | 4 | 1 | 2 | 1 | 3 | 1 | 19 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 15·1 | 32 | 10 | 2 | 3 | 6 | 10 | 1 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 3 | . | 1 | . | 8 | 1 | 15 | . |
| IV. | General Service Class, | 154,279 | 39·7 | 86 | 46 | 6 | 10 | 14 | 10 | . | . | . | 1 | . | 2 | 3 | . | . | 3 | 9 | 17 | 10 | 5 | . | 4 | 17 | 2 | 22 | 4 |
| V. | Inmates of Workhouses, | 6,024 | | 36 | 5 | 2 | 2 | 11 | 14 | 2 | . | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 3 | . | 14 | 1 | 11 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 46·8 | 7 | . | . | . | 2 | 3 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 4 | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 20·3 | 3 | . | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 28·4 | 12 | 2 | . | 2 | 1 | 4 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 9 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 10·3 | 6 | 2 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 25·1 | 13 | 3 | 1 | 3 | . | 4 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | . | 1 | . | 6 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 10·6 | 2 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | . |
| | 9. Building and Furnishing Trades, | 29,801 | 22·7 | 13 | 5 | 1 | 2 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | . | . | 2 | 1 | 6 | . |
| | 10. Clothing Trades, | 28,260 | 9·0 | 4 | 1 | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 2 | . | 1 | . |
| | 11. Food Supply Trades, | 9,242 | 5·6 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,852 | 13·7 | 8 | 1 | . | 1 | 1 | 5 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 6 | . |
| | 13. Petty Shopkeepers, | 7,894 | 26·4 | 4 | 3 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 1 | . | . | . | . | . | 2 | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 15·5 | 4 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | . |
| | 15. Domestic Servants, | 36,608 | 12·8 | 9 | 5 | 1 | 2 | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | 2 | . | 1 | 1 | . | 1 | 1 | . | 3 | 1 |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 6 | 2 | 1 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | . | 1 | 1 | 1 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 35·9 | 67 | 37 | 4 | 6 | 12 | 8 | . | . | . | 1 | . | 1 | 2 | . | . | 3 | 7 | 15 | 8 | 3 | . | 3 | 14 | 1 | 16 | 3 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 36 | 5 | 2 | 2 | 11 | 14 | 2 | . | . | . | . | . | . | . | . | . | . | . | 5 | 2 | 3 | . | 14 | 1 | 11 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents o RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of th the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths i* similar Statistics for each of th

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Nov. 2, | 14·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . |
| | „ 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . | . |
| | „ 16, | 27·0 | 1·8 | 15 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 1 | . |
| | „ 23, | 19·8 | 5·4 | 11 | . | . | . | . | . | . | . | 1 | 2 | . | 3 | . | . | . | 2 | 1 |
| | „ 30, | 25·2 | 1·8 | 14 | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 | . | 1 |
| | Dec. 7, | 30·5 | 1·8 | 17 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | 4 | . | 1 |
| | „ 14, | 28·8 | 1·8 | 16 | . | . | . | . | . | 1 | . | . | . | 5 | . | . | 2 | 5 | . | 1 |
| | „ 21, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 4 | . | . |
| North City, No. 1 (W.) (Office, Summer-hill.) Pop. in 1907 (Est.) 29,146. | Nov. 2, | 24·0 | 1·8 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 3 | . | . |
| | „ 9, | 17·8 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | „ 16, | 26·6 | 1·8 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | 3 | 3 | . | 1 |
| | „ 23, | 18·6 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | . | . | 2 |
| | „ 30, | 32·0 | 1·8 | 24 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | 4 |
| | Dec. 7, | 25·3 | 4·0 | 19 | . | . | . | . | 2 | . | . | . | 1 | 4 | . | . | 2 | 5 | . | 1 |
| | „ 14, | 28·0 | 1·8 | 21 | . | . | . | . | . | 1 | . | . | . | 3 | 1 | . | 1 | 5 | 1 | . |
| | „ 21, | 32·0 | 1·8 | 24 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 2 | . | 6 | 2 | 1 |
| North City, No. 2. (Office, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | Nov. 2, | 20·8 | 1·7 | 12 | . | . | 1 | . | . | . | . | . | . | . | 3 | 2 | . | 3 | . | . |
| | „ 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . | . |
| | „ 16, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 23, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | . |
| | „ 30, | 29·4 | 1·7 | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | . | 1 | 4 | . | 1 |
| | Dec. 7, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 5 | 1 | . |
| | „ 14, | 24·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 6 | . | . |
| | „ 21, | 31·2 | 3·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 5 | . | . |
| North City, No. 3. (Office, Benburb-street.) Pop. in 1907 (Est.) 32,422. | Nov. 2, | 22·5 | 1·6 | 14 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . |
| | „ 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . | 1 |
| | „ 16, | 25·7 | 1·6 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | 4 | . | 1 |
| | „ 23, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 30, | 30·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 2 | . | 1 |
| | Dec. 7, | 22·5 | 1·6 | 14 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | 1 | 1 |
| | „ 14, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | 1 | 1 | . | . |
| | „ 21, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| South City, No. 1. (Office, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Nov. 2, | 28·5 | 1·8 | 18 | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | 1 | 5 | 1 | . |
| | „ 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 8 | . | 1 |
| | „ 16, | 10·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 |
| | „ 23, | 20·9 | 2·6 | 16 | . | . | 1 | . | . | . | . | . | 1 | . | 4 | . | 1 | 2 | 2 | 1 |
| | „ 30, | 16·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | 1 |
| | Dec. 7, | 22·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 5 | . | . |
| | „ 14, | 24·8 | 1·8 | 19 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | . |
| | „ 21, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 1 | 3 | . | . |
| South City, No. 2. (Office, Castle-street.) Pop. in 1907 (Est.) 20,589. | Nov. 2, | 22·8 | . | 9 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| | „ 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . | . |
| | „ 16, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . |
| | „ 23, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . |
| | „ 30, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Dec. 7, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 4 | 1 | 1 |
| | „ 14, | 30·4 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | 5 | . | . | 2 | 1 | 1 |
| | „ 21, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 3 | . | . |
| South City, No. 3. (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Nov. 2, | 19·8 | 3·7 | 16 | . | . | . | . | . | . | . | 1 | 2 | . | 1 | 2 | . | 1 | . | 1 |
| | „ 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 | . |
| | „ 16, | 27·2 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | 1 | 6 | 2 | . |
| | „ 23, | 19·8 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | 1 | . | 1 | 2 |
| | „ 30, | 14·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . | . |
| | Dec. 7, | 25·9 | 2·5 | 21 | . | . | . | . | 1 | . | . | 1 | . | 2 | 1 | 2 | . | 5 | 1 | . |
| | „ 14, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 2 | 4 | . | 6 | . | . |
| | „ 21, | 38·3 | 2·5 | 31 | . | . | . | . | 1 | . | . | . | 1 | 3 | 4 | 2 | . | 6 | 1 | 1 |
| South City, No. 4. (Office, Grand Canal-street) Pop. in 1907 (Est.) 35,188. | Nov. 2, | 25·2 | 1·5 | 17 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | 2 | 1 | 1 | . | 1 |
| | „ 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 | . |
| | „ 16, | 28·2 | 1·5 | 19 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 4 | . | . |
| | „ 23, | 28·7 | 1·5 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 30, | 22·8 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . |
| | Dec. 7, | 15·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 2 | 1 | . |
| | „ 14, | 19·8 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 2 | . | 2 | . | . |
| | „ 21, | 10·8 | 3·0 | 14 | . | . | . | . | . | 1 | . | . | 1 | 3 | . | . | . | 5 | . | 1 |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of Population represented thereby, and by the Deaths from certain Epidemic Diseases; with *Public Institutions being assigned to the Districts from which the deceased were admitted;* also, Provincial County Boroughs in Ireland.

| Districts. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Tuberculous Disease: Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal) | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 85,606. | Nov. 2, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | . | . | 2 | 1 | . | 1 |
| | „ 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| | „ 16, | 14·6 | 2·9 | 10 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . |
| | „ 23, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 30, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 |
| | Dec. 7, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 3 | . | 3 |
| | „ 14, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 2 | . | . |
| | „ 21, | 23·4 | 1·5 | 16 | . | . | 1 | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | 1 | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Nov. 2, | 16·8 | . | 9 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | . | . | . |
| | „ 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| | „ 16, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | . | 5 | . | 1 | 1 | . | . |
| | „ 23, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 30, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 30·0 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 7 | . | . |
| | „ 14, | 11·2 | 1·9 | 6 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . |
| | „ 21, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 4 | 1 | 1 | . | 3 | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Nov. 2, | 26·6 | 3·0 | 9 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . |
| | „ 9, | 53·3 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| | „ 16, | 29·6 | 8·9 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 30, | 17·8 | 3·0 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 47·3 | 3·0 | 16 | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 3 | . | . |
| | „ 14, | 35·5 | 3·0 | 12 | . | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 2 | . | 1 |
| | „ 21, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Nov. 2, | 20·4 | 2·3 | 145 | . | 4 | 1 | . | . | 2 | . | 1 | 8 | 15 | 19 | 5 | 14 | 20 | 1 | 3 |
| | „ 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 26 | 4 | 1 |
| | „ 16, | 24·8 | 3·0 | 176 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 8 | 32 | 3 | 2 |
| | „ 23, | 23·1 | 2·3 | 164 | . | 13 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 30 | 3 | 3 |
| | „ 30, | 25·8 | 2·8 | 183 | . | 8 | . | . | . | 2 | . | 1 | 5 | 23 | 14 | 12 | 8 | 47 | 2 | 6 |
| | Dec. 7, | 26·9 | 3·1 | 191 | . | 14 | . | . | 3 | 1 | 1 | 3 | . | 20 | 22 | 8 | 3 | 46 | 4 | 2 |
| | „ 14, | 26·3 | 3·7 | 187 | . | 16 | . | 1 | 1 | 1 | . | 3 | 4 | 15 | 16 | 11 | 6 | 39 | 4 | 2 |
| | „ 21, | 24·2 | 3·1 | 172 | . | 12 | . | . | 1 | 1 | . | 4 | 4 | 23 | 19 | 9 | 8 | 31 | 3 | 4 |
| **Cork.** Pop. (in 1901) 76,122. | Nov. 2, | 17·8 | 3·4 | 26 | . | . | . | 1 | . | . | . | . | 4 | . | 3 | 2 | . | 2 | . | 1 |
| | „ 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 3 |
| | „ 16, | 21·2 | 1·4 | 31 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | | 1 | 1 |
| | „ 23, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | | 1 | 3 |
| | „ 30, | 13·7 | 0·7 | 20 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 2 | | . | 3 |
| | Dec. 7, | 15·8 | 1·4 | 23 | . | . | . | . | . | . | . | 1 | 1 | 2 | 5 | 1 | 2 | 2 | . | . |
| | „ 14, | 18·5 | 0·7 | 27 | . | . | . | 1 | . | . | . | . | . | . | 5 | 1 | 1 | 5 | . | 2 |
| | „ 21, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 2 | 8 | 1 | 3 | 2 | 1 | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Nov. 2, | 14·7 | 1·2 | 12 | . | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | . |
| | „ 9, | 12·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| | „ 16, | 17·2 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 23, | 10·9 | 1·2 | 17 | . | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 30, | 19·6 | 1·2 | 16 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . |
| | Dec. 7, | 25·8 | 3·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 2 | 3 | . | . |
| | „ 14, | 13·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 1 |
| | „ 21, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 5 | . | . | 1 | . | 1 |
| **Limerick.** Pop. (in 1901) 38,151. | Nov. 2, | 23·2 | 6·8 | 17 | . | 4 | . | . | . | . | . | . | 1 | 1 | . | 1 | 2 | 4 | . | 1 |
| | „ 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 16, | 34·2 | 10·9 | 25 | . | 6 | . | . | . | . | . | 1 | 1 | . | 3 | 1 | 1 | 3 | 3 | 2 |
| | „ 23, | 23·2 | 8·2 | 17 | . | 5 | . | . | . | . | . | . | 1 | . | 2 | . | . | 4 | . | 3 |
| | „ 30, | 24·6 | 2·7 | 18 | . | 1 | . | . | . | . | . | . | 1 | . | 5 | 1 | . | 5 | . | 3 |
| | Dec. 7, | 20·5 | 6·8 | 15 | . | 4 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 14, | 27·3 | 6·2 | 20 | . | 4 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | 2 | . | 2 |
| | „ 21, | 32·8 | . | 24 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | 5 | . | 3 |
| **Waterford.** Pop. (in 1901) 26,769. | Nov. 2, | 15·6 | 1·9 | 8 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | 1 | . | 1 |
| | „ 9, | 25·3 | 5·8 | 13 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | 1 |
| | „ 16, | 11·7 | 1·9 | 6 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | 2 |
| | „ 23, | 19·5 | 1·9 | 10 | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | . |
| | „ 30, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | 1 | . | . |
| | Dec. 7, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 1 |
| | „ 14, | 24·8 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 4 | . | 2 |
| | „ 21, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 1 |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st December, 1907, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES: the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms | Cancer, Malignant Diseases. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,784 | 8 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 10 | 1 | . | 2 | 4 | 2 | 1 | . | . | . | . | . | . | . | 1 | . | 3 | 2 | . | . | 1 | . | . | 4 | . |
| Do. 2 ,, | 47,959 | 28 | | | 17 | 3 | 1 | 1 | 3 | 3 | 6 | . | . | . | . | . | . | . | 1 | . | 2 | 2 | . | . | 4 | . | 1 | 2 | . |
| Do. 3 ,, | 47,214 | 33 | | | 14 | 1 | 3 | 2 | 1 | 1 | 6 | . | 1 | . | . | . | . | . | . | 2 | . | 2 | 1 | 1 | 3 | . | 1 | 3 | . |
| Do. 4 ,, | 40,911 | 41 | | | 23 | 8 | 4 | . | 2 | 4 | 5 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | . | 7 | . | . | 11 | 1 |
| Do. 5 ,, | 17,887 | 6 | | | 10 | 1 | 1 | . | 1 | 5 | 2 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 3 | . | . | 3 | 1 |
| Do. 6 ,, | 48,122 | 26 | | | 28 | 2 | 2 | 2 | 5 | 8 | 9 | . | . | . | . | . | . | . | . | 1 | 4 | 2 | 2 | 1 | 6 | 1 | 1 | 4 | 1 |
| Do. 7 ,, | 1,524 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | . | | | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 15 | | | 16 | 3 | 2 | 1 | 4 | 4 | 2 | . | 1 | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 3 | . | . | 1 | . |
| Do. 10 ,, | 28,064 | 8 | | | 12 | 2 | 3 | 2 | 1 | 1 | 3 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | . | . | . | 2 | . |
| Do. 11 ,, | 34,802 | 19 | | | 12 | 3 | 1 | 1 | . | 3 | 4 | . | 1 | . | . | . | . | . | 2 | . | 2 | . | . | . | 1 | 1 | 1 | 1 | . |
| Do. 12 ,, | 33,588 | 21 | | | 21 | 3 | 12 | 2 | 2 | 1 | 1 | . | 6 | . | . | 1 | 1 | . | . | . | 4 | 1 | 2 | . | 3 | 1 | 1 | 3 | . |
| Do. 13 ,, | 15,006 | 13 | | | 8 | 1 | . | 1 | 2 | 3 | 1 | . | 1 | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | . | . | 1 | 1 |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, . . . . | 349,180 | 218 | | | 172† | 28 | 29 | 15 | 25 | 35 | 40 | . | 12 | . | . | 1 | 1 | . | 4 | 4 | 23 | 19 | 9 | 3 | 31 | 3 | 5 | 35 | 4 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. . | 12,867 | 6 | 24·3 | . | 6 | . | . | 4 | | | 2 | . | . | . | . | . | . | . | . | . | . | 3 | . | 2 | . | . | . | 5 | . |
| Do. 2 ,, . . | 10,701 | 1 | 9·7 | . | 2 | . | . | . | | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . |
| Do 3 ,, . . | 9,978 | 5 | 15·7 | . | 3 | . | 1 | 2 | | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | 1 | 3 | . |
| Do. 4 ,, . . | 8,666 | 2 | 18·1 | . | 3 | . | . | 3 | | | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | 1 | 1 | . |
| Do. 5 ,, . . | 6,592 | 1 | 39·6 | . | 5 | . | . | 3 | | | 2 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | 2 | 1 |
| Do. 6 ,, . . | 10,702 | 2 | 4·9 | . | 1 | . | . | 1 | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 7 ,, . . | 16,616 | 7 | 25·1 | . | 8 | . | . | 8 | | | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | 2 | 1 |
| Total, . . . . | 76,122 | 24 | 19·2 | . | 28 | . | 1 | 21 | | | 6 | . | . | . | . | . | . | . | . | . | 2 | 8 | 1 | 3 | 2 | 1 | 2 | 13 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IX.

TABLE IX—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons *admitted from without the City are omitted.*

| BELFAST. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | June 29. | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. | Dec. 14. | Dec. 21. |
| No. of weeks in Annual Series, | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 |
| BIRTHS registered | 208 | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 | 173 | 186 | 182 | 228 | 190 | 218 |
| DEATHS registered | 185 | 144 | 104 | 186 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145 | 176 | 164 | 183 | 191 | 187 | 172† |
| Annual Death-rate per 1,000 of estimated Population. | 19·0 | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 | 23·2 | 20·4 | 20·4 | 24·8 | 23·1 | 25·8 | 26·9 | 26·3 | 24·2 |
| AGES — Under 1 year | 26 | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 28 | 26 | 29 | 18 | 40 | 38 | 47 | 48 | 30 | 31 | 24 | 36 | 33 | 37 | 29 | 28 | 28 |
| 1–5 years, | 21 | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 | 24 | 24 | 24 | 33 | 33 | 29 |
| 5–20 years, | 17 | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 | 15 | 12 | 7 | 10 | 10 | 15 |
| 20–40 years, | 18 | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 | 28 | 27 | 26 | 30 | 26 | 25 |
| 40–60 years, | 25 | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 | 34 | 32 | 39 | 38 | 37 | 35 |
| 60 years and upwards, | 28 | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 33 | 37 | 38 | 39 | 36 | 50 | 51 | 53 | 40 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 | 11 | 12 | 8 | 14 | 16 | 12 |
| Scarlet Fever, | 1 | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Whooping-cough, | . | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 | 2 | 1 | . | 3 | 1 | 1 |
| Diphtheria, | 1 | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . | 1 | . | 2 | 1 | 1 | 1 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . |
| Enteric Fever, | . | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 | 2 | 2 | 1 | | 3 | 4 |
| Diarrhœal Diseases, | 3 | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 | 5 | 1 | 5 | . | 4 | 4 |
| Pneumonia, | 19 | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 | 18 | 21 | 28 | 20 | 15 | 23 |
| Tuberculous Disease, — Phthisis, | 23 | 18 | 9 | 13 | 22 | 12 | 15 | 11 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 | 14 | 11 | 14 | 22 | 16 | 19 |
| Tuberculous Disease, — Other Forms, | 9 | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 | 8 | 7 | 12 | 8 | 11 | 9 |
| Cancer Malignant Disease, | 7 | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 | 3 | 5 | 8 | 3 | 6 | 3 |
| Diseases of Respiratory System, | 13 | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 26 | 26 | 32 | 30 | 47 | 46 | 39 | 31 |
| Violent Deaths, | . | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 3 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 | 3 | 3 | 2 | 4 | 4 | 3 |
| Number of Uncertified Deaths, | 2 | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 | 2 | 3 | 6 | 2 | 2 | 4 |

* Formerly described as "Simple Continued Fever."
† Including 2 deaths from cerebro-spinal fever.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Dec. 21, | 2,403 | 1,485 | 16·3 | . | 18 | 24 | 15 | 21 | 5 | 11 |
| EDINBURGH, | 345,747 | „ 21. | 132 | 119*a* | 18·0 | . | 1 | 1 | 1 | 4 | . | 1 |
| GLASGOW, | 847,584 | „ 21, | 436 | 338*a* | 20·8 | . | 35 | 1 | 3 | 11 | 2 | 8 |
| CALCUTTA, | 847,796 | Nov. 2. | . | 633 | 38·8 | 3 | . | . | . | 2 | 162‡ | 148* |
| BOMBAY, | 977,822 | „ 19, | 469 | 620 | 33·0 | 2 | 1 | . | . | . | 75‡ | 61* |
| MADRAS, | 509,346 | „ 1, | 416 | 414 | 42·2 | 3 | 3 | ? | ? | ? | 95‡ | 56* |
| PARIS, | 2,722,731 | Dec. 7, | 895 | 934 | 17·8 | . | 2 | 5 | 3† | 3 | 2 | 25 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | Nov. 30, | 180 | 153 | 12·7 | . | 2 | 1 | 1† | 1 | 1 | 14 |
| ANTWERP, | 304,032 | „ 30, | 148 | 92 | 15·7 | . | 2 | 1 | 1† | 1 | . | 9 |
| AMSTERDAM, | 565,321 | Dec. 7, | 291 | 140 | 12·9 | . | 1 | . | 2† | 3 | 5 | 2 |
| COPENHAGEN, | 438,000 | Nov. 30, | 242 | 124 | 14·8 | . | 5 | . | 1† | 2 | . | 7 |
| STOCKHOLM, | 332,738 | „ 30, | 160 | 75 | 11·7 | . | 2 | . | . | . | . | 5 |
| CHRISTIANIA, | 229,324 | Dec. 7, | 108 | 62 | 14·1 | . | . | 1 | 1† | . | . | 3 |
| ST. PETERSBURG, | 1,482,769 | Nov. 23, | 803 | 618 | 21·7 | . | 9 | 24 | 27 | 10 | 16 | 42 |
| MOSCOW, | 1,296,000 | „ 9, | . | 624 | 25·1 | . | 4 | 15 | 12† | 7 | 3 | 67 |
| BERLIN, | 2,109,296 | „ 23, | 912 | 644 | 15·9 | . | 10 | 1 | 14† | 11 | . | 26 |
| HAMBURG, | 824,792 | „ 30, | . | 257 | 16·2 | . | 3 | . | 4† | 2 | 1 | 23 |
| BRESLAU, | 489,448 | „ 30, | . | 204 | 21·7 | . | 1 | 2 | 4† | 5 | . | 15 |
| MUNICH, | 548,000 | Dec. 7, | . | 188 | 17·8 | . | 7 | . | 2† | 2 | . | 24 |
| VIENNA (with suburbs). | 1,999,912 | „ 7, | 750 | 510 | 13·3 | . | 3 | 9 | 3† | . | . | 33 |
| BUDA-PESTH, | 802,235 | Nov. 23, | 365 | 308 | 20·0 | . | 13 | 11 | 1† | 1 | 3 | 18 |
| PRAGUE and Faubourgs. | 473,072 | „ 16, | 153 | 178 | 19·6 | . | 4 | 1 | 3† | 1 | 3 | 10 |
| TRIESTE, | 202,920 | „ 23, | 116 | 74 | 19·0 | . | . | . | . | 1 | . | 6 |
| ROME, | 545,610 | Sept. 28, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | Nov. 9, | 57 | 47 | 14·1 | . | . | 1 | . | . | . | 5 |
| NEW YORK, | 4,285,435 | „ 23, | 2,331 | 1,322 | 16·1 | . | 5 | 17 | 31† | 1 | 14 | 40 |
| PHILADELPHIA, | 1,500,595 | Sept. 7, | . | 462 | 16·0 | . | . | 3 | 5† | 5 | 11 | 78 |
| | | „ 14, | . | 457 | 15·8 | . | . | 2 | 8† | 7 | 8 | 70 |
| BOSTON, | 609,757 | Nov. 23, | . | 198 | 16·9 | . | . | . | 6 | . | 1 | 3 |

*a*. Including one death from cerebro-spinal meningitis in Edinburgh and 3 in Glasgow.
* Including 70 deaths from cholera in Calcutta, 3 in Bombay, and 4 in Madras.
† Including deaths from croup.
‡ Exclusive of 12 deaths from plague in Calcutta, 18 in Bombay, and one in Madras.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st December, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) Continued Fever. | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | 1 | . | . | . | 2 | . | . | . | 3 |
| " " 1, West, | . | . | . | . | 4 | . | . | . | 2 | . | . | . | 6 |
| " " 2, | . | . | . | . | 1 | . | 2 | . | . | . | . | . | 3 |
| " " 3, | . | . | . | . | 1 | . | 1 | 2 | . | . | . | . | 4 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . | 3 |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No. 1, | . | 1 | . | . | . | . | . | . | 11 | . | . | . | 12 |
| " " 2, | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 3 |
| " " 3, | . | 2 | . | . | . | . | 1 | 1 | . | . | . | . | 4 |
| " " 4, | . | 1 | . | . | 2 | . | . | . | 1 | . | . | . | 4 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 4 | . | . | 10 | . | 5 | 4 | 18 | 1 | . | . | 42 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st December, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 21st December. | | | |
|---|---|---|---|---|---|---|---|
| | Nov. 30. | Dec. 7. | Dec. 14. | No. admitted. | Discharged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 7 | 12 | 14 | 11 | 8 | . | 17 |
| Scarlet Fever, | 38 | 35 | 38 | 11 | 2 | 1 | 46* |
| Typhus, | . | . | . | . | . | . | . |
| Diphtheria, | 30 | 29 | 32 | 7 | 11 | 2 | 26 |
| Enteric Fever, | 51 | 45 | 47 | 6 | 15 | 1 | 37 |
| Pneumonia, | 30 | 36 | 36 | 11 | 11 | 1 | 35 |

* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 21st December, 1907:—

"'After a storm comes a calm'—the tempest which played havoc along the shores of the English Channel on Saturday, December 14, was succeeded by a brief spell of tranquil, cold weather on Sunday, the 15th. So rapid had been the rise of the barometer in the wake of the depression of the 13th-14th, that at Spurn Head the mercury stood 1·41 inches higher at 8 a.m. of Sunday than at the same hour of the previous day. In Dublin Sunday broke fair and frosty; thick fog formed later, and in the afternoon the sky became overcast, rain falling at 6 p.m. and temperature rising fast. On Monday the isobars ran nearly north and south across Western Europe, and a warm, very humid southerly air-current passed over the British Isles. Conditions showed little change on Tuesday and Wednesday, save that rain fell continuously and heavily in the West of Ireland. On Thursday a shallow baric depression advanced over Ireland in a north-easterly direction. This system caused gloom, fog and a downpour of rain—1·19 inches at Valentia in the 24 hours ended at 8 a.m. of Friday, ·76 inch at Roche's Point, Cork Harbour, ·72 inch at Blacksod Point, ·64 inch at Holyhead, ·58 inch at Birr Castle, and ·49 inch in Dublin. Friday was warm and changeable, Saturday was mild, finer and drier than of late in the Dublin district. The week closed with an overcast sky, S. winds, and a renewed high temperature. In Dublin the mean height of the barometer was 29·823 inches, pressure rising to 30·033 inches at 9 a.m. of Tuesday (wind, S. by W.) and falling to 29·501 inches at 9 p.m. of Friday (wind, S.). The corrected mean temperature was 47·9°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 48·1°. On Sunday the screened thermometers fell to 31·0°, on Friday they rose to 54·8°. Southerly winds prevailed throughout. Rain fell on 6 days to the amount of ·600 inch, ·490 inch being recorded on Thursday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·828 inches. The highest reading (30·028) was on Tuesday at 9 a.m., wind S.S.E., and the lowest (29·550) on Friday at 9 p.m., wind S.

The mean temperature for the week was 47·0°, being 5·4° above the average for the corresponding period of the 9 years, 1897–9 and 1901–6. The temperature was highest on Friday, on which day the thermometer registered 54·3°, and was lowest on Sunday, the mercury having fallen to 27·7°. The mean of the Dry Bulb for the week was 47·4°, and of the Wet Bulb 45·9°. The mean humidity of the air was ·90, complete saturation being represented by 1·0. The rainfall during the week measured 0·873 inch.

At Greenwich the mean temperature for the week was 44·2°, the maximum 55·3°, and the minimum 28·1°; at Glasgow the maximum was 50·8°, the minimum 27·8°, and the mean 42·9°; and at Edinburgh the maximum was 48·5°, the minimum 32·9°, and the mean 42·1°. The rainfall at Greenwich measured 0·04 in.; at Glasgow 1·84 ins.; and at Edinburgh 1·27 ins. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. 9 A.M. | Direction of the Wind. 9 P.M. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | | |
| Sunday, Dec. 15, | 29·940 | 45·0 | 27·7 | 36·4 | 36·6 | 36·0 | ·95 | ·5 | 0·0 | ·090 | Calm. | Calm. |
| Monday, „ 16, | 29·952 | 53·1 | 44·2 | 48·7 | 51·2 | 48·9 | ·84 | ·6 | 0·0 | ·000 | S.E. | S. |
| Tuesday, „ 17, | 30·021 | 54·1 | 48·7 | 51·4 | 50·3 | 48·3 | ·86 | ·7 | 0·0 | ·010 | S.S.E. | S.E. |
| Wednesday, „ 18, | 29·913 | 51·0 | 40·0 | 45·5 | 47·1 | 45·0 | ·86 | ·7 | 2·7 | ·005 | S.S.W. | S.S.W. |
| Thursday, „ 19, | 29·763 | 51·1 | 46·4 | 48·9 | 48·7 | 48·6 | 1·00 | ·6 | 0·0 | ·670 | S.W. | N.E. |
| Friday, „ 20, | 29·569 | 54·3 | 46·1 | 50·2 | 50·6 | 49·0 | ·89 | ·7 | 0·0 | ·043 | S.S.W. | S. |
| Saturday, „ 21, | 29·637 | 49·8 | 45·9 | 47·9 | 47·4 | 45·6 | ·88 | ·7 | 0·1 | ·055 | S.W. | S.S.W. |
| Mean, . . | 29·828 | 51·2 | 42·7 | 47·0 | 47·4 | 45·9 | ·90 | ·6 | Total 2·8 | Total ·873 | Prevailing Wind, S.S.W. | |

*Sunday*—Day overcast, light rain 6.0 p.m. to 9.15 p.m.; night cloudy. *Monday*—Day overcast,; night cloudy. *Tuesday*—Day overcast, light showers at intervals, 8.30 p.m. to 12.0; night cloudy. *Wednesday*—Cloudy a.m. overcast p.m.; night cloudy, light rain 5.0 a.m. to 6.30 a.m. *Thursday*—Day overcast, light rain 8 0 a.m. to 12.0 midnight; night overcast, light rain 12.0 to 1 a.m. *Friday*—Day overcast, light showers a.m. and p.m.; night cloudy. *Saturday*—Day overcast; night overcast and showery.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 21st, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Dec. 15, | 32·0 | 40·0 | 45·0 | 47·0 | 31·6 | 39·3 | — | ·020 |
| Monday, „ 16, | 51·2 | 40·9 | 44·9 | 53·7 | 46·1 | 49·9 | — | — |
| Tuesday, „ 17, | 52·0 | 43·3 | 44·8 | 54·8 | 48·8 | 51·8 | — | ·002 |
| Wednesday, „ 18, | 46·4 | 44·0 | 44·9 | 51·2 | 45·0 | 48·1 | 2·1 | ·002 |
| Thursday, „ 19, | 51·3 | 44·0 | 45·0 | 53·1 | 47·9 | 50·5 | — | ·530 |
| Friday, „ 20, | 54·0 | 45·2 | 45·0 | 56·0 | 48·2 | 52·1 | — | ·040 |
| Saturday, „ 21, | 47·5 | 45·8 | 45·8 | 51·3 | 48·0 | 49·7 | — | ·20 |
| Weekly Mean, . | 47·8 | 43·3 | 45·1 | 52·4 | 45·1 | 48·8 | Total 2·1 | Total ·614 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 12. 1907.—19712.

# WEEKLY RETURN OF BIRTHS AND DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-ONE of the PRINCIPAL URBAN DISTRICTS IN IRELAND

By Authority of the Registrar-General.

DUBLIN: PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE BY ALEXANDER THOM & CO. (LIMITED), ABBEY-STREET.

And to be purchased, either directly or through any Bookseller, from E. PONSONBY, 116, GRAFTON-STREET, DUBLIN; or WYMAN & SONS, LTD., FETTER-LANE, E.C.; or OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

*Price* 1½*d.*

VOL. XLIV.] WEEK ENDING SATURDAY, 28TH DECEMBER, 1907. [No. 52.


*General Register Office, Charlemont House, Dublin, 30th December,* 1907.

## TWENTY-TWO TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered* last week in the Dublin Registration Area and the twenty-one principal provincial Urban Districts of Ireland was 19·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,117,547.† The deaths registered in each of the past four weeks, and during the whole of that period, in the several Districts, alphabetically arranged, corresponded to the following annual rates per 1,000. In some instances, owing to deaths not having been registered within the week in which they occurred, the rates do not fairly represent the weekly mortality.

| Towns, &c. | Week ending Dec. 7. | Week ending Dec. 14. | Week ending Dec. 21. | Week ending Dec. 28. | Average Rate for 4 weeks. | Towns, &c. | Week ending Dec. 7. | Week ending Dec. 14. | Week ending Dec. 21. | Week ending Dec. 28. | Average Rate for 4 weeks. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| **22 Town Dists.** | **24·2** | **22·9** | **23·3** | **19·8** | **22·5** | Limerick, . . | 20·5 | 27·3 | 32·8 | 10·9 | 22·9 |
| | | | | | | Lisburn, . . | 27·3 | 9·1 | 18·2 | 22·7 | 19·3 |
| Armagh, . . | 13·7 | 34·4 | 13·7 | 20·6 | 20·6 | Londonderry, . | 25·8 | 13·5 | 17·2 | 7·4 | 16·0 |
| Ballymena, | 28·7 | 23·9 | 4·8 | 14·4 | 18·0 | Lurgan, . . | 17·7 | 35·4 | 44·3 | 17·7 | 28·8 |
| Belfast, . . | 26·9 | 26·3 | 24·2 | 23·9 | 25·3 | Newry, . . | 16·8 | 25·2 | 33·6 | 29·4 | 26·2 |
| Clonmel. . . | 5·1 | 20·5 | 35·9 | 5·1 | 16·7 | Newtownards, . | 11·4 | 11·4 | 22·9 | . | 11·4 |
| Cork, . . . | 15·8 | 18·5 | 19·2 | 12·3 | 16·5 | Portadown, . | 20·7 | 5·2 | 31·0 | 20·7 | 19·4 |
| Drogheda, . | 16·3 | 28·6 | 24·5 | 24·5 | 23·5 | Queenstown . | 6·6 | 19·8 | 13·2 | 13·2 | 13·2 |
| Dublin Reg. Area, | 26·7 | 22·3 | 25·0 | 19·8 | 23·4 | Sligo . . . | 9·6 | 28·8 | . | 4·8 | 10·8 |
| Dundalk . | 12·0 | 19·9 | 8·0 | 8·0 | 12·0 | Tralee, . . | . | 42·3 | 10·6 | 10·6 | 15·9 |
| Galway, . . | 27·2 | . | 27·2 | 38·8 | 23·3 | Waterford, . | 21·4 | 25·3 | 9·7 | 25·3 | 20·4 |
| Kilkenny, . . | 9·8 | . | 24·6 | 24·6 | 14·8 | Wexford, . . | 42·0 | 14·0 | 18·7 | 28·0 | 25·7 |

The deaths from certain epidemic diseases‡ registered in the 22 districts during last week* were equal to an annual rate of 1·6 per 1,000, the rates varying from 0·0 in sixteen of the districts to 11·7 in Galway, the 10 deaths from all causes in that district including one from diphtheria and 2 from *pyrexia* (origin uncertain). Among the 170 deaths from all causes registered in Belfast are 11 from measles, one from typhus, 3 from whooping-cough, 3 from diphtheria, 3 from diarrhœal diseases, 3 from cerebro-spinal fever, and one returned as from *cerebro-spinal meningitis.* The 8 deaths from all causes in Limerick include 2 from measles, and of the 4 deaths from all causes in Lurgan one is from diphtheria and one from diarrhœa.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 123—65 boys and 58 girls; and the deaths to 155—71 males and 84 females.

### DEATHS.

The deaths registered represent an annual rate of mortality of 20·7 in every 1,000 of the population. Omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, the rate was 19·8 per 1,000. During the fifty-two weeks ending with Saturday last the death-rate averaged 24·3, and was 1·0 below the mean rate for the corresponding portions of the ten years, 1897–1906.

* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts. † See note (a), Table II. ‡ See columns 10–18 of Table II.

The deaths registered, in number 155, include one death from scarlet fever, 2 deaths from whooping-cough, one death from diphtheria, and one death from enteric fever. In the 3 preceding weeks, deaths from scarlet fever were one, 0, and one; deaths from whooping-cough were 3, one, and 2; deaths from diphtheria were 2, 3, and 3; and deaths from enteric fever were 2, 0, and 0, respectively. One death was due to influenza, and one death from cerebro-spinal fever was reported.

Of 12 deaths from pnuemonia, one was attributed to lobar pneumonia, 7 to broncho-pneumonia, and 4 to *pneumonia* (not defined).

The total deaths from all forms of tuberculous disease amounted to 30. In each of the 3 weeks preceding, such deaths were 24, 31, and 30. The deaths registered in the week under notice include 12 from tuberculous phthisis, 9 returned as from *phthisis*, 2 from tuberculous meningitis, one from *tabes mesenterica*, and 6 deaths from other forms of the disease.

There was one death from sarcoma and 4 deaths from cancer (undefined).

The death of one infant, prematurely born, was registered.

The deaths (12) from diseases of the brain and nervous system include 6 deaths of children under 5 years of age from *convulsions*, 5 of the latter being under one year of age.

Twenty-two deaths were attributed to diseases of the heart and blood vessels, and there were 32 deaths from bronchitis.

Of 4 deaths from accidental causes, 2 were of children under 5 years of age from burns or scalds.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year of age and the death of a person aged 62 years.

Forty-five of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 4 were under one month old), and 38 were aged 60 years and upwards, including 19 persons aged 70 and upwards, of whom 4 were octogenarians, and one (a female) was stated to have been aged 90 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the N. Dublin Union Workhouse, 14 in the S. Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the districts from which the deceased were admitted, and the annual death-rate for each district calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·8 per 1,000; the rate in the City was 21·8 (North City Districts, 21·3; South, 22·4), and in the Suburbs, 12·8 per 1,000.

The deaths from certain epidemic diseases* in the entire Area equal an annual rate of 0·7 per 1,000 inhabitants, the rate for the City being 0·5 (0·3 in the North City Districts, and 0·7 in the South) and for the Suburbs, 1·2 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 18·0 per 1,000, and include 2 deaths from tuberculous disease and 3 deaths from bronchitis.

*No. 1 North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 25·3 per 1,000 Tuberculous disease caused 4 deaths, and diseases of the respiratory system caused 8 deaths.

*No. 2 North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 19·1 per 1,000. Among the deaths there were 3 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (14) represent an annual rate of 22·5 per 1,000. The deaths included 2 from broncho-pneumonia, one from *pneumonia* (not defined), 5 from tuberculous disease of the lungs, and one death from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 20·4 per 1,000 inhabitants, Coolock and Drumcondra, No. 1, part of, 19·0; and Finglas and Glasnevin, part of, 21·7. The 2 deaths from all causes for Clontarf and Howth. No, 1, part of, comprise one from diphtheria and one from bronchitis. The 4 deaths from all causes for Coolock and Drumcondra. No. 1, part of, include one each from influenza and *pneumonia* (not defined).

*No. 1 South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·6 per 1,000. Of the deaths one was due to scarlet fever, and one to cerebro-spinal fever; there were 6 deaths from tuberculous disease, and 4 deaths from bronchitis.

*No. 2 South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 30·4 per 1,000. The deaths include 2 from tuberculous disease, 3 from bronchitis, and one death of a child from accidental burning.

*No. 3 South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 28·4 per 1,000. There were 2 deaths from broncho-pneumonia, 3 deaths from tuberculous disease, 8 deaths from diseases of the respiratory system, and one death of a child from accidental scalds.

*No. 4 South City District* (Grand Canal-street).—The deaths (10) are equivalent to an annual rate of 14·8 per 1,000. Broncho-pneumonia and *pneumonia* (not defined) each caused one death, tuberculous phthisis caused one death, and 2 deaths were from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 17·6 per 1,000, and include one death from enteric fever and one death from tuberculous meningitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·7; Pembroke, 5·6; Blackrock, 41·7; and Kingstown, 11·8. The deaths from the principal epidemic diseases tabulated for these districts include one from whooping-cough in each of Blackrock and Kingstown. The 8 deaths from all causes for Rathmines and Rathgar include one from *pneumonia* (not defined) and 3 from bronchitis. Of the 3 deaths from all causes for Pembroke one was from tuberculous phthisis; and the 7 deaths from all causes for Blackrock include one from lobar-pneumonia, one from broncho-pneumonia, and one from *phthisis*.

* See Columns 10–18 of Table II.

NOTE.—Names of causes of deaths printed in *italics* on this page and in Table IV. should be avoided when possible in Medical Certificates.

## STATE OF INFECTIOUS DISEASE.

ETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases' ification) Act, 1889," as set forth in the following Table have been kindly furnished by:—
r Charles Cameron, C.B., M.D., Medical Superintendent Officer of Health for the City of Dublin, Mr. cett, Executive Sanitary Officer for Rathmines and Rathgar Urban District; Mr. Manly, Executive tary Officer for Pembroke Urban District; Mr. Heron, Executive Sanitary Officer for Blackrock in District; by Dr. R. A. O'Donovan, Medical Superintendent Officer of Health for Kingstown in District; and by Dr. Bailie, Medical Superintendent Officer of Health for the City of Belfast.
LE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration rea (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, lackrock, and Kingstown), and in the City of Belfast, during the week ended 28th December, 1907, nd each of the preceding three weeks. A dash (—) denotes that the disease in question is not otifiable in the District.

| TIES AND URBAN STRICTS. | Week ending | Small-pox. | Measles. | Rubella or Epidemic Rose Rash. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain) *Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Varicella. | Whooping-cough. | Cerebro-spinal Fever. | Diarrhœal Diseases. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ity of ublin. | Dec. 7, | . | — | — | 7 | . | . | 2 | 5 | 2 | 10 | 13 | . | — | — | — | — | — | 39 |
| | Dec. 14 | . | — | — | 5 | . | . | 7 | 1 | 5 | 4 | 9 | . | — | — | — | — | — | 31 |
| | Dec. 21, | . | — | — | 4 | . | . | 10 | . | 5 | 4 | 18 | 1 | — | — | — | — | — | 42 |
| | Dec. 28 | . | — | — | 3 | . | . | 3 | . | 4 | 6 | 14 | . | — | — | — | — | — | 30 |
| hmines Rathgar rban strict. | Dec. 7, | . | — | — | 2 | . | . | 1 | . | . | . | 1 | . | — | — | — | — | — | 4 |
| | Dec. 14, | . | — | — | 1 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 2 |
| | Dec. 21, | . | — | — | 5 | . | . | . | . | . | 1 | . | . | — | — | — | — | — | 6 |
| | Dec. 28, | . | — | — | 1 | . | . | 2 | . | . | . | 1 | . | — | — | — | — | — | 4 |
| abroke rban strict. | Dec. 7, | . | . | 3 | . | . | . | 1 | . | . | . | 1 | . | — | . | . | — | — | 5 |
| | Dec. 14, | . | 1 | 4 | . | . | . | . | 1 | . | . | . | . | — | . | . | — | — | 6 |
| | Dec. 21, | . | . | 4 | 1 | . | . | . | . | . | . | . | . | — | 3 | . | — | — | 8 |
| | Dec. 28, | . | . | . | 1 | . | . | . | . | . | . | . | . | — | 2 | . | — | — | 3 |
| ckrock rban strict. | Dec. 7, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Dec. 14, | . | — | — | 3 | . | . | . | . | . | . | . | . | — | — | . | — | — | 3 |
| | Dec. 21, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| | Dec. 28, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | . | — | — | . |
| gstown rban strict. | Dec, 7, | . | — | — | . | . | . | . | . | . | 3 | . | . | — | — | — | — | — | 3 |
| | Dec, 14, | . | — | — | . | . | . | . | . | . | . | . | . | — | — | — | — | — | . |
| | Dec. 21, | . | — | — | . | . | . | . | . | . | . | 1 | . | — | — | — | — | — | 1 |
| | Dec. 28, | . | — | — | . | . | . | . | . | . | . | 2 | . | — | — | — | — | — | 2 |
| ty of lfast. | Dec. 7, | . | — | — | 4 | . | . | 5 | . | 2 | 5 | 4 | 2 | — | — | 5 | — | — | 27 |
| | Dec. 14, | . | — | — | 8 | . | . | 1 | . | 7 | 3 | 12 | 1 | — | — | 1 | — | — | 33 |
| | Dec. 21, | . | — | — | 4 | . | . | 9 | . | 9 | 8 | 5 | . | — | — | 5 | — | — | 40 |
| | Dec. 28, | . | — | — | 6 | . | . | 3 | . | 2 | 5 | 4 | . | — | — | 4 | — | — | 24 |

### CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

able XII. exhibits the number of cases of certain infectious diseases treated in the lin Hospitals during the week ended 28th December, 1907.

om this it appears that:—

x cases of measles were admitted into hospital during the week, one was discharged, 22 cases remained under treatment at its close.

n cases of scarlet fever were admitted to hospital, 7 were discharged, and 49* cases ained under treatment at the close of the week.

e case of typhus was admitted to hospital during the week, and remained under treatment close.

ur cases of diphtheria were admitted to hospital, one was discharged, there was death, and 28 patients remained under treatment at the close of the week.

ree cases of enteric fever were admitted to hospital during the week, 2 were discharged, 38 cases remained under treatment in hospital at the close of the week.

addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, ere discharged, there were two deaths, and 28 cases remained under treatment at the of the week.

## ENGLAND AND SCOTLAND.

e mortality last week in 76 large English towns, including London (in which the was 14·5), was equal to an average annual death-rate of 14·7 per 1,000 persons living, average rate for 8 principal towns of Scotland was 18·2 per 1,000, the rate for Glasgow 19·5 and for Edinburgh 16·6.

### INFECTIOUS DISEASE IN EDINBURGH.

he Registrar-General has been favoured by Sir Henry D. Littlejohn, M.D., Medical Officer of Health dinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th nber. From this Report it appears that of a total of 50 cases notified 29 were scarlet fever, 8 diphtheria, ipelas, and one enteric fever. Among the 369 cases of infectious diseases in hospital at the close week were 212 cases of scarlet fever, 33 of diphtheria, 29 of measles, 13 of whooping-cough, 11 of elas, and 7 of enteric fever.

* See note (*) at foot of Table XII.

TABLE II.—**BIRTHS and DEATHS** registered during the Week ending Saturday, 28th December, 1907, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 21 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths; also the **Temperature** and **Rainfall** for the Week, and for each of two Weeks immediately preceding.

| Towns and Districts. | Census Statistics of Districts. Population. Total.a | Population. Persons to an Acre. | Annual Rate per 1,000 persons represented. Births | Deaths. From all Causes. | Deaths. From Diseases. in cols. 10-18. | Registration—Week ending Saturday, 28th December, 1907. Numbers Registered. Births. | Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia, b (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. c | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. | Meteorology. (e) Week ending 28th December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 21st December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. | Week ending 14th December, 1907. Air Temperature. Absolute Highest. | Absolute Lowest. | Mean. | Rainfall in Inches. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (8) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) | (30) | (31) | (32) | (33) | (34) | (35) | (36) | (37) | (38) | (39) |
| Total of 22 Town Districts. | 1,117,547 | 19·6 | 18·7 | 19·8 | 1·6 | 400 | 424 | 72 | 118 | . | 13 | 1 | 1 | 5 | 6 | 2 | 1 | 5 | 33 | 48 | 21 | 11 | 88 | 3 | 9 | 121 | 14 | . | . | . | . | . | . | . | . | . | . | . | . |
| Dublin Registration Area:—Total, d. | 390,691 | 28·4 | 16·4 | 19·8 | 0·7 | 123 | 148 | 25 | 38 | . | . | 1 | . | 2 | 1 | . | 1 | . | 12 | 21 | 8 | 3 | 34 | 2 | 1 | 54 | 3 | f50·2 | 25·7 | 39·4 | 0·18 | f54·3 | 27·7 | 47·0 | 0·87 | f54·1 | 32·4 | 42·7 | 0·36 |
| | | | | | | | | | | | | | | | | | | | 9 | 19 | 8 | 1 | 31 | 2 | 1 | 48 | 3 | g51·3 | 34·0 | 41·1 | 0·32 | g54·8 | 31·0 | 47·9 | 0·60 | g54·2 | 35·0 | 43·7 | 0·31 |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | h50·9 | 26·0 | 38·7 | 0·36 | h55·1 | 28·8 | 47·7 | 0·70 | h53·6 | 30·0 | 42·5 | 0·37 |
| City of Dublin, | 300,850 | 38·0 | 18·4 | 21·8 | 0·5 | 106 | 126 | 22 | 31 | . | . | 1 | . | . | 1 | . | 1 | . | 1 | . | . | . | 3 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Dists. Rathmines and Rathgar. | 35,606 | 20·8 | 8·8 | 11·7 | . | 6 | 8 | 1 | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pembroke | 27,854 | 17·5 | 11·2 | 5·6 | . | 6 | 3 | . | 1 | . | . | . | . | 1 | . | . | . | . | 2 | 1 | . | 1 | . | . | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Blackrock | 8,759 | 8·1 | . | 41·7 | 6·0 | . | 7 | . | 2 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 51 | 35 | 44·3 | 0·37 | 53·0 | 32·5 | 46·8 | 0·69 | 58 | 37·5 | 44·8 | 0·51 |
| Kingstown, | 17,622 | 12·1 | 14·8 | 11·8 | 3·0 | 5 | 4 | 2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Urban Districts. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Belfast (i), | 370,168 | 25·2 | 23·1 | 23·9 | 3·0 | 164 | 170 | 33 | 39 | . | 11 | . | 1 | 3 | 3 | . | . | 3 | 18 | 16 | 7 | 2 | 39 | . | 2 | 38 | 5 | 50·0 | 32·5 | 41·4 | 0·88 | 51·0 | 28·5 | 43·7 | 0·94 | 51·0 | 31·0 | 41·3 | 1·21 |
| Cork, | 76,122 | 33·6 | 10·3 | 12·3 | . | 15 | 18 | 3 | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 3 | . | . | 6 | 2 | 50 | 35 | 44·3 | 2·79 | 51 | 35 | 47·2 | 2·00 | 53 | 36 | 44·9 | 0·50 |
| Londonderry, | 42,475 | 19·6 | 17·2 | 7·4 | . | 14 | 6 | . | 5 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Limerick, | 38,151 | 18·1 | 4·1 | 10·9 | 2·7 | 3 | 8 | 2 | 1 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | 1 | . | 1 | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Waterford, | 26,769 | 18·7 | 17·5 | 25·3 | 1·9 | 9 | 13 | 1 | 4 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | 1 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Galway, | 18,426 | 2·5 | 27·2 | 38·8 | 11·7 | 7 | 10 | 1 | 4 | . | . | . | . | . | . | 1 | 2 | . | . | . | . | . | . | . | . | 5 | . | 51 | 31 | 43 | 0·75 | 53 | 39 | 46 | 1·75 | 53 | 32 | 43 | 1·39 |
| Dundalk, | 18,076 | 9·4 | 4·0 | 8·0 | . | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Drogheda, | 12,760 | 8·6 | 32·7 | 24·5 | . | 8 | 6 | . | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | . | 4 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newry, | 12,405 | 17·8 | 25·2 | 29·4 | . | 6 | 7 | 1 | 4 | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | 1 | . | . | 1 | 1 | 48·3 | 26·3 | 38·9 | 0·13 | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 |
| Lurgan, | 11,782 | 13·8 | 48·7 | 17·7 | 8·9 | 11 | 4 | 1 | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | . | . | . | . | . | . | 48·3 | 26·3 | 38·9 | 0·13 | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 |
| Lisburn, | 11,461 | 10·1 | 31·8 | 22·7 | . | 7 | 5 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 3 | . | . | 48·3 | 26·3 | 38·9 | 0·13 | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 |
| Wexford, | 11,168 | 23·2 | 14·0 | 28·0 | . | 3 | 6 | 2 | 2 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . |
| Ballymena, | 10,886 | 8·9 | 19·2 | 14·4 | . | 4 | 3 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Sligo, | 10,870 | 3·7 | . | 4·8 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | . | 3 | 1 | 49·4 | 29·4 | 38·7 | 0·14 | 52·4 | 29·9 | 45·2 | 1·31 | 53·3 | 30·4 | 42·6 | 1·52 |
| Kilkenny, | 10,609 | 11·5 | 14·7 | 24·6 | . | 3 | 5 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 49 | 27 | 39 | 0·32 | 52 | 33 | 46·0 | 1·30 | 51 | 29 | 41·4 | 0·57 |
| Clonmel, | 10,167 | 7·8 | 10·3 | 5·1 | . | 2 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Portadown, | 10,092 | 18·2 | 46·5 | 20·7 | . | 9 | 4 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 48·3 | 16·3 | 38·9 | 0·18 | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 |
| Tralee, | 9,867 | 16·6 | . | 10·6 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Newtownards, | 9,110 | 18·9 | 11·4 | . | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 48 | 33 | 40·5 | 0·20 | 51 | 33 | 45·5 | 1·30 | 50 | 32 | 41·8 | 0·41 |
| Queenstown, | 7,909 | 14·4 | 39·6 | 18·2 | . | 6 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 50 | 35 | 44·3 | 2·79 | 51 | 35 | 47·2 | 2·00 | 53 | 36 | 44·9 | 0·50 |
| [illegible] | [illegible] | [illegible] | [illegible] | 20·6 | . | 3 | 3 | . | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 48·3 | 26·3 | 38·9 | 0·13 | 51·8 | 28·9 | 44·8 | 0·83 | 52·5 | 33·3 | 41·4 | 0·74 |

[illegible] Districts, and the Cities of Belfast and Londonderry, the Population given is that [illegible] from localities outside the Area.

TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday, the 28th of December, 1907, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

| NAMES OF DISEASES, &c. | DEATHS IN DUBLIN REGISTRATION AREA. | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | CITY OF DUBLIN. | | | | | | | | | | | | | | | | TOTAL FOR DUBLIN REGISTRATION AREA | Deaths in Institutions of Persons admitted from without the Registration Area. |
| | REGISTRATION DISTRICTS IN | | | | | | | | | | | | | URBAN DISTRICTS OF | | | | |
| | Dublin North Superintendent Registrar's District. | | | | | | | Dublin Sth. Superintendent Reg.'s District. | | | | | | | | | | |
| | NORTH CITY No. 1E. | NORTH CITY No. 1 W. | NORTH CITY No. 2. | NORTH CITY No. 3. | GLASNEVIN & HOWTH No. 1 (part of). | COOLOCK and DRUMCONDRA, No. 1 (pt. of) | FINGLAS and GLASNEVIN (part of). | SOUTH CITY No. 1. | SOUTH CITY No. 2. | SOUTH CITY No. 3. | SOUTH CITY No. 4. | NEW KILMAINHAM. | RATHMINES AND RATHGAR. | PEMBROKE. | BLACKROCK. | KINGSTOWN. | | |
| **A. GENERAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Scarlet Fever, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . |
| Diphtheria, | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| *Pyrexia** (origin uncertain) | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Enteric Fever, | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | . |
| Diarrhœal Diseases, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, | . | . | 1 | 3 | . | 1 | . | . | . | 2 | 2 | . | 1 | . | 2 | . | 12 | . |
| Tuberculous Disease. { Phthisis, | 1 | 3 | 2 | 5 | . | . | . | 4 | 1 | 2 | 1 | . | . | 1 | 1 | . | 21 | . |
| Tuberculous Disease. { Other Forms. | 1 | 1 | 1 | . | . | . | . | 2 | 1 | 1 | . | 1 | . | . | . | . | 8 | 1 |
| Cancer, Malignant Disease, | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 | 3 | 2 |
| Other General Diseases, | . | 1 | 2 | 1 | . | 1 | . | 1 | 1 | 2 | . | . | . | . | 1 | . | 10 | . |
| Total, | 2 | 5 | 6 | 9 | 1 | 2 | . | 8 | 3 | 8 | 3 | 2 | 1 | 1 | 6 | 2 | 59 | 3 |
| **B. LOCAL DISEASES:** | | | | | | | | | | | | | | | | | | |
| Diseases of { Nervous System | 3 | 1 | 3 | 1 | . | . | . | . | . | 2 | . | . | . | 1 | . | 1 | 12 | . |
| Diseases of { Organs of Special Sense, | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Diseases of { Heart and Blood Vessels, | . | 4 | . | 2 | . | 1 | . | 1 | 3 | 3 | 3 | 1 | 2 | 1 | . | 1 | 22 | . |
| Diseases of { Respiratory System, | 3 | 3 | 1 | 1 | 1 | . | . | 4 | 3 | 3 | 2 | . | 3 | . | . | . | 34 | 1 |
| Diseases of { Digestive System, | 1 | . | 1 | 1 | . | 1 | 2 | 1 | 1 | . | . | . | . | . | . | . | 8 | . |
| Diseases of { Lymphatic System &c. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 |
| Diseases of { Urinary System, | . | 1 | . | . | . | . | 1 | . | 1 | . | . | . | 2 | . | 1 | . | 6 | . |
| Diseases of { Generative System | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Accidents of Childbirth, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Diseases of Locomotor System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ,, Integumentary System, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total | 7 | 14 | 5 | 5 | 1 | 3 | 3 | 6 | 8 | 13 | 6 | 1 | 7 | 2 | 1 | 2 | 83 | 2 |
| **C. OTHER SPECIFIED DISEASES** | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| **D. CAUSES ILL-DEFINED AND NOT SPECIFIED,** | 1 | . | . | . | . | . | . | 1 | . | 1 | 1 | . | . | . | . | . | 4 | . |
| **E. VIOLENT DEATHS,** | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | . | . | . | 2 | 2 |
| **Deaths from all Causes,** | 10 | 19 | 11 | 14 | 2 | 4 | 3 | 15 | 12 | 23 | 10 | 3 | 8 | 3 | 7 | 4 | 148 | 7 |
| **Annual Rate of Mortality from all causes** in every 1,000 of the population | 18·0 | 25·3 | 19·1 | 22·5 | 20·4 | 19·0 | 21·7 | 19·6 | 30·4 | 28·4 | 14·8 | 17·6 | 11·7 | 5·6 | 41·7 | 11·8 | 19·8 | . |
| | 21·3 | | | | | | | 22·4 | | | | | 12·8 | | | | | |
| | 21·8 | | | | | | | | | | | | | | | | | |
| **Ages at Death.** Under 1 year, | 4 | 2 | 2 | 4 | . | 2 | . | 1 | 2 | 2 | 3 | . | 1 | . | . | 2 | 25 | 1 |
| 1 and under 5 years, | . | 2 | 4 | 1 | 1 | . | . | 4 | 2 | 4 | . | . | . | . | 1 | . | 19 | . |
| 5 ,, 20 ,, | 1 | 1 | . | 1 | . | . | . | 1 | 1 | 2 | 2 | 1 | . | 2 | . | . | 12 | 1 |
| 20 ,, 40 ,, | . | 5 | 2 | 2 | . | . | 1 | 5 | . | 2 | 1 | 1 | 2 | . | 1 | . | 22 | 2 |
| 40 ,, 60 ,, | 1 | 4 | 3 | 1 | 1 | 1 | 1 | 2 | 3 | 7 | 2 | . | 2 | . | 3 | 1 | 32 | 3 |
| 60 and upwards, | 4 | 5 | . | 5 | . | 1 | 1 | 2 | 4 | 6 | 2 | 1 | 3 | 1 | 2 | 1 | 33 | . |
| Number of Uncertified Deaths, | . | 1 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . |

NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.

| | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Public Hospitals, Prisons, and Lunatic Asylums, | . | 2 | 2 | . | 1 | . | 1 | 3 | 3 | 3 | 1 | 1 | 1 | . | 3 | . | 21 | 6 |
| Workhouse Hospitals, | 2 | 7 | 4 | 4 | . | 1 | . | 2 | 4 | 4 | 3 | . | 1 | . | . | 1 | 33 | 1 |

* Formerly described as "Simple Continued Fever."

TABLE IV.—DUBLIN REGISTRATION AREA.—**Deaths**, at Eight periods of Life from each Disease registe week of the ten years, 19

| CAUSES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 52nd Week of the 10 years 1897–1906. | In the Week ending Sat 28th December, 19 | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Deaths of Persons of the | | | | |
| | Jan. 1, 1898. | Dec. 31, 1898. | Dec. 30, 1899. | Dec. 29, 1900. | Dec. 28, 1901. | Dec. 27, 1902. | Jan. 2, 1904. | Dec. 31, 1904. | Dec. 30, 1905. | Dec. 29, 1906. | | ALL AGES. | 0 to 5. | | | 5 and under 20. |
| | | | | | | | | | | | | Mean Temp. | Under 1 month. | 1 month and under a year. | 1 to 5. | |
| Mean Temperature. | ° 45·4 | ° 44·5 | ° 35·9 | ° 42·8 | ° 35·2 | ° 46·5 | ° 36·3 | ° 44·1 | ° 45·7 | ° 31·8 | ° 40·8 | ° 39·4 | | | | |
| **ALL CAUSES.** | 223 | 186 | 280 | 149 | 200 | 188 | 240 | 187 | 139 | 170 | 196·2 | 155 | 4 | 22 | 19 | 13 |
| Small-pox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Cowpox, ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles (Morbilli), ... | 1 | . | 15 | . | . | 7 | 1 | 16 | . | 2 | 4·2 | . | . | . | . | . |
| Scarlet Fever, ... ... | 1 | 1 | 1 | 1 | . | 2 | 2 | 1 | . | 1 | 1·0 | 1 | . | . | 1 | . |
| Typhus, ... ... ... | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . |
| Plague, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Influenza, ... ... ... | 3 | 2 | 9 | . | 3 | . | 2 | . | 1 | 2 | 2·2 | 1 | . | . | . | . |
| Whooping-cough, ... ... | 2 | 4 | 2 | 5 | . | 1 | 12 | 2 | 1 | 3 | 3·2 | 2 | . | 1 | 1 | . |
| Diphtheria, ... ... | 2 | 1 | 1 | . | 2 | 3 | . | . | 2 | 1 | 1·2 | 1 | . | . | 1 | . |
| Cerebro-spinal Fever, ... | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| *Pyrexia*† (origin uncertain), | 1 | . | . | . | . | . | 1 | . | 1 | 1 | ·4 | . | . | . | . | . |
| Enteric Fever, ... ... | 5 | 1 | 2 | 3 | 5 | 3 | 1 | 2 | 3 | 1 | 2·6 | 1 | . | . | . | . |
| Asiatic Cholera, .. ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Epidemic Diarrhœa (Infective Enteritis) | 1 | 2 | 1 | 2 | 3 | 1 | . | 1 | . | . | 2·3 | . | . | . | . | . |
| *Diarrhœa*, Dysentery, | | | | | | 3 | . | 5 | 2 | 2 | | . | . | . | . | . |
| Tetanus, ... ... .. | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Rabies, *Hydrophobia*, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Glanders, ... ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Anthrax (Splenic Fever), ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Venereal Disease, ... ... | 2 | . | . | . | . | . | 3 | 3 | 2 | 1 | 1·1 | 2 | . | 1 | 1 | . |
| Puerperal Septicæmia, Puerperal Pyæmia, *Puerperal Fever*, ... | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . |
| Infective Endocarditis, ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Pneumonia, Lobar, | | | | | | . | 1 | 2 | . | 1 | 13·3 | 1 | . | . | . | . |
| Pneumonia, Broncho-Epidemic, | 14 | 7 | 22 | 12 | 7 | 7 | 10 | 5 | 8 | 6 | | 7 | 1 | 2 | 2 | . |
| Pneumonia, Not defined, | | | | | | . | . | . | . | . | | . | . | . | . | . |
| | | | | | | 8 | 10 | 5 | 3 | 5 | | 4 | . | 1 | 1 | 1 |
| Erysipelas, ... ... | 1 | . | . | . | 2 | 2 | . | . | . | . | ·5 | 1 | . | . | . | . |
| Septicæmia (not Puerperal) Pyæmia (not Puerperal), | . | 1 | 1 | . | 1 | . | 1 | 1 | . | . | ·5 | . | . | . | . | . |
| | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Other Infective Conditions, | . | . | . | . | . | 1 | . | . | . | . | ·1 | . | . | . | . | . |
| Tuberculous Phthisis, | 22 | 18 | 28 | 17 | 21 | 3 | 7 | 6 | 5 | 7 | 21·4 | 12 | . | . | . | 3 |
| "*Phthisis*," ... | | | | | | 20 | 18 | 15 | 14 | 13 | | 9 | . | . | . | . |
| Tuberculous Meningitis, ... | . | 6 | 6 | 2 | 4 | 4 | 3 | 3 | . | 6 | 3·4 | 2 | . | . | . | 2 |
| Tuberculous Peritonitis, *Tabes Mesenterica*, ... | 5 | 4 | 5 | 1 | 1 | 1 | . | . | . | . | 2·1 | . | . | . | . | . |
| | | | | | | 1 | 1 | 1 | . | 1 | | 1 | . | . | 1 | . |
| Tuberculous Dis. (other), *Scrofula*, ... ... | 1 | 5 | 3 | 3 | 4 | 7 | 7 | 5 | 1 | 5 | 4·1 | 6 | . | 1 | 4 | 1 |
| | | | | | | . | . | . | . | . | | . | . | . | . | . |
| Alcoholism, ... ... | 1 | . | 2 | 1 | . | . | 3 | . | 2 | 1 | 1·0 | . | . | . | . | . |
| Rheumatic Fever, ... | 1 | . | . | . | 2 | . | . | 1 | . | 1 | ·5 | . | . | . | . | . |
| Gout, .. ... ... | 1 | . | . | . | 1 | . | . | . | . | . | ·2 | . | . | . | . | . |
| Carcinoma, ... | 9 | 4 | 5 | 9 | 4 | 1 | 3 | 5 | 4 | 3 | 6·7 | . | . | . | . | . |
| Sarcoma, ... ... | | | | | | . | . | . | . | 1 | | 1 | . | . | . | . |
| Cancer (undefined), | | | | | | 4 | 5 | 2 | 2 | 6 | | 4 | . | . | . | . |
| Diabetes Mellitus, ... | . | . | . | . | . | . | . | 1 | 1 | 1 | ·3 | . | . | . | . | . |
| Premature Birth, ... | 1 | 6 | 5 | 1 | 1 | . | 2 | 2 | 1 | 4 | 2·3 | 1 | . | 1 | . | . |

* The figures for the years 1897–19
† Formerly des

SECOND WEEK ending Saturday, 28th December, 1907, with the deaths from each cause in the corresponding e average for those weeks.*

| USES OF DEATH. | Deaths from all causes *Registered* in the Week ending Saturday | | | | | | | | | | Averages in 52nd Week of the 10 years 1897-1906. | In the Week ending Saturday, 28th December, 1907. Deaths of Persons of the Ages of | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Jan. 1, 1898. | Dec. 31, 1898. | Dec. 30, 1899. | Dec. 29, 1900. | Dec. 28, 1901. | Dec. 27, 1902. | Jan. 2, 1904. | Dec. 31, 1904. | Dec. 30, 1905. | Dec. 29, 1906. | | ALL AGES. | 0 to 5. Under 1 month. | 1 month and under a year. | 1 to 5. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards |
| ean Temperature. | ° 45·4 | ° 44·5 | ° 35·9 | ° 42 8 | ° 35·2 | ° 46·5 | ° 36 3 | ° 44·1 | ° 45·7 | ° 31·8 | ° 40·8 | ° 39·4 | | | | | | | | |
| ngitis (not tuberc.) ... | | | | | | 4 | 1 | 1 | 1 | 3 | | 3 | . | 1 | 1 | 1 | . | . | . | . |
| ity, G. P. of Insane ... | | | | | | 2 | 3 | . | . | 2 | | . | . | . | . | . | . | . | . | . |
| psy .. ... | | | | | | 2 | . | . | . | 1 | | 1 | . | . | . | 1 | . | . | . | . |
| ulsions ... .. | | | | | | 6 | 6 | 6 | 4 | 6 | | 6 | 1 | 4 | 1 | . | . | . | . | . |
| notor Ataxy ... | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| plegia Dis. of Cord ... | | | | | | 1 | 2 | 1 | 2 | 4 | | 2 | . | . | . | . | . | . | 2 | . |
| ous System (other .) | 48 | 41 | 43 | 36 | 53 | 4 | 2 | 1 | 2 | 3 | 43·5 | . | . | . | . | . | . | . | . | . |
| Dis., Endocarditis . | | | | | | 5 | 11 | 6 | 5 | 3 | | 9 | . | . | . | 1 | 1 | 2 | 4 | 1 |
| or. Hæm. Thromb. .. | | | | | | . | 6 | 3 | . | 2 | | . | . | . | . | . | . | . | . | . |
| *lexy, Hemiplegia* ... | | | | | | 3 | 6 | 7 | 10 | 4 | | 3 | . | . | . | . | . | 1 | 2 | . |
| rysm ... ... | | | | | | 1 | . | . | . | 1 | | . | . | . | . | . | . | . | . | . |
| olism, Thromb. (not ebral) | | | | | | . | . | . | . | . | | . | . | . | . | . | . | . | . | . |
| t and Blood Vessel Dis. | | | | | | 15 | 24 | 7 | 15 | 10 | | 10 | . | . | . | . | 1 | 5 | 3 | 1 |
| o (not Spasm. nor mb.) | 1 | . | . | . | . | 1 | 1 | . | . | . | ·3 | . | . | . | . | . | . | . | . | . |
| chitis ... ... | 36 | 22 | 72 | 25 | 37 | 25 | 34 | 30 | 19 | 17 | 31·7 | 32 | 1 | 5 | 2 | 1 | 1 | 9 | 11 | 2 |
| ma, Emphysema ... | | | | | | 1 | 1 | . | . | 2 | | . | . | . | . | . | . | . | . | . |
| risy ... ... | 3 | 5 | 4 | 2 | 2 | . | . | . | . | . | 2·9 | 2 | . | . | . | . | 1 | 1 | . | . |
| iratory Dis. (other) ... | | | | | | . | 2 | 5 | 1 | 1 | | 1 | . | . | . | . | . | 1 | . | . |
| illitis, Quinsy ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ritis (not Epid.) ... | 1 | . | . | . | 2 | . | 2 | 1 | . | 3 | 1·2 | . | . | . | . | . | . | . | . | . |
| *o Enteritis* ... ... | | | | | | . | . | . | . | 3 | | . | . | . | . | . | . | . | . | . |
| *nitis* (not Puerp.) ... | 2 | . | 1 | . | 1 | 2 | 1 | . | . | 1 | ·8 | . | . | . | . | . | . | . | . | . |
| osis of Liver ... | 2 | 5 | 1 | 2 | 2 | 1 | . | 1 | 2 | 2 | 2·4 | . | . | . | . | . | . | . | . | . |
| r Dis. (other) ... | | | | | | 1 | 3 | . | 2 | . | | 3 | . | . | . | . | 1 | 1 | 1 | . |
| tive Dis. (other) ... | 6 | 8 | 5 | 1 | 4 | 5 | 7 | 10 | 1 | 2 | 4·9 | 5 | . | 2 | . | . | 1 | 2 | . | . |
| ritis, Acute ... | 7 | 3 | 3 | 1 | 5 | . | 1 | 1 | 1 | 4 | 4·6 | 1 | . | . | . | . | . | 1 | . | . |
| at's Dis., Albuminuria | | | | | | 3 | 4 | 4 | 4 | 2 | | 3 | . | . | . | 1 | 1 | . | 1 | . |
| ary Sys. (Other Dis.) | | | | | | . | 1 | . | 1 | 1 | | 2 | . | . | . | . | . | . | 2 | . |
| rative Organs Dis. ... | 1 | . | . | . | . | . | . | . | . | 1 | ·2 | . | . | . | . | . | . | . | . | . |
| tbirth (Accid. of) ... | 1 | . | . | 1 | . | 1 | 2 | . | 1 | 1 | ·7 | . | . | . | . | . | . | . | . | . |
| *Age* ... ... | 6 | 14 | 22 | 10 | 11 | 4 | 9 | 5 | 4 | 2 | 8·7 | 1 | . | . | . | . | . | . | . | 1 |
| r Diseases ... ... | 24 | 18 | 14 | 8 | 14 | 12 | 12 | 11 | 5 | 8 | 12·6 | 9 | 1 | 3 | 1 | . | 1 | 1 | 2 | . |
| ACCIDENT. | | | | | | | | | | | | | | | | | | | | |
| ailways ... ... | . | . | . | 1 | . | 1 | . | . | . | . | ·2 | . | . | . | . | . | . | . | . | . |
| ehicles and Horses ... | . | . | 1 | . | 1 | 1 | . | . | 1 | 1 | ·5 | . | . | . | . | . | . | . | . | . |
| ips, Boats, Docks (exsive of Drowning) ... | . | . | . | . | 1 | . | . | . | . | . | ·1 | . | . | . | . | . | . | . | . | . |
| uilding Operations ... | . | 3 | 1 | . | . | . | . | . | . | . | ·4 | . | . | . | . | . | . | . | . | . |
| onflagrations ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| urns, Scalds, Explosions | 5 | . | 1 | 2 | 2 | 2 | 4 | 1 | 2 | . | 1·9 | 2 | . | . | 2 | . | . | . | . | . |
| rowning ... ... | 1 | 3 | 1 | . | 1 | 1 | 1 | . | 1 | . | ·9 | . | . | . | . | . | . | . | . | . |
| uffocation in Bed ... | . | . | . | . | . | . | . | . | . | 1 | ·1 | . | . | . | . | . | . | . | . | . |
| Poison or Poisonous pours | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| r Deaths by Accident | 4 | 2 | 3 | 2 | 3 | 4 | 1 | 1 | 1 | 3 | 2·4 | 2 | . | . | . | 1 | 1 | . | . | . |
| LENCE OTHER THAN ACCIDENTAL. | | | | | | | | | | | | | | | | | | | | |
| cide ... ... | . | . | . | . | . | . | . | 1 | 1 | . | ·2 | . | . | . | . | . | . | . | . | . |
| de ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| ution ... ... | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |

gistration Area as then constituted.
le Continued Fever."

TABLE V.—**Dublin Registration Area.**—Comparative Table of Results in each of the last twenty-six weeks with the Average Births, Deaths, and Mean Temperature in corresponding week of the previous ten years.

| Dublin Registration Area. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 6. | July 13 | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24 | Aug. 31. | Sept. 7 | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. | Dec. 14. | Dec. 21. | Dec. 28. |
| No. of weeks in Annual Series. | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
| BIRTHS registered, | 195 | 193 | 208 | 209 | 254 | 170 | 210 | 253 | 197 | 247 | 196 | 250 | 230 | 184 | 179 | 179 | 231 | 216 | 211 | 191 | 193 | 238 | 194 | 177 | 192 | 122 |
| *Average Births in corresponding week of previous 10 years,** | 201 | 195 | 196 | 212 | 206 | 206 | 214 | 202 | 214 | 210 | 211 | 196 | 249 | 181 | 187 | 204 | 201 | 203 | 195 | 200 | 182 | 200 | 192 | 190 | 166 | 204 |
| DEATHS registered, | 146 | 161 | 168 | 166 | 138 | 118 | 145 | 122 | 149 | 159 | 137 | 145 | 143 | 161 | 157 | 164 | 154 | 169 | 178 | 163 | 145 | 175 | 207 | 180 | 195 | 155 |
| Annual Death-rate per 1,000, | 19·5 | 21·5 | 22·4 | 22·2 | 18·4 | 15·7 | 19·4 | 16·3 | 19·9 | 21·2 | 18·3 | 19·4 | 19·1 | 21·5 | 21·0 | 21·9 | 20·6 | 22·6 | 23·8 | 21·8 | 19·4 | 23·4 | 27·6 | 24·0 | 26·0 | 20·7 |
| *Average Deaths in corresponding week of previous 10 years,** | 141 | 143 | 148 | 152 | 160 | 166 | 164 | 170 | 166 | 171 | 168 | 178 | 172 | 163 | 170 | 175 | 174 | 176 | 179 | 187 | 191 | 193 | 185 | 187 | 193 | 196 |
| AGES, Under 5 years, | 48 | 49 | 49 | 51 | 36 | 50 | 55 | 45 | 45 | 46 | 37 | 46 | 55 | 46 | 59 | 61 | 59 | 51 | 44 | 42 | 40 | 61 | 70 | 56 | 68 | 45 |
| 5—20 ,, | 22 | 12 | 13 | 14 | 10 | 4 | 10 | 10 | 10 | 10 | 8 | 11 | 9 | 16 | 14 | 14 | 9 | 15 | 14 | 11 | 11 | 9 | 5 | 16 | 12 | 13 |
| 20—40 ,, | 16 | 25 | 15 | 23 | 28 | 17 | 22 | 18 | 23 | 29 | 23 | 23 | 23 | 35 | 21 | 26 | 19 | 18 | 35 | 33 | 28 | 17 | 24 | 22 | 24 | 24 |
| 40—60 ,, | 28 | 33 | 41 | 41 | 37 | 20 | 27 | 20 | 34 | 23 | 32 | 27 | 31 | 25 | 27 | 32 | 28 | 42 | 40 | 29 | 28 | 29 | 40 | 35 | 34 | 35 |
| 60—80 ,, | 28 | 35 | 47 | 31 | 22 | 22 | 27 | 27 | 31 | 42 | 30 | 33 | 22 | 36 | 32 | 26 | 34 | 36 | 39 | 40 | 36 | 50 | 56 | 45 | 46 | 33 |
| 80 years and upwards, | 4 | 7 | 3 | 6 | 5 | 5 | 4 | 2 | 6 | 9 | 7 | 5 | 3 | 3 | 4 | 5 | 5 | 7 | 6 | 8 | 2 | 9 | 12 | 6 | 11 | 5 |
| Deaths from :— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 6 | 2 | . | 3 | 6 | 5 | 7 | 2 | 7 | 3 | 1 | . | 1 | . | 1 | . | 5 | 1 | 2 | 3 | . | . | . | 1 | . | . |
| Scarlet Fever | 3 | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 | . | . | 1 | . | . | . | 1 | 1 |
| Typhus, | . | . | 1 | . | . | . | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Whooping-cough | 9 | 7 | 4 | 4 | 4 | 1 | 3 | 4 | . | 2 | 1 | 1 | 1 | 3 | 2 | 2 | 1 | . | 2 | 1 | . | 1 | 3 | 1 | 2 | 2 |
| Diphtheria, | 1 | . | . | . | 2 | 1 | . | 2 | . | . | 2 | 2 | 1 | 3 | 1 | . | . | 1 | 2 | 2 | . | . | 2 | 3 | 3 | 1 |
| *Pyrexia* † (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . | . | . | . | 1 | . | . | . |
| Enteric Fever, | 1 | . | . | 1 | . | 1 | 1 | 2 | 2 | . | 2 | . | . | . | 3 | 1 | . | 2 | 2 | 2 | 2 | . | 2 | . | . | 1 |
| Diarrhœal Diseases, | . | 5 | . | 4 | 3 | 5 | 6 | 4 | 8 | 5 | 9 | 10 | 17 | 12 | 23 | 15 | 8 | 6 | 4 | 3 | 7 | 3 | 1 | 2 | 4 | . |
| Influenza, | 1 | 1 | . | 2 | . | . | . | 1 | 1 | 2 | 2 | . | 1 | 1 | 1 | 1 | 1 | 2 | . | 1 | 1 | 1 | . | 1 | . | 1 |
| Pneumonia, | 10 | 14 | 12 | 8 | 19 | 8 | 7 | 6 | 11 | 6 | 8 | 6 | 5 | 6 | 8 | 14 | 9 | 10 | 13 | 10 | 5 | 14 | 20 | 23 | 24 | 12 |
| Tuberculous Disease. Phthisis, | 21 | 18 | 21 | 21 | 17 | 15 | 19 | 14 | 15 | 25 | 18 | 21 | 19 | 22 | 21 | 25 | 13 | 16 | 25 | 22 | 26 | 16 | 18 | 18 | 22 | 21 |
| Tuberculous Disease. Other Forms, | 8 | 8 | 12 | 14 | 11 | 15 | 7 | 12 | 7 | 10 | 6 | 12 | 14 | 11 | 8 | 7 | 13 | 12 | 8 | 7 | 7 | 6 | 6 | 13 | 8 | 9 |
| Cancer, Malignant Disease, | 5 | 10 | 5 | 8 | 11 | 3 | 6 | 6 | 10 | 7 | 9 | 9 | 7 | 12 | 8 | 4 | 8 | 9 | 6 | 10 | 8 | 8 | 11 | 7 | 6 | 5 |
| Diseases of Heart and Blood Vessels, | 15 | 29 | 29 | 23 | 18 | 13 | 15 | 16 | 26 | 30 | 25 | 23 | 15 | 21 | 18 | 19 | 22 | 25 | 37 | 27 | 19 | 26 | 36 | 18 | 34 | 22 |
| Diseases of Respiratory System, | 16 | 16 | 22 | 17 | 12 | 16 | 18 | 11 | 10 | 11 | 11 | 14 | 13 | 9 | 16 | 12 | 12 | 19 | 17 | 27 | 19 | 30 | 46 | 39 | 43 | 35 |
| Violent Deaths, | 4 | 3 | 7 | 5 | 4 | 2 | 2 | 3 | 6 | 4 | 3 | 4 | 4 | 3 | 7 | 5 | 5 | 2 | 6 | 4 | 7 | 2 | 8 | 2 | 6 | 4 |
| Number of Uncertified Deaths, | 1 | 8 | 7 | 5 | 5 | 8 | 2 | 1 | 3 | 7 | 2 | 7 | 2 | 7 | 3 | 4 | 6 | 4 | 4 | 3 | 8 | 9 | 7 | 3 | 4 | 3 |
| Mean Temperature of the Air (Phœnix Park), | 51·6 | 54·0 | 63·8 | 59·4 | 57·7 | 58·3 | 58·9 | 55·0 | 53·9 | 52·9 | 57·5 | 57·2 | 56·9 | 52·4 | 48·9 | 47·0 | 47·3 | 49·0 | 45·1 | 44·1 | 40·2 | 39·4 | 41·5 | 42·7 | 47·0 | 39·1 |
| *Average Mean Temperature in corresponding week of previous 10 years.* | 58·1 | 59·6 | 60·8 | 59·2 | 59·7 | 57·7 | 58·2 | 57·6 | 56·7 | 56·3 | 54·5 | 53·4‡ | 52·4 | 51·0 | 49·4 | 48·2 | 47·9 | 47·5 | 46·6 | 43·7 | 42·2 | 42·7 | 43·7 | 42·1 | 41·6‡ | 40·8 |
| Rainfall in inches, | 1·070 | ·545 | ·000 | ·288 | ·523 | ·745 | ·622 | ·285 | ·940 | ·417 | ·017 | ·000 | ·025 | ·420 | 2·284 | ·401 | ·645 | 1·842 | ·178 | ·156 | ·078 | 1·560 | ·755 | ·355 | ·873 | ·182 |
| Mean Humidity of the Air, complete Saturation, 1·0, | ·81 | ·84 | ·81 | ·88 | ·82 | ·83 | ·84 | ·85 | ·88 | ·89 | ·89 | ·95 | ·89 | ·89 | ·92 | ·86 | ·94 | ·92 | ·96 | ·88 | ·90 | ·92 | ·88 | ·90 | ·90 | ·86 |

* See note (*) at foot of Table IV. † Formerly described as "Simple Continued Fever." ‡ For nine years only.

In the Dublin Registration Area during the week ending Saturday, 28th December 1907, with the Ages of Persons at Death, and the Number of Deaths at each of Six Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 28TH DECEMBER 1907.

| Class | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | Causes of Death. Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10–18. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Other Causes. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) |
| | **ALL PERSONS,** | 375,350 | 21·5 | 155 | 45 | 13 | 24 | 35 | 33 | 5 | . | . | 1 | . | 2 | 1 | . | 1 | . | 5 | 12 | 21 | 9 | 5 | 6 | 35 | 4 | 58 | 3 |
| | CLASSES. **Deaths in Families of the—** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | Professional and Independent Class, | 17,436 | 6·0 | 2 | . | . | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| II. | Middle Class, | 87,188 | 13·8 | 23 | 4 | 2 | 6 | 2 | 7 | 2 | . | . | . | . | . | 1 | . | . | . | 1 | . | 2 | 1 | 1 | 1 | . | 1 | 13 | . |
| III. | Artisan Class and Petty Shopkeepers, | 110,423 | 16·5 | 35 | 10 | 3 | 4 | 10 | 6 | 2 | . | . | 1 | . | . | . | . | . | . | 1 | 5 | 2 | 3 | 1 | 2 | 7 | . | 14 | 1 |
| IV. | General Service Class, | 154,279 | 30·9 | 61 | 21 | 7 | 9 | 16 | 8 | . | . | . | . | . | 2 | . | . | 1 | . | 3 | 4 | 9 | 2 | 2 | 3 | 20 | 3 | 15 | 2 |
| V. | Inmates of Workhouses, | 6,024 | | 34 | 10 | 1 | 4 | 7 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 7 | 3 | 1 | . | 5 | . | 15 | . |
| | Professional and Independent Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| I. | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments. | 7,799 | 6·7 | 1 | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 6·2 | 1 | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | Middle Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| II. | 4. General Body of Officials—Civil Service, Banking, &c., | 7,712 | 27·0 | 4 | 1 | 1 | 1 | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 | . | . | . | . | . | 2 | . |
| | 5. Traders (except Petty Shopkeepers) Business Managers, &c., | 22,016 | 14·2 | 6 | 2 | . | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | 1 | 1 | 2 | . |
| | 6. Clerks and Commercial Assistants, | 30,432 | 10·3 | 6 | 1 | 1 | 2 | . | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 3 | . |
| | 7. Miscellaneous—including all Householders in Second Class Localities not included in above, | 27,028 | 13·5 | 7 | . | . | 1 | 2 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 6 | . |
| | Artisan Class and Petty Shopkeepers. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| III. | 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, | 9,874 | 15·8 | 3 | 1 | . | . | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 2 | . |
| | 9. Building and Furnishing Trades, | 29,801 | 12·2 | 7 | 4 | . | 1 | . | 2 | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | 2 | . | 2 | 1 |
| | 10. Clothing Trades, | 23,260 | 15·7 | 7 | 2 | 1 | 2 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | . | . | 3 | . |
| | 11. Food Supply Trades, | 9,242 | 22·6 | 4 | . | . | . | 3 | . | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | 1 | . |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 22·3 | 13 | 2 | 2 | 1 | 4 | 3 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 4 | . | 6 | . |
| | 13. Petty Shopkeepers, | 7,894 | 6·6 | 1 | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . |
| | General Service Class. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| IV. | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 19·4 | 5 | . | . | 2 | 1 | 2 | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | 2 | . |
| | 15. Domestic Servants, | 36,603 | 1·4 | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 18·1 | 5 | 2 | 2 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | 1 | . |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 29·0 | 50 | 19 | 4 | 7 | 14 | 6 | . | . | . | . | . | 2 | . | . | 1 | . | 3 | 4 | 7 | 2 | 1 | 2 | 17 | 3 | 11 | 2 |
| | Inmates of Workhouses. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| V. | 18. Workhouse Inmates, | 6,024 | . | 34 | 10 | 1 | 4 | 7 | 11 | 1 | . | . | . | . | . | . | . | . | . | . | 3 | 7 | 3 | 1 | . | 5 | . | 15 | . |

* Formerly described as "Simple Continued Fever."

TABLE VII.—Showing for each of the last EIGHT WEEKS the number of Deaths of Residents in RATHMINES and RATHGAR, PEMBROKE, and KINGSTOWN, the Annual Rate per 1,000 of the Mortality from the principal causes, and the number of uncertified deaths, *the Deaths* similar Statistics for each of the

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living. From all Causes. | From Diseases in Cols. 5–13 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| City of Dublin (part of). | | | | | | | | | | | | | | | | | | | | |
| North City, No. 1 (E.) (Office, Clarence-street, Nth.) Pop. in 1907 (Est.) 29,016. | Nov. 9, | 21·6 | 1·8 | 12 | . | . | . | . | . | . | . | 1 | . | . | 3 | . | . | . | . | . |
| | „ 16, | 27·0 | 1·8 | 15 | . | . | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | 1 | . |
| | „ 23, | 19·8 | 5·4 | 11 | . | . | . | . | . | . | . | 1 | 2 | . | 3 | . | . | . | 2 | 1 |
| | „ 30, | 25·2 | 1·8 | 14 | . | . | . | . | . | . | . | . | 1 | 3 | . | . | . | 4 | . | 1 |
| | Dec. 7, | 30·5 | 1·8 | 17 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | 1 | 1 | 4 | . | 1 |
| | „ 14, | 28·8 | 1·8 | 16 | . | . | . | . | . | 1 | . | . | . | 5 | . | . | 2 | 5 | . | 1 |
| | „ 21, | 23·4 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 2 | . | . | 4 | . | . |
| | „ 28, | 18·0 | . | 10 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 3 | . | . |
| North City, No. 1 (W.) (Offices, Summer-hill.) Pop. in 1907 (Est.) 39,146. | Nov. 9, | 17·3 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | . | 2 | . | 1 |
| | „ 16, | 26·6 | 1·3 | 20 | . | . | . | . | . | . | . | 1 | . | 1 | 5 | . | 3 | 3 | . | 1 |
| | „ 23, | 18·6 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | 4 | 1 | . | . | . | 2 |
| | „ 30, | 32·0 | 1·3 | 24 | . | . | . | . | 1 | . | . | . | . | 1 | 2 | 2 | 1 | 4 | . | 4 |
| | Dec. 7, | 25·3 | 4·0 | 19 | . | . | . | . | 2 | . | . | . | 1 | 4 | . | . | 2 | 5 | . | 1 |
| | „ 14, | 28·0 | 1·3 | 21 | . | . | . | . | . | 1 | . | . | . | 3 | 1 | . | 1 | 5 | 1 | . |
| | „ 21, | 32·0 | 1·3 | 24 | . | . | . | . | . | 1 | . | . | . | 3 | 3 | 2 | . | 6 | 2 | 1 |
| | „ 28, | 25·3 | . | 19 | . | . | . | . | . | . | . | . | . | . | 3 | 1 | . | 8 | . | 1 |
| North City, No. 2. (Offices, Lisburn-street.) Pop. in 1907 (Est.) 30,107. | Nov. 9, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | . | 1 | . | . |
| | „ 16, | 22·5 | . | 13 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 2 | . | . |
| | „ 23, | 27·7 | 1·7 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 3 | 1 | . | 2 | . | . |
| | „ 30, | 29·4 | 1·7 | 17 | . | . | . | . | . | . | . | . | 1 | 3 | 3 | . | 1 | 4 | . | 1 |
| | Dec. 7, | 26·0 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | 5 | 1 | . |
| | „ 14, | 24·2 | . | 14 | . | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 6 | . | . |
| | „ 21, | 31·2 | 3·5 | 18 | . | . | . | . | . | 1 | . | . | 1 | 1 | . | . | . | 5 | . | . |
| | „ 28, | 19·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | 1 | . | 1 |
| North City, No. 3. (Offices, Benburb-street.) Pop. in 1907 (Est.) 32,422. | Nov. 9, | 25·7 | 6·4 | 16 | . | . | . | . | 1 | 1 | . | . | 2 | . | 3 | 1 | . | . | . | 1 |
| | „ 16, | 25·7 | 1·6 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 1 | 1 | . | 4 | . | 1 |
| | „ 23, | 17·7 | 1·6 | 11 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | . | . | . | . |
| | „ 30, | 30·6 | . | 19 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 2 | . | 1 |
| | Dec. 7, | 22·5 | 1·6 | 14 | . | . | . | . | . | 1 | . | . | . | . | 4 | . | 2 | 1 | 1 | 1 |
| | „ 14, | 25·7 | . | 16 | . | . | . | . | . | . | . | . | . | 3 | 3 | . | 1 | 1 | . | . |
| | „ 21, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | 2 | . | 1 | 2 | 1 | . |
| | „ 28, | 22·5 | . | 14 | . | . | . | . | . | . | . | . | . | 3 | 5 | . | . | 1 | . | 1 |
| South City, No. 1. (Offices, South Earl-street.) Pop. in 1907 (Est.) 40,002. | Nov. 9, | 16·9 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 |
| | „ 16, | 10·4 | . | 8 | . | . | . | . | . | . | . | . | . | . | . | 2 | . | 1 | . | 1 |
| | „ 23, | 20·9 | 2·6 | 16 | . | . | 1 | . | . | . | . | . | 1 | . | 4 | . | 1 | 2 | 2 | 1 |
| | „ 30, | 18·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | 1 | . | 1 |
| | Dec. 7, | 22·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | . | 5 | . | . |
| | „ 14, | 24·8 | 1·3 | 19 | . | 1 | . | . | . | . | . | . | . | 1 | 3 | . | . | 3 | . | . |
| | „ 21, | 19·6 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 1 | 3 | . | . |
| | „ 28, | 19·6 | 1·3 | 15 | . | . | 1 | . | . | . | . | . | . | . | 4 | 2 | . | 4 | . | . |
| South City, No. 2. (Offices, Castle-street.) Pop. in 1907 (Est.) 20,589. | Nov. 9, | 40·5 | 2·5 | 16 | . | . | . | . | . | . | . | 1 | . | 2 | 3 | . | . | 5 | . | . |
| | „ 16, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . |
| | „ 23, | 15·2 | 2·5 | 6 | . | . | . | . | . | . | . | . | 1 | . | 1 | 1 | . | 1 | . | . |
| | „ 30, | 10·1 | . | 4 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 1 | . | . |
| | Dec. 7, | 40·5 | . | 16 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | . | 4 | 1 | 1 |
| | „ 14, | 30·4 | . | 12 | . | . | . | . | . | . | . | . | . | 2 | 5 | . | . | 2 | 1 | 1 |
| | „ 21, | 25·3 | . | 10 | . | . | . | . | . | . | . | . | . | . | 4 | . | . | 3 | . | . |
| | „ 28, | 30·4 | . | 12 | . | . | . | . | . | . | . | . | . | . | 1 | 1 | . | 3 | 1 | . |
| South City, No. 3. (Office, Peter-street.) Pop. in 1907 (Est.) 42,209. | Nov. 9, | 22·2 | . | 18 | . | . | . | . | . | . | . | . | . | 3 | 3 | 1 | . | 2 | 1 | . |
| | „ 16, | 27·2 | . | 22 | . | . | . | . | . | . | . | . | . | 2 | 4 | . | 1 | 6 | 2 | . |
| | „ 23, | 19·8 | 1·2 | 16 | . | . | . | . | . | . | . | . | 1 | 3 | 1 | 2 | 1 | . | 1 | 2 |
| | „ 30, | 14·8 | . | 12 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 5 | . | . |
| | Dec. 7, | 25·9 | 2·5 | 21 | . | . | . | . | 1 | . | . | 1 | . | 2 | 1 | 2 | . | 5 | 1 | . |
| | „ 14, | 19·8 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | 2 | 4 | . | 6 | . | . |
| | „ 21, | 38·3 | 2·5 | 31 | . | . | . | . | 1 | . | . | . | 1 | 3 | 4 | 2 | . | 6 | 1 | 1 |
| | „ 28, | 28·4 | . | 23 | . | . | . | . | . | . | . | . | . | 2 | 2 | 1 | 1 | 8 | 1 | . |
| South City, No. 4. (Office, Grand Canal-street.) Pop. in 1907 (Est.) 35,138. | Nov. 9, | 26·7 | 1·5 | 18 | . | . | . | . | . | . | . | . | 1 | 1 | 4 | 1 | 1 | 1 | 2 | . |
| | „ 16, | 28·2 | 1·5 | 19 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | 1 | 1 | 4 | . | . |
| | „ 23, | 23·7 | 1·5 | 16 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 1 | 1 | 1 | . |
| | „ 30, | 22·3 | . | 15 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 1 | . | . |
| | Dec. 7, | 25·2 | . | 17 | . | . | . | . | . | . | . | . | . | 2 | 3 | . | . | 2 | 1 | . |
| | „ 14, | 19·3 | 1·5 | 13 | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 2 | . | 2 | . | . |
| | „ 21, | 20·8 | 3·0 | 14 | . | . | . | . | . | 1 | . | . | 1 | 3 | . | . | . | 5 | . | 1 |
| | „ 28, | 14·8 | . | 10 | . | . | . | . | . | . | . | . | . | 2 | 1 | . | . | 2 | . | . |

* Formerly described as "Simple Continued Fever."

ertain REGISTRARS' DISTRICTS in the CITY OF DUBLIN, and of the Urban Districts of opulation represented thereby, and by the Deaths from certain Epidemic Diseases; with *ublic Institutions being assigned to the Districts from which the deceased were admitted;* also, rovincial County Boroughs in Ireland.

| DISTRICTS. | 1907. Week ending | Annual Rate of Mortality per 1,000 Living: From all Causes. | Annual Rate of Mortality per 1,000 Living: From Diseases in Cols. 5–18 | Total Deaths. | Number of Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System (exclusive of Pneumonia). | Violence (Accidental, Homicidal and Suicidal). | Number of Uncertified Deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) |
| **Rathmines and Rathgar Urban District.** Pop. in 1907 (Est.) 35,606. | Nov. 9, | 16·1 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 | 1 | 1 |
| | „ 16, | 14·6 | 2·9 | 10 | . | . | . | . | . | 1 | . | . | 1 | . | 2 | . | 1 | 2 | . | . |
| | „ 23, | 8·8 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | 2 | . | 1 |
| | „ 30, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 3 | . | 1 |
| | Dec. 7, | 22·0 | . | 15 | . | . | . | . | . | . | . | . | . | 1 | 3 | . | 1 | 3 | . | 3 |
| | „ 14, | 19·0 | . | 13 | . | . | . | . | . | . | . | . | . | 2 | 2 | . | 2 | 2 | . | . |
| | „ 21, | 23·4 | 1·5 | 16 | . | . | 1 | . | . | . | . | . | . | 2 | 2 | 1 | . | 2 | 1 | . |
| | „ 28, | 11·7 | . | 8 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 3 | . | . |
| **Pembroke Urban District.** Pop. in 1907 (Est.) 27,854. | Nov. 9, | 16·8 | 1·9 | 9 | . | . | . | . | . | 1 | . | . | . | 2 | 1 | . | . | . | . | . |
| | „ 16, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | . | 3 | . | 1 | 1 | . | . |
| | „ 23, | 11·2 | . | 6 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| | „ 30, | 13·1 | . | 7 | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 30·0 | . | 16 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 7 | . | . |
| | „ 14, | 11·2 | 1·9 | 6 | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . |
| | „ 21, | 22·5 | . | 12 | . | . | . | . | . | . | . | . | . | 4 | 1 | 1 | . | 3 | . | . |
| | „ 28, | 5·6 | . | 3 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . |
| **Kingstown Urban District.** Pop. in 1907 (Est.) 17,622. | Nov. 9, | 53·3 | 8·9 | 18 | . | 2 | . | . | 1 | . | . | . | . | 1 | . | 1 | 2 | . | 2 | . |
| | „ 16, | 29·6 | 8·9 | 10 | . | 3 | . | . | . | . | . | . | . | . | . | 1 | 2 | 1 | . | . |
| | „ 23, | 20·7 | . | 7 | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 1 |
| | „ 30, | 17·8 | 3·0 | 6 | . | . | . | . | . | . | . | . | 1 | 1 | . | . | . | 1 | . | . |
| | Dec. 7, | 47·3 | 3·0 | 16 | . | . | . | . | . | . | 1 | . | . | 1 | . | 1 | 1 | 3 | . | . |
| | „ 14, | 35·5 | 3·0 | 12 | . | . | . | . | 1 | . | . | . | . | 2 | . | . | . | 2 | . | 1 |
| | „ 21, | 11·8 | . | 4 | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | . | . |
| | „ 28, | 11·8 | 3·0 | 4 | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 | . | . | . |
| **Belfast.** Pop. in 1907 (Est.) 370,168. | Nov. 9, | 20·4 | 2·8 | 145 | . | 7 | . | . | 4 | . | . | 4 | 5 | 15 | 14 | 8 | 9 | 16 | 4 | 1 |
| | „ 16, | 24·8 | 3·0 | 176 | . | 11 | . | . | 2 | 1 | . | 2 | 5 | 18 | 14 | 8 | 3 | 22 | 3 | 2 |
| | „ 23, | 23·1 | 2·3 | 164 | . | 13 | . | . | 1 | . | . | 2 | 1 | 21 | 12 | 7 | 5 | 30 | 3 | 3 |
| | „ 30, | 25·8 | 2·3 | 183 | . | 8 | . | . | . | 2 | . | 1 | 5 | 23 | 14 | 12 | 8 | 47 | 2 | 6 |
| | Dec. 7, | 26·9 | 3·1 | 191 | . | 14 | . | . | 3 | 1 | 1 | 3 | . | 20 | 22 | 8 | 3 | 46 | 4 | 2 |
| | „ 14, | 26·3 | 3·7 | 187 | . | 16 | . | 1 | 1 | 1 | . | 3 | 4 | 15 | 16 | 11 | 6 | 39 | 4 | 2 |
| | „ 21, | 24·2 | 3·1 | 172 | . | 12 | . | . | 1 | 1 | . | 4 | 4 | 23 | 19 | 9 | 3 | 31 | 3 | 4 |
| | „ 28, | 23·9 | 3·0 | 170 | . | 11 | . | 1 | 3 | 3 | . | . | 3 | 18 | 16 | 7 | 2 | 39 | . | 5 |
| **Cork.** Pop. (in 1901) 76,122. | Nov. 9, | 19·2 | 0·7 | 28 | . | . | . | . | . | . | . | . | 1 | 5 | 2 | 1 | 2 | 2 | . | 3 |
| | „ 16, | 21·2 | 1·4 | 31 | . | . | . | . | . | . | . | 1 | 1 | 4 | 9 | 3 | 2 | | 1 | 1 |
| | „ 23, | 17·1 | . | 25 | . | . | . | . | . | . | . | . | . | 4 | 6 | . | 1 | | 1 | 3 |
| | „ 30, | 18·7 | 0·7 | 20 | . | . | . | . | . | . | . | . | 1 | . | 4 | . | 2 | | . | 3 |
| | Dec. 7, | 15·8 | 1·4 | 23 | . | . | . | . | . | . | . | 1 | 1 | 2 | 5 | 1 | 2 | 2 | . | . |
| | „ 14, | 18·5 | 0·7 | 27 | . | . | . | 1 | . | . | . | . | . | . | 5 | 1 | 1 | 5 | . | 2 |
| | „ 21, | 19·2 | . | 28 | . | . | . | . | . | . | . | . | . | 2 | 8 | 1 | 3 | 2 | 1 | 2 |
| | „ 28, | 12·3 | . | 18 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 3 | . | 2 |
| **Londonderry.** Pop. in 1907 (Est.) 42,475. | Nov. 9, | 12·3 | . | 10 | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 4 | 1 | 1 |
| | „ 16, | 17·2 | 2·5 | 14 | . | . | . | . | 1 | . | . | . | 1 | 1 | 3 | . | 1 | 1 | . | . |
| | „ 23, | 20·9 | 1·2 | 17 | . | . | . | . | . | 1 | . | . | . | . | 2 | 1 | 1 | 1 | . | 1 |
| | „ 30, | 19·6 | 1·2 | 16 | . | . | . | . | 1 | . | . | . | . | . | . | 1 | 1 | 2 | . | . |
| | Dec. 7, | 25·8 | 5·7 | 21 | . | . | . | . | 2 | . | . | . | 1 | 1 | 1 | 1 | 2 | 3 | . | . |
| | „ 14, | 18·5 | . | 11 | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 | . | . | 1 |
| | „ 21, | 17·2 | . | 14 | . | . | . | . | . | . | . | . | . | . | 5 | . | . | 1 | . | 1 |
| | „ 28, | 7·4 | . | 6 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . |
| **Limerick.** Pop. (in 1901) 38,151. | Nov. 9, | 19·1 | 6·8 | 14 | . | 4 | . | . | . | . | . | . | 1 | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 16, | 34·2 | 10·9 | 25 | . | 6 | . | . | . | . | . | 1 | 1 | . | 3 | 1 | 1 | 3 | 3 | 2 |
| | „ 23, | 23·2 | 8·2 | 17 | . | 5 | . | . | . | . | . | . | 1 | . | 2 | . | . | 4 | . | 3 |
| | „ 30, | 24·6 | 2·7 | 18 | . | 1 | . | . | . | . | . | . | 1 | . | 5 | 1 | . | 5 | . | 3 |
| | Dec. 7, | 20·5 | 6·8 | 15 | . | 4 | . | . | 1 | . | . | . | . | 1 | 1 | 1 | . | 2 | . | 1 |
| | „ 14, | 27·3 | 8·2 | 20 | . | 4 | . | . | . | . | . | 1 | 1 | 1 | 2 | . | . | 2 | . | 2 |
| | „ 21, | 32·8 | . | 24 | . | . | . | . | . | . | . | . | . | 1 | 5 | 3 | . | 5 | . | 3 |
| | „ 28, | 10·9 | 2·7 | 8 | . | 2 | . | . | . | . | . | . | . | 1 | 1 | . | 1 | 1 | . | . |
| **Waterford.** Pop. (in 1901) 26,769. | Nov. 9, | 25·3 | 5·8 | 18 | . | . | . | . | . | . | . | . | 3 | . | 3 | . | . | 1 | . | 1 |
| | „ 16, | 11·7 | 1·9 | 6 | . | . | . | . | . | . | . | . | 1 | . | 2 | . | 1 | . | . | 2 |
| | „ 23, | 19·5 | 1·9 | 10 | . | . | 1 | . | . | . | . | . | . | 1 | . | 1 | . | 3 | . | . |
| | „ 30, | 17·5 | 1·9 | 9 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | . | 1 | . | . |
| | Dec. 7, | 21·4 | . | 11 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 2 | . | 1 |
| | „ 14, | 26·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | . | 1 | . | . | 4 | . | 2 |
| | „ 21, | 9·7 | . | 5 | . | . | . | . | . | . | . | . | . | . | 2 | . | . | 1 | . | 1 |
| | „ 28, | 26·3 | 1·9 | 13 | . | . | . | . | . | . | . | . | 1 | 1 | 2 | . | . | 1 | . | . |

* Formerly described as "Simple Continued Fever."

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 28th December, 1907. Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted:* with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of **1901**, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS: the Number of Deaths from some of the Principal CAUSES; the Number of Uncertified Deaths, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS | Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | DEATHS. Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia.) | Violence | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN No. 1 DISTRICT, | 14,734 | 11 | The estimate of the Population of Belfast now adopted (see Table II.) being so much in excess of the Population in 1901, and the correct distribution of the increase through districts not being at present practicable, Death rates are omitted from this table. | | 7 | . | 2 | . | 1 | 2 | 2 | . | . | . | . | . | 1 | . | . | . | 1 | 2 | . | . | . | . | . | 5 | . |
| Do. 2 ,, | 47,959 | 12 | | | 17 | 5 | 2 | . | 4 | 3 | 3 | . | 1 | . | 1 | . | . | . | . | . | . | 2 | . | . | 7 | . | . | 4 | . |
| Do. 3 | 47,214 | 30 | | | 17 | 6 | 2 | 1 | 2 | . | 6 | . | . | . | . | . | . | . | . | . | 3 | . | 2 | . | 2 | . | . | 1 | 4 |
| Do. 4 | 40,911 | 14 | | | 31 | 7 | 9 | 1 | 2 | 6 | 6 | . | 2 | . | . | . | . | . | . | . | 3 | 1 | . | 1 | 8 | . | . | 9 | . |
| Do. 5 ,, | 17,387 | 7 | | | 10 | 3 | . | 1 | 1 | 2 | 3 | . | . | . | . | . | . | . | . | . | 1 | 1 | . | . | 5 | . | . | 4 | . |
| Do. 6 ,, | 48,122 | 18 | | | 17 | 3 | . | 1 | 4 | 3 | 4 | . | . | . | . | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 3 | . |
| Do. 7 ,, | 1,524 | 1 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Do. 8 ,, | 5,060 | 1 | | | 1 | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | . |
| Do. 9 ,, | 19,569 | 9 | | | 14 | 1 | 2 | 1 | 2 | 4 | 4 | . | 1 | . | . | . | . | . | . | . | 2 | 1 | . | . | 2 | . | . | 3 | 1 |
| Do. 10 ,, | 28,064 | 15 | | | 15 | 3 | 1 | 2 | 1 | 5 | 3 | . | . | . | . | . | . | . | . | . | 3 | 2 | 2 | 1 | 3 | . | 2 | 2 | . |
| Do. 11 ,, | 34,802 | 21 | | | 14 | 2 | 1 | 3 | 1 | 2 | 5 | . | 1 | . | . | . | . | . | . | 1 | 1 | 4 | . | . | 3 | . | . | 4 | . |
| Do. 12 ,, | 33,588 | 17 | | | 21 | 3 | 9 | 2 | 2 | 2 | 3 | . | 5 | . | . | 2 | . | . | . | . | 2 | . | 1 | . | 8 | . | . | 3 | . |
| Do. 13 ,, | 15,006 | 8 | | | 5 | . | 3 | . | . | 2 | . | . | 1 | . | . | 1 | . | . | . | 1 | . | 1 | 1 | . | . | . | . | . | . |
| Do. 14 ,, | 240 | . | | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | 349,180 | 164 | | | 170† | 33 | 35 | 12 | 20 | 31 | 39 | . | 11 | . | 1 | 3 | 3 | . | . | 3 | 18 | 16 | 7 | 2 | 39 | . | 2 | 33 | 5 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN No. 1 DISTRICT. | 12,867 | 1 | 8·1 | . | 2 | . | . | | 1 | | 1 | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Do. 2 ,, | 10,701 | 4 | 14·6 | . | 3 | . | . | | 1 | | 2 | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | . | . | . | . |
| Do 3 ,, | 9,978 | 3 | 20·9 | . | 4 | . | . | | 1 | | 3 | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | 1 | 1 |
| Do. 4 ,, | 8,666 | 1 | 6·0 | . | 1 | . | . | | 1 | | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | 1 | . |
| Do. 5 ,, | 6,592 | . | 7·9 | . | 1 | . | 1 | | . | | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . |
| Do. 6 ,, | 10,702 | 2 | 14·6 | . | 3 | 1 | 1 | | . | | 1 | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 | 1 |
| Do. 7 ,, | 16,616 | 4 | 12·6 | . | 4 | 2 | 1 | | 1 | | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 | . |
| Total, | 76,122 | 15 | 12·8 | . | 18 | 3 | 3 | | 5 | | 7 | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | 3 | . | . | 6 | 2 |

* Formerly described as "Simple Continued Fever."

† See note (†) to Table IV.

TABLE IX.—**City of Belfast.**—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons [illegible] *without the City are omitted.*

| Belfast. | 1907—Week ending | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | July 6. | July 13. | July 20. | July 27. | Aug. 3. | Aug. 10. | Aug. 17. | Aug. 24. | Aug. 31. | Sept. 7. | Sept. 14. | Sept. 21. | Sept. 28. | Oct. 5. | Oct. 12. | Oct. 19. | Oct. 26. | Nov. 2. | Nov. 9. | Nov. 16. | Nov. 23. | Nov. 30. | Dec. 7. | Dec. 14. | Dec. 21. | Dec. 28. |
| No. of weeks in Annual Series, | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 |
| Births registered | 218 | 144 | 247 | 216 | 233 | 216 | 168 | 224 | 186 | 237 | 243 | 191 | 214 | 234 | 180 | 203 | 233 | 199 | 206 | 173 | 186 | 182 | 228 | 190 | 218 | 164 |
| Deaths registered. | 144 | 104 | 136 | 117 | 115 | 104 | 101 | 107 | 90 | 105 | 125 | 111 | 117 | 126 | 157 | 138 | 165 | 145 | 145 | 176 | 164 | 183 | 191 | 187 | 172 | 170† |
| Annual Death-rate per 1,000 of estimated Population. | 20·3 | 14·6 | 19·2 | 16·5 | 16·2 | 14·6 | 14·2 | 15·1 | 12·7 | 14·8 | 17·6 | 15·6 | 16·5 | 17·7 | 22·1 | 19·4 | 23·2 | 20·4 | 20·4 | 24·8 | 23·1 | 25·8 | 26·9 | 26·3 | 24·2 | 23·9 |
| Ages: Under 1 year | 31 | 18 | 22 | 22 | 17 | 20 | 19 | 17 | 23 | 26 | 29 | 13 | 40 | 38 | 47 | 43 | 30 | 31 | 24 | 36 | 33 | 37 | 29 | 28 | 28 | 33 |
| 1-5 years, | 28 | 14 | 23 | 13 | 14 | 13 | 13 | 13 | 13 | 15 | 16 | 10 | 12 | 16 | 24 | 13 | 25 | 21 | 23 | 24 | 24 | 24 | 33 | 33 | 29 | 35 |
| 5-20 years, | 11 | 14 | 4 | 12 | 9 | 11 | 12 | 10 | 10 | 12 | 16 | 7 | 7 | 8 | 13 | 9 | 17 | 9 | 4 | 15 | 12 | 7 | 10 | 10 | 15 | 12 |
| 20-40 years, | 23 | 17 | 28 | 33 | 19 | 15 | 21 | 20 | 9 | 14 | 15 | 22 | 19 | 19 | 19 | 21 | 20 | 21 | 27 | 28 | 27 | 26 | 30 | 26 | 25 | 20 |
| 40-60 years, | 21 | 17 | 20 | 12 | 33 | 23 | 17 | 21 | 21 | 13 | 23 | 29 | 18 | 23 | 23 | 27 | 35 | 26 | 29 | 34 | 32 | 39 | 38 | 37 | 35 | 31 |
| 60 years and upwards, | 30 | 24 | 39 | 18 | 23 | 22 | 19 | 26 | 14 | 25 | 26 | 25 | 21 | 22 | 31 | 20 | 33 | 37 | 38 | 39 | 36 | 50 | 51 | 53 | 40 | 39 |
| Deaths from:— | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Small-pox, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Measles, | 5 | 4 | 4 | 5 | 4 | 4 | 2 | . | 2 | . | 1 | 2 | 5 | 2 | 6 | 5 | 8 | 4 | 7 | 11 | 12 | 8 | 14 | 16 | 12 | 11 |
| Scarlet Fever, | . | . | 1 | . | . | . | . | . | . | . | 2 | . | . | . | 1 | . | . | 1 | . | . | . | . | . | . | . | . |
| Typhus, | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Whooping-cough, | 2 | . | 1 | . | . | . | 2 | 2 | 1 | . | 1 | . | . | 1 | 1 | 1 | 1 | . | 4 | 2 | 1 | . | 3 | 1 | 1 | 3 |
| Diphtheria, | . | . | 1 | . | . | 1 | . | 1 | . | 4 | . | . | 1 | 2 | . | 2 | 1 | 2 | . | 1 | . | 2 | 1 | 1 | 1 | 3 |
| *Pyrexia** (origin uncertain), | . | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . | . | . | 1 | . | . | . |
| Enteric Fever, | 1 | . | . | 1 | 1 | . | 1 | . | . | 5 | 1 | 2 | 1 | 1 | 4 | . | 2 | 1 | 4 | 2 | 2 | 1 | | 3 | 4 | . |
| Diarrhœal Diseases, | . | . | 3 | 2 | 1 | 2 | 3 | 4 | 2 | 5 | 4 | 9 | 14 | 16 | 27 | 21 | 8 | 8 | 5 | 5 | 1 | 5 | . | 4 | 4 | 3 |
| Pneumonia, | 12 | 8 | 6 | 11 | 8 | 11 | 6 | 6 | 4 | 5 | 3 | 10 | 8 | 12 | 7 | 10 | 18 | 15 | 15 | 18 | 21 | 28 | 20 | 15 | 23 | 18 |
| Tuberculous Disease, Phthisis, | 18 | 9 | 13 | 22 | 12 | 15 | 14 | 12 | 8 | 10 | 14 | 11 | 20 | 15 | 16 | 14 | 19 | 19 | 14 | 14 | 12 | 14 | 22 | 16 | 19 | 16 |
| Tuberculous Disease, Other Forms, | 13 | 8 | 14 | 2 | 9 | 5 | 6 | 8 | 9 | 8 | 8 | 7 | 6 | 5 | 2 | 5 | 5 | 5 | 8 | 8 | 7 | 12 | 8 | 11 | 9 | 7 |
| Cancer Malignant Disease, | 7 | 7 | 5 | 3 | 7 | 6 | 5 | 3 | 6 | 2 | 3 | 1 | 1 | 5 | 2 | 3 | 9 | 14 | 9 | 3 | 5 | 8 | 3 | 6 | 3 | 2 |
| Diseases of Respiratory System, | 22 | 5 | 18 | 16 | 15 | 9 | 11 | 7 | 6 | 7 | 16 | 7 | 7 | 10 | 16 | 17 | 20 | 20 | 26 | 32 | 30 | 47 | 46 | 39 | 31 | 39 |
| Violent Deaths, | . | 4 | 3 | 2 | 2 | 4 | 1 | 4 | . | 3 | 8 | 2 | . | 2 | 4 | 2 | 3 | 1 | 4 | 3 | 3 | 2 | 4 | 4 | 3 | . |
| Number of Uncertified Deaths, | 3 | 1 | 1 | . | 3 | . | 2 | 4 | 1 | 1 | . | 1 | 3 | 1 | 3 | 3 | 2 | 3 | 1 | 2 | 3 | 6 | 2 | 2 | 4 | 5 |

* Formerly described as "Simple Continued Fever."
† Including 4 deaths from cerebro-spinal fever, or from *cerebro-spinal meningitis.*

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW and certain INDIAN and FOREIGN CITIES.

| Cities. | Population (enumerated or estimated). | Date of Return. — Week ending | Births. Exclusive of Stillborn. | Deaths. Exclusive of Stillborn. | Annual Death-rate per 1,000 living. | Deaths from Small-pox. | Measles. | Scarlet Fever. | Diphtheria. | Whooping-cough. | Fever. | Diarrhœal Diseases. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| LONDON, | 4,758,218 | Dec. 28, | 1,548 | 1,326 | 14·5 | . | 25 | 10 | 13 | 14 | 2 | 15 |
| EDINBURGH, | 345,747 | „ 28, | 130 | 110 | 16·6 | . | . | 1 | 1 | 3 | . | 2 |
| GLASGOW, | 847,584 | „ 28, | 432 | 317*a* | 19·5 | . | 38 | 3 | 4 | 6 | 1 | 5 |
| CALCUTTA, | 847,796 | Nov. 9, | . | 685 | 42·0 | . | . | . | 1 | 1 | 195‡ | 150* |
| BOMBAY, | 977,822 | „ 26, | 516 | 546 | 29·0 | 2 | . | . | . | . | 59‡ | 61* |
| MADRAS, | 509,346 | „ 8, | 399 | 362 | 36·9 | . | 1 | ? | ? | ? | 99 | 57* |
| PARIS, | 2,722,731 | Dec. 14, | 967 | 886 | 16·9 | . | 1 | 1 | 4† | 4 | 3 | 22 |
| BRUSSELS (with 8 Faubourgs). | 623,202 | „ 7, | 225 | 166 | 13·8 | . | . | . | . | . | 1 | 7 |
| ANTWERP, | 304,032 | „ 7, | 143 | 83 | 14·2 | . | 1 | 1 | . | 1 | . | 6 |
| AMSTERDAM, | 565,321 | „ 14, | 266 | 126 | 11·6 | . | 3 | . | . | 1 | 1 | 1 |
| COPENHAGEN, | 438,000 | „ 7, | 182 | 118 | 14·0 | . | 5 | . | . | 5 | . | 5 |
| STOCKHOLM, | 332,738 | „ 7, | 158 | 102 | 15·9 | . | 1 | . | . | 1 | . | . |
| CHRISTIANIA, | 229,324 | „ 14, | 118 | 66 | 15·0 | . | . | . | 2† | 1 | . | 3 |
| ST. PETERSBURG, | 1,482,769 | Nov. 30, | 843 | 685 | 24·0 | . | 11 | 22 | 19 | 12 | 14 | 47 |
| MOSCOW, | 1,296,000 | „ 16, | . | 577 | 23·2 | . | 10 | 13 | 7† | 4 | 3 | 52 |
| BERLIN, | 2,110,631 | „ 30, | 960 | 680 | 16·8 | . | 14 | 3 | 19† | 10 | 2 | 45 |
| HAMBURG, | 824,792 | Dec. 7, | . | 251 | 15·8 | . | 2 | 2 | 5† | 2 | . | 19 |
| BRESLAU, | 489,448 | „ 7, | . | 205 | 21·8 | . | 1 | . | 3† | 5 | . | 20 |
| MUNICH, | 548,000 | „ 14, | . | 198 | 18·8 | . | 2 | . | 4† | 1 | . | 24 |
| VIENNA (with suburbs). | 1,999,912 | „ 14, | 874 | 564 | 14·7 | . | 8 | 5 | 4† | 3 | 1 | 43 |
| BUDA-PESTH, | 802,235 | Nov. 30, | 475 | 307 | 19·9 | . | 8 | 5 | 2† | 1 | 7 | 14 |
| PRAGUE and Faubourgs. | 473,072 | „ 23, | 161 | 156 | 17·2 | . | 2 | . | 1† | . | 2 | 11 |
| TRIESTE, | 202,920 | „ 30, | 127 | 102 | 26·2 | . | . | . | 1† | . | 3 | 8 |
| ROME, | 545,610 | Sept. 28, | . | . | . | . | . | . | . | . | . | . |
| VENICE, | 174,398 | Nov. 16, | 86 | 61 | 18·2 | . | . | . | . | . | 2 | 1 |
| NEW YORK, | 4,285,435 | „ 30, | 1,959 | 1,346 | 16·4 | . | 15 | 11 | 26† | 3 | 22 | 38 |
| PHILADELPHIA, | 1,500,595 | Sept. 21, | . | 451 | 15·6 | . | . | 1 | 7† | 4 | 11 | 62 |
| | | „ 28, | . | 407 | 14·1 | . | . | . | 7† | 7 | 11 | 54 |
| BOSTON, | 609,757 | Nov. 30, | . | 201 | 17·2 | . | 1 | . | 3 | . | . | 1 |

*a.* Including 3 deaths from cerebro-spinal meningitis.
* Including 83 deaths from cholera in Calcutta, 5 in Bombay, and 7 in Madras.
† Including deaths from croup.
‡ Exclusive of 12 deaths from plague in Calcutta, and 8 in Bombay.

TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th December, 1907.

| DISTRICTS. | Small-pox. | Scarlet Fever. | Typhus. | Relapsing Fever. | Diphtheria. | Membranous Croup. | Pyrexia (origin uncertain)—*Continued Fever.* | Enteric or Typhoid Fever. | Erysipelas. | Puerperal Fever. | Cerebro-spinal Fever. | Other Notifiable Diseases. | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| North City No. 1, East, | . | . | . | . | . | . | 2 | . | 1 | . | . | . | 3 |
| " " 1, West, | . | 1 | . | . | . | . | . | 1 | 1 | . | . | . | 3 |
| " " 2, | . | . | . | . | 2 | . | . | . | . | . | . | . | 2 |
| " " 3, | . | . | . | . | . | . | 1 | 1 | . | . | . | . | 2 |
| Clontarf and Howth No. 1 (part of), | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| Coolock and Drumcondra No. 1 (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Finglas and Glasnevin (part of), | . | . | . | . | . | . | . | . | . | . | . | . | . |
| South City No 1, | . | . | . | . | . | . | 1 | 1 | 11 | . | . | . | 13 |
| " " 2, | . | . | . | . | . | . | . | 1 | . | . | . | . | 1 |
| " " 3, | . | 1 | . | . | . | . | . | . | 1 | . | . | . | 2 |
| " " 4, | . | 1 | . | . | . | . | . | 2 | . | . | . | . | 3 |
| New Kilmainham, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| Total, | . | 3 | . | . | 3 | . | 4 | 6 | 14 | . | . | . | 30 |

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th December, 1907, with the number under treatment at the close of each of the last four weeks.

| Diseases. | No. of Cases in Hospital at close of week ended | | | Week ended 28th December. | | | |
|---|---|---|---|---|---|---|---|
| | Dec. 7. | Dec. 14. | Dec. 21. | No admitted. | Dis-charged. | Died. | No. under treatment at close of week. |
| Small-pox, | . | . | . | . | . | . | . |
| Measles, | 12 | 14 | 17 | 6 | 1 | . | 22 |
| Scarlet Fever, | 35 | 38 | 46 | 10 | 7 | . | 49* |
| Typhus, | . | . | . | 1 | . | . | 1 |
| Diphtheria, | 29 | 32 | 26 | 4 | 1 | 1 | 28 |
| Enteric Fever, | 45 | 47 | 37 | 3 | 2 | . | 38 |
| Pneumonia, | 36 | 36 | 35 | 6 | 11 | 2 | 28 |

* Exclusive of 8 patients in "Beneavin," the Convalescent Home of Cork-street Fever Hospital.

## METEOROLOGY.

(*For Abstract of Observations at several Irish Meteorological Stations—see* TABLE II.)

Sir John Moore, M.D., D.P.H., D.SC., F.R.MET.SOC., reports as follows on the weather during the week ended 28th December, 1907:—

"Opening with a S.W. current and mild weather, this week proved very inclement owing to the arrest over Ireland of an Atlantic depression by an anticyclonic area of intense cold, which pushed its way southwestward from the northern regions of Russia and Sweden. At St. Petersburg the range of temperature in the 24 hours ended at 8 a.m of Thursday was from −13° to −8° Fahr., the highest reading of the thermometer being, therefore, 40° below freezing point. In the course of Sunday a brisk rise of the barometer took place over Ireland, and the weather became fine and bright. At 9 p.m. a lunar halo was seen. Monday was calm and dense fog prevailed for many hours. In London rain fell copiously and a suspended smokefog caused the darkness of night at 11 a.m. In Dublin there was a hoar frost on Monday night, but on Tuesday (Christmas Eve) a depression appeared off the S.W. of Ireland, giving rise to freshening S.E. winds, clouds, comparative warmth, and rain. Christmas Day was gloomy and finally extremely wet, especially in the S. and S.W. of Ireland, over which region the Atlantic depression hung stationary. As the barometer was at this time above 30·7 inches in Sweden, gradients for S.E. winds were obviously very steep and gales from this point prevailed, accompanied by torrents of rain in the South of Ireland, and by showers of hail, sleet, and snow in the Dublin district and over northern and central England. The snowstorm extended to Devon on Saturday, but the weather became dry and brighter in Dublin and the week closed with a promise of frost. In this City the mean height of the barometer was 29·908 inches, pressure ranging between 30·246 inches at 9 p.m. of Monday (wind, calm) and 29·556 inches at 9 p.m. of Friday (wind, E.S.E., strong). The corrected mean temperature was 41·1°, the mean dry bulb reading at 9 a.m. and 9 p.m. being 40·5°. On Sunday the screened thermometers rose to 51·3°, on Tuesday they fell to 34·0°. S.E. winds prevailed. The rainfall was ·321 inch on 4 days, ·180 inch being recorded on Wednesday. Hail and sleet or snow fell on Thursday and Friday."

At the Observatory of the Ordnance Survey Office, Phœnix Park, the mean height of the barometer during the week was 29·912 inches. The highest reading (30·245) was on Monday at 9 p.m., air calm, and the lowest (29·568) on Friday at 9 p.m., wind E.

The mean temperature for the week was 39·4°, being 1·4° below the average for the corresponding period of the 10 years, 1897–1906. The temperature was highest on Sunday, on which day the thermometer registered 50·2°, and was lowest on Tuesday the mercury having fallen to 25·7°. The mean of the Dry Bulb for the week was 38·9°, and of the Wet Bulb 36·9°. The mean humidity of the air was ·86, complete saturation being represented by 1·0. The rainfall during the week measured 0·182 inch.

At Greenwich the mean temperature for the week was 39·5°, the maximum 53·6° and the minimum 32·3°; at Glasgow the maximum was 48·8°, the minimum 33·8° and the mean 39·2°; and at Edinburgh the maximum was 48·8°, the minimum 31·0° and the mean 38·2°. The rainfall at Greenwich measured 0·12 in.; at Glasgow 0·12 in. and at Edinburgh 0·03 in. *The information in this paragraph has been kindly furnished by the Registrars-General of England and Wales and of Scotland.*

**Table XIII.—Meteorological Observations taken at the Ordnance Survey Office, Phœnix Park, Dublin.**

*Furnished by direction of the Superintendent of the Ordnance Survey.*

| 1907. Month and Day. | Barometer. Mean daily readings corrected and reduced to 32° Fahr., and corrected for Altitude. | Thermometer. Maximum. | Thermometer. Minimum. | Thermometer. Mean. | Hygrometer. Dry Bulb. | Hygrometer. Wet Bulb. | Hygrometer. Degree of Humidity, complete saturation =1·0. | Ozone, 1·0. | Sunshine in hours and decimals. | Rain Gauge. | Direction of the Wind. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (1.) In. | (2.) ° | (3.) ° | (4.) ° | (5.) ° | (6.) ° | (7.) | (8.) | (9. | (10.) In. | 9 A.M. | 9 P.M. |
| Sunday, Dec. 22, | 29·899 | 50·2 | 38·7 | 44·5 | 42·8 | 42·0 | ·95 | ·7 | 1·2 | ·000 | S.W. | S.W. |
| Monday, „ 23, | 30·210 | 48·0 | 27·7 | 37·9 | 29·2 | 28·9 | ·95 | ·0 | 3·3 | ·010 | Calm. | Calm. |
| Tuesday, „ 24, | 30·166 | 46·8 | 25·7 | 36·3 | 44·0 | 43·0 | ·93 | ·1 | 0·5 | ·012 | S.E. | S.E. |
| Wednesday, „ 25, | 29·995 | 45·8 | 43·0 | 44·0 | 45·2 | 42·7 | ·83 | ·3 | 0·0 | ·070 | S.E. | E.S.E. |
| Thursday, „ 26, | 29·788 | 44·7 | 36·0 | 40·4 | 38·0 | 35·3 | ·80 | ·4 | 0·0 | ·000 | E.S.E. | E.S.E. |
| Friday, „ 27, | 29·583 | 39·5 | 33·1 | 36·3 | 36·5 | 34·0 | ·80 | 0 | 0·0 | ·090 | E.S.E. | E. |
| Saturday, „ 28, | 29·743 | 38·0 | 34·2 | 36·1 | 36·3 | 32·6 | ·79 | ·4 | 0·6 | ·000 | E.N.E. | E.N.E. |
| Mean, . . | 29·912 | 44·7 | 34·1 | 39·4 | 38·9 | 36·9 | ·86 | ·3 | Total 5·6 | Total ·182 | Prevailing Wind, E.S.E. | |

*Sunday*—Day overcast and cloudy; night clear. *Monday*—Cloudy a.m., overcast p.m., ground fog; night clear, thick fog. *Tuesday*—Day overcast, light showers p.m.; night overcast. *Wednesday*—Day overcast, light showers at intervals; night cloudy. *Thursday*—Day cloudy; night overcast. *Friday*—Day overcast, light showers, sleet and rain; night cloudy. *Saturday*—Day cloudy; night overcast.

*Note.*—The information in columns 1, 5, 6 and 7 is the mean of observations taken at 9 A.M. and 9 P.M.

**Table XIV.—Showing the Earth Temperatures at 1 foot and 4 feet, the Air Temperatures, Sunshine and Rainfall, recorded at the Normal Climatological Station, Trinity College, Dublin, in the Week ending Saturday, December 28th, 1907.**

Note.—The Registrar-General is indebted to Professor Thrift, F.T.C.D., for the information very kindly supplied by him for this Table.

| 1907. Month and Day. | Air Temperature in Shade, 9 a.m. | Earth Temperature, 9 a.m. 1 Foot. | Earth Temperature, 9 a.m. 4 Feet. | Air Temperatures in Shade, read at 9 p.m. Max. | Air Temperatures in Shade, read at 9 p.m. Min. | Air Temperatures in Shade, read at 9 p.m. Mean. | Sunshine (Campbell-Stokes Recorder) read at 9 p.m. | Rainfall read at 9 a.m. |
|---|---|---|---|---|---|---|---|---|
| | ° | ° | ° | ° | ° | ° | hrs. | ins. |
| Sunday, Dec. 22, | 47·6 | 45·7 | 45·6 | 51·8 | 42·4 | 47·1 | 1·5 | — |
| Monday, „ 23, | 34·0 | 43·6 | 45·7 | 43·5 | 30·0 | 36·3 | — | ·006 |
| Tuesday, „ 24, | 43·2 | 40·8 | 45·9 | 46·8 | 27·4 | 37·1 | — | ·066 |
| Wednesday, „ 25, | 46·5 | 42·0 | 45·6 | 47·2 | 44·0 | 45·6 | — | ·161 |
| Thursday, „ 26, | 37·8 | 42·3 | 45·3 | 45·5 | 36·7 | 41·1 | — | ·002 |
| Friday, „ 27, | 39·1 | 41·3 | 45·3 | 41·0 | 35·1 | 38·1 | — | ·058 |
| Saturday, „ 28, | 37·7 | 40·3 | 45·1 | 39·0 | 35·1 | 37·1 | 0·5 | — |
| Weekly Mean, . | 40·8 | 42·3 | 45·5 | 45·0 | 35·8 | 40·3 | Total 2·0 | Total ·293 |

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.

375. Wt. P. 230. 12. 1907.—19806.

*OFFICIAL.*

# UARTERLY SUMMARY OF THE WEEKLY RETURNS

OF

# BIRTHS AND DEATHS

IN THE

# DUBLIN REGISTRATION AREA,

## AND IN TWENTY-ONE OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

*Containing Special Tables relating to Cerebro-spinal Fever in Belfast.*

DUBLIN:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY ALEXANDER THOM & CO. (LIMITED), ABBEY STREET.

And to be purchased, either directly or through any Bookseller, from
E. PONSONBY, 116, GRAFTON STREET, DUBLIN; or
WYMAN AND SONS, LTD., FETTER LANE, E.C.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH.

*Price* 1½*d.*

OL. XLIV.] QUARTER ENDING SATURDAY, 28TH DECEMBER, 1907. [No. 52A.

**DUBLIN REGISTRATION AREA.—Births.**—In the Dublin Registration Area, uich consists of the city of Dublin and the urban districts of Rathmines and Rathgar, mbroke, Blackrock, and Kingstown, the total area thereof being 13,757 tute acres, and the population estimated to the middle of 1907, 390,691, ere were registered during the thirteen weeks ended on Saturday, 28th ecember, 1907, 2,508 births—1,287 boys and 1,221 girls—being equal to an annual tio of 1 in 38·9, or 25·7 in every 1,000 of the population.

The number of births registered in the city was 2,128, equivalent to an annual te of 28·3 in every 1,000 of the population; and in the urban districts named ove, 380, equal to an annual rate of 16·9 in every 1,000 of the population.

There were registered in London during the same period 28,946 births—being equal an annual birth-rate of 24·3 in every 1,000 of the estimated population; in Glasgow ere were registered 5,679, being equal to 26·8 per 1,000; and in Edinburgh, 1,808 a number affording an annual birth-rate of 20·9 in every 1,000 of the estimated pulation.

**Deaths.**—The number of deaths registered in the Dublin Registration Area during e quarter was 2,203—1,096 males and 1,107 females—affording an annual ratio 1 in 44·3, or 22·6 in every 1,000 of the estimated population; omitting the deaths 09) of persons admitted into Public Institutions from localities outside the Area, e rate was 21·4 per 1,000. The annual mortality represented by the deaths gistered during the fourth quarter of the ten years, 1897–1906, in the Dublin egistration Area as then constituted, was 25·2 per 1,000 of the estimated mean pulation of those years.

The number of deaths of inhabitants* of the North City districts registered last quarter was 880, representing an annual mortality of 22·9 in every 1,000 of the population; and the number in the South City districts was 819, equivalent to a rate of 22·3 per 1,000. In the urban districts the number of deaths registered was 395, being equal to an annual death-rate of 17·6 in every 1,000.

The number of deaths registered in London during the same period was 17,687—a number equal to an annual rate of mortality of 14·9 in every 1,000 of the inhabitants; in Glasgow the number was 3,746, equal to 17·7 in every 1,000; and in Edinburgh 1,254, affording an annual death-rate of 14·5 in every 1,000 of the estimated population.

**Diseases.**—The number of deaths from the principal epidemic diseases† registered in the Dublin Registration Area during last quarter was 162, being 27 below the number for the preceding quarter; and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·7, being 0·2 below the rate for the preceding three months.

The following tabular statement shows the mortality from each of the principal epidemic diseases in the period under notice, and the average number of deaths from the diseases which occurred in the corresponding period of the 10 years, 1897–1906:—

| Names of Diseases. | No. of Deaths in December Quarter, 1907. | Average No. of Deaths in Dec. Quarters, 1897–1906. |
|---|---|---|
| Small-pox, | — | — |
| Measles, | 13 | 78 |
| Scarlet Fever, | 6 | 15 |
| Typhus, | — | 1 |
| Whooping-cough, | 20 | 26 |
| Diphtheria, | 18 | 15 |
| *Pyrexia* (origin uncertain), | 2 | 2 |
| Enteric Fever, | 15 | 41 |
| Diarrhœal Diseases, | 88 | 68 |

*Small-pox.*—During the period under notice there was no record of death from small-pox, neither was there any report of the existence of the disease in the Dublin Registration Area.

*Measles.*—In the three earlier quarterly periods of the year deaths from measles were 28, 70, and 43 respectively; in the period under notice such deaths numbered 13, being equal to an annual rate of 0·13 per 1,000 of the population of the Dublin Registration Area, estimated to the middle of the year 1907. The deaths are considerably below the average (78) for the corresponding quarterly period of the 10 years, 1897–1906. Of the 13 deaths, 9 belonged to Kingstown urban district, and 4 to South City districts.

*Scarlet Fever.*—Of the 6 deaths from scarlet fever, one appertained to the North City No. 2 district, 3 to the South City No. 1 district, one to the urban district of Rathmines and Rathgar, and one was a death of a patient admitted to hospital from without the Registration Area. The average number of deaths for the December quarter of the 10 years 1897–1906 was 15, and the deaths from scarlet fever registered in each of the three preceding quarterly periods were 3, 1, and 4.

* The death-rates referring to the several Dublin Districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in Public Institutions according to the localities from which the deceased persons were admitted.

† See note (*), page 866.

*Typhus.*—There was not one death from typhus registered during the quarterly iod under notice.

*Whooping-cough.*—A decline in the mortality from whooping-cough from 41 deaths the September quarter to 20 in the period under review is recorded. The 20 ths correspond to an annual rate of 0·20 per 1,000 of the estimated population of Area. The average number of deaths from whooping-cough in the corresponding iod of the 10 years preceding was 26. In the March quarter of the year 1907, deaths were registered, and in the June quar ter the mortality rose to 102. Of deaths (20), eight belonged to the North City districts, 5 to the South City dis-ts, 5 to Kingstown urban district, and 2 to Blackrock urban district.

*Diphtheria.*—Deaths from diphtheria were 18 in number, and represent an annual e of 0·18 per 1,000 of the estimated population; the number is above the average ) for the December quarter of the 10 years 1897–1906. In the earlier quarters, the year 1907, diphtheria caused 8, 10, and 11 deaths, respectively. Of the 18 ths in the period under notice there were 14 appertaining to the City districts of blin, one to the urban district of Rathmines and Rathgar, and 2 to the urban trict of Pembroke; and there was one death of a person admitted from outside Area. The hospital statistics show that 108 cases were under treatment, 70 were charged, there were 10 deaths in hospitals, and that 28 cases remained under atment at the termination of the period.

*Enteric Fever.*—Although the deaths from enteric fever as registered (15) exceed number registered in either of the three preceding quarterly periods—8, 5, and respectively—the total is considerably below the average (41) for the correspond-period of the 10 years 1897–1906. The 15 deaths are equal to an annual death e from this disease of 0·15 per 1,000 of the population of the Area. From Table it appears that all the deaths from enteric fever which were registered appertain the City districts of Dublin, not one death being recorded for the urban districts. Table I. it may be seen that 140 cases of enteric fever were treated in hospitals, t 92 cases were discharged, that there were 10 deaths, and that 38 cases remained der treatment at the close of the period. *Two deaths were assigned to pyrexia igin uncertain*).

*Diarrhœal Diseases.*—The fall below the average in the rate for diarrhœal diseases, orted in the September quarter of 1907, does not obtain in the period under ice, as the deaths registered number 88 (85 being those of children under ears, of age), while the average stands at 68 for the corresponding period of 10 years 1897–1906. Of the total deaths (88), there were 74 appertaining to city districts of Dublin, 13 to the urban districts, and one death of a person ad-tted from outside the Area. The annual rate calculated on the 88 deaths is equal 0·90 per 1,000 of the estimated population.

*Influenza.*—As returned for the year 1907, there were 56 deaths from influenza istered in the March quarter, 43 in the June quarter, and 11 in the September arter. In the period under notice 11 deaths were registered, the average for the cember quarter of the 10 years preceding being 20.

*Cerebro-spinal Fever.*—This malady caused the deaths of 6 persons, as against 13, and 5 deaths respectively registered in the earlier quarterly periods of the year.

*Pneumonia.*—In the aggregate, deaths from pneumonia were 169, comprising 12 ths from lobar pneumonia, 94 deaths from broncho-pneumonia, and 63 deaths m *pneumonia* (not defined). The total represents an annual rate of 1·73 per 1,000 the estimated population of the Area.

*Tuberculous Disease.*—The high mortality caused by tuberculous disease is an im-tant feature in this report. From the Registrars' returns it appears that 390

deaths out of a total of 2,203 were due to tuberculous disease. The deaths (390) in clude 133 from tuberculous phthisis, 142 returned as from *phthisis*, 36 from tuber culous meningitis, 7 from tuberculous peritonitis, 8 from *tabes mesenterica*, and 64 from other forms of the disease. The rate represented by the above total is equal to 3·99 per 1,000, and the rate for tuberculous phthisis (*phthisis*) is equal to 2·82 per 1,000 of the estimated population of the Area.

In the city districts of North Dublin Union the rate for all forms of the diseas was 4·31 per 1,000, and for tuberculous phthisis (*phthisis*) it was 3·19 per 1,000; in the city districts of South Dublin Union the corresponding rates were 4·39 per 1,000 and 3·02 per 1,000; and in the urban districts they were 1·96 and 1·29 per 1,000 o the aggregate populations of Rathmines and Rathgar, Pembroke, Blackrock, an Kingstown.

*Malignant Diseases.*—Deaths from carcinoma, in number 41, from sarcoma 8, an from cancer or malignant disease (undefined) 53, are classified under this heading The total (102) represents an annual death-rate of 1·04 per 1,000 of the estimate population of the Area.

*Premature Birth.*—The deaths of 50 infants were ascribed to prematurity.

*Diseases of the Brain and Nervous System.*—The total deaths (151), include 5 from *convulsions*; of the latter figure, 48 were of children under 5 years of age.

*Diseases of the Heart and Blood Vessels.*—The rate representing the death (324), which were registered during the period was 3·32 per 1,000 of the estimate population of the Area.

*Diseases of the Respiratory System.*—Of 315 deaths, there were 280 from bron chitis. The total is equal to an annual rate of 3·23 per 1,000 of the estimate population.

*Accidental Deaths.*—To accident or negligence there were attributed 61 deaths this total includes 12 deaths from burns, scalds or explosions (of these 6 were c children under 5 years of age); 6 deaths by drowning, 5 deaths by suffocation i bed (of infants under one year of age), and 7 deaths due to casualties by vehicle and horses.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospita during the **Quarter** (13 weeks) **ended Saturday, 28th December, 1907.**

| DISEASES. | No. of Cases in Hospital at close of previous quarter. | No. admitted during quarter. | Dis-charged. | Died. | No. under treatment on above date. |
|---|---|---|---|---|---|
| Small-pox, | . | . | . | . | . |
| Measles, | 17 | 84 | 74 | 5 | 22 |
| Scarlet Fever, | 35 | 107 | 88 | 5 | 49* |
| Typhus, | 6 | 4 | 8 | 1 | 1 |
| Diphtheria, | 16 | 92 | 70 | 10 | 28 |
| Enteric Fever, | 36 | 104 | 92 | 10 | 38 |
| Pneumonia, | 31 | 118 | 111 | 10 | 28 |

In 65 instances the cause of death was uncertified, there having been no medic attendant during the last illness. Of the 65 cases, 39 (or 60·0 per cent.) were deat of children under 5 years of age: these 39 deaths form 5·6 per cent. of the tot number of deaths of children of that age. Of the deaths of 119 infants under o month old registered, there were 19 (or 16·0 per cent.) regarding which the cau was uncertified.

* Exclusive of 8 patients in Beneavin, the convalescent home of Cork-street Fever Hospital.

From Table II., on pages 862–3, it will be seen that, excluding 109 deaths of persons admitted into Public Institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,094, equal to an annual rate of 21·4 per 1,000 of the estimated population, and that 159 of these deaths, representing an annual rate of 1·6 per 1,000 persons, were caused by the principal epidemic diseases.* The death-rate for the city (from all causes) was 22·6 per 1,000, and for the urban districts 17·6 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·7, and in the urban districts 1·5, the rates for the several districts varying from 0·6 in Rathmines and Rathgar Urban District, to 3·9 in Kingstown Urban District, the 11 deaths from all causes in that district including 9 from measles, 5 from whooping-cough, one from *pyrexia* (origin uncertain), and 2 from diarrhœal diseases.

**Occupations.**—Table III., on pages 864–5, shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 17·0 per 1,000 of the persons in that class according to the Census of 1901; in the "Middle Class" the death-rate was 16·7 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 16·4; and in the "General Service Class" and the "Inmates of Workhouses," combined, it was 32·8.

**Ages.**—Of the 2,203 persons whose deaths were registered in the Dublin Registration Area during the quarter, 702 were under 5 years of age, including 458 infants under one year of age, the latter representing a rate of 182·6 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 73·6 in every 1,000 children at that age (according to the Census of 1901); 159 were between the ages of 5 and 20, representing an annual rate of 6·0 per 1,000 persons of that age period; the total number under 20 years being equal to an annual mortality of 23·8 per 1,000 of the population at that age (according to the Census of 1901); 326, or 9·6 per 1,000 persons, were between 20 and 40; 424, or 24·7 per 1,000, between 40 and 60; 509, or 83·9 per 1,000, between 60 and 80; 83 or 174·4 per 1,000, were aged 80 and upwards, including 12 persons aged 90 and upwards.

*Public Institutions.*—Of the 2,203 deaths recorded during the quarter, 929, or 42·2 per cent., occurred in public institutions, viz., 475 in the various hospitals, prisons, and lunatic asylums; 216 in the North Dublin Union Workhouse; 229 in the South Dublin Union Workhouse; and 9 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

**Weather.**—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phœnix Park, was 44·9°. At Greenwich for the quarter, it was 46·7°; at Glasgow, 44·2°; and at Edinburgh, 43·7°.

The rainfall at Dublin during the thirteen weeks measured 9·729 inches; at Greenwich, 8·65 inches; at Glasgow, 13·92 inches; and at Edinburgh, 12·64 inches.

* See note (*), page 866.

TABLE II—Showing for the **Quarter** (13 weeks) **ended 28th December, 1907,** the numb
AREA, the annual Rate per 1,000 of the Population of the respective Districts represent
the principal causes; also the Deaths at certain age-periods, and the number of Uncertifi
*were admitted.*

| REGISTRARS' DISTRICTS, &c. | POPULATION, ESTIMATED TO MIDDLE OF 1907.* | QUARTER (13 WEE | | | DEATHS. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS | | TOTAL DEATHS. | | | | | | | CAUSED | | |
| | | FROM ALL CAUSES. | FROM DISEASES IN COLS. 11-19. | | Infants under 1 year of Age. | 1 and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | Persons aged 60 years and upwards. | Small-pox. | Measles. | Scarlet Fever |
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (1 |
| **North City.** | | | | | | | | | | | | | |
| NORTH CITY, No. 1, E., . . | 29,016 | 22·2 | 1·8 | 161 | 50 | 16 | 9 | 32 | 23 | 31 | . | . | |
| " 1, W. . . | 39,146 | 24·1 | 1·8 | 236 | 64 | 37 | 10 | 37 | 44 | 44 | . | . | |
| " 2, . . | 30,107 | 25·4 | 1·9 | 191 | 50 | 28 | 13 | 28 | 34 | 38 | . | . | |
| " 3, . . | 32,422 | 22·0 | 1·6 | 178 | 33 | 18 | 10 | 31 | 35 | 51 | . | . | |
| CLONTARF AND HOWTH, No. 1, part of, . . . . | 5,116 | 16·4 | 0·8 | 21 | 4 | 1 | 1 | 5 | 2 | 8 | . | . | |
| COOLOCK AND DRUMCONDRA, No. 1, part of, . . . . | 10,991 | 21·8 | 1·1 | 60 | 7 | 6 | 7 | 9 | 10 | 21 | . | . | |
| FINGLAS AND GLASNEVIN, part of, | 7,223 | 18·3 | 1·1 | 33 | 7 | 2 | 4 | 6 | 6 | 8 | . | . | |
| **South City.** | | | | | | | | | | | | | |
| SOUTH CITY, No. 1, . . | 40,002 | 20·9 | 1·4 | 209 | 43 | 31 | 18 | 30 | 38 | 49 | . | 3 | |
| " 2, . . | 20,589 | 25·8 | 1·4 | 133 | 24 | 12 | 6 | 24 | 33 | 34 | . | . | |
| " 3, . . | 42,209 | 23·2 | 1·7 | 245 | 56 | 26 | 20 | 27 | 53 | 63 | . | . | |
| " 4, . . | 35,138 | 22·2 | 1·8 | 195 | 37 | 28 | 17 | 22 | 37 | 54 | . | 1 | |
| NEW KILMAINHAM, . . | 8,891 | 16·6 | 2·7 | 37 | 12 | 6 | 1 | 6 | 4 | 8 | . | . | |
| **Urban Districts.** | | | | | | | | | | | | | |
| RATHMINES AND RATHGAR, . | 35,606 | 16·0 | 0·6 | 142 | 23 | 8 | 7 | 12 | 24 | 68 | . | . | |
| PEMBROKE, . . . . | 27,854 | 15·8 | 1·0 | 110 | 18 | 5 | 10 | 15 | 18 | 44 | . | . | |
| BLACKROCK, . . . | 8,759 | 14·6 | 2·3 | 32 | 6 | 3 | 5 | 4 | 7 | 7 | . | . | |
| KINGSTOWN, . . . | 17,622 | 25·2 | 3·9 | 111 | 16 | 12 | 8 | 13 | 27 | 35 | . | 9 | |
| **Total City,** North, . . | 154,021 | 22·9 | 1·7 | 880 | 215 | 108 | 54 | 148 | 154 | 201 | . | . | |
| **Total City,** South, . . | 146,829 | 22·3 | 1·7 | 819 | 172 | 103 | 62 | 109 | 165 | 208 | . | 4 | |
| **Total City,** North & South, | 300,850 | 22·6 | 1·7 | 1,699 | 387 | 211 | 116 | 257 | 319 | 409 | . | 4 | |
| **Total Urban Districts,** . | 89,841 | 17·6 | 1·5 | 395 | 63 | 28 | 30 | 44 | 76 | 154 | . | 9 | |
| **Total Registration Area,** | 390,691 | 21·4 | 1·6 | 2,094 | 450 | 239 | 146 | 301 | 395 | 563 | . | 13 | |
| Deaths in Institutions of Persons admitted from without the Registration Area (not included in above), . . . . | | | | 109 | 8 | 5 | 13 | 25 | 29 | 29 | . | . | |

* See note (*) on page 867.

DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION ereby, and by the Deaths from the principal Epidemic Diseases*; with the Mortality from some of eaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased*

NDED 28TH DECEMBER, 1907.

| DEATHS. Caused by: Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia* † (origin uncertain) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Tuberculous Disease. Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Number of Uncertified Deaths. | REGISTRARS' DISTRICTS, &c. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| (14) | (15) | ( | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | |
| | | | | | | | | | | | | | **North City.** |
| . | . | 1 | . | 4 | 8 | 17 | 18 | 6 | 8 | 24 | 3 | 4 | NORTH CITY, No. 1, E. |
| . | 3 | 3 | . | 1 | 11 | 19 | 35 | 11 | 9 | 41 | 6 | 16 | " 1, W. |
| . | 2 | 1 | 1 | 1 | 8 | 12 | 22 | 16 | 3 | 33 | 6 | 2 | " 2 |
| . | 2 | 2 | . | 2 | 7 | 11 | 31 | 6 | 7 | 20 | 2 | 5 | " 3. |
| . | . | 1 | . | . | . | 1 | 3 | 1 | 3 | 2 | . | . | CLONTARF AND HOWTH, No. 1, part of. |
| . | 1 | 1 | . | . | 1 | 4 | 9 | 3 | 6 | 6 | 1 | 1 | COOLOCK AND DRUMCONDRA, No. 1, part of. |
| . | . | . | . | . | 2 | 1 | 5 | . | 4 | 1 | 4 | . | FINGLAS AND GLASNEVIN, part of. |
| | | | | | | | | | | | | | **South City.** |
| . | . | . | . | 1 | 7 | 8 | 29 | 10 | 5 | 34 | 6 | 11 | SOUTH CITY, No. 1. |
| . | 2 | . | . | 1 | 4 | 8 | 30 | 7 | 1 | 23 | 5 | 3 | " 2 |
| . | 3 | 1 | . | 3 | 11 | 25 | 27 | 17 | 6 | 45 | 7 | 5 | " 3. |
| . | . | 4 | . | 1 | 10 | 21 | 24 | 14 | 7 | 25 | 4 | 3 | " 4. |
| . | . | . | . | 1 | 5 | 2 | 1 | 2 | 4 | 6 | 1 | 1 | NEW KILMAINHAM. |
| | | | | | | | | | | | | | **Urban Districts.** |
| . | . | 1 | . | . | 3 | 11 | 11 | 5 | 13 | 22 | 2 | 9 | RATHMINES AND RATHGAR. |
| . | . | 2 | . | . | 5 | 11 | 12 | 2 | 3 | 15 | 2 | 2 | PEMBROKE. |
| . | 2 | . | . | . | 3 | 3 | 4 | 2 | 3 | 1 | 2 | 1 | BLACKROCK. |
| . | 5 | . | 1 | . | 2 | 9 | 2 | 6 | 9 | 7 | 2 | 2 | KINGSTOWN. |
| . | 8 | 9 | 1 | 8 | 37 | 65 | 123 | 43 | 40 | 127 | 22 | 28 | **North.** } **Total City.** |
| . | 5 | 5 | . | 7 | 37 | 64 | 111 | 50 | 23 | 133 | 23 | 23 | **South.** } **Total City.** |
| . | 13 | 14 | 1 | 15 | 74 | 129 | 234 | 93 | 63 | 260 | 45 | 51 | **North & South.** } **Total City.** |
| . | 7 | 3 | 1 | . | 13 | 34 | 29 | 15 | 28 | 45 | 8 | 14 | **Total Urban Districts.** |
| . | 20 | 17 | 2 | 15 | 87 | 163 | 263 | 108 | 91 | 305 | 53 | 65 | **Total Registration Area.** |
| . | . | 1 | . | . | 1 | 6 | 12 | 7 | 11 | 10 | 8 | . | |

* See note (*) on page 866. † Formerly described as "Simple Continued Fever."

TABLE III.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCI **Quarter** (13 weeks) **ending Saturday, 28th December, 1907;** the Annual Ra the Number from some of the Principal Causes of Death; also the number of Uncertified Death

| Class. | Occupation or Social Position. [The 26,600 persons returned under the head "Unspecified" in Table 94 of the General Report on the Census have been distributed *pro rata* among the several groups to which they most probably belonged.] | Population in each Class and Group in 1901. | REGISTRATION OF DEATHS, QUARTI | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Annual Death Rate per 1,000 of the Population in 1901. | Total Number of Deaths. | Ages. | | | | | | |
| | | | | | Under 5 Years. | 5 and under 20. | 20 and under 40. | 40 and under 60. | 60 and under 80. | 80 and upwards. | |
| | Cols. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | |
| | **ALL PERSONS,** | 375,350 | 23·5 | 2,203 | 702 | 159 | 326 | 424 | 509 | 83 | |
| | CLASSES. | | | | | | | | | | |
| | **Deaths in Families of the—** | | | | | | | | | | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS, | 17,436 | 17·0 | 74 | 3 | 2 | 6 | 13 | 34 | 16 | |
| II. | MIDDLE CLASS, | 87,188 | 16·7 | 363 | 74 | 35 | 66 | 61 | 102 | 25 | |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS, | 110,423 | 16·4 | 453 | 157 | 30 | 73 | 87 | 96 | 10 | |
| IV. | GENERAL SERVICE CLASS, | 154,279 | 32·8 | 859 | 395 | 74 | 117 | 149 | 112 | 12 | |
| V. | INMATES OF WORKHOUSES, | 6,024 | | 454 | 73 | 18 | 64 | 114 | 165 | 20 | |
| I. | PROFESSIONAL AND INDEPENDENT CLASS. | | | | | | | | | | |
| | 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, | 7,799 | 29·2 | 57 | 2 | 2 | 6 | 10 | 22 | 16 | |
| | 2. Merchants and Manufacturers, Higher Class, | 1,277 | 6·3 | 2 | . | . | . | 1 | 1 | . | |
| | 3. Persons of Rank and Property, not otherwise described, | 8,360 | 7·2 | 15 | 1 | . | . | 2 | 11 | 1 | |
| II. | MIDDLE CLASS. | | | | | | | | | | |
| | 4. General Body of Officials—Civil Service, Banking, &c. | 7,712 | 14·0 | 27 | 5 | 5 | 4 | 5 | 7 | 1 | |
| | 5. Traders (except Petty Shopkeepers), Business Managers, &c., | 22,016 | 22·7 | 125 | 28 | 9 | 16 | 24 | 40 | 8 | |
| | 6. Clerks and Commercial Assistants, | 30,432 | 12·2 | 93 | 26 | 12 | 27 | 13 | 15 | . | |
| | 7. Miscellaneous—including all Householders in Second Class Localities, not included in above, | 27,028 | 17·5 | 118 | 15 | 9 | 19 | 19 | 40 | 16 | |
| III. | ARTISAN CLASS AND PETTY SHOPKEEPERS. | | | | | | | | | | |
| | 8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers, | 9,874 | 19·9 | 49 | 19 | 4 | 9 | 11 | 5 | 1 | |
| | 9. Building and Furnishing Trades, | 29,801 | 15·6 | 116 | 51 | 7 | 16 | 22 | 17 | 3 | |
| | 10. Clothing Trades, | 23,260 | 11·9 | 69 | 21 | 7 | 13 | 11 | 17 | . | |
| | 11. Food Supply Trades, | 9,242 | 10·8 | 25 | 8 | 1 | 2 | 5 | 8 | 1 | |
| | 12. Other Trades and Callings ranking with Trades, | 30,352 | 21·5 | 163 | 45 | 11 | 28 | 34 | 41 | 4 | |
| | 13. Petty Shopkeepers, | 7,894 | 15·7 | 31 | 13 | . | 5 | 4 | 8 | 1 | |
| IV. | GENERAL SERVICE CLASS. | | | | | | | | | | |
| | 14. Army, Police, Postal Delivery, and Prison Services, &c., | 13,425 | 21·2 | 71 | 22 | 5 | 10 | 18 | 14 | 2 | |
| | 15. Domestic Servants, | 36,603 | 7·6 | 70 | 24 | 8 | 13 | 8 | 13 | 4 | |
| | 16. Coach and Car Drivers, Vanmen, &c., | 14,390 | 21·7 | 78 | 38 | 9 | 6 | 15 | 10 | . | |
| | 17. Hawkers, Porters, Labourers, &c., | 89,861 | 28·5 | 640 | 311 | 52 | 88 | 108 | 75 | 6 | |
| V. | INMATES OF WORKHOUSES. | | | | | | | | | | |
| | 18. Workhouse Inmates, | 6,024 | . | 454 | 73 | 18 | 64 | 114 | 165 | 20 | |

'OSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the epresented by the Deaths registered; the Number of Deaths at each of Six Periods of Life, and

13 WEEKS) ENDING SATURDAY, 28TH DECEMBER, 1907.

| CAUSES OF DEATH. | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | TUBERCULOUS DISEASE. | | | | | | | | |
| Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | *Pyrexia** (origin uncertain.) | Enteric Fever. | Diarrhœal Diseases. | Total Cols. 10-18. | Pneumonia. | Phthisis. | Other Forms. | Cancer, Malignant Disease. | *Convulsions.* | Diseases of the Respiratory System. | Violence (Accidental, Homicidal, and Suicidal). | Other Causes. | Number of Uncertified Deaths. | CLASS AND ORDER. |
| (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | |
| . | 13 | 6 | . | 20 | 18 | 2 | 15 | 88 | 162 | 169 | 275 | 115 | 102 | 51 | 315 | 61 | 953 | 65 | |
| . | . | . | . | . | . | . | . | 2 | 2 | 6 | 3 | 1 | 9 | . | 7 | 2 | 44 | 1 | I. |
| . | . | 1 | . | . | 8 | . | 5 | 5 | 19 | 25 | 43 | 21 | 29 | 6 | 31 | 7 | 182 | 14 | II. |
| . | 2 | 1 | . | 3 | 3 | . | 4 | 21 | 34 | 33 | 46 | 28 | 19 | 15 | 63 | 12 | 203 | 17 | III. |
| . | 11 | 3 | . | 17 | 7 | 1 | 6 | 52 | 97 | 85 | 92 | 39 | 23 | 28 | 120 | 36 | 339 | 33 | IV. |
| . | . | 1 | . | . | . | 1 | . | 8 | 10 | 20 | 91 | 26 | 22 | 2 | 94 | 4 | 185 | . | V. |
| | | | | | | | | | | | | | | | | | | | I. |
| . | . | . | . | . | . | . | . | 1 | 1 | 5 | 3 | 1 | 7 | . | 6 | 2 | 32 | . | 1 |
| . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | . | 2 | 1 | 2 |
| . | . | . | . | . | . | . | . | 1 | 1 | 1 | . | . | 2 | . | 1 | . | 10 | . | 3 |
| | | | | | | | | | | | | | | | | | | | II. |
| . | . | . | . | . | 2 | . | . | . | 2 | 2 | 5 | . | . | . | 4 | 1 | 13 | 1 | 4 |
| . | . | 1 | . | . | 4 | . | 1 | 2 | 8 | 5 | 13 | 4 | 15 | 2 | 7 | 3 | 68 | 6 | 5 |
| . | . | . | . | . | . | . | 4 | 2 | 6 | 7 | 10 | 15 | 5 | 4 | 9 | 1 | 36 | 5 | 6 |
| . | . | . | . | . | 2 | . | . | 1 | 3 | 11 | 15 | 2 | 9 | . | 11 | 2 | 65 | 2 | 7 |
| | | | | | | | | | | | | | | | | | | | III. |
| . | . | . | . | . | 1 | . | 1 | 2 | 4 | 2 | 4 | 4 | 2 | 2 | 4 | 2 | 25 | 3 | 8 |
| . | 1 | 1 | . | 1 | 1 | . | 1 | 4 | 9 | 14 | 6 | 5 | 4 | 4 | 19 | 3 | 52 | 5 | 9 |
| . | . | . | . | . | . | . | 1 | 4 | 5 | 2 | 15 | 5 | 1 | 3 | 13 | 1 | 24 | 2 | 10 |
| . | . | . | . | . | . | . | . | 1 | 1 | 3 | 2 | 2 | 1 | 1 | 3 | . | 7 | 1 | 11 |
| . | 1 | . | . | 2 | 1 | . | . | 7 | 11 | 11 | 17 | 10 | 11 | 4 | 16 | 4 | 79 | 5 | 12 |
| . | . | . | . | . | . | . | 1 | 3 | 4 | 1 | 2 | 2 | . | 1 | 3 | 2 | 16 | 1 | 13 |
| | | | | | | | | | | | | | | | | | | | IV. |
| . | 1 | . | . | . | . | . | . | 5 | 6 | 2 | 9 | 3 | 2 | 1 | 8 | 3 | 37 | 1 | 14 |
| . | . | . | . | 2 | 2 | . | 1 | 4 | 9 | 4 | 12 | 2 | 2 | 4 | 4 | . | 33 | 3 | 15 |
| . | 1 | . | . | . | . | . | . | 8 | 9 | 10 | 5 | 3 | 1 | 1 | 12 | 4 | 33 | 1 | 16 |
| . | 9 | 3 | . | 15 | 5 | 1 | 5 | 35 | 73 | 69 | 66 | 31 | 18 | 22 | 96 | 29 | 236 | 28 | 17 |
| | | | | | | | | | | | | | | | | | | | V. |
| . | . | 1 | . | . | . | 1 | . | 8 | 10 | 20 | 91 | 26 | 22 | 2 | 94 | 4 | 185 | . | 18 |

* Formerly described as "Simple Continued Fever."

**Twenty-two Principal Town Districts of Ireland.**—The average annual deat rate represented by the deaths from all causes registered during last quarter in tl Dublin Registration Area and twenty-one of the principal Urban Districts Ireland (exclusive of deaths in Public Institutions of persons admitted from withou the districts), was 20·8 per 1,000 persons, the respective rates for the sever districts being as follow, ranging in order from the lowest to the highest :- Lisburn, 12·6 ; Kilkenny, 13·2 ; Sligo, 13·2 ; Dundalk, 14·1 ; Portadown, 14· Queenstown, 15·7 ; Armagh, 15·8 ; Lurgan, 16·0 ; Wexford, 16·1 ; Ballymen 16·2 ; Londonderry, 16·6 ; Newtownards, 17·1 ; Drogheda, 17·2 ; Clonmel, 17· Tralee, 17·8 ; Cork, 19·3 ; Newry, 20·6 ; Dublin Registration Area, 21·4 ; Wate ford, 21·7 ; Limerick, 21·8 ; Belfast, 22·9, and Galway, 22·9.

The average annual rate represented by the deaths from the principal epidem diseases* in the 22 districts is 2·3 per 1,000 of the population, the rates varying fro 0·0 in three of the districts to 6·6 in Queenstown ; the 31 deaths from all cause registered in that district including 13 from diarrhœal diseases. The 2,119 deat from all causes for Belfast include 116 from measles, 2 from scarlet fever, 2 fro typhus, 19 from whooping-cough, 16 from diphtheria, 2 from *pyrexia* (origin unce tain), 27 from enteric fever, and 107 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases in the *twenty-one provincial urban districts* already named, and Tables IV. and V give in detail the results of the registration for the quarter :—

*Small-pox.*—There was not one death registered from small-pox during the quarte

*Measles.*—In Belfast 116, in Limerick 34, and in Clonmel 2 deaths from measle were registered.

*Scarlet Fever.*—Of 5 deaths, 2 were in Belfast, and in each of Waterford, Port down, and Newtownards one death was registered.

*Typhus.*—Two deaths were of residents of Belfast and 2 of Cork.

*Whooping-cough.*—Of 32 deaths, 19 belonged to Belfast, 4 to Londonderry, 2 t Lurgan, and 2 to Portadown.

*Diphtheria.*—The deaths (24) were registered as follows :—16 from Belfast, from each of Cork, Limerick, and Galway, and one from each of Londonderry an Lurgan.

*Enteric Fever.*—The 40 deaths appertain thus—to Belfast, 27 ; to Cork, Galwa and Newry, 3 deaths each ; to Limerick, 2 deaths, and to Londonderry and Slig one death each.

*Two deaths were assigned to pyrexia (origin uncertain) in Belfast, and one i Clonmel.*

*Diarrhœal Diseases.*—Of 210 deaths, 107 appertained to Belfast, 24 to Cork, an 25 to Waterford.

---

*Cerebro-spinal Fever.*—Four Tables, giving detailed information concerning th mortality from the epidemic of cerebro-spinal fever in Belfast for the quarter (1 weeks) ending 28th December, 1907, are appended to this report, and commence at pag 869. Table A gives the total number of deaths registered weekly in each distri of Belfast, also the total number of cases notified for the whole of Belfast. Table gives the ages and sexes of the decedents for each district of Belfast. Table C gives th occupation or social position, also by ages and sexes ; and Table D gives information r garding the duration of the illness of those persons who died, also by sexes.

The revision of the mortality returns of Belfast shows that 27 deaths from cerebr spinal fever were registered during the period under notice. From returns supplie by Dr. Bailie it appears that 45 cases of the disease were notified to the Publ Health Committee of the Corporation of Belfast during the above period.

---

*Phthisis.*—The death-rate from phthisis for the 22 towns in the aggregate, was 2 per 1,000 of the population ; for the Dublin Registration Area it was 2·7 per 1,00 for Belfast County Borough 2·3 per 1,000, and for the Urban Districts, collectivel (exclusive of Belfast and Dublin Registration Area) it was 2·3 per 1,000, exclusi of deaths in public institutions of persons admitted from without the respective Area

* Small-pox, measles, scarlet fever, typhus, whooping-cough, diphtheria, *pyrexia* (origin uncertai enteric fever, and diarrhœal diseases.

and in each of the undermentioned Twenty-one Urban Districts (exclusive of Dublin) the number of Births, the Annual Rate per 1,000 persons represented by Deaths, and the number of Deaths from some of the principal causes; also the number of Uncertified Deaths.

| Towns and Districts. | Census Statistics of Districts.* Population. Total. | Per sons to an Acre. | Registration—Quarter (13 Weeks) ending Saturday, 28th December, 1907. Annual Rate per 1,000 persons represented by Births. | Deaths. From all Causes. | From Diseases in cols. 10–13. | Births. | Numbers Registered. Deaths. Total Number. | Under 1 year of Age. | At 60 years & upwards. | Caused by Small-pox. | Measles | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia† (origin uncertain) | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease. Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of Respiratory System. | Violence. | Inquest Cases. | No. in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) |
| TOTAL OF 22 TOWN DISTRICTS, | 1,117,547 | 19·6 | 26·0 | 20·8 | 2·3 | 7,266 | 5,819 | 1,184 | 1,568 | . | 165 | 10 | 4 | 52 | 41 | 5 | 55 | 297 | 452 | 676 | 280 | 235 | 885 | 112 | 195 | 1,765 | 235 |
| DUBLIN REGISTRATION AREA: | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL, | 390,691 | 28·4 | 25·7 | 21·4 | 1·6 | 2,508 | 2,094 | 450 | 563 | . | 13 | 5 | . | 20 | 17 | 2 | 15 | 87 | 163 | 263 | 108 | 91 | 305 | 53 | 69 | 820 | 65 |
| CITY OF DUBLIN, | 300,850 | 38·0 | 28·3 | 22·6 | 1·7 | 2,128 | 1,699 | 387 | 409 | . | 4 | 4 | . | 13 | 14 | 1 | 15 | 74 | 129 | 234 | 93 | 63 | 260 | 45 | 55 | 726 | 51 |
| Urban Districts. RATHMINES & RATHGAR, | 35,606 | 20·8 | 15·7 | 16·0 | 0·6 | 140 | 142 | 23 | 68 | . | . | 1 | . | . | 1 | . | . | 3 | 11 | 11 | 5 | 13 | 22 | 2 | 5 | 38 | 9 |
| PEMBROKE, | 27,854 | 17·5 | 18·1 | 15·8 | 1·0 | 126 | 110 | 18 | 44 | . | . | . | . | . | 2 | . | . | 5 | 11 | 12 | 2 | 3 | 15 | 2 | 4 | 25 | 2 |
| BLACKROCK, | 8,759 | 8·1 | 10·5 | 14·6 | 2·3 | 23 | 32 | 6 | 7 | . | . | . | . | 2 | . | . | . | 3 | 3 | 4 | 2 | 3 | 1 | 2 | 1 | 11 | 1 |
| KINGSTOWN, | 17,622 | 12·1 | 20·7 | 25·2 | 3·9 | 91 | 111 | 16 | 35 | . | 9 | . | . | 5 | . | 1 | . | 2 | 9 | 2 | 6 | 9 | 7 | 2 | 4 | 20 | 2 |
| URBAN DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST, | 370,163 | 25·2 | 28·1 | 22·9 | 3·1 | 2,596 | 2119‡ | 442 | 494 | . | 116 | 2 | 2 | 19 | 16 | 2 | 27 | 107 | 220 | 210 | 92 | 72 | 373 | 35 | 74 | 470 | 37 |
| CORK, | 76,122 | 33·6 | 23·3 | 19·3 | 1·7 | 444 | 368 | 76 | 105 | . | . | . | 2 | 1 | 2 | . | 3 | 24 | 17 | 69 | 23 | 21 | 36 | 4 | 16 | 147 | 29 |
| LONDONDERRY, | 42,475 | 19·6 | 24·1 | 16·6 | 1·4 | 256 | 176 | 27 | 61 | . | . | . | . | 4 | 1 | . | 1 | 9 | 5 | 18 | 11 | 10 | 22 | 2 | 6 | 42 | 5 |
| LIMERICK, | 38,151 | 18·1 | 20·4 | 21·8 | 5·0 | 195 | 208 | 38 | 44 | . | 34 | . | . | 1 | 2 | . | 2 | 9 | 8 | 25 | 10 | 6 | 42 | 4 | 6 | 68 | 18 |
| WATERFORD, | 26,769 | 18·7 | 22·9 | 21·7 | 3·9 | 153 | 145 | 27 | 46 | . | . | 1 | . | . | . | . | . | 25 | 6 | 24 | 3 | 4 | 17 | . | 3 | 42 | 13 |
| GALWAY, | 13,426 | 2·5 | 26·2 | 22·9 | 1·8 | 88 | 77 | 14 | 25 | . | . | . | . | 1 | 2 | . | 3 | . | 7 | 5 | 1 | 2 | 4 | 1 | 1 | 29 | 12 |
| DUNDALK, | 13,076 | 9·4 | 24·8 | 14·1 | 0·3 | 81 | 46 | 4 | 14 | . | . | . | . | . | . | . | . | 1 | 3 | 2 | 2 | 4 | 6 | 1 | 3 | 6 | 6 |
| DROGHEDA, | 12,760 | 8·6 | 25·1 | 17·2 | . | 80 | 55 | 2 | 30 | . | . | . | . | . | . | . | . | . | 2 | 9 | 1 | 2 | 5 | 1 | 1 | 16 | 2 |
| NEWRY, | 12,405 | 17·8 | 19·0 | 20·6 | 2·3 | 59 | 61 | 6 | 32 | . | . | . | . | 1 | . | . | 3 | 3 | 1 | 5 | 1 | 6 | 7 | 4 | 4 | 21 | . |
| LURGAN | 11,782 | 13·8 | 32·9 | 16·0 | 2·0 | 97 | 47 | 13 | 14 | . | . | . | . | 2 | 1 | . | . | 3 | 3 | 3 | 7 | 1 | 4 | . | . | 8 | 2 |
| LISBURN, | 11,461 | 10·1 | 26·2 | 12·6 | . | 75 | 33 | 10 | 12 | . | . | . | . | . | . | . | . | . | 2 | 1 | 1 | . | 8 | . | 4 | 4 | 5 |
| WEXFORD, | 11,168 | 23·2 | 27·9 | 16·1 | 1·1 | 78 | 45 | 10 | 18 | . | . | . | . | . | . | . | . | 3 | 1 | 3 | 2 | 3 | 11 | . | . | 7 | 7 |
| BALLYMENA, | 10,886 | 8·9 | 26·1 | 16·2 | 0·4 | 71 | 44 | 7 | 16 | . | . | . | . | . | . | . | . | 1 | 2 | 8 | 1 | 3 | 6 | 1 | 2 | 5 | 5 |
| SLIGO, | 10,870 | 3·7 | 18·4 | 13·2 | 0·4 | 50 | 36 | 5 | 16 | . | . | . | . | . | . | . | 1 | . | 1 | 1 | 4 | . | 5 | . | . | 11 | 10 |
| KILKENNY, | 10,609 | 11·5 | 24·1 | 13·2 | 0·4 | 64 | 35 | 3 | 14 | . | . | . | . | . | . | . | . | 1 | 1 | 3 | 1 | 1 | 8 | 3 | 2 | 15 | 3 |
| CLONMEL, | 10,167 | 7·8 | 20·5 | 17·3 | 1·6 | 52 | 44 | 7 | 17 | . | 2 | . | . | . | . | 1 | . | 1 | 4 | 4 | 2 | 2 | 9 | . | . | 22 | 8 |
| PORTADOWN, | 10,092 | 13·2 | 29·7 | 14·3 | 2·8 | 75 | 36 | 15 | 9 | . | . | 1 | . | 2 | . | . | . | 4 | . | 4 | 4 | 1 | . | 1 | 2 | . | 1 |
| TRALEE, | 9,867 | 16·6 | 25·1 | 17·8 | 1·2 | 62 | 44 | 4 | 15 | . | . | . | . | . | . | . | . | 3 | 2 | 5 | 1 | 1 | 7 | . | 1 | 16 | 1 |
| NEWTOWNARDS, | 9,110 | 18·9 | 28·5 | 17·1 | 2·2 | 65 | 39 | 6 | 12 | . | . | 1 | . | 1 | . | . | . | 3 | 4 | 7 | 1 | 2 | 3 | . | 1 | 7 | 1 |
| QUEENSTOWN, | 7,909 | 14·4 | 30·3 | 15·7 | 6·6 | 60 | 31 | 14 | 5 | . | . | . | . | . | . | . | . | 13 | . | 1 | 4 | 1 | 2 | 1 | . | 2 | 1 |
| ARMAGH, | 7,588 | 22·2 | 30·0 | 15·8 | . | 57 | 30 | 4 | 6 | . | . | . | . | . | . | . | . | . | . | 6 | . | 2 | 5 | 1 | . | 7 | 4 |

*The population given for the Dublin Registration Area and its component parts, and the cities of Belfast, and Londonderry, is that estimated to the middle of the year 1907; that for each of the other districts is the Population according to the Census of 1901.

† Formerly described as "Simple Continued Fever."

‡ Including 27 deaths from Cerebro-spinal Fever (revised number). See text on page 866.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 28th December, 1907,** Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted;* with the ANNUAL RATE of MORTALITY per 1,000 of the Population according to the Census of 1901 represented by the Deaths from All Causes and from the principal Epidemic Diseases; the Number of Deaths at certain AGE-PERIODS: the Number of Deaths from some of the Principal CAUSES: the Number of UNCERTIFIED DEATHS, &c.

| CITIES AND REGISTRARS' DISTRICTS. | Population in 1901. | No. of BIRTHS. | DEATHS. Annual Rate of Mortality per 1,000 of the Population in 1901 represented by Deaths from: All Causes. | Diseases in Cols. 12-20. | Total No. of Deaths. | Ages at Death: Under 1 year. | 1 year and under 5 years. | 5 and under 20 years. | 20 and under 40 years. | 40 and under 60 years. | 60 years and upwards. | Deaths from: Small-pox. | Measles. | Scarlet Fever. | Typhus. | Whooping-cough. | Diphtheria. | Pyrexia* (origin uncertain). | Enteric Fever. | Diarrhœal Diseases. | Pneumonia. | Tuberculous Disease: Phthisis. | Other Forms. | Cancer, Malignant Disease. | Diseases of the Respiratory System (exclusive of Pneumonia). | Violence. | Inquest Cases. | No. of Deaths in Public Institutions. | Number of Uncertified Deaths. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| COLS. | (1.) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) | (12) | (13) | (14) | (15) | (16) | (17) | (18) | (19) | (20) | (21) | (22) | (23) | (24) | (25) | (26) | (27) | (28) | (29) |
| **City of Belfast.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| BELFAST URBAN, No. 1 DISTRICT, | 14,734 | 92 | The estimate of the Population of Belfast now adopted (see Table IV.) being so much in excess of the Population in 1901, and the correct distribution of the increase through the several districts not being at present practicable, Death rates are omitted from this table. | | 87 | 22 | 8 | 7 | 21 | 16 | 13 | . | . | . | 1 | . | 1 | . | 1 | 7 | 12 | 16 | 2 | 2 | 8 | 3 | 6 | 28 | 2 |
| ,, 2 ,, | 47,959 | 310 | | | 250 | 46 | 27 | 13 | 41 | 46 | 77 | . | 2 | . | 1 | 1 | . | . | 7 | 6 | 13 | 23 | 5 | 12 | 62 | 1 | 6 | 55 | 4 |
| ,, 3 ,, | 47,214 | 340 | | | 275 | 60 | 48 | 16 | 40 | 48 | 68 | . | 14 | 1 | . | . | 3 | . | 2 | 21 | 40 | 23 | 18 | 14 | 53 | 3 | 9 | 47 | 12 |
| ,, 4 ,, | 40,911 | 383 | | | 299 | 76 | 49 | 15 | 46 | 68 | 50 | . | 18 | . | . | 1 | 2 | . | 5 | 14 | 26 | 24 | 9 | 8 | 44 | 7 | 11 | 115 | 4 |
| ,, 5 ,, | 17,887 | 134 | | | 138 | 32 | 23 | 8 | 13 | 26 | 36 | . | 15 | . | . | 1 | 2 | . | 1 | 11 | 6 | 15 | 8 | 4 | 25 | 2 | 3 | 36 | 1 |
| ,, 6 ,, | 48,122 | 256 | | | 267 | 37 | 27 | 18 | 41 | 59 | 85 | . | 6 | . | . | 4 | 1 | 1 | 2 | 9 | 34 | 23 | 15 | 5 | 44 | 4 | 6 | 56 | 4 |
| ,, 7 ,, | 1,524 | 11 | | | 16 | 2 | 2 | 1 | 3 | 6 | 2 | . | . | . | . | . | . | . | . | 1 | 2 | 2 | . | 1 | 3 | . | . | 5 | . |
| ,, 8 ,, | 5,060 | 30 | | | 34 | 3 | 2 | 5 | 3 | 11 | 10 | . | . | . | . | . | 1 | . | . | 3 | 2 | 5 | . | 1 | 9 | . | 3 | 7 | 1 |
| ,, 9 ,, | 19,569 | 167 | | | 130 | 29 | 13 | 6 | 21 | 31 | 30 | . | 2 | 1 | . | 1 | 1 | . | 1 | 7 | 15 | 16 | 4 | 4 | 26 | 1 | 4 | 22 | 2 |
| ,, 10 ,, | 28,064 | 223 | | | 146 | 33 | 24 | 13 | 14 | 37 | 25 | . | 11 | . | . | . | . | . | 2 | 5 | 21 | 22 | 6 | 4 | 20 | . | 5 | 18 | 1 |
| ,, 11 ,, | 34,802 | 249 | | | 184 | 42 | 26 | 15 | 21 | 32 | 48 | . | 11 | . | . | 1 | 2 | 1 | 2 | 15 | 19 | 21 | 4 | 8 | 27 | 5 | 7 | 28 | 4 |
| ,, 12 ,, | 33,588 | 279 | | | 232 | 48 | 74 | 21 | 34 | 24 | 31 | . | 34 | . | . | 9 | 3 | . | 3 | 4 | 22 | 14 | 17 | 5 | 46 | 9 | 13 | 49 | 1 |
| ,, 13 ,, | 15,006 | 121 | | | 59 | 11 | 6 | 3 | 11 | 9 | 19 | . | 3 | . | . | 1 | . | . | 1 | 4 | 8 | 6 | 3 | 4 | 6 | . | 1 | 4 | 1 |
| ,, 14 ,, | 240 | 1 | | | 2 | 1 | . | . | . | 1 | . | . | . | . | . | . | . | . | . | . | . | . | 1 | . | . | . | . | . | . |
| Total, | 349,180 | 2,596 | | | 2,119† | 442 | 324 | 141 | 309 | 409 | 494 | . | 116 | 2 | 2 | 19 | 16 | 2 | 27 | 107 | 220 | 210 | 92 | 72 | 373 | 35 | 74 | 470 | 37 |
| **City of Cork.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CORK URBAN, No. 1 DISTRICT, | 12,867 | 75 | 18·0 | 0·3 | 58 | 8 | . | 34 | | | 16 | . | . | . | . | . | . | . | . | 1 | 5 | 17 | 2 | 6 | 3 | . | . | 27 | 6 |
| ,, 2 ,, | 10,701 | 64 | 19·8 | 1·5 | 53 | 12 | 3 | 18 | | | 20 | . | . | . | . | . | . | . | . | 4 | 1 | 8 | 3 | 4 | 8 | . | 3 | 17 | 4 |
| ,, 3 ,, | 9,978 | 67 | 18·8 | 2·8 | 47 | 10 | 5 | 22 | | | 10 | . | . | . | 1 | 1 | . | . | 1 | 4 | 3 | 14 | 3 | 1 | 8 | 1 | 2 | 23 | 4 |
| ,, 4 ,, | 8,666 | 36 | 24·9 | 2·8 | 54 | 9 | 3 | 31 | | | 11 | . | . | . | 1 | . | . | . | 1 | 4 | . | 13 | 5 | 3 | 3 | 1 | 6 | 30 | 3 |
| ,, 5 ,, | 6,592 | 34 | 22·5 | 1·8 | 37 | 9 | 3 | 13 | | | 12 | . | . | . | . | . | . | . | . | 3 | 3 | 4 | 4 | . | 4 | . | . | 15 | 1 |
| ,, 6 ,, | 10,702 | 60 | 12·3 | 0·4 | 33 | 7 | 2 | 13 | | | 11 | . | . | . | . | . | 1 | . | . | . | 2 | 3 | 4 | 4 | . | 1 | 1 | 8 | 3 |
| ,, 7 ,, | 16,616 | 108 | 20·7 | 2·4 | 86 | 21 | 5 | 35 | | | 25 | . | . | . | . | . | 1 | . | 1 | 8 | 3 | 10 | 2 | 3 | 10 | 1 | 4 | 27 | 8 |
| Total, | 76,122 | 444 | 19·3 | 1·7 | 368 | 76 | 21 | 166 | | | 105 | . | . | . | 2 | 1 | 2 | . | 3 | 24 | 17 | 69 | 23 | 21 | 36 | 4 | 16 | 147 | 29 |

# SPECIAL TABLES.

## Cerebro-spinal Fever.

The following tables contain information with reference to the epidemic of Cerebro-spinal Fever in the County Borough of Belfast.

Table A.—Showing for each of the 13 weeks of the Quarter ended 28th December, 1907, the Number of Deaths from Cerebro-spinal Fever for each Registrar's District of the County Borough of Belfast (Deaths in Institutions being assigned to the Districts from which the deceased were admitted, and deaths of persons admitted from without the County Borough being excluded); also the total number of cases notified during each week.

| Registrars' Districts. | Mortality. Week ending— | | | | | | | | | | | | | Total (13 weeks ending 28th Dec., 1907). |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 5th Oct. | 12th Oct. | 19th Oct. | 26th Oct. | 2nd Nov. | 9th Nov. | 16th Nov. | 23rd Nov. | 30th Nov. | 7th Dec. | 14th Dec. | 21st Dec. | 28th Dec. | |
| Belfast Urban, No. 1, | . | . | . | . | . | . | 1 | . | . | . | . | . | . | 1 |
| " " 2, | . | 1 | . | . | . | . | 1 | . | . | . | . | . | . | 2 |
| " " 3, | 1 | 1 | . | . | . | . | . | . | . | . | . | . | 1 | 3 |
| " " 4, | . | . | . | . | . | . | 1 | . | 1 | . | 1 | . | 1 | 4 |
| " " 5, | . | . | . | . | . | . | . | 1 | . | . | . | . | . | 1 |
| " " 6, | . | . | . | . | . | 1 | . | . | . | . | . | . | . | 1 |
| " " 7, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 8, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 9, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 10, | . | . | 2 | 1 | 1 | . | . | 1 | . | . | . | . | . | 5 |
| " " 11, | . | . | . | . | . | . | . | . | . | . | 1 | . | 1 | 2 |
| " " 12, | 1 | . | . | 2 | . | . | . | . | . | 1 | . | 2 | 1 | 7 |
| " " 13, | . | . | . | . | . | . | . | . | . | . | . | . | . | . |
| " " 14, | . | . | . | 1 | . | . | . | . | . | . | . | . | . | 1 |
| Total Deaths, . | 2 | 2 | 2 | 4 | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 2 | 4 | 27 |
| Notifications as returned. | | | | | | | | | | | | | | |
| Total Notifications, Belfast, . . | 3 | 3 | 1 | 5 | 2 | 4 | 2 | 5 | 5 | 5 | 1 | 5 | 4 | 45 |

TABLE B.—Showing, by Age periods and Sexes, the Number of Deaths registered from Cerebro-spinal Fever in the County Borough of Belfast, by Registrars' Districts, during the Quarter (13 weeks) ended 28th December, 1907—Deaths in Institutions being assigned to the Districts from which the deceased were admitted, and deaths of persons admitted from without the County Borough being excluded.

| REGISTRARS' DISTRICTS. | AGE PERIODS. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Belfast Urban, No. 1, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| „ No. 2, | . | . | . | . | . | 2 | . | . | . | . | . | 2 | 2 |
| „ No. 3, | . | . | . | . | 1 | . | . | 2 | . | . | 1 | 2 | 3 |
| „ No. 4, | . | . | 2 | . | 2 | . | . | . | . | . | 4 | . | 4 |
| „ No. 5, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| „ No. 6, | . | . | . | . | . | . | 1 | . | . | . | 1 | . | 1 |
| „ No. 7, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| „ No. 8, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| „ No. 9, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| „ No. 10, | . | 1 | 1 | . | . | 2 | 1 | . | . | . | 2 | 3 | 5 |
| „ No, 11, | . | . | 1 | 1 | . | . | . | . | . | . | 1 | 1 | 2 |
| „ No. 12, | . | . | 1 | 3 | 3 | . | . | . | . | . | 4 | 3 | 7 |
| „ No. 13, | . | . | . | . | . | . | . | . | . | . | . | . | . |
| „ No. 14, | 1 | . | . | . | . | . | . | . | . | . | 1 | . | 1 |
| Total, . | 1 | 2 | 6 | 4 | 6 | 4 | 2 | 2 | . | . | 15 | 12 | 27 |

TABLE C.—Showing the Occupation or Social Condition, by Age Periods and Sexes, of the Persons whose deaths were registered as having been caused by Cerebro-spinal Fever in the County Borough of Belfast, during the Quarter (13 weeks), ended 28th December, 1907, excluding deaths in Institutions of persons admitted from without the County Borough of Belfast.

| Occupation or Social Condition. | Age Periods. | | | | | | | | | | Total Number of Males. | Total Number of Females. | General Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 1 year. | | 1 year and under 5. | | 5 years and under 20. | | 20 years and under 40. | | 40 years and under 60. | | | | |
| | M. | F. | M. | F. | M. | F. | M. | F. | M. | F. | | | |
| Boxfolder, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Engineer, son of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Flaxdresser, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Joiner, son of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Labourer, | . | . | . | . | . | . | 2 | . | . | . | 2 | . | 2 |
| „ children of, | 1 | . | 3 | 3 | 2 | 1 | . | . | . | . | 6 | 4 | 10 |
| Lithographic Artist, child of, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Machine-man, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Message Boy, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Overlooker in Mill, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Pattern Maker, apprentice of, | . | . | . | . | 1 | . | . | . | . | . | 1 | . | 1 |
| Reeler, | . | . | . | . | . | 1 | . | . | . | . | . | 1 | 1 |
| Rivetter, child of, | . | . | . | 1 | . | . | . | . | . | . | . | 1 | 1 |
| Sailor, wife of, | . | . | . | . | . | . | . | 1 | . | . | . | 1 | 1 |
| Spinner, child of, | . | 1 | . | . | . | . | . | . | . | . | . | 1 | 1 |
| Stitcher, child of, | . | . | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Tenter, son of, | . | | 1 | . | . | . | . | . | . | . | 1 | . | 1 |
| Total, | 1 | 2 | 6 | 4 | 6 | 4 | 2 | 2 | . | . | 15 | 12 | 27 |

TABLE D.—Showing, by sexes, for the County Borough of Belfast, the duration of illness of the persons whose deaths from Cerebro-spinal Fever were registered during the Quarter (13 weeks) ended 28th December, 1907.

[The deaths are exclusive of those in Institutions of persons admitted from without the County Borough of Belfast.]

| SEXES. | DURATION OF ILLNESS. | | | | | | | | | | | | | | | | | | | | | | | | | | Total. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 24 Hours. | Days. | | | | | | | | | | | | | | | | | | | | Months. | | | Un-known. | |
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 days to one month. | 1. | 2. | 3 Months and up-wards. | | |
| Males, . . | 1 | 3 | 4 | - | 1 | - | 1 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | 1 (*a*) | - | 1 (*b*) | - | 1 | 15 |
| Females, . . | - | 3 | - | 2 | 2 | 1 | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 (*c*) | - | 12 |
| Total, . | 1 | 6 | 4 | 2 | 3 | 1 | 2 | 1 | 2 | - | - | - | - | - | - | 1 | - | - | - | - | 1 | - | 1 | 1 | 1 | 27 |

(*a*) 21 days.
(*b*) 2 months.
(*c*) 92 days.

ROBERT E. MATHESON,
*Registrar-General.*

GENERAL REGISTER OFFICE,
*Charlemont House, Dublin, 8th February,* 1908.

DUBLIN: Printed for His Majesty's Stationery Office,
By ALEX. THOM & Co. (Limited), 87, 88, & 89, Abbey-street.
375. Wt. P. 230. 9. 1907—20234.